

Index

Note: Italicised page numbers refer to figures and tables

- abfraction, 11, 44, 90–92
- abrasion, 11, 88–90, 93, 194, 234
- acesulfame K, 114
- acid attack, 77
- acidulated phosphate fluoride (APF) gels, 123
- acquired immune deficiency syndrome (AIDS), 69–70
- acute herpetic gingivostomatitis, 55–7
- adolescents, 207–11
 - anti-smoking advice, 210
 - dietary advice, 209
 - effective cleaning advice, 208–9
 - fluoride, 209–10
 - oral piercing advice, 210
 - regular dental/orthodontic checkups, 210
 - sports guard, use of, 211
 - treating, 208
- aerobic bacteria, 29, 30
- aggressive periodontitis (AP), 59–61
- aims, of health education, 151
- amoxicillin, 226
- anaerobic bacteria, 29, 30, 31, 37, 58, 59, 173
- Angle's classifications, 212–3
- angular cheilitis, 63–5
- anorexia, 208
- antibiotics, 28, 34, 48, 52, 59, 61, 62, 70, 172, 226, 264
- anti-plaque agents, 168–74
 - mouthrinses, 171–3
 - sugar-free chewing gum, 174
 - toothpastes, 168–70
- aphthous ulceration, 52–3
- aspartame, 114
- attached gingiva, 13, 14f
- attitude-related learning, 150
- attrition, 11, 87–8

- bacteraemia, 226
- bacterial endocarditis, 226
- balanced diet, 104
- basic periodontal examination (BPE) index, 262–4
- Bass technique (toothbrushing), 179, 180f, 198, 208

- battery-powered toothbrushes, 178–9, 204
- behaviour-related learning, 150
- benzylamine hydrochloride, 173
- biofilm, 30, 171
- black hairy tongue, 16
- breast-milk substitutes, 201–2
- bruxism, 90
- bulimia, 208
- bulk sweeteners, 113–4

- calcium fluoride, 117
- calculus, 32–4. *See also* plaque
 - and chlorhexidine gluconate usage, 172
 - development of, 18
 - minimising, 169–70
 - oral hygiene index, 261
 - removal of, 263
 - and retainers, 44
 - subgingival, 33–4, 44, 261
 - supragingival, 32–3, 44, 261
- candidosis, 62–5
- carbohydrates, 104
- carcinoma, 53, 66, 67–9, 220
- caries, 73–82. *See also* plaque
 - acid attack experiments, 79
 - in adolescents, 207
 - aetiology of, 75–7
 - common sites, 78
 - definition of, 73
 - effect on enamel, 11
 - epidemiology, 79–82
 - fluoride therapy, 120–21
 - history and distribution, 73–4
 - index, 261–2
 - in pregnant and nursing mothers, 194
 - stages of, 77–8
 - types of, 74–5
 - and xerostomia, 67
- case studies, 240–46
 - appointments, 244
 - difficult patients, 241–2
 - examples, 243–4
 - exhibition or display, 244–6
 - expanded, 242–6

- case studies (*cont.*)
 - log sheet, 242
 - record of experience, 240–42
 - topics, 245
- cementum, 10*f*, 10*t*, 12, 13*f*, 73
- cetylpyridinium chloride, 173
- Charter's technique (toothbrushing), 179, 181*f*
- chewing gum, sugar-free, 173, 174, 209, 213
- chlorhexidine gluconate, 35, 98, 171–2
- chronic gingivitis, 37–41
 - inflammation, 39–40
 - primary causes, 37–8
 - secondary causes, 39
 - signs and symptoms, 40–41
 - treatment of, 41
- chronic periodontitis, 43–8
 - features of, 45
 - primary causes, 43
 - secondary causes, 44
 - signs and symptoms, 46–7
 - treatment of, 48
- cigarette smoking. *See* smoking
- closed questions, 156
- coins-in-acid experiment, 79
- cold sores, 30, 54–5
- colitis, 71
- comforters, 111, 201
- communication, 143–8
 - barriers, 145–6
 - in dental surgery, 144–7
 - empathy in, 144
 - media influence, 147
 - respect in, 144
 - technology, 147–8
 - warmth in, 144
- community dental service (CDS), 272
- Crohn's disease, 53, 70, 71

- deciduous dentition, 7
- demineralisation, 77
- dental phobia, 226, 228, 229, 272
- dental services, 270–74
 - clinical governance, 273–4
 - community, 272
 - hospital, 272
 - private practices, 271–2
- dentine, 11
 - abfraction, 90
 - attrition, 88
 - hyperensitivity, 92–3
 - intrinsic staining, 34
 - organic/inorganic matter in, 10*t*
 - properties of, 11
 - in stages of caries, 77–8
 - structure of tooth, 10*f*
- dentures, care of, 221–3
- diabetes, 70–71, 226–7
- diet. *See also* sugars
 - in adolescents, 209
 - in children aged 6–11 years, 204–5
 - in older people, 218
- disclosing tablets, 177–8, 205, 206, 244
- DMFT carries index, 74, 119, 261–2
- domains of learning, 150
- Donabedian concept, 273–4
- drinking cups, 202
- drinks, 205

- edentulous, 20, 215
- education, principles of, 149–57
 - domains of learning, 150
 - educational theorists, 149–50
 - lesson structure, 150–55
 - questionnaire, 155–7
- egg-in-fluoride experiment, 79
- electric toothbrushes, 178–9, 204
- enamel, 10–11
- epidemiologists, 258
- epidemiology, 258–64
 - and caries, 79–82
 - definition of, 258
 - indices, 259–64
 - surveys, 259
- epilepsy, 39, 95, 227
- epulis, 195–6
- erosion, 84–7
- eruption dates, 201, 204
- erythrocin, 178
- erythromycin, 226
- evaluation, 154–5
- extrinsic staining, 34–5
- extrinsic sugars, 110

- fats, 103, 104, 109, 111
- fat-soluble vitamins, 104–5
- felt need, 277
- fissure sealants, 128–32. *See also* caries
 - clinical trials, 131
 - materials, 129–30
 - placement of, 130–31
 - reasons for using, 128–9
 - sealing in children, 131
 - when and where to seal, 129
- fixed appliances, 213–4
- floss, 27, 31, 33, 48, 130, 184, 209, 219, 243, 246, 257
- fluoridated milk, 123

- fluoridated salt, 123
- fluoride, 116–25
 - administration of, 120–21
 - in adolescents, 209–10
 - benefits of fluoridation, 119–20
 - facts about, 117
 - history of, 117–9
 - occurrence, 116–7
 - sources of, 122–4
 - supplements, 124–5, 201
- fluoride gels, 122
- fluoride mouthwashes, 172–3, 204
- fluoride toothpaste, 201
- fluoride varnish, 122
- fluorosis, 34, 118, 119, 120, 121, 122*t*, 124
- Fones technique (toothbrushing), 179–82
- food, 103–7
 - food additives, 106, 107
 - food labelling, 106–7
 - formal secondary socialisation, 254
 - free gingiva, 14
 - fructose, 110
 - fungi, 20, 30
- games, 205
- General Dental Council (GDC), 273–4
- geographic tongue, 16
- gingivae, 13–14
- gingival crest, 14
- gingival overgrowth, 227
- gingivitis. *See* chronic gingivitis
- glossitis, 16, 96
- gram-negative bacteria, 29, 30, 171
- gram-positive bacteria, 29, 171
- gum diseases, prevention of, 205–6
- haemophilia, 129, 226, 227
- halitosis, 16, 41, 47, 59, 195, 222
- health professionals, 236–8
 - delivering advice to other professionals, 237–8
 - providers of oral health education, 236–7
- herpes labialis, 30, 54–5
- herpes simplex virus, 20, 30, 54–6
- hospital dental service, 272
- hydrogen peroxide mouthwashes, 59, 173
- hydroxyapatite, crystals of, 10
- hypoglycaemia, 227
- iceberg effect, 255–7
- indices, 259–64
 - basic periodontal examination index, 262–4
 - DMFT carries index, 261–2
 - oral hygiene index, 261
 - Silness and Løe plaque index, 260
 - Turesky plaque index, 260–61
- inflammation, 39–40
- informal secondary socialisation, 254
- infrabony, 47
- inorganic tooth matter, 8–10
- insulin-dependent diabetes mellitus (IDDM), 70
- intense sweeteners, 113–4
- interdental brush, 184–5
- interdental cleaning, 182–5, 209
- intrinsic staining, 34
- intrinsic sugars, 109–10
- knowledge-related learning, 150
- lateral periodontal abscess, 50
- lesson plan, 152, 153*t*
- lessons, 150
- leucocytes, 20
- lichen planus, 65–6
- localized aggressive periodontitis (LAP), 61–2
- medicines, sugar-free, 206
- mental impairment, 228
- microorganisms, 20, 28, 29, 30, 39
- milk sugars, 110
- mineral salts, 105
- minority ethnic populations, 165, 232–5
 - barriers to dental treatment, 233
 - breaking down barriers, 233–4
 - census, 232
 - guidelines for promotional material, 234–5
- Model of Health Promotion*, 149–50
- mouth ulcers, 52–3
- mouthwashes, 171–3. *See also* anti-plaque agents
 - benzylamine hydrochloride, 173
 - cetylpyridinium chloride, 173
 - for children aged 6–11 years, 204
 - chlorhexidine gluconate, 171–2
 - fluoride in, 123, 172–3
 - hydrogen peroxide mouthrinses, 173
 - Sanguinaria*, 173
 - sodium bicarbonate, 173
- mucin, 18
- mucogingival junction, 14
- National Health Services (NHS), 270
- necrotising ulcerative gingivitis (NUG), 57–9
- neutrophils, 20
- nicotine replacement therapy, 137
- non-insulin dependent diabetes mellitus (NIDDM), 70–71

- normative need, 277
- norms of society, 254, 255
- objectives, of health education, 151–2
- older people, 215–24
 - advice to carers of, 222–3
 - advice to partial denture wearers, 222
 - barriers to dental treatment, 218–9
 - benefits of healthy mouth, 216–7
 - breaking down barriers, 219–20
 - classification of, 216
 - dental survey, 216
 - denture care, 221–2
 - diet, 218
 - nutrition in, 217
 - oral care in, 223–4
 - oral problems of, 220
- “one hour before bed” rule, 206
- open questions, 156
- oral cancer (carcinoma), 53, 66, 67–9, 220
- oral candidosis, 62–5
- oral cavity, 5–20
 - floor of the mouth, 14–16
 - main functions of, 5–7
 - saliva, 17–21
 - structure of, 6
 - teeth, 10–14
 - tongue, 14–16
- oral health promotion, 276–9
 - definition of, 276
 - Ottawa Charter, 276–7
 - and people’s behavior, 277–9
 - and people’s needs, 277
 - providers of, 236–7
- oral hygiene index (OHI), 261
- oral hygiene session, 164–7
 - exhibition, 166–7
 - planning talk to group outside of practice, 165–6
 - points to consider, 165
 - poster design and written information, 167
- oral piercing, 210
- oral thrush, 30, 62
- organic tooth matter, 8–10
- orthodontic patient, 211–4
 - Angle’s classifications, 212–3
 - fixed appliances, 213–4
 - removable appliances, 213
 - treatment of, 212
- Ottawa Charter, 276–7
- outcome evaluation, 154
- overbite, 212
- overjet, 212
- parents of pre-11-year-olds, advice to, 200–206
 - 0-2-year-olds, 200–203
 - 2-5-year-olds, 203–4
 - 6-11-year-olds, 204–6
- parotid gland, 17, 96, 172
- parotitis, 16
- partially dentate, 215
- patient evaluation, 154
- patients, *at risk*, 225–31
 - low economic status, 228–9
 - medically comprised, 226–7
 - mentally impaired, 228
 - physically impaired, 227–8
 - severely compromised, 228–9
- peer evaluation, 155
- performance gap, 256–7
- periodontal abscess, 46, 50–52
- periodontal ligament, 10*f*, 12, 13, 13*f*, 14, 40, 105
- periodontitis. *See* chronic periodontitis
- periodontium, 12–14
- permanent dentition, 7
- permanent dry mouth, 96–7
- physically impaired patients, 227–8
- pit and fissure carries, 74–5
- plaque, 27–31. *See also* calculus; caries
 - anti-plaque mouthwashes, 171–3
 - common sites, 27
 - control of, 31, 177–85
 - in epileptic patients, 227
 - formation of, 28–9
 - indices, 260–61
 - maturation of, 29–31
 - and pregnancy gingivitis, 195
 - and removable appliances, 213
 - removal of, 48, 179, 182, 184–5
 - retention factors, 31, 44
- power brush technique (toothbrushing), 182, 183*f*
- practical oral hygiene instruction, 176–85
 - disclosing, 177–8
 - interdental cleaning, 182–5
 - patient motivation, 177
 - toothbrushes, 178–9
 - toothbrushing, 179–82
- pregnant and nursing mothers, 193–8
 - caries in, 194
 - gingivitis in, 195–6
 - oral health advice for, 197–8
 - periodontal infection in, 196
- prevention, evidence-based, 266–9
 - definition of, 266–7
 - examples of, 266–7

- primary dental health, 267
- recommendations, 268–9
- secondary dental health, 268
- tertiary dental health, 268
- preventive dental unit (PDU), 159–63
 - design, 161
 - location, 160–61
 - oral hygiene session, 165
 - organisation, 162–3
 - setting up displays, 161–2
 - technology in, 147
- preventive resin restoration (PRR), 130
- primary care trusts (PCTs), 271–2
- primary dental health prevention, 267
- primary dentition, 7, 8*f*
- primary socialisation, 254
- private dental practices, 271–2
- process evaluation, 154
- Process of Change (smoking cessation), 135–7
- proteins, 98, 104
- pulp, 12, 34, 78, 93
- questionnaire, 155–7
- radiotherapy patients, xerostomia in, 67, 98
- rechargeable toothbrushes, 178–9, 204
- record of experience, 240–42
- recreational drug users, 70
- red patches, 66
- remineralisation, 18, 77
- removable appliances, 213
- retainers, 214
- root caries, 75, 220
- roughage (dietary fibre), 106
- saccharin, 114, 170
- saliva, 17–21. *See also* oral cavity
 - composition of, 18
 - facts about, 19–20
 - functions of, 19
- salivary calculi, 96
- salivary glands, 17–18, 67
- salivary pellicle, 18, 28
- Sanguinaria*, 173
- scale. *See* calculus
- schools, advice to parents of 6–11 year olds, 205
- secondary dental health prevention, 268
- secondary dentition, 7, 9*f*
- secondary socialisation, 254
- self-evaluation, 155
- sensitivity, dentine, 92–3
- serum proteins, 18
- severely compromised patients, 230
- Silness and Løe plaque index, 260
- simplified oral hygiene index (OHI-S), 261
- Sjögren's syndrome, 98
- smoking, 133–5
 - effects on general health, 134–5
 - effects on oral health, 135
 - by parents of small children, 197
 - in postnatal period, 197
 - and pregnancy, 197
 - reasons for, 133–4
- smoking cessation, 133–7
 - nicotine replacement therapy, 137
 - stages of, 135–7
- smooth surface caries, 74
- socialisation, 254–5
- socioeconomic status, 255
- sociology, of health care, 253–7
 - definition of, 253
 - iceberg effect, 255–7
 - norms of society, 255
 - performance gap, 256
 - primary socialisation, 254
 - secondary socialisation, 254
 - values, 255
 - victim blaming, 256–7
- sodium bicarbonate, 170, 173
- sodium fluoride, 117
- sports guard, 211
- staining, 34–5
- Stephan curve, 77
- stomatitis, 62–3
- streptococci bacteria, 29
- subgingival calculus, 33–4, 46, 261, 263
- sublingual gland, 18
- submandibular gland, 18
- sucrose, 29, 31, 76, 80, 108
- sugar-free chewing gum, 173, 174, 209, 213
- sugar-free medicines, 206
- sugars, 108–14
 - COMA classification, 109–10
 - COMA panel recommendations, 110–11
 - consumption and disease, 108–9
 - extrinsic, 110
 - frequency of consumption, 112–3
 - frequency of intake in children, 204–5
 - intrinsic, 109–10
 - milk, 110
 - substitutes, 113–4
- suprabony, 47
- supragingival calculus, 32, 44, 261
- surveys, 259
- sweeteners, 113–4

- table sugar. *See* sugars
- tape, 48, 184
- tartar. *See* calculus
- teaching methods, 152–4
- teeth, 10–14. *See also* oral cavity
 - structure of, 7–12, 10
 - supporting structures of, 12–15
- tertiary dental health prevention, 268
- tetracycline, 34, 61
- thaumatin, 114
- tobacco smoking. *See* smoking
- tongue, 6f, 14–16. *See also* oral cavity
 - cleansing, 97
 - conditions affecting, 16, 62, 65, 96
 - functions of, 15–6
 - muscles of, 15
 - piercing, 208, 210
- tooth surface loss (TSL), 84–92
 - abfraction, 90–92
 - abrasion, 88–90
 - attrition, 87–8
 - erosion, 84–7
- toothbrushes, 178–9, 204, 209
- toothbrushing, 179–82
 - advice for teenagers, 208–9
 - in children aged 0–2-years, 200–203
 - in children aged 2–5 years, 203–4
 - in children aged 6–11 years, 204
 - denture care in older people, 221–3
 - in orthodontic patients, 213–4
- toothpastes, 168–70. *See also* anti-plaque agents
 - advising on, 170–71
 - for children aged 0–2 years, 201
 - for children aged 2–5 years, 203
 - for children aged 6–11 years, 204
 - constituents of, 169
 - fluoride, 123, 201
 - functions of, 169–70
 - for teenagers, 209
- Trench mouth, 57
- Turesky plaque index, 260–61
- Type 1 diabetes, 70
- Type 2 diabetes, 70–71
- values, 254, 255
- victim blaming, 256
- Vincent's angina, 57
- viruses, 30
- vitamins, 104–5
 - water irrigation units, 185
 - water-soluble vitamins, 105
 - weaning, 109, 111, 202
 - white patches (leukoplakia), 65
 - wood sticks, 185
- xerostomia, 95–8. *See also* saliva
 - aetiology of, 95–6
 - management for radiotherapy patients, 98
 - management of, 97
 - in medically comprised patients, 226
 - in older people, 220
 - permanent dry mouth, 96–7
 - and radiotherapy, 67
- xylytol, 114, 170