

---

# Index

---

Note: references to Figures and Tables are indicated by italic page numbers

- $\mu$ EXAFS *see* micro-extended X-ray absorption structure
- $\mu$ XANES *see* micro-X-ray absorption near edge structure
- 1p-LSM *see* one-photon laser scanning microscopy
- 2D imaging, LSM 475–476, 475
- 2p-LSM *see* two-photon laser scanning microscopy
- 3D imaging, LSM 475, 476, 477, 491–493, 492, 493
- 4D imaging, LSM 476–477
- aberrations, in optical laser-induced breakdown detection 576, 578
- absorption edges, in X-ray absorption spectroscopy 617
- accessory techniques, used with TEM 348–349
- ACF *see* autocorrelation function
- acid polysaccharides (APS) 124–125, 136–137, 136
- acoustic signals 556, 557, 570–571, 571, 579–584, 592, 602
- actinides 202–205, 203, 204, 587–590, 588
- added mass method 433–434
- adhesion forces, in AFM 428, 441–446, 442
- adsorption
  - of humic substances at inorganic colloid surfaces 109
  - of labels for FCS 518, 519, 520–521, 526, 527
  - of samples for AFM samples 413, 414 *see also* binding
- adsorptive stripping voltammetry (AdSV) 120
- AEM *see* analytical electron microscopy
- aerosols 349–350, 352, 595
- aFIFFF *see* asymmetric flow field-flow fractionation
- AFM *see* atomic force microscopy
- agarose gels 531, 537–544, 538, 539, 540, 543
- aggregation
  - AFM 420, 422, 425–426
  - colloid–trace element binding 101
  - electron microscopy 370, 372–373, 385–388
  - electrophoresis interference 282
  - exudate structure 106–107
  - FCS 514–515, 533–537, 534–535, 534–537, 536
  - field-flow fractionation 254
  - of humic substances 254, 425–426, 534–537, 536
  - of organic matter in lake water 385–388
  - process analysis 370, 372–373, 420, 422
  - of schizophyllan 533–535, 534–535
- aggregation artefacts, in AFM samples 415
- alginate, AFM 424, 424
- aluminium 196, 197–199, 533, 534–535, 650
- aluminosilicate colloids, LIBD 587–588, 588
- americium 203–205, 204
- amplitude, of extended X-ray absorption structure signal 619, 619
- analytical electron microscopy (AEM)
  - applications of 378–390
  - combined with X-ray absorption spectroscopy 638
  - correlative procedures 365
  - techniques 347–349, 349–350
- antibody fluorophore conjugates 474
- apparent electrophoretic mobility 294
- apparent surface complexation constants 118
- APS *see* acid polysaccharides
- aquatic colloids
  - AFM 422–428
  - definitions 162, 163, 164
  - FCS 516–517
  - field-flow fractionation 223–269

- aquatic colloids (*continued*)  
 LIBD 588–592, 589, 590–592, 591, 592  
 mass concentrations 160  
 sampling techniques for electron  
 microscopy 353–354  
 trace element interactions 95–140,  
 588–592, 589, 590–592, 591, 592  
 ultrafiltration 159–206, 165–167  
*see also* natural waters
- archaea 486, 486
- arsenic 641
- artefacts  
 in AFM 414, 415  
 in electron microscopy 357, 364  
 in FCS 523–525  
 filtration 97  
 secondary X-rays from AEM 355
- Åspö Hard Rock Laboratory project 559,  
 590–592, 591, 592
- asymmetric flow field-flow fractionation  
 (aFIFFF) 235–238, 235–238, 243
- atmospheric colloids 349–350, 352
- atomic force microscopy (AFM) 405–451  
 aquatic colloids 163, 164, 422–428  
 basic principles of 407–411, 408, 409, 410  
 cantilever spring constant 433–435  
 colloidal probe technique 428, 432–433,  
 432  
 correlative use of TEM with AFM and  
 STXM 383–385  
 instrumentation for 407–408, 408, 429–430  
 natural samples 11, 422–428  
 particle size distribution 5–6, 8  
 quantitative determination of colloid  
 dimensions 416–422  
 sample preparation for 411–416, 413, 414  
 surface force measurement 428–450
- autocorrelation function (ACF), for FCS 511,  
 512–513, 514, 515, 516
- autofluorescence 486
- avalanche ionisation *see* cascade  
 multiplication
- bacteria  
 adhesion force measurements 446, 447  
 colloid–trace element interactions 107–108  
 cyanobacteria 385, 386, 477  
 electrophoresis of soft colloids 332–333,  
 333, 334  
 LSM 469–498, 486  
 metabolic states 489–491
- barium 177, 179
- base microscopes, for LSM 472–473
- BDP *see* breakdown probability
- beam damage, in X-ray absorption  
 spectroscopy 627, 627
- Beer's law 240
- bent Laue crystals 625, 629
- benzene 422, 588–590, 589, 592–594, 593
- binding  
 freshwater colloid–metals binding  
 strength 112–113  
 of humic substances to inorganic colloid  
 surfaces 109  
 of organic colloids to metals 105–107  
 trace element fate and behaviour 100–102  
 trace element–colloid interactions 117–122
- binding sites 107, 110–111, 124
- binning multiple events, in XAS 628, 628
- bioavailability, of trace elements 100
- biofilms 125, 470, 477, 517
- biomineralisation 385, 386
- biopolymers  
 adhesion force study 442, 443–444  
 AFM 418–422, 421, 422, 424–425, 424,  
 442, 443–444, 448–450, 450  
 aggregation study 533–537, 534–535  
 contour lengths 418–420, 421  
 extension measurements 448–450, 450  
 FCS 533–537, 534–535
- boundary conditions, soft colloid electrokinetic  
 equations 323–324
- breakdown events *see* laser-induced breakdown  
 detection
- breakdown probability (BDP), LIBD 556,  
 558–559, 566–572, 571, 579, 581
- breakthrough volume method, of field-flow  
 fractionation 245
- Brownian mode separation principle 227, 228,  
 230, 231, 231, 232
- bubble detection, in LIBD 573
- cadmium  
 in aquatic colloids 196, 197–199  
 bacterial surfaces 107, 108  
 distribution coefficients 114–115  
 goethite surface complexes 104, 105  
 humic substances interaction with 632  
 marine colloid pools 132, 133  
 mussel uptake studies 101

- particle concentration effect 114
- ultrafiltration permeation behaviour of 177, 178, 179
- XAS 632
- calcite precipitation by cyanobacteria 385, 386
- calcium
  - concentration calculations for colloidal fraction 116
  - marine colloids 124
  - size distributions in river water 258
  - ultrafiltration permeation behaviour of 181–183, 182
- Caldwell, Karin 225
- calibration
  - AFM 407, 417
  - field flow fractionation channel dimensions 244–245
  - ultrafiltration membranes 169, 171
- cantilevers, AFM 407–411, 408
- cantilever spring constants 407, 433–435
- capillary electrophoresis (CE)
  - electroosmotic flow 289, 289
  - history of 281, 285, 287
  - literature survey 292–294
  - natural organic matter 291–298
  - sample plug volumes 288, 288
  - simple set-up 288
  - structural information 294–298
  - technique 287–291, 288
- capillary gel electrophoresis (CGE) 298, 299, 300
- capillary isoelectric focusing (CIEF) 298, 299, 300, 300, 301, 301, 302
- capillary zone electrophoresis (CZE)
  - combined off-line with ESI-MS 303, 305
  - CZE–UV profile comparison with FFE–TOC 304
  - ionic strength effects 295–298
  - natural organic matter 300, 301
  - pH effects 295–298
  - polyelectrolytes/charged particles 289–291
  - soil fulvic acid 302
  - technique 294–298
- carbon-based colloid size distributions 257
- carbon–iron mass ratio, of Pacific Ocean waters 134
- carrier phases 132–137, 250, 252
- CARS *see* coherent anti-Stokes Raman scattering microscopy
- cascade multiplication, in LIBD 560–562, 560, 561, 567, 603
- cathodic stripping voltammetry 120
- CCD cameras, in LIBD 557, 559, 569, 574–575
- CE *see* capillary electrophoresis
- cells
  - accumulation of nanoparticles 378
  - debris contamination study by electron microscopy 381
  - identity analysis by LSM 485–486, 485, 486
  - nanoscale mineral agglomerates studied by electron microscopy 381–382
  - surface biopolymer extension measurements by AFM 449–450
  - trace element–colloid binding 107–108
  - zinc complexes, X-ray absorption near edge structure 621, 622
  - see also* bacteria
- centrifugation
  - for AFM 413, 414
  - for electron microscopy 354, 358, 359, 360, 361
- CF *see* concentration factor
- CFF *see* cross-flow filtration
- CFM *see* chemical force microscopy
- CFUF *see* cross-flow ultrafiltration
- CGE *see* capillary gel electrophoresis
- channel cross-flow *see* flow field-flow fractionation
- charged particles 289–291, 316, 319–321
- chemcentric perspective 124, 162
- chemical force microscopy (CFM) 407, 411, 445–446
- chlorides 181–183, 182
- chlorophyll 478, 478
- chromium 196, 197–199
- CIEF *see* capillary isoelectric focusing
- classical electrophoretic separations 281–287
- classification of natural organic matter 109
- Cleveland method 433–434
- CLSM *see* confocal laser scanning microscopy
- clustered targets, for LIBD 568–569
- C/N molar ratios 193, 194
- coagulation 370
- cobalt 177, 179, 196, 197–199, 199, 632
- COC *see* colloidal organic carbon
- coherent anti-Stokes Raman scattering (CARS) microscopy 489

- colloidal fraction concentration  
 calculations 116, 116
- colloidal organic carbon (COC) 160, 185,  
 186–189, 190–192, 192
- colloidal organic matter (COM) 160, 193–195,  
 193, 195, 426–428, 427  
*see also* macromolecules; organic colloids
- colloidal pools 96–99, 124
- colloidal probe technique, in AFM 428,  
 432–433, 432, 437–440, 438, 439
- colloidal pumping concept 101
- colloid–ion comparison, LIBD 595
- colloid–solution partitioning 133
- COM *see* colloidal organic matter
- computerised image analysis 367, 369–373
- concentration factor (CF)  
 macromolecular permeation  
 behaviour 173–178, 179, 180, 181  
 optimum 183–185  
 trace metals and radionuclides 177, 178,  
 180  
 ultrafiltration permeation models 172–173  
 variable 171
- confocal laser scanning microscopy (CLSM)  
 in correlated multi-method approaches 348,  
 383, 384–385  
 fluorescence recovery after  
 photobleaching 479  
 instrumentation for 473–474  
 microbiological samples 471  
*see also* one-photon laser scanning  
 microscopy
- confocal optics, FCS 510, 510, 511
- confocal reflection contrast imaging 481, 481
- confocal reflection imaging, LSM 480–481,  
 481
- ‘constant compliance region’, displacement  
 curve in AFM 409
- constant field runs, FFF 246
- contact mode, of AFM 410, 410
- contaminant localisation in biofilms, LSM 489,  
 489
- contaminant transport, electron  
 microscopy 378–380
- contamination of samples, LIBD 596–597
- continuous energy scanning methods, in  
 XAS 628, 628
- continuous molecular weight-specific NIC  
 analysis (NIC<sub>c</sub>) 250
- coordination environment  
 determination 618–620, 619, 636
- copper  
 in aquatic colloids 196, 197–199, 199  
 distribution coefficients 114–115  
 humic substances interaction with 632  
 marine colloid interaction with 131–132,  
 133  
 roof runoff scavenging study by electron  
 microscopy 388, 389  
 size distributions in soil using  
 FIFFF–ICP–MS 257, 259  
 ultrafiltration permeation behaviour of 177,  
 178, 179  
 XAS 632
- correlative methods, in electron  
 microscopy 347–348, 365, 383–385
- covalent bonds  
 immobilisation techniques in AFM 416  
 labelling methods for FCS 518, 519,  
 521–525, 522, 526, 527  
*Craspedostauros australis* 450, 450  
 cross correlation, in FCS 545
- cross-flow filtration (CFF) 20, 121
- cross-flow ratios 171, 183
- cross-flow ultrafiltration (CFUF) 164,  
 165–167, 183–185, 248–249
- crosstalk, in LIBD 584, 602
- cryotechniques 361–362, 416, 631–632
- cyanobacteria 385, 386, 477
- CZE *see* capillary zone electrophoresis
- damping factors, in extended X-ray absorption  
 structure 620
- Darling River 265
- Debye–Hückel limit 290, 317
- deconvolution, of LSM images 492–493
- deep underground aquatic colloids 590–592,  
 591, 592
- definitions  
 apparent/effective electrophoretic  
 mobility 294  
 aquatic colloids 162, 163, 164  
 colloidal dispersions 18  
 colloids 224  
 environmental colloids 1–3  
 IUPAC definitions 2, 19  
 particles 226  
 soft colloids 316, 316
- dehydration *see* drying
- Derjaguin/Müller/Toporov (DMT)  
 model 442–443

- desorption of train-like polymer conformations 442, 444
- detection limits 580, 580, 640
- detection systems, for FFF 240–244, 241, 242, 261
- devices  
for ultrafiltration 164, 165–167, 168  
*see also* instrumentation
- dextran–fluorophore conjugates 474, 482, 482
- Df *see* fractal dimension
- DGT *see* diffusive gradients in thin films
- DIA *see* digital image analysis
- diameter *see* particle size
- diatoms 450, 450
- diffusion, FCS 537–540, 538, 539, 540–544, 540, 543
- diffusion coefficients  
FCS 513, 515  
fulvic acids, technique  
comparison 530–531, 531  
humic substances, FCS 528–531, 530, 531  
importance of 9–10  
Suwannee River 10, 11, 531
- diffusion times, FCS 513, 515, 516
- diffusive gradients in thin films (DGT) 9, 120, 121, 122–123
- digital image analysis (DIA) 496–497
- digital micrographs from electron microscopy 367, 369–373, 371
- dimensionless electrophoretic mobility 325–328, 325, 334
- direct photo-ionisation, LIBD 559–560
- disaggregation, of humic substances 534–537, 536
- dispersive extended X-ray absorption structure 625
- dissolution, of inorganic colloids 423, 423
- dissolved organic carbon (DOC) 174, 185, 187, 188, 189
- dissolved organic matter (DOM) 164, 193–195
- dissolved phase comparison with colloids 99
- distribution coefficients ( $K_D$ ) 113–115
- distribution function 329–330, 332–333, 333
- DLS *see* dynamic light scattering
- DLVO forces 435–440, 439
- DMT *see* Derjaguin/Müller/Toporov model
- DNA  
AFM 417, 418–422  
*see also* nucleic acids
- DOC *see* dissolved organic carbon
- DOM *see* dissolved organic matter
- drinking water colloids 585, 585
- drop deposition, of AFM samples 413, 414
- drying  
of AFM samples 412, 414, 415  
of electron microscopy specimens 355, 357, 364
- dual channel imaging, in LSM 480–481, 480, 481, 482
- dyes *see* fluorophores; labelling; staining
- dynamic light scattering (DLS) 646–647
- dynamic processes  
FCS 511  
LSM 482–485, 484, 489–491, 497–498
- EDXA *see* energy-dispersive X-ray analysis
- EELS *see* electron energy-loss spectroscopy
- EFM *see* electrical force microscopy
- EF-TEM *see* energy-filtered transmission electron microscopy
- Elbe River flocs 492, 493
- electrical field-flow fractionation (electrical FFF) 225
- electrical force microscopy (EFM) 407, 411
- electrokinetics 292, 316, 317, 321–328, 325
- electron diffraction 366, 367  
*see also* selected-area electron diffraction
- electron energy-loss spectroscopy (EELS)  
electron microscopy 347, 348, 349–350  
element analysis 373, 375, 377, 378, 379
- electron microscopy (EM) 345–390  
applications of 378–390  
development 346–347  
element analysis 373–377, 374, 375, 376, 378, 379  
instrumentation for 349–350  
physicochemical characterisation techniques 351  
qualitative observations 365–367  
quantitative analysis 367–369, 368  
sampling techniques 350, 352–354  
specimen preparation for 354–364, 373  
*see also* analytical electron microscopy;  
environmental scanning electron microscopy; photoemission electron microscopes; scanning electron microscopy; transmission electron microscopy
- electron number calculations, in  
LIBD 566–572
- electron-opaque selective probes 348

- electron spectroscopic imaging (ESI) 377
- electron/X-ray interactions 615
- electroosmotic flow (EOF) 289, 289
- electrophoresis
- bacterial soft colloids 332–333, 333, 334
  - capillary electrophoresis 287–294
  - capillary IEF 299, 300, 300, 301, 301
  - capillary zone electrophoresis 294–298, 302–303, 302, 304, 305
  - classical separations 281–287
  - free-flow electrophoresis 302–303, 303, 304, 305
  - history of 279–287
  - humic substances 334–337, 335
  - natural organic matter
    - characterisation 277–306
  - NOM preparative techniques 298–305
  - soft colloids 315–338
  - soft particles 319–328
  - Tiselius U-tube 280, 280
- electrophoretic mobility
- apparent/effective 294
  - humic substances 334–337, 335
  - scaling 295, 296
  - soft particles 317–319, 324, 325–328, 325
- electrospray ionisation mass spectrometry (ESI–MS) 303, 305
- electrostatic forces 436–440, 537–540, 538
- element analysis
- by electron microscopy 373–377, 374, 375, 376, 378, 379
  - by FFF 247
  - by XAS 617, 619
- element atomic ratio distributions 247
- element-based size distributions 264
- element molar ratio 265
- ELNES *see* energy-loss near-edge structure
- elution modes, in FFF 228, 230, 231, 231
- EM *see* electron microscopy
- embedding media 357, 359, 361, 472
- energy-dispersive spectroscopy *see* X-ray energy-dispersive spectroscopy
- energy-dispersive X-ray analysis (EDXA) 225
- energy-filtered transmission electron microscopy (EF-TEM) 348, 377
- energy-loss near-edge structure (ELNES) 377, 378
- environmental scanning electron microscopy (ESEM) 6, 7, 11
- atmospheric samples 352
  - development 347
  - particle size distributions 5–6
  - qualitative observations 365–366
  - specimen preparation for 355
- enzyme activities 491
- EOF *see* electroosmotic flow
- epifluorescence 472
- EPS *see* extracellular polymeric substances
- equilibrium adsorption of fluorophores 518, 519, 520–521
- equivalent diameter measurements 265
- ESEM *see* environmental scanning electron microscopy
- ESI *see* electron spectroscopic imaging
- ESI–MS *see* electrospray ionisation mass spectrometry
- estuarine waters 122–138, 163, 164, 165–166, 188
- europium 557, 595
- EXAFS *see* extended X-ray absorption structure
- exopolymeric substances *see* extracellular polymeric substances
- experimental error propagation 637–638, 638, 639
- extended X-ray absorption structure (EXAFS)
- data analysis 622–624
  - principles of 617, 617, 618–620, 619
  - spectral decompositions 636
  - trace element sorption 630, 631, 632
  - X-ray spectro-microscopy 640
- extension behaviour of polymers 446–450, 450
- extracellular polymeric substances (EPS) 124–125, 381–382, 383–385, 487
- exudates, role in aggregation of colloids 106–107
- FA *see* fulvic acids
- Faraday, Michael 279
- FCS *see* fluorescence correlation spectroscopy
- FEFF codes 623–624
- FFE *see* free-flow electrophoresis
- FFF *see* field-flow fractionation
- FFFF *see* flow field-flow fractionation
- FFM *see* friction force microscopy
- FIB *see* focused ion beam
- fibrillar biopolymers
- AFM 424–425, 424, 427
  - electron microscopy 380
  - FCS 532, 533

- Gram-positive bacteria 332–333, 333, 334  
polysaccharides 380, 424–425, 424, 532, 533
- field-flow fractionation (FFF) 223–269  
back calculation using standard of known size 245  
breakthrough volume method of 245  
calibration of channel dimensions 244–245  
colloidal size effects on 4, 6  
constant field runs 246  
detection systems for 240–244, 241, 242  
element-based size distributions 264  
element content distributions 247  
FIFFF–ICP–MS method 254, 256, 257, 258, 259, 260  
inorganic particles 261–267  
membrane operating conditions for 250–252  
NOM macromolecules size fractionation by 247–260  
non-spherical particles 264–265, 265  
operating conditions for 250–252  
prefractionation of steric particles 239–240  
retention modes 230–233, 231, 232, 233  
retention theory 228–230, 228, 230  
sample recovery 247  
separation principle 226–228, 227  
subtechniques in 233–239  
validation of 253–254  
void volume 245
- field studies 185–205
- filtration  
colloid size measurement 99–100  
inappropriateness of 140  
nanofiltration membrane adhesion force measurements 446  
phase definition 3  
of submicron particles 18  
of trace elements in colloidal pools 97–98  
*see also* ultrafiltration
- fingerprinting 284, 293, 293, 294
- FISH *see* fluorescent *in situ* hybridisation
- FJC *see* freely jointed chain
- FIFFF *see* flow field-flow fractionation
- FLIM *see* fluorescence lifetime imaging microscopy
- flocculation of schizophyllan 533–535, 534–535
- flocs  
aluminium in NOM by small-angle X-ray scattering 650
- LSM 469–498, 475, 485, 486, 490, 492, 493  
river water study 492, 493  
sample preparation 471–472  
waste water treatment studies 485–486, 485, 486, 490
- flow field-flow fractionation (FIFFF) 6, 10, 11  
FCS comparison 530–531, 531  
fields applied 227  
FIFFF–ICP–MS method 254, 256, 257, 258, 259, 260  
history of 225  
LIBD 242  
metal speciation studies 121  
molar mass/size distributions 249–250  
operating conditions 250–252  
separation principle 226–227  
size studies in trace element complexation 100  
technique 233–238
- flow through measurements, LIBD 597, 597, 598
- fluorescence, of X-rays 615, 616
- fluorescence correlation spectroscopy (FCS) 6, 10, 11, 507–545  
basic applications of 513–516, 516  
environmental applications of 516–518, 519, 528–537  
gel diffusion 537–544, 538, 539, 540, 543  
high molecular weight polysaccharides 532, 533  
humic substances (HS) 509–510, 518, 519, 528–531, 530, 531  
labelling for 517, 518–528, 522, 523, 524, 527, 532  
principles of 510–513, 510, 511, 514  
technique comparisons 508, 517, 530–531, 531, 540–541
- fluorescence lifetime imaging microscopy (FLIM) 473–474, 483, 484, 545
- fluorescence mode  
of XAS 624, 624, 625–626  
of X-ray computed microtomography 645, 645  
of X-ray spectro-microscopy 640
- fluorescence recovery after photobleaching (FRAP) 478–479, 479, 482–483, 517
- fluorescence resonance energy transfer (FRET) 483, 485
- fluorescent *in situ* hybridisation (FISH) 486, 487, 494, 495

- fluorescent materials  
 for FCS 518, 519–525, 522, 524  
 for LSM 470–471, 474, 482, 482, 486–488, 488, 494–495
- fluoride 181–183, 182
- flux density distribution in laser  
 focus 562–566, 564, 565, 566, 603
- focal volume, in LIBD 562–567, 564, 603
- focused ion beam (FIB) 362–363, 362
- force measurements 405–407, 428–450
- force microscopy *see* AFM
- force spectroscopy 446–448
- force–distance curves 409, 410, 430–431, 431
- Fourier transformations (FT) 620, 622, 623, 651
- fractal dimension (Df) from electron microscopy 370, 387–388, 387
- fractionation artefacts, in electron microscopy specimens 364
- fractograms 246–247, 259, 260, 262
- FRAP *see* fluorescence recovery after photobleaching
- free electron lasers 625
- free-flow electrophoresis (FFE) 302–303, 303, 305
- freely jointed chain (FJC) model 448
- free molecular gases, transition to colloids in water 568–569
- free solution electrophoresis 281–282
- freeze-dried samples, for XAS 631–632
- freeze etching, for TEM 361
- freezing samples, for AFM 416
- frequency of extended X-ray absorption structure signal 619, 619
- fresh waters  
 aggregation and sedimentation of organic matter 385–388  
 colloidal actinides in 202–205, 203, 204  
 colloid-trace element binding in 110–122  
 electron microscopy 385–388  
 element molar ratio versus particle diameter 264, 265  
 lake contamination studies 121, 121, 122–123, 379–380  
 molecular distribution of DOC 185–186, 187, 188  
 particle diameter versus element molar ratio 265  
 river floc images from LSM 492, 493  
 size distributions of colloids in 257, 257, 258, 258, 259  
*see also* Suwannee River
- Fresnel zone plates (FZP) 640
- FRET *see* fluorescence resonance energy transfer
- friction coefficients, for FCS 514
- friction force microscopy (FFM) 407
- frit-outlet system 244
- FT *see* Fourier transformations
- full width at half-maximum (FWHM) 576, 577
- fulvic acids (FA)  
 electrophoresis 293, 293, 302, 334, 335  
 FCS 516–517, 518, 528–531, 530, 531  
 LIBD 594  
 membrane adsorption 251
- FWHM *see* full width at half-maximum
- FZP *see* Fresnel zone plates
- gases transition to colloids in water 568–569
- Gaussian functions 563, 564, 567, 570, 572, 605
- gels  
 diffusion of ions in 537–540, 538, 539, 540  
 diffusion of macromolecules/colloids in 540–544, 543  
 electric focusing, colloidal binding phases evaluation 119, 119  
 electrostatic effects on ion diffusion 537–540, 538  
 FCS 537–544, 538, 539, 540, 543  
 gelling properties of polymers 424–425, 424
- geometric factors  
 in AFM 417, 417, 432–433, 432  
 in FFF 264–265, 265  
 in XAS 620, 621, 621, 632
- geometry-sensitive crystal-field splitting 621
- GFP *see* green fluorescent proteins
- Giddings, Calvin 225
- glass substrates 412–413, 413
- global properties of submicron particles 21–37
- goethite surface complexes 103, 104, 104, 105
- gold substrates 413, 413, 416
- gold–lectin conjugate markers 363, 364
- Göpperet-Mayer, Maria 470
- green algae 477
- green fluorescent proteins (GFP) 524
- grid types for TEM 355, 356
- Grimsel test site (GTS) 559, 588–590, 589

- HA *see* humic acids  
hard X-ray spectro-microscopy 639, 640–641  
Hauser, W. 559, 589  
hectorite 423, 423, 630, 631  
Helmholtz–Smoluchowski limit 317  
Henry's model 290  
highly oriented pyrolytic graphite (HOPG) 412–413, 413, 414  
high molecular weight (HMW)  
colloidal thorium-234 201  
definition 161  
polysaccharides 532, 533–535, 533, 534–535  
*see also* fibrillar polysaccharides  
ultrafiltration permeation  
behaviour 173–176  
history  
capillary electrophoresis 281, 285, 287  
electron microscopy 346–347  
electrophoresis of NOM 279–287  
environmental scanning electron microscopy 347  
FFF 225–226  
isoelectric focusing 280, 283–285  
LIBD 556–559  
polyacrylamide gel electrophoresis 282, 283  
scanning tunnelling microscopy 407  
TEM 346  
HMW *see* high molecular weight  
Hooke's law in AFM 407  
HOPG *see* highly oriented pyrolytic graphite  
HS *see* humic substances  
Hückel–Onsager limit 317  
humic acids (HA)  
FCS 528–530, 534–537, 536  
hydrodynamic diameter distributions 255  
hydrodynamic radii 336  
LIBD 594  
membrane adsorption 251  
permeability 336, 336, 337  
humic substances (HS)  
AFM 412, 414, 425–426, 426  
aggregation study 254  
for analysis of colloids 11  
contamination study 379, 380  
diffusion coefficients of 528–531, 530, 531  
disaggregation study 534–537, 536  
electron microscopy 379, 380  
electrophoretic behaviour of 293–294, 293, 302, 334–337, 335  
FCS 509–510, 518, 519, 528–531, 530, 531, 534–537, 536  
field flow fractionation 254  
FIFFF–ICP–MS 257  
Humic Ion Binding Model VI 105, 106, 107  
laboratory metal-binding studies 105–107, 106, 107  
laboratory trace element binding studies 102  
metal binding studies 105, 106, 107, 630–633  
organic–inorganic interaction studies 108–109, 109  
size distributions in soil 257  
small-angle X-ray scattering 650  
Suwannee River 529–531, 530, 531  
XAS 630–633  
X-ray spectro-microscopy 641–642, 643  
Hutter–Bechhoefer method 434–435  
hydrated environmental matter, for electron microscopy 347, 349, 353  
hydrodynamic aspects  
diameter in humic acids 255  
model parameters in soft colloids 328–332  
radii in humic acids 336  
sample injection for CE 287–289  
hydrolysis-resistant covalent labelling 521  
hydromorphic soils 352  
hydrophilic media 357, 359, 361, 412–413, 413, 472  
hydrophobic forces 440  
hydrophobic media 357, 412–413, 413  
hydrophobic soil contaminants 445, 445  
ICP–MS elemental analyser 225–226, 243  
IEF *see* isoelectric focusing  
ignition length 576, 577, 603  
IHSS *see* International Humic Substance Society  
image analysis  
AFM 417–418  
electron microscopy 369–373, 371  
LSM 491–493, 492, 493, 495–497  
particle size distribution measurements 367  
imaging techniques 474–477, 639–646  
inner/outer sphere complexes 630  
inorganic colloids  
AFM 422–424, 423  
FCS 509, 526, 527

- inorganic particles  
 FFF 261–267  
 laboratory trace element binding studies 102–105  
 organic–inorganic interaction studies 108–110, 109
- instrumentation  
 AFM 407–408, 408, 429–430  
 asymmetric FIFFF 236  
 confocal LSM 473–474  
 electron microscopy 349–350  
 FFF 226–228, 227  
 LSM 472–474  
 sedimentation FFF 239  
 symmetrical FIFFF 235, 236, 237
- interaction forces between environmental surfaces 435–437
- interdisciplinary multi-method approaches 347–348
- intermittent mode, of AFM 410, 410
- International Humic Substance Society (IHSS) 426  
*see also* Suwannee River
- International Union of Pure and Applied Chemistry (IUPAC) definitions 2, 19
- intramolecular suprastructures, extension force measurements 449
- intrinsic equilibrium constants 103
- inverse bremsstrahlung 560–562, 560, 561, 567, 603
- inverted microscopes 472
- ionic substances  
 average concentrations in marine colloids 126, 127, 127  
 diffusion in gels 537–540, 538, 539, 540  
 ionic strength effects 252, 295–298, 297  
 LIBD 557, 595  
 ultrafiltration permeation behaviour of 181–183, 182
- ionisation, LIBD 559–562
- iron  
 in aquatic colloids 196, 197–199  
 electron microscopy 380, 381, 382  
 humic substances interaction with 632  
 hydrolysis 633–635  
 in lake water 121, 121, 122–123  
 marine colloid interactions 130–131  
 partitioning in NOM 255  
 pH effects on oxides 104  
 phosphorus association with 374  
 size distributions in iron-based colloids 257, 257, 258, 259  
 TEM–X-EDS analysis 374  
 ultrafiltration permeation behaviour of 179  
 XAS 621, 632, 633–635  
 X-ray spectro-microscopy 641
- isoelectric focusing (IEF)  
 colloidal binding phases evaluation by 119, 119  
 development of 180, 283–285  
 preparative versus capillary 298, 299, 300, 300, 301, 301, 302  
 zone electrophoretic simulation of 286
- isoelectric points 135
- isoflux regions, in LIBD 565, 566
- IUPAC definitions 2, 19
- Johnson/Kendall/Robertson (JKR) model of adhesion forces 442–443
- karstic aquifers 379
- KB *see* Kirkpatrick–Baez
- $K_D$  *see* distribution coefficients
- kinetics  
 electrokinetics 292, 316, 317, 321–328, 325  
 of inorganic colloids from AFM 423–424, 423  
 of metal–colloid reactions 111–112, 111, 112  
 removal rate constants for surface-active colloidal ligands 137–138  
 thorium-234 removal rate constants 138  
 zinc sorption on gibbsite/amorphous silica 111, 112
- Kirkpatrick–Baez (KB) focusing mirrors 640
- labelling  
 for FCS 517, 518–528, 522, 523, 524, 527, 532  
 for TEM 363–364, 363
- laboratory studies 101–111
- lake waters  
 aggregation of organic matter 385–388  
 metal contamination studies 121, 121, 122–123, 379–380  
 studies by electron microscopy 379–380, 385–388
- lambda scans from LSM 476, 477, 486
- laponite clay colloids 422
- laser-induced breakdown detection (LIBD) 555–599

- applications of 584–595
- development 556–559
- experimental approaches in 573–584
- FFF 241, 241, 242, 242, 261, 269
- physics of 559–572
- practical issues in 595–598
- laser-induced breakdown spectroscopy (LIBS) 557, 557, 578, 595, 603
- laser-induced photoacoustic spectroscopy (LPAS) 556, 603–604
- laser scanning microscopy (LSM) 469–498
  - applications of 485–491
  - future directions in 497–498
  - image analysis 495–497
  - image processing 491–493, 492, 493
  - imaging techniques 474–477
  - instrumentation for 472–474
  - microorganisms 469–498
  - quantitative imaging 481–485, 484
  - sample preparation for 471–472
  - selective treatment of subregions 478–479
  - sequential and simultaneous imaging 477–478, 478
- laser sources, for FCS 523
- lateral colloid dimensions, from AFM 416–418, 417
- latex–schizophyllan aggregation study 533–535, 534–535
- Laue crystals 625, 629
- lead
  - in aquatic colloids 196, 197–199
  - contamination study by electron microscopy 379–380
  - cycling in Paul Lake 121, 121
  - distribution coefficients 114–115
  - humic substances interaction by XAS 632
  - marine colloid pools 132, 133
  - particle concentration effect 114
  - size distributions in soil using FIFFF–ICP–MS 257, 259
  - ultrafiltration permeation behaviour of 177, 178
- lectin–fluorophore conjugates 474, 486
- lectin–gold conjugates 363, 364
- Lennard Jones potential 409
- LIBD *see* laser-induced breakdown detection
- LIBS *see* laser-induced breakdown spectroscopy
- lift/hyperlayer mode 230, 231
- light scattering
  - dynamic 646–647
  - FFF detection systems 240
  - LIBD 598
  - multi-angle 266–267, 266, 268
  - static 646–647
- limit of detection (LOD) 580, 580, 640
- lipids, staining for LSM 487, 487
- liquid cells, for AFM 411–412
- Live/Dead viability kit 490, 490, 495
- LMW *see* low molecular weight
- LOD *see* limit of detection
- log-spiral bent Laue crystals 625, 629
- low molecular weight (LMW)
  - materials 173–177
- LPAS *see* laser-induced photoacoustic spectroscopy
- LSM *see* laser scanning microscopy
- macromolecules
  - diffusion in gels 540–544, 543
  - FCS 540–544, 543
  - FFF 247–260, 262–263, 262
  - inorganic particle differentiation 262–263, 262
  - LSM 486–487
  - trace element associations 254–260
  - ultrafiltration permeation behaviour of 173–176
    - see also* organic molecules; polymers
- magnesium 181–183, 182
- magnetic force microscopy (MFM) 407, 411
- M/Al atomic ratios 128
- MALLS *see* multi-angle laser light scattering
- manganese 122–123, 177, 178, 179, 196, 197–199
- manganese oxide 376, 379, 627, 627
- marine waters
  - colloidal pool constituents 124
  - colloid–trace metal interactions 122–138
  - DOC size distribution 189, 191–192, 192
  - estuarine waters 122–138, 163, 164, 165–166, 188
  - organic gels under AFM 425
  - thorium isotopes colloidal residence times 200–205, 200
  - ultrafiltration applications 165–166, 189, 191–192, 192
  - ultrafiltration behaviour 173, 174, 175, 176
- mass balance of ultrafiltration membranes 171, 183, 184
- mass concentrations of aquatic colloids 160

- mass distribution measurements 9
- maximum intensity projection (MIP) 491
- M/C atomic ratios 129
- membranes 439–440, 439, 446  
*see also* FFF membranes; ultrafiltration membranes
- mercury 196, 197–199, 199
- metabolic states of microbial samples 489–491
- metal/aluminium atomic ratios 128
- metal/organic carbon atomic ratios 129
- metals  
 colloid interactions  
 binding reaction kinetics 111–112, 111, 112  
 binding strength in natural systems 112–113  
 carrier phases 132–137  
 electron microscopy 349  
 in estuarine waters 122–138  
 in natural waters 98, 98  
 XAS 638–639
- LIBD 558
- oxides  
 adsorption of organic acids 111  
 electron microscopic analysis 376, 379, 380, 381, 382  
 FCS 521, 526  
 mixed oxide future study directions 139  
 pH as important variable 104  
 XAS 627, 627, 633–635  
 X-ray computed microtomography 646, 646
- sorption on environmental particles 629–630
- speciation study 120–122, 629–639
- substrates for AFM 413, 413, 416  
*see also individual metals*; trace elements
- MFM *see* magnetic force microscopy
- mica, AFM substrate 412–413, 413
- microbiological particles, LSM 469–498
- micro-extended X-ray absorption structure ( $\mu$ EXAFS) 640
- microorganisms *see* bacteria; biofilms; cells; flocs
- microparticles, as nanoparticle aggregates 382–383
- micro-X-ray absorption near edge structure ( $\mu$ XANES) 640
- migration *see* transport
- MIP *see* maximum intensity projection
- mixed oxides, future study of 139
- mobile apparatus, for LIBD 559, 576
- mobility equation, for zone electrophoresis 290
- mobility scaling, for electrophoresis 295, 296
- 'model' phases, in trace element binding studies 101–110
- model polymers, for FCS 527–528, 527
- Model V/VI 105, 106, 107, 139
- molar mass  
 calibration for FFF 252–253, 253  
 of colloidal organic matter used in FIFFF 249–250, 251  
 equations 8
- molar mass cutoff *see* molecular weight cutoff
- molecular conformations  
 AFM 418–422, 421  
 train-like polymer desorption 442, 444  
 worm-like chain model 418–419, 448–449
- molecular integrity preservation, in FCS 524
- molecular probes, for LSM 486
- molecular weight cutoff (MWCO)  
 optimum concentration factor 184–185  
 preconcentration of organic matter for FFF 248  
 ultrafiltration membranes 164, 168–169, 168, 169, 170
- molecular weight (MW)  
 optimum concentration factor 183–185  
 ultrafiltration permeation behaviour 168–169, 169, 173–176  
*see also* particle size
- Monte Carlo calculations 637–638, 638, 639
- MPI *see* ultiphoton ionisation
- MS *see* multiple scattering
- multi-angle laser light scattering (MALLS) 266–267, 266, 268
- multi-labelling, for FCS 519–520
- multi-method interdisciplinary approaches 347–348
- multiphoton ionisation (MPI) 559–562, 567, 604
- multiple scattering (MS), in extended X-ray absorption structure 623
- multivariate analysis, in XAS 637
- mussels, Cd/Zn uptake study in 101
- MW *see* molecular weight
- MWCO *see* molecular weight cutoff
- Myers, Marcus 225
- nanofiltration membranes, adhesion force measurements of 446

- nanoparticles, aggregation to
  - microparticles 382–383
- nanophases 254–260
- Nanoplast resin 357, 359, 361
- nanoscale mineral agglomerates 381–382
- nanosecond laser-induced plasma
  - formation 560–562, 560, 561, 567
- natural organic matter (NOM)
  - aggregation and sedimentation 385–388
  - capillary electrophoresis 291–298, 299
  - classical electrophoretic
    - separations 281–287
  - electrokinetic model 292
  - electron microscopy study 385–388
  - electrophoretic preparative
    - techniques 298–305
  - electrophoretic separation
    - techniques 277–306
  - FFF for size fractionation 247–260, 267
  - organic–inorganic interactions in 108–109
  - preconcentration of 248–249
  - size distribution in 185–192
  - submicron particles in 19
  - ultrafiltration use in field studies 185–195
- natural waters
  - colloids in 18, 20, 422–428
  - percentage of colloiddally bound metals in 98
  - submicron particles in 17–93
  - ultrafiltration applications to 165–167
  - see also* estuarine waters; fresh waters; marine waters
- Navier–Stokes equation 321
- near-edge X-ray absorption structure (NEXAFS) 617
- Newport Green stain, for LSM 489, 489, 495
- NEXAFS *see* near-edge X-ray absorption structure
- NIC *see* normalised intensity comparison
- NIC<sub>c</sub> *see* continuous molecular weight-specific NIC analysis
- NICCA model 105, 106, 107, 139
- nickel 177, 178, 196, 197–199, 199, 632
- NMWCO *see* nominal molecular weight cutoff
- NOM *see* natural organic matter
- nominal molecular weight cutoff (NMWCO) 168–169
- non-contact mode, for AFM 410
- non-DLVO forces, in AFM 437, 440–441
- non-invasiveness, of LIBD 556, 597
- non-linear laser scanning microscopy *see* two-photon laser scanning microscopy
- normalised intensity comparison (NIC) 249, 250
- nuclear waste
  - colloid associations with 587–588, 590, 592
  - see also* radionuclides
- nucleic acids
  - AFM of 417, 418–422
  - LSM of 475, 475, 487, 487, 494
- number density of ionised molecules, LIBD 569, 570
- objective lenses, for LSM 472–473, 498
- OECs *see* organic environmental colloids
- Offord model 290
- Ohshima's model 317–318, 327
- on-channel preconcentration approach, for FFF 243, 244
- one-photon FCS 511–512, 511
- one-photon laser scanning microscopy (1p-LSM) 470, 473–474, 480–481
  - see also* confocal laser scanning microscopy
- on-line DOC detectors, for FFF 242, 249
- optical microscopy, electron microscopy
  - comparison with 349
- optical signals, LIBD by 574–578, 575, 576, 577, 578, 580–581
- optical tweezers 429
- optimum concentration factor, in ultrafiltration 183–185
- organic environmental colloids (OECs) 278
- organic molecules
  - acids adsorption by oxides 111
  - carbon-based colloid size distributions 257
  - correlative use of TEM with AFM and STXM 383–385
  - dissolved organic matter 164, 185, 187, 188, 189, 193–195
  - inorganic differentiation in FIFFF 262–263, 262
  - inorganic interactions in surface
    - studies 108–110, 109
  - particulate organic matter 160, 185
  - persistent organic pollutant ultrafiltration studies 205
  - see also* colloidal organic carbon; colloidal organic matter; natural organic matter

- organic-rich colloids
  - AFM of 424–428, 424, 427
  - appearance under electron microscopy 349
  - LIBD of 594
  - staining and labelling for TEM 363–364, 363
  - trace element binding to 105–107
  - oxidation states, determination of 620–621, 621
- oxygen isotopes 183, 184
  
- Pacific Ocean 134
- PAGE *see* polyacrylamide gel electrophoresis
- PAHs *see* polycyclic aromatic hydrocarbons
- pair distribution function (PDF) 651–652, 652
- paper electrophoresis 281–282
- Pareto distribution 6, 8, 368, 372
- particle concentration effect (p.c.e.) 113, 114, 115
- particles
  - particulate phases–colloid comparison 99
  - rigid/soft distinctions 316–317
  - suspended particulate matter 117–118, 118, 160
  - use of term 226
- particle size
  - AFM 416–422, 417, 419
  - characteristic for soft particles 330
  - Darling River colloids 265
  - diameter calculations 8, 264, 265, 265
  - differentiation of particles from colloids by size 100–101
  - FCS 514, 517–518, 532, 533
  - flow-field fractionation 247–260, 265
  - fractionation of air samples for electron microscopy 352
  - global properties 21–22
  - importance of 3–9, 99–100
  - LIBD 557, 558, 579, 580, 581–584
  - limits for colloids 2
  - in trace element complexation 99–100
- particle size distributions (PSDs) 3–8, 4–5
  - acoustic LIBD 581–584, 583, 605
  - in carbon-based colloids 257
  - chemical species in aquatic systems 162, 163
  - colloidal radionuclides in natural waters 203, 204
  - colloids in natural waters 20
  - DOC in estuarine environments 188
  - electron microscopic quantitative analysis 367–369, 368
  - element-based in FFF 264
  - FFF fractogram conversion 246–247
  - of iron-based colloids 257, 257, 258, 259
  - of natural organic matter 185–192
  - organic carbon in freshwater system 187
  - in Skagerrak sediment sample 268
  - particle–water partition coefficients 137–138
  - particulate organic carbon (POC) 185
  - particulate organic matter (POM) 160
  - partitioning
    - importance of the colloidal phase 115–116
    - metal-selective organic ligands 133
    - organic and iron-rich phases 255
    - particle–water partition coefficients 137–138
    - thorium-234 in dissolved/colloidal/particulate phases 202
    - thorium to marine colloids 130
    - see also* distribution coefficients
  - passive electron reduction factors 620
  - Paul Lake, USA 121, 121
  - $P_c$  *see* permeation coefficients
  - PCBs *see* polychlorinated biphenyls
  - p.c.e. *see* particle concentration effect
  - PDF *see* pair distribution function
  - peak deconvolution method 255, 257
  - peat humic acids (PHA) 334, 336, 337, 337, 534–537, 536
  - PEEM *see* photoemission electron microscopes
  - permeation
    - of dissolved organic carbon 169
    - of radionuclides 177, 179, 180, 181
    - of trace metals 177, 178, 181
    - in ultrafiltration 172–173
  - permeation coefficients ( $P_c$ ) 169, 172–173
  - persistence lengths, of biopolymers 418–420
  - persistent organic pollutants (POPs) 205
  - perturbation minimisation, in FCS 519, 524
  - PFG-NMR, FCS comparison with 530–531, 531
  - PHA *see* peat humic acids
  - phase, of extended X-ray absorption structure signal 619, 619
  - phase definition, filtration steps 3
  - phase imaging, AFM 410–411
  - pH effects
    - capillary zone electrophoresis of NOM 295–298, 296

- on colloid formation, LIBD 585–586, 586
- distribution coefficient trends 115
- FCS labels 523
- metal binding to biological cells 108
- on surface complexes 104–105
- pH gradients 283–285, 488–489
- phosphorescence 513
- phosphorus 374
- photoelectric effects, of X-rays 615–616, 616, 617, 618
- photoemission electron microscopes (PEEM) 641, 642
- photo-ionisation, LIBD 559–562, 604
- photon flux density, in LIBD 563, 565, 574–578, 575, 604
- photophysical properties, of fluorescent dyes 523, 524, 525–527
- physicochemical parameters
  - electron microscopy determination 351
  - of marine colloidal organic matter 135
- physicochemical pathways, EM and AEM applications 378–388
- $pK_a$  values, of marine colloidal matter 135
- planapochromatic lenses 472
- plasma, in LIBD 556–557, 557, 604
- plutonium 203–205, 204, 641
- PMB *see* poly(methacryloyloxyethyl-dimethylbenzylammonium chloride)
- POC *see* particulate organic carbon
- Poisson–Boltzmann equation 291, 292, 321, 331
- polyacrylamide gel electrophoresis (PAGE) 282, 283
- polychlorinated biphenyls (PCBs) 380
- polycyclic aromatic hydrocarbons (PAHs) 378–379, 380
- polydentate anchoring moieties 521
- polyelectrolytes
  - in zone electrophoresis 289–291
  - see also* natural organic matter
- polymers
  - adhesion force study of 442, 443–444
  - AFM 418–422, 424–425, 424, 442, 443–444, 448–450, 450
  - aggregation study 418–422, 533–537, 534–535
  - desorption in train-like conformations 442, 444
  - extension behaviour of 446–450, 450
  - FCS 527–528, 527, 533–537, 534–535
  - force spectroscopy 446–448
  - gels, AFM 424–425, 424
  - molecular conformations 418–420
  - shells on charged soft particles 316, 319–321, 328, 329–330
- poly(methacryloyloxyethyl-dimethylbenzylammonium chloride) (PMB) 420, 421
- polysaccharides
  - acid 124–125, 136–137, 136
  - contamination study by electron microscopy 380
  - extension behaviour study by AFM 449
  - FCS 509, 522, 524–525, 526, 527
  - fibrillar 380, 424–425, 424, 532, 533
  - gels for FCS 537–544, 538, 539, 540, 543
  - high molecular weight study by FCS 532, 533–535, 533, 534–535
  - imaging by AFM 414, 416
  - labelling for FCS 522, 524–525, 526, 527, 532
  - staining for LSM 487, 487
  - staining for TEM 363, 363, 364
  - thorium-234/POC ratio carbohydrate correlation 136–137, 136
- polystyrene particles
  - in LIBD 558, 598, 599
  - in LSM 487, 488, 488
- polystyrene sulfonate (PSS)
  - capillary gel electrophoresis 299
  - FFF 252–253, 253
- POM *see* particulate organic matter
- POPs *see* persistent organic pollutants
- porous media 537–540, 538, 646, 646
  - see also* gels
- potassium 181–183, 182
- power density, in LIBD 563, 565, 566, 567
- power laws, of particle size distribution 368, 372
- precipitate formation 633–635
  - see also* aggregation; sedimentation
- preconcentration of colloidal organic matter, for FFF 248–249, 263, 263, 264
- preparative electrophoretic techniques 298–305
- principal component analysis 637–638
- probes, for LSM 470–471, 486, 494
- propagation of experimental errors 637–638, 638, 639
- proteins 486–487, 522–523, 524, 527
- PSDs *see* particle size distributions
- PSS *see* polystyrene sulfonate

- pure phases, relevance to colloidal systems 110–113
- purified peat humic substances *see* peat humic acid
- pyrolysis–GC–MS 195, 195
- QD *see* quantum dot
- qualitative observations, by electron microscopy 365–367
- Quantifoil films 356
- quantitative analysis  
 AFM 416–422, 428–450  
 electron microscopy 367–369, 368, 373–378  
 LSM 481–485, 495–497  
 surface force apparatus 428
- quantum dot (QD) 485, 498
- quenching, in FCS 517, 520, 525–526
- R see* retention ratio
- radial distribution functions (RDFs) 620
- radionuclides  
<sup>147</sup>Sm FIFFF–HR–ICP–MS fractogram 260  
 LIBD 587–588, 590, 592  
 mobility in surface and subsurface waters 101  
 plutonium 203–205, 204, 641  
 transport, LIBD 587–588, 590, 592  
 ultrafiltration permeation behaviour of 177, 179, 180, 181  
 ultrafiltration studies in aquatic systems 200–205, 200  
 uranium 177, 180, 181, 202–203, 203  
 XAS 633
- ratiometric imaging, by LSM 481–482, 482
- $R_c$  *see* retention coefficient
- RDFs *see* radial distribution functions
- reflection imaging, by LSM 480–481, 481
- rejection rates, ultrafiltration membranes 169, 170
- relative humidity (RH), AFM conditions 412, 414, 415–416
- resin embedding media, for TEM 357
- retention coefficient ( $R_c$ ) 169, 173
- retention modes, FFF 230–233, 231, 232
- retention ratio ( $R$ ), FFF 229, 230–233, 230, 232
- retention theory, FFF 228–230, 228, 230, 234
- Reuss, Ferdinand Friedrich 279, 281
- RH *see* relative humidity
- Rhodospirillum rubrum* 108
- rigid particles, soft particle distinctions 316–317
- river water 265, 492, 493  
*see also* Suwannee River
- RMS *see* root mean square
- roof runoff, copper scavenging 388, 389
- root mean square (RMS), particle radii calculations 266–267, 266
- Ruska, Ernst 346–347
- Sadler's method 435
- SAED *see* selected-area electron diffraction
- sample injection 236, 236, 237, 237, 287–289
- sample preparation  
 for AFM 411–416, 413, 414  
 for electron microscopy 354–364  
 for LIBD 596–598  
 for LSM 471–472  
 for XAS 625–629, 627
- sample recovery, for FFF 247
- sampling  
 aquatic colloids 96, 159–206  
 for electron microscopy 350, 352–354  
 electrophoresis 277–306  
 FFF 223–269  
 preconcentration 263, 263, 264  
 ultrafiltration 159–207
- SANS, combined with SAXS and X-ray microscopy 650
- saturation, LIBD 569–570, 570
- SAXS *see* small-angle X-ray scattering
- scanning, *see also* laser scanning microscopy
- scanning electron microscopy (SEM)  
 correlative procedures 365  
 environmental samples 352–353  
 instrumentation for 349  
 particle size distributions 5–6  
 qualitative observations 365–366  
 specimen preparation for 354–355, 358, 373  
 Tamar estuary sample 7
- scanning probe microscopy (SPM) 407
- scanning transmission electron microscopy (STEM) 366, 378–379, 380
- scanning transmission X-ray microscopy (STXM) 348, 383–385
- scanning tunnelling microscopy 407
- scattering elements, in extended X-ray absorption structure signal 619, 619
- Scheutjens–Fleer theory 329

- schizophyllan 532, 533–535, 533, 534–535
- SCM *see* surface complexation model
- s-curves, in acoustic LIBD 571, 572, 579, 579, 581–584
- SdFFF *see* sedimentation field-flow fractionation
- SDS–PAGE electrophoresis 119, 119
- SEC *see* size exclusion chromatography
- second harmonic imaging microscopy (SHIM) 498
- sedimentation 101, 354, 385–388
- sedimentation field-flow fractionation (SdFFF)  
detection systems 243–244  
fields applied 227  
history of 225  
LIBD 242  
particle shapes 266  
retention modes in 232  
separation principle of 226–227  
technique 238–239, 239
- sedimentation flow field-flow fractionation (sFIFFF) 249
- sediment samples 268, 352–353, 638, 639
- selected-area electron diffraction (SAED) 348, 349, 366, 367
- selective treatment of subregions, in LSM 478–479
- selenium 641
- self-focusing, in optical LIBD 576–578, 578
- SEM *see* scanning electron microscopy
- semi-quantitative investigations, by TEM 366
- sequential imaging, in LSM 477–478, 478
- SFA *see* surface force apparatus
- sFIFFF *see* sedimentation flow field-flow fractionation
- shape factors (SFs)  
electron microscopy 370, 372  
FCS 514, 515  
FFF measurements 264–265, 265, 266
- SHIM *see* second harmonic imaging microscopy
- silicon wafer substrate, for AFM 412–413, 413
- silver, in aquatic colloids 196, 197–199, 199
- simultaneous imaging, by LSM 477–478
- single molecule study, by AFM 429, 448–450, 450
- sinks, marine metal-binding colloids 136–137, 136
- size, *see also* particle size
- size-based definitions 1–2
- size exclusion chromatography (SEC) 254
- size fractionation 247–260, 352
- Skagerrak sediment sample 268
- SLS *see* static light scattering
- small-angle X-ray scattering (SAXS) 647–650, 648, 649
- smart stream splitting, in asymmetric FIFFF 237
- SO<sub>4</sub><sup>2-</sup>, ultrafiltration permeation behaviour of 182, 183
- sodium, ultrafiltration permeation behaviour of 181–183, 182
- soft colloids  
bacterial 332–333, 333  
biologically relevant examples of 316, 319, 332–333  
boundary conditions of electrokinetic equations 323–324  
characteristic electrokinetic features of 325–328, 325, 326  
characteristic particle size of 330  
definition 316, 316  
distribution function evaluation 329–330  
electrokinetic equations 321–323  
electrophoresis 315–338  
electrostatic and hydrodynamic model parameters 328–332  
space charge density 330–332  
surface structure modelling of 316, 319–321
- softness parameter 326, 326
- soft X-ray spectro-microscopy 639, 641–643, 642, 643, 644
- soils  
colloid sampling techniques for electron microscopy 352–353, 354  
copper bound to 257, 259  
electrophoretic behaviour of 293–294, 293  
fulvic acid CZE 302  
humic substances 257  
hydrophobic contaminants 445, 445  
lead bound to 257, 259  
particle size distributions using FIFFF–ICP–MS 257, 259  
qualitative observations by SEM/ESEM 366  
zinc in 257, 641
- solution-phase speciation, of colloidal trace metals and ligands 125–132
- sorption kinetics, of metal–colloid reactions 111–112, 111, 112
- space charge density 330–332
- spacers, for FCS 521, 526

- spatial resolution, of FCS 516  
 speciation information, by electron  
   microscopy 347–348  
 specific surface area (SSA), in colloid–trace  
   element interactions 98–99  
 specific UV absorbance (SUVA) 249  
 specimen grid types, for TEM 355, 356  
 spectral decompositions, XAS 635–636  
 spectral lines, FCS 523, 524  
 spectroscopic properties, of fluorescent  
   dyes 524, 525–527  
 sphalerite 621, 622, 640, 652, 652  
 spin coating techniques, for AFM  
   samples 414, 414  
 split thin-flow fractionation (SPLITT) 100  
 SPM *see* scanning probe microscopy;  
   suspended particulate matter  
 spray deposition techniques, for AFM  
   samples 414, 414  
 SR *see* synchrotron radiation  
 SSA *see* specific surface area  
 stable isotopes, colloidal organic  
   matter 193–195, 193, 195  
 staining  
   for LSM 471, 472, 475, 475, 478, 478, 481,  
     481, 485, 486–487, 487  
   for TEM 357, 363–364, 363  
 standards, for FFF calibration 245  
 standing acoustic plane waves 558  
 static light scattering (SLS) 646–647  
 static loading method 435  
 STEM *see* scanning transmission electron  
   microscopy  
 steric forces 440–441  
 steric/hyperlayer mode 228, 230, 231, 232  
 steric inversion diameter 233  
 steric inversion point 230, 231, 232, 233  
 steric particles, prefractionation of 239–240  
 sticking coefficients, in AFM 446  
 stoichiometry, of iron and phosphorus  
   associations 374  
 Stokes diameter 265  
 Stokes' law 359  
 Stokes–Einstein relationship 513, 531  
*Streptococcus salivarius* 332  
 strong ligands 120, 127, 131  
 STXM *see* scanning transmission X-ray  
   microscopy  
 submicron particles, in natural waters 17–93  
 substrates, for AFM 412–413, 413, 416  
 sulphur/metal interactions 631, 633  
 supporting media, for samples 280, 355  
 supramolecular physical properties, FCS 508  
 surface-active colloidal ligands 137–138  
 surface coatings, of humic substances 113  
 surface complexation constants 118  
 surface complexation model (SCM) 102–103,  
   103, 107–108, 111, 113  
 surface force apparatus (SFA) 428, 430  
 surface forces, AFM 428–450  
 surface layer heterogeneity, of soft  
   particles 327, 327, 328, 329–330  
 surface sorption  
   of metals 629–630  
   of samples for LIBD 597, 597  
 surface structure modelling, of charged soft  
   particles 316, 319–321  
 suspended particulate matter (SPM) 117–118,  
   118, 160  
 SUVA *see* specific UV absorbance  
 Suwannee River  
   diffusion coefficients 10, 11  
   electrophoretic electrokinetic model 292  
   humic substances  
     AFM 426  
     diffusion coefficient measurement  
       techniques 530–531, 531  
     electrophoretic mobility 334, 335  
     FCS 529–531, 530, 531  
     soft X-ray spectro-microscopy 643  
   pH effects on CZE 296, 297  
 symmetrical flow FFF (sFIFFF) 234–235, 235  
 synchrotron radiation (SR) 614–616  
   imaging and spectro-microscopy 639–646  
   XAS 616–639  
   X-ray scattering 646–652  
*Synechococcus* 385, 386  
 SYPRO staining 486–487  
 Syto 9 staining 475, 475, 478, 478, 481  
 SYTOX staining 485, 486  
  
 $t^0$  *see* void time  
 Tamar Estuary 7  
 tapping mode, in AFM 410, 410  
 TEM *see* transmission electron microscopy  
 temporal resolution, of FCS 517  
 TEP *see* transparent exopolymeric particles  
 ternary interactions 108–110, 109  
 thermal noise method 434–435  
 thermodynamic equilibria, of colloid  
   formation 585–586, 586

- thickness of colloids, appearance under electron microscopy 349
- thiols, as marine metal-binding colloid sinks 136–137, 136
- Thompson scattering detection 573–574, 574, 605
- thorium-234
- carbohydrates/uronic acids percentage calculations 136–137, 136
  - colloidal residence times in marine waters 200–205, 200
  - kinetic removal rate constants 138
  - in marine colloids 125–126
  - partitioning in dissolved/colloidal/particulate phases 202
  - ultrafiltration permeation behaviour of 177, 180, 181
- thorium 127, 129, 130, 130, 131, 200–205, 200
- threshold behaviour, LIBD 562, 602
- time-lapse imaging, in LSM 476
- Tiselius U-tube assembly 280, 280, 282
- topographical imaging, by AFM 410, 416–428
- total internal reflection microscopy 429
- total particle scattering *see* pair distribution function
- trace elements
- binding to biological cells 107–108
  - carrier phases 132–137
  - colloidal phase importance 115–116
  - colloid interactions 95–140
  - colloid size importance in complexation 99–100
  - freshwater environments 110–122, 196, 197–199
  - laboratory binding studies 101–110
  - macromolecular organic matter associations 254–260
  - marine environments 122–138, 196, 197–199
  - ‘model’ phase binding studies 101–110
  - organic colloid interactions 105–107
  - reversibility/irreversibility of interactions 134–135
  - solution-phase speciation 125–132
  - ultrafiltration permeation behaviour of 177, 179, 180, 181
  - XAS studies 629–630
- transmission electron microscopy (TEM)
- accessory techniques 348
  - applications of 378–388
  - artefacts 357, 364
  - in correlated multi-method approaches 348, 365, 383–385
  - development 346
  - element analysis 373–378
  - environmental samples 352, 353
  - instrumentation for 349
  - particle size distribution measurements 367–369, 368
  - physicochemical pathway analysis 378
  - qualitative observations 366–367
  - quantitative analysis 367–369, 368
  - specimen preparation for 354–364, 358, 360
  - value to water scientists 348–349
- transmission imaging, by LSM 480, 480
- transmission mode
- of XAS 624, 624, 625–626
  - of X-ray computed microtomography 645, 645
- transparent exopolymeric particles (TEP) 124, 125
- transport
- of contaminants studied by electron microscopy 378–380
  - migration, of trace elements, LIBD 588–590, 589
  - of radionuclides studied by LIBD 587–588, 590, 592
  - trace element uptake rates by aquatic bacteria 108
- Triticum vulgare*-TRITC lectin staining, for LSM 478, 478, 494
- two-dimensional PAGE 285
- two-photon FCS 512
- two-photon laser scanning microscopy (2p-LSM) 470, 473–474
- UDOM *see* ultrafiltered dissolved organic matter
- ultracentrifugation
- for AFM 413, 414
  - for electron microscopy 354, 358, 359, 360, 361
- ultrafiltered dissolved organic matter (UDOM) 185
- ultrafiltration
- applications of 185–206
  - aquatic colloids in field studies 185–205
  - chemical species behaviour 172–185

- ultrafiltration (*continued*)  
 colloidal trace metals in natural waters 196, 197–199, 203, 204  
 devices 164, 165–167, 168  
 permeation models 172–173  
 persistent organic pollutants in natural waters 205  
 radionuclides in aquatic colloids 200–205, 200, 203, 204  
 typical system 167
- ultrafiltration membranes 168  
 adhesion force measurements 446  
 calibration 169, 171  
 integrity check 183  
 mass balance 171, 183, 184  
 MWCO 164, 168–169, 168, 169, 169, 170  
 permeation/retention coefficients 169
- ultramicrotomy, for TEM 356–357, 358
- ultra-small-angle X-ray scattering (USAXS) 648
- ultraspecific markers, for TEM 363, 364
- ultrastructural characterisation, by TEM 366–367
- uranium-238 177, 180, 181
- uranium 202–203, 203
- uronic acids 136–137, 136
- USAXS *see* ultra-small-angle X-ray scattering
- UV  
 detectors for FFF 240, 241, 242  
 specific UV absorbance 249  
 UV–VIS detection for FFF 261, 262, 262
- validation, of molar mass distribution by FFF 253–254
- vanadium 103, 104
- van der Waals forces 437
- vertical colloid dimensions, determination by AFM 418, 419
- viability of microbial cells, LSM 490–491, 490
- viruses 381
- vitrification, for TEM 361–362
- void time ( $t^0$ ), aFIFFF analysis 237
- waste water treatment flocs, LSM 485–486, 485, 486, 490
- water-immersible lenses, for LSM 473
- water treatment problems, electron microscopy study 383
- wavelength-dispersive X-ray (WDX) spectrometers 625, 640
- wavelength ( $\lambda$ ) scans, LSM 476, 477, 486
- WAXS *see* wide-angle X-ray scattering
- WDX *see* wavelength-dispersive X-ray
- weighted average flux density, acoustic LIBD 579
- WHAM-V computer program 255
- whole mounts, for TEM 357, 358, 373
- wide-angle X-ray scattering (WAXS) 647–650, 648, 649
- worm-like chain (WLC) model 418–419, 448–449
- XAFS *see* X-ray absorption fine structure
- XANES *see* X-ray absorption near edge structure
- XAS *see* X-ray absorption spectroscopy
- X-EDS *see* X-ray energy-dispersive spectroscopy
- X-ray absorption fine structure (XAFS) 617
- X-ray absorption near edge structure (XANES)  
 data analysis 622, 623  
 metal/humic substances interaction 632  
 principles of 617, 617, 620–621, 621, 622  
 spectral decompositions 636  
 X-ray spectro-microscopy 640, 641, 644
- X-ray absorption spectroscopy (XAS) 614–639  
 applications of 629–639  
 complementary methods 638  
 data analysis 621–624  
 experimental protocols 624–629, 624  
 principles of 615, 617–624, 617  
 sample preparation/stability 625–629, 627  
 sensitivity 636–637  
 soft X-ray spectro-microscopes 642–643  
*see also* extended X-ray absorption structure;  
 X-ray absorption near edge structure
- X-ray computed microtomography 640, 643–646, 645, 646
- X-ray energy-dispersive spectroscopy (X-EDS)  
 applications of 379  
 electron microscopy 347, 348, 349–350  
 element analysis 373–377, 374, 375, 376  
 secondary X-ray artefacts 355
- X-rays  
 analysis techniques 613–653

- interactions with matter 615–616, 616
- synchrotron radiation 614–615
- X-ray scattering 646–652, 648, 649
  - applications of 650
  - pair distribution function 651–652
  - small and wide angles 647–650, 648, 649
- X-ray spectro-microscopy 639–646
- Z-average, equations 8
- zinc
  - in aquatic colloids 196, 197–199, 199
  - bacterial surfaces 107, 108
  - distribution coefficients 114–115
  - FIFFF–ICP–MS 257
  - humic substances interaction with 632
  - mussel uptake studies 101
  - pair distribution function 652, 652
- sediment contamination 638, 639
- in soil 257, 641
- sorption on hectorite 630, 631
- sorption kinetics on gibbsite/amorphous silica 111, 112
- sphalerite 177, 179, 640, 652, 652
- ultrafiltration permeation behaviour of 177, 179
- X-ray absorption near edge structure 621, 622
- X-ray absorption spectroscopy 630, 631, 632, 638, 639
- X-ray spectro-microscopy 640, 641
- zirconium oxide 646, 646
- zone electrophoresis *see* capillary zone electrophoresis