

Index

• A •

- accidental injuries, 24, 37–38, 39
- acetaminophen, 125–126, 313
- acid reflux (GERD), 34–35
- acid-blocking medications, 35
- ACPA (American Chronic Pain Association), 315
- acupressure, 168
- acupuncture, 87, 166–168, 285, 303
- acute pain, 58
- Adamec, Christine (*How to Stop Heartburn*), 35
- Adapin (doxepin), 140, 308
- addiction, drug, 134–136, 137, 138, 143, 144, 298
- ADHD (attention deficit/hyperactivity disorder), 27
- Advil (ibuprofen), 86, 126, 138, 313
- AFSA Update* (American Fibromyalgia Syndrome Association publication), 319
- age and fibromyalgia risk, 71–73, 74
- alcohol
 - aggravating fibromyalgia, 49
 - avoiding with headaches, 34
 - avoiding with heartburn, 35
 - avoiding with muscle relaxants, 132
 - avoiding with Tylenol, 126
 - sleep disorders not helped by, 195
 - stress-related drinking, 179, 290
 - withholding drinking from doctor, 108
- Aleve (naproxen potassium), 127, 313
- allergic reaction, 50
- alternative medicine
 - acupressure, 168
 - acupuncture, 166–168, 285, 303
 - analyzing remedies, 162–163, 281–282
 - Botox injections, 169–172, 303
 - defined, 303
 - herbs and supplements, 163–166, 282–283
 - homeopathy, 169, 285
 - magnet therapy, 174
 - neurofeedback, 173
 - neuromodulation, 173
 - phony, 161–162, 184
 - popularity of, 161
 - questions to ask about, 162–163
 - tai chi, 172–174, 306
 - telling doctor about, 163–164
- Ambien (zolpidem), 145, 201, 311
- American Academy of Medical Acupuncture, 168
- American Chronic Pain Association (ACPA), 315
- American College of Rheumatology, 107, 112
- American Fibromyalgia Syndrome Association, 317, 319
- American Massage Therapy Association, 153
- anemia, 84
- anger, 222, 248, 262–263
- annoyance, 248
- anti-anxiety medications, 143–144, 202, 225–226, 308
- antibiotics, 31, 89, 139, 171
- antibodies, 42–43
- anticonvulsive medications, 143, 309
- antidepressant medications
 - advantages and disadvantages, 141–142
 - for arthritis, 87
 - combining for increased relief, 140–141
 - for fibromyalgia, 140–142
 - future remedies, 146
 - for gastroesophageal reflux disease, 35
 - libido diminished by, 142
 - other actions needed with, 225
 - overview, 36
 - for pain relief, 219
 - side effects, 142, 225–226
 - for sleep disorders, 201–202, 226
 - SNRIs, 140, 141
 - tables summarizing, 225–226, 308–309
 - types of, 140
 - usefulness of, 226, 227
- antihistamines, 50, 128, 144
- anti-inflammatory medications, 32, 86, 138–139, 272, 310

- anti-malaria medications, 86
 - anxiety. *See also* emotional problems
 - anger with, 222
 - in children, 272–273
 - chronic-panic disorder, 220
 - depression versus fibromyalgia or, 221
 - disorders, defined, 303
 - finding a therapist, 223–224
 - generalized anxiety disorder, 15, 220, 221, 303
 - about magnetic resonance imaging, 116
 - medications, 143–144, 202, 225–226, 308
 - in MFS versus fibromyalgia, 81
 - obsessive-compulsive disorder, 220, 303
 - phobias, 116, 303
 - prevalence of disorders, 219
 - PTSD, 41, 46, 220, 306
 - symptoms of disorders, 220, 222
 - treating disorders, 220
 - appearance of sufferer, 298–299
 - appointments, calendar for, 295
 - aquatic exercises, 87, 207–208
 - aromatherapy, 284
 - arthritis
 - defined, 303
 - diagnosis, 32
 - fibromyalgia versus, 82, 83–84, 85
 - with Lyme disease, 89
 - medications, 32, 86
 - morning stiffness, 23, 83
 - osteoarthritis, 32, 83, 85, 86, 87
 - overview, 32–33, 82–85
 - rheumatoid, 32, 82, 83–84, 85, 86–87, 114
 - symptoms, 83
 - treating, 33, 86–87
 - types of, 82
 - Arthritis For Dummies* (Fox, Taylor, and Yazdany), 86, 303
 - Arthritis Foundation, 208, 303, 315, 317
 - Arthritis Society, 315
 - Asendin (amoxapine), 308
 - aspartame, 216
 - aspirin
 - advantages and disadvantages, 126
 - oxycodone with (Percodan), 135, 311
 - for polymyalgia rheumatica, 86
 - side effects, 313
 - in topical remedies, 129, 130
 - Atarax (hydroxyzine), 144, 308
 - Ativan (lorazepam), 79, 308
 - attention, disease as ploy for, 298
 - attention deficit/hyperactivity disorder (ADHD), 27
 - attorney for disability claims, 241–242
 - autoimmune disorders, 31, 83, 114
 - autoimmune reaction, 43–44
- **B** •
- back pain, 91
 - Baclofen (liorisol), 133, 310
 - bacteria, healthful, 171
 - bacterial infection, 42, 46
 - bedding, 159, 198
 - Benadryl (antihistamine), 128
 - benign joint hypermobility syndrome (BJHD), 33, 303
 - Bennet, Robert (rheumatologist), 123, 127
 - benzodiazepines, 202
 - Berger, Joseph (*Healing Yourself with Self-Hypnosis*), 186
 - Bextra (valdecoxib), 139
 - biking, 208
 - biofeedback, 173, 181–184
 - biometeorology, 28
 - bladder infection, 31
 - bladder spasms, 31
 - blame, 268, 289–290, 291, 295
 - blood tests. *See* laboratory tests
 - Bodian, Stephen (*Meditation For Dummies*), 187
 - body language, 261
 - body mass index (BMI), 212–214
 - bone diseases, 116
 - boss, explaining fibromyalgia to, 229–231
 - Botox injections, 169–172, 303
 - brain abnormalities, 116
 - brain fog. *See* fibro fog
 - breathing technique for sleep, 192
 - bulletin boards, online, 319
 - bullying of child, 277–278
 - Buspar (buspirone), 226



- caffeine, 34, 90, 216, 296
calendar, keeping, 295
Caprio, Frank (*Healing Yourself with Self-Hypnosis*), 186
capsaicin, 129
Cardura (doxazosin), 90
carpal tunnel syndrome, 40
causes of fibromyalgia
 chemical imbalance, 47–50
 difficult pregnancy, 41–42
 environmental, 50–52
 exercise, 24, 53–54
 genetics, 52–53, 55
 Gulf War syndrome, 45–47
 illness, 40, 54–55
 infection, 42–45
 injuries or traumas, 24, 37–42
 overview, 11
cayenne, 129
CBC (complete blood count), 115
CBT. *See* cognitive behavioral therapy (CBT)
Celebrex (celecoxib), 86, 139, 272, 310
Celexa (citalopram), 308
CFIDS. *See* chronic fatigue syndrome (CFS)
CFIDS Association of America, 79, 315
CFS. *See* chronic fatigue syndrome (CFS)
chamomile tea, 282
chemical imbalance, 47–50
chemical sensitivities, 51, 91–92, 305
children
 abuse of, 38, 39–40, 278
 cognitive behavioral therapy for, 272–273
 diagnosing fibromyalgia in, 270
 explaining fibromyalgia to, 251–253
 faking symptoms, 271, 274
 fibromyalgia not your fault in, 268
 fibromyalgia symptoms in, 268–270
 finding a doctor for, 270–271
 medication for, 271–272, 273
 partner as caretaker, 249
 peer problems, 277–278
 questions from, 252–253
 siblings, special time with, 274
 sleep disorders in, 269
 stomachaches, 268–269
 taking to support group, 254–255
 tender points fewer in, 268
 treating fibromyalgia in, 271–273
 working with teacher of, 274–277
chiropractors, 159–160
chocolate, 49, 216
chronic fatigue syndrome (CFS). *See*
 also fatigue
 defined, 304
 diagnosis, 78
 fibromyalgia versus, 77, 78–79
 with Gulf War syndrome, 46, 47
 irritable bowel syndrome with, 78
 medications, 79, 80
 overview, 26, 77–78
 symptoms, 77–79
 from thyroid hormone imbalance, 50
 treating, 79–80
Chronic Fatigue Syndrome For Dummies
 (Lisman and Dougherty), 79, 304
chronic pain, 24, 57, 58, 59, 61
chronic-panic disorder, 220
circadian rhythm, 190
claustrophobia, 116
cognitive behavioral therapy (CBT), 36, 181,
 219, 223, 272–273, 300
cold remedies, 127–128, 312
cold sensitivity with Raynaud's, 90
cold therapy, 87, 148, 149–150, 305
colonoscopy, 30
communication. *See also* interviewing
 to boss and coworkers, 229–231
 to children about fibromyalgia, 251–253
 with child's teachers, 274–277
 with doctor, 107–110, 163–164
 hiding symptoms, 229–230, 292
complete blood count (CBC), 115
computerized tomography (CT), 116
constipation, 30, 142, 164
controlled medications, 134–135, 137
cortisol, 50, 80, 190, 192, 304
coworkers, 230–231, 294
COX-2 inhibitors, 86, 139
cranberry juice, 31
cryotherapy (cold therapy), 87, 148,
 149–150, 305
Cymbalta (duloxetine), 36, 140, 141, 215,
 219, 225, 308

• D •

- Dean, Carolyn (*IBS For Dummies*), 31, 305
- deep sleep, 191, 192, 193, 194
- Delsym (dextromethorphan polistirex), 128, 312
- delusions, 136, 298
- Dement, William C. (*The Promise of Sleep*), 191
- Demerol (meperidine), 311
- depression. *See also* antidepressant medications; emotional problems
 anger with, 222
 anxiety versus fibromyalgia or, 221
 CBT therapy for, 36
 in children, 272–273
 defined, 218, 304
 diagnosis, 35–36
 finding a therapist, 223–224
 linked to fibromyalgia, 218
 in myofascial pain syndrome versus fibromyalgia, 81
 overview, 35–36
 symptoms, 218, 222
 treating, 36, 218–219
- Desyrel (trazodone), 140, 201
- dextromethorphan, 127–128, 304, 312
- diabetes, 114
- diagnosis
 arthritis, 32
 checking doctor's knowledge, 94, 102
 chronic fatigue syndrome, 78
 computerized tomography for, 116
 criteria for, 102, 107
 depression, 35–36
 differential, 112
 of fibromyalgia in children, 270
 of fibromyalgia in men, 73–74
 gastroesophageal reflux disease, 34
 headaches, 33–34
 hypothyroidism, 87, 88, 114
 interstitial cystitis, 31
 irritable bowel syndrome, 30
 laboratory tests for fibromyalgia, 113–117
 laboratory tests inconclusive, 22–23
 lower-back pain, 91
 Lyme disease, 89
 MCSS, 92
 medical history for, 106
 mononucleosis, 92
 MRI for, 34, 91, 116
 self-test for, 13–16
 tender points identification, 110–113
 ultrasound for, 117
- diarrhea, 30, 164, 171
- diary
 food, 216
 pain, 63–64, 305
- dietary recommendations, 216
- dieting, 214
- differential diagnosis, 112
- disability benefits, 237–242
- discussion boards, online, 319
- disease-modifying antirheumatic drugs (DMARD), 86
- doctor shopping, 103
- doctors
 approaches to fibromyalgia, 94–96
 asking questions of, 110
 attitude toward guaifenesin, 123
 bad attitude in, 16, 95–96, 288
 for children, 270–271
 communicating with, 107–110, 163–164
 consulting before exercise, 204
 disability benefit help from, 239
 documenting pain for, 62–64
 finding, 16, 97, 99–101, 270–271
 good attitude in, 16, 94, 95–96
 hesitant to prescribe painkiller, 134, 136–138
 inexperienced, 94
 in insurance network, 99
 interviewing, 100–101, 102–103
 letter to insurance company from, 237
 medical history interview with, 106
 for pain management, 61–66, 98
 primary-care, 94–96
 recording appointments with, 295
 referrals from, 100–101
 shopping for, 103
 specialists, 97–99, 100–101
 touching tender points, 111
 true believer, 16
 when to call, 66
 when to change, 96–97
- Dougherty, Karla (*Chronic Fatigue Syndrome For Dummies*), 79, 304
- dreaming, 190, 192, 194, 200

dry heat, 148
 duodenal ulcer, 133
 Duragesic patches (fentanyl), 134, 135, 311

• E •

ears, ringing in, 25, 126
 echinacea, 283
 Effexor (venlafaxine), 140, 226, 308
 egg crate mattress, 159
 Elavil (amitriptyline), 30, 31, 34, 140, 201, 308
 electroconvulsive therapy, 304
 e-mail lists (listservs), 256, 317–318
 embarrassment, 292
 emotional problems. *See also* anxiety;
 depression
 active coping strategy for, 217
 affect on relationships, 243, 244–245
 blame, 268, 289–290, 291, 295
 dialogue about, 246–247
 in family and friends, 262–265
 family and friends concerned about, 222
 finding a therapist, 223–224
 medications for, 225–226
 in MFS versus fibromyalgia, 81
 negative reactions to fibromyalgia, 248
 overeating with, 222, 291
 paying attention to, 18
 self-assessment, 221–222
 self-perception, 245–246, 289, 292
 therapy not always enough for, 300
 weight loss with, 222
 Enbrel (etanercept), 32, 86
 endocrinologist, 87
 endorphins, 152, 157, 167
 endoscopy, 35
 enterovirus, 42–43
 environment
 causes of fibromyalgia, 50–52
 chemical sensitivities, 51, 91–92, 305
 shared, 53
 ephedra, 165
 epilepsy, 156
 Epstein-Barr virus, 45, 92
 erythrocyte sedimentation rate (ESR),
 78, 84, 89
 eucalyptus, 129

exercise
 aquatic, 87, 207–208
 with arthritis, 87
 benefits of, 203
 biking, 208
 as cause of fibromyalgia, 24, 53–54
 consulting doctor before, 204
 fatigue without, 25
 with myofascial pain syndrome, 82
 overview, 15, 203–204
 pain from, avoiding, 205
 preparing for, 205
 programs for, 204, 205–206
 sleep aided by, 195
 strengthening, 208–211
 stretching, 209, 210, 211
 tai chi, 172–174, 306
 tips, 204–205
 walking, 204, 205–207
 weightlifting, avoiding, 208
 yoga, 187–188
 expectorant, 122

• F •

fainting (syncope), 77, 116
 family and friends. *See also* partner;
 support groups
 affect of fibromyalgia on, 243, 244–245
 analyzing fibromyalgia in family, 55
 asking if you're okay, 222
 attending support group, 264–265
 blaming, 290, 295
 body language in, 261
 communicating with, 19
 cuing for fibro fog, 294
 discussing emotions with, 246–247
 doctor referral from, 101
 emotional problems in, 262–265
 family members at risk, 53
 fibromyalgia as excuse with, 245
 genetics and fibromyalgia, 52–53, 55
 hugging sufferer, 260
 ineffective interactions with, 244–245
 leaving sufferer alone, 259–260
 listening to sufferer, 258–259, 261
 negative reactions to fibromyalgia, 248

- family and friends (*continued*)
 stress and relationship to, 179
 supportive comments from, 258–259, 262
 sympathizing with sufferer, 258–262
 taking to support group, 254–255
 unhelpful remarks by, 248–249, 257, 259
- Family and Medical Leave Act (FMLA), 233
- fatigue, 25, 211, 270. *See also* chronic fatigue syndrome (CFS)
- fear, 248
- feet, tingling, 25
- Feldene (piroxicam), 138, 310
- Feuerstein, Georg (*Yoga For Dummies*), 188
- fibro fog
 ADHD versus, 27
 asking for help, 294
 defined, 11, 21, 304
 feeling out of it, 26–27
 inattention from, 27
 mental confusion with, 28
 in MFS versus fibromyalgia, 81
 sense of humor about, 26
 tips for coping with, 293–296
 work issues, 229
- Fibrohugs Fibromyalgia Support Site, 317
- Fibromyalgia Association UK, 315
- Fibromyalgia Aware* (National Fibromyalgia Association publication), 319
- Fibromyalgia Community support group, 256
- Fibromyalgia Frontiers* (National Fibromyalgia Partnership publication), 319
- Fibromyalgia Network* (Fibromyalgia Network publication), 319
- The Fibromyalgia Network, 97, 317, 319
- Fibromyalgia Resource Center, 317
- fibromyalgia syndrome (FMS)
 acknowledging, 10, 72
 anxiety or depression versus, 221
 arthritis versus, 82, 83–84, 85
 associated medical problems, 11, 13, 23, 29–30, 75–76, 90
 CFS versus, 77, 78–79
 coping, 18–20
 defined, 304
 depression linked to, 218
 diagnostic criteria for, 107
 diseases confused with, 12–13, 75–76
 ignoring, 287, 300
 lupus versus, 84
 Lyme disease versus, 89
 mistakes to avoid, 287–292
 myofascial pain syndrome versus, 81
 myths about, 297–300
 number of sufferers, 1, 70
 overview, 1
 people at risk for, 12, 53, 70
 Raynaud's phenomenon with, 90
 self-test for, 13–16
 thyroid disease versus, 87, 88
 unpredictability of, 299
 validity of, 9–10
- Fiorcet (butalbital with acetaminophen), 135, 311
- flex time, 232
- Flexeril (cyclobenzaprine), 132, 202, 310
- flu-like pain, 1, 89, 92, 95, 127
- FMLA (Family and Medical Leave Act), 233
- food
 aggravating fibro fog, 296
 aggravating fibromyalgia, 30, 49, 216
 aggravating headaches, 34
 aggravating heartburn, 35
 aggravating IBS, 30
 diary, 216
 dietary recommendations, 216
 sleep disorder aids, 197
 forgetfulness, 26, 294, 296
 forums, online, 319
- Fox, Barry (*Arthritis For Dummies*), 86, 303
- friends. *See* family and friends
- frustration, 248, 263
- Fuentes, Manny (*T'ai Chi For Dummies*), 174



- gastritis, 126, 133, 272
- gastroenterologists, 30, 35
- gastroesophageal reflux disease (GERD), 34–35
- gastrointestinal distress, 133, 139, 268–269
- gel packs, 148, 150
- generalized anxiety disorder (GAD), 15, 220, 221, 303
- genetics, 52–53, 55, 90
- Gingko biloba, 165
- giving up on treatments, avoiding, 288–289

green tea, 283
 growth hormone
 future remedies, 146
 low with fibromyalgia, 47, 50, 79
 secretion during sleep, 190, 191, 192
 guaifenesin, 51, 121–125, 304, 312
 guilt, 248, 264
 Gulf War syndrome, 45–47, 304

• H •

Halcion (triazolam), 202
 hallucinations, 136
 hands, tingling, 25
 headaches
 from antidepressants, 142
 avoiding TMS, 156
 with chronic fatigue syndrome, 77
 defined, 304
 foods to avoid, 34
 ibuprofen for, 126
 ice pack for, 150
 treating, 34
 types of, 33–34
Healing Yourself with Self-Hypnosis (Caprio and Berger), 186
 heartburn, 34–35, 182, 304
 heat therapy, 87, 147–149, 151, 305
 hepatitis B or C, 44–45, 115
 herb therapy, 163, 164, 165, 199–200, 282, 283
 hiding symptoms, 229–230, 292
 homeopathy, 169, 285
 hormones. *See also specific hormones*
 blood test for, 114
 defined, 42
 muscle stiffness from imbalance, 48
 secretion during sleep, 190, 191, 192
 stress hormones, 42
 stress inhibiting production of, 47
 thyroid, 14, 48, 50, 88
 in veterans, 47
 hot baths, 151
How to Stop Heartburn (Minocha and Adamec), 35
 hugging, 260
 Humira (adalimumab), 32, 86
 hydrocortisone, 80
 hydrotherapy, 150, 305

hyper-arousability, 51–52
 hyperglycemia, 114
 hypertension, 115
 hyperthyroidism, 26, 114
 hypervigilance, 41
 hypnotherapy, 184–186
 hypocortisolism, 80
 hypoglycemia, 114
 hypotension, 77
 hypothyroidism, 87–88, 114

• I •

IBS (irritable bowel syndrome), 30–31, 47, 78, 305
IBS For Dummies (Dean and Wheeler), 31, 305
 ibuprofen, 86, 126, 138, 313
 IC (interstitial cystitis), 31, 305
 icing (cold) therapy, 87, 148, 149–150, 305
 ignoring pain, 287–288
 Iknoian, Therese (*T'ai Chi For Dummies*), 174
 immune system
 aided by painkillers, 134
 autoimmune disorders, 31, 83, 114
 autoimmune reaction, 43–44
 boosting, 43
 less effective in family, 54–55
 pain as weakening to, 59
 infection
 acupuncture risk for, 167
 antibodies, 42–43
 autoimmune reaction, 43–44
 bacterial, 42, 46
 cause of fibromyalgia, 42–45
 Epstein-Barr virus, 45
 in Gulf War syndrome, 46
 hepatitis B or C, 44–45, 115
 Lyme disease, 45
 in polymyalgia rheumatica, 85
 screening for, 115
 viral, 42–43, 46
 infectious mononucleosis, 92, 305
 injuries or traumas, 24, 37–42
 insurance
 appealing denial, 234–237
 for Botox injection, 172
 for chiropractic, 159
 denial of claims, 234–237

- doctors in network, 99
- documenting phone calls, 235
- information for claims, 234–235
- for massage therapy, 151, 154
- telling boss about fibromyalgia, 229
- for TENS, 158
- veterans' health benefits, 47
- written letters for, 236–237
- interferon, 43
- Internet resources
 - alternative medicine info, 282
 - Arthritis Foundation, 303
 - BMI info, 212
 - disability benefit info, 239, 240, 242
 - e-mail lists (listservs), 317–318
 - fibromyalgia publications, 319
 - fibromyalgia sites, 317
 - finding information, 316–319
 - forums, 319
 - Mental Health Association, 224
 - ordering guaifenesin, 124
 - self-hypnosis info, 186
 - supplement info, 166
 - support groups, 256, 316, 317–319
- interstitial cystitis (IC), 31, 305
- interviewing
 - acupuncturist, 168
 - asking questions of doctor, 110
 - attorney, 242
 - chiropractor, 160
 - doctors, 102–103
 - family about FMS, 55
 - massage therapist, 153–154
 - medical history interview, 106
 - mental health professional, 224
 - specialists, 100–101
- irritable bowel syndrome (IBS), 30–31, 47, 78, 305

• J •

- job. *See* work
- juvenile primary fibromyalgia syndrome, 267. *See also* children

• K •

- Kandel, Joseph (neurologist), 170–171
- kava kava, 200
- kidney disease, 115
- kids. *See* children
- Klonopin (clonazepam), 79, 143, 308

• L •

- laboratory tests. *See also specific tests*
 - for arthritis, 83
 - for chronic fatigue syndrome, 78
 - for fibromyalgia, 22–23, 113–117
 - for hypothyroidism, 87, 88, 114
 - for lower-back pain, 91
 - for Lyme disease, 89
 - for mononucleosis, 92
 - for polymyalgia rheumatica, 84
- Lamictal (lamotrigine), 143, 309
- law enforcement issues for doctors, 137
- lawyer for disability claims, 241–242
- laziness, 297–298
- legislation, veteran, 47
- legs, 25, 269
- Lexapro (citalopram), 140, 225, 309
- Librium (chlordiazepoxide), 308
- Lidoderm patch (lidocaine), 138, 312
- lifestyle changes. *See also specific kinds*
 - for chronic fatigue syndrome, 79
 - for fibromyalgia (overview), 17–18
 - sleep-related, 17, 197–198
- light sensitivity, 51–52, 77
- light sleep, 191
- Lisman, Susan R. (*Chronic Fatigue Syndrome For Dummies*), 79, 304
- listmaking, 294
- listservs, 256, 317–318
- liver, 126, 200
- Lunesta (eszopiclone), 145, 201, 311
- lupus, 33, 43, 82, 84, 114
- Lupus Foundation of America, 84
- Lyme disease, 45, 89–90, 115, 305
- Lyme titer, 89
- Lyrica (pregabalin), 143, 309

• M •

- ma huang, 165
- magazines, fibromyalgia, 319
- magnesium, 34, 164, 283
- magnet therapy, 174
- magnetic resonance imaging (MRI),
34, 91, 116
- massage therapy
for arthritis, 87
benefits of, 151–152, 283–284
chiropractic, 159
defined, 305
finding a therapist, 152–154
mechanical massagers for, 151
painful, avoiding, 154–155, 284
from partner, 156
stripping for, 155
- Matarax (hydroxyzine), 308
- mattress, 159
- MCSS (multiple chemical sensitivities
syndrome), 91–92, 305
- mechanical massagers, 151
- medical centers and universities, 101
- medical history, 106
- medications. *See also* antidepressant
medications; painkillers; *specific
medications*
acid-blocking, 35
addiction to, 134–136, 137, 138, 143,
144, 298
anti-anxiety, 143–144, 202, 225–226, 308
antibiotics, 31, 89, 139, 171
anticonvulsive, 143, 309
antihistamines, 50, 128, 144
anti-inflammatory, 32, 86, 138–139,
272, 310
anti-malaria, 86
for arthritis, 32, 86
benzodiazepines, 202
for bladder infection, 31
for children, 271–272, 273
for chronic fatigue syndrome, 79
cold remedies, 127–128, 312
controlled or scheduled, 134–135, 137
doctor's knowledge about, 94, 102
for emotional problems, 225–226
faking need for, 298
future remedies, 146
getting teens to take, 273
giving up on, avoiding, 288–289
for headaches, 34
heartburn aggravated by, 35
immune-boosting, 43
informing doctor about, 29–30, 109–110
interactions, 29–30, 109–110
for irritable bowel syndrome, 30
law enforcement issues for, 137
for lupus, 86
for Lyme disease, 90
muscle relaxants, 33, 132–133, 310
for myofascial pain syndrome, 82
need for, 17, 308
not a cure for fibromyalgia, 300
NSAIDs, 86, 138–139, 145, 272, 310
for osteoarthritis, 86
phosphate reducing, 51
for polymyalgia rheumatica, 86
for Raynaud's phenomenon, 90
for rheumatoid arthritis, 32, 86
for sleep disorders, 17, 145–146, 199,
200–202, 311
SNRIs, 140, 141
taking at school, 273
for thyroid disease, 88
topical remedies, 129–130
weight-loss drugs, 214–215
- meditation, 172, 187
- Meditation For Dummies* (Bodian), 187
- MEDLINEplus Web site, 317
- melatonin, 200, 201, 282
- men
conditions less common in, 28, 30, 83, 85
diagnosing fibromyalgia in, 73–74
myofascial pain syndrome in, 80
- menopause, 72–73, 74
- menstruation, 72
- mental confusion. *See* fibro fog
- Mental Health Association, 224
- menthol, 129
- Meridia (sibutramine), 215
- message boards, online, 319
- metabolic syndrome, 72
- methadone, 134, 135
- methyl salicylate, 129
- MFS (myofascial pain syndrome), 80–82,
142, 305
- middle-aged women, 71–72

migraine headaches, 33–34, 156, 305
Migraines For Dummies (Stafford and Shoquist), 34, 304
 milk, 187
 minerals
 deficiencies, 114
 magnesium, 34, 164, 283
 telling doctor about, 109–110
 Minipres (prazosin), 90
 Minocha, Anil (*How to Stop Heartburn*), 35
 Mirapex (pramipexole), 144, 312
 Missouri Arthritis Rehabilitation Research and Training Center, 317
 Mobic (meloxicam), 139, 272, 310
 mononucleosis, 92, 305
 monosodium glutamate (MSG), 216, 296
 morning stiffness, 23, 44, 48, 83, 270
 Motrin (ibuprofen), 86, 126, 138, 313
 MRI (magnetic resonance imaging), 34, 91, 116
 mud baths, 284
 multiple chemical sensitivities syndrome (MCSS), 91–92, 305
 multiple sclerosis, 114
 muscle relaxants, 33, 132–133, 310
 muscles
 damaged in fibromyalgia patients, 54
 relaxation therapy for, 180–181
 stiffness, 23, 44, 48
 strengthening exercises, 208–211
 topical remedies for pain relief, 129
 trigger points, 80–81, 82, 142, 305
 myofascial pain syndrome (MFS), 80–82, 142, 305
 myths about fibromyalgia, 297–300

• N •

napping, 196
 Naprosyn (naproxen sodium), 138, 310
 narcotics, 134–136, 137, 138, 144
 National Center for Complementary and Alternative Medicine (NCCAM), 162, 315
 National Fibromyalgia Association, 316, 317, 319
 National Fibromyalgia Partnership, 319
 National Fibromyalgia Research Association, 317

National Institute of Arthritis and Musculoskeletal and Skin Diseases (NIAMS), 316
 National Organization of Social Security Claimants Representatives (NOSSCR), 242
 nerve problems, 117
 neurochemicals, 42, 47–50, 128
 neurofeedback, 173
 neurological exam, 117
 neurologists, 93, 98
 neuromodulation, 173
 Neurontin (gabapentin), 143, 309
 newsgroups, 256, 318–319
 newsletters, fibromyalgia, 319
 noise sensitivity, 51–52, 77
 nonsteroidal anti-inflammatory drugs (NSAIDs), 86, 138–139, 145, 272, 310
 Norflex (orphenadrine citrate), 133, 310
 Norvasc (amlodipine), 90

• O •

obsessive-compulsive disorder (OCD), 220, 303
 Office of Dietary Supplements site, 166
 ointment, topical, 129–130
 older women, 72–73, 74
 oligoanalgesia, 24
 Orenzia (abatacept), 86
 organic problems, 116, 117
 organizations, fibromyalgia, 315–316
 orthopedic surgeons, 99
 osteoarthritis. *See* arthritis
 overeating, 222, 291
 overheating, 148–149
 over-the-counter drugs. *See* medications

• P •

pacemakers, 156
 pain
 acute, 58
 advantages and disadvantages, 58–59
 antidepressant benefits for, 226
 avoiding tasks during bouts of, 293–294
 in children, 269–270
 chronic, 24, 57, 58, 59, 61

- defined, 58
 - diary, 63–64, 305
 - documenting, 62–64
 - endorphins relieving, 152, 157, 167
 - exercise for relieving, 203–211
 - in fibromyalgia sufferers versus others, 60–61
 - flu-like, 1, 89, 92, 95, 127
 - heat versus cold therapy for, 148
 - hypnotherapy for reducing, 185
 - ignoring, 287–288
 - immune system weakened by, 59
 - intensity of, 22, 59, 299
 - lower back, 91
 - management, 61–66, 98, 306
 - in massage therapy, 154–155, 284
 - mattress for relieving, 159
 - migration of, 24
 - muscle or morning stiffness, 23, 44, 48, 82, 270
 - with myofascial pain syndrome, 80, 81
 - need to understand, 57
 - nonfibromyalgia causes of, 66
 - nontreatment (oligoanalgesia), 24
 - overview, 11–12
 - proof of, 22–23
 - quality of life harmed by, 59, 65
 - regional, 80, 81
 - remembering, 9–10
 - self-test for dominance by, 65
 - sensitivity to, 54, 60, 63, 70–71
 - sleep disorders and increase in, 192
 - source difficult to locate, 23–24
 - stimuli for, 58
 - strengthening defenses against, 60
 - stress connection to, 178
 - telling doctor about, 108–109
 - tender points, 22, 110–113, 268, 305, 306
 - from thyroid hormone imbalance, 50
 - time required for treatments, 64–65
 - varying severity, 1, 22
 - weather sensitivity, 28, 49
 - when to call doctor, 66
 - women's sensitivity to, 63, 70–71
- painkillers**
- advantages and disadvantages, 134
 - for arthritis, 33, 86
 - controlled or scheduled, 134–135, 137
 - defined, 306
 - heartburn aggravated by, 35
 - immune system aided by, 134
 - for lupus, 86
 - narcotic, 134–136, 137, 138, 144
 - over-the-counter, 125–127, 313
 - prescription, 133–138
 - reluctance to prescribe, 134, 136–138
 - side effects, 134, 137, 313
 - tables summarizing, 311, 313
 - varying needs for, 131–132
- Pamelor (nortriptyline), 140, 309**
- panic. *See* anxiety**
- paresthesia, 25**
- partner. *See also* family and friends**
- blaming, 290
 - caring for children, 249
 - making time for, 250–251
 - massage from, 156
 - snoring by, 198
 - taking to support group, 254–255
 - tips for living with sufferer, 265
- Paxil (paroxetine), 140, 143, 226, 309**
- Payne, Larry (*Yoga For Dummies*), 188**
- pediatric rheumatologist, 271**
- pediatricians, 270–271**
- peppermint oil, 129**
- Percocet (oxycodone with acetaminophen), 35, 135, 311**
- Percodan (oxycodone with aspirin), 135, 311**
- perimenopause, 72**
- periodic limb movements in sleep (PLMS), 269**
- phobias, 116, 303. *See also* anxiety**
- phony remedies, 161–162, 184**
- phosphates, 51, 122, 125**
- physiatrist, 98–99**
- physical abuse, 38, 39–40, 278**
- physical exam**
- asking questions, 110
 - common mistakes during, 108
 - communicating with doctor, 107–110
 - diagnostic tests, 113–117
 - medical history, 106
 - neurological, 117
 - tender points identification, 110–113
 - ultrasound, 117
- Plaquinil (hydroxychloroquine), 86**
- polymyalgia rheumatica (PMR), 82, 84–85**

post-traumatic stress disorder (PTSD),
41, 46, 220, 306
potassium deficiency, 115
prayer, 188
prednisone, 86
pregnancy, 41–42, 156, 165
prescriptions. *See* medications
primary-care doctor, 94–96
Procardia (nifedipine), 90
prolactin, 191, 192
The Promise of Sleep (Dement and
Vaughan), 191
ProSom (estazolam), 202
proteinuria, 115
Prozac (fluoxetine), 140, 143, 202
psychiatrists, 35, 223, 272
psychologists, 223, 272
publications, fibromyalgia, 319
pulse rate, resting, 115–116

• Q •

quality of life, 59, 65

• R •

Raynaud's phenomenon, 90
rebound insomnia, 199
regional pain, 80
Relafen (nabumetone), 138, 310
relaxation
activities aiding, 184
hypnotherapy for, 184–186
need for help with, 177
not a cure for fibromyalgia, 299–300
prayer for, 188
as sleep aid, 197–198
tai chi for, 172–174, 306
therapy, 87, 180–181, 306
yoga for, 187–188
REM sleep, 191, 192, 194
Remicade (infliximab), 32, 86
ReN 1869 (antihistamine), 144
repetitive strain injury, 40
Requip (ropinirole), 144–145, 312
resentment, 248
restless legs, 25
Restoril (temazepam), 143, 202, 311

rheumatoid arthritis. *See* arthritis
rheumatologists, 32, 93, 98, 107, 113, 271
Rheumatrex (methotrexate), 32
Rituxan (rituximab), 86
Rozarem (ramelteon), 145, 311
Rubin, Alan L. (*Thyroid For Dummies*),
88, 305

• S •

salicylate, 129, 130
scams (phony remedies), 161–162, 184
schedule, calendar for, 295
scheduled medications, 134–135, 137
school
peer problems at, 277–278
working with child's teacher, 274–277
seizures, 156
self-blame, 268, 289, 295
self-hypnosis, 186
self-perception, 245–246, 289, 292
self-tests
emotional problems, 221–222
fibromyalgia, 13–16
pain dominance, 65
sleep disorder, 194–195
stress, 178–180
sensitivity
environmental, 50–51, 91–92
hyper-arousability, 51–52
to pain, 54, 60, 63, 70–71
to weather, 28, 49
Septra (antibiotic), 139
Serax (oxazepam), 308
serotonin, 50
serotonin norepinephrine reuptake
inhibitors (SNRIs), 140, 141
sex, 20, 142, 155, 249–251
sexual abuse, 38, 39–40
shame, 292
shared environment, 53
Shoquist, Jennifer (*Migraines For
Dummies*), 34, 304
siblings, special time with, 274
significant other. *See* partner
Skelaxin (metaxalone), 133, 310
SLE (systemic lupus erythematosus),
33, 43, 82, 84, 114

- sleep
 - circadian rhythm, 190
 - defined, 190
 - dreaming, 190, 192, 194, 200
 - exercise for aiding, 195
 - hormones secreted during, 190, 191, 192
 - importance of, 295
 - stages of, 190–192
- sleep disorders
 - aggravating fibromyalgia, 49
 - alcohol not aid for, 195
 - anti-anxiety medications for, 202, 226
 - antidepressant benefits for, 201–202, 226
 - from antidepressants, 142
 - antihistamines aiding, 128
 - with arthritis, 87
 - avoiding scary movies before bed, 196
 - breathing technique for, 192
 - in children, 269
 - common with fibromyalgia, 28
 - constant waking, 193–194
 - defined, 306
 - difficulty falling asleep, 193–194
 - foods aiding sleep, 187
 - with gastroesophageal reflux disease, 35
 - herb therapy, 165
 - hypnotherapy for, 185
 - lack of deep sleep, 194
 - lifestyle changes for, 197–198
 - limiting use of bed, 198
 - mattress choices aiding, 159
 - medications, 17, 145–146, 199, 200–202, 311
 - with myofascial pain syndrome, 81
 - napping, 196
 - number of sufferers, 196
 - overview, 15, 28, 145, 189
 - pain increase with, 192
 - with post-traumatic stress disorder, 41
 - relaxation aiding, 197–198
 - self-test for, 194–195
 - sleep apnea, 196, 198, 202
 - snoring partner, 198
 - stress-related, 179
 - supplements for, 199–200
 - symptoms, 145
 - from thyroid hormone imbalance, 50
 - types of, 193
 - vicious cycle of, 29
- slow-wave sleep, 192
- smoking, 90, 108
- snoring partner, 198
- SNRIs (serotonin norepinephrine reuptake inhibitors), 140, 141
- Social Security disability program, 239–242, 306
- social workers, 223
- Sohmer, Alec G. (attorney), 241
- Soma (carisoprodol), 132, 133, 310
- Soma Compound (carisoprodol with acetaminophen), 133
- Sonata (zaleplon), 145, 201, 311
- spastic colon. *See* irritable bowel syndrome (IBS)
- specialists, 97–99, 100–101. *See also specific kinds*
- spouse. *See* partner
- St. Armand, Paul (endocrinologist), 122–123
- Stafford, Diane (*Migraines For Dummies*), 34, 304
- steroids, 86
- stomachache. *See* gastrointestinal distress
- strengthening exercises, 208–211
- stress
 - alcohol-dependent release, 179, 290
 - biofeedback for reducing, 173, 181–184
 - cortisol as aid to coping with, 50
 - family's relationship to, 179
 - hormone production inhibited by, 47
 - hormones, 42
 - hypnotherapy for reducing, 184–186
 - IBS aggravated by, 30
 - meditation for reducing, 187
 - in middle-aged women, 72
 - overview, 17
 - pain connection to, 178
 - prayer for reducing, 188
 - PTSD, 41, 46, 220, 306
 - Raynaud's phenomenon aggravated by, 90
 - relaxation therapy for, 180–181
 - self-assessment for, 178–180
 - sleep disorders from, 179
 - tai chi for reducing, 172
 - work-related, 179, 180
 - yoga for reducing, 187–188
- stretching exercises, 209, 210, 211

- Substance P (neurochemical), 48–50, 78, 306
sugar, 296
supplements
 defined, 306
 magnesium, 34, 164, 283
 online information about, 166
 risks, 110, 165–166
 for sleep disorders, 199–200
 telling doctor about, 109–110, 163–164
support groups
 advantages and disadvantages, 254
 attendance by family or friends, 264–265
 attending before joining, 253
 e-mail lists (listservs), 256, 317–318
 finding local, 316
 forums, online, 319
 newsgroups, 318–319
 online, 256, 316, 317–319
 professionally moderated, 253
 taking others to, 254–255
survivor's guilt, 264
suspicion, 248
swimming, 87
symptoms of fibromyalgia
 associated medical problems, 11, 13,
 29–30, 75–76, 90
 in children, 268–270
 faking, myth of, 298
 fatigue, 25–26
 feeling well versus being well, 299
 fibro fog, 26–28
 hiding, 229–230, 292
 list of, 10–11
 looking well versus being well, 298–299
 in men, 73–74
 pain, 22–24, 91
 paresthesia, 25
 restless legs, 25
 shared by family members, 52–53
 sleep disorders, 29
 tinnitus, 25
 unusual, 25
 weather sensitivity, 28
 work suffering from, 229, 231
 worsening at work, 231
symptoms of related conditions
 anxiety disorders, 220, 222
 arthritis, 83
 chronic fatigue syndrome, 77–79
 depression, 218, 222
 heartburn, 35
 lupus, 84
 Lyme disease, 89
 MCSS, 91
 mononucleosis, 92
 myofascial pain syndrome, 80–81
 osteoarthritis, 83
 polymyalgia rheumatica, 84
 post-traumatic stress disorder, 41
 rheumatoid arthritis, 83
 sleep disorders, 145
 syncope (fainting), 77, 116
 systemic lupus erythematosus (SLE),
 33, 43, 82, 84, 114
- T •
- tai chi (exercise), 172–174, 306
T'ai Chi For Dummies (Iknoian and Fuentes), 174
talk therapy. *See* cognitive behavioral therapy (CBT)
“Tax Highlights for Persons with Disabilities” (IRS publication), 239
Taylor, Nadine (*Arthritis For Dummies*), 86, 303
teacher, working with child's, 274–277
teasing of child, 277–278
telecommuting, 232
tender points
 defined, 22, 306
 fewer in children, 268
 in fibromyalgia diagnosis, 110–113
 illustrated, 112
 locating, 111–113
 number with pain, 113
 touching by doctor, 111
 trigger points with MFS versus, 81, 305
TENS (transcutaneous electrical nerve stimulation), 157–158, 285
tension headaches, 34, 304
therapy. *See also* alternative medicine;
 treating
 aromatherapy, 284
 for arthritis, 87
 biofeedback, 173, 181–184
 for children, 272–273
 chiropractic, 159–160

- cognitive behavioral, 36, 181, 219, 223, 272–273, 300
- cold (cryotherapy), 87, 149–150, 305
- for depression, 36
- finding a mental-health professional, 223–224
- giving up on, avoiding, 288–289
- heat, 87, 147–149, 151, 305
- hypnotherapy, 184–186
- massage, 87, 151–155, 159, 283–284, 305
- mud baths, 284
- relaxation, 180–181, 306
- self-hypnosis, 186
- TENS, 157–158, 285
- transcranial magnetic stimulation, 155–156
- thyroid disease, 26, 87–88, 114, 306
- Thyroid For Dummies* (Rubin), 88, 305
- thyroid hormones, 48, 50, 88, 114
- thyroid-stimulating hormone (TSH), 88
- tilt-table testing, 116
- tinnitus, 25, 126
- “Tips for the Savvy Supplement User” (FDA publication), 166
- tissue problems, 117
- Topamax (topiramate), 143, 309
- topical remedies, 129–130
- touching
- hugging, 260
 - tender points, by doctor, 111
- transcranial magnetic stimulation (TMS), 155–156
- transcutaneous electrical nerve stimulation (TENS), 157–158, 285
- traumas or injuries, 24, 37–42
- treating. *See also* therapy
- anxiety disorders, 220
 - arthritis, 33, 86–87
 - bladder infection, 31
 - checking doctor’s success record, 102
 - children with fibromyalgia, 271–273
 - chronic fatigue syndrome, 79–80
 - depression, 36, 218–219
 - gastroesophageal reflux disease, 35
 - giving up on, avoiding, 288–289
 - good versus bad doctor’s approach, 94–96, 288
 - headaches, 34
 - hypothyroidism, 88
 - interstitial cystitis, 31
 - irritable bowel syndrome, 30
 - lifestyle changes, 17–18
 - Lyme disease, 89–90
 - myofascial pain syndrome, 82, 142
 - overview, 17
 - treatment plan, 17, 62
 - trigger point injections, 142
 - trigger points, 80–81, 82, 142, 305
 - tryptophan, 197
 - TSH (thyroid-stimulating hormone), 88
 - turkey, 197
 - Tylenol (acetaminophen)
 - with antihistamines (Tylenol PM), 128
 - with codeine (Tylenol 3), 135, 311
 - regular, 125–126, 313
- U •
- ulcer, 133
- Ultracet (tramadol with acetaminophen), 137, 311
- Ultram (tramadol), 128, 136, 137, 202, 311
- ultrasound, 117
- unemployment benefits, 240, 241
- university medical centers, 101
- University of Florida Fibromyalgia Research Information, 317
- urologists, 31
- V •
- valerian, 165, 199, 282, 306
- Valium (diazepam), 135, 143, 225, 308
- Vaughan, Christopher (*The Promise of Sleep*), 191
- veterans, 45–47
- Vicodin (hydrocodone), 34, 135, 311
- Vioxx (rofecoxib), 139
- viral infection, 42–43, 46
- Vistoril (hydroxyzine), 308
- vitamin deficiency, 115
- vitamins. *See* supplements

• W •

walking, 204, 205–207
 war veterans, 45–47
 water, drinking, 216
 water aerobics, 207–208
 weather sensitivity, 28, 49
 Web resources. *See* Internet resources
 weight gain, 142, 222, 291
 weight loss
 benefits of, 203, 211
 dieting for, 214
 with emotional problems, 222
 goals, 212
 ideal weight, 212–214
 medications for, 214–215
 as side effect, 142
 weightlifting, avoiding, 208
 Wellbutrin (bupropion), 226, 309
 wet heat, 148, 151
 Wheeler, Christine (*IBS For Dummies*),
 31, 305
 white blood cell count, 115
 women
 age and fibromyalgia risk, 71–73, 74
 conditions more common in, 28, 30, 83, 85
 fibromyalgia symptoms disparaged in, 95
 interstitial cystitis in, 31
 metabolic syndrome risk for, 72
 middle-aged, 71–72
 myofascial pain syndrome in, 80
 older, 72–73, 74
 pain studies, 63
 post-traumatic stress disorder in, 46
 pregnancy, 41–42, 156, 165
 sensitivity to pain, 63, 70–71
 stress in middle age, 72
 young, 71–72

work

alternative arrangements, 232
 challenges with fibromyalgia, 229, 231
 deciding about staying at job, 232–233
 disability benefits, 237–242
 explaining fibromyalgia at, 229–231
 at home, 229
 injury at, 40–41
 laziness, 297–298
 making an ally, 294
 stress from, 179, 180
 telecommuting, 232
 unpaid leave, 233
 worker's compensation, 41, 238, 240, 241
 worsening symptoms at, 231
 worker's compensation, 41, 238, 240, 241

• X •

Xanax (alprazolam), 135, 143, 144, 226, 308
 Xenical (orlistat), 215

• Y •

Yazdany, Jinoos (*Arthritis For Dummies*),
 86, 303
 yeast infection, 171
 yoga, 187–188
Yoga For Dummies (Feuerstein and
 Payne), 188
 young women, 71–72

• Z •

Zanaflex (tizanadine HCl), 133, 310
 Zoloft (sertraline), 140, 225, 309