

# Index

## A

**accordion-style widgets, 5**

### AJAX

introduction, 95  
resources, fetching, 95–96

### animation

buttons, 75  
chaining, serial order, 84–85  
combining, parallel, 85–86  
CSS style properties, 73–76  
dojo.NodeList-fx module, 120  
easings, 80–84  
events, 89  
NodeLists, 86–89  
objects, 89–94  
  creating, 75  
  properties, 75  
  slides, 79–80  
  synchronization, 81  
  transitions, wipe, 77–79  
  transtitions, fades, 76–77

### AOL CDN (Content Delivery Network), 1

Dojo version as XDomain build, 10  
hosting project, 10

### application layout

buttons  
  clickable, 183–184  
  combining with menus, 188  
content panes  
  dijit.layout.AccordionContainer widget,  
    174–176  
  tabbed, 176–179  
content visibility, 169–174  
context menus, popup, 184–187  
dijit.layout.BorderContainer widget, 166–168  
dijit.layout.ContentPane widget, 165–166  
dividing regions, 179–180

menus, combining with buttons,  
  188

page setup, 164–165

**args parameter, 18**

**args property, 97**

**array literals, 13**

**array methods, NodeLists, 44**

**ASCII content, 221**

## B

**bar( ) method, 65**

**Base64, 221–222**

Blowfish and, 223

**base URL, modules, 10**

**base.profile.js, 199**

**baz( ) method, 65**

**behaviorHandlers class, 69**

**Behaviors, 67**

connections and, 67–69

event topics, publishing, 70–71

nodes and, 67–69

object methods, connecting, 69–70

**Blowfish, 222–224**

**<body> tag, 5**

**bookmarks, JSON, 125**

**build profiles**

  custom, 198–200

  sample, 199

**build system, 198**

**builds, 197–198**

  custom, 200–202

  using, 202–203

**buttons**

  animation, 75

  building toolbars from, 188–189

  clickable, 183–184

  combining with menus, 188

## C

**callbacks, loading JSON, 128–129**  
**chaining animations in serial order, 84–85**  
**character set, Base64, 221**  
**charts, 215, 217–219**  
**CheckBox widget, dojoType attribute, 154**  
**checkboxes, 119, 153–154**  
**checkString parameter, 126**  
**classes**  
    behaviorHandlers, 69  
    CSS  
        clickcolor, 50  
        dojo.addClass( ), 38–41  
        dojo.removeClass( ), 38–41  
    declaration and, 16–17, 18–19  
    Deferred, 99  
    defining, dojo.declare( ), 11–12  
    Dijit, 5  
    inheritable constructors, 12  
    inheritable methods, 12  
    MagicForm, 120  
    MagicUploadForm, 138  
    MethodPlay class, 111  
    methodPub, 66  
    programming and, 18–19  
    withEvents, 91  
**click event, 54**  
**clickable buttons, 183–184**  
**clickcolor CSS class, 50**  
**clickMethod, 52**  
    connecting to DOM methods, 56  
**combining node lists, 31–32**  
**comment-filtered JSON, 105**  
**connections, Behaviors and, 67–69**  
**console.log( ), output, 48**  
**constructors, inheritable, classes, 12**  
**content from templates, producing, 211–215**  
**content of nodes, dojo.addContent( ), 38**  
**content panes, tabbed, 176–179**  
**content parameter, 129**  
**context menus, popup, 184–187**  
**controls, 180–183**  
**crypto routines, 219**  
    MD5 algorithm, 219  
**CSS, forms.css, declarations, 143**

## CSS classes

clickcolor, 50  
dojo.addClass( ), 38–41  
dojo.removeClass( ), 38–41

## CSS selectors

chart, 24–25  
elements and, 23

## CSS styles, properties

animating, 73–76  
transitions, 73

## currency values, 149–150

## CurrencyTextBox widget, 150

## custom builds, 200–202

using, 202–203

## customizing, themes, 195

## D

## data sources, 155–159

## dates, 150–153

## DateTextBox widget, 151

## declaring

classes and, 16–17  
inheritance, array literals, 13  
objects, 14–17  
    markup *versus* validating HTML, 19  
widgets, HTML markup, 146

## declaring dependencies, 8–9

## Deferred class, 99

dojo.addCallback( ) method, 100  
dojo.addErrback( ) method, 100

## defining classes, dojo.declare( ), 11–12

## Delicious, JSON and, 125–126

## Delicious.posts, dojo.forEach( ) loop, 127

## dependencies

declaring, 8–9  
dojo.provide( ) and, 9  
loading, 8–9

## development, tracking, 2

## development versions, 2

## dialogs, 180–183

## dijit/ directory, 3

## Dijit class, 5, 141

forms and, 141

## Dijit widgets, 3

## dijit.DropDownButton widget, 189

- dijit.Editor widget, 162**
- dijit.form.comboBox widget, 156**
- dijit.form.Filteringselect widget, 157**
- dijit.form.Form widget, 209**
- dijit.form.HorizontalRuleLabels widget, 160**
- dijit.form.HorizontalSlider widget, 160**
- dijit.form.Textarea widget, 161–163**
- dijit.form.ValidationTextBox widget, 209**
- dijit.form.VerticalSlider widget, 160**
- dijit.layout.AccordionContainer widget, 174–176**
- dijit.layout.AccordionPane widget, 176**
- dijit.layout.BorderContainer widget, 166–168**
- dijit.layout.ContentPane widget, 165–166**
- dijit.layout.SplitContainer widget, 179–180**
- dijit.layout.StackContainer widget, 169–174**
  - pagination control, 170–174
- dijit.layout.StackController widget, 170**
- dijit.layout.TabContainer widget, 176–179**
- dijit.Toolbar widget, 189**
- dijit.ToolbarSeparator widget, 189**
- directories**
  - dijit/, 3
  - dojo/, 2
  - dojox/, 3
- disconnecting from events, 52–53**
- distribution archive, unpacking, 2**
- <div> element**
  - dojo.data.ItemFileReadStore, 155
  - dojoType attribute, 5
- Django, 211**
- Django Template Language, 211**
- djConfig attribute, 3, 142**
- document.getElementById( ), 21–22**
- document.getElementsByName( ), 22**
- document.getElementsByTagName( ), 22**
- Dojo, downloading, 1–1**
- dojo/ directory, 2**
- Dojo module system, 4**
- dojo.addCallback( ) method, 100**
- dojo.addClass( ), 38–41**
- dojo.addContent( ), 38**
- dojo.addErrback( ) method, 100**
- dojo.addOnLoad( ), 47**
- dojo.addOnUnload( ), 47**
- dojo.adopt( ), 43**
- dojo.animateProperty( ), 75, 92**
- dojo.attr( ), 38**
- dojo.behavior module, 67**
  - widget instantiation, 145
- dojo.behavior.add( ), 68**
- dojo.behavior.apply( ), 68**
- dojo.byId( ), 22, 50**
  - DOM elements and, 21–22
- dojo.concat( ), 31–32**
- dojo.connect( ), 50, 51**
  - handlers, 62
- dojo.connectPublisher( ), 65–66**
- dojo.coords( ), 44**
- dojo.data API, 155**
- dojo.data.ItemFileReadStore, <div> element, 155**
- dojo.declare( ), defining classes, 11–12**
- dojo.disconnect( ), 52–53**
- dojo.displayResults( ) method, 121**
- dojo.every( ), 44**
- dojo.extend( ), 14**
  - NodeLists and, 32
- dojo.fadeIn( ), 76**
- dojo.fadeOut( ), 76**
- dojo.forEach( ), 36–37, 63, 132**
  - converting object method to publisher, 66
- dojo.forEach( ) loop, Delicious.posts, 127**
- dojo.formToObject( ) function, 117**
- dojo.fx.slideTo( ) method, 79–80**
- dojo.fx.wipeIn( ) method, 77**
- dojo.fx.wipeOut( ) method, 77**
- dojo.gotoPercent( ), 89**
- dojo.handleSubmit( ) method, 120**
- dojo.hitch( ) function, 112**
- dojo.indexOf( ), 44**
- dojo.io.iframe.send( ) utility, 132**
- dojo.io.script module, 126**
- dojo.io.script.get( ) methods, 126**
- dojo.js, 10**
- dojo.lastIndexOf( ), 44**
- dojo.map( ), 30–31**
- dojo.NodeList class, 25**
- dojo.NodeList-fx module, animations, 120**
- dojo.objectToQuery( ) function, 114, 117**
- dojo.orphan( ), 42**
- dojo.parser, 18**
  - <script> element and, 148

## dojo.pause( )

---

**dojo.pause( )**, 89

**dojo.place( )** method, 43

**dojo.play( )** method, 89

**dojo.provide( )**

dependencies and, 9

modules, 9

namespaces, 9

**dojo.publish( )**, 62

**dojo.query( )**, 22–25, 28–30

**dojo.registerModulePath( )**, 10

replacing, 11

**dojo.removeClass( )**, 38–41

**dojo.require( )**, 4, 9, 48

declaring dependencies, 8–9

dojo.behavior module and, 68

dojoType attribute and, 146

loading dependencies, 8–9

loading modules, 9–10

statements, 143

**dojo.require( )** method, 83

**dojo.resetAnim( )** method, 91, 92

**dojo.resetForm( )** method, 121–122

**dojo.slice( )**, NodeLists, 33

**dojo.some( )**, 44

**dojo.splice( )**, NodeLists, 33

**dojo.status( )** method, 89

**dojo.stop( )** method, 89

**dojo.style( )**, 38

**dojo.subscribe( )**, 65

**dojo.toggleClass( )**, 50

**dojo.toJson( )** function, 116

**dojoType** attribute, 146

CheckBox, 154

RadioButton, 153

**dojo.unsubscribe( )**, 65

**DojoX**, 205

fisheye menus, 206–207

widgets, 206

**Dojox**, toaster widget, 207–208

**dojox/** directory, 3

**dojox.analytics**, 226

**dojox.av**, 226

**dojox.collections**, 226

**dojox.color**, 226

**dojox.cometd**, 226

**dojox.data**, 226

**dojox.data.HtmlStore** widget, 218

**dojox.date**, 226

**dojox.encoding.base64** module, 222

**dojox.encoding.crypto.Blowfish** module, 223

**dojox.encoding.digests.MD5** module, 219

**dojox.flash**, 226

**dojox.gfx** package, 215

shapes and lines, 216–217

**dojox.gfx3d**, 226

**dojox.grid**, 226

**dojox.highlight**, 226

**dojox.xhr( )**

html parameter, 132

javascript parameter, 132

json parameter, 132

text parameter, 132

**dojox.xhrDelete( )** function, 107

**dojox.xhrGet( )** method, 97

templates and, 213

**dojox.xhrPost( )** function, 107, 115–116

form parameter, 117

**dojox.xhrPut( )** function, 107

**dojox.image**, 226

**dojox.jsonPath**, 224

**dojox.lang**, 226

**dojox.layout**, 226

**dojox.math**, 226

**dojox.off**, 226

**dojox.presentation**, 226

**dojox.sketch**, 226

**dojox.storage**, 226

**dojox.string**, 226

**dojox.timing**, 226

**dojox.uuid**, 226

**dojox.validate.check( )** function, 211

**dojox.validate.isEmailAddress** function, 210

**dojox.widget.FisheyeList**, 206

**dojox.widget.Toaster** widget, 207–208

**dojox.wire**, 226

**dojox.xml**, 226

**DOM**

elements, finding, 21–25

events, connecting to, 49–55

repositioning nodes, 42–44

widgets, 191–193

**downloading Dojo, 1–2**

latest release, 2

**drawing shapes and lines, 216–217****drop-down selector, 119****dynamic <textarea>, 161–163****E****easing property, 81****easings (animation), 80–84****echo.php, 108****elements**

CSS selectors and, 23  
sets, 22

**encoding, 219**

Base64, 221–222  
dojox.encoding.digests.MD5 module, 219

**encryption, Blowfish and, 222–224****error handler, 97**

registering in one call, 100–101  
registering one handler, 101

**error parameter, dojo.xhrGet( ) method, 97****event handlers**

event topics and, 61–64  
mouse event handlers, 58  
special event handling, 54–55

**event objects, 54–55****event topics**

broadcasting messages, 62  
event handlers and, 61–64  
inline function callbacks, 63  
publishing, Behaviors and, 70–71  
shared, 62

**events**

animation, 89  
click, 54  
connecting to, 49–55  
disconnecting, 52–53  
global functions, connecting, 51  
inline handlers, connecting, 50–51  
keydown, 54  
keypress, 54  
keyup, 54  
mousedown, 54  
mouseenter, 54  
mouseleave, 54

mousemove, 54

mouseup, 54

names, prefix, 54

object methods, connecting, 51–52

**ev.preventDefault( ), 50****ev.stopPropagation( ), 50****F****fade transitions, animation, 76–77****feedback, progress bars, 189–191****fetching resources (AJAX), 95–96****files, uploading**

forms, 133–140  
IFrames, 133–140

**filtering, NodeLists, 26–28****FilteringSelect widget, 158****Firebug, 4–5, 48****Firefox, 4**

Firebug, 4  
network activity tab, 4

**fisheye menus, 206–207****floating tooltips, 145****foo( ) method, 65****form fields, 58****form parameter, dojo.xhrPost( ) function, 117****formats, responses, 102–107****forms**

building, 141–144  
checkboxes, 119  
converting data to JavaScript object, 117  
drop-down selector, 119  
results pane, 121  
submission, 119  
text field, 119  
<textarea>, 119  
uploading files, 133–140  
validating, 141–144  
forcing on submit, 147–149  
validation, helpers, 208–211

**forms.css, declarations, 143****functions**

dojo.formToObject( ), 117  
dojo.hitch( ), 112  
dojo.objectToQuery( ), 114, 117  
dojo.toJson( ), 116

## functions (continued)

---

### functions (continued)

- `dojo.xhrDelete()`, 107
- `dojo.xhrPost()`, 107
- `dojo.xhrPost()` function, 115–116
- `dojo.xhrPut()`, 107
- `dojox.validate.check()`, 211
- `dojox.validate.isEmailAddress`, 210
- global, connecting to events, 51
- nodes, `dojo.forEach()`, 36–37
- `performSlideTo()`, 83

## G

**genres.json**, 155

### GET requests

- `<iframes>`, 129
- query parameters and, 113–114

**global functions, connecting to events**, 51

**graphs**, 217–219

## H

**handle parameter**, 126, 129

### handlers

- error, 97, 98–99
- page load, 48
- page unload, 48
- registering
  - error responses, 99–100
  - success responses, 99–100
- subscribed, 63
- success conditions, 98–99

**handlers.clickMethod()**, 56

**`<head>` tag**, 5

**Hello World**, 3–8

**horizontal sliders**, 160

**HorizontalSlider widget, onChange attribute**, 7

**hosting, AOL CDN**, 10

**HTML, declaring widgets**, 146

**html parameter, dojo.xhr()**, 132

## I

**identifier property**, 156, 158

**`<iframe>`**, 129

- GET requests, 129
- hidden, XMLHttpRequest objects and, 130

**iframe\_proxy.php**, 130–131

### IFrames

- proxy scripts and, 130–131
- requests and, 129–140
- response formats, 131–133
- uploading files, 133–140

**in-place requests**, 117–124

### inheritance

- declaring, array literals, 13
- multiple, mixin classes, 13

**inline functions, callbacks, event topics**, 63

**inline handlers, events, connecting**, 50–51

**input, validating, regular expressions**, 146–147

**instantiation, widgets**, 144–145

**invalidMessage attribute**, 147

**isDebug**, 48

## J

### JavaScript

- objects, converting from form data, 117
- regular expressions, 147
- responses, 106–107
- widgets, instantiation, 144–145

**JavaScript Hijacking**, 105

**javascript parameter, dojo.xhr()**, 132

**jsld attribute**, 155

### JSON

- comment-filtered, 105
- cross-domain feeds, 124–129
- data structures, navigating, 224–226
- feeds
  - delicious.com, 128
  - `<script>` tags, 126
- loading
  - callbacks and, 128–129
  - polling variables, 125–127
- parentheses, 128

**JSON data feeds**, 95

**json parameter, dojo.xhr()**, 132

**JSON responses**, 104–105

**JSONP**, 128

- ?callback, 128

**JSONPath**, 224–225

**K**

**keydown event, 54**  
**keypress event, 54**  
**keyup event, 54**

**L**

**labelAttr attribute, 158**  
**layers.profile.js, 199**  
**lines, drawing, 216–217**  
**lists, NodeList**  
 combining, 31–32  
 dojo.splice(), 33  
 filtering, 26–28  
 subsets, extracting, 33  
 transforming, 30–31  
**literals, array literals, 13**  
**liveSplitters attribute, 166**  
**load parameter, dojo.xhrGet() method, 97**  
**loading dependencies, 8–9**  
**loading JSON**  
 callbacks and, 128–129  
 polling variables, 125–127  
**loading modules, dojo.require(), 9–10**

**M**

**MagicForm class, 120**  
**MagicUploadForm class, 138**  
**markupFactory method, 18**  
**MD5 algorithm, 219**  
**menus**  
 building toolbars from, 188–189  
 combining with buttons, 188  
 fisheye, 206–207  
**messages**  
 published unsubscribing from, 65  
 responding to, 62  
**MethodPlay class, 111**  
**methodPub class, 66**  
**methods**  
 bar(), 65  
 baz(), 65  
 connecting to, 55–57

document.getElementById(), 21–22  
 document.getElementsByName(), 22  
 document.getElementsByTagName(), 22  
 dojo.addCallback(), 100  
 dojo.addClass(), 38–41  
 dojo.addContent(), 38  
 dojo.addErrback(), 100  
 dojo.addOnLoad(), 47  
 dojo.addOnUnload(), 47  
 dojo.adopt(), 43  
 dojo.animateProperty(), 75  
 dojo.attr(), 38  
 dojo.behavior.add(), 68  
 dojo.behavior.apply(), 68  
 dojo.byId(), 50  
 dojo.byId(), 22  
 DOM elements and, 21–22  
 dojo.concat(), 31–32  
 dojo.connect(), 50, 51  
 handlers, 62  
 dojo.connectPublisher(), 65–66  
 dojo.coords(), 44  
 dojo.declare(), defining classes, 11–12  
 dojo.disconnect(), 52–53  
 dojo.displayResults(), 121  
 dojo.every(), 44  
 dojo.extend(), 14  
 NodeList and, 32  
 dojo.fadeIn(), 76  
 dojo.fadeOut(), 76  
 dojo.forEach(), 36–37, 63  
 converting object method to publisher, 66  
 dojo.fx.slideTo(), 79–80  
 dojo.fx.wipeIn(), 77  
 dojo.fx.wipeOut(), 77  
 dojo.gotoPercent(), 89  
 dojo.handleSubmit(), 120  
 dojo.indexOf(), 44  
 dojo.io.script.get(), 126  
 dojo.lastIndexOf(), 44  
 dojo.map(), 30–31  
 dojo.orphan(), 42  
 dojo.pause(), 89  
 dojo.place() method, 43  
 dojo.play(), 89

## methods (*continued*)

---

### methods (*continued*)

- dojo.provide( )
  - dependencies and, 9
  - modules, 9
  - namespaces, 9
- dojo.publish( ), 62
- dojo.query( ), 22–25, 28–30
- dojo.registerModulePath( ), 10
  - replacing, 11
- dojo.removeClass( ), 38–41
- dojo.require( ), 4, 9, 48, 83
  - declaring dependencies, 8–9
  - dojo.behavior module and, 68
  - loading dependencies, 8–9
  - loading modules, 9–10
- dojo.resetAnim( ), 91, 92
- dojo.resetForm( ), 121–122
- dojo.slice( ), NodeLists, 33
- dojo.some( ), 44
- dojo.splice( ), NodeLists, 33
- dojo.status( ), 89
- dojo.stop( ), 89
- dojo.style( ), 38
- dojo.subscribe( ), 65
- dojo.toggleClass( ), 50
- dojo.unsubscribe( ), 65
- dojo.xhrGet( ), 97
- ev.preventDefault( ), 50
- ev.stopPropagation( ), 50
- foo( ) method, 65
- handlers.clickMethod( ), 56
- inheritable, classes, 12
- markupFactory, 18
- NodeList, 26
- onmouseenter( ), 60
- overriding, 12–13
- processNode( ), 37
- respondToSelection( ), 63
- static class methods, 18

### mix-in classes, 13

### modules

- base URL, 10
- dojo.provide( ), 9
- loading, dojo.require( ), 9–10
- location, 9–10
- names, dots in, 9

### mouse event handlers, 58

- mousedown event, 54**
- mouseenter event, 54**
- mouseleave event, 54**
- mousemove event, 54**
- mouseup event, 54**
- multiple inheritance, mix-in classes, 13**
- my\_easings, 81**

## N

### namespaces

- dojo.provide( ), 9
- establishing, 9

### nightly builds, 2

### node parameter, 18

### NodeList methods, 26

### NodeLists

- animation, 86–89
- array methods, 44
- combining, 31–32
- connections, 57–60
- editing, dojo.splice( ), 33
- filtering, 26–28
- helpers, 59
- subsets, extracting, 33
- transforming, 30–31

### nodes

- attributes, dojo.attr( ), 38
- Behaviors and, 67–69
- content, dojo.addContent( ), 38
- functions, dojo.forEach( ), 36–37
- repositioning in DOM, 42–44
- styles, dojo.style( ), 38

### numbers, 149–150

### NumberSpinner widget, 150

### NumberTextBox widget, 149

## O

### object methods

- Behaviors, connecting, 69–70
- events, connecting, 51–52
- publishers and, 65–66
- as subscribers, 64–65

**objects**

- animation, 89–94
  - creating, 75
- declaring, 14–17
  - markup *versus* HTML, 19
- event objects, 54–55
- handlers, creating, 52
- XMLHttpRequest, 95

**offline.profile.js, 199****onChange attribute, HorizontalSlider widget, 7****onmouseenter( ), 60****onmouseleave( ), 60****overriding methods, 12–13****P****pages**

- loading, 47–49
  - handlers, 48
- unloading, 47–49
  - handler, 48
  - handlers, 48

**pagination control, dijit.layout.StackContainer widget, 170–174****parameters**

- args, 18
- content, 129
- handle, 129
- node, 18
- root\_id, 91
- thisClass, 18
- url, 129

**?path, 131****performSlideTo( ) function, 83****persist attribute, 166****PHP, 108****polling variables, loading JSON, 125–127****popup context menus, 184–187****POST requests**

- raw body content and, 116–117
- response body parameters and, 115–116

**processNode( ), 37****progress bars, 189–191****promptMessage attribute, 147****promptMessage property, 145****properties**

- animation, 75
- easing, 81
- identifier, 158

**proxy scripts, IFrames and, 130–131****published messages, unsubscribing, 65****publishers, object methods as, 65–66****publishers.json, 157****publishing event topics, Behaviors and, 70–71****Q****queries, subqueries, dojo.query( ), 28–30****query parameters, GET requests and, 113–114****query property, 97****query strings, 113****R****radio buttons, 153–154****RadioButton widget, dojoType attribute, 153****rangeMessage attribute, 149****raw data, POST requests and, 116–117****regExp attribute, regular expressions and, 146****registering handlers**

- error
  - in one call, 100–101
  - one handler, 101
  - responses, 99–100
- success
  - in one call, 100–101
  - one handler, 101
  - responses, 99–100

**regular expressions**

- JavaScript, 147
- regExp attribute, 146
- validating input, 146–147

**request methods, 110–112**

- specifying, 107–112

**request parameters, 112–117****requests, IFrames, 129–140****reset, 3****resources, fetching, AJAX, 95–96****responding to messages, 62****respondToSelection( ), 63**

## response body parameters, POST requests and

---

**response body parameters, POST requests and, 115–116**

### responses

formats, 102–107  
IFrames, 131–133  
JSON, 104–105  
text, 102–103  
XML, 104  
JavaScript, 106–107

**repositioning nodes in DOM, 42–44**

**results pane, 121**

**Rhino JavaScript Interpreter, 200**

**rich text editors, 161–163**

**root\_id parameter, 91**

## S

**sample build profiles, 199**

**<script> tag, 5**

dojo/method type, 148  
dynamically constructed, 8

**searchAttr attribute, 158**

**selection fields, 155–159**

**serial order, chained animations, 84–85**

**server-side request echo tool, 108–110**

**shapes, 215**

drawing, 216–217

**Silverlight, 215**

**slide animations, 79–80**

**sliders, 159–161**

horizontal, 160  
vertical, 160

**<span> tag, 24**

**special event handling, 54–55**

**standard.profile.js, 199**

**static class methods, 18**

**styles**

CSS, animating properties, 73–76  
nodes, dojo.style(), 38

**stylesheet, themes, 142**

**subclasses, 155**

declaring, 12–13

**subqueries, dojo.query(), 28–30**

**subscribed handlers, 63**

**subscribers, object methods as, 64–65**

**subsets, extracting, 33**

**Subversion repository, 2**

**success handler, registering one handler, 101**

**success handlers, registering in one call, 100–101**

**synchronization, animation, 81**

## T

**tabbed content panes, 176–179**

**templates**

content, producing, 211–215  
Django, 212

**text editors, rich text editors, 161–163**

**text field, 119**

**text parameter, dojo.xhr(), 132**

**text responses, 102–103**

**<textarea>, 119**

dynamic, 161–163

**themes**

customizing, 195  
stylesheets, 142  
widgets, 191–193  
applying, 193–195  
loading, 193–195

**thisClass parameter, 18**

**time, 150–153**

**timeout parameter, dojo.xhrGet() method, 97**

**toolbars, building, from buttons and menus, 188–189**

**tooltips, floating, 145**

**transitions, CSS style properties, 73**

fades, 76–77  
wipes, 77–79

**tundra.css, 3**

## U

**unsubscribe from published messages, 65**

**uploading files**

forms, 133–140  
IFrames, 133–140

**url parameter, 126, 129**

dojo.xhrGet() method, 97

**url property, 97**

**URLs**

- base, modules, 10
- query strings, 113
  - parameters, 114

**utilities**

- dojo.animateProperty(), 92
- dojo.io.iframe.send(), 132

**V****validating**

- forms
  - forcing on submit, 147–149
  - helpers, 208–211
- input, regular expressions, 146–147

**ValidationTextBox widget, 146****value selection, sliders and, 159–161****variables, polling, loading JSON, 125–127****vertical sliders, 160****W****warning highlight, 145****websites, downloading Dojo, 1–2****whitespace, 26****widgets**

- accordion-style, 5
- CurrencyTextBox, 150
- DateTextBox, 151
- declaring, HTML markup, 146
- dijit.DropDownButton, 189
- dijit.Editor, 162
- dijit.form.comboBox, 156
- dijit.form.Filteringselect, 157
- dijit.form.Form, 209
- dijit.form.HorizontalRuleLabels, 160
- dijit.form.HorizontalSlider, 160
- dijit.form.Textarea, 161–163
- dijit.form.ValidationTextBox, 209
- dijit.form.VerticalSlider, 160

- dijit.layout.AccordionContainer, 174–176
- dijit.layout.AccordionPane, 176
- dijit.layout.BorderContainer, 166–168
- dijit.layout.ContentPane, 165–166
- dijit.layout.SplitContainer, 179–180
- dijit.layout.StackContainer, 169–174
- dijit.layout.StackController, 170
- dijit.layout.TabContainer, 176–179
- dijit.Toolbar, 189
- dijit.ToolbarSeparator, 189
- DojoX, 206
- dojox.data.HtmlStore, 218
- dojox.widget.Toaster, 207–208
- DOM structure, 191–193
- FilteringSelect, 158
- instantiation, 144–145
- NumberSpinner, 150
- NumberTextBox, 149
- themes, 191–193
  - applying, 193–195
  - loading, 193–195

**window.onload handler, 48–49****wipe transitions, animation, 77–79****withEvents class, 91****X****XDomain build, modules, 11****xhr property, 97****XML, responses, 103–104****XMLHttpRequest, 95**

- asynchronicity, 96
  - <frame> and, 130
- multiple, 96
- objects, 95
- synchronous, 96

**Y****Yahoo! Web Search API, 214**

