

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- A (Address) records, 183
- ABRs (area border routers)
 - defined, 660
 - in OSPF, 98, 98, 127
- Accept All Routes setting, 113
- Accept Routes From All Route Sources Except Those
 - Selected option, 128
- Accept Unsecured action, 333
- Accept Unsecured Communication, But Always
 - Respond Using IPsec option, 338, 360
- access
 - network. *See* network access
 - to RRAS servers, 311–312, 312
- access control lists (ACLs), 199
- Access Method page, 321, 322
- Access This Computer From The Network right, 423
- Account Lockout policies
 - defined, 660
 - for server-level security, 417–419, 419
- Account Lockout Duration policy, 418–419
- Account Lockout Threshold policy, 418–419, 419
- account logon events, auditing, 421
- account management, auditing, 421
- Account policies
 - defined, 660
 - for security templates, 436
 - for server-level security, 414–415
 - Account Lockout, 417–419, 419
 - Kerberos, 419–420
 - Password, 415–417, 416–417
- Account Provider setting, 308
- accounting providers, 308, 660
- Accounts security category, 427
- ACLs (access control lists), 199
- Act As Part Of The Operating System right, 423
- Action list in RIP, 113
- actions
 - for certificate requests, 496–497
 - defined, 669
 - for IP filters, 332–333
 - for IPsec rules
 - adding, 358–361, 359–360
 - managing, 356
 - settings for, 354, 354
- Activate Authentication option, 113
- Active Directory
 - defined, 660
 - with DNS, 180
 - and Group Policy, 402–414, 403, 405, 407–414
 - for IPsec deployment policies, 340
 - for PKI deployment, 498
 - replication, 206, 660
 - secured dynamic updates in, 199
- Active Directory-Integrated (ADI) zones
 - defined, 660
 - with DNS, 180, 198
- Active Directory Users, 622
- Add Counters dialog box, 592, 592
- Add/Edit Port Rule dialog box, 558–559, 559
- Add IP Filter dialog box, 134, 134
- Add/Remove Snap-In dialog box, 342, 342
- Add Reservations dialog box, 155, 155
- Add Standalone Snap-In dialog box, 343, 343
- Add Workstations To Domain right, 424
- Added Cost For Routes setting, 113
- Adding a New Filter Action, 358
- Address Assignment settings, 158, 159
- Address Pool settings, 153–154, 154
- Address (A) records, 183
- address space, IPv6, 65–67
- addresses
 - IP. *See* IP addresses
 - for IPsec filters, 357–358, 358
 - in NAT. *See* NAT (Network Address Translation)
- Addresses settings, 357–358, 358
- ADI (Active Directory-Integrated) zones
 - defined, 660
 - with DNS, 180, 198
- adjacency
 - defined, 660
 - in OSPF, 98
- Adjust Memory Quotas For A Process right, 424
- administration, remote, 16–17
 - enabling, 623–624, 623–624
 - Remote Assistance, 628–633, 629–630, 632–633
 - Remote Desktop Connection, 624–628, 624–628
 - Remote Desktop for Administration, 620–623
- Administrative templates, 405–406
- Administrator template, 475
- administrators, zone permissions for, 201
- Advanced Backup Options dialog box, 645, 646
- Advanced settings
 - for ICS, 147, 147
 - for OSPF, 119–120, 120
 - for performance, 612–613, 613
 - for remote access policies, 315, 320, 320
 - for RIP, 115–117, 116
 - for WINS, 269–270, 270
 - for WINS replication partners, 273–274, 274, 276, 276
- Advanced TCP/IP Settings dialog box, 246–247, 247

- Advertisement Lifetime (Minutes) setting, 106
- Affinity options for NLB, 559–560
- AHs (Authentication Headers)
 - defined, 661
 - in IPSec, 326, 330, 589
- algorithms
 - defined, 660
 - encryption, 464
 - hashing, 465, 481, 669
- alias records, 184
- All Information On This Computer option, 635
- Allow Certificates To Be Published To The File System option, 490
- Allow Log On Locally right, 424
- Allow Log On Through Terminal Services right, 424
- Allow Other Network Users to Connect Through This Computer's Internet Connection option, 147
- Allow Unsecured action, 333
- Allow Unsecured Communication With Non IPSec-Aware Computer option, 360
- Allow Users To Connect Remotely To This Computer option, 623
- Always Start In Wizard Mode option, 635
- Always use classic logon policy, 430
- Always wait for the network at computer startup and logon policy, 431
- ANDing operations, 44–45
- Announce All Routes setting, 113
- Announce All Routes In The Ranges Listed setting, 113
- anycast addresses
 - defined, 660
 - purpose of, 67
- AppleTalk protocol
 - defined, 660
 - installing, 31
- application deployment for server clusters, 539–547, 539–541
- Application log
 - defined, 660
 - purpose of, 615
- application protocols, 27, 27
- applications
 - failures in, 534
 - multiple-instance, 539
 - PKI-aware, 467–468
 - stateful and stateless, 532–533
- Apply policy to removable media policy, 431
- area border routers (ABRs)
 - defined, 660
 - in OSPF, 98, 98, 127
- Area ID list, 118
- Areas settings
 - for OSPF, 127, 127
 - for RIP, 127
- ASR (Automated System Recovery), 7
 - defined, 661
 - working with, 647–649, 648
- asymmetric encryption
 - defined, 660
 - in PKI, 464
- asynchronous replication
 - defined, 661
 - vs. synchronous, 551–552
- At Logon backup option, 641
- At System Startup backup option, 641
- attributes for certificates, 474–475
- au domain, 179
- Audit policies
 - defined, 661
 - options for, 421
 - setting, 422–423, 422–423
- Audit security category, 427
- Authenticated Session template, 475
- Authenticated Users, permissions for, 201
- authentication, 11–12
 - certificate services for, 15
 - defined, 661
 - in IPSec, 325–327, 367, 376
 - for default response rule, 346, 346
 - methods for, 333–335
 - settings for, 354, 355
 - in IPv6, 64
 - Kerberos
 - defined, 672
 - process, 333–334
 - for server-level security, 419–420
 - in PKI, 463
 - in remote access security, 305–309, 306–307, 309, 319–320, 319
- Authentication Headers (AHs)
 - defined, 661
 - in IPSec, 326, 330, 589
- Authentication Method page, 367, 367
- Authentication Methods dialog box, 306–309, 307
- Authentication Methods page, 323, 323
- Authentication Methods settings, 354, 355
- Authentication settings, 315, 319, 319
- Authentication-Type option, 320
- auto-static update mode
 - defined, 661
 - in RIP, 97
- Autoconfiguration
 - defined, 661
 - in IPv6, 67–68
- autodiscovery
 - defined, 661
 - in IPv6, 67
- Automated System Recovery (ASR), 7
 - defined, 661
 - working with, 647–649, 648
- Automated System Recovery Preparation Wizard, 647–649, 648
- automatic certificate enrollment, 6, 494–496, 495–496
- Automatic Certificate Request Setup Wizard, 495–496, 496
- automatic IP configuration, 62–63, 67–68

automatic partner configuration, 256, 274–275
 Automatic Updates, 14
 Automatically Assign IP Addresses By Using The DHCP Allocator option, 158
 Automatically Select The Certificate Store Based On The Type Of Certificate option, 518
 Automatically Update Statistics Every setting, 265–266
 autoregistration, 64, 68, 661
 availability
 defined, 534, 661
 high availability services. *See* high availability services
 in WINS, 253
 Available Bytes counter, 599
 Available Mbytes counter, 598
 Average field for counters, 593
 Avg. Disk Queue Length counter, 591
 AXFRs (full zone transfers)
 contents of, 191
 defined, 669

B

b-node
 defined, 662
 in WINS, 240
 Back Up Database During Server Shutdown option, 266
 Back Up Files And Directories right, 424
 Back Up To This Location setting, 486
 backbone links
 in border routing, 100, 100
 defined, 662
 Backup Destination dialog box, 648, 648
 Backup Job Information dialog box, 645, 645
 Backup Or Restore page, 635, 635
 Backup or Restore Wizard, 634–640, 635–638, 640
 Backup Progress dialog box, 637, 638
 Backup Type, Destination, And Name page, 636, 637
 Backup Type settings, 643–644, 644
 backups and recovery, 634
 automated system recovery, 647–649, 648
 CA data, 485–486, 485
 domain controller recovery, 649
 server clusters, 560–561
 volume shadow copy, 645–646, 645–646
 with Windows Backup. *See* Windows Backup
 baselines
 defined, 662
 for performance, 589
 System Monitor reports for, 595–598, 597
 Basic constraints attribute, 474
 Basic EFS template, 475
 Basic Firewall Only option, 152
 BCPs (business continuity plans), 17
 #BEGIN_ ALTERNATE statement, 247–248
 Begin verifying At setting, 268

BIND (Berkeley Internet Name Daemon), 187
 defined, 662
 in DNS, 190
 in upgrades, 192
 binding, 29
 Block action, 333
 Block Inheritance option, 404–405
 boolean calculations, 44
 boot files, 187
 border routing
 defined, 662
 operation of, 99–100, 100
 bottlenecks
 defined, 662
 in performance, 590
 server cluster, 543
 System Monitor for, 601
 BPCPs (business process contingency plans), 17
 branch offices, WINS deployment for, 262–263, 262
 bridging, 4
 broadcast routers
 defined, 662
 in OSPF, 118
 Browse For A Group Policy Object dialog box, 347, 347, 412, 412
 browser services, performance objects for, 607
 burst mode in WINS, 270
 business continuity plans (BCPs), 17
 business process contingency plans (BPCPs), 17
 Bypass Traverse Checking right, 424
 Bytes Total/Sec counter, 606, 608

C

ca domain, 179
 CA Identifying Information page, 481, 481
 CA Properties dialog box, 488–493, 489–492
 CA Type page, 479, 480
 cache command, 187
 caching in DNS, 186–187, 189
 caching-only servers, 209–210, 662
 and forwarding, 209
 stub zones, 210–212
 caching-only servers, 209–210, 662
 Callback Control Protocol (CBCP), 302
 Called-Station-ID option, 320
 Calling-Station-ID option, 320
 canonical name (CNAME) records
 defined, 664
 purpose of, 184
 capacity
 DNS servers, 213–214
 server clusters, 542–544, 543–544
 capture buffers, 577, 582–588, 662
 capture filters
 defined, 662
 in Network Monitor, 584–587, 585–586
 Capture Filters dialog box, 584–585, 585

- capturing Network Monitor data, 582–589, 583, 585–586
- CAs (certificate authorities), 467
 - controlling, 484–487, 485, 487–488
 - data flow with, 472, 472
 - installing, 479–483, 480–482
 - in PKI, 468–471
 - planning, 504–505
 - for renewing certificates, 487, 488
 - roles of, 471
 - trusts for, 497–501, 499–500
 - types of, 470–471
- categories
 - Event Viewer, 618
 - security, 427
- CBCP (Callback Control Protocol), 302
- CCP (Compression Control Protocol), 302
- certificate authorities (CAs). *See* CAs (certificate authorities)
- Certificate Database Settings page, 482, 482
- Certificate Export Wizard, 515–517, 516
- Certificate Friendly Name And Description page, 512, 512
- Certificate Import Wizard, 517–519, 518–519
- Certificate Information page, 507, 507
- certificate publishers, 467
- Certificate Renewal Wizard, 514–515
- Certificate Request Wizard, 510–513, 511–512
- certificate revocation lists (CRLs), 467, 497, 501–502
 - defined, 663
 - distribution points for, 504
 - publishing, 502–504, 502–503
- Certificate Server, 478
 - for CA configuration, 488–492, 489–492, 496–497
 - for certificate templates, 492–496, 493–496
 - for controlling CA services, 484–487, 485, 487–488
 - installing, 478–484, 480–482
 - for revocation, 502–503
 - for revoking certificates, 501–504
 - for trusts, 497–501, 499–500
- Certificate Services
 - authentication through, 15
 - defined, 663
- Certificate Store page, 518, 519
- certificate stores, 498
 - contents of, 505–506
 - defined, 663
 - selecting, 518, 519
- certificate templates
 - configuring, 492–496, 493–496
 - in PKI, 475–476
- Certificate Templates folder, 484
- certificate-to-account mapping in IPsec, 328–329
- Certificate Trust List Purpose page, 499, 499
- Certificate Trust List Wizard, 499–501, 499–500
- Certificate Trust Lists (CTLs)
 - defined, 663
 - designating, 497
 - managing, 499–501, 499–500
 - purpose of, 474
- Certificate Types page, 510–511, 511
- certificates, 462–463
 - attributes for, 474–475
 - certificate authorities for. *See* CAs (certificate authorities)
 - Certificate Server for. *See* Certificate Server
 - Certificates snap-in for, 505–506, 506
 - for certificate properties, 506–510, 507–509
 - installing, 483–484, 483
 - defined, 666
 - exam essentials, 520–521
 - exporting, 515–517, 516
 - hierarchies in, 468–469, 469, 662
 - importing, 498, 517–519, 518–519
 - improvements in, 6
 - issuing, 513–514, 513–514
 - key terms, 522
 - PKI, 466–467
 - attributes for, 474–475
 - CAs, 468–471, 469
 - services, 472, 472
 - templates, 475–476
 - policy and practice statements for, 468, 663
 - purposes for, 509, 510
 - rekeying, 514
 - renewing, 487, 488, 514–515
 - requesting, 510–514, 511–514
 - review questions, 523–527
 - review questions, answers to, 528–529
 - revoking, 467, 501–504, 502–503
 - summary, 519
- Certificates In The CTL page, 500, 500
- Certificates snap-in, 505–506, 506
 - for certificate properties, 506–510, 507–509
 - installing, 483–484, 483
- Certification Authority Backup Wizard, 485–486, 485
- Certification Authority Restore Wizard, 486–487, 487
- Certification Authority snap-in, 483–484, 483
- Certification Path settings, 508–509, 509
- certification practices statements (CPSs)
 - defined, 663
 - purpose of, 507–508
- Change The System Time right, 424
- CHAP (Challenge Handshake Authentication Protocol), 308
 - defined, 663
 - for dial-up services, 302
- Check For Policy Changes Every: X Minutes setting, 351
- CIDR (Classless Inter-Domain Routing)
 - defined, 664
 - and supernetting, 58–59
- CIDR (Classless Inter-Domain Routing) notation
 - defined, 663
 - for subnets, 55–56

- ciphers
 - defined, 663
 - purpose of, 462
- ciphertext
 - defined, 663
 - in PKI, 464
- Class-C affinity option, 560
- classes, network address, 37–38
 - Class A networks, subnetting, 55
 - Class B networks, subnetting, 52–54
 - Class C networks, subnetting, 49–52
 - Class D address space, 100
- classful IP addressing
 - vs. classless, 56
 - defined, 663
- classful routing protocols
 - vs. classless, 57
 - defined, 663
- Classless Inter-Domain Routing (CIDR)
 - defined, 664
 - and supernetting, 58–59
- Classless Inter-Domain Routing (CIDR) notation
 - defined, 663
 - for subnets, 55–56
- classless IP addressing
 - vs. classful, 56
 - defined, 664
- classless routing protocols
 - vs. classful, 57
 - defined, 664
- CLB (Component Load Balancing), 534
- Client-Friendly-Name option, 320
- Client-IP-Address option, 321
- Client (Respond Only) policy, 336–337
- client traffic in WINS, 254–255
- Client-Vendor option, 321
- clients
 - DHCP, 76–77
 - DNS, 180–181, 200, 667
 - IPSec, 325
 - SUS, 445
- Clients Using Domain Name System (DNS) option, 160
- cloned applications
 - defined, 664
 - in multiple-instance applications, 539, 539
- cluster-aware applications, 538, 664
- Cluster Disk Signatures and Partitions data, 560
- cluster hosts
 - defined, 664
 - in server clusters, 537
- Cluster IP Addresses settings, 558, 558
- cluster node failures, 560
- Cluster Parameters settings, 557, 557
- Cluster Quorum Data, 561
- Cluster Service, 535
 - defined, 664
 - for failures, 547, 551, 561–563
 - for networks, 552–554
 - support for, 537
- clustering. *See also* server clusters
 - defined, 664
 - for high server availability, 16
 - in Windows Server 2003, 398
- CNAME (canonical name) records
 - defined, 664
 - purpose of, 184
- Code Signing template, 475
- colon-hexadecimal format, 65–66
- com domain, 178
- comments in LMHOSTS, 248–249
- Committed Bytes counter, 599
- Common.adm template, 406
- compacting WINS database, 281
- compatibility for Group Policy, 405–406
- Compatible (Compatws.inf) template, 435
- Completing The Automated System Recovery Preparation Wizard page, 648, 648
- Completing The Backup Or Restore Wizard page, 637, 637
- Completing the New Remote Access Policy Wizard page, 323
- Completing the Security Rule Wizard page, 368, 368
- Component Load Balancing (CLB), 534
- Compression Control Protocol (CCP), 302
- Computer template, 475
- computers
 - counters for, 592
 - in Event Viewer, 618
- conditional forwarders
 - defined, 664
 - operation of, 211–212
- confdisk utility, 562
- confidentiality
 - defined, 664
 - in IPv6, 64
 - in PKI, 463
- configuration improvements, 4
- Configure Your Server Wizard, 391–393, 392–393
- Connect To The Public Network When A Name Needs To Be Resolved option, 160
- connection-oriented protocols
 - vs. connectionless, 29–30
 - defined, 665
- connection point services, performance objects for, 608
- Connection Type page, 109, 109
- Connection Type settings, 355–356, 355
- connection types
 - defined, 665
 - in IP routing, 109, 109
 - in IPSec, 335, 355–356, 355
- connectionless protocols
 - vs. connection-oriented protocols, 29–30
 - defined, 665
- connectivity. *See* network connectivity

convergence time
 defined, 665
 in WINS replication, 249
 Copy backup type, 644
 Cost setting, 118
 costs
 in IP routing, 91
 in OSPF, 118
 counters, performance, 591–593
 defined, 679
 for disk objects, 604–605
 for memory objects, 598–599
 for network services, 607–608
 for network subsystem, 606–607
 for processor objects, 601–602
 CPSs (certification practices statements)
 defined, 663
 purpose of, 507–508
 CPU speed requirements, 396
 Create A Pagefile right, 424
 Create A Token Object right, 424
 Create Permanent Shared Objects right, 424
 Creator Owners, permissions for, 201
 credentials for demand-dial connections, 108
 CRL Publishing Parameters settings, 502, 503
 CRLs (certificate revocation lists), 467, 497, 501–502
 defined, 663
 distribution points for, 504
 publishing, 502–504, 502–503
 Cryptographic Service Provider page, 511, 511
 cryptography. *See also* encryption
 defined, 665
 history of, 462
 CSPs (cryptographic service providers), 473
 CTLs (Certificate Trust Lists)
 defined, 663
 designating, 497
 managing, 499–501, 499–500
 purpose of, 474
 Current Disk Queue Length counter, 604
 custom MMC consoles, 411–414, 411–414
 Custom Security Method Settings dialog box, 361, 362
 customized failover policies, 547

D

DACLs (discretionary access control lists)
 defined, 666
 purpose of, 200
 Daily backup type, 641, 644
 data
 encrypting. *See* encryption
 in Event Viewer, 618
 in network packets, 28, 29
 Database Backup group, 266
 Database Path setting, 270
 Database Verification settings for WINS, 268–269, 268
 databases
 DNS
 contents of, 181–186
 location of, 186–187
 migrating, 192
 Security Configuration and Analysis tool, 434, 434, 439
 WINS
 compacting, 281
 defined, 690
 in NetBIOS name resolution, 243
 Datacenter Edition, 396–399
 dates in Event Viewer, 618
 Day-and-Time-Restrictions option, 321
 DC Security.inf (Dedicated domain controller)
 template, 436
 DDNS (Dynamic DNS) standard
 defined, 667
 purpose of, 180
 updates, 199–200
 Dead Interval (Seconds) setting, 119
 Debug Programs right, 424
 decryption
 defined, 665
 in PKI, 464
 Dedicated domain controller (DC Security.inf)
 template, 436
 Default CSP list attribute, 474
 Default Domain Controller Policy, 406–408, 407–408
 Default Domain Policy console window, 408
 Default quota limit and warning level policy, 431
 Default Response Rule Authentication Method page, 346, 346
 Default security (Setup security.inf) template, 435
 defaults
 certificate request actions, 496–497
 IPsec policies, 336–338
 IPsec response rules, 345–346, 345–346
 remote access policies, 313–320, 314–320
 routes, 94, 665
 zone permissions, 200–201
 delegated namespaces, 194
 characteristics of, 195
 defined, 665
 delegating zones, 208–209, 691
 delegation resource records
 defined, 665
 purpose of, 210
 Delete cached copies of roaming profiles policy, 429
 Delete The Private Key If The Export Is Successful
 option, 516
 deleting WINS records, 281–282
 delta CRLs, 502, 504
 Demand-Dial Interface Wizard, 108–111, 109–111
 demand-dial routing
 defined, 666
 interfaces for, 106–111, 107–111
 in RRAS, 102
 Denial of Service (DoS) attacks, 65

- defined, 666
- IPSec for, 338
- Deny Access To This Computer From The Network right, 424
- Deny Log On Through Terminal Services right, 425
- Deny Logon As A Batch Job right, 424
- Deny Logon As A Service right, 424
- Deny Logon Locally right, 424
- deploying
 - IPSec, 339–341
 - IPSec policies, 346–350, 347–348
 - server-level security policies, 441–443
 - WINS, 261–263, 261–262, 264
- Description Of Service setting, 156
- Description settings, 357
- descriptions
 - in Event Viewer, 618
 - for IPSec filters, 357
- destination addresses for IPSec filters, 357
- Destination Network option, 134
- details
 - for certificates, 508
 - in Event Viewer, 617–618, 617
- Details settings, 508
- Devices security category, 427
- DHCP
 - dynamic DNS updates from, 200
 - for IP configuration, 62–63
 - troubleshooting, 76–77
- DHCP allocators
 - defined, 666
 - in ICS, 146
 - in NAT, 148
- DHCP relay agents
 - defined, 666
 - for subnets, 63
- DHCP servers, 77
 - performance objects for, 608
 - working with, 389
- Dial-In Constraints settings, 315, 317
- dial-in credentials, 108
- Dial-In settings, 312, 312
- dial-out credentials, 108
- Dial Out Credentials page, 111, 111
- dial-up networking
 - defined, 666
 - operation of, 301–303, 303
- Differential backup type, 644
- digests
 - defined, 666
 - in PKI, 465
- digital certificates. *See* certificates
- digital signatures
 - defined, 666
 - in PKI, 465–466
- directory command in DNS, 187
- directory services
 - auditing access to, 421
 - performance objects for, 608
 - in Windows Server 2003, 398
- Disable All Purposes For This Certificate option, 509
- Disable Event Logging option, 121
- Disable Subnet Summarization option, 117
- Disabled option for GPOs, 404
- disaster recovery
 - ASR for, 647–649, 648
 - defined, 666
 - domain controller, 649
 - high server availability, 17–18
 - server cluster failures, 561–563
- disaster recovery plans (DRPs), 17
- discretionary access control lists (DACLs)
 - defined, 666
 - purpose of, 200
- disk corruption and failure in server clusters, 561–562
- Disk Quota policies
 - defined, 666
 - list of, 431
- Disk Quota policy processing policy, 432
- Disk Reads/sec counter, 604
- disk subsystem, monitoring, 604–605
- % Disk Time counter, 604
- display
 - Network Monitor filters for, 584–587, 586
 - Remote Desktop Connection, 625, 625
 - System Monitor, 593–595, 594
- Display Filter dialog box, 585–587, 586
- Display name attribute, 474
- Display Records dialog box, 279–280, 279–280
- Display settings, 625, 625
- distance vector routing protocols
 - defined, 666–667
 - working with, 34
- distribution points for CRLs, 504
- DNS (Domain Name System), 9–10, 176–177
 - caching and forwarding in, 209
 - caching-only servers, 209–210, 662
 - conditional forwarders, 211–212
 - forward-only servers, 212
 - stub zones, 210–212
 - clients for, 180–181, 200, 667
 - databases for
 - contents of, 181–186
 - location of, 186–187
 - migrating, 192
 - defined, 667
 - domain naming in, 177–178, 178
 - exam essentials, 224–225
 - and Internet, 178–179
 - key terms, 225–226
 - name resolution in, 187–191, 188
 - namespaces for, 192–193
 - defined, 667
 - domain names in, 193–194
 - options for, 194–195
 - for Windows NT Server migration, 195–196
 - review questions, 227–233
 - review questions, answers to, 234–236
 - secure dynamic updates for, 199–200
 - servers for, 180–181, 212–213, 388

Encrypting File System (EFS), 429
 defined, 668
 in PKI, 467–468
 encryption, 11
 defined, 668
 in IPSec, 325, 327
 in PKI, 464
 for remote access policies, 315, 319, 319
 Encryption settings, 315, 319, 319
 #END_ALTERNATE statement, 247–248
 Enforce disk quota limit policy, 431
 Enforce Password History policy, 415–416
 Enforce User Logon Restrictions policy, 420
 Enrollment Agent template, 476
 enrollment agents, 512–514, 513–514
 Enterprise Admins, permissions for, 201
 enterprise CAs, 470–471
 Enterprise Domain Controllers, permissions for, 201
 Enterprise Edition, 396–399
 Enterprise Trust Folder, 506
 entities, 668
 Error events
 defined, 668
 in Event Viewer, 617
 ESP (Encapsulating Security Payload), 327
 defined, 668
 packets for, 331, 331
 event IDs in Event Viewer, 618
 Event log option, 436
 Event Logging settings, 217, 217
 event logs
 for DNS monitoring, 217, 217
 for IPSec, 372–374, 374
 for security templates, 436
 Event Properties dialog box, 617–618, 617
 Event Viewer utility, 615–616, 616
 defined, 668
 details in, 617–618, 617
 event types in, 616–617
 for IPSec, 369
 for log files, 618–620, 619–620
 Eventcreate utility, 620
 Eventquery utility, 620
 Eventtriggers utility, 620
 Everyone, permissions for, 201
 exam essentials
 certificates, 520–521
 DNS, 224–225
 high availability services, 564
 network access, 376
 network connectivity strategy, 162–163
 network infrastructure, 19
 network monitoring, remote administration, and backups, 650–651
 server-level security, 450–451
 TCP/IP network infrastructure, 78–79
 WINS, 286–287

Exchange Enrollment Agent (Offline request) template, 476
 Exchange Signature Only template, 476
 Exchange User template, 476
 Exclude Reserved Addresses dialog box, 158, 159
 Exit Module settings, 490–491, 490
 exit modules
 CA settings for, 490–491, 490
 defined, 668
 in PKI, 473–474
 Experience settings, 627, 627
 experts, 140–141
 Export File Format page, 515–516, 516
 exporting
 certificates, 515–517, 516
 IPSec policies, 350
 Extended key usage attribute, 475
 Extensible Authentication Protocol (EAP)
 characteristics of, 307
 defined, 668
 purpose of, 304
 extensions for certificates, 474
 external namespaces
 defined, 668
 in DNS, 193–196
 External Routing settings, 128–129, 129
 Extinction Interval setting, 267
 Extinction Timeout setting, 267

F

failback
 defined, 668
 in server clusters, 537
 Failed Requests folder, 484
 failover pairs
 configuration, 546–547, 546
 defined, 668
 failover process and policies, 16
 defined, 668
 in server clusters, 537, 544–547, 545–547
 Failure Audit events
 defined, 668
 in Event Viewer, 617
 fault tolerance, 534
 defined, 669
 in WINS, 253
 file servers
 performance objects for, 610
 purpose of, 387
 File system option, 436
 file systems and services
 for security templates, 436
 in Windows Server 2003, 399
 File To Import page, 517, 518
 Filter Action page, 367, 367

702 Filter Action settings – hardware requirements

- Filter Action settings, 354, 354
- Filter settings, 618–620, 620
- filters
 - actions for. *See* actions
 - defined, 669
 - for Event Viewer, 618–620, 620
 - in IPSec, 332–333, 356–358, 356–358
 - adding, 358–361, 359–360
 - managing, 356
 - for rules, 353, 353, 356
 - settings for, 354, 354
 - for LANs, 106
 - for Network Monitor, 584–587, 584–586
 - for NLB, 559
 - for TCP/IP packets, 132–133
 - creating, 133–135, 133–134
 - VPN, 135–137, 136
- Firewall settings, 152, 153
- firewalls
 - for NAT, 152, 153
 - for Remote Assistance, 631
- /fixquorum parameter, 562
- flat routing
 - defined, 669
 - vs. route summarization, 57
- Folder Redirection policy processing policy, 432
- Force Shutdown From A Remote System right, 425
- forcing
 - IPSec policy updates, 349–350
 - WINS replication, 260
- forward-only servers
 - defined, 669
 - working with, 212
- forwarding DNS
 - conditional forwarders for, 211–212
 - forward-only servers for, 212
- Frame Viewer window, 583, 584
- Framed-Protocol option, 321
- % Free Space counter, 604
- full-mesh design
 - defined, 669
 - WINS deployment in, 263, 264
- full zone transfers (AXFRs)
 - contents of, 191
 - defined, 669
 - for Remote Desktop Connection, 624–625, 625
 - for RIP, 112–113, 112, 124, 125
 - for System Monitor, 596, 597
 - for WINS replication partners, 271, 271
 - for WINS servers, 265–266, 266
- Generate Security Audits right, 425
- geographical region, address assignments by, 60
- glue A (glue address) resource records
 - defined, 669
 - purpose of, 210
- gov domain, 179
- GPMC (Group Policy Management Console)
 - for IPSec, 369
 - working with, 410, 410
- GPT (GUID partition table) disks, 537
- Graph Pane in Network Monitor, 582
- graph View in System Monitor, 593
- group affinity attribute
 - defined, 669
 - purpose of, 547
- group permissions in DNS, 200–201
- Group Policy and Group Policy Objects (GPOs)
 - and Active Directory, 402–414, 403, 405, 407–414
 - defined, 669
 - improvements in, 4
 - for IPSec, 325, 327–328, 340
 - legacy compatibility for, 405–406
 - for Remote Assistance, 631–633, 632–633
- Group Policy Management Console (GPMC)
 - for IPSec, 369
 - working with, 410, 410
- Group Policy Object Editor
 - console for, 408–410, 409–410
 - for IPSec, 369
- Group Policy policies
 - defined, 669
 - list of, 432
- Group Policy refresh intervals for computers policy, 432
- Group Policy refresh intervals for domain controllers policy, 432
- Group Policy settings, 403, 403, 409–410, 409
- Group Policy slow link detection policy, 432
- Group Policy Wizard, 411, 412
- Groups dialog box, 316, 317
- GUID partition table (GPT) disks, 537

G

- General settings
 - for CAs, 488, 489
 - for certificates, 507–508, 507
 - for Event Viewer, 618–619, 619
 - for IPSec policies, 351–352, 351–352
 - for LANs, 105, 105
 - for NAT, 157, 157
 - for OSPF, 117–118, 117, 125–127, 126

H

- h-node
 - defined, 670
 - in WINS, 240
- Handle Count counter, 599
- hardware failures, 534–535
- hardware requirements
 - DNS servers, 213
 - Windows Server 2003, 396–397

hardware routers, 99
 hardware routing, 32–33
 hardware support, 397–398
 Hash Algorithms setting, 481
 hashing algorithms
 defined, 669
 in PKI, 465
 selecting, 481
 HBAs (host bus adapters), 542
 headers
 in IPSec, 326, 330, 589, 661
 in network packets, 28, 29
 Hello Interval (Seconds) setting, 119
 help
 from experts, 140–141
 Remote Assistance, 628–633, 629–630, 632–633
 Help and Support Center, 629–630, 630
 Hide the File Scan Progress window policy, 433
 hierarchies
 certificate, 468–469, 469, 662
 IP addressing schemes, 36
 high availability services, 532
 disaster recovery strategy, 17–18
 evaluating, 532–534
 exam essentials, 564
 improvements in, 6–7
 key terms, 565
 network load balancing in, 16
 monitoring, 556–560, 556–559
 planning, 554–556
 network performance monitoring, 17
 remote administration security, 16–17
 review questions, 566–572
 review questions, answers to, 573–574
 scalability methods, 535
 server clusters for. *See* server clusters
 summary, 563–564
 threats to, 534–535
 high-level security
 defined, 669
 for DNS servers, 215–216
 Highly secure (Hisec*.inf) template, 435
 histogram View in System Monitor, 593, 594
 host addresses, 41–45, 41
 host bus adapters (HBAs), 542
 host name resolution, troubleshooting, 216–219
 DNS monitoring for, 217–218, 217–218
 ipconfig for, 222–223
 log files for, 223–224
 nslookup for, 219–222
 host records
 defined, 670
 purpose of, 183
 host routes
 defined, 670
 in IP routing, 94
 hub-and-spoke design, 263, 264

I
 ICS (Internet Connection Sharing), 90
 installing, 145–147, 147
 vs. NAT, 145
 IGMP (Internet Group Management Protocol), 101
 IGMP proxy mode, 101
 IGMP router mode, 101
 Ignore All Routes In The Ranges Listed setting, 114
 Ignore Routes From All Route Sources Except Those
 Selected option, 128
 IIS (Web Application) Servers, 389–390
 IKE (Internet Key Exchange)
 defined, 670–671
 for IPSec, 329
 Import Template dialog box, 434, 440, 440
 importing
 certificates, 498, 517–519, 518–519
 IPSec Policies, 350
 security templates, 434–437, 440, 440
 inbound filters
 in L2TP, 137
 for LANs, 106
 Inbound Filters dialog box, 133, 133, 136, 136
 inbound packets in NAT, 144–145, 144
 inbound port mappings, 670
 Include All Certificates In The Certification Path If
 Possible option, 516
 Include Default Routes In Sent Announcements option,
 117
 Include Host Routes In Sent Announcements option,
 117
 #INCLUDE statement, 247–249
 Incoming Packet Protocol list, 113
 Increase Scheduling Priority right, 425
 Incremental backup type, 644
 incremental zone transfers (IXFRs)
 defined, 670
 purpose of, 191
 Indexing service, performance objects for, 608
 Information events
 defined, 670
 in Event Viewer, 617
 information hiding, 39–40
 inheritance
 defined, 670
 in GPOs, 403–405
 installing
 AppleTalk, 31
 CAs, 479–483, 480–482
 Certificate Server, 478–484, 480–482
 Certificates and Certification Authority, 483–484, 483
 ICS, 145–147, 147
 NAT, 148–151, 150–151
 Network Monitor, 578–580, 578–580

- RIP, 123–124, 123–124
- WINS, 264–265
- instances of performance objects, 593
- int domain, 179
- integrity
 - defined, 670
 - in IPv6, 64
 - in PKI, 463
- inter-forest replication, 282–283
- Interactive Logon security category, 427
- interfaces
 - for IP routing, 103–104
 - demand-dial, 106–111, 107–111
 - LAN, 104–106, 105–106
 - OSPF, 117–120, 125–129, 126–129
 - RIP, 111–117, 112, 114–117, 123–125, 123–126
 - for NAT, 151–156, 153–156, 676
- intermediate CAs, 470
- Intermediate Certification Authorities folder, 506
- internal namespaces, 670
- internal routing
 - defined, 670
 - in internetworks, 93
- Internet
 - connectivity strategy, 9
 - and DNS, 178–179
- Internet Connection Sharing (ICS), 90
 - installing, 145–147, 147
 - vs. NAT, 145
- Internet Explorer Maintenance policy processing policy, 432
- Internet Group Management Protocol (IGMP), 101
- Internet Key Exchange (IKE)
 - defined, 670–671
 - for IPSec, 329
- Internet Protocol (IP)
 - for dial-up services, 303
 - testing, 71–76
- Internet Protocol Security Extensions. *See* IPSec (IP Security)
- Internet Security Agreement/Key Management Protocol (ISAKMP)
 - defined, 671
 - working with, 329–330
- internetworks
 - defined, 671
 - in IP routing, 93, 93
- Interrupts/Sec counter, 601
- Intervals settings, 266–267, 267
- Intres.adm template, 406
- inverse queries, 189
- IP (Internet Protocol)
 - for dial-up services, 303
 - testing, 71–76
- IP addresses, 35
 - classes of, 37–38
 - hierarchical scheme, 36
- incorrect, 71
- requirements of, 55
 - address assignment model, 56–59
 - automatic IP configuration, 62–63
 - public and private addresses, 60–62
 - subnet structure, 59–60
- schemes for, 8
- translating. *See* NAT (Network Address Translation)
- IP Control Protocol (ICP), 302
- IP datagrams
 - defined, 671
 - encapsulation in, 310
- IP Filter List dialog box, 357, 357
- IP Filter List page, 367, 367
- IP Filter List settings, 353, 353
- IP Filter Properties dialog box, 357–359, 358–359
- IP filters. *See* filters
- IP masquerading. *See* NAT (Network Address Translation)
- IP routing, 32, 91
 - border routing, 99–100, 100
 - dynamic, 33–35, 95–99, 96, 98
 - hardware vs. software, 32–33
 - interfaces for, 103–104
 - demand-dial, 106–111, 107–111
 - LAN, 104–106, 105–106
 - OSPF, 117–120, 125–129, 126–129
 - RIP, 111–117, 112, 114–117, 123–125, 123–126
 - internetworks in, 93, 93
 - Logging settings for, 121, 121
 - managing, 103, 103
 - multicast routing, 100–102
 - operation of, 91–94, 92
 - Preference Levels settings for, 122, 122
 - routing tables in, 94
 - static, 33–35, 94–95, 129–132, 130–132
 - subnets in. *See* subnetting networks
 - troubleshooting, 137–141, 138–139
 - Windows Server 2003, 102
- IP security. *See* IPSec (IP Security)
- IP Security Filter Action Wizard, 359
- IP Security Monitor
 - description, 369
 - working with, 371–372, 372
- IP Security Policy Management, 369
- IP Security policy processing policy, 432
- IP Security Policy Wizard, 345–346, 345–346, 365, 365
- IP settings for remote access policies, 315, 318, 318
- IP spoofing
 - defined, 671
 - description, 65
- IP version 4 (IPv4), 32, 671
- IP version 6 (IPv6), 5, 63–64
 - address space in, 65–67
 - automatic configuration in, 67–68

- benefits of, 64–65
- defined, 672
- ipconfig utility
 - defined, 671
 - for DNS, 222–223
 - for TCP/IP, 69–70
- IPCP (IP Control Protocol), 302
- IPSec (IP Security), 5, 12–13, 324
 - authentication in, 325–327, 367, 376
 - for default response rule, 346, 346
 - methods for, 333–335
 - settings for, 354, 355
 - clients, 325, 671
 - defined, 671
 - deploying, 339–341
 - evaluating, 324–326
 - example, 338–339
 - filters and filter actions in, 332–333, 356–358, 356–358
 - adding, 358–361, 359–360
 - managing, 356
 - for rules, 353, 353, 356
 - settings for, 354, 354
- IP Security Policy Management console for, 341–344, 342–344
- monitoring
 - IP Security Monitor for, 371–372, 372
 - Network Monitor for, 588–589
- with NLB, 6
- policies in, 13, 331–338, 344
 - actions for, 358–361, 359–360
 - creating, 345–346, 345–346
 - deploying, 346–350, 347–348
 - filters for, 356–358, 356–358
 - General settings for, 351–352, 351–352
 - Rules settings for, 352–356, 352–355
 - testing, 374–375
 - in Transport Mode, 361–363, 361–362
- protocols for, 329–331, 330–331
- security in, 326–338
- servers, 671
- troubleshooting
 - best practices, 374–375
 - data transmission security, 368–370
 - event logs for, 372–374, 374
 - IP Security Monitor for, 371–372, 372
 - RSOP for, 370–371, 370–371
 - in Tunnel mode, 362–368, 363–368
 - in Windows Server 2003, 327–329
- IPSec Policy Agents, 671
- IPv4 (IP version 4), 32, 671
- IPv4-compatible IPv6 addresses, 671
- IPv4-mapped IPv6 addresses, 672
- IPv6 (IP version 6), 5, 63–64
 - address space in, 65–67
 - automatic configuration in, 67–68
 - benefits of, 64–65
 - defined, 672
- IRQ10, 606

- ISAKMP (Internet Security Agreement/Key Management Protocol)
 - defined, 671
 - working with, 329–330
- ISAKMP master keys, 330
- ISAKMP SAs, 330
- Issue and Manage Certificates permission, 492
- Issued Certificates folder, 484
- issuing certificates, 513–514, 513–514
- Items To Back Up page, 485–486, 485, 636, 636
- Items To Restore page, 487, 487
- iterative queries, 181
 - defined, 670
 - vs. recursive, 188
- IXFRs (incremental zone transfers)
 - defined, 670
 - purpose of, 191

J

- jetpack.exe utility, 281
- jp domain, 179

K

- KDCs (Key Distribution Centers)
 - defined, 672
 - functions of, 334, 420
- Kerberos authentication
 - defined, 672
 - process, 333–334
 - for server-level security, 419–420
- Key Distribution Centers (KDCs)
 - defined, 672
 - functions of, 334, 420
- key escrow method
 - defined, 672
 - in PKI, 477
- Key Exchange Settings dialog box, 351, 352
- Key Length setting, 481
- key terms
 - certificates, 522
 - DNS, 225–226
 - high availability services, 565
 - network access, 377
 - network connectivity strategy, 163–164
 - network infrastructure, 19
 - network monitoring, remote administration, and backups, 651
 - server-level security, 451
 - TCP/IP network infrastructure, 79–80
 - WINS, 287–288
- Key usage attribute, 475
- keys
 - defined, 672
 - ISAKMP, 330

in PKI, 465, 477
 preshared, 335

L

L2TP (Layer 2 Tunneling Protocol)
 defined, 672
 packet filters in, 137
 L2TP/IPSec (Layer 2 Tunneling Protocol over IPSec),
 5, 311, 328
 LANs
 managing, 104–106, 105–106
 for WINS replication, 257–258, 258
 Last field for counters, 593
 Layer 2 Tunneling Protocol (L2TP)
 defined, 672
 packet filters in, 137
 Layer 2 Tunneling Protocol over IPSec (L2TP/IPSec),
 5, 311, 328
 LCP (Link Control Protocol), 302
 legacy compatibility for Group Policy, 405–406
 Let Me Choose What To Back Up option, 635–636
 Level of Preference setting, 106
 Limit Windows file protection cache size policy, 433
 limited replication partnerships
 defined, 672
 in WINS, 256–257
 Link Control Protocol (LCP), 302
 link-local addresses
 defined, 673
 purpose of, 67
 link state maps
 defined, 672
 in OSPF, 98
 link state protocols
 characteristics of, 34–35
 defined, 672–673
 linking WINS replication partners, 275
 LMHOSTS file
 defined, 673
 for NetBIOS name resolution, 246–249, 247
 Load And Unload Device Drivers right, 425
 load balancing
 in DNS, 189–190
 network. *See* NLB (Network Load Balancing)
 Local Area Connection Properties page, 578–579,
 578–579
 Local Computer Policy, 401
 for IPSec deployment, 340
 working with, 406–407, 407
 Local policies, 420
 creating, 401
 defined, 673
 for server-level security, 420–421
 Audit, 421–423, 422–423
 Security options, 426–428, 428
 for security templates, 436
 User Rights Assignment, 423–426

Local policies option, 436
 local quorum clusters
 defined, 673
 purpose of, 548
 Local Resources settings, 626, 626
 Local Security policies
 defined, 673
 purpose of, 401
 Local Users and Groups, 622
 Lock Pages in Memory right, 425
 lockout policies, 417–419, 419
 Log Detailed Events To Windows Event Log option,
 269–270
 Log Errors And Warnings option, 121
 Log Errors Only option, 121
 Log event when quota limit exceeded policy, 431
 Log event when quota warning level exceeded
 policy, 431
 log files
 CA, 486
 for DNS, 223–224
 for events
 for DNS monitoring, 217, 217
 for IPSec, 372–374, 374
 for security templates, 436
 in IP routing, 121, 121
 server, monitoring, 615–620, 616–617, 619–620
 in System Monitor, 597, 597
 Log Files settings, 597, 597
 Log On As A Batch Job right, 425
 Log On As A Service right, 425
 Log The Maximum Amount Of Information
 option, 121
 Log users off when roaming profile fails policy, 430
 logging mode in RSoP, 370
 Logging settings, 121, 121
 LogicalDisk object, 604–605
 logon events, auditing, 421
 Logon policies
 defined, 673
 list of, 430–431
 low-level security
 defined, 673
 for DNS servers, 214–215
 ls command in nslookup, 221
 LUN masking, 540–541, 541

M

m-node
 defined, 674
 in WINS, 240
 machine accounts, 673
 Machine certificate template attribute, 475
 machine certificates
 defined, 673
 issuing, 334

- mail exchange (MX) records
 - defined, 673
 - purpose of, 184–185
 - Mail (POP3) Servers, 390
 - majority node set clusters, 537
 - defined, 673
 - purpose of, 549–550, 549
 - recovering from failures in, 562–563
 - majority node set quorums, 552
 - Manage Auditing And Security Log right, 425
 - Manage CA permission, 492
 - Manage Filter Actions settings, 358, 359
 - Manage IP Filter Lists And Filter Actions dialog
 - box, 356, 356
 - Manage IP Filter Lists settings, 356, 356
 - Manage Your Server tool, 393–395, 394
 - Management and Monitoring Tools dialog box, 580, 580
 - management consoles, 327
 - management services, 399
 - manual WINS replication, 276
 - mapping
 - in IPSec, 328–329
 - in NAT, 155
 - in NetBIOS name resolution, 243–244, 244
 - in OSPF, 98
 - in WINS replication, 251
 - masked bits
 - defined, 674
 - in subnets, 45
 - master keys in ISAKMP, 330
 - Maximum field for counters, 593
 - Maximum Lifetime for Service Ticket policy, 420
 - Maximum Lifetime for User Ticket policy, 420
 - Maximum Lifetime for User Ticket Renewal
 - policy, 420
 - Maximum Number Of Records Verified Each Period
 - setting, 268–269
 - Maximum Password Age policy, 415–416
 - Maximum retries to unload and update user profile
 - policy, 430
 - Maximum Tolerance for Computer Clock Synchronization policy, 420
 - Maximum Transmission Unit (MTU) Size (Bytes)
 - setting, 120
 - MBSA (Microsoft Baseline Security Analyzer), 14
 - defined, 674
 - operation of, 447–448
 - troubleshooting, 449
 - MCS (Microsoft Certificate Services)
 - defined, 674
 - history of, 462
 - mean time between failures (MTBF), 534
 - medium-level security
 - defined, 674
 - for DNS servers, 215
 - Memory object, 591, 598–599
 - memory subsystem, System Monitor for, 598–600
 - Memory Usage option, 613
 - metrics
 - defined, 674
 - in distance vector protocols, 34
 - in IP routing, 91
 - #MH statement, 248
 - Microsoft Baseline Security Analyzer (MBSA), 14
 - defined, 674
 - operation of, 447–448
 - troubleshooting, 449
 - Microsoft Certificate Services (MCS)
 - defined, 674
 - history of, 462
 - Microsoft CHAP (MS-CHAP)
 - defined, 674
 - description of, 307–308
 - Microsoft Network Client security category, 427
 - Microsoft Network Server security category, 427
 - Microsoft Software Update Services, 14
 - defined, 686
 - working with, 444–447
 - migrating
 - DNS, 192, 195–196
 - WINS services, 277
 - mil domain, 179
 - minimum and maximum time intervals setting, 106
 - Minimum field for counters, 593
 - Minimum Password Age policy, 415–416
 - Minimum Password Length policy, 415–416
 - mirrored filters
 - benefits of, 358
 - characteristics of, 357
 - defined, 674
 - mismatches, policy, 375
 - mission-critical functions, optimizing, 612
 - MMC consoles
 - creating, 411–414, 411–414
 - for Security Policy, 406–408, 407–408
 - mobile users in WINS networks, 255
 - Modify Firmware Environment Variables right, 425
 - monitoring
 - DNS, 217–218, 217–218
 - IPSec
 - with IP Security Monitor, 371–372, 372
 - with Network Monitor, 588–589
 - network traffic. *See* network monitoring
 - routing status, 138–140, 138–139
 - system performance, 589–590
 - with Event Viewer, 615–620, 616–617, 619–620
 - with System applet, 612–614
 - with System Monitor. *See* System Monitor
 - with Task Manager, 614–615, 614–615
 - WINS, 278
 - client traffic, 254–255
 - records, 279–280, 279–280
 - statistics, 278–279, 278
- Monitoring settings, 217, 218
- Monthly backup option, 641
- Mountvol utility, 540
- MS-CHAP (Microsoft CHAP)

- defined, 674
- description of, 307–308
- MS-RAS-Vendor option, 321
- _msdcs domain, 191
- MTBF (mean time between failures), 534
- multicast addresses
 - defined, 674
 - purpose of, 67
- multicast routing
 - defined, 674
 - operation of, 100–102
- Multilink settings, 315, 318, 318
- multimaster replication model
 - for Active Directory, 206
 - defined, 674
- multimedia services, 399
- multiple host filtering
 - defined, 674
 - options for, 559–560
- multiple-instance applications
 - characteristics of, 539
 - defined, 674–675
- multiple processor configuration, 603–604, 603
- multiple sites
 - server clusters in, 550–552, 550
 - WINS deployment for, 261–263, 261–262
- multipurpose servers, security templates for, 441
- mutual authentication
 - defined, 675
 - in Kerberos, 333–334, 419
- MX (mail exchange) records
 - defined, 673
 - purpose of, 184–185

N

- name registration
 - defined, 675
 - in NetBIOS name resolution, 241–242
- name releases
 - defined, 675
 - in NetBIOS name resolution, 242
- name renewals
 - defined, 675
 - in NetBIOS name resolution, 242
- name resolution
 - defined, 675
 - in DNS, 187–191, 188
 - in NAT, 148, 160, 160
 - in WINS. *See* NetBIOS (Network Basic Input/Output System)
- name resolution components, 675
- Name Resolution settings, 160, 160
- Name Server (NS) records
 - defined, 675
 - purpose of, 183
- name servers
 - defined, 675
 - in DNS, 177
- namespaces in DNS, 192–193
 - defined, 667
 - domain, 177–178, 178, 193–194
 - options for, 194–195
 - for Windows NT Server migration, 195–196
- NAS-Identifier option, 321
- NAS-IP-Address option, 321
- NAS-Port-Type option, 321
- NASs (Network Access Servers)
 - defined, 676
 - RRAS servers as, 301
- NAT (Network Address Translation), 62, 90, 141–142, 141
 - addressing components in, 675
 - defined, 676
 - editors for, 145, 675
 - in ICS, 145–147, 147
 - inbound packets in, 144–145, 144
 - installing, 148–151, 150–151
 - interfaces for, 151–156, 153–156, 676
 - for IPsec, 328
 - need for, 160–161
 - outbound packets in, 143–144, 143
 - in RRAS, 102, 149–150, 150–151
 - settings for
 - Address Assignment, 158, 159
 - Address Pool, 153–154, 154
 - Firewall, 152, 153
 - General, 157, 157
 - Name Resolution, 160, 160
 - Services And Ports, 154–156, 155
 - Translation, 157–158, 158
 - in Windows Server 2003, 142–143
- NAT address pools, 675
- NBMA (non-broadcast multiple access) routers
 - defined, 676
 - in OSPF, 118, 119
- NBMA Neighbors settings, 118, 119
- NBNS (NetBIOS name server)
 - defined, 676
 - in WINS, 239
- NBT (NetBIOS over TCP/IP)
 - defined, 676
 - limitations of, 239
- nbtstat utility
 - defined, 676
 - for name registrations, 255
 - for WINS troubleshooting, 284–286
- Neighbor Discovery, 67
- Neighbors settings, 114–115, 115
- .NET application services, 399
- net domain, 178
- NetBEUI protocol, 31
- NetBIOS (Network Basic Input/Output System), 31
 - defined, 676

- name resolution in, 238–239
 - LMHOSTS for, 246–249, 247
- name registration in, 241–242
- name releases in, 242
- name renewals in, 242
- for non-WINS clients, 243–245, 244
- operation of, 239–240
- resolution in, 242–243
- in Windows Server 2003, 240
- WINS database in, 243
- WINS proxy agents for, 245
- WINS replication in, 249–251
- NetBIOS name server (NBNS)
 - defined, 676
 - in WINS, 239
- NetBIOS naming protocol
 - defined, 676
 - purpose of, 238
- NetBIOS over TCP/IP (NBT)
 - defined, 676
 - limitations of, 239
- netmask ordering for load balancing, 189–190
- netsh command, 329
- network access, 300
 - exam essentials, 376
 - IP security for. *See* IPSec (IP Security)
 - key terms, 377
 - remote access. *See* remote access
 - review questions, 378–382
 - review questions, answers to, 383–384
 - summary, 375
- Network Access security category, 427
- Network Access Servers (NASs)
 - defined, 676
 - RRAS servers as, 301
- Network Address Translation. *See* NAT (Network Address Translation)
- network analyzers, 577
- Network Basic Input/Output System. *See* NetBIOS (Network Basic Input/Output System)
- network connectivity, 90
 - exam essentials, 162–163
 - failures in, 535
 - filtering in. *See* filters
 - improvements in, 4
 - Internet, 9
 - IP routing in. *See* IP routing
 - key terms, 163–164
 - NAT in. *See* NAT (Network Address Translation)
 - private addressing, 142
 - review questions, 165–170
 - review questions, answers to, 171–173
 - summary, 161
- Network Interface object, 606
- Network Load Balancing. *See* NLB (Network Load Balancing)
- Network Load Balancing Manager, 6, 556, 556, 560
- Network Monitor tool, 577, 581–582, 581
 - capturing data in, 582–583, 583, 588–589
 - from command line, 587–588
 - installing, 578–580, 578–580
 - viewing data in, 583–587, 584–586
- network monitoring, 17, 576–577
 - exam essentials, 650–651
 - key terms, 651
 - network load balancing, 556–560, 556–559
 - with Network Monitor. *See* Network Monitor tool
 - review questions, 652–656
 - review questions, answers to, 657–658
 - summary, 650
 - system performance, 17, 589–590
 - with Event Viewer, 615–620, 616–617, 619–620
 - with System applet, 612–614
 - with System Monitor. *See* System Monitor
 - with Task Manager, 614–615, 614–615
- network packets, 28, 29
- network protocols, 27, 27
 - binding, 29, 680
 - connectionless versus connection-oriented, 29–30
 - for IPSec, 329–331, 330–331
 - network packets in, 28, 29
 - operation of, 28
 - in Windows Server 2003, 30–32
- network routes
 - defined, 676
 - in IP routing, 94
- Network Security security category, 427
- Network Type page, 366, 366
- Network Type settings, 118
- Networking settings, 614, 614
- networks, 2
 - access to. *See* network access
 - addresses in. 37–38, 40–45, 41. *See also* IP addresses
 - bridging, 4
 - connectivity. *See* network connectivity
 - defined, 676
 - defining, 2–3
 - exam essentials, 19
 - high server availability. *See* high availability services
 - key terms, 19
 - monitoring. *See* network monitoring
 - protocols for. *See* network protocols
 - review questions, 20–22
 - review questions, answers to, 23–24
 - routing strategies 9
 - secure data flow, 10–11
 - remote access strategy, 11–12
 - security, 12–13
 - security infrastructure, 13
 - authentication through certificate services, 15
 - policy-based security for server roles, 14
 - security update infrastructure, 14–15
 - summary, 18
 - TCP. *See* TCP/IP protocol

- topologies
 - address assignments by, 60
 - defined, 676
 - designing, 8
 - TCP/IP in, 7–8
 - in Windows Server 2003, 3–4
 - configuration and connectivity improvements, 4
 - data security improvements, 4–5
 - high availability improvements, 6–7
 - security infrastructure improvements, 6
 - services, 398–399
- New Remote Access Policy Wizard, 321–324, 322–324
- New Routing Protocol dialog box
 - for NAT, 150, 150
 - for RIP and OSPF, 123–124, 123
- New Security Method dialog box, 361, 361
- next hops, 33
- N+1 configuration
 - defined, 675
 - description, 545, 545
- NLB (Network Load Balancing), 6
 - defined, 676
 - for high server availability, 16
 - monitoring, 556–560, 556–559
 - planning, 554–556
 - remote administration of, 560
 - and round robin DNS, 555
- NLB (Network Load Balancing) clusters
 - defined, 676
 - working with, 533–534
- No Override option, 404–405
- nodes in server clusters, 533, 537
- non-broadcast multiple access (NBMA) routers
 - defined, 676
 - in OSPF, 118
- non-WINS clients, NetBIOS name resolution for, 243–245, 244
- noncontiguous subnets
 - defined, 677
 - planning, 57
- None affinity option, 559
- nonrecursive DNS servers
 - defined, 677
 - vs. forward-only, 212
- nonrepudiation
 - defined, 677
 - in PKI, 463
- Normal backup type, 644
- NS (Name Server) records
 - defined, 675
 - purpose of, 183
- nslookup tool, 217
 - defined, 677
 - for DNS, 219–222
- NT Server migration
 - DNS namespaces for, 195–196
 - WINS services, 277
- ntbackup utility, 645
- Number Of Changes In Version ID Before Replication
 - setting, 272
- Number of Retries setting, 273
- number of servers needed
 - for DNS, 214
 - for WINS, 252–253
- NWLink protocol
 - defined, 677
 - purpose of, 31
-
- ## O
- Oakley protocol, 330
- object access, auditing, 421
- octets in IP addressing, 36
- Offer Remote Assistance Policy Properties dialog box, 631, 632
- offline compaction
 - defined, 677
 - WINS database, 281
- on-link prefixes, 677
- Once backup option, 641
- online compaction
 - defined, 677
 - WINS database, 281
- Open Database dialog box, 434
- Open Shortest Path First protocol. *See* OSPF (Open Shortest Path First) protocol
- Open Systems Interconnect (OSI) model, 27, 27
- opening security templates, 437
- Operation Mode list, 112
- optimizing
 - monitoring for. *See* monitoring
 - system performance, 589–590
 - with Event Viewer, 615–620, 616–617, 619–620
 - with System applet, 612–614
 - with System Monitor. *See* System Monitor
 - with Task Manager, 614–615, 614–615
- Options dialog box
 - for backups, 643–644, 644
 - for GPOs, 404, 405
- order of IPSec policy application, 349
- org domain, 179
- organization charts, address assignments by, 60
- organizational units (OUs), 677
- OSI (Open Systems Interconnect) model, 27, 27
- OSPF (Open Shortest Path First) protocol, 35, 98–99, 98
 - Advanced settings for, 119–120, 120
 - Areas settings for, 127, 127
 - defined, 677
 - External Routing settings for, 128–129, 129
 - General settings for, 117–118, 117, 125–127, 126
 - interfaces, 117
 - NBMA Neighbors settings for, 118, 119
 - Virtual Interfaces settings for, 127–128, 128
- OUs (organizational units), 677

outbound filters
 in L2TP, 137
 for LANs, 106
 outbound packets
 in NAT, 143–144, 143
 in RIP, 112–113
 Outgoing Packet Protocol list, 112–113
 Outgoing Port setting, 156
 Overwrite Unique Static Mappings At This Server
 (Migrate On) option, 271
 owner-version mapping tables
 defined, 677–678
 in WINS replication, 251

P

p-node
 defined, 679
 in WINS, 240
 packets, 28, 29
 authenticating
 defined, 678
 in IPv6, 64
 confidentiality in, 678
 defined, 678
 filters for, 132–133
 creating, 133–135, 133–134
 defined, 678
 in RRAS, 102
 VPN, 135–137, 136
 integrity of, 678
 payloads in, 28, 678
 page files
 defined, 678
 performance of, 598
 Pages/Sec counter, 591, 598–599
 paging, 598
 Paging File object, 598–599
 PAP (Password Authentication Protocol)
 defined, 678
 description of, 308
 partitioned applications
 defined, 678
 for server clusters, 539, 540
 partners in WINS replication, 250–251
 adding, 275
 controlling, 270, 275–276, 276
 defined, 682
 in manual replication, 276
 planning, 255–261, 258–259
 settings for
 Advanced, 273–274, 274, 276, 276
 General, 271, 271
 Pull Replication, 273, 273
 Push Replication, 272, 272
 passthrough actions
 defined, 678
 for IP filters, 332–333
 Password Authentication Protocol (PAP)
 defined, 678
 description of, 308
 Password policies
 defined, 678
 for server-level security, 415–417, 416–417
 Password setting
 in OSPF, 118
 in RIP, 113
 passwords for certificates, 518
 Passwords Must Meet Complexity Requirements
 policy, 415–416
 PAT (Port Address Translation), 62
 pathping utility
 defined, 679
 for IP communications, 75–76
 peer filters, 97, 679
 Pending Requests folder, 484, 497
 Perform Analysis dialog box, 440, 440
 Perform Automatic Testing At The Following Interval
 option, 217
 Perform Volume Maintenance Tasks right, 425
 performance, 65
 monitoring for. *See* monitoring
 optimizing, 589–590
 with Event Viewer, 615–620, 616–617, 619–620
 with System applet, 612–614
 with System Monitor. *See* System Monitor
 with Task Manager, 614–615, 614–615
 of replication, 206–207
 of WINS servers, 252–253
 performance counters, 591–593
 defined, 679
 for disk objects, 604–605
 for memory objects, 598–599
 for network services, 607–608
 for network subsystem, 606–607
 for processor objects, 601–602
 Performance Options dialog box, 612–613, 613
 Performance utility, 591
 Periodic Announcement Interval (Seconds) setting,
 115
 periodic update mode
 defined, 679
 in RIP, 97
 permissions
 for CAs, 491–492, 492
 for templates, 493–494, 493–494
 for zones, 200–201
 Permit action, 332–333
 Personal Folder, 506
 Phone Number page, 110
 PhysicalDisk object, 591, 604–605
 ping utility
 defined, 679
 for IP communications, 71–73
 PKI (Public Key Infrastructure), 334, 463
 certificates in, 466–467
 attributes for, 474–475

712 PKI-aware applications – private namespaces

- CAs, 468–471, 469
 - services, 472, 472
 - templates, 475–476
- concepts in, 464
- CSPs in, 473
- CTLs in, 474
- defined, 681
- digital signatures in, 465–466
- elements of, 467–468
- policy and exit modules in, 473–474
- public key cryptography in, 465
- recovery keys in, 477
- secret key cryptography in, 464
- SGC in, 477
- smart cards in, 477–478
- PKI-aware applications, 467–468
- Place All Certificates In The Following Store option, 518
- placement of DNS servers, 214
- planning mode in RSoP, 370
- Point-to-Point Protocol (PPP)
 - defined, 679
 - for dial-up services, 302–303, 303
- Point-to-Point Protocol over Ethernet (PPPoE), 4
- point-to-point routers
 - defined, 679
 - in OSPF, 118
- Point-to-Point Tunneling Protocol (PPTP)
 - defined, 679
 - operation of, 311
 - packet filters for, 135–137, 136
- pointer (PTR) records
 - defined, 679
 - purpose of, 184
- policies
 - auditing changes to, 421
 - group. *See* Group Policy and Group Policy Objects (GPOs)
 - IPSec, 13, 331–338, 344
 - actions for, 358–361, 359–360
 - creating, 345–346, 345–346
 - deploying, 346–350, 347–348
 - filters for, 356–358, 356–358
 - General settings for, 351–352, 351–352
 - Rules settings for, 352–356, 352–355
 - testing, 374–375
 - in Transport Mode, 361–363, 361–362
 - remote access, 313
 - creating, 320–324, 322–324
 - default, modifying, 313–320, 314–320
 - defined, 682
 - for Remote Assistance, 631–633, 632–633
- server-level security
 - Account, 414–420, 416–417, 419
 - deploying, 441–443
 - Local, 420–428, 422–423, 428
 - Public Key, 428–429
 - Security. *See* Security Policy
 - policy-based security for server roles, 14
 - Policy Configuration Method page, 321, 322
 - Policy Encryption Level page, 323, 324
 - Policy Module settings, 488, 489
 - policy modules
 - for CAs, 488, 489
 - defined, 679
 - in PKI, 473–474
 - Poll Interval (Seconds) setting, 120
 - Pool Nonpaged Allocs counter, 599
 - Pool Nonpaged Bytes counter, 599
 - POP3 (Mail) Servers, 390
 - Port Address Translation (PAT), 62
 - port mappings
 - defined, 679
 - for NAT, 155
 - port number setting for NAT, 156
 - Port Rules settings, 558, 558
 - Post Office Protocol, version 3 (POP3), 390
 - PPP (Point-to-Point Protocol)
 - defined, 679
 - for dial-up services, 302–303, 303
 - PPP frames, 310
 - PPPoE (Point-to-Point Protocol over Ethernet), 4
 - PPTP (Point-to-Point Tunneling Protocol)
 - defined, 679
 - operation of, 311
 - packet filters for, 135–137, 136
 - pre-shared keys, 680
 - #PRE statement, 247–249
 - Preference Levels setting, 122, 122
 - Preserve Existing Certificate Database option, 482
 - reshared keys, 335
 - primary command in DNS, 187
 - primary DNS servers
 - characteristics of, 180–181
 - defined, 680
 - primary WINS servers
 - addresses for, 241
 - defined, 680
 - primary zones
 - characteristics of, 197
 - defined, 680
 - print servers
 - performance objects for, 608, 610
 - purpose of, 387
 - Private Address setting, 156
 - private addresses, 142
 - defined, 680
 - vs. public, 60–62
 - Private Bytes counter, 599
 - Private Interface Connected To Private Network option, 152
 - Private Key And CA Certificate setting, 486
 - private keys
 - defined, 680
 - in PKI, 465
 - private namespaces, 195

privilege use, auditing, 421
 Process Default Routes In Received Announcements
 option, 117
 Process Host Routes In Received Announcements
 option, 116
 Process objects, 599
 process tracking, auditing, 421
 processor affinity
 defined, 680
 for optimizing, 602–604
 Processor object, 591, **601–602**
 Processor Queue Length counter, 601
 Processor Scheduling option, 612
 processor subsystem, System Monitor for, **601–604**,
 603
 % Processor Time counter, 591, 601
 Profile Single Process right, 425
 Profile System Performance right, 425
 Programs settings, 626, 626
 promiscuous mode
 defined, 680
 drivers for, 577
 Prompt user when slow link is detected policy, 430
 protocol security, **11**
 planning, **12–13**
 in remote access security, **309–312**, 310, 312
 Protocol settings
 for IPSec filters, 358, 359
 for NAT, 156
 protocol stacks, 27
 protocol suites, 27
 protocols, network, 27, 27
 binding, 29, 680
 connectionless versus connection-oriented, **29–30**
 for IPSec, **329–331**, 330–331
 network packets in, 28, 29
 operation of, 28
 in Windows Server 2003, 30–32
 Protocols And Security page, 110, 110
 providers, authentication, **306–309**
 proxy agents, 245, 690
 PTR (pointer) records
 defined, 679
 purpose of, **184**
 Public Address group, 156
 public addresses
 defined, 680
 vs. private, **60–62**
 Public and Private Key Pair Selection page, 480,
 480
 Public Interface Connected To The Internet option,
 152
 public key certificates
 defined, 681
 working with, **334–335**
 public key cryptography
 defined, 681
 in PKI, 465

Public Key Infrastructure. *See* PKI (Public Key
 Infrastructure)
 Public Key Policies, **428–429**
 public keys
 defined, 680
 in PKI, 465
 public namespaces, 195
 publishing CRLs, **502–504**, 502–503
 pull partners
 defined, 681
 in WINS replication, **250–251**, **256–257**
 Pull Replication settings, **273**, 273
 pull replication triggers
 defined, 681
 description, 250
 in WAN replication, 260
 purposes for certificates, **509**, 510
 push partners
 defined, 681
 in WINS replication, **250–251**, **256–257**
 push-pull partners
 defined, 681
 in WINS replication, **256–257**
 Push Replication settings, **272**, 272
 push replication triggers
 defined, 681
 description, 250
 in LAN replication, 257
 in WAN replication, 260

Q

quads in IP addressing, 36
 queries
 DNS, 181, **188–189**, 188
 for services, **190–191**
 quorum resources, **548–550**, 549, 552
 corruption of, 561
 defined, 681
 in server clusters, 537

R

RADIUS (Remote Authentication Dial-In User Service)
 defined, 682
 with RRAS, 306
 RAM requirements, 397
 random address allocation, 59
 random failover policies, 547
 Read permission for CAs, 492
 Receive All Packets Except Those That Meet The Cri-
 teria Below option, 133
 Record Mapping settings, **279**, 279
 Record Owners settings, **279**, 280
 Record Types settings, 280

714 records, WINS – Restore Defaults option

- records, WINS
 - deleting and tombstoning, 281–282
 - monitoring, 279–280, 279–280
 - resource, 182, 202–204, 682
- recovery
 - ASR for, 647–649, 648
 - domain controller, 649
 - high server availability, 17–18
 - server cluster failures, 561–563
- recovery agents
 - defined, 681–682
 - in PKI, 477
- Recovery Console security category, 427
- recovery keys
 - defined, 682
 - in PKI, 477
- recursive queries, 181, 188
- Recursive To Other DNS Servers option, 217
- reduced network traffic, subnetting for, 38
- Registry option, 436
- Registry policy processing policy, 432
- rekeying certificates, 514
- relay agents, 63, 666
- releases, name, 242, 675
- reliability
 - in availability, 534
 - defined, 682
- remote access
 - policies for, 313
 - creating, 320–324, 322–324
 - default, modifying, 313–320, 314–320
 - defined, 682
 - security for
 - evaluating, 300–301
 - protocol security in, 309–312, 310, 312
 - remote access services, 301–305, 303–304
 - user authentication in, 305–309, 306–307, 309
 - services for, 301
 - dial-up, 301–303, 303
 - VPNs, 303–305, 304
 - strategy for, 11–12
- remote administration
 - of network load balancing, 560
 - secure, 16–17
 - enabling, 623–624, 623–624
 - Remote Assistance, 628–633, 629–630, 632–633
 - Remote Desktop Connection, 624–628, 624–628
 - Remote Desktop for Administration, 620–623
- Remote Assistance Settings dialog box, 629, 629
- Remote Assistance tool, 621, 628–629
 - defined, 682
 - operation of, 629–631, 629–631
 - securing, 631–633, 632–633
- Remote Assistance window, 630–631, 630
- Remote Authentication Dial-In User Service (RADIUS)
 - defined, 682
 - with RRAS, 306
- remote computers for identifying system
 - bottlenecks, 601
 - Remote Desktop Connection, 622, 624, 624
 - Display settings for, 625, 625
 - Experience settings for, 627, 627
 - General settings for, 624–625, 625
 - Local Resources settings for, 626, 626
 - Programs settings for, 626, 626
 - working with, 627–628
 - Remote Desktop for Administration, 6, 620–621
 - components of, 622–623
 - defined, 682
 - security for, 621–622
 - Remote Desktop Users dialog box, 624, 624
 - Remote Desktop Users group, 622
 - Remote Desktop Web Connection, 622
 - Remote settings
 - for remote administration, 623, 623
 - for Remote Assistance, 633
 - Remove Computer From Docking Station right, 425
 - Remove TCP Mapping After (Minutes) setting, 157
 - Remove UDP Mapping After (Minutes) setting, 157
 - Renew CA Certificate dialog box, 487, 488
 - renew intervals
 - defined, 682
 - for WINS servers, 252, 266
 - renewing
 - certificates, 487, 488, 514–515
 - names, 242
 - Replace a Process Level Token right, 426
 - replay attacks, IPSec for, 326
 - Replicate Only With Partners option, 271
 - replication
 - Active Directory, 206, 660
 - performance for, 206–207
 - synchronous vs. asynchronous, 551–552
 - WINS, 249–251
 - inter-forest, 282–283
 - partners in. *See* partners in WINS replication zones, 205–209
 - Replication Interval setting, 273
 - report view in System Monitor, 594, 594
 - reports in System Monitor, 594–598, 594, 597
 - Request A Certificate task, 513
 - Request certificates permission, 492
 - requesting certificates, 510–514, 511–514
 - Requests For Secure Communication page, 345, 345
 - Reset Account Lockout Counter After policy, 418
 - resolvers
 - defined, 682
 - DNS, 181, 188
 - resource groups
 - defined, 682
 - in server clusters, 537
 - resource records (RRs)
 - defined, 682
 - in DNS, 182–186
 - in WINS, 202–204
 - resources
 - defined, 682
 - in server clusters, 537
 - Restore Defaults option, 267

- Restore Files And Directories right, 426
- Restore Wizard, 639–640, 640
- restoring CA data, 485–487, 487
- Resultant Set of Policy (RSoP) tool, 5, 13, 328, 370–371, 370–371
- Retransmit Interval (Seconds) setting, 119
- reverse lookup
 - files for, 186, 682
 - resource records for, 184
- review questions
 - certificates, 523–527
 - DNS, 227–233
 - high availability services, 566–572
 - network access, 378–382
 - network connectivity strategy, 165–170
 - network infrastructure, 20–22
 - network monitoring, remote administration, and backups, 652–656
 - server-level security, 452–457
 - TCP/IP network infrastructure, 81–85
 - WINS, 289–295
- review questions, answers to
 - certificates, 528–529
 - DNS, 234–236
 - high availability services, 573–574
 - network access, 383–384
 - network connectivity strategy, 171–173
 - network infrastructure, 23–24
 - network monitoring, remote administration, and backups, 657–658
 - server-level security, 458–460
 - TCP/IP network infrastructure, 86–87
 - WINS, 296–298
- Revoked Certificates folder, 484
- revoking certificates, 467, 501–504, 502–503
- RIP (Routing Information Protocol), 34, 96–97
 - defined, 683
 - installing, 123–124, 123–124
 - interfaces, 111–112
 - settings for
 - Advanced, 115–117, 116
 - General, 112–113, 112, 124, 125
 - Neighbors, 114–115, 115
 - Security, 113–114, 114, 125, 126
- Role Removal Confirmation page, 393, 394
- roles
 - CA, 471
 - server, 386–391
 - Configure Your Server Wizard for, 391–393, 392–393
 - Manage Your Server tool for, 393–395, 394
 - security for, 14
- root CA certificates, importing, 498
- root certificate authorities
 - defined, 683
 - description, 469–470, 469
 - role of, 471
- root servers
 - defined, 683
 - purpose of, 181
- rootsec.inf (System root security) template, 436
- round robin ordering, 189–190, 555
- route add command, 130, 139
- route filters
 - defined, 683
 - in OSPF, 98
- Route Filters option, 129
- route print command, 139
- route summarization
 - defined, 683
 - vs. flat routing, 57
- routed networks, mobile users in, 255
- router discovery, 95
- router discovery messages
 - defined, 683
 - enabling, 106
- Router Identification setting, 127
- Router Priority setting, 118
- routers
 - in OSPF, 118
 - software and hardware, 99
- routing, 90
 - defined, 683
 - IP. *See* IP routing
 - monitoring, 138–140, 138–139
 - planning, 9
- Routing and Remote Access Service (RRAS)
 - defined, 683
 - features of, 102–103, 103
 - for NAT, 149–150, 150–151
 - for static routes, 130–131, 130
- Routing and Remote Access Service (RRAS) servers, 301
 - access control for, 311–312, 312
 - purpose of, 390
- Routing Information Protocol (RIP). *See* RIP (Routing Information Protocol)
- routing metrics
 - defined, 674
 - in distance vector protocols, 34
 - in IP routing, 91
- routing tables
 - defined, 683
 - in IP routing, 94
- RRAS (Routing and Remote Access Service)
 - defined, 683
 - features of, 102–103, 103
 - for NAT, 149–150, 150–151
 - for static routes, 130–131, 130
- RRAS (Routing and Remote Access Service) servers, 301
 - access control for, 311–312, 312
 - purpose of, 390
- RRs (resource records)
 - defined, 682
 - in DNS, 182–186
 - in WINS, 202–204
- RSoP (Resultant Set of Policy) tool, 5, 13, 328, 370–371, 370–371
- RSoP Wizard, 371
- Rules settings, 352–356, 352–355, 365, 365
- Run these programs at user logon policy, 430

S

- SANs (Storage Area Networks), 538
 - defined, 687
 - working with, 540–542, 541
- SAs (security associations)
 - defined, 684
 - for IPSec, 330
- scalability, 532–534
 - in IPv6, 64
 - methods for, 535
- scaling out, 535, 684
- scaling up, 535, 684
- scheduling backup jobs, 641
- scope of IP addresses, 62
- Scripts policy processing policy, 432
- secondary command in DNS, 187
- secondary DNS servers
 - characteristics of, 181
 - defined, 684
- secondary WINS servers
 - addresses for, 241
 - defined, 684
- secondary zones
 - characteristics of, 197
 - creating, 205
 - defined, 684
- secret key cryptography
 - defined, 684
 - in PKI, 464–465
- Secure (Secure®.inf) template, 435
- Secure Server (Require Security) policy, 336–338
- security, 13
 - authentication for. *See* authentication
 - for data flow, 10–13
 - defined, 684
 - for demand-dial connections, 107
 - for DNS servers, 214–216
 - for dynamic updates, 199, 684
 - improvements in, 4–6
 - in IPSec, 326–338
 - in IPv6, 64–65
 - network access. *See* network access
 - protocol, 11–13, 309–312, 310, 312
 - for remote administration, 16–17
 - enabling, 623–624, 623–624
 - Remote Assistance, 628–633, 629–630, 632–633
 - Remote Desktop Connection, 624–628, 624–628
 - Remote Desktop for Administration, 620–623
 - server-level. *See* server-level security
 - for server roles, 14
 - services for, 398
 - updates for, 14–15
 - in WINS, 253–254
 - for zones, 199–202, 207
- security associations (SAs)
 - defined, 684
 - for IPSec, 330
- Security Configuration and Analysis tool, 433
 - database for, 434, 434, 439
 - defined, 684
 - for importing security templates, 434–437
 - for IPSec, 369
 - review and discrepancies with, 437–441, 438–440
 - security analysis with, 437
- security databases
 - defined, 684
 - for Security Configuration and Analysis tool, 434, 434, 439
- Security log
 - defined, 685
 - purpose of, 615
- security methods
 - defined, 685
 - in IPSec, 331, 360, 360
- Security Methods settings, 360, 360
- Security options
 - defined, 685
 - for server-level security, 426–428, 428
- Security permissions attribute, 475
- Security Policy, 401–402
 - Account policies for, 414–420, 416–417, 419
 - defined, 685
 - Group Policy and Active Directory, 402–414, 403, 405, 407–414
 - Local policies for, 420–428, 428
 - MMC consoles for, 406–408, 407–408
 - Public Key Policies, 428–429
 - system options, 429–433
- Security Policy Management console, 341–344, 342–344
- Security policy processing policy, 432
- Security Rule Wizard, 366–368, 366–368
- Security settings
 - for CAs, 491–492, 492
 - for RIP, 113–114, 114, 125, 126
 - for user authentication, 305, 306
- security templates
 - creating, 439, 441
 - defined, 685
 - importing, 434–437, 440, 440
 - opening, 437
- Segment/Sec counter, 606
- Select A Device page, 109, 109
- Select Attribute dialog box, 316, 316
- Select Computer dialog box
 - for GPOs, 413, 413
 - for IPSec, 343, 343
- Select Groups dialog box, 317, 317
- Select Network Component Type dialog box, 578, 579
- Select Network Protocol dialog box, 579, 579
- Select The Method For Sending E-Mail Invitations
 - setting, 633

- Send Clean-Up Updates When Stopping option, 116
- server clusters, 532–534, 536–537
 - application deployment for, 539–547, 539–541, 543–546
 - backing up, 560–561
 - business and application requirements, 538–539
 - capacity of, 542–544, 543–544
 - cluster models for, 547–550, 549
 - cluster node failure in, 560
 - defined, 685
 - failover policies for, 544–547, 545–547
 - multisite, 550–552, 550
 - networking, 552–554
 - in NLB, 554–560, 556–559
 - recovering from failures, 561–563
 - storage methods for, 540–542, 541
 - terminology for, 537–538
- Server Gated Cryptography (SGC), 477
- server-level security, 386
 - exam essentials, 450–451
 - key terms, 451
 - policies
 - Account, 414–420, 416–417, 419
 - deploying, 441–443
 - Local, 420–428, 422–423, 428
 - Public Key, 428–429
 - Security. *See* Security Policy
 - review questions, 452–457
 - review questions, answers to, 458–460
 - roles in, 386–391
 - Configure Your Server Wizard for, 391–393, 392–393
 - Manage Your Server tool for, 393–395, 394
 - Security Configuration and Analysis tool. *See* Security Configuration and Analysis tool
 - summary, 449–450
 - system options, 429–433
 - updates for, 443–444
 - Microsoft Baseline Security Analyzer for, 447–449
 - Microsoft Software Update Services for, 444–447
 - Windows Server 2003 editions, 395–401
- Server object, 608
- Server (Request Security) policy, 336–337
- Server Role page, 393, 393
- server roles
 - defined, 685
 - managing, 393, 393
 - policy-based security for, 14
- Server Sessions counter, 608
- servers
 - clusters. *See* server clusters
 - DHCP, 77, 389, 608
 - DNS, 180–181, 212–213, 388
 - caching-only, 209–210
 - capacity of, 213–214
 - defined, 667
 - forward-only, 212
 - performance objects for, 608
 - requirements, 213
 - securing, 214–216
 - IPSec, 325
 - monitoring logs of, 615–620, 616–617, 619–620
 - performance objects for, 607–608
 - security for. *See* server-level security
 - SUS, 445
 - WINS
 - configuring, 389
 - General settings for, 265–266, 266
- service (SRV) records
 - defined, 685
 - purpose of, 185–186
- Service-Type option, 321
- services
 - failures in, 534
 - queries for, 190–191
 - for remote access policies, 321
- Services And Ports settings, 154–156, 155
- Session Stats Pane in Network Monitor, 582
- Sessions Errored Out counter, 608
- set command in nslookup, 220
- Set Windows File Protection scanning policy, 433
- Settings tab for remote access policies, 314, 314, 316
- Setup security.inf (Default security) template, 435
- #SG statement, 248
- SGC (Server Gated Cryptography), 477
- Shiva Password Authentication Protocol (SPAP)
 - defined, 685
 - description of, 308
- Show Areas command, 137
- Show IP Routing Table command, 137
- Show Link-State Database command, 137
- Show Neighbors command, 137–138
- Show TCP/IP Information command, 137
- Show Virtual Interfaces command, 138
- Shut Down The System right, 426
- Shutdown security category, 427
- Signature Certificate page, 500, 500
- signatures in PKI, 465–466
- signing
 - defined, 685
 - in PKI, 465
- Simple Mail Transfer Protocol (SMTP) service, 390
- Simple Query Against This DNS Server option, 217
- simplified management, subnetting for, 38
- Single affinity option, 559
- single cluster node corruption and failure, 562
- single host filtering
 - defined, 685
 - selecting, 559
- Single Host Filtering option, 559
- single-instance applications
 - characteristics of, 539
 - defined, 685
- single quorum clusters, 552
 - defined, 685
 - purpose of, 548, 549

- site failures, 535
- site-local addresses
 - defined, 685
 - purpose of, 67
- _sites domain, 191
- Slow network connection timeout for user profiles
 - policy, 429
- smart cards, 477–478
- Smartcard Logon template, 476
- Smartcard User template, 476
- SMP (Symmetric Multi-Processor) support
 - requirements, 397
- SMS (Systems Management Server), 444
- SMTP (Simple Mail Transfer Protocol) service, 390
- sniffers, 577
- sniffing
 - defined, 686
 - in IPv6, 65
- SOA (start of authority) records
 - defined, 686
 - purpose of, 182–183
- Software Installation policy processing policy, 432
- software routers, 32–33, 99
- Software Update Services (SUS), 14
 - defined, 686
 - working with, 444–447
- Solicited Remote Assistance policy, 632–633, 633
- source addresses for IPSec filters, 357
- source in Event Viewer, 618
- Source Network option, 134
- SPAP (Shiva Password Authentication Protocol)
 - defined, 685
 - description of, 308
- Specify Windows file protection cache location policy, 433
- split-brains
 - defined, 686
 - in server clusters, 563
- spoofing, 65
 - defined, 686
 - IPSec for, 327
- SRV (service) records
 - defined, 685
 - purpose of, 185–186
- Stand-alone CAs, 470–471
 - configuring, 496–497
 - root, 471
 - subordinate, 471
- Standard Edition, 395, 397–399
- standard zone files
 - defined, 686
 - working with, 196
- standby server configuration
 - characteristics of, 545–546, 546
 - defined, 686
- start netmon command, 587–588
- start of authority (SOA) records
 - defined, 686
 - purpose of, 182–183
- start of day, WINS client traffic at, 254–255
- Start Pull Replication At Service Startup option, 273
- Start Push Replication group, 272
- Start Time setting, 273
- starting CA Services, 485
- Starting Version ID (Hexadecimal) setting, 270
- stateful applications
 - defined, 686
 - server clusters for, 532
- stateful configuration
 - defined, 686
 - in IPv6, 67
- stateless applications
 - defined, 686
 - NLB for, 533
- stateless configuration
 - defined, 686
 - in IPv6, 67
- static IP routing, 94–95
- static mapping
 - defined, 687
 - in NetBIOS name resolution, 243–244, 244
- Static Route dialog box, 130–131, 130
- static routes, 129–132, 130–132
- Static Routes For Remote Networks page, 110, 110
- static routing
 - defined, 687
 - vs. dynamic, 33–35
- Station Stats Pane in Network Monitor, 582
- statistics, WINS, 278–279, 278
- stopping CA Services, 485
- Storage Area Networks (SANs), 538
 - defined, 687
 - working with, 540–542, 541
- storage methods for server clusters, 540–542, 541
- Storage settings for CAs, 491, 491
- Store Password Using Reversible Encryption for All Users in the Domain policy, 415–416
- streaming media servers, 391
- stub zones, 197
 - defined, 687
 - working with, 210–212
- subnet masks, 39
 - defined, 687
 - incorrect, 71
 - representing, 42–45, 42–44
- subnets
 - defined, 687
 - noncontiguous, 57, 677
 - systems for, 59–60
- subnetting networks, 38–40
 - Class A, 55
 - Class B, 52–54
 - Class C, 49–52
 - concepts in, 39–40
 - defined, 687
 - for information hiding, 39–40
 - number of subnets in, 45–47, 46
 - shortcuts for, 47–48

- strategy for, 8
- TCP/IP networks, 39–44, 41–44
- and WAN links, 54
- subordinate CAs, 470–471
- Subordinate Certification Authority template, 476
- Success Audit events
 - defined, 687
 - in Event Viewer, 617
- Suggested Value Changes dialog box, 419, 419
- supernetting
 - and CIDR, 58–59
 - defined, 687
- SUS (Software Update Services), 14
 - defined, 686
 - working with, 444–447
- switching CAs, 484–485
- symmetric encryption
 - defined, 687
 - in PKI, 464
- Symmetric Multi-Processor (SMP) support
 - requirements, 397
- Synchronize Directory Service Data right, 426
- synchronous replication
 - vs. asynchronous, 551–552
 - defined, 687–688
- System, permissions for, 201
- System.adm template, 406
- System Applet, 612–614
- system bottlenecks, 601
- System Cryptography security category, 427
- system events policy, 421
- system failures, 534–535
- System log
 - contents of, 615–616, 616
 - defined, 688
- System Monitor, 590–593, 591–592
 - baseline reports in, 595–598, 597
 - defined, 688
 - for disk subsystem, 604–605
 - display format for, 593–595, 594
 - for memory subsystem, 598–600
 - for network services, 607–611
 - for network subsystem, 606–607
 - for processor subsystem, 601–604, 603
 - for system bottlenecks, 601
- System object, 601
- System Objects security category, 427
- system options, 429
 - Disk Quota policies, 431
 - Group Policy policies, 432
 - Logon policies, 430–431
 - User Profile policies, 429–430
 - Windows File Protection policies, 433
- system performance, monitoring, 589–590
 - with Event Viewer, 615–620, 616–617, 619–620
 - with System applet, 612–614
 - with System Monitor. *See* System Monitor
 - with Task Manager, 614–615, 614–615

- System Policy files
 - defined, 688
 - limitations of, 405
- System Properties dialog box, 623, 623
- System root security (rootsec.inf) template, 436
- System services option, 436
- System Settings security category, 427
- system state data, backing up, 641–643, 642
- Systems Management Server (SMS), 444

T

- Tag For Announced Routes setting, 113
- Take Ownership Of Files Or Other Objects right, 426
- tampering
 - defined, 688
 - IPSec for, 327
- Task Manager
 - defined, 688
 - for multiple processors, 603–604, 603
 - for performance, 614–615, 614–615
- _tcp domain, 191
- TCP/IP protocol, 26–27, 31–32
 - defined, 688
 - exam essentials, 78–79
 - filters for, 132–133
 - creating, 133–135, 133–134
 - VPN, 135–137, 136
 - IP addresses. *See* IP addresses
 - IP routing. *See* IP routing
 - IPv6, 5, 63–64
 - address space in, 65–67
 - automatic configuration in, 67–68
 - benefits of, 64–65
 - defined, 672
 - key terms, 79–80
 - network protocols, 27, 27
 - binding, 29
 - connectionless versus connection-oriented, 29–30
 - network packets in, 28, 29
 - operation of, 28
 - in Windows Server 2003, 30–32
 - in network topology strategy, 7–8
 - performance objects for, 607
 - review questions, 81–85
 - review questions, answers to, 86–87
 - subnetting networks in. *See* subnetting networks
 - summary, 77–78
 - troubleshooting TCP/IP addressing, 68
 - DHCP, 76–77
 - identifying TCP/IP configuration, 69–71
 - IP communications, 71–76
- TCPv4 object, 606
- templates
 - certificate
 - configuring, 492–496, 493–496

720 terminal services – unique names in name resolution

- in PKI, 475–476
 - security
 - creating, 439, 441
 - defined, 685
 - importing, 434–437, 440, 440
 - opening, 437
 - terminal services, 398
 - Terminal Services Client, 622
 - Terminal Services Configuration, 622
 - Terminal Services Group Policies, 622
 - Terminal Services Manager, 622
 - Terminal Services servers, 391
 - testing
 - IP communications, 71–76
 - IPSec policies, 374–375
 - TGSs (ticket-granting-services)
 - accessing, 334, 420
 - defined, 688
 - TGTs (ticket-granting tickets)
 - defined, 688
 - issuing, 334, 420
 - Time Before Route Is Removed (Seconds) setting, 115
 - Time Before Routes Expire (Seconds) setting, 115
 - time to live (TTL) in DNS, 189
 - Timeout for dialog boxes policy, 430
 - timeout settings for WINS, 267
 - times in Event Viewer, 618
 - tombstoning
 - defined, 688
 - WINS records, 281–282
 - top-level domains
 - defined, 688
 - list of, 178–179
 - topologies
 - address assignments by, 60
 - defined, 676
 - designing, 8
 - TCP/IP in, 7–8
 - Total Number of Registrations/sec counter, 608
 - Total Query Received/sec counter, 608
 - Total Stats Pane in Network Monitor, 582
 - tracert utility
 - defined, 688
 - for IP communications, 73–75
 - traditional DNS zones
 - defined, 689
 - storing, 196, 198
 - traffic exemptions in IPSec, 329
 - trailers in network packets, 28, 29
 - transfers, zone, 181, 191–192, 205–207, 691
 - Transit Delay (Seconds) setting, 119
 - translation component in NAT, 148, 157–158, 158
 - Translation settings, 157–158, 158
 - transport mode
 - defined, 689
 - in IPSec, 326, 361–363, 361–362
 - transport protocols, 27, 27
 - triggers in WINS replication, 250
 - troubleshooting
 - host name resolution, 216–219
 - DNS monitoring, 217–218, 217–218
 - ipconfig for, 222–223
 - log files for, 223–224
 - nslookup for, 219–222
 - IP routing, 137–141, 138–139
 - IPSec
 - best practices, 374–375
 - data transmission security, 368–370
 - event logs for, 372–374, 374
 - IP Security Monitor for, 371–372, 372
 - RSOP for, 370–371, 370–371
 - MBSA scans, 449
 - TCP/IP addressing, 68
 - DHCP, 76–77
 - identifying TCP/IP configuration, 69–71
 - IP communications, 71–76
 - WINS, 283
 - general considerations, 283–284
 - nbtstat for, 284–286
 - Trust List Signing template, 476
 - Trusted Root Certification Authorities folder, 497–498, 506
 - trusts for CAs, 497–501, 499–500
 - TTL (time to live) in DNS, 189
 - Tunnel Endpoint page, 366, 366
 - tunnel endpoints
 - defined, 689
 - in IPSec, 335
 - tunnel mode
 - defined, 689
 - in IPSec, 326, 354, 362–368, 363–368
 - Tunnel Setting settings, 354, 363–364, 364
 - Tunnel-Type option for remote access policies, 321
 - tunnels
 - defined, 689
 - in VPNs, 303–304, 304
 - Turn off background refresh of Group Policy policy, 432
 - types, event, in Event Viewer, 618
-
- ## U
- _udp domain, 191
 - uk domain, 179
 - unauthenticated access option, 308
 - unauthorized addresses
 - defined, 689
 - working with, 61–62
 - unicast routing
 - defined, 689
 - in RRAS, 102
 - unique names in name resolution, 241

unmasked bits
 defined, 689
 in subnets, 45

unreachable interfaces, 104

unspecific addresses
 defined, 689
 purpose of, 67

untrusted domains, 260

updates
 DNS, 199–200
 RIP, 97
 for security infrastructure, 14–15
 for server-level security, 443–444
 Microsoft Baseline Security Analyzer for, 447–449
 Microsoft Software Update Services for, 444–447

upgrading, DNS in, 192

us domain, 179

% Usage counter, 599

% Usage Peak counter, 599

Use Add Wizard option, 353, 359

Use An Existing Key option, 481

Use Broadcast Or Multicast Only option, 114

Use Computer Names That Are Compatible With LAN Manager option, 270

Use Neighbors In Addition To Broadcast Or Multicast option, 114

Use Neighbors Instead Of Broadcast Or Multicast option, 114

Use Persistent Connections For Pull Replication Partners option, 273

Use Persistent Connections For Push Replication Partners option, 272

Use Session Key Perfect Forward Secrecy option, 360

Use The Certificate Associated With This Key option, 481

Use These Security Settings option, 333

Use This Route To Initiate Demand-Dial Connections, 130

user authentication, 305–309, 306–307, 309

User Group Policy Loopback processing mode policy, 432

User or Group Access page, 323, 323

user permissions for DNS zones, 200–201

User Profile policies
 defined, 689
 list of, 429–430

user properties for RRAS server access control, 312, 312

User Rights Assignments
 defined, 689
 policies for, 423–426

User Signature Only template, 476

user statistics, Task Manager for, 614–615, 614–615

User template, 476

users in Event Viewer, 618

Users settings for performance, 615, 615

V

valid names in name resolution, 241–242

Variable Length Subnet Masks (VLSMs)
 defined, 689
 OSPF support for, 54
 purpose of, 58

vectors in distance vector protocols, 34

Verification Interval setting, 267

Verify Against setting, 269

Verify Database Consistency Every setting, 268

version IDs
 defined, 689
 in WINS replication, 251

View CRLs settings, 502, 503

View The Status Of A Pending Certificate Request task, 513

Virtual Interfaces settings, 127–128, 128

virtual link neighbors
 defined, 690
 in OSPF, 128

virtual links
 defined, 690
 in OSPF, 127

Virtual Memory dialog box, 613–614, 613

Virtual Memory option, 613

Virtual Private Networks (VPNs)
 defined, 690
 for demand-dial connections, 107
 for remote access services, 303–305, 304

virtual servers
 defined, 690
 in server clusters, 537

VLSMs (Variable Length Subnet Masks)
 defined, 689
 OSPF support for, 54
 purpose of, 58

volume shadow copy, 6
 defined, 690
 working with, 645–646, 645–646

VPNs (Virtual Private Networks)
 defined, 690
 for demand-dial connections, 107
 for remote access services, 303–305, 304

Vssadmin command-line utility, 646

W

Wait for remote user profile policy, 430

WANs
 and subnetting, 54
 for WINS replication, 258–260, 259

Warning events
 defined, 690
 in Event Viewer, 617

- Web Application (IIS) Servers, 389–390
- Web Edition, 396–399
- Web enrollment agents, 512–514, 513–514
- Web servers, performance objects for, 608, 611
- Web services, 400–401
- Weekly backup option, 641
- Welcome To The Backup Or Restore Wizard page, 635, 635, 641
- Welcome To The Backup Utility Advanced Mode dialog box, 642
- Welcome to the Create IP Security Rule Wizard page, 366, 366
- What To Back Up page, 635–636, 636, 641, 642
- What To Restore page, 639–640, 640
- When Idle backup option, 641
- Windows.adm template, 406
- Windows Authentication, 306
- Windows Backup, 634
 - Backup or Restore Wizard, 634–640, 635–638, 640
 - backup types with, 643–645, 644
 - defined, 690
 - scheduling backup jobs, 641
 - system state data, 641–643, 642
- Windows Components Wizard, 479–483, 480–482
- Windows File Protection policies
 - defined, 690
 - list of, 433
- Windows-Groups option, 321
- Windows NT Server migration
 - DNS namespaces for, 195–196
 - WINS services, 277
- Winnt.adm template, 406
- WINS (Windows Internet Naming Service), 9–10, 238
 - availability and fault tolerance in, 253
 - database for
 - compacting, 281
 - defined, 690
 - in NetBIOS name resolution, 243
 - defined, 690
 - deleting and tombstoning records in, 281–282
 - deployment scenarios, 261–263, 261–262, 264
 - designing, 251
 - exam essentials, 286–287
 - installing, 264–265
 - integrating with DNSs, 202–204
 - key terms, 287–288
 - monitoring, 278
 - client traffic, 254–255
 - records, 279–280, 279–280
 - statistics, 278–279, 278
 - NetBIOS name resolution. *See* NetBIOS (Network Basic Input/Output System)
 - number of servers, 252–253
 - performance objects for, 607
 - proxy agents for, 245, 690
 - replication, 249–251
 - inter-forest, 282–283
 - partners in. *See* partners in WINS replication
 - resource records in, 202–204, 690
 - review questions, 289–295
 - review questions, answers to, 296–298
 - securing, 253–254
 - settings for
 - Advanced, 269–270, 270
 - Database Verification, 268–269, 268
 - Intervals, 266–267, 267
 - summary, 286
 - troubleshooting, 283
 - general considerations, 283–284
 - nbtstat for, 284–286
 - WINS snap-in, 265–270, 266–269
- WINS console, 244, 244
- WINS-R resource records, 203–204, 691
 - WINS servers
 - configuring, 389
 - General settings for, 265–266, 266
- WINS services, migrating, 277
- WINS settings, 246–247, 247
- wireless connections, security for, 6
- Working Set counter, 599
- workstation services, performance objects for, 607
- Writes/Sec counter, 604

Z

- zones, 182, 196
 - Active Directory-Integrated, 198
 - combination, 198–199
 - data location for, 197–199
 - database location for, 186–187
 - default permissions for, 200–201
 - defined, 667
 - delegating, 208–209, 691
 - integrating DNS and WINS, 202–204
 - replication, 205–209
 - for SANs, 540–542, 541
 - secondary, 205
 - securing, 199–202, 207
 - strategies for, 201–202
 - traditional, 198
 - transfers, 181, 191–192, 205–207, 691
 - types of, 196–197