

---

# Index

---

- Acidic polymers, use as cocatalysts, 27
- Acyclic diene metathesis (ADMET) polymerization, 28, 29
- Advanced ceramics, polymeric precursors for, 265
- Advanced materials, boron- and nitrogen-containing polymers for, 103–120
- AIBN (azobisisobutyronitrile), 155, 156
- Air-stable organoboron segmented block copolymers, 9
- Alcoholysis, 129
- Aldehyde reduction, 30
- Alkoxyboration polymerization, 140–141
- Alkylaluminumoxane (MAO) cocatalyst, 25, 27
- B*-Alkylaminoborazines, 166
- asymmetric, 165
- Alkylborane polymer electrolytes, 193
- Alkylborane-type polymers, 186
- ionic conductivity of, 179
- Alkyl-substituted *B*-chloroborazines, as monomers, 157–158
- Allylcarborane-containing polymers, 99
- $\alpha$ -olefin polymerization, supported catalysts for, 26
- Alternating boration copolymerization, 139
- Alternating poly(*m*-carborane-disiloxane-diacetylene)s, 43–45
- Amine-modified polyborazylene, 154
- B*-Aminoborazines, display of amino groups by, 162
- Aminosilane reaction, 6
- Ammonolysis process, 162
- Anion sensors, organoboron polymers as, 137–138
- Anion-trapping-type electrolytes, 193
- Anion-trapping-type organoboron polymer electrolytes
- ion-conductive properties of, 178–179
- via hydroborane monomer, 177–179
- Antimony pentachloride, 84
- Aromatic acetylene bonds, haloboration of, 139–140
- Aromatic ethers, condensation of, 97
- Aromatic organoboron compounds, 130
- Atomic emission spectroscopy (AES) studies, 90–91
- Atomic Weapons Establishment (AWE) studies, 84
- B*-alkylaminoborazines, 166
- asymmetric, 165
- B*-aminoborazines, display of amino groups by, 162
- 9-BBN dimer, 24. *See also* 9-Borabicyclo[3.3.1]nonane (9-BBN)
- 9-BBN-modified allylhydridopolycarbosilane polymers, 36
- B*-chloroborazine, polymers derived from, 156–169
- <sup>10</sup>B enriched compounds, 96
- Benzocyclobutadiene carborane analog, 40
- 5-Benzyl-2-phenyl-5-(4-vinylbenzyl)-[1,3,3]-dioxaborinane, 31, 32
- Bernard, Samuel, v, 103
- $\beta$ -elimination process (retrohydroboration), 141
- Bifunctional monomers, hydroboration polymerization of, 177
- Bi-ionic systems, 176
- 1,12-Bis-(4-chlorophenyl)-1,12-dicarbodecaborane, polycondensation of, 41
- Bis-adduct decaborane, 79
- 1,7-Bis-(di-methylmethoxysilyl)-*m*-carborane, 85
- 1,2-Bis(*N*-nitroso-acetylaminophenyl)-*o*-carborane (NAFC), 100
- Bisphenol-A resins, boron-containing, 31
- Bisureidosilane monomers, 6

- Bis(ureido)silanes, condensation reaction with *m*-carborane di-hydrocarbyl-disilanol, 86–87
- Blocky poly(*m*-carborane-disiloxane-diacetylene)s, 43–45
- <sup>11</sup>B MAS NMR spectra, 94. *See also* <sup>11</sup>B-NMR spectra; Boron; Nuclear magnetic resonance (NMR) spectroscopy
- BN/BN composites, 118. *See also* Boron nitride (BN)
- B—N bond, 151
- BN-coated fibers, 118
- BN fiber elaboration, polymeric precursor for, 159
- B(NHMe)<sub>3</sub> boranes, 105–106, 113, 115
- B—N linkages, 109, 152
- <sup>11</sup>B-NMR spectra, 190–191. *See also* <sup>11</sup>B MAS NMR spectra; Boron; Nuclear magnetic resonance (NMR) spectroscopy
- 9-Borabicyclo[3.3.1]nonane (9-BBN), 182. *See also* 9-BBN entries
- 9-Borabicyclo[3.3.1]nonane–poly(propylene oxide) dehydrocoupling reaction, 182–183
- BoranediyI-bridged poly(ferrocenylene)s, 20, 21
- Borane monomer tetrahydrofuran solution, adding a diene monomer to, 124
- Borane-terminated isotactic polypropylene (*I*-PP), preparing, 25
- Boration copolymerization, between bisallene and diyne, 140
- Boration reactivities, between diynes and diisocyanates, 139
- Borazanaphthalene, 152
- Borazine, 33–34
- polymers derived from, 151–156
  - as a precursor of boron nitride, 151
  - precursors, 36
  - reactions with olefins, 155
  - thermolysis of, 153
- Borazine-based polymers, 105
- Borazine-containing organoboron polymers, 34–37
- Borazine polymer systems, SiC-producing, 34–36
- Borazine structures, formation of, 133
- Borazinic ring, 151
- Boron. *See also* <sup>10</sup>B enriched compounds; <sup>11</sup>B MAS NMR spectra; <sup>11</sup>B-NMR spectra; Boron atoms
- characteristics of, 8
  - historical perspective on, xi, 2–8
  - in “inorganic benzene-like” ring systems, 3
  - inorganic polymers of, 150
  - sources of, 3
- Boronate-functionalized polymers, 28
- Boron atoms
- in polymer backbone or pendent groups, 8–33
  - synthesis of unsaturated polymers containing, 10
- Boron-bridged [1]ferrocenophanes, polymerization of, 19–20
- Boron chromophore-containing polyurethanes, 12
- Boron cluster compounds, 78
- for neutron capture applications, 96
- Boron clusters, in polymer backbone or pendent groups, 38–71
- Boron cluster systems, monomeric and polymeric
- organic analogs of, 38–42
- Boron-containing advanced ceramics, preparation of, 104
- Boron-containing polymers, xi
- advances in, 8–33
  - chemistry of, 8
  - preceramic, 104–105
- Boron-delivery agents, 55
- Boron hydrides, 3
- Boronic acid-containing polyanilines, 14
- Boronic acids, 33
- Boron isotopes, 54, 78
- Boron ligands/polymers, used in olefin polymerization reactions, 22–29
- Boron main-chain polymers, 9
- Boron neutron-capture therapy (BNCT), 54
- drug-delivery platforms for, 55–57
- Boron nitride (BN). *See also* BN entries
- preparation of, 118
  - properties of, 104
- Boron nitride fibers
- mechanical properties of, 112
  - microtexture differences in, 111–112
  - polymeric precursors of, 105
- Boron nitride materials, preparing pure, 171
- Boron nitride microtubes, 106
- Boron–nitrogen-containing polymers, 151
- Boron oxide/boron carbide crust, 94
- Boron polymers
- containing organometallic moieties, 17–22
  - containing P atoms, 15–17
  - formation of, 3
  - $\pi$ -conjugated, 21
  - silicon-containing, 17
- Boron-rich dodeca(carboranyl)-substituted closomers, 55–57
- Boron ring systems
- alternative, 38
  - planar structures of, 33
  - in polymer backbone or pendent groups, 33–38
- Boron–ruthenium conjugated system, 131
- Boron–silicon–diacetylene polymers, linear, 17
- Boron-stabilized carbanions, 190
- Boron-stabilized imidoanion (BSI), 190–193
- Boroxine, 33–34
- Boroxine ring systems, 37

- Borylaminoborazine, thermal conversion into poly(borylaminoborazine), 168
- Borylborazine derivatives, chemistry of, 167
- Borylborazine route, 119
- B*-trialkylaminoborazine, ammonolysis of, 162
- B*-tri[bis(methylamino)boryl(methylamino)borazine], 113
- B*-trichloroborazine
- nucleophilic attack on, 161
  - reaction with trialkylaminoborane, 116–117
- B*-tri(dimethyl)-*N*-trimethylborazine, conversion to polymers, 159–160
- B*-vinylborazine, 155
- Cancer therapy research, <sup>10</sup>B nucleus in, 54. *See also* Tumor treatment
- Carbanions, boron-stabilized, 199
- Carboracycles, examples of, 64
- Carboracycle systems, 63–64, 65
- m*-Carborane, 39, 40
- o*-Carborane, 39, 40
- enthalpy of formation of, 99
  - polymer-supported, 62
- p*-Carborane, 39, 40
- Carborane cages, 78, 91
- electron-deficient, 93
  - impact of heat and ionizing radiation on, 94–95
- Carborane clusters
- conducting polymers containing, 52–54
  - grafted onto organometallic dendrimers, 62
- Carborane cluster systems, 39
- Carborane-containing grid-shaped polymers, molecular-size construction kit for, 66–67
- Carborane-containing polymers, other than polysiloxanes, 97–98
- Carborane polyhedra, 78
- Carborane polymers, 5
- in catalytic reactions, 61–63
  - in high-performance fiber production, 57–60
  - in medicine, 54–57
  - of polyetherketones, 60–61
- Carborane polymer systems, energetic, 99–100
- Carboranes, characteristics of, 39–40. *See also* *o*-Carborane
- Carborane-siloxane polymers, 93
- Carborane supramolecular chemistry, 63–71
- Carborane units, bearing energetic groups, 99–100
- p*-Carborane units, 5
- Carboranophanes, synthesis of, 41
- Carboranosiloxane rubbers, 4
- Carboranylenesiloxane polymers, 5–6
- incorporation of smaller carboranes in, 7
- Carboranyl polymer systems, elastomeric behavior in, 82
- Carboranyl units, polyphosphazene incorporating, 98
- Carbosilane dendrimers, 17, 18
- Catalytic reactions, carborane polymers in, 61–63
- Ceramic fibers, 105
- production of, 150
- Ceramic yield, 114
- increasing, 113
- Chain scission, 129
- Chain-transfer strategy, 25
- Chemosensors, 137
- B*-Chloroborazine, polymers derived from, 156–169
- Chujo, Yoshiki, v, 121
- closo*-dicarboranes, 39, 78
- Cobaltabisdicarbollide {Cs[Co(C<sub>2</sub>B<sub>9</sub>H<sub>11</sub>)<sub>2</sub>]<sup>-</sup>}, 52
- Cocatalysts, industrial, 27
- Comblike organoboron polymer/boron stabilized imidoanion hybrids, synthesis of, 190–193
- Comblike organoboron polymer electrolytes, 180–181
- Comblike organoboron polymers, temperature dependence of ionic conductivity for, 181
- Condensation polymerization, 86–87
- Conducting polymers, containing carborane clusters, 52–54
- Conjugated organoboron polymers, 122–123, 130–132
- Conjugated poly(cyclodiborazane)s, 134–137
- Coordination-driven carborane-containing self-assembled polymers, 67–69
- Coordination polymers, xiv
- construction of, 67–68, 70
- Cornu, David, v, 149
- Corriu/Douglas polymers, 10
- Covalently attached carborane-containing polypyrrole, 53–54
- Covalently carborane-bound polymer, 52–53
- Cross-coupling reactions
- poly(cyclodiborazane)s via, 142–143
  - poly(pyrazole)s via, 143–145
- Cross-linking, 84, 85, 86
- Cyclodiborazane structures, 132
- Cyclooctaphane, 41–42
- Cyclopentadienylmolybdenum tricarbonyl dimer, 45
- Cyclophane, carboranophane analogs of, 41
- Decaborane-based polymeric material, 57–58
- Decaborane-based polymer systems, 79–80
- Decaborane carboranes, properties of, 82
- Decaborane complexes, 79–80
- Decaborane polymer, 4
- Dehydrocoupling polymerization, 177, 178

- Dehydrocoupling reactions, 16–17  
control of, 153  
organoboron polymer electrolyte preparation via, 182–183
- 1,2-Dehydro-*o*-carborane, 40
- Density Functional Theory (DFT), 39
- DEXSIL 200, 5
- DEXSIL 201, 5
- DEXSIL polymers, 4, 82
- Diacetylene-carboranylenesiloxane block polymers, synthesis of, 45
- Diacetylene-diluted alternating poly(*m*-carborane-disiloxane-diacetylene)s, 43–45
- Diacetylene group, in poly(carboranylenesiloxanes), 42, 43
- Diacetylene-silarylene block polymers, synthesis of, 45
- Dialkylboron bromide, 138
- Dialkylamine-modified polyborazylenes, 153–154
- Dialkylaminoborylamine, 167
- Dialkylamino groups, attached to boron atoms, 166
- Diborane adducts, 3
- 1,2'-Diborazine, 152
- Diborylated ferrocene polymers, 18–19
- Dibromoborylated PS (PS-BBr), 27. *See also* Polystyrene (PS)
- Di-chlorobenzyl peroxide, 86
- Dichloromethyl methyl ether (DCME), in poly(alcohol) preparation, 126
- 1,9-Dicyanoanthracene (DCA), hydroboration polymerization with mesitylborane, 135
- Dicyano monomers, hydroboration polymerization of, 132–134
- Diethylborazine, 35
- Dilithiocarborane, salt elimination reaction with dichlorosiloxane, 88
- 6-Dimethylamino-2,4-dichloroborazine, reaction with disilazane, 158–159
- Dioxobenzene dianion, 39
- Dioxoborane tetraanion, 39
- Dipentylamine-modified polyborazylenes, 154–155
- Direct synthesis, of poly(lithium organoborate)s, 188–190
- Diyne monomers, hydroboration polymerization of, 129–130
- Diyne, phenylboration polymerization of, 139–140
- Donor-acceptor conjugated polymers, 131
- Donor-acceptor type  $\pi$ -conjugated poly(cyclodiborazane)s, 142–143
- Elastomeric materials, producing, 43–45
- Elastomeric networked polymers, 48–49
- Elastomers, glass-transition temperature of, 90
- Electrophilic substitution, 40
- Ene reaction, 40
- Energetic carborane polymer systems, 99–100
- Enthalpy of combustion, 99
- Enthalpy of formation, 99
- Ethylenediamine-borane reagent, polymer-bound, 30
- Ethynyl monomer, 48
- Exopolyhedral B—O bond lengths, 39
- FeCl<sub>3</sub>-catalyzed condensation reaction strategy, 46–47. *See also* Ferric chloride-catalyzed bulk condensation copolymerization
- <sup>57</sup>Fe Mössbauer studies, 91, 92
- Ferric chloride-catalyzed bulk condensation copolymerization, 82. *See also* FeCl<sub>3</sub>-catalyzed condensation reaction strategy
- Ferrocene-bridged tris(1-pyrazolylborate) oligomeric systems, 20, 37
- Ferrocene [33-bipy]<sub>n</sub> polymer, 18–19
- Ferrocene compound chemistry, 18
- [1]Ferrocenophanes, ring-opening reactions of, 19–20
- Ferrocenyl-carboranylenesiloxyl-diacetylene polymers, 43
- Fire-resistant carborane-containing polyetherketones, 60
- Flame-retardant materials, organoboron polymers as, 31–33
- Fluorescent chemosensors, 137
- Fluorescent organoboron polymers, 37, 38
- Foamed polysiloxanes, 92  
synthesis of, 91
- Gas chromatography/mass spectroscopy(GC/MS), during thermolysis, 109
- Gel-permeation chromatography (GPC), 89
- Glass-transition temperature, 89–90
- Glyme, 153
- Green fibers, 114–115
- Grignard chemistry, 11
- Grignard reagents, 141
- Haloboration, 10
- Haloboration-phenylboration polymerization, 138–139
- Haloboration polymerization, 138–139
- Heteroaromatic diynes, hydroboration polymerization of, 131
- 6-Hexynyl-decaborane, 58
- High molecular-weight polyphosphinoborane polymer, 16–17
- High-performance fiber production, carborane polymers in, 57–60

- High-performance fibers, borazine-containing organoboron polymers in, 34–37
- High-temperature polymers, 5
- $^1\text{H}$ -NMR spectra, 178. *See also* Nuclear magnetic resonance (NMR) spectroscopy
- Homogeneous fluorescein-labeled *nido*-carboranyl oligomeric phosphate diesters (*nido*-OPDs), 54–55
- $^1\text{H}$  spin-echo decay measurements, 95
- $^1\text{H}$  spin-echo NMR relaxation techniques, 88–89. *See also* Nuclear magnetic resonance (NMR) spectroscopy
- $^1\text{H}$  spin-echo relaxation profile, 95–96
- Hückel molecular orbital (MO) theory, 130
- Hybrid Density Functional Theory (DFT), 39
- Hydroborane monomer, anion-trapping-type organoboron polymer electrolytes via, 177–179
- Hydroborane reagent, 182–183
- Hydroboration polymerization, 123–138, 177
- of dicyano monomers, 132–134
- of diyne monomers, 129–130
- between mesitylborane and triethyleneglycol diallylether, 177–178
- reactions of organoboron polymers prepared by, 124–129
- Hydroboration reaction, 8–11
- of polystyrene with hexylborane terminal double bond, 126–127
- Hydrogen. *See*  $^1\text{H}$  entries; Hydro- entries
- Hydrogen-bond interaction-driven coordination, 68–69
- Hydrosilated network polymers, 48
- Hydrosilation reactions, 47–48
- Icosahedral carborane cages, 96
- Icosahedral carboranes, 78
- properties of, 82
- thermal and radiation stability from, 93–97
- Icosahedral *closo*-dicarbaborane units, polymers incorporating, 77–102
- Imidazole–borane complexes, physical properties of, 186
- Imidoanion, boron-stabilized, 190–193
- Immunoconjugates, boron-rich, 54
- Industrial SiC fibers, 34
- Infusible polymers, 162
- Inorganic benzenes, 33
- Inorganic polymer electrolytes, 176
- Inorganic polymers, rheology of, 159
- Intramolecular charge-transfer (ICT) interaction, 135
- Ionic conductivity
- of lithium borate polymers, 188–189
- of polymer/salt hybrids, 192–193
- temperature dependence of, 181, 184, 187, 191–192
- Ionic liquids, 183
- Iron. *See* Fe entries; Ferric entries; Ferro-entries
- Isocyanates, 87
- haloboration and phenylboration of, 140
- Karstedt catalyst, 48, 49
- Kekule-like structures, 34
- Keller, Teddy M., v, 1
- Kolel-Veetil, Manoj K., v, 1
- Lewis acidic organoboron compounds, 177
- Lewis acids, polymeric, 28
- Linear boron–silicon–diacetylene polymers, 17
- Linear toluene swell, 90
- Liquid imidazole–borane complexes, 185
- LiTFSI, 179, 181, 185, 193
- Lithium borate polymers, ionic conductivity of, 187, 188–189
- Lithium borate-type polymers, via polymer reactions, 186–187
- Lithium ion conducting borosiloxane polymers, 17
- Lithium mesitylhydroborate, 188
- Lithium salt dissociation, 190
- Lithium secondary battery, 176
- Lithium transference numbers, 176–177, 179, 181, 183, 185, 193
- improving, 193
- Lowest unoccupied molecular orbital (LUMO), extending, 13
- Luminescent organoboron quinolate polymers, 13
- Lysine dendrimers, carborane-containing, 57
- Macromolecules, containing metal and metal-like elements, xiii–xiv
- Main-chain boronate polymers, 28
- Main-chain-type organoboron polymers, 122, 145
- Mass loss
- dimethylsiloxane groups and, 94
- of poly(ether-ketone-carbaborane), 98
- Matsumi, Noriyoshi, v, 175
- Medicine, carborane polymers in, 54–57
- Melting temperature, 89–90
- Melt-spinnable poly[*B*-aminoborazine], boron nitride fibers from, 162
- Melt-spinnable poly[*B*-trimethylaminoborazine]s, 163
- structure of, 164–165
- Melt spinning, 114–115
- Mercuracarborands, 66, 67
- Mesitylborane
- hydroboration polymerization with 1,9-dicyanoanthracene, 135

- Mesitylborane (*Continued*)  
  hydroboration polymerization with adiponitrile, 133  
  hydroboration reaction with acetylene bond, 130  
Metal-containing polymers, xiii  
Metal-halogen interchange reaction, 7  
Metallacarborane oligomers, 64, 66  
Metal-like elements, xiv  
Metallocene catalysts, polymer-supported, 26  
Methylvinylsiloxane, 87  
Miele, Philippe, v, 103, 149  
  + Mo<sub>2</sub>C superconducting nanoparticles, 45–46  
Mobile electronic devices, lithium secondary battery for, 176  
Molecular borylaminoborazinic derivatives, 168–169  
Molecular orbital (MO) theory, 130  
Molecular precursors, thermal condensation of, 166–167  
Molecular tools, carborane-containing, 68  
Molybdenum (Mo) metathesis catalyst, 28, 29. *See also* Cyclopentadienylmolybdenum tricarbonyl dimer; + Mo<sub>2</sub>C superconducting nanoparticles  
Monoanionic boron clusters, 53  
Monomeric organic analogs, of boron cluster systems, 38–42  
Mössbauer studies, 91, 92  
“Motorized nanocar” structure, 69, 71
- NaBH<sub>4</sub>/(NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>, reaction in tetraglyme, 153  
Nagata, Yuuya, v, 121  
Nanostructured boron carbide materials, 57–58  
  —N—B—N— bridges, 117, 119  
  —N(CH<sub>3</sub>)— bridges, 109, 111  
  —N(CH<sub>3</sub>)— bridge units, 166  
Networked polymers, synthesis of, 47–48  
Neutron capture approach, 96  
Neutron scintillator materials, 145  
Neutron shields, 96  
New materials, synthesis of, 118–119  
*nido*-carboranyl oligomeric phosphate diesters (*nido*-OPDs), 54–55, 56  
*nido*-carboranylporphyrins, metal-free, 57  
9-BBN dimer, 24. *See also* 9-Borabicyclo[3.3.1]nonane (9-BBN)  
9-BBN-modified allylhydridopolycarbosilane polymers, 36  
NLO materials, from polyurethanes, 11–13  
  —NMe— bridges, 109  
NMR relaxation measurements, 95. *See also* Nuclear magnetic resonance (NMR) spectroscopy  
Nonoxide precursor route, 104  
Nonpolyether-type polymer electrolyte, 193–194  
Norbornene monomers, ring-opening metathesis polymerization of, 28–29  
Novolac resins, boron-containing, 31, 32  
n-type conjugated polymers, 130  
Nuclear magnetic resonance (NMR) spectroscopy, 88–89. *See also* <sup>11</sup>B MAS NMR spectra; <sup>11</sup>B-NMR spectra; <sup>1</sup>H-NMR spectra; <sup>1</sup>H spin-echo NMR relaxation techniques; NMR relaxation measurements  
Nucleophilic reaction route, two-step, 165
- Ohno, Hiroyuki, v, 175  
Olefinic monomers, functionalizing, 22  
Olefin polymerization reactions, boron ligands/polymers used in, 22–29  
Olefin protection strategy, 25  
Olefin reactions, 155  
Oligo(ethylene oxide) grafted polyphosphazene, 180  
Oligomeric boron-bridged (1-pyrazolyl)borate systems, 7–8  
Olin polymers, 4–5  
One-step poly(*B*-amino)borazine process, 156–159  
One-step poly(*B*-borylamino)borazine process, 159–161  
One-step polycondensation, 116–118  
Optical/sensing applications,  $\pi$ -conjugated organoboron polymers used in, 8–15  
Organic transformations, organoboron polymers used as catalysts in, 22–30  
Organoboron compounds, 122  
Organoboron main-chain polymers, 123–124  
Organoboron polymer electrolytes  
  comblike, 180–181  
  design of, 194  
  ion-conductive properties of, 194  
  lithium transference number of, 179  
  preparation via dehydrocoupling reaction, 182–183  
  reactions with organolithium reagents, 186  
  reaction with aryllithium reagents, 188  
  for selective lithium cation transport, 175–196  
Organoboron polymer reactions  
  prepared by hydroboration polymerization, 124–129  
  via ring opening of pyridine or furan moieties, 126  
Organoboron polymers, 121–147  
  as anion sensors, 137–138  
  conjugated, 130–132, 141  
  containing alternative boron ring systems, 38  
  containing borazine- or 9-BBN, 34–37  
  containing boroxine or triphosphatiborin ring systems, 37  
  containing polypyrazolylborate or pyrazabole ring systems, 37–38

- containing pyrazaboles, 143  
 as flame-retardant materials, 31–33  
 formed by hydroboration route, 9–11  
 formed by synthetic routes, 11–15  
 reaction with aryllithium reagents, 186  
 used as catalysts in organic transformations, 22–30  
 used in organic transformations, 29–30
- Organoboron quinolate polymers, luminescent, 13
- Organolithium reagents, 141
- Organometallic dendrimers, 62–63
- Organometallic macromolecules, xiv
- Organometallic moieties, boron polymers containing, 17–22
- Organometallic routes, 141–145
- ortho*-carborane, preparation of, 79
- ortho*-oligomeric phosphate diesters (*ortho*-OPDs), 55, 56
- Overoxidation resistance limit (ORL), 53
- Palladium(0) catalysts, 30
- Patel, Mogan, v, 77
- Pendant carborane groups, polymers with, 80–81
- Phenylboration, 10  
 polymerization via, 139–140
- Phenyl-modified poly(*m*-carborane-siloxane), 90
- Phosphine-borane adduct studies, 16–17
- Phosphorus-containing boron polymers, 15–17
- $\pi$ -conjugated boron polymers, 131–132. *See also*  
 $\pi$ -conjugated organoboron polymers
- $\pi$ -conjugated dendritic polymers, 12
- $\pi$ -conjugated organoboron polymers, 21, 22, 134.  
*See also*  $\pi$ -conjugated boron polymers  
 in optical and sensing applications, 8–15  
 as selective fluoride ion sensors, 137
- $\pi$ -conjugated poly(*p*-phenylene-boranes), 11
- $\pi$ -conjugation length, 138
- $\pi$ -extended conducting polymeric system, 13
- Pinacolborane-modified PVS polymers, 35
- Polar solvents, 153
- Poly(1-pyrazolyl)borate synthesis, 7–8
- Poly(alcohol)s, preparation from organoboron polymers, 125–126
- Poly(aniline boronic acid)-based conductimetric sensor, 14
- Poly(aryletherketone-carborane)s, synthesis of, 97
- Poly(azophenylene-*o*-carborane), 100
- Poly[*B*-(alkylamino)borazine-derived fibers  
 curing and pyrolysis of, 111  
 stretchability of, 110
- Poly[*B*-(alkylamino)borazines], 156  
 bridge-type bonds in, 166  
 as fiber precursors, 105  
 glass-transition temperatures and ceramic yields for, 110  
 melt-extrusion of, 111  
 tris(alkylamino)borane-derived, 105–107  
 tris(*B*-alkylamino)borazine-derived, 107–112  
 viscoelastic and thermal stabilities of, 110
- Poly[*B*-aminoborazines], 151, 156  
 one-step process for, 156–159  
 studies of, 162  
 two-step process for, 161–166
- Poly(*B*-borylamino)borazines  
 one-step process for, 159–161  
 two-step process for, 166–169
- Polyborazine additive, 35
- Polyborazylene polymer, 152
- Polyborazylenes, 151  
 alternative synthesis route for, 153  
 structure of, 152
- Poly(boronic carbamate)s, 140
- Polyborylaminoborazines, polymeric structure for, 169
- Polyborylborazine, thermal route to, 116
- Poly[*B*-(trianilino)borazine], 165
- Poly[*B*-(trimethylamino)borazine], 162
- Poly-*B*-vinylborazine homopolymer, 155
- Poly(carboranedimethylsiloxane) elastomer, 90
- Poly(carboranylensiloxanes), 42–52
- Polycarbosilane-based polymers, incorporation of decaborane into, 60
- Polycarbosilane polymers, modification with 9-borabicyclo[3.3.3]nonane, 36
- Polycarbosilanes (PCS), 34–35
- Polycondensation  
 calculating the degree of, 113, 114  
 one-step, 116–118  
 two-step, 112–116
- Poly(cyclodiborazane)s  
 charge-transfer complex with 7,7,8,8-tetra-cyanoquinodimethane, 137  
 conjugated, 134–137  
 containing a dithiafulvene unit, 136–137  
 containing oligothiophene units, 136  
 containing palladium and platinum, 137  
 electronic state of, 135  
 prepared by hydroboration polymerization of dicyano monomers, 132–134  
 via cross-coupling reactions, 142–143
- Poly(cyclooctenyl-decaborane), 59
- Poly(dioxaboralane)s, 38
- Poly(ether-ketone-carborane), 97–98
- Polyetherketones, carborane polymers of, 60–61
- Polyethylene (PE), high molecular weight, 62
- Poly(ethylene oxide) (PEO) derivatives, 176

- Poly(ethynylene-phenylene-ethynylene-borane)s, 11
- Poly(ethynylene-*p*-phenylene-ethynylene-borane)s, 141–142
- Poly(ferrocenylphosphines), 20
- Polyhexenyldecaborane, 57–58, 59
- Poly(isobutylphosphinoborane)s, 15–16
- Poly(lithium mesitylhydroborate), reaction with fluorinated alcohols, 189
- Poly(lithium organoborate)s, direct synthesis of, 188–190
- Poly(*m*-carborane-siloxane) elastomers, characterization of, 88–92
- Poly(*m*-carborane-siloxane) rubbers, 46, 47, 81–82  
polymerization method for, 85–86  
synthesis of, 82–88
- Poly(*m*-carborane-siloxane)s, 82  
with carborane units, 93  
phenyl and vinyl modified versions of, 86
- Polymer backbone/pendent groups  
boron ring systems in, 33–38  
containing boron clusters, 38–71
- Polymer derived ceramics (PDCs) method/route, 104, 156
- Polymer electrolytes, 176
- Polymer fibers, properties of, 115
- Polymeric B—N derivatives, 150
- Polymeric organic analogs, of boron cluster systems, 38–42
- Polymeric precursors, derived from tris(borylamino)borazines, 112–118
- Polymeric sensing systems, 13
- Polymerization. *See also* Polymerization reactions; Polymers  
alkoxyboration, 140–141  
haloboration, 138–139  
hydroboration, 123–138  
phenylboration, 139–140
- Polymerization reactions, improvements in the control of, 171–172
- Polymer reactions, lithium borate-type polymers via, 186–187
- Polymers. *See also* Polymer reactions  
*B*-chloroborazine-derived, 156–169  
borazine-derived, 151–156  
boron- and nitrogen-containing, 149–172  
carborane-containing, 97–98  
incorporating icosahedral *closo*-dicarbaborane units, 77–102  
organic solvent solubility of, 157–158  
organoboron, 121–147  
with pendent carborane groups, 80–81  
prepared from thexylborane and diene monomers, 124–125  
spinning parameters for, 110  
thermal and chemical properties of, 89–92  
transition temperatures of, 90  
tris(alkylamino)borane-derived, 169–171
- Polymer/salt hybrids, 176–177, 190–193, 194  
ionic conductivity of, 192–193  
VFT parameters for, 193
- Polymer-supported organoboron catalysts, 29
- Polymer-to-ceramic conversion, 115  
monitoring of, 111  
steps in, 106
- Poly(methylmethacrylate) (PMMA), production from methylmethacrylate monomer, 24
- Poly(norbornenyl-decaborane), 59
- Poly(*o*-carboranyl-organo-siloxane)s, synthesis of, 80–81
- Polyolefin diblock copolymers, 25
- Poly(organoboron halide), 183
- Poly(organoboron halide)–imidazole complexes, 183–186  
VFT parameters for, 185
- Poly(oxydimethylsilanediyl)s, 84
- Poly(phenyl-carboranyl-di-trifluoroethoxy-phosphazene), 81
- Poly(phenylphosphinoborane), syntheses of, 15
- Poly(*p*-phenylene-borane)s (PPBs), 141
- Poly(*p*-phenylene) carborane-based analog, 40–41
- Polyphosphazenes  
containing alkyl- or phenyl-carborane, 81  
incorporating carboranyl units, 98
- Polyphosphinoborane polymer, high molecular-weight, 16–17
- Polyphosphinoboranes, 4
- Polypropylene (PP), hydroboration strategy of chain end olefinic unsaturation in, 23. *See also* PP/maleic anhydride (MA) copolymers
- Polypropylene-*b*-polymethylmethacrylate (PP-*b*-PMMA), synthesis of, 22–23
- Poly(pyrazabole)/perylene/polymethylmethacrylate (PMMA), 145
- Poly(pyrazabole)s  
containing an electron withdrawing moiety, 144–145  
as a neutron scintillator material, 145  
via cross-coupling reactions, 143–145
- Polypyrazolylborate ring systems, 37–38
- Polypyrrole (PPy), boronate-functionalized, 10.  
*See also* (PPy)-Cs[Co(C<sub>2</sub>B<sub>9</sub>H<sub>11</sub>)<sub>2</sub>]<sup>−</sup> polymer
- Polypyrrole-Cs[Co(C<sub>2</sub>B<sub>9</sub>H<sub>11</sub>)<sub>2</sub>]<sup>−</sup> polymer, 52
- Polypyrrole materials, overoxidation resistance limit of, 53
- Polypyrrole precursor reaction scheme, 11
- Polypyrroles, development of, 29–30

- Polysiloxanes (silicones), xiii  
double comblike, 180
- Polystyrene (PS), organoboron polymers of, 28.  
*See also* Dibromoborylated PS (PS-BBr)
- Poly(styrene-*co*-*B*-vinylborazine), 155–156
- Polythiophenes,  $\pi$ -conjugated, 10
- Poly vinyl chloride (PVC), 62
- Polyvinylstyrene polymers, diethylborazine- and pinacolborane-modified, 35
- Porphyrins, carboranylated, 57
- Potential gradient, 176
- Potentiometric sensors, boronic acid-containing polyaniline-based, 15
- PP/maleic anhydride (MA) copolymers, synthesis of, 23. *See also* Polypropylene (PP)
- (PPy)-Cs[Co(C<sub>2</sub>B<sub>9</sub>H<sub>11</sub>)<sub>2</sub>]<sup>-</sup> polymer, 52. *See also* Polypyrrole (PPy)
- Preceramic polymer route, 105
- Preceramic polymers, 104  
meltability of, 115  
pyrolysis of, 119
- Precursors-to-ceramic route, 150
- Propellant binders, polymers and copolymers used as, 99
- Pyrazabole ligands, 37
- Pyrazabole polymers, 37
- Pyrazabole ring systems, 37–38
- Pyrazaboles, 143
- Radiation stability, from icosahedral carboranes, 93–97
- Residual catalyst content, 91
- Retrohydroboration ( $\beta$ -elimination) process, 141
- RhH(CO)(PPh<sub>3</sub>)<sub>3</sub> catalyst, 155
- Rhodium (Rh)-catalyzed dehydrocoupling procedure, 16
- “Rigid-rod”-type polymers, 81
- Ring-opening metathesis polymerization (ROMP), 28–29
- Ring-opening polymerization (ROP) strategy, 19
- (RNB<sub>N</sub>H<sub>R</sub>)<sub>3</sub> alkylaminoborazines, 170
- Ruthenium (Ru) metathesis catalyst, 28, 29
- Salt elimination reaction, 88
- Segmented block poly(alcohol)s, preparation of, 128–129
- Selective lithium cation transport, organoboron polymer electrolytes for, 175–196
- Self-condensation, carboranedisilanol, 6
- Semi-metal-containing polymers, xiii
- Si/B/C/N-producing systems, 36–37. *See also* Silicon-containing boron polymers
- SiC-producing borazine polymer systems, 34–36
- SiC-producing resins, introducing boron into, 35
- Side-chain-type organoboron polymers, 122
- $\sigma$ - $\pi$  conjugation, using the disilanylene structure, 135–136
- Silicon-containing boron polymers, 17. *See also* Si/B/C/N-producing systems; SiC entries
- Silicones (polysiloxanes), xiii  
double comblike, 180
- Siloxane-carborane ratio, 82
- Siloxane content, glass transition as a function of, 83
- Siloxane units, incorporation of, 82
- Silyl-carborane hybrid diethynylbenzene-silylene polymer, 50–52
- Size exclusion chromatogram (SEC), 109
- Sodium. *See* NaBH<sub>4</sub>/(NH<sub>4</sub>)<sub>2</sub>SO<sub>4</sub>
- Sonogashira–Hagihara coupling, 142, 143
- Speier’s catalyst, 47
- Spinnable polymers, properties of, 105
- Spin–spin (transverse) relaxation time, 95
- Styrenic monomer, boron-containing, 31–33
- Superaromatic carboranes, 49
- Supported catalysts, 26
- Supramolecular architectures, 70
- Supramolecular chemistry, carborane, 63–71
- Supramolecular structure assembly, 54
- Swain, Anthony C., v, 77
- Symmetric oligomers, 64, 66
- Syndiotactic polystyrene (PS) polymers, 24
- 7,7,8,8-Tetracyanoquinodimethane (TCNQ), 137
- Tetraethylene glycol (TEG) side chain, 193
- Tetrahydrofuran (THF), 153
- Tetrahydrofuran soluble fraction, GPC on, 89
- 1,2,3,5-Tetramethyl-4,6-dichloroborazine, reaction with hexamethyldisilazane, 158
- Thermal degradation pathway, influence of steric congestion on, 98
- Thermal neutron attenuation properties, 96
- Thermal stability, from icosahedral carboranes, 93–97
- Thermal transition temperatures, 90
- Thermoplastic polyborazine, 170–171
- Thexylborane, 122, 126–127  
reaction with 1,7-octadiene, 123
- Three-dimensional (3D) X-ray microtomography, 92
- Toury, Béragère, v, 149
- Transamination reactions, 159–160
- Transamination reaction, 171
- Transition metal-catalyzed synthetic methodology, 16
- Transverse (spin–spin) relaxation time, 95
- B*-Trialkylaminoborazine, ammonolysis of, 162
- 2,4,6-Trialkylaminoborazines, 167

- Trialkylboranes, polymer homologues of, 124
- 2,4,6-Tri[bis(isopropylamino)boryl(isopropylamino)]borazine, 112–113
- B*-Tri[bis(methylamino)boryl (methylamino)]borazine, 113
- B*-Trichloroborazine
- nucleophilic attack on, 161
  - reaction with trialkylaminoborane, 116–117
- 2,4,6-Trichloroborazine chlorine atoms, exchange by a dialkylamino group, 162
- 2,4,6-Trichloroborazine–hexamethyldisilazane reaction, polymer formation from, 157
- B*-Tri(dimethyl)-*N*-trimethylborazine, conversion to polymers, 159–160
- Trifluoroborate-substituted polythiophene system, conjugated, 13
- Trifluoromethanesulfonic acid (TFSA)-promoted polycondensation reaction, 60–61
- 2,4,6-Trimethylaminoborazine, self-condensation of, 163
- 2,4,6-Trimethylaminoborazine–laurylamine cocondensate, 163
- N*-Trimethyl-*B*-tri(amino)borazine, 106
- Trimethylsilylamino-substituted oligomer, 157
- Triphosphatriborin, 33–34
- ring systems of, 37
- Tris(alkylamino)borane-derived poly[*B*-(alkylamino)borazines], 105–107
- Tris(alkylamino)boranes, 160, 167
- polymers derived from, 169–171
  - thermal process for, 170
- Tris(*B*-alkylamino)borazine-derived poly[*B*-(alkylamino)borazines], 107–112
- Tris(*B*-alkylamino)borazines, thermolysis of, 108–109
- Tris(borylamino)borazines, polymeric precursors derived from, 112–118
- Trisiloxy groups, 45
- Tris(isopropylamino)borane, 170
- Tris(methylamino)borane, 160, 170
- Tumor treatment, neutron capture approach in, 96.
- See also* Cancer therapy research
- 2 + 2 reaction, 40
- “Two-point polymers,” 158
- Two-step poly(*B*-amino)borazine process, 161–166
- Two-step poly(*B*-borylamino)borazine process, 166–169
- Two-step polycondensation, 112–116
- Ultra-high molecular weight carboranylenesiloxane polymers, 6
- Ureidosilane reaction, 6. *See also* Bisureidosilane entries
- Valence bond (VB) theory, 34
- VFT equation, 189. *See also* Vogel–Fulcher–Tamman (VFT) plot
- VFT parameters
- for lithium borate polymers, 190
  - for polymer/salt hybrids, 193
- Vinylborane units, hydroboration of, 129
- B*-Vinylborazine, 155
- Vinylcarborane-containing polymers, 99
- Vinylcarboranylenesiloxane, 48
- Vinyl group, conjugative interaction with boron atom, 139
- Vinyl-phenyl-modified polymer, boron content of, 91
- Vogel–Fulcher–Tamman (VFT) plot, 179. *See also* VFT entries
- Ziegler–Natta (Z-N) polymerization, 22
- Zwitterionic molten salts, 183