

# Index

---

## Symbols

---

- \* (asterisk) wildcard, 167–168
- ! FTP command, 368
- ? FTP command, 368
- ? (question mark) wildcard, 167–168

## A

---

- ABI (application binary interface), LSB and, 15
- AbiWord, 208
- access point, wireless network, 292–293
- accounts, users, system administration, 373
- acpid Internet service, 580
- Actions menu, Debian GNOME desktop, 142
- ADSL (Asymmetric DSL), 258
- alt newsgroups, 348
- amaroK, 209
- apache Internet service, 580
- Apache Web server
  - access-control directives, 601–603
  - computer vulnerabilities and, 551
  - configuration, 589–606
  - configuration file, 593–603
  - configuration tools, 590–592
  - installation, 587–588
  - naming of, 588
  - resource configuration directives, 596–600
  - starting, 588–589
  - virtual host setup, 603–606
- apache2 Internet service, 580
- apmd Internet service, 580
- append FTP command, 368
- application gateway, 508
- Application layer, TCP/IP, 276
- application-proxy gateway firewall, 537–538
- applications
  - databases, 209
  - default availability, 212–214
  - graphics and imaging, 210
  - GUIs, 19–21
  - Internet, 210–211
  - multimedia, 209
  - office applications, 208
  - office tools, 208
  - text editors, 208
- Applications menu
  - Debian GNOME desktop, 142
  - Fedora Core GNOME desktop, 145
  - Ubuntu GNOME desktop, 157
- Applixware
  - description, 21
  - overview, 220
- APT
  - DEB files and, 459–461
  - Debian updates, 465–466
  - MEPIS Linux updates, 465–466
  - Ubuntu Linux updates, 465–466
- archives. *See also* backups commands for, 172
  - multivolume archives, 438
  - single-volume archive, 436–437
  - tar program, 26, 436–441
- Arkeia utility, 436
- array variables, Perl, 747, 749
- arrays, C programming, 707–708
- ascii FTP command, 368
- Aspell, 208, 222–223
- associative arrays, Perl, 747, 750
- asterisk (\*) wildcard, 167–168
- ATA support, kernel, 483
- ATAPI support, kernel, 483
- atd Internet service, 580
- attachments to e-mail, 316
- audio CDs
  - multimedia applications, 228
  - playing, 230–231
- audits, security. *See* security audits
- authentication
  - computer vulnerabilities, 551
  - security, 504, 508
- authorization, security, 504
- autoconf GNU software package, 17
- autofs Internet service, 580
- automake GNU software package, 17
- automated backups, 440
- automatic command completion, 167
- automation, system administration, 374

**B**

backdoor, security, 508  
backups. *See also* archives  
automated, 440  
commercial utilities,  
435–436  
devices, 435  
incremental, 440  
media, 434–435  
multivolume archives, 438  
single-volume archive,  
436–437  
strategies, 434–435  
system administration,  
374  
tapes, 439–440  
Bare Metal Plus utility, 436  
bash GNU software  
package, 17  
bash shell  
built-in commands,  
739–742  
overview, 162  
starting, 126–127  
bastion host, security, 508  
bc GNU software  
package, 17  
/bin directory, 427  
binary FTP command, 369  
BIND DNS  
computer vulnerabilities,  
551  
Debian, 642  
Fedora Core, 642  
MEPIS, 642  
named daemon, 643  
resolver library, 644  
Ubuntu, 642  
utility programs, 644–645  
Xandros, 642  
BIND name server, 643

Binutils GNU software  
package, 17  
bionet newsgroups, 348  
bit newsgroups, 348  
biz newsgroups, 348  
block devices  
kernel, 482–483  
overview, 402  
blogs, 358–360  
BogoMIPS, 112  
boot commands, Knoppix,  
84–86  
/boot directory, 427  
/boot/grub configuration  
file, 390  
/boot/grub/menu.lst  
configuration file, 390  
boot loader  
Fedora Core installation, 52  
kernel and, 112  
startup and, 111  
SUSE Linux installation, 68  
boot messages, kernel  
startup and, 112  
boot options, Linux kernel,  
87–89  
/boot/System.map  
configuration file, 390  
/boot/vmlinuz  
configuration file, 390  
booting  
definition, 111  
from DVD drive, 33  
/etc/inittab file, 386–387  
Fedora Core, 113–114  
init process, 384–386  
login screen, 113–114  
network configuration at  
boot time, 308–309  
Ubuntu, 114  
Xandros, 113–114  
break statement, C  
programming, 715

BrightStor ARCserve  
Backup for Linux, 436  
Browse Windows Network,  
MEPIS KDE desktop,  
152  
browsers. *See* Web  
browsers  
BRU utility, 436  
buffer overflow, security,  
508  
building kernel, 491–492  
building modules, modular  
kernel, 491–492  
built-in functions, Perl,  
762–763  
burning CDs/DVDs  
ISO images and, 37–39  
Knoppix, 38–39  
multimedia applications,  
233–234  
Nautilus, 186–187  
business requirements for  
security, 501

**C**

C++, compiling, 680  
C and C++ compilers, GCC,  
678–682  
C programming  
arrays, 707–708  
bit fields, 707–710  
break statement, 715  
case statement, 716  
compound statements,  
716  
continue statement,  
716–717  
declarations, 700  
default label, 717  
definitions, 700

- do statement, 717
- enumerations, 706
- expression statements, 717
- expressions, 711–713
- function library, 722–723
- function prototypes, 721–722
- functions, variable
  - number of arguments, 722
- goto statement, 718
- header files, 699, 722–723
- if-else statement, 718–719
- if statement, 718
- macros, 704–705
- null statement, 719
- operators, 711–715
- pointers, 708–709
- preprocessor directives, 701–705
- program structure, 699–701
- return statement, 719
- shared libraries, 724–729
- for statement, 717–718
- structures, 707–710
- switch statement, 719–720
- type definitions, 709–710
- type qualifiers, 710
- unions, 707–710
- variables, 705–706
- void type, 722
- while statement, 720–721
- CA (certificate authority), security, 508
- cable modem connection
  - CMTS (Cable Modem Termination System), 263
- comparison to other
  - connections, 255–256
- connecting with, 262–267
- overview, 255
- setup, 264–267
  - upstream data, 262
- cabling, Ethernet, 281–283
- caching name server
  - /etc/named.conf file, 647–650
  - resource record formats, 650–653
  - zone files, 650
- Calc, OpenOffice.org, 216–217
- calculators
  - GNOME, 219–220
  - KDE, 219–220
- calendars, 218–219
- case statement, C programming, 716
- categories of newsgroups, 347–348
- CD/DVD Burning option, MEPIS KDE desktop, 153
- cd FTP command, 369
- CD with book
  - burning, 32–33
  - distributions, 31–32
- cdrdao, 209
- cdrecord, 209
- CDs. *See also* audio CDs
  - burning, multimedia applications, 233–234
  - burning, ISO images, 37–39
  - burning, Nautilus, 186–187
  - introduction, 25
  - management, 103
  - SUSE Linux installation, 63–65
- certificate, security, 508
- character device support, kernel, 486
- character devices, 402–403
- chkconfig command
  - Fedora Core, 576–577
  - SUSE Linux, 576–577
- chmod FTP command, 369
- clari newsgroups, 348
- client/server model, sockets, 568
- clients, Internet services, 565
- Clipboard Tool
  - MEPIS KDE desktop, 153
  - SUSE Linux desktop, 155
- clock
  - SUSE Linux desktop, 155
  - Xandros Desktop, 160
- close FTP command, 369
- command completion, 167
- command line
  - arguments, 163
  - command line options, 163
  - description, 127
  - programming and, 675
- command-line FTP client, 366–370
- command processor, programming, 675
- commands
  - archiving, 172
  - compressing files, 172
  - date and time, 173
  - depmod, 404
  - directory management, 170, 201–202
  - directory navigation, 195–196
  - disk-space usage, 204–206
  - dmesg, 112
  - dpkg, 457–459
  - ed text editor, 244
  - error messages, saving to file, 166
  - file management, 170, 200–201

- commands (*continued*)
  - file system management, 173
  - finding files, 171, 202–203
  - FTP, 366–370
  - grep, 163
  - help, 170
  - input, 165
  - insmod, 404
  - iptables, 541–545
  - ksyms, 404
  - lsmod, 404
  - managing processes, 172
  - modinfo, 404
  - modprobe, 404
  - mounting/unmounting, 203–204
  - mtools, 446–447
  - navigation, 194–206
  - output, saving, 165
  - ownership, changing, 199–200
  - permissions, 196–198
  - permissions, changing, 199–200
  - processing files, 171
  - repeating, 169
  - rmmmod, 404
  - RPM files, 450
  - shell commands, 127
  - su -, 382
  - uptime, 395
  - user account
    - management, 416–417
  - user management, 172
  - vi text editor, 247–249
  - wildcards, 167–168
  - Yum, 466–469
- commercial backup
  - utilities, 435–436
- commercially available
  - software, office applications, 220–222
- comp newsgroups, 348
- compilers
  - GCC, 678–682
  - programming and, 676
- compound statements, C
  - programming, 716
- compressing files,
  - commands for, 172
- computer, programming
  - and, 673–674
- computer programming.
  - See* programming
- computer systems Linux
  - runs on, 10
- computer vulnerabilities
  - Apache Web Server, 551
  - authentication, 551
  - BIND DNS, 551
  - CVS, 551
  - databases, 552
  - host security, 552
  - Linux kernel, 552
  - NFS (Network File System), 551
  - NIS (Network Information Service), 551
  - Open SSL (Open Secure Sockets Layer), 551
  - resources for information, 550
  - sendmail, 551
  - SNMP, 551
  - subversion, 551
- concatenating shell
  - commands, 164
- conditional directives, C,
  - 703–704
- confidentiality, security, 508
- configuration. *See also*
  - TCP/IP configuration files
  - Apache Web server, 589–606
  - Fedora Core, networks, 52–53
  - FTP server, 608–612
  - INN server, 628–635
  - introduction, 28
  - kernel, 476–491
  - printers, Debian, 90–91
  - printers, Fedora Core, 92–94
  - printers, Knoppix, 94–96
  - printers, MEPIS, 94–96
  - printers, SUSE, 97–99
  - printers, Ubuntu, 99–100
  - printers, Xandros, 100–103
  - Samba, 667–669
  - system configuration files, 390–392
- configuration files
  - sendmail, 617–623
  - vsftpd file, 608–309
  - vsftpd.conf file, 609–612
- connection-oriented
  - protocols, sockets, 567
- connectionless protocols,
  - sockets, 567
- connections to Internet
  - cable modem, 255
  - cable modem setup, 262–267
  - dialup networking, 255, 267–274
  - DSL (digital subscriber line), 254–262
  - LANs, 285–286
- console
  - opening, 161
  - virtual, 161
- const type qualifier, C
  - programming, 710
- context menus
  - desktop context menus, 135–136
  - icon context menus, 136–137
- continue statement, C
  - programming, 716–717

Control Center, MEPIS KDE desktop, 152  
 Coreutils GNU software package, 18  
 cpio GNU software package, 18  
 CPU (central processing unit), programming, 674  
 crackers, security, 499, 508  
 cron Internet service, 580  
 crond Internet service, 580  
 CrossOver Office, 21, 208, 221–222  
 cryptography support, kernel, 491  
 CSMA/CD (Carrier-Sense Multiple Access/Collision Detection), 280–281  
 CVE (Common Vulnerabilities and Exposures), computer vulnerabilities, 550  
 CVS (Concurrent Versions System)  
   computer vulnerabilities, 551  
   description, 23

## D

data protection, security, 504  
 data types, C programming, 705–706  
 databases  
   building, 224–225  
   creating empty, 225  
   designing, 225  
   MySQL, 209, 223  
   PostgreSQL, 209, 223  
   querying, 228  
   tables, defining, 226–227  
   tables, loading data, 227–228  
   vulnerabilities and, 552  
 date and time  
   commands, 173  
   Debian GNOME desktop, 142  
   Fedora Core GNOME desktop, 146  
   Knoppix desktop, 148  
   MEPIS KDE desktop, 153  
   Ubuntu GNOME desktop, 158  
 date command, 175–176  
 DDoS (distributed denial of service), security, 509  
 DEB files  
   APT and, 459–461  
   dpkg command, 457–458  
   filenames, 456–457  
 Debian GNU/Linux  
   description, 11  
   GNOME desktop, 142–144  
   GUI sysadmin tools, 375  
   inetd, 531  
   installation, 42–48  
   printer configuration, 90–91  
   software installation, 104–106  
   standalone servers, 530  
   text mode installation, 82  
   update-rc.d command, 577–578  
   updating, 465–466  
   versions, 15  
 debugging  
   gdb and, 691–695  
   kernel, 491  
   programming and, 676  
 declarations  
   C programming, 700  
   variables, C programming, 705–706  
 decryption  
   GPG, 526–527  
   security, 508  
 default label, C programming, 717  
 definitions  
   C programming, 700  
   variables, C programming, 705–706  
 delete FTP command, 369  
 denial of service, security, 502  
 depmod command, 404  
 Desktop Pager  
   Knoppix desktop, 147  
   MEPIS KDE desktop, 153  
   SUSE Linux desktop, 155  
   Xandros Desktop, 160  
 detection, host security, 552  
 /dev directory, 427  
 development environment  
   CVS (Concurrent Versions System), 23  
   GNU C compiler and, 23  
   GNU C++ compiler and, 23  
   GNU compiler for Java, 23  
   GNU debugger and, 23  
   GNU emacs editor, 23  
   GNU make utility and, 23  
   GNU profiling utility, 23  
   Perl, 23  
   Python, 23  
   RCS (Revision Control System), 23  
   shared libraries, 23  
   Subversion, 23  
   Tcl/Tk (Tool command language and toolkit), 23  
 device drivers, 401

- devices
  - block devices, 402
  - block devices, kernel, 482–483
  - character devices, 402–403
  - files, 401–403
  - mounting on file system, 429–430
  - naming, udev and, 403–404
  - network devices, 403
- DHCP (Dynamic Host Configuration Protocol)
  - description, 279
  - Internet services, 570
- Dia, 208
- dialup networking
  - connection
    - CHAP authentication, 272–274
    - comparison to other connections, 255–256
    - connecting with, 267–274
  - DNS (Domain Name Service), 268
  - IP (Internet Protocol), 268
  - modem connection, 269–270
  - overview, 255
  - PAP authentication, 272–274
  - PPP (Point-to-Point Protocol), 268
  - PPP (Point-to-Point Protocol), connection setup, 270–272
  - Winmodems, 270
- Dictionary, 208
- diff GNU software
  - package, 18
- digiKam
  - description, 209
  - digital cameras, 229–230
- digital cameras
  - digiKam, 229–230
  - multimedia applications, 228
- digital signature
  - GPG, 525–526
  - security, 508
- digital signatures, 521–522
- dir FTP command, 369
- directories
  - description, 181
  - listings, commands, 196–198
  - management, commands, 170
  - navigating, commands, 195–196
  - ownership, 516
  - path, URLs, 337
  - pathname, 182
  - permissions, commands, 196–198
  - /proc file system, 398–400
  - security, 516–520
  - top-level, 183–184
- directory management,
  - commands, 201–202
- Disabled option, SELinux, 57
- disclosure of information to public, security, 502
- disconnect FTP command, 369
- disk partition
  - Fedora Core installation, 50–51
  - installation, 31–32, 33–34
  - Live CDs, 40
  - SUSE Linux installation, 68
  - Windows, resizing, 40–42
- disk performance, 396–397
- disk-space, usage,
  - commands, 204–206
- disk usage, 396–397
- disks, 25
- display configuration
  - option, Knoppix desktop, 147
- distributed responsibility,
  - DNS, 640
- distributions
  - CD with book, 31–32
  - Debian GNU, 11
  - Fedora Core, 12
  - Gentoo Linux, 12
  - GNU software, 17–19
  - kernel, 10
  - Knoppix, 12
  - Linspire, 12
  - Live CDs, 13
  - Mandriva Linux, 12
  - MEPIS Linux, 12
  - Slackware Linux, 13
  - SUSE Linux, 13
  - Ubuntu Linux, 13
  - version numbers, 14–15
  - Xandros Desktop OS, 13
- dmesg command, 112
- DMZ, security, 509
- DNS (Domain Name System)
  - BIND, 642–645
  - caching name server
    - configuration, 647–657
  - configuration, resolver, 646–647
  - distributed responsibility, 640
  - FQDN, 642
  - hierarchical domain names, 641–642
  - localhost.zone file, 655–656
  - name server, 656–657
  - overview, 639–641
  - primary name server,
    - configuration, 657–659
  - resolver configuration, 646–647
  - resource records, 651–653

- root zone files, 653–655
  - utility programs, 644–645
  - zone file, 656
  - do statement, C
    - programming, 717
  - documentation, online, 23–24
  - domain names
    - FQDN, 642
    - hierarchical, 641–642
    - URLs, 337
  - DoS (denial of service)
    - attack, 499, 508
  - DOS/Windows file system
    - mounting disk partition, 441–442
    - mounting floppy disks, 442–443
    - mtools, 444–448
  - downloading, software, 461–462
  - dpkg command, 457–459
  - driver modules
    - /etc/modprobe.conf file, 405–406
    - loading/unloading, 404–405
  - dselect, dpkg utility, 459
  - DSL (digital subscriber line)
    - ADSL (Asymmetric DSL), 258
    - comparison to other connections, 255–256
    - connecting with, 256–262
    - IDSL (ISDN DSL), 258
    - local loop, 256
    - overview, 254–255
    - SDSL (Symmetric DSL), 258
    - setup, 259–262
  - dual-horned host, security, 509
  - DVD drive
    - booting from, 33
    - installation, 34
  - DVDs
    - burning, ISO images and, 37–39
    - introduction, 25
    - management, 103
  - dynamically linked, shared libraries, 23
- 
- ## E
- 
- e-mail
    - attachments, 316
    - distributions, 21
    - HTML messages, 316
    - introduction, 253
    - MTA, 314
    - MUA, 314
  - ed text editor
    - command mode, 241
    - commands, 244
    - description, 18
    - text input mode, 241
  - emacs GNU software
    - package, 18, 208
  - encryption
    - GPG, 526–527
    - public key, 520–521
    - security, 509
  - Enforcing option, SELinux, 57
  - enumerations, C
    - programming, 706
  - environment variables, programming, 675
  - Epiphany, 210, 339
  - error message, saving to file, 166
  - /etc/apache2/httpd.conf configuration file, 390
  - /etc/apt/sources.list configuration file, 390
  - /etc/at.allow configuration file, 390
  - /etc/at.deny configuration file, 391
  - /etc/bash.bashrc configuration file, 391
  - /etc/bashrc configuration file, 391
  - /etc/cups/cupsd.conf configuration file, 391
  - /etc/directory, 427
  - /etc/fonts configuration file, 391
  - /etc/fstab configuration file, 391, 430–432
  - /etc/group configuration file, 391, 418–419, 554
  - /etc/grub.conf configuration file, 391
  - /etc/host.conf configuration file, 300–301
  - /etc/hosts configuration file, 300, 391
  - /etc/hosts.allow configuration file, 301–302, 391
  - /etc/hosts.deny configuration file, 302, 391
  - /etc/httpd/conf/httpd.conf configuration file, 391
  - /etc/init.d configuration file, 391
  - /etc/init.d/rcS configuration file, 392
  - /etc/inittab configuration file, 386–387, 391
  - /etc/issue configuration file, 391
  - /etc/lilo.conf configuration file, 391
  - /etc/login.defs configuration file, 391

/etc/modprobe.conf  
     configuration file,  
     391, 405–406  
 /etc/modules.conf  
     configuration file, 391  
 /etc/mtab configuration file,  
     391  
 /etc/named.conf file,  
     647–650  
 /etc/networks configuration  
     file, 300  
 /etc/nsswitch.conf  
     configuration file,  
     302–303  
 /etc/passwd configuration  
     file, 391, 417–418,  
     513–515, 554  
 /etc/profile configuration  
     file, 391  
 /etc/profile.d configuration  
     file, 392  
 /etc/rc.d/rc.sysinit  
     configuration file, 392  
 /etc/resolve.conf  
     configuration file, 301  
 /etc/shadow configuration  
     file, 392, 554  
 /etc/shells configuration  
     file, 392  
 /etc/skel configuration file,  
     392  
 /etc/ssh/ssh\_config,  
     OpenSSH and, 533  
 /etc/ssh/sshd\_config,  
     OpenSSH and, 533  
 /etc/sysconfig configuration  
     file, 392  
 /etc/sysctl.conf  
     configuration file, 392  
 /etc/termcap configuration  
     file, 392  
 /etc/udev configuration file,  
     392  
 /etc/vfsftpd.ftpusers file,  
     612  
 /etc/vfsftpd.user\_list file,  
     612  
 /etc/X11 configuration file,  
     392  
 /etc/X11/XF86Config-4  
     configuration file, 392  
 /etc/X11/XF86Config  
     configuration file, 392  
 /etc/X11/xorg.xonf  
     configuration file, 392  
 /etc/xinetd configuration  
     file, 392  
 /etc/yum.conf configuration  
     file, 392  
 Ethernet  
     cabling, 281–283  
     CSMA/CD, 280–281  
     overview, 280–281  
     reasons to use, 280  
     setup, 279–283  
     wireless networks. *See*  
         wireless Ethernet  
         networks  
 Evolution  
     description, 210  
     Fedora Core GNOME  
         desktop, 146  
     overview, 317–321  
     Ubuntu GNOME desktop,  
         158  
 exploit tools, security, 509  
 exporting, file system, NFS  
     and, 432–433, 662–664  
 expression statements, C  
     programming, 717  
 expressions  
     C programming, 711–713  
     Perl, 746, 751–752  
     programming, 676  
     regular expressions, Perl,  
         752–755

## F

Fedora Core  
     boot loader installation, 52  
     booting, 113–114  
     chkconfig command,  
         576–577  
     description, 12  
     disk partition, 50–51  
     firewall configuration,  
         56–57  
     GNOME desktop, 144–146  
     GUI sysadmin tools,  
         375–376  
     installation, 48–57  
     installation type, 49–50  
     keyboard, installation, 49  
     network configuration,  
         52–53  
     packages, installation,  
         54–56  
     printer configuration,  
         92–94  
     root password, 53–54  
     Security Level  
         Configuration tool, 540  
     SELinux configuration,  
         56–57  
     software installation,  
         106–107  
     standalone servers, 530  
     TCP/IP network  
         configuration, 284  
     text mode installation, 82  
     time zone, 53  
     updates, 466–469  
     xinetd, 531  
 file formats, executable,  
     kernel, 481  
 file management,  
     commands, 200–201

- File Manager, MEPIS KDE desktop, 152
- file sharing, NFS, 661–665
- file systems
  - commands for, 173
  - description, 181
  - devices, mounting, 429–430
  - directories, 427–428
  - DOS/Windows, 441–444
  - exporting, NFS, 662–664
  - hierarchy, 426–428
  - introduction, 26
  - kernel and, 489–490
  - mounting, NFS, 664–665
  - mounting/unmounting, system administration and, 374, 433–434
  - NFS, 26, 432–434
  - overview, 425–426
- file transfer utilities, distributions, 22
- filenames
  - DEB files, 456–457
  - pathname and, 182
  - pipe prefix, Perl, 761–762
  - RPM files, 451
  - URLs, 337
- files
  - device files, 401–403
  - finding, commands, 171, 202–203
  - management, commands, 170
  - ownership, 422–423, 516
  - permissions, changing, 517
  - permissions, default, 517–519
  - permissions, set user ID, 519–520
  - /proc file system, 398–400
  - processing, commands, 171, 176–179
  - security, 516–520
  - sharing, NFS, 432–434
  - system configuration files, 390–392
  - viewing, Konqueror, 191–193
- filters, packet filter firewall, 536
- finding files, commands, 202–203
- Findutils GNU software package, 18
- finger GNU software package, 18
- fingerprints, 521
- Firefox Web Browser
  - description, 210
- Fedora Core GNOME desktop, 146
- introduction, 339
- Knoppix desktop, 147
- MEPIS KDE desktop, 153
- surfing, 343–344
- user interface, 340–342
- Xandros Desktop, 159
- firewalls
  - application-proxy gateway firewall, 537–538
  - characteristics, 535–536
  - Fedora Core configuration, 56–57
  - iptables command, 541–545
  - NATs (Network Address Translations), 538
  - networks and, 27
  - packet filter firewall, 536
  - packet filtering, enabling, 539–545
  - security, 509
  - setup overview, 534–536
  - stateful inspection firewall, 536–537
- floppy disks, backup devices, 435
- floppy tape drive, kernel, 486–487
- flow control, scripting, 736–739
- flow-control statements
  - Perl, 746, 755–758
  - programming and, 677
- folders
  - Nautilus, browsing, 188–190
  - viewing, Konqueror, 191–193
- for statement
  - C programming, 717–718
  - Perl, 757–758
- foreach statement, Perl, 757–758
- FQDN (fully qualified domain name), 642
- frame buffer, kernel, 488
- FTP (file transfer protocol)
  - command-line FTP client, 366–370
  - commands, 366–370
  - description, 279
  - /etc/vsftpd.ftpusers file, 612
  - /etc/vsftpd.user\_list file, 612
  - graphical FTP clients, 361–366
  - Internet services, 570
  - server configuration, 608–612
  - server installation, 607
  - SUSE Linux installation, 60–63
  - vsftpd configuration files, 608–309

function keys  
 Debian installation, 44  
 SUSE Linux installer, 64  
 function library, C  
   programming, 722–723  
 function prototypes, C  
   programming, 721–722  
 functions  
   built-in, Perl, 762–763  
   C programming, variable  
     number of arguments,  
     722  
   Perl, 746  
   programming and, 677  
   shell, scripting, 735–736

## G

Gaim  
   description, 210  
   overview, 327–329  
 gawk GNU software  
   package, 18  
 GCC compiler, 678–682  
 gcc GNU software  
   package, 18  
 gdb GNU software  
   package, 18  
 gdbm GNU software  
   package, 18  
 Gentoo Linux, 12  
 get FTP command, 369  
 gettext GNU software  
   package, 18  
 gFTP, 210, 362–363  
 GGv, 210  
 ghostscript GNU software  
   package, 18  
 Ghostview, 236–237  
 ghostview GNU software  
   package, 18  
 The GIMP GNU software  
   package, 18, 20, 210,  
   234–236

GNOME Calculator, 208,  
 219–220  
 GNOME CD Player, 209  
 GNOME Ghostview, 236–237  
 GNOME (GNU Object Model  
 Environment)  
   customization, 119–121  
   Debian desktop, 142–144  
   Fedora Core desktop,  
     144–146  
   introduction, 20  
   launcher applets, 117  
   login, 116  
   logout, 121  
   menu buttons, 117–119  
   overview, 115–116  
   Pager applet, 117  
   panels, 116–117, 137–139  
   Places menu, 118  
   System menu, 118  
   Ubuntu Linux desktop,  
     156–158  
   Weather applet, 117  
 GNU  
   licenses, 695–697  
   shell, 17  
   text terminal, 17  
 GNU C compiler, 23  
 GNU C++ compiler, 23  
 GNU C Library GNU  
   software package, 18  
 GNU compiler for Java, 23  
 GNU debugger  
   description, 23  
   gdb, debugging with,  
     691–695  
   gdb, running, 689–690  
   gdb commands, 690–691  
 GNU emacs editor, 23  
 GNU profiling utility, 23  
 GNU Project, 16  
 GNU software, packages,  
   17–19  
 GNUchess GNU software  
   package, 18

gnumeric GNU software  
   package, 18  
 goto statement, C  
   programming, 718  
 goto statement, Perl, 758  
 GPG  
   decryption, 526–527  
   encryption, 526–527  
   key exchange, 524–525  
   key pair generation, 523  
   signing files, 525–526  
 GPL (GNU General Public  
 License), 695–697  
 gpm Internet service, 580  
 GQview, 210  
 graphical FTP clients  
   gFTP, 362–363  
   introduction, 361–362  
   KBear, 363–364  
   Web browser as FTP  
     client, 364–366  
 graphics, advanced, kernel  
   support, 487  
 graphics and imaging  
   applications  
     Akregator, 211  
     GGv, 210  
     The GIMP, 210, 234–236  
     GNOME Ghostview,  
       236–237  
     GQview, 210  
     KFax, 210  
     Kmail, 211  
     Konqueror, 211  
     Kooka, 210  
     KPhone, 211  
     KSnapshot, 210  
     Linphone, 211  
     Skype, 211  
     XChat, 211  
     Xpdf, 210  
     XSane, 210  
     xscanimate, 210  
 grep command, 163  
 grep GNU software  
   package, 19

groff GNU software  
 package, 19

groups  
 file ownership, 422–423  
 managing, 418–419

growisofs, 209

GRUB boot loader  
 Fedora Core installation, 52  
 introduction, 111–112  
 setup, 493–495

gtk+ GNU software  
 package, 19

GUI desktops  
 common features, 134–142  
 context menus, 135–136  
 default, 115, 133  
 GNOME, 115–121  
 icon context menus,  
 136–137  
 KDE, 122–125  
 Main menu, 139–142  
 panels, 137–139  
 SUSE Linux, 153–156  
 Xandros, 158–160

GUI file managers  
 Konqueror, 190–194  
 Nautilus shell, 186–190

GUI system administration  
 tools  
 Debian, 375  
 Fedora Core, 375–376  
 Knoppix, 376–377  
 MEPIS Linux, 377–378  
 SUSE Linux, 378–379  
 Ubuntu Linux, 379–380  
 Xandros, 380–381

GUI text editors, 239–240

GUI user managers, adding  
 user accounts, 414–416

GUI utilities, root, 382

GUIs (graphical user  
 interfaces),  
 applications, 19–21

gzip GNU software  
 package, 19

---

## H

---

hard drive  
 installation and, 34  
 programming, 674  
 storage, 25

hardware  
 DVD drive, 34  
 hard drives, 34  
 installation, 34–36  
 keyboard, 34  
 modem, 34  
 monitor, 35  
 mouse, 35  
 network card, 35  
 printer, 35  
 processor, 35  
 RAM, 35  
 SCSI controller, 35  
 sound card, 35  
 SUSE Linux, 36  
 system administration, 374  
 video card, 35

hash, security, 509

hash FTP command, 369

hashes, 521

header files, C program-  
 ming, 722–723

Help  
 Ubuntu GNOME desktop,  
 158  
 Xandros Desktop, 160

help, commands, 170

help FTP command, 369

Hide Panel option  
 SUSE Linux desktop, 155  
 Xandros Desktop, 160

Hide panel option, Knoppix  
 desktop, 147

hiding NATs, 538

hiearchy of file system,  
 426–428

/home directory, 428

Home Folder  
 Knoppix desktop, 147  
 MEPIS KDE desktop, 152  
 SUSE Linux desktop, 155

host addresses, IP  
 addresses, 277

host connectivity, 304–305

host security  
 operating system, 552  
 permissions, 552

host-security tools, 558

HTML (Hypertext Markup  
 Language)  
 anchor, URLs, 337  
 Web documents, 334

HTML messages, e-mail, 316

HTTP (HyperText Transfer  
 Protocol)  
 description, 279  
 HTTP daemons, 583  
 Internet services, 570  
 as Internet standard, 584  
 Web documents, 334

httpd, 22

HTTPD directives, Apache  
 Web server  
 configuration files,  
 594–596

httpd Internet service, 580

hypertext links. *See* links

---

## I

---

I/O redirection, shell  
 commands, 165

I20 support, kernel, 484–485

I2C support, kernel, 487

icon context menus, 136–137

icons  
 Debian GNOME desktop,  
 142  
 Fedora Core GNOME  
 desktop, 144  
 Knoppix desktop, 147  
 MEPIS KDE desktop, 150  
 SUSE Linux desktop, 154  
 Xandros Desktop, 158

IDE Zip drives, backup  
 devices, 435

IDSL (ISDN DSL), 258

- IDSs (Intrusion Detection Systems), 558
- IEEE 1394 support, kernel, 484
- ieee newsgroups, 348
- if-else statement, C programming, 718–719
- if statement
  - C programming, 718
  - Perl, 755–756
- IM clients
  - Gaim, 327–329
  - Kopete, 329–331
- image FTP command, 369
- implementation, security, 504–505
- Impress, OpenOffice.org, 217–218
- incident handling, security, 504
- incident response, 555
- incremental backups, 440
- indent GNU software
  - package, 19
- inetd
  - Internet super server, 572–573
  - network security review, 555–556
- Info Center, MEPIS KDE desktop, 152
- information sharing via
  - Internet, 254
- init command
  - run levels, 387–388
  - starting/stopping servers, 389
- init process
  - booting, 384–386
  - run level, 385
- INN server
  - configuration, 628–635
  - installation, 628
  - InterNetNews, 630–634
  - starting, 628–635
- inn.conf file, 631–632
- innnd, 22
- innnd Internet service, 580
- input device support, kernel, 486
- insmod command, 404
- installation
  - Apache Web server, 587–588
  - Debian software, 104–106
  - disk partition, 31–34
  - Fedora Core, 48–57
  - Fedora Core software, 106–107
  - hardware and, 34–36
  - INN server, 628
  - introduction, 27–28
  - Live CD distribution, 33
  - mail server, 613–628
  - MEPIS, 57–60
  - MEPIS software, 104–106
  - RPMs, 453–454
  - Samba, 666–667
  - software, 103–104
  - SRPMs, 464–465
  - SUSE Linux, 60–71
  - SUSE Linux software, 107–108
  - text mode, 82
  - Ubuntu software, 104–106
  - Unbuntu Linux, 71–72
  - Xandros Desktop OS, 73–80
  - Xandros software, 108–110
- integrity, security, 509
- in.telnetd, 22
- Internet
  - connections, 254–256
  - e-mail, 253
  - information sharing, 254
  - Internet services, 278–279
  - LAN connection, 285–286
  - as network of networks, 254
  - newsgroups, 254
  - port numbers, 278–279
  - remote access, 254
  - servers, 21–22
  - TCP/IP, 277
  - Web, 254
- Internet access, security, 504
- Internet applications
  - Akregator, 211
  - Epiphany, 210
  - Evolution, 210
  - Firefox, 210
  - Gaim, 210
  - gFTP, 210
  - KMail, 211
  - KNode, 210
  - Konqueror, 211
  - Kopete, 210
  - KPhone, 211
  - Liphone, 211
  - Lynx, 210
  - Mozilla, 210
  - Pan, 211
  - Skype, 211
  - Thunderbird, 210
  - XChat, 211
- Internet servers
  - httpd, 22
  - innnd, 22
  - in.telnetd, 22
  - sendmail, 22
  - sshd, 22
  - super servers, 530–531
  - vsftpd, 22
- Internet services
  - acpid, 580
  - apache, 580
  - apache2, 580
  - apmd, 580
  - atd, 580
  - autofs, 580
  - clients, 565
  - cron, 580
  - crond, 580
  - DHCP and, 570
  - FTP and, 570
  - gpm, 580

GUI tools, 578–581  
 HTTP, 570  
 httpd, 580  
 innd, 580  
 isdn, 580  
 named, 580  
 network, 580  
 networking, 580  
 nfs, 580  
 NFS and, 570  
 nfslock, 580  
 nfsserver, 580  
 NNTP, 570  
 NTP, 570  
 overview, 565–566  
 pcmcia, 580  
 port numbers, 570–571  
 portmap, 580  
 protocols, 570–571  
 samba, 581  
 security, 504, 529–532  
 sendmail, 581  
 server processes, 571  
 servers, 565  
 smb, 581  
 smbfs, 581  
 SMTP and, 570  
 SNMP and, 570  
 snmpd, 581  
 sockets, 566–569  
 spamassassin, 581  
 ssh, 581  
 SSH and, 570  
 sshd, 581  
 standalone, security, 530  
 sysklogd, 581  
 syslog, 581  
 TCP/IP, 566–569  
 TELNET, 570  
 TFTP, 571  
 vsftpd, 581  
 winbind, 581  
 xfs, 581  
 xinetd, 581  
 ypbind, 581

Internet super servers,  
     530–531, 572–575  
 InterNetNews  
     files, 630–631  
     incoming.conf file, 634  
     inn.conf file, 631–632  
     newsfeeds file, 632–634  
     programs, 630  
     readers.conf file, 634  
     startup, 635  
 IP addresses  
     dotted-decimal notation,  
         278  
     dotted-quad notation, 278  
     host addresses, 277  
     IP routing table, 304  
     network addresses, 277  
 IP spoofing, security, 509  
 IPSec, security, 509  
 iptables command, 541–545  
 IPv6, 278  
 ISA bus, 481  
 isdn Internet service, 580  
 ISDN subsystem, kernel,  
     486  
 ISOLINUX boot loader, 112

---

## J

job scheduling  
     one-time jobs, 407–409  
     recurring jobs, 409–412

---

## K

k12 newsgroups, 348  
 Kaffeine, 209  
 Kate, 208  
 K3b, 209  
 KBear, 363–364  
 KCalc, 208  
 KDE (K Desktop  
     Environment)  
     calculator, 219–220  
     customization, 124–125

introduction, 20  
 Knoppix, 146–150  
 logout, 125  
 MEPIS desktop, 150–153  
 panel, 122  
 KDE System Guard, MEPIS  
     KDE desktop, 152  
 kernel  
     ATA support, 483  
     ATAPI support, 483  
     block devices, 482–483  
     boot loader and, 112  
     boot options, 87–89  
     building, 491–492  
     bus options, 481  
     character devices, 486  
     configuration, 476–491  
     cryptography support,  
         491  
     debugging, 491  
     distributions, 10  
     executable file formats,  
         481  
     file systems support,  
         489–490  
     floppy tape drive, 486–487  
     frame buffer, 488  
     graphics, advanced, 487  
     I10 support, 484–485  
     I2C support, 487  
     IEEE 1394 support, 484  
     input devices, 486  
     installation, 493–495  
     ISDN subsystem support,  
         486  
     loadable module support,  
         479  
     memory technology  
         devices, 481  
     MFM support, 483  
     modular, 475–476  
     monolithic, 475–476  
     multimedia device  
         support, 487  
     native language support,  
         490

- kernel (*continued*)
    - networking support, 485
    - partition types, 490
    - Plug and Play support, 482
    - port support, 482
    - power management
      - options, 480
    - processor type, 479–480
    - RAM disk file, creating, 492–493
    - rebuilding, 474–491
    - RLL support, 483
    - SCSI devices, 484
    - security options, 491
    - setup options, 479
    - sound support, 488
    - telephony support, 486
    - USB support, 488
    - version numbers, 14
    - vulnerabilities, 552
    - watchdog timer, 486
  - key pairs
    - exchanging keys, 524–525
    - generating, 523
  - keyboard
    - Fedora Core installation, 49
    - installation, 34
    - SUSE Linux installation, 68
  - keyboard layout, Knoppix desktop, 147
  - KFax, 210
  - KMail, 325–327
  - KNode, 354–356
    - description, 210
  - KNode newsreader, 350
  - Konqueror Web Browser, Knoppix desktop, 147
  - Knoppix
    - boot commands, 84–86
    - burning CDs/DVDs, 38–39
    - description, 12
    - exploring Live CD, 36
    - GUI sysadmin tools, 376–377
    - KDE desktop, 146–150
    - Live DVD, 13
    - printer configuration, 94–96
    - text mode installation, 82
    - update-rc.d command, 577–578
  - Knoppix menu, Knoppix desktop, 147
  - Konqueror Web browser
    - files, viewing, 191–193
    - folders, viewing, 191–193
    - MEPIS KDE desktop, 153
    - overview, 339
    - SUSE Linux desktop, 155
    - viewing Web pages, 194
  - Kontakt
    - description, 208
    - MEPIS KDE desktop, 153
    - overview, 218–219
    - SUSE Linux desktop, 155
  - Kooka, 210
  - Kopete
    - description, 210
    - overview, 329–331
  - KOrganizer, 208
  - KsCD, 209
  - KSnapshot, 210
  - ksyms command, 404
  - KWrite, 208
- 
- L**
- 
- LANs (local area networks), 27
    - Ethernet, setup, 279–283
    - Ethernet cabling, 281–283
    - Internet connection, 285–286
    - TCP/IP, 275–279
    - TCP/IP configuration, 283–285
  - Launcher applets, GNOME, 117
  - lcd FTP command, 369
  - less GNU software
    - package, 19
  - LGPL (GNU Library General Public License), 695, 697
  - /lib directory, 428
  - libpng GNU software
    - package, 19
  - licenses, 695–697
  - LILO boot loader, 111–112
  - links, 335–337
  - Linspire, 12
  - Linux
    - commands, 170–173
    - distributions, 10–14
    - introduction, 9
  - linux newsgroups, 348
  - Linux-related newsgroups, 348–349
  - Live CDs, 13
    - disk partition, 40
    - installation, 33
    - Knoppix, 36
  - loadable module support, kernel, 479
  - loading/unloading modules, commands, 404–405
  - localhost.zone file, DNS, 655–656
  - Lock Desktop, Xandros Desktop, 160
  - log analysis and monitoring tools, 558
  - logic bombs, security, 509
  - login
    - GNOME, 116
    - root, 381–382
  - Logout, Xandros Desktop, 160
  - logout
    - GNOME, 121
    - KDE, 125
  - LONE-TAR utility, 436
  - LPJ (loops per jiffy), 112
  - ls command, 164
  - ls FTP command, 369
  - LSB (Linux Standard Base)
    - ABI and, 15
    - certification program, 16
    - common specification, 15
    - hardware-specific specifications, 15
  - lsmod command, 404
  - Lynx, 210

## M

- m4 GNU software package, 19
- m4 macro processor, sendmail, 618–620
- macros, C programming, 702–705
- mail readers
  - Evolution, 317–321
  - KMail, 325–327
  - Thunderbird, 321–325
- mail server
  - installation, 613–628
  - sendmail, 614–628
- Main menu
  - categories, 141
  - introduction, 139
  - Knoppix desktop, 147
  - MEPIS KDE desktop, 150
  - SUSE Linux desktop, 155
  - Xandros Desktop, 159
- make files, reading, 682
- make utility (GNU)
  - description, 19, 23
  - makefile names, 683
  - makefile options, 683–684
  - makefile sample, 686–687
  - makefiles, 682
  - running, 687–689
  - variables, 684–686
- man command, man
  - pages, 24
- man pages, documentation, 24
- managing groups, 418–419
- managing security, 505
- Mandriva Linux, 12
- MD5 message-digest algorithm, 515
- mdelete FTP command, 369
- mmdir FTP command, 369
- /media directory, 428
- memory
  - programming, 674
  - technology devices, kernel, 481
- menu buttons, GNOME desktop, 117–119
- MEPIS Linux
  - description, 12
  - GUI sysadmin tools, 377–378
  - inetd, 531
  - installation, 57–60
  - KDE desktop, 150–153
  - printer configuration, 94–96
  - software installation, 104–106
  - standalone servers, 530
  - update-rc.d command, 577–578
  - updating, 465–466
- MEPIS OS Center, MEPIS KDE desktop, 152
- MFM support, kernel, 483
- mget FTP command, 369
- microprocessor, 24
- misc newsgroups, 348
- mitigation, security, 504–505
- mkdir FTP command, 369
- mls FTP command, 369
- /mnt directory, 428
- modem, installation, 34
- moderated newsgroups, 348
- modinfo command, 404
- modprobe command, 404
- modular kernel, 475–476, 491–492
- modules, Perl, 746, 763–769
- monitor, installation, 35
- monolithic kernel, 475–476
- Mount Windows Shares, MEPIS KDE desktop, 153
- mounting
  - commands, 203–204
  - devices on file system, 429–430
  - file system, NFS, 433–434, 664–665
  - floppy disks, DOS/Windows system, 442–443
  - NTFS partition, 444
- mouse
  - installation, 35
  - SUSE Linux installation, 68
- Mozilla, 210, 339
- mput FTP command, 369
- MTA (mail transport agent), 314
- mtools GNU software package
  - commands, 446–447
  - description, 19
  - /etc/mtools.conf file, 445–446
  - overview, 444–445
- MUA (mail user agent), 314
- multimedia applications
  - amaroK, 209
  - audio CDs, 228, 230–231
  - burning CDs, 233–234
  - cdrdao, 209
  - cdrecord, 209
  - digiKam, 209
  - digital cameras, 228
  - GNOME CD Player, 209
  - growisofs, 209
  - Kaffeine, 209
  - K3b, 209
  - KsCD, 209
  - Rhythmbox, 209
  - sound files, 231–233
  - Totem, 209
  - X-CD-Roast, 209
  - xine, 209
  - XMMS, 209
- multimedia devices, kernel, 487
- MySQL
  - description, 209
  - MySQL monitor, 226
  - querying databases, 228
  - SQL and, 223
  - tables, defining, 226–227
  - tables, loading data, 228

## N

- name server, DNS, 657–659
- named daemon, BIND, 643
- named Internet service, 580
- naming, devices, udev, 403–404
- NATs (Network Address Translations), implementation, 538
- Nautilus File Browser, Debian GNOME desktop, 142
- Nautilus shell
  - burning CDs, 186–187
  - files, viewing, 186
  - folders, browsing in navigation window, 188–190
  - folders, viewing, 186
  - object window, 186
- navigating, Linux commands and, 194–206
- ncurses GNU software package, 19
- Nessus Security Scanner, 559–561
- netfilter, 539–545
- network, security issues, 506–507
- network addresses, IP addresses and, 277
- network card, installation and, 35
- network devices, 403
- network interfaces, 303–304
- network Internet service, 580
- Network layer, TCP/IP, 276
- network management, TCP/IP configuration files, 299–303
- network packets, sniffing, 307–308
- network security review
  - inetd and, 555–556
  - xinetd and, 555–556
- network status, 305–307
- network utilities, 558
- networking
  - kernel support, 485
  - TCP/IP, configuration, 283–285
  - wireless (*See* wireless Ethernet networks)
- networking Internet service, 580
- networks
  - configuration, at boot time, 308–309
  - configuration, Fedora Core installation, 52–53
  - firewalls, 27
  - LANs, 27
  - protocols, 21
  - security, system administration, 374
  - status, system administration, 374
- news newsgroups, 348
- news server, INN server, 628–635
- news services, distributions, 21
- newsgroups
  - adding, 637
  - alt, 347
  - bionet, 347
  - bit, 347
  - biz, 347
  - categories, 347–348
  - clari, 347
  - comp, 347
  - configuration files, updating, 636–637
  - hierarchy, 346–347
  - hierarchy, defining, 636
  - ieee, 348
  - k12, 348
  - linux, 348
  - Linux-related, 348–349
  - misc, 348
  - moderated, 348
  - news, 348
  - overview, 254
  - posting news, 353–354
  - reading, 349–356
  - rec, 348
  - sci, 348
  - soc, 348
  - subscriptions, 353
  - talk, 348
  - testing, 637
  - Usenet, 345
  - UUCP, 345
  - Web sites for, 357
- newsreaders
  - introduction, 349–350
  - KNode, 350, 354–356
  - Pan, 350
  - Thunderbird, 350–353
- nfs Internet service, 580
- NFS (Network File System)
  - computer vulnerabilities and, 551
  - description, 279
  - exporting file system, 432–433, 662–664
  - file sharing, 661–665
  - Internet services, 570
  - mounting file system, 433–434, 664–665
  - sharing, 26
- nfslock Internet service, 580
- nfsserver Internet service, 580
- NIS (Network Information Service), computer vulnerabilities, 551
- nmap (network mapper), port scanning tool, 558–559

NNTP (Network News Transfer Protocol), 279, 349, 570  
 nonrepudiation, security, 509  
 NTFS partition, mounting, 444  
 NTP (Network Time Protocol), Internet services, 570  
 null statement, C programming, 719  
 NVD (National Vulnerability Database), computer vulnerabilities, 550

---

## O

---

objects, Perl, 766–767  
 office applications  
   AbiWord, 208  
   Applixware Office, 220  
   Aspell utility, 222–223  
   calculators, 219–220  
   calendars, 218–219  
   commercial, 220–222  
   CrossOver Office, 208, 221–222  
   Dia, 208  
   OpenOffice.org, 208, 214–218  
   StarOffice, 208, 220–221  
 office tools  
   Aspell, 208  
   Dictionary, 208  
   GNOME Calculator, 208  
   KCalc, 208  
   Kontakt, 208  
   KOrganizer, 208  
 one-time jobs, scheduling, 407–409  
 online documentation, 23–24  
 open FTP command, 369  
 OpenOffice  
   description, 208  
   Knoppix desktop, 147  
 OpenOffice.org Calc,  
   Fedora Core GNOME desktop, 146  
 OpenOffice.org Impress,  
   Fedora Core GNOME desktop, 146  
 OpenOffice.org office suite  
   Calc, 216–217  
   Impress, 217–218  
   introduction, 214–215  
   Writer, 215–216  
 OpenOffice.org Quickstart,  
   MEPIS KDE desktop, 153  
 OpenOffice.org Writer  
   Fedora Core GNOME desktop, 146  
   MEPIS KDE desktop, 153  
 OpenSSH  
   /etc/ssh/ssh\_config, 533  
   /etc/ssh/sshd\_config, 533  
   /usr/bin/scp and, 533  
   /usr/bin/slogin, 533  
   /usr/bin/ssh-keygen, 533  
   /usr/sbin/ssh, 532  
   /usr/sbin/sshd, 532  
 OpenSSL, computer vulnerabilities, 551  
 operating system  
   definition, 9  
   host security, 552  
   multitasking, 10  
   multiuser, 10  
   overview, 10  
   programming, 675  
   resetting, 10  
   system administration, 374  
 operators  
   C programming, 711–715  
   Perl, 751–752  
 /opt directory, 428  
 ownership  
   commands, changing, 199–200  
   directories, 516  
   files, 516  
   groups, 422–423  
   users, 422–423

---

## P

---

packages  
   building from source files, 461–465  
   groups, Fedora Core installation, 54–56  
   Perl, 746, 763–766  
 packet, security, 510  
 packet filter firewall, 536  
 packet filtering  
   enabling, 539–545  
   security, 510  
   Security Level Configuration tool, 539–540  
 packet sniffers, 558  
 Pager applet, GNOME, 117  
 PAMs (pluggable authentication modules), 515  
 Pan newsreader, 350  
 panels  
   common features, 137–139  
   GNOME, 116–117  
   KDE, 122  
 partition. *See* disk partition  
   kernel, 490  
   NTFS, mounting, 444  
 PartitionMagic, resizing  
   Windows partition, 40–41

- password checking tools, 558
- passwords
  - /etc/group, 554
  - /etc/passwd, 554
  - /etc/shadow, 554
  - PAMs, 515
  - root, forgotten, 383–384
  - root, Fedora Core, 53–54
  - securing, 513–515
  - security, 554–555
  - shadow passwords, 514–515
- patch GNU software
  - package, 19
- pathname, parts of, 182
- PCI bus, 481
- PCMCIA bus, 481
- pcmcia Internet service, 580
- penetration testing, 557
- performance
  - disk performance, 396–397
  - disk usage, 396–397
  - system administration, 374
  - top utility, 393–395
  - uptime command, 395
  - vmstat utility, 395–396
- perimeter network, security, 510
- peripherals, 24, 26
- Perl
  - description, 23
  - expressions, 746, 751–752
  - expressions, regular, 752–755
  - file access, 760–761
  - filenames, pipe prefix, 761–762
  - flow-control statements, 746, 755–758
  - foreach statement, 757–758
  - functions, 746
    - functions, built-in, 762–763
    - goto statement, 758
    - if statement, 755–756
    - introduction, 743–744
    - Linux command access, 758–760
    - modules, 746, 763–766
    - modules, English, 768–769
    - objects, 766–767
      - objects, accessing, 767–768
      - objects, creating, 767–768
    - operators, 751–752
    - packages, 746, 763–766
    - script writing, 745–746
    - for statement, 757–758
    - statements, 746
    - subroutines, 762–763
    - syntax, 747
    - unless statement, 755–756
    - variables, 746–750
    - which command, 744
    - while statement, 756–757
- permissions
  - /boot/grub/menu.lst, 553
  - commands, 196–198, 199–200
  - /etc/cron.allow, 553
  - /etc/cron.deny, 553
  - /etc/crontab, 553
  - /etc/hosts.allow, 553
  - /etc/hosts.deny, 553
  - /etc/logrotate.conf, 553
  - /etc/pam.d, 553
  - /etc/rc.d, 553
  - /etc/securetty, 553
  - /etc/security, 553
  - /etc/shadow, 553
  - /etc/shutdown.allow, 553
  - /etc/ssh, 553
  - /etc/sysconfig, 553
  - /etc/sysctl.conf, 553
  - /etc/syslog.conf, 553
  - /etc/udev/udev.conf, 554
  - /etc/vsftpd, 554
  - /etc/vsftpd.ftputers, 554
  - /etc/xinetd.conf, 554
  - /etc/xinetd.d, 554
  - files, changing, 517
  - files, default, 517–519
  - host security, 552
  - set user ID, 519–520
  - /var/log, 554
  - /var/log/lastlog, 554
  - /var/log/messages, 554
  - /var/log/wtmp, 554
- Permissive option, SELinux, 57
- physical console, virtual console and, 161
- Physical layer, TCP/IP, 277
- PKI (Public Key Infrastructure), security, 510
- Places menu
  - Fedora Core GNOME desktop, 145
  - Ubuntu GNOME desktop, 157
- Places menu, GNOME, descriptor, 118
- Plug and Pay support, kernel, 482
- pointers, C programming, 708–709
- port address translations, NATs, 538
- port numbers, TCP/IP, 278–279
- port scanners, tool names, 558
- port scanning, security, 510
- port-scanning tools, security, 529
- port support, kernel, 482
- portmap Internet service, 580
- ports, URLs, 337

PostgreSQL  
   description, 209  
   relational databases, 223  
 posting news to  
   newsgroups, 353–354  
 power management, kernel,  
   480  
 Powersaver Tool, SUSE  
   Linux desktop, 155  
 predefined variables, Perl,  
   750  
 preprocessor directives,  
   C programming  
   conditional directives,  
     703–704  
   include directive, 702  
   macro definition, 702–705  
   overview, 701–702  
 prevention, host security,  
   552  
 primary name server,  
   configuration, 657–659  
 printer, installation, 35  
 printers  
   Debian configuration,  
     90–91  
   Fedora Core  
     configuration, 92–94  
   Knoppix configuration,  
     94–96  
   MEPIS configuration,  
     94–96  
   SUSE configuration, 97–99  
   Ubuntu configuration,  
     99–100  
   Xandros configuration,  
     100–103  
 printing, system  
   administration, 374  
 probability and impact,  
   security, 503  
 /proc file system, 398–400

processes  
   commands for, 172  
   programming, 675  
   shell commands, 174–175  
 processor, installation, 35  
 processor types, kernel,  
   479–480  
 programming  
   C. *See* C programming  
   command line, 675  
   command processor, 675  
   compilers, 676  
   computer, 673–674  
   CPU, 674  
   debugging, 676  
   environment variables,  
     675  
   expressions, 676  
   flow-control statements,  
     677  
   functions, 677  
   hard drive, 674  
   memory, 674  
   operating system, 675  
   overview, 676–677  
   processes, 675  
   shell, 675  
   software-development  
     tools, 677–695  
   statements, 677  
   text editor, 676  
   variables, 676  
 prompt FTP command, 369  
 protocols  
   description, 21  
   URLs, 336–337  
 proxy server, security, 510  
 public key cryptography,  
   security, 510  
 public key encryption,  
   520–521  
 put FTP command, 369  
 pwd FTP command, 369  
 Python, 23

---

## Q

QTParted, resizing  
   Windows partition,  
     41–42  
 querying databases,  
   MySQL, 228  
 querying RPMs, 451–453  
 question mark (?) wildcard,  
   167–168  
 quit FTP command, 369

---

## R

RAM (random access  
   memory), 24  
   disk file, creating, 492–493  
   installation, 35  
   programming, 674  
 rcs GNU software  
   package, 19  
 RCS (Revision Control  
   System), 23  
 reading RSS feeds, 358–360  
 reboot problem,  
   troubleshooting, 87  
 rebooting, 495–496  
 rec newsgroups, 348  
 recurring jobs, scheduling,  
   409–412  
 recv FTP command, 369  
 regular expressions, Perl,  
   752–755  
 remote access, Internet  
   use, 254  
 remote login  
   distributions and, 22  
   SSH, 532–534  
 removing RPMs, 454  
 rename FTP command, 369  
 repeating commands, 169  
 resolver library, DNS, 644  
 resource record (RR)  
   formats, 650–653

response, host security, 552  
responsibilities, security, 504  
return statement, C programming, 719  
Rhythmbox, 209  
risk analysis, security probability and impact, 503  
threats, 502  
vulnerabilities, 502–503  
RLL support, kernel, 483  
rmdir FTP command, 369  
rmmod command, 404  
root  
  becoming, 173–174  
  /etc/passwd file entry, 513  
  GUI utilities, 382  
  logging in as, 381–382  
  password, forgotten, 383–384  
  /root directory, 428  
root domain, DNS, 641–642  
root password  
  Fedora Core, 53–54  
  GNOME login, 116  
root zone files, DNS, 653–655  
RPM files  
  commands, 450  
  filenames, 451  
  installation, 453–454  
  introduction, 449–450  
  querying, 451–453  
  removing, 454  
  SRPMs (source RPMs), 464–465  
  upgrading, 454–455  
  verification, 455  
RSS feeds, reading, 358–360  
run level  
  init command, 387–388  
  init process, 385

## S

Samba  
  configuration, 667–669  
  installation, 666–667  
  resources, 669  
  software package components, 665–666  
  testing, 669  
  Windows server setup, 665–669  
samba Internet service, 581  
SANS Institute, computer vulnerabilities, 550  
/sbin directory, 428  
/sbin/hotplug, device naming, 403  
/sbin/udev, device naming, 403  
scalar variables, Perl, 747–749  
scheduling jobs  
  one-time jobs, 407–409  
  recurring jobs, 409–412  
sci newsgroups, 348  
screening router, security, 510  
scripting  
  bash shell, built-in commands, 739–742  
  flow control, 736–739  
  introduction, 731–734  
  Perl, 745–746  
  shell functions, 735–736  
  storage, 734–735  
scripts, writing, 179–180  
SCSI controller, installation, 35  
SCSI devices, kernel, 484  
SCSI tape drives, backup devices, 435  
SCSI Zip drives, backup devices, 435  
SDSL (Symmetric DSL), 258  
security  
  application gateway, 508  
  audits, 504  
  authentication, 504, 508  
  authorization, 504  
  backdoor, 508  
  bastion host, 508  
  buffer overflow, 508  
  business requirements, 501  
  CA (certificate authority), 508  
  certificate, 508  
  confidentiality, 508  
  crackers, 499, 508  
  data protection, 504  
  DDoS (distributed denial of service), 509  
  decryption, 508  
  digital signature, 508  
  directories, 516–520  
  DMZ, 509  
  DoS (denial of service) attack, 499, 508  
  dual-horned host, 509  
  ecryption, 509  
  encryption, 520–527  
  exploit tools, 509  
  files, 516–520  
  firewalls, 509, 534–545  
  framework, establishing, 500–505  
  GPG, 523–527  
  hash, 509  
  host, 509  
  host security issues, 506, 552–555  
  implementation, 504–505  
  incident handling, 504  
  incident response, 555  
  integrity, 509  
  Internet access, 504

- Internet services, 504, 529–532
- introduction, 25
- IP spoofing, 509
- IPSec, 509
- kernel, 491
- logic bombs, 509
- management, 505
- mitigation, 504–505
- monitoring system
  - security, 527
- network security issues, 506–507
- news, 511–512
- nonrepudiation, 509
- packet, 510
- packet filtering, 510
- PAMs (pluggable authentication modules), 515
- passwords, 513–515, 554–555
- penetration testing, 557
- perimeter network, 510
- PK (Public Key infrastructure), 510
- policy, 500
- policy establishment, 503–504
- port scanning, 510
- proxy server, 510
- public key cryptography, 510
- reasons for, 499–500
- responsibilities, 504
- risk analysis, 502–503
- screening router, 510
- securing system, 505–507
- setuid program, 510
- shadow passwords, 514–515
- signing files, 520–527
- sniffer, 510
- Spyware, 510
- symmetric key
  - encryption, 510
- system administration, 374
- TCP wrapper, 531–532
- test methodology, implementing, 549–557
- testing tools, 557–561
- threats, 511
- Trojan horses, 511
- updates, 511–512
- viruses, 511
- vulnerabilities, 511
- war-dialing, 511
- war-driving, 511
- worm, 511
- security audits
  - introduction, 504
  - need for, 548
  - non-technical aspects, 548
  - overview, 547–549
  - technical aspects, 549
- sed GNU software
  - package, 19
- SELinux, Fedora Core
  - configuration, 56–57
- send FTP command, 369
- sendmail
  - alias file, 628
  - computer vulnerabilities, 551
  - configuration file, 617–623
  - description, 22
  - /etc/mail directory, 625–626
  - .forward file, 627
  - introduction, 581
  - m4 macro processor, 618–620
  - macro file, 620–623
  - mail delivery, 615–617
  - overview, 614
  - testing, 614–615
- sendmail.cf file, syntax, 623–625
- servers
  - Internet servers, 21–22
  - Internet services, 565
  - standalone, running, 575–581
  - starting/stopping, 389–390
  - Windows, Samba, 665–669
- set user ID permission, 519–520
- setuid program, security, 510
- shadows passwords, 514–515
- shared libraries
  - C programming, 724–729
  - description, 23
- sharing files, NFS, 26, 432–434
- Sharutils GNU software
  - package, 19
- shell. *See also* bash shell
  - bash, built-in commands, 739–742
  - blanks, 163
  - command completion, 167
  - command I/O redirection, 165
  - command input, 164
  - command line, 163
  - command output, 164
  - command syntax, 162–164
  - command wildcards, 167–168
  - commands, 127
  - commands, combining, 164
  - commands,
    - concatenating, 164
    - input, 165
    - repeating, 169

- shell (*continued*)
  - commands, saving output to file, 165
  - functions, scripting, 735–736
  - GNU, 17
  - grep command, 163
  - ls command, 164
  - overview, 125–126
  - process management, 174–175
  - root and, 173–174
  - script writing, 179–180
  - stderr, 164
  - stdin, 164
  - stdout, 164
  - terminal, opening, 161
- shell scripting. *See* scripting
- Show Desktop option
  - Debian GNOME desktop, 142
  - Fedora Core GNOME desktop, 146
  - Knoppix desktop, 147
  - MEPIS KDE desktop, 152
  - Ubuntu GNOME desktop, 158
  - Xandros Desktop, 160
- shut down, 129–130
- signal 11 error, 86–87
- signing files
  - digital signatures, 521–522
  - GPG, 525–526
- single-volume archive, 436–437
- size FTP command, 369
- Slackware Linux, 13
- smb Internet service, 581
- smbfs Internet service, 581
- SMTP (Simple Mail Transfer Protocol)
  - description, 279
  - Internet services, 570
- sniffer, security, 510
- sniffing network packets, 307–308
- SNMP (Simple Network Management Protocol)
  - computer vulnerabilities, 551
  - description, 279
  - Internet services, 570
- snmpd Internet service, 581
- soc newsgroups, 348
- sockets
  - attributes, 566
  - client/server model, 568
  - connection-oriented protocols, 567
  - connectionless protocols, 567
  - Internet services, 566–569
- software
  - development
    - environment, 22–23
    - downloading, 461–462
    - installation, 103–104
    - packages, building from source files, 461–465
  - SUSE Linux installation, 68
  - system administration, 374
  - unpacking, 461–462
- software-development tools
  - C compiler, 677
  - CVS, 677
  - debugger, 677
  - gdb, 677
  - make utility, 677
  - RCS, 677
  - text editors, 677
  - version control system, 677
- sound, kernel, 488
- sound card, installation, 35
- sound files, playing, 231–233
- source code, programming, 676
- source files
  - building software packages from, 461–465
  - programming and, 676
- spamassassin Internet service, 581
- spyware, security, 510
- SRPMs (source RPMs), installation, 464–465
- /srv directory, 428
- ssh Internet service, 581
- SSH (Secure Shell)
  - description, 279
  - Internet services, 570
  - remote logins, 532–534
- sshd Internet service, 22, 581
- standalone Internet services
  - security, 530
  - starting automatically at boot time, 576–581
  - starting/stopping manually, 575–576
- StarOffice, 21, 208, 220–221
- starting INN server, 628–635
- starting Linux, boot loader, 111
- starting servers, 389
- startup scripts, init
  - process, 388–389
- startup/shutdown, system administration, 374
- stateful inspection firewall, 536–537
- statements
  - C programming, 715–721
  - Perl, 746
  - programming, 677
- static NATs, 538
- status FTP command, 369

- stderr, shell commands, 164
- stdin, shell commands, 164
- stdout, shell commands, 164
- stopping servers, 389
- storage, hard drive, 25
- su - command, 382
- subdirectories
  - /usr, 184–185
  - /var, 185
- subroutines, Perl, 762–763
- subscribing to newsgroups, 353
- Subversion, 23
- subversion, computer vulnerabilities, 551
- super servers, 530–531
- SUSE Hardware Tool, SUSE Linux desktop, 155
- SUSE Help Center, SUSE Linux desktop, 155
- SUSE Linux
  - chkconfig command, 576–577
  - description, 13
  - desktop, 153–156
  - FTP installation, 60–63
  - GUI sysadmin tools, 378–379
  - hardware, 36
  - installation, 60–71
  - installation from CDs, 63–65
  - packet filtering, 540
  - printer configuration, 97–99
  - software installation, 107–108
  - standalone servers, 530
  - TCP/IP network configuration, 284
  - text mode installation, 82
  - updates online, 469–470
  - xinetd, 531
  - YaST, 65–71
- SUSE Watcher, SUSE Linux desktop, 155
- switch statement, C programming, 719–720
- symmetric key encryption, security, 510
- Synaptic Package Manager, MEPIS KDE desktop, 152
- syntax, Perl, 747
- sysfc, device naming, 403
- sysklogd Internet service, 581
- syslog Internet service, 581
- system administration
  - backups, 374
  - Debian GUI sysadmin tools, 375
  - device files, 401–403
  - device naming, udev, 403–404
  - driver modules, loading/unloading, 404–405
  - Fedora Core GUI sysadmin tools, 375–376
  - file system mounting/unmounting, 374
  - hardware management, 374
  - introduction, 25
  - job scheduling, 407–412
  - Knoppix GUI sysadmin tools, 376–377
  - MEPIS GUI sysadmin tools, 377–378
  - network status monitoring, 374
  - operating system, 374
  - performance monitoring, 393–397
  - printing system, 374
  - /proc file system, 398–400
  - root, logging in as, 381–384
  - security monitoring, 374
  - security setup, 374
  - software installation, 374
  - SUSE Linux GUI sysadmin tools, 378–379
  - system information, viewing, 398–400
  - system performance monitoring, 374
  - system startup/shutdown, 374
  - task automation, 374
  - Ubuntu GUI sysadmin tools, 379–380
  - user accounts, adding/removing, 373
  - utilities, 374
  - Xandros GUI sysadmin tools, 380–381
- system configuration, files, 390–392
- system files
  - /boot/grub/menu.lst, 553
  - /etc/cron.allow, 553
  - /etc/cron.deny, 553
  - /etc/crontab, 553
  - /etc/hosts.allow, 553
  - /etc/hosts.deny, 553
  - /etc/logrotate.conf, 553
  - /etc/pam.d, 553
  - /etc/passwd, 553
  - /etc/rc.d, 553
  - /etc/securetty, 553
  - /etc/security, 553
  - /etc/shadow, 553
  - /etc/shutdown.allow, 553
  - /etc/ssh, 553
  - /etc/sysconfig, 553

system files (*continued*)  
  /etc/sysctl.conf, 553  
  /etc/syslog.conf, 553  
  /etc/udev/udev.conf, 554  
  /etc/vsftpd, 554  
  /etc/vsftpd.ftputers, 554  
  /etc/xinetd.conf, 554  
  /etc/xinetd.d, 554  
  /var/log, 554  
  /var/log/lastlog, 554  
  /var/log/messages, 554  
  /var/log/wtmp, 554  
system information,  
  viewing, 398–400  
System menu, Ubuntu  
  GNOME desktop, 158  
System menu, GNOME  
  descripton, 118  
  Fedora Core, 146  
System Performance  
  Monitor, MEPIS KDE  
  desktop, 153  
system security monitoring,  
  527

## **T**

---

tables, databases  
  defining, 226–227  
  loading data, 227–228  
talk newsgroups, 348  
tape backups, 439–440  
tar GNU software  
  package, 19  
tar program  
  archives, 26  
  automated backups, 440  
  extracting files, 437–438  
  incremental backups, 440  
  multivolume archives, 438  
  options, 437  
  single-volume archive,  
  436–437  
Tcl/Tk (Tool Command  
  Language/toolkit), 23

TCP/IP configuration files  
  basic files, 299  
  /etc/host.conf, 300–301  
  /etc/hosts, 300  
  /etc/hosts.allow, 301–302  
  /etc/hosts.deny, 302  
  /etc/networks, 300  
  /etc/nsswitch.conf,  
  302–303  
  /etc/resolve.conf, 301  
TCP/IP (Transmission  
  Control Protocol/  
  Internet Protocol), 21  
  Application layer, 276  
  DHCP, 279  
  FTP, 279  
  host connectivity, 304–305  
  HTTP, 279  
  Internet, 277  
  Internet services, 566–569  
  introduction, 275–276  
  IP addresses, 277–278  
  IP routing table, 304  
  layers, 276–277  
  network interfaces,  
  303–304  
  Network layer, 276  
  network status, 305–307  
  networking configuration,  
  283–285  
  NFS, 279  
  NNTP, 279  
  Physical layer, 277  
  port numbers, 278–279  
  SMTP, 279  
  sniffing network packets,  
  307–308  
  SNMP, 279  
  SSH, 279  
  TELNET, 279  
  TFTP, 279  
  Transport layer, 276  
TCP wrapper  
  inetd, 572  
  security, 531–532

telephony support, kernel,  
  486  
TELNET  
  description, 279  
  Internet services, 570  
10Base2 Ethernet cabling,  
  281  
10Base5 Ethernet cabling,  
  281  
terminal, opening, 161  
Terminal Program  
  Debian GNOME desktop,  
  142  
  Knoppix desktop, 147  
  MEPIS KDE desktop, 152  
  SUSE Linux desktop, 155  
test methodology  
  computer vulnerabilities,  
  550–552  
  security, overview,  
  549–550  
testing tools, security  
  host-security tools, 558  
  IDSs (Intrusion Detection  
  Systems), 558  
  introduction, 557  
  log analysis and  
  monitoring tools, 558  
  network utilities, 558  
  packet sniffers, 558  
  password checking tools,  
  558  
  port scanners, 558  
  vulnerability scanners,  
  558  
texinfo GNU software  
  package, 19  
text editor, programming,  
  676  
Text Editor option, MEPIS  
  KDE desktop, 153  
text editors  
  ed, 240–244  
  emacs, 208  
  GUI text editors, 239–240  
  Kate, 208

- KWrite, 208
  - vi, 240–249
  - vim, 208
  - text mode installation, 82
  - text terminal, GNU, 17
  - TFTP (Trivial File Transfer Protocol)
    - description, 279
    - Internet services and, 571
  - thickwire Ethernet cabling, 281
  - thinwire Ethernet cabling, 281
  - threats, security
    - denial of service, 502
    - disclosure of information to public, 502
    - overview, 511
    - unauthorized access, 502
  - Thunderbird Mail
    - buttons, 322–323
    - composing messages, 324–325
    - description, 210
    - Inbox, 324
    - overview, 321–325
    - sending messages, 324–325
    - Xandros Desktop, 159
  - Thunderbird newsreader, 350–353
  - time GNU software
    - package, 19
  - time zone
    - Fedora Core, 53
    - SUSE Linux installation, 68
  - TKIP (Temporal Key Integrity Protocol), 291
  - /tmp directory, 428
  - top-level directories, listing, 183–184
  - top utility
    - introduction, 393
    - output screen, 394–395
  - Totem, 209
  - Transport layer, TCP/IP, 276
  - Trash icon, Debian GNOME desktop, 142
  - Trojan horse, security, 511
  - troubleshooting
    - Knoppix boot commands, 84–86
    - Linux kernel boot options and, 87–89
    - PC reboot problem, 87
    - signal 11 error, 86–87
    - X Window System, 82–84
  - twisted-pair cabling, Ethernet, 282
  - type definitions, C
    - programming, 709–710
  - type qualifiers, C
    - programming, 710
- 
- ## U
- 
- Ubuntu Linux
    - booting, 114
    - description, 13
    - GNOME desktop, 156–158
    - GUI sysadmin tools, 379–380
    - inetd, 531
    - installation, 71–72
    - printer configuration, 99–100
    - software installation, 104–106
    - standalone servers, 530
    - text mode installation, 82
    - update-rc.d command, 577–578
    - updating, 465–466
  - udev, device naming, 403–404
  - UDP (User Datagram Protocol), 567
  - unauthorized access, security, 502
  - UNIX, shell and, 125–126
  - unless statement, Perl, 755–756
  - unmounting, commands, 203–204
  - unpacking software, 461–462
  - update-rc.d command
    - Debian, 577–578
    - Knoppix, 577–578
    - MEPIS, 577–578
    - Ubuntu, 577–578
    - Xandros, 577–578
  - updates
    - Debian GNU/Linux, 465–466
    - Fedora Core, 466–469
    - MEPIS Linux, 465–466
    - online updates, applications, 465–472
    - security, 511–512
    - Ubuntu GNOME desktop, 158
    - Ubuntu Linux, 465–466
    - Xandros Desktop, 160, 471–472
  - upgrades, RPMs, 454–455
  - uptime command, 395
  - URLs (Uniform Resource Locators), 335–337
  - USB support, kernel, 488
  - user accounts
    - adding, 413–417
    - commands for managing, 416–417
    - /etc/passwd file, 417–418
    - GUI user managers, 414–416
    - system administration, 373
  - user environment, 420–422
  - user FTP command, 369

users  
  commands for  
    management, 172  
    file ownership, 422–423  
  /usr/bin/scp, OpenSSH, 533  
  /usr/bin/slogin, OpenSSH, 533  
  /usr/bin/ssh-keygen, OpenSSH, 533  
  /usr hierarchy, 428  
  /usr/sbin/ssh, OpenSSH, 532  
  /usr/sbin/sshd, OpenSSH, 532  
  /usr subdirectory, 184–185  
utilities  
  commercial backup utilities, 435–436  
  system administration, 374  
  UUCP (UNIX-to-UNIX Copy Protocol), 345

---

## V

/var hierarchy, 428  
/var/log/apache2  
  configuration file, 392  
/var/log/boot.msg  
  configuration file, 392  
/var/log/cron configuration file, 392  
/var/log/dmesg  
  configuration file, 392  
/var/log/httpd  
  configuration file, 392  
/var/log/messages  
  configuration file, 392  
/var subdirectory, 185  
variables  
  C programming, 705–706  
  makefiles, 684–686

Perl, 746, 747–750  
  programming, 676  
verification, RPMs, 455  
version numbers  
  distribution-specific, 14–15  
  kernel, 14  
vi text editor  
  buffer, 245  
  colon command mode, 246  
  commands, 247–249  
  cursor movement commands, 246  
  text input command mode, 246  
  visual command mode, 246  
video card, installation, 35  
vim, 208  
virtual console, opening, 161  
virtual host setup, Apache Web server, 603–606  
viruses, security, 511  
vmstat utility, 395–396  
void type, C programming, 722  
volatile type qualifier, C programming, 710  
Volume  
  Debian GNOME desktop, 142  
  Fedora Core GNOME desktop, 146  
  MEPIS KDE desktop, 153  
  SUSE Linux desktop, 155  
  Ubuntu GNOME desktop, 158  
  Xandros Desktop, 160  
volume, Knoppix desktop, 148

vsftpd  
  configuration files, 608–609  
  description, 22  
vsftpd Internet service, 581  
vsftpd server, security, 530  
vsftpd.conf file, 609–612  
vulnerabilities, security, 502–503, 511. *See also* computer vulnerabilities  
vulnerability scanners, 558

---

## W

war-dialing, security, 511  
war-driving, security, 511  
Wastebasket icon, Debian GNOME desktop, 142  
watchdog timer, kernel, 486  
Weather, MEPIS KDE desktop, 153  
Weather applet, GNOME, 117  
Web  
  distributions, 21  
  HTML, 334  
  HTTP, 334  
  links, 335–337  
  overview, 333–335  
  URLs, 335–337  
  uses, 254  
Web Browser, Ubuntu GNOME desktop, 158  
Web browsers  
  Epiphany, 339  
  Firefox, 339  
  as FTP clients, 364–366  
  home page, changing, 342–343  
  HTML documents, 334

- introduction, 337–338
  - Konqueror, 339
  - Mozilla, 339
  - Web servers
    - HTML documents, 334
    - overview, 337–338
  - Web sites
    - newsgroups, 357
    - security updates, 511–512
  - WEP (Wired Equivalent
    - Privacy), wireless networking, 289–291
  - while statement
    - C programming, 720–721
    - Perl, 756–757
  - Wi-Fi (Wireless Fidelity)
    - networks, 287
  - wildcards in commands, 167–168
  - winbind Internet service, 581
  - window list, Knoppix
    - desktop, 147
  - window selector, Debian
    - GNOME desktop, 142
  - Windows
    - partitions, resizing, 40–42
    - server setup, Samba, 665–669
  - Winmodems, 270
  - wireless Ethernet networks
    - ad hoc mode, 289
    - configuration, 293–297
    - hardware setup, 291–292
    - infrastructure mode, 289
    - overview, 287–288
    - standards, 287–289
  - WEP and, 289–291
    - wireless access point, configuration, 292–293
  - Workspace Switcher
    - Debian GNOME desktop, 142
    - Fedora Core GNOME desktop, 146
    - Ubuntu GNOME desktop, 158
  - World Wide Web. *See* Web
  - worms, security, 511
  - Writer, OpenOffice.org, 215–216
  - writing scripts, shell, 179–180
- 
- X
- X-CD-Roast, 209
  - X Window System
    - GUIs, 20
    - troubleshooting, 82–84
  - XFree89, 20
  - X.Org X11, 20
  - Xandros Desktop OS
    - booting, 113–114
    - Custom Install, 76–80
    - description, 13
    - Express Install, 75–76
    - GUI sysadmin tools, 380–381
    - icons, 158
    - inetd, 531
    - installation, 73–80
    - printer configuration, 100–103
    - software installation, 108–110
    - standalone servers, 530
    - text mode installation, 82
    - updates, 471–472
    - update-rc.d command, 577–578
  - Xandros File Manager, Xandros Desktop, 159
  - XFree86, 20
  - xfst Internet service, 581
  - xine, 209
  - xinetd
    - Internet service, 581
    - Internet super server, 573–575
    - network security review, 555–556
    - server, security, 530
  - XMMS, 209
  - X.OrgX11, 20
  - Xpdf, 210
  - XSane, 210
  - xscanimage, 210
  - XWD (X Window Dump), scripting and, 731
- 
- Y
- YaST, SUSE installation, 65–71
  - ypbind Internet service, 581
  - Yum, 466–469

