

Index

- Academic disorders:
 major achievement tests, 291–296
 (Rap. Ref. 12.8)
 mathematic disorders (*see* Mathematics disorders)
 neuropsychological terms, 271, 274,
 275 (Rap. Ref. 12.2)
 reading disorders (*see* Reading disorders)
 written language disorders (*see* Written language disorders)
- American Board of Clinical Neuropsychology (ABCN), 45–47, 46
(Rap. Ref. 2.1), 58
- American Board of Pediatric Neuropsychology (ABPdN), 45, 46
(Rap. Ref. 2.1), 58
- American Board of Professional Neuropsychology (ABPN), 45–47, 46
(Rap. Ref. 2.1), 58
- American Board of School Neuropsychology (ABSNP), 38, 45–47,
46 (Rap. Ref. 2.1), 58, 61
- Aphasias. *See* Language processes
- Attention, neuropsychological terms,
138 (Rap. Ref. 6.1). *See* Attentional capacity; Divided attention; Selective/focused attention; Shifting attention; Sustained attention
- Attentional capacity, 96, 136–138
 tests of, 140 (Rap. Ref. 6.2), 152–154
 theories of, 138
- Attention-Deficit/Hyperactivity Disorder (ADHD):
 behavioral rating scales, 155–158
 compared, 156 (Rap. Ref. 6.5)
- Autism-Spectrum Disorder, school neuropsychological model applied to, 383–392
- Boston Process Approach, 16
- Cattell-Horn-Carroll (CHC) theory, 26
- Children’s Memory Scale. *See* Memory and learning
- Clinical and pediatric neuropsychology,
 historical influences of, 13–30
 functional profile stage, 22–24
 integrative and predictive stage,
 24–30
 single test approach stage, 13–14
 summary, 30 (Rap. Ref. 1.8)
 test battery/lesion specification stage, 14–20
- Clinical interpretation guidelines:
 adopting a flexible approach to assessment, 360–361
 case study examples, 371–381
 data analysis and interpretations, 364
 ask the child how he/she approached the tasks, 364–365
 avoiding overinterpretations, 367–368
 avoiding underinterpretation, 368

Clinical interpretation guidelines

(continued)

- be careful of self-fulfilling prophecies, 365–366
 - depth of processing interpretative model, 368–371, 369 (Rap. Ref. 15.2)
 - integrating reported problems with observable behavior and assessment data, 366
 - look for confirming trends in the data, 366–367
 - not all tests that report to measure the same construct actually do, 362
 - reference table, 360 (Rap. Ref. 15.1)
 - relating the assessment to the referral question(s), 359–360
 - selecting a test or assessment battery, 359–364
 - understanding neurocognitive demands of the assessment measures, 361–362
 - understanding role of behavioral rating scales, 363
 - understanding role of “brief” measures, 362–363
 - when is enough, enough in terms of testing?, 364
- Cognitive Assessment System (CAS), 17, 26, 28 (Rap. Ref. 1.7), 150
- Continuous Performance Tests, 134, 147–148
- list of tests, 147 (Rap. Ref. 6.4)
- Cross-battery approach, 27
- Cultural, economic, and environmental influences, 82–86
- D-KEFS. *See* Neuropsychological test batteries

Dean-Woodcock Sensory-Motor Battery (DWSMB), 123

subtest descriptions, 124–125 (Rap. Ref. 5.4)

Divided attention:

neuroanatomy of, 136–138

tests of, 139–142 (Rap. Ref. 6.2), 143 (Rap. Ref. 6.3)

theories of, 135–136

Ecologically valid assessment, 25–30, 86, 235,

Evidence-based interventions, 11, 25

Executive functions:

anterior cingulate circuit description, 235–237

neuropsychological deficits associated with damage to, 239–240 (Rap. Ref. 10.5)

defined, 234, 235 (Rap. Ref. 10.1)

dorsolateral prefrontal circuit description of, 236

neuropsychological deficits associated with damage to, 238 (Rap. Ref. 10.3)

functions of frontal-subcortical circuits, 237 (Rap. Ref. 10.2)

neuroanatomy of, 234–36

neuropsychological terms associated with, 241 (Rap. Ref. 10.6)

orbitofrontal circuit description of, 238–239

neuropsychological deficits associated with damage to, 239 (Rap. Ref. 10.4)

tests of, 143, 144, 150, 240–258

Behavior Rating Inventory of Executive Function (BRIEF) Scales, 256–258 (Rap. Ref. 10.8)

- concept formation, 242 (Rap. Ref. 10.7), 244–245
- inhibition, 242 (Rap. Ref. 10.7), 245–246
- motor impersistence tasks, 246
- motor programming, 242 (Rap. Ref. 10.7), 246–247
- planning, reasoning, and cognitive flexibility tasks, 242–243 (Rap. Ref. 10.7), 247–252
- set shifting tasks, 243 (Rap. Ref. 10.7), 252–253
- retrieval fluency, 243–244 (Rap. Ref. 10.7), 253–255
- selective/focused and sustained attention, 255; *see also* Attention
- use of feedback during performance of a task, 244 (Rap. Ref. 10.7), 256
- working memory, 256
- Expressive language. *See* Language processes
- Federal legislation and national task forces reports, 2–5, 3 (Rap. Ref. 1.1)
- Foreign-language translated neuropsychological tests, 84 (Rap. Ref. 3.7)
- General intellectual ability, 271–274
- comparison of tests, 273 (Rap. Ref. 12.1)
- Halstead-Reitan Neuropsychological Test Battery, 15
- Halstead-Reitan Neuropsychological Test Battery for Older Children (HRNTB-OC), 18
- HRNTB-OC subtests, 19 (Rap. Ref. 1.3)
- vs. Luria-Nebraska Neuropsychological Battery, 22 (Rap. Ref. 1.5)
- Reitan-Indiana Neuropsychological Test Battery (RINTB), 18
- RINTB subtests, 19 (Rap. Ref. 1.3)
- Increased use of medications by children, 8
- Kaufman Assessment Battery for Children—Second Edition, 17, 26
- Language processes:
- aphasias, summary of, 179 (Rap. Ref. 8.1)
- expressive language
- list of tests of, 184–186 (Rap. Ref. 8.3)
- test descriptions, 191–195
- lateralization of, 176
- neuroanatomy of, 176–178
- neurological terms associated with, 181 (Rap. Ref. 8.2)
- receptive language
- list of tests of, 183–184 (Rap. Ref. 8.3)
- test descriptions, 189–191
- right hemispheric language involvement, 178
- speech comprehension (receptive language or listening comprehension), 177–178
- speech production (oral expression), 177
- tests typically administered by speech and language pathologists, 196 (Rap. Ref. 8.4)

Language processes (*continued*)

phonological processing

list of tests of, 182–183 (Rap. Ref. 8.3)

test descriptions, 180, 186–189

Wernicke-Geschwind Model of

Language, 180 (Fig. 8.1)

Luria-Nebraska Neuropsychological

Battery, 16

vs. Halstead-Reitan Neuro-

psychological Battery, 22 (Rap. Ref. 1.5)

subtest descriptions, 21 (Rap. Ref. 1.4)

Mathematics disorders:

acalculia/dyscalculia, 275 (Rap. Ref. 12.2), 288

neuroanatomical circuitry of, 291

similarities in reading and mathematics, 291 (Rap. Ref. 12.7)

procedural dyscalculia, 289 (Rap. Ref. 12.6), 290

semantic-memory dyscalculia, 289 (Rap. Ref. 12.6), 290

subtypes of mathematics disorders, 289 (Rap. Ref. 12.6)

tests of

mathematical calculations, 293–294 (Rap. Ref. 12.8)

mathematical fluency, 294 (Rap. Ref. 12.8)

mathematical reasoning, 294–295 (Rap. Ref. 12.8)

verbal dyscalculia, 289 (Rap. Ref. 12.6), 290

visual-spatial dyscalculia, 289 (Rap. Ref. 12.6), 290–291

Memory and learning:

Children's Memory Scale (CMS),

177, 211 (Rap. Ref. 9.4), 212–213 (Rap. Ref. 9.5)

classification matrix of major tests, 211 (Rap. Ref. 9.4)

classification of tests, 203 (Rap. Ref. 9.1)

conceptual model for, 204 (Fig. 9.2), 205–206

long-term memory, 199–200, 205–206, 208 (Rap. Ref. 9.2)

memory tests contained with broader batteries, 210 (Rap. Ref. 9.3), 211 (Rap. Ref. 9.4), 216–225

modal model of memory, 200–201

neuroanatomy of, 206–207

and neuropsychological terms, 207–209 (Rap. Ref. 9.2)

sensory memory, 198–199, 209 (Rap. Ref. 9.2)

short-term memory, 199, 209 (Rap. Ref. 9.2)

tests of, 209–225, 226–232 (Rap. Ref. 9.9)

Test of Memory and Learning (TOMAL), 213–214, 214 (Rap. Ref. 9.6), 215 (Rap. Ref. 9.7)

theories of memory, 198–202

Wide Range Assessment of Memory and Learning—Second Edition (WRAML2), 216, 217 (Rap. Ref. 9.8)

working memory, 201–205, 202 (Fig. 9.1), 209 (Rap. Ref. 9.2)

Mirsky's model of attention, 132–133, 387

- Motor functions, 95, 113–118
 defined, 113–115
 neuroanatomy of, 115–116
 neuropsychological terms associated with, 117 (Rap. Ref. 5.2)
- NEPSY/NEPSY-II. *See* Neuropsychological test batteries
- Neuropsychological resources, 52–54
 books, 54–56
 summary table, 55 (Rap. Ref. 2.4)
 journals, 56–57
 summary table, 56 (Rap. Ref. 2.5)
 web sites, 57
 summary table, 57–60 (Rap. Ref. 2.6)
- Neuropsychological services in the schools, 10–12, 28, 35 (Rap. Ref. 1.9)
 limited access to, 11–12
 limited usefulness of, 11–12
- Neuropsychological test batteries, 97–109
 D-KEFS, 108–109
 NEPSY/NEPSY-II, 97–98
 NEPSY subtest description, 99 (Rap. Ref. 4.3)
 NEPSY-II subtest descriptions, 100–102 (Rap. Ref. 4.4)
 WISC-IV Integrated, 98–108
- Phonological processing. *See* Language processes
- Process assessment approach, 2, 5, 27, 37 (Rap. Ref. 1.10)
- Qualitative measures on tests, 28 (Rap. Ref. 1.7)
- Reading disorders:
 neuroanatomical circuitry of, 276–279
 phonological dyslexia, 279, 281 (Fig. 12.2)
 pure alexia, 279
 reading and aphasia, 276 (Rap. Ref. 12.3)
 semantic dyslexia, 284
 spelling or word-form dyslexia, 282, 283 (Fig. 12.4)
 subtypes of, 279, 280 (Rap. Ref. 12.4)
 surface dyslexia, 279, 282 (Fig. 12.3)
 tests of
 reading accuracy, 292 (Rap. Ref. 12.8)
 reading comprehension, 292 (Rap. Ref. 12.8)
 reading fluency, 293 (Rap. Ref. 12.8)
- Receptive language. *See* Language processes
- Referral reasons for a school neuropsychological evaluation, 62–81
 anoxia, 65
 asthma, 68–73
 brain damage (acquired or congenital), 65–66
 brain tumors, 68
 types, 71–72 (Rap. Ref. 3.4)
 central nervous system infection, 68–75
 cerebral palsy, 66–67
 subtypes, 67 (Rap. Ref. 3.2)
 cocaine exposure, prenatal, 76
 environmental toxin exposure, 77
 fetal alcohol exposure, 76

- Referral reasons for a school neuropsychological evaluation (*continued*)
- HIV/AIDS, 73
 - hydroencephalitis, 73
 - juvenile diabetes, 74
 - leukemia, 74
 - low birth weight, 77
 - marijuana exposure, prenatal, 76–77
 - meningitis, 65–66
 - muscular dystrophy, 67–68
 - subtypes, 69–70 (Rap. Ref. 3.3)
 - neurodevelopmental risk factors, 75–77
 - neurological disorder, known or suspected, 63
 - neuromuscular diseases, 67–68
 - nicotine exposure, prenatal, 76
 - not responding to interventions, 78–80
 - prematurity, 77
 - rapid drop in academic achievement, 78
 - renal disease (end-stage), 74–75
 - returning to school after a head injury, 77–78
 - significant scatter in psychoeducational test performance, 81
 - summary, 63 (Rap. Ref. 3.1)
 - suspected processing weaknesses, 80–81
 - traumatic brain injury (TBI), 64–65
- Report writing:
- avoiding jargon in, 302–303
 - charts in, 304
 - components of a school neuropsychological report, 304–318
 - organization, 305–318
 - assessment validity, 309–310
 - background information, 306–308
 - current assessment instruments and procedures, 308–309
 - diagnostic impressions, 315–316
 - evaluation results, 310–314
 - identifying information, 305
 - intervention strategies and recommendations, 316–318
 - reason for referral, 306
 - summary, 314–315
 - title, 304
 - graph, sample of, 305 (Fig. 13.2)
 - headers, 306 (Rap. Ref. 13.3)
 - for evaluation results section, 311 (Rap. Ref. 13.4), 313–314 (Rap. Ref. 13.5)
 - including or not including data in a report, 303
 - length of, 298–300
 - linear vs. integrative writing styles, 300–302
 - pictures in, 304
 - psychoeducational, psychological, and neuropsychological components compared, 299 (Rap. Ref. 13.1)
 - sample report, 320–358
 - tips, 301 (Rap. Ref. 13.2)
- Roles and functions of a school neuropsychologist, 31, 33–34, 74
- summary table, 35 (Rap. Ref. 1.9)
 - TBI teams, 78, 79–80 (Rap. Ref. 3.5)
- School neuropsychology:
- competency in, 31–32, 42–45
 - defined, 32–33

- evaluation (*see* Referral reasons for a school neuropsychological evaluation)
- history, 34–39
- medical influences on, 6 (Rap. Ref. 1.2)
- model doctoral curriculum, 53–54 (Rap. Ref. 2.3)
- pediatric neuropsychology training standards, 44–45
- training standards for school neuropsychologists, 47–52
- specialty board requirements compared, 46 (Rap. Ref. 2.1)
- specialty certification, 45
- specialty certification in adult and pediatric neuropsychology, 45
- models for, 88–96
- Cognitive Hypothesis-Testing (CHT) Model, 89–90, 91 (Rap. Ref. 4.1)
- comparison of the three school/pediatric models, 92 (Rap. Ref. 4.2)
- functional organization approach, 88
- levels of assessment model, 92–95
- school neuropsychological assessment model, 95–96
- transactional model of child clinical neuropsychology, 89
- specialties of
- defined, 31
 - within broader field of, 31–32
- training of school neuropsychologists, 42–52
- Selective/focused attention:
- neuroanatomy of, 136–137
 - tests of, 139 (Rap. Ref. 6.2), 142–143
 - theories of, 133–134
- Sensory functions, 95, 111–113
- defined, 111–112
 - neuroanatomy of, 112–113
 - neuropsychological terms, 114 (Rap. Ref. 5.1)
 - tests administered by occupational therapists, 120–121 (Rap. Ref. 5.3), 128–130
 - tests for infants through preschoolers, 118, 119 (Rap. Ref. 5.3), 121–122
 - tests for school-aged children, 119–120 (Rap. Ref. 5.3), 122–128
- Shifting attention:
- neuroanatomy of, 137
 - tests of, 135, 140 (Rap. Ref. 6.2), 150–151
 - theories of, 134–135
- Special needs children, 81–86
- modifying testing materials or instructions, 81–82
 - summary of possible modifications, 83 (Rap. Ref. 3.6)
- Speed and efficiency of cognitive processing:
- cognitive efficiency
 - defined, 262–263 (Fig. 11.1)
 - tests of, 266 (Rap. Ref. 11.1)
 - cognitive fluency
 - defined, 263–264 (Fig. 11.2)
 - tests of, 267 (Rap. Ref. 11.1), 269–270
 - neuroanatomy of, 264–265
 - processing speed
 - defined, 261–262
 - tests of, 265–268, 266 (Rap. Ref. 11.1)

Sustained attention:

- neuroanatomy of, 136–138
- tests of, 139–140 (Rap. Ref. 6.2),
146–150
- theories of, 134

Test of Everyday Attention for Children (TEA-CH), 143 (Rap. Ref. 6.3), 149

Test of Memory and Learning (TOMAL), 25–26. *See* memory and learning

Visual-spatial processes:

- face recognition, 163–164
- neuroanatomy of, 161–164
- neuropsychological terms associated with, 163 (Rap. Ref. 7.2)
- subcomponents associated with, 160–161 (Rap. Ref. 7.1)
- tests of visual perception, 164–170, 165–166 (Rap. Ref. 7.3)
- motor-free, 166 (Rap. Ref. 7.3), 170–172
- organization, 166–167 (Rap. Ref. 7.3), 172–173
- tests of visual scanning/tracking, 167 (Rap. Ref. 7.3), 173–174
- visual object recognition, 162–163

Wide Range Assessment of Memory and Learning—Second Edition (WRAML2). *See* Memory and learning

WISC-IV Integrated. *See* Neuropsychological Test Batteries

Woodcock-Johnson Third Edition Tests of Cognitive Abilities (WJIII-COG), 19–20, 26

Written language disorders:

- aphasic dysgraphias, 284–287
- mixed dysgraphia, 286
- phonological dysgraphia, 284–286
- semantic/syntactic (direct) dysgraphia, 286–287
- surface (orthographic) dysgraphia, 286
- apraxic dysgraphias, 287
- constructional dysgraphia, 287
- ideational dysgraphia, 287
- ideomotor dyspraxia, 287
- mechanical dysgraphia, 287–288
- motor dysgraphia, 287–288
- neuroanatomical circuitry of, 288
- tests of
 - writing fluency, 295 (Rap. Ref. 12.8)
 - written language, 294–295 (Rap. Ref. 12.8)