

INDEX

- Aberrations, 311
- Absolute value, histogram, 541
- Achromatic, 293
- Ac term, 189
- Adaptive histogram modification, 265
- Additive
 - color system, 49
 - linear system, 6
- Ade's texture features, 568
- Adjoint model, 355
- Affine transformation, 394
- Aliasing
 - effects, 103
 - error, 103
- Amplitude
 - features, 537
 - level slicing, 256
 - projections, 587
 - scaling, 249
 - segmentation methods, 580
- API, *see* Application program interface
- Application program interface, 629
- Area measurement, 627
- Argyle operator, 480
- ARMA parameter estimation, 377
- Atomic regions, 590
- Atmospheric turbulence model, 313
- Autocorrelation
 - function, 16, 530
 - histogram, 540
 - of system output, 20
 - spread features, 557
 - texture features, 556
 - theorem, 13
- Autocovariance function, 18
- Autoregressive process, 377
- Average
 - area, 631
 - contrast, 592
 - length, 631
 - perimeter, 595
- spatial, 5
- width, 631
- Banded matrix, 172
- Bandlimited, 98
- Bandstop filter, 274
- Barrel distortion, 401
- Bartlett windowing function, 175, 236
- Basic image interchange format, 682
- Basis
 - functions, 192, 542
 - matrices, 192
 - patterns, 542
- Bayer color filter, 121
- Bayes minimum error, 489
- Bays, 624
- B -distance, 536
- Bell interpolation kernel, 414
- Bessel function, 97, 236
- Between class scatter matrix, 589
- Bezier polynomial, 596
- Bhattacharyya distance, 536
- BIIF, *see* Basic image interchange format
- Bilevel luminance thresholding, 580
- Bilinear interpolation, 116, 265, 411
- Bit quads, 629
- Blackbody source, 45
- Black component, 75
- Blackman windowing function, 175, 236
- Blind image restoration, 373
- Block
 - mode filtering, 232
 - Toeplitz, 155
- Blur matrix, 179
- Bond, pixel, 422
- Boundary segmentation, 595
- Boxcar operator, 478
- Bridge, 426
- Brightness, 25
- Brodatz texture, 546
- B -spline, 114

770 INDEX

- Bug follower
 - basic, 614
 - backtracking, 615
- Bug following, 614
- Butterworth filter
 - high-pass, 240
 - low-pass, 240

- Camera imaging model, 407
- Canny operator, 482
- Cartesian coordinate system, 388
- Cartesian-to-polar conversion, 397
- Catchment basin, 594
- Cathode ray tube, 3, 47
- CCD, *see* Charged coupled device
- CCIR, *see* Comite Consultatif International des Radiocommunications
- CCIR receiver primary color coordinate system, 66
- Center of gravity, 634
- Centered
 - superposition, 169
 - reflected boundary superposition, 169
 - zero boundary superposition, 170
 - zero padded superposition, 169
- Central moments, normalized, 641
- Central spatial moment
 - continuous, 631
 - discrete, 633
- Centroid, 634
- Charged coupled device, 110, 332
- Chain
 - code, 615
 - definition of, 616
- Chebyshev
 - basis set, 568
 - polynomials, 501, 568
- Chernoff bound, 536
- Chessboard distance, 625
- Choroid, 27
- Chroma, 80
- Chromatic adaption, 32
- Chromaticity
 - coordinates, 59
 - diagram, 59, 67, 70
- CIE, *see* Commission Internationale de l'Eclairage
- CIE spectral primary color coordinate system, 65
- Circulant
 - convolution, 184
 - matrix, 182
 - superposition, 182
- Circularity, 630
- CIS, *see* contact image sensor
- City block distance, 625
- Clipping, contrast, 245

- Close operation
 - binary image, 453
 - gray scale image, 459
- Clustering, 587
- CMOS, *see* complementary metal-oxide semiconductor
- Coarse-fine matching, 670
- Coarseness, texture, 545
- Coiflets, 211
- Color blindness, 33
- Color coordinate conversion, 753
- Color coordinate systems
 - CCIR, 66
 - CIE, spectral, 65
 - EBU, 66
 - IHS, 84
 - Karhunen-Loeve, 84
 - $L^*a^*b^*$, 71
 - $L^*u^*v^*$, 72
 - NTSC, 66
 - Photo YCC, 83
 - retinal, 86
 - SMPTE, 67
 - UVW, 69
 - $U^*V^*W^*$, 71
 - XYZ, 67
 - YCbCr, 82
 - YIQ, 80
 - YUV, 81
- Color cube, 58
- Color film model, 321
- Color image
 - edge detection, 522
 - enhancement, 291
 - restoration, 381
- Colorimetry, 45, 54
- Color matching
 - additive, 49
 - axioms, 53
 - subtractive, 52
- Color spaces
 - colorimetric, 64
 - nonstandard, 83
 - subtractive, 73
 - video, 76
- Color systems
 - additive, 49
 - subtractive, 49
- Color vision
 - model, 39
 - verification of model, 55
- Column
 - gradient, 471

- moment, first-order, 634
- moment of inertia, 637
- Comite Consultatif International des Radiocommunications, 67
- Commission Internationale de l'Eclairage, 46
- Companding quantizer, 145
- Compass gradient arrays, 485
- Complement, 426
- Complementary metal-oxide semiconductor, 110
- Conditional
 - density, 16
 - inverse, 745
 - mark, 431
- Condition number, 353
- Cones
 - description of, 27
 - distribution of, 28
 - sensitivity of, 27
- Connected
 - components, 627
 - eight, 422
 - four, 422
 - minimally, 423
 - six, 403
- Connectivity
 - definitions, 421
 - of pixels, 423
- Consistent system of equations, 349, 747
- Constrained image restoration, 369
- Constrained least squares filter, 34
- Contact image sensor, 110
- Contour
 - coding, 615
 - following, 614
- Contrast
 - clipping, 249
 - definition of, 34
 - manipulation, 248
 - modification, 252
 - scaling, 249
 - sensitivity, 30
 - stretching, 251
- Control points, 402
- Control point detection, 675
- Convex
 - deficiency, 624
 - hull, 624
- Convolution
 - circulant, 182
 - discrete image, 165
 - finite area, 172
 - Fourier domain, 225, 226
 - Hadamard domain, 225
 - integral, 8
 - operation, 9
 - sampled image, 174
 - symbol, 8
 - transform domain, 224
 - two-dimensional, 13
- Co-occurrence matrix, 564
- Cornea, 27
- Correlation function
 - basic, 665
 - of image array, 153
 - normalized, 665
 - statistical, 667
- Correlation matrix, 154
- Cosine transform, 200
- Covariance
 - function, 153
 - histogram, 541
 - matrix, 154
 - stationary, 155
- Crack code, 615, 627
- Cross
 - correlation, 653, 665
 - power spectrum, 671
 - second derivative, 530, 669
- CRT, *see* Cathode ray tube
- Cubic *B*-spline
 - definition of, 114
 - interpolation kernel, 414
- Cubic convolution, 114
- Cumani operator, 528
- Cumulative
 - histogram, 261
 - probability distribution, 261
- Current boundary, 592
- Curvature
 - definition of, 646
 - Fourier series of, 646
- Curve fitting
 - iterative end point, 596
 - polynomial, 596
- Cutoff frequency, 237, 240
- Daisy petal filter, 572
- Daub4, 210
- Daubechies transform, 210
- Dc term, 189
- Decorrelation operator, 558
- Demosaicking, 122
- Dependency matrix, 563
- Derivative of Gaussian edge gradient, 481
- Derivative matched filter, 659
- Detection

772 INDEX

- image, 651
 - probability of edge, 488
- Deterministic image representation, 3
- Diagonal fill, 425
- Diagonalization of a matrix, 164
- Dichromats, 33
- Difference of Gaussians, 498
- Differential operators, 9
- Diffraction
 - definition of, 311
 - limited, 311
- Dilation
 - eight-neighbor, 427
 - generalized, 443
 - gray scale image, 457
 - properties of, 450
- Dirac delta function
 - continuous, 6
 - discrete, 166
 - sampling array, 92
- Directed derivative edge detector, 501
- Directional derivative, 10, 100
- Direct product, matrix, 698
- Dispersion feature, 538
- Display
 - cathode ray tube, 47
 - liquid crystal, 47
 - point nonlinearity correction, 333
 - spatial correction, 335
- Distance
 - chessboard, 625
 - city block, 625
 - Euclidean, 625
 - magnitude, 625
 - map, 626
 - maximum value, 625
 - measures, 625
 - transform, 626
- Dither function, 337
- DOG, *see* Difference of Gaussians
- Duda and Hart Hough transform, 601
- Dye layer gammas, 320

- EBU, *see* European Broadcast Union
- EBU receiver primary color coordinate systems, 66
- Edge crispening
 - enhancement, 284
 - linear, 284
 - masks, 284, 285
- Edge detection
 - color image, 522
 - first-order derivative, 471
 - luminance image, 465
 - probability of, 509
 - second-order derivative, 492
 - subjective assessment, 516
- Edge detector
 - edge fitting, 506
 - figure of merit, 514
 - first derivative, 471
 - localization, 515
 - orientation, 510
 - performance, 508
 - second derivative, 492
- Edge fitting, 506
- Edge gradient, 471
- Edge linking
 - curve fitting, 596
 - heuristic, 598
 - Hough transform, 607
 - iterative end point, 598
- Edge models, 466, 467, 468
- Edge probability
 - of correct detection, 488
 - of edge misclassification, 488
 - of false detection, 488
- Eigenvalue, definition of, 743
- Eigenvector
 - definition of, 743
 - transform, 211
- Eight-connectivity, 422
- Eight-neighbor
 - dilate, 427
 - erode, 429
- Emulsion, film, 304
- Energy, histogram, 539, 541
- Entrance pupil, 311
- Entropy, histogram, 539, 541
- Equalization, histogram, 259
- Ergodic process, 19
- Erosion
 - eight-neighbor, 429
 - generalized, 446
 - gray scale image, 457
 - properties of, 450
- Euclidean distance, 625
- Euler number, 624, 630
- European Broadcast Union, 66
- Exit pupil, 311
- Exoskeleton, 441
- Exothin, 437
- Expectation operator, 16
- Exponential probability density, 15
- Exposure, film, 315
- Extended data vector, 222
- Extraction weighting matrix, 356

- Eye
 - cross-sectional view, 27
 - physiology, 26
- Facet modeling, 501
- False color, 296
- Fast Fourier transform
 - algorithm, 199
 - convolution, 225
- Fatten, 427
- FDOG, *see* First derivative of Gaussian operator
- Features
 - amplitude, 537
 - histogram, 538
 - texture, 555
 - transform coefficient, 542
- Feature extraction, 535
- FFT, *see* fast Fourier transform
- Figure of merit
 - edge detector, 514
 - feature, 536
- Film
 - color, 318
 - emulsion, 314
 - exposure, 315
 - gamma, 317
 - monochrome, 314
 - speed, 317
- Filter
 - bandstop, 274
 - Butterworth, 240
 - design, 233
 - Gaussian, 239
 - high-pass, 238, 240
 - homomorphic, 273
 - inverse, 336
 - low-pass, 237, 238, 239
 - pre-sampling, 106
 - whitening, 558, 658
 - Wiener, 338
 - zonal, 237, 238
- Finite area
 - convolution, 172
 - superposition, 166
- First derivative of Gaussian operator, 481
- First-level
 - Haar wavelets, 209
 - scaling signals, 209
- First moment, 16
- First-order
 - row moment, 633
 - column moment, 634
- Flooding, 594
- Focal length, 404
- Four-connectivity, 422
- Fourier
 - descriptors, 645
 - spectra texture features, 556
- Fourier transform
 - continuous
 - definition of, 10
 - properties of, 12
 - convolution, 225
 - discrete, definition of, 193
 - fast, 199, 234,
 - feature masks, 543
 - features, 543
 - filtering, 225
 - pairs, 11
- Fovea, 28
- Fovean sensor, 120
- Frei-Chen operator, 476
- Gabor filter, 572
- Gagalowicz counterexample, 554
- Gain correction, 332
- Gamma
 - correction, 77
 - estimation, 373
 - film, 317
 - image, 77
- Gaussian error function
 - definition of, 255
 - transformation, 254
- Gaussian filter, 239
- Gaussian probability density
 - continuous, 15
 - discrete, 159
 - discrete conditional, 525
- Generalized
 - dilation, 443
 - erosion, 447
 - inverse, 350, 744
 - linear filtering, 214
 - linear operator, 149
- Geometrical image
 - modification, 387
 - resampling, 411
- Geometrical mean filter, 343
- Geometric
 - attributes, 630
 - distortion, 401
 - moment, 633
- Gibbs phenomenon, 175
- Gradient
 - column, 471
 - continuous, 10

774 INDEX

- discrete, 471
- row, 471
- Grassman's axioms, 53
- Gray scale
 - contouring, 136
 - dependency matrix, 564
- Greedy algorithm, 610
- Haar
 - matrix, 207
 - transform, 207
 - wavelets, 207
- Hadamard
 - matrix, 204
 - transform, 204
- Half-toning, 111
- Hamming windowing function, 175, 236
- H&D curve, 317
- Hanning windowing function, 175, 236
- Hartley transform, 204
- H-break, 429
- Header file, 712
- Hexagonal grid, 423
- High-pass filter
 - Butterworth, 240
 - zonal, 237, 238
- Histogram
 - absolute value feature, 541
 - autocorrelation feature, 540
 - covariance feature, 541
 - cumulative, 261
 - definition of, 705
 - energy feature, 539, 541
 - entropy feature, 539, 541
 - equalization, 259
 - features, 538
 - first-order, 160
 - hyperbolization, 264
 - inertia feature, 541
 - inverse difference feature, 541
 - kurtosis feature, 539
 - mean feature, 539
 - measurements, 160
 - mode, 540
 - modification,
 - adaptive, 265
 - non-adaptive, 259
 - one-dimensional features, 539
 - property, 585
 - second-order, spatial, 160
 - shape, 539
 - skewness feature, 539
 - standard deviation feature, 539
 - two-dimensional features, 540
- Hit or miss transformations, 424
- Hole, 623
- Homogeneous coordinates, 391
- Homomorphic filtering, 273
- Hotelling transform, 211
- Hough transform
 - basic, 600
 - Dude and Hart version, 601
 - edge linking, 600
 - O'Gorman and Clowes version, 604
- Hu's invariant moments, 641
- Hue, 25, 84
- Hueckel edge detector, 507
- Hungarian prototype, 710
- Hurter and Driffield curve, 317
- Hyperbolization, histogram, 264
- Idempotent, 434
- IEC, *see* International Electrotechnical Commission
- IIF, *see* Image interchange facility
- Ill-conditioned integral, 338
- Illuminant
 - C, 66
 - D65, 66, 67
 - E, 65
- Image
 - centroid, 634
 - classification, 535
 - continuous, definition of, 3
 - data object, 710, 712
 - detection, 651
 - discrete, definition of, 147
 - dispersion, 538
 - enhancement, 247
 - error measures, 759
 - feature, 535
 - feature extraction, 535
 - matrix, 48
 - quantization, 127
 - reconstruction, 91
 - registration, 651
 - restoration, 329
 - restoration models, 307, 322
 - sampling, 91, 120
 - segmentation, 535, 579
 - statistical, definition of, 3
 - stochastic characterization, 14
 - surface, 633
- Image interchange facility, 682
- Image representation

- deterministic, 3
- statistical, 3
- vector space, 147
- Impulse response
 - Bessel, 97
 - definition of, 8
 - function array, 166
 - sinc, 96
- Inconsistent system of equations, 349, 747
- Index assignment, 697
- Inertia
 - histogram feature, 541
 - moment of, 637
 - texture function, 541
- Intensity, 84
- Interimage effects, 320
- Interior
 - fill, 425
 - pixel remove, 429
- Internal boundary, 592
- International Electrotechnical Commission, 643
- International Organization for Standardization, 643
- Interpolation
 - bilinear, 116, 411
 - by convolution, 413
 - error, 118
 - methods, 411
 - nearest-neighbor, 411
 - piecewise linear, 116
- Interpolation function
 - bell, 115, 414
 - cubic *B*-spline, 114, 411, 414
 - cubic convolution, 114
 - definition of, 98
 - Gaussian, 115
 - sinc, 113
 - square, 113
 - triangle, 113
- Interpolation kernels
 - bell, 414
 - cubic *B*-spline, 414
 - peg, 414
 - pyramid, 414
- Intersection, 424
- Invariant moments
 - control point warping, 675
 - definition of, 641
 - Hu's, 641
- Inverse
 - difference, histogram, 541
 - filter, 336
 - function transformation, 256
- Iris, 28
- ISO, *see* International Organization for Standardization
- Isolated pixel remove, 428
- Isoplanatic, 8
- Iterative
 - blind deconvolution, 378
 - endpoint fit, 596
- Joint probability density, 15, 597
- JPEG, 196
- Julesz
 - conjecture, 550
 - texture fields, 548
- Kaiser windowing function, 236
- Karhunen–Loeve
 - color coordinate system, 84
 - transform, 186
- Kernel, small generating, 170
- Key
 - component, 75
 - pixel, 696
- Kirsch operator, 485
- Krawtchouk moments, 643
- Kurtosis, histogram feature, 539
- $L^*a^*b^*$ color coordinate system, 71
- Labeling, segment, 614
- Lagrange multiplier, 130, 370
- Lagrangian
 - estimate, 370
 - factor, 370
- Lakes, 624
- Laplacian
 - continuous, 471
 - definition of, 494
 - density, 16
 - discrete matched filter, 62
 - edge detector, 495
 - eight-neighbor, 495
 - four-neighbor, 494
 - generation, 494
 - matched filter, 660
 - of Gaussian edge detector, 496
 - operator, 10
 - zero crossing, 499
- Lateral inhibition, 37
- Laws' texture features, 567
- LCD, *see* Liquid crystal display
- Least squares
 - error, 748, 759
 - inverse, 745
 - modeling error, 749

776 INDEX

- Left-justified form, 163
- Legendre moments, 643
- Lens transfer function, 108, 313
- Level slicing, 257
- Light
 - definition of, 23
 - sources, 24
- Lightness function, 137
- Line
 - definition of, 466
 - detection, 529
 - models, 466
- Linearity, 12
- Linear operator, 123
- Linear systems
 - additive, 6
 - consistent, 703
 - inconsistent, 703
 - solutions to, 702
- Liquid crystal display, 47, 111
- Logarithmic
 - ratio of images, 299
 - transformation, 255
- Logical operators, 570
- Log-normal probability density, 15
- LOG, *see* Laplacian of Gaussian
- Lookup table, 404, 706
- Low-pass filter
 - Butterworth, 240
 - Gaussian, 239
 - zonal, 237
- Luma, 80
- Lumen, 48
- Luminance
 - boundary segments, 465
 - calculation of, 59
 - definition of, 60
 - edges, 465
- Luminosity coefficients, 60
- Luminous flux, 48
- LUT, *see* Lookup table
- $L*u*v*$ color coordinate system, 72
- Mach band, 32
- Macleod operator, 480
- Magnification, image 389
- Magnitude distance, 625
- Majority black, 430
- Markov process
 - autocovariance function, 18
 - covariance matrix, 156
 - spectrum, 18
- Match point control, 700
- Matched filter
 - continuous, 655
 - derivative, 659
 - deterministic, 655
 - discrete, deterministic, 662
 - discrete, stochastic, 663
 - Laplacian, 660
 - stochastic, 660
- Matrix
 - addition, 738
 - banded, 172
 - between class scatter, 589
 - blur, 179
 - co-occurrence, 564
 - correlation, 154
 - covariance, 154
 - definition of, 707
 - dependancy, 564
 - diagonal, 164
 - diagonalization, 164
 - direct product, 740
 - image, 148
 - inverse, 739
 - Markov covariance, 156
 - multiplication, 738
 - norm, 741
 - orthogonal, 191
 - rank, 741
 - selection, 184
 - sparse, 218
 - trace, 740
 - transpose, 740
 - tridiagonal, 202
 - within class scatter, 589
- Max quantizer, 131
- MAX, 280
- MAXIMIN, 280
- Maximum
 - entropy, 362
 - likelihood ratio, 489
 - value distance, 625
- Maxwell triangle, 58
- Mean
 - of continuous probability density, 16
 - feature, 537
 - histogram feature, 539
 - matrix, 153
 - square error, 715
 - vector, 153
- Mean-square error, normalized, 759

- Medial axis
 - skeleton, 438
 - transformation, 438
- Median
 - definition of, 277, 511
 - feature, 537
 - filter, 277
 - filtering, 277
- Metameric pairs, 25
- Mexican hat filter, 498
- Microstructure, texture, 566
- MIN, 280
- MINIMAX, 280
- Minification, image, 389
- Minimally connected, 423
- Minimum vector dispersion, 529
- Minkowski addition, 444
- Misregistration detection
 - generalized, 674
 - scale and rotation, 672
 - translational, 664
- Mode, definition of, 540
- Modulation transfer function, 34, 312
- Moire patterns, 103
- Moment of inertia, 637
- Moments
 - first, 16
 - Krawtchouk, 643
 - Legendre, 643
 - pseudo Zernike, 643
 - second, 16
 - spatial
 - continuous, 631
 - discrete, 633
 - Zernike, 643
- Monochromats, 33
- Monochrome vision model, 33
- Morphological image processing, 421
- Morphological operators
 - binary conditional, 432
 - binary unconditional, 425
 - gray scale, 457
- MPEG, 196
- Moving average process, MA, 377
- Multi-plane image restoration, 379
- MTF, *see* Modulation transfer function
- Multispectral image enhancement, 289
- Multilevel
 - color component thresholding, 585
 - luminance thresholding, 582
- Munsell color system, 26
- Nalwa–Binford edge detector, 508
- NAS-RIF method, 378
- National Television Systems Committee, 66
- Nearest neighbor interpolation, 411
- Neighbourhood array, 708
- Nevatia–Babu masks, 487
- Neyman–Pearson test, 489
- Noise
 - cleaning
 - adaptive, 284
 - Fourier domain, 271
 - linear, 268
 - masks, 269
 - nonlinear, 275
 - spatial domain, 269
 - techniques, 267
 - models, 335
- Nonreversal film process, 314
- Norm
 - matrix, 697
 - minimum, 706
 - vector, 697
- Normalized least squares error, 716
- NTSC, *see* National Television Systems Committee
- NTSC receiver primary color coordinate system, 66
- Nyquist
 - criterion, 97
 - rate, 97
- Object components, 590
- O’Gorman and Clowes Hough transform, 604
- One-to-one mapping, 6
- Open operation
 - binary image, 454
 - gray scale image, 459
- Operators
 - circulant
 - convolution, 180
 - superposition, 178
 - finite area
 - convolution, 167
 - superposition, 166
 - linear, 149
 - pseudoinverse, 744
 - sampled image
 - convolution, 176
 - superposition, 176
- Optical systems
 - atmospheric model, 313
 - models, 313
- Optical transfer function, 33, 312

778 INDEX

- Organs of vision, 23
- Orientation
 - angle, 639
 - axis, 639
- Orthogonality
 - condition, 339
 - principle, 366
- Orthogonal
 - gradient generation, 471
 - matrix, 191
- Orthonormality conditions, 190
- OTF, *see* Optical transfer function
- Outlier removal, 276
- Overdetermined
 - equations, 349
 - matrix, 349, 745
- Oversampled, 95
- Parametric
 - estimation filters, 342
 - low-pass filter, 269
- Parseval's theorem, 13
- PCM, *see* Pulse code modulation
- Peak least squares error, 760
- Peg interpolation kernel, 414
- Perimeter measurement, 627
- Peripheral contrast, 592
- Perspective
 - matrix, 405
 - transformation, 404
- Phase
 - angle, 11
 - correlation, 671
- Photo YCC color coordinate system, 83
- PhotoCD, 83
- Photographic process
 - color film model, 318
 - monochrome film model, 314
- Photography
 - color, 318
 - monochrome, 314
- Photopic vision, 28
- Photometry, 45
- PIKS, *see* Programmer's imaging kernel system
- PIKS
 - application interface, 702
 - application program interface, 681
 - conformance profiles, 703
 - convenience functions, 694
 - data objects, 682
 - data types, 683
 - functional overview, 681
 - image objects, 683
 - imaging model, 681
 - mechanisms, 692
 - operator models, 695, 696
 - operators, 685
 - scientific, 681
 - tools, 689
 - utilities, 690
- PIKS Scientific
 - C language binding, 710
 - profile, 703
 - overview, 704
- Pincushion distortion, 401
- Pinhole aperture, 311
- Pixel
 - bond, 422
 - definition of, 147
 - record, 708
 - stacker, 424
- Planck's law, 46
- PLSE, *see* Peak least squares error
- PMED, 280
- Point
 - image restoration, 329
 - spread function, 8
- Polar-to-Cartesian conversion, 398
- Power
 - law transformation, 253
 - spectral density
 - continuous, 17
 - discrete, 157
 - spectrum
 - continuous, 17
 - discrete, 157
 - filter, 342
- Prairie fire analogy, 438
- Pratt, Faugeras and Galalowicz texture fields, 551
- Prewitt
 - compass edge gradient, 484
 - orthogonal edge gradient, 475
- Primary colors, 49
- Principal components transformation, 164, 300
- Prism, 25
- Probability density
 - conditional, 16
 - exponential, 15
 - Gaussian, 15, 159, 525
 - joint, 15, 597
 - Laplacian, 16
 - log-normal, 15
 - models, image, 158
 - Rayleigh, 15
 - uniform, 16

- Programmer's imaging kernel system, 679, 681
- Projections, amplitude, 587
- Property histograms, 585
- Pseudocolor, 293
- Pseudoinverse
 - computational algorithms, 355
 - operators, 744
 - spatial image restoration, 345
 - transform domain, 348
- Pseudomedian filter, 280
- Pseudo Zernike moments, 643
- Pulse code modulation, 136
- Pupil
 - entrance, 311
 - exit, 311
- Pyramid interpolation kernel, 414

- Quadratic form, 742
- Quantization
 - color image, 139
 - companding, 131
 - decision level, 128
 - definition of, 127
 - Max, 131
 - monochrome image, 136
 - reconstruction level, 128
 - scalar, 127
 - uniform, 131
- Quench
 - distance, 438
 - point, 438

- Radiant flux, 45
- Rainfall, 594
- Ramp edge, 465
- Rank, matrix, 127, 741
- Ratio contour, 597
- Ratio of images, 298
- Rayleigh probability density, 15
- Reciprocity failure, 305
- Reconstruction
 - filter, 96
 - levels, 159
- Rectangular windowing function, 236
- Reflective object, 24
- Reflectivity, 23
- Region growing, 590
- Region-of-interest, 609, 697, 709
- Registration, image, 664
- Regression image restoration, 365
- Relative luminous efficiency, 4, 48
- Resampling, image, 411

- Resolution loss, 117
- Restoration, image, 329
- Retina, 27
- Retinal cone color coordinate system, 86
- Reversal film process, 314
- Reverse function transformation, 255
- Ridge, 594
- Ringing artifacts, 287
- Roberts
 - edge gradient, 473
 - operators, 474
- Robinson
 - 3-level operator, 485
 - 5-level operator, 485
- Rods
 - description of, 27
 - sensitivity of, 27
- ROI, *see* Region-of-interest
- Roof edge, 466
- Rotation
 - image, 390
 - image, separable, 394
 - three-dimensional, 409
- Row
 - gradient, 471
 - moment, first-order, 633
 - moment of inertia, 637
- Row-column cross moment of inertia, 637
- Rubber band transformation, 255
- Rubber-sheet
 - stretching, 400, 623
 - transformation, 623
- Running difference edge gradient, 472

- Sampled image
 - convolution, 176
 - superposition, 176
- Sampling
 - deterministic fields, 92
 - random fields, 97
- Saturation, 25, 84
- Scaling
 - contrast, 249
 - linear, 12
 - image, 389
 - separable image, 394
- Scatter matrices
 - between class, 589
 - within class, 589
- Sclera, 27
- Scotopic vision, 28
- Search area, 666
- Second moment, 16

780 INDEX

- Segment labelling, 613
- Segmentation
 - amplitude, 580
 - boundary, 595
 - clustering, 587
 - image, 579
 - region growing, 590
 - texture, 611
- Selection matrix, 184
- Sensor point nonlinearity correction, 329
- Separability, 12
- Separated running difference edge
 - gradient, 472
- Sequency
 - definition of, 205
 - property, 205
- Sequential search method, 632
- SGK, *see* Small generating kernel
- Shape
 - analysis, 623
 - Fourier descriptors, 645
 - geometric attributes, 630
 - orientation descriptors, 643
 - topological attributes, 623
- Shrinking, 431
- Shearing, image, 394
- Sifting property, 6
 - integral, 7
 - property, 6
- Signal-to-noise ratio
 - continuous matched filter, 656
 - definition of, 760
 - discrete matched filter, 662
 - edge, 492
 - Wiener filter power, 340
- Silver halide, 314
- Simultaneous contrast, 32
- Sinc function, 96
- Sine transform, 200
- Singularity operators, 6
- Singular value, 743
- Singular value decomposition (SVD)
 - definition of, 742
 - pseudoinverse, 335
 - texture features, 574
- Six-connectivity, 423
- Skeletonizing, 437, 647
- Skewness, histogram, 539
- Small generating kernel
 - convolution, 241
 - definition of, 170
- Smoothing
 - matrix, 370
 - methods, 370
- SMPTE, *see* Society of Motion Picture and Television Engineers
- SMPTE receiver primary color
 - coordinate system, 67
- Snakes boundary detection, 609
- SNR, *see* Signal-to-noise ratio
- Sobel operator, 476
- Society of Motion Picture and Television Engineers, 67
- Space invariant, 8
- Sparse matrix, 218
- Sparseness index, 200
- Spatial
 - average, 5
 - differentials, 13
 - frequency
 - continuous, 10
 - discrete, 193
 - moments
 - continuous, 631
 - discrete, 633
 - response, 35
 - warping, 400
- Spectral
 - energy distribution, 23
 - factorization, 355, 658
- Speed, film, 317
- Spline fitting, 567
- Split and merge, 592
- Spot
 - definition of, 468
 - detection, 529
 - models, 470
- Spur remove, 428
- Stacking
 - operation, 148
 - operators, 148
- Standard deviation
 - image feature, 537
 - histogram, 539
- Standard
 - illuminants, 65, 69
 - observer, 47
 - primaries, 69
- Static array, 709
- Stationary
 - process, 17
 - strict-sense, 17
 - wide-sense, 17
- Statistical differencing
 - basic method, 288
 - Wallis' method, 289

- Statistical
 - correlation function, 667
 - image representation, 3
 - mask, 669
- Step edge, 465
- Stochastic
 - process, continuous, 15
 - texture fields, 542
- Stretching, contrast, 251
- Structuring element
 - decomposition, 451
 - definition of, 444
- Subtractive color system, 49
- Superposition
 - continuous, 8
 - discrete
 - centered forms, 168, 169, 170
 - circulant, 181
 - finite area, 165
 - left-justified form, 167
 - sampled image, 174
 - series formation, 165
 - transform domain, 220
 - vector space formulation, 171
 - integral, 8
- Surface, image, 638
- SVD, *see* Singular value decomposition (SVD)
- SVD/SGK convolution, 242
- SVD pseudoinverse, 359
- Symmetric region growing, 592
- Template
 - edge detector, 484
 - gradient, 484
 - matching, 651
 - region, 665
- Temporal averaging, 374
- Texture
 - artificial, 545
 - coarseness, 545
 - definition of, 545
 - features, 555
 - natural, 546
 - segmentation, 611
 - visual discrimination of, 547
- Texture features
 - autocorrelation, 556
 - decorrelation methods, 558
 - dependency matrix, 563
 - edge density, 556
 - Fourier spectra, 556
 - Gabor filter, 571
 - microstructure, 566
 - singular value decomposition, 574
 - transform and wavelet, 573
- Texture fields
 - Julesz, 548
 - Pratt, Faugeras and Galalowicz, 551
 - stochastic, 547
- Thickening, 441
- Thinning, 434, 647
- Thinness ratio, 630
- Threshold selection, 486
- Thresholding
 - bi-level, 580
 - Laplacian, 582
 - multilevel, 582
- Time average, 5
- Toeplitz matrix, 155
- Topological attributes, 623
- Trace, matrix, 740
- Transfer function generation, 233
- Transform
 - coefficient features, 542
 - domain
 - convolution, 224
 - processing, 217
 - superposition, 220
- Translation
 - image, 388
 - three-dimensional, 408
- Translational misregistration detection
 - basic correlation method, 665
 - phase correlation method, 671
 - sequential search method, 671
 - statistical correlation method, 667
 - two-state methods, 670
- Transmissive object, 23
- Transmissivity, 23
- Transpose, matrix, 695
- Trend, 209
- Trichromatic theory, 29
- Tridiagonal matrices, 202
- Tri-filter camera, 120
- Tristimulus values
 - calculation of, 57
 - definition of, 50
 - transformation, 61
- Truncated pyramid operator, 480
- Tuple, 705
- Two-dimensional
 - basis function, 192
 - system, 5
- Two's complement, 135

782 INDEX

- Undercolor removal, 75
- Underdetermined
 - equations, 349
 - matrix, 349, 745
 - model, 326
- Undersampled, 95
- Uniform
 - chromaticity scale, 69
 - probability density, 16
 - quantizer, 131
- Union, 424
- Unitary
 - matrix, 191
 - transform
 - definition of, 189
 - series formulation, 189
 - separable, 190
 - vector space formulation, 191
- Unsharp masking, 286
- UVW Uniform Chromaticity Scale color coordinate system, 69
- U*V*W* color coordinate system, 71
- Valley, 594
- Value bounds object, 710
- Variance
 - definition of, 17
 - function, 153
 - Gaussian density, 15
 - matrix, 154
- Vector
 - algebra, 732
 - definition of, 737
 - differentiation, 742
 - inner product, 741
 - median filter, 293
 - norm, 741
 - outer product, 742
 - rank operator, 529
 - space image representation, 147
- Video color spaces, 76
- Vision models
 - color, 39
 - logarithmic, 36
 - monochrome, 33
 - verification of, 55
- Visual phenomena, 29
- Voroni
 - diagram, 626
 - tessellation, 625
- Wallis
 - operator, 282
 - statistical differencing, 282
- Walsh functions, 206
- Warping
 - polynomial, 400
 - spatial, 400
- Watershed
 - definition of, 594
 - segmentation, 593
- Wavelet
 - de-noising, 284
 - first-level Haar, 209
 - matrix, 208
 - transform, 208, 210
- Weber fraction, 30
- Whitened, 663
- Whitening
 - filter, 558, 658
 - matrix, 663, 668
- White reference, 49
- Wide range scaling, 257
- Wiener
 - estimation, 365, 404
 - filter, 338
- Wien's law, 46
- Windowing functions, 235
- Window-level transformation, 249
- Window region, 665
- Within class scatter matrix, 589
- World coordinates, 390
- Wraparound error, 227
- XYZ color coordinate system, 67
- YCbCr CCIR Rec. 601
 - transmission color coordinate system, 82
- YIQ NTSC transmission color coordinate system, 80
- YUV EBU transmission color coordinate system, 81
- Zernike moments, 643
- Zero crossing, 471, 476
- Zero padding, 228
- Zonal filter
 - high-pass, 238
 - low-pass, 237