

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- Absolute/Offset Mode Transform Type-In tool, 25–26, 813–814
- Acquire option for UVW Map gizmo, 402
- active time segments, 630, 632
- adaptive degradation, 659–660
- Add Atmospheric Effect dialog box, 926, 926
- Add Default Lights to Scene command, 332
- Add Effects dialog box, 934
- Add Illumination to a Surface tool, 539
- Add Noise dialog box, 731, 731, 738
- Add Objects option for XRefs, 485
- Add option for XRef Scenes, 498
- Add Point tool
 - for color maps, 464
 - for spline lines, 130
- Add Selection to Current Layer tool, 306
- Add Subpaths option, 384
- Add Zone option, 804
- Adv. Ray Traced settings, 360–362
- advanced lighting
 - material for, 904
 - for radiosity, 533
 - rollout for, 441
- Advanced Lighting Group, 533
- Advanced Lighting Override material, 904
- Advanced Lighting Override rollout, 441
- Advanced Ray Traced options, **360–362**, 360–362
- Advanced Ray Traced Shadow mode, 548
- Advanced Shaders group, 606
- Advanced Shaders rollout, 584
- Advanced tab for file links, **831–832**, 831–832
- AEC (architectural, engineering, construction) objects, 245
 - foliage, **259–261**, 259–261
 - parametric walls, **245–251**, 246–247, 249–251
 - railings, **255–258**, 255–258
 - stair elevations, **251–255**, 252–255
- Affect Indirect Only setting, 558
- Affect Region modifier, 889
- age of plants, 261, 264
- air, Index of Refraction of, 440
- Airbrush tool, **710–713**, 710–712
- Align tool, 325
- alignment and Align Selection dialog box
 - CamPoints, **787–791**, 788–791
 - grids and snaps for, **133–138**, 133–137
 - light sources, **562**, 563
 - lofting roof, 293–295, 294–295
 - objects, **325–326**, 325–327
 - in photon maps, 590, 591
 - towers, 222–223, 222
 - UVW Map gizmo settings, **401–407**, 401–407
 - void wall taper, **193–195**, 194
- All Objects Generate & Receive GI and Caustics option, 592
- All Palettes option, 9
- Allow Upside Down option, 688
- alpha channels for opacity maps, **713–717**, 713–717
- Always option for Terrain, 803
- Ambient color
 - adjusting, 412–413
 - wall material, 392
- ambient/diffuse color maps, **378–379**, 378
- ambient lights
 - controlling, 664–665, 664–665
 - in diffuse color maps, 378–379
 - overview, 330
 - working with, **340–342**, 341–342

- Amount setting for tapers, 74
- Angle Snap Toggle, 771
- Angle Step Threshold setting, 606
- angles
 - bends, 71, 73
 - contours, 606
 - with RPCs, 267
 - splines, 158
 - sun, 517
 - UVW maps, 771
 - views, 40–42, 41, 43
- animations, 617, 667
 - cameras for
 - motion, 619–620, 630–633, 631–633, 636–643, 636–643
 - path, 620–622, 621–622, 634–635, 634–635
 - trajectory, 622–625, 623–624, 634–636, 634–635, 648–651, 649–651
 - cars, 671–675, 672–675
 - color in, 468, 694, 695
 - controllers, 639
 - creating, 667–671, 668–671
 - environments for, 467–472, 468–469, 471–472
 - file names for, 694
 - file output options for, 691–693
 - frames for
 - at beginning of segments, 656–658, 657–658
 - for camera motion, 636–638, 636–638
 - in segments, 629–630, 629–630
 - between selected keys, 655–656
 - keyframes for
 - for camera motion, 638–643, 639–643
 - editing, 634–636, 634–636
 - overview, 626–629, 627–628
 - TCB method, 652–654, 652–654
- Master It exercises, 665–666, 696, 871–878, 873, 876
 - overview, 618–619, 619
 - preview
 - creating, 624–625, 625
 - options, 659–660, 659–660
 - speeding up, 656–657
 - rendering, 656–657, 667–675, 668–675
 - RPCs, 269–271, 270–271
 - speed of, 634
 - time compression and expansion in, 643–648, 644–648
 - time control tools for, 13–14
 - video time in, 617–618
 - walkthroughs for
 - cameras for, 687–689, 688–689
 - paths, 685–687, 685–687, 690–691, 691
- Anisotropic Basic Parameters rollout
 - opacity, 388, 390
 - roughness, 391
- Anisotropic shaders, 414
- anti-aliasing
 - animations, 669
 - mental ray renderer, 601–602
 - supersampling, 441
- apartment building background image, 782, 783
 - adding, 783–784, 783–784
 - Camera Match points for, 785–791, 786–791
 - camera-matched views, 791
 - quality matching, 791–792, 792
 - setting up, 782–783
- AR-B816C pattern, 725, 725
- Arc method for splines, 156
- Arc Rotate tool, 456
- Arc Rotate Selected tool
 - converting splines to meshes, 198, 198
 - tapered walls, 198
 - viewing angle, 40–42
 - viewports, 44, 45
 - void wall tapers, 192, 192

- Arc Rotate Sub-Object tool, 42
- Arc Rotate viewport, 248, 249
- architectural, engineering, construction
 - (AEC) objects, 245
 - foliage, **259–261**, 259–261
 - parametric walls, **245–251**, 246–247, 249–251
 - railings, **255–258**, 255–258
 - stair elevations, **251–255**, 252–255
- Architectural material, 385, 905
 - Physical Qualities rollout, **438–441**, 439
 - Special Effects rollout, **440–441**
 - working with, **437–439**, 438–439
- Area Light Dimensions settings
 - area shadows, 362
 - photometric lights, 547
- Area Light Parameters rollout, 556, 596, 596
- area lights, 550–551, 551
 - for area shadows, 362
 - dimensions of, **555–556**
 - for linear light, 556
 - for photo maps, 596
- area shadows
 - for photometric lights, **545–550**, 545–550
 - for shadow sharpness, **361–362**, 361–362
- Area Shadows rollout, 362, 547
- armatures, spline, 306
 - building, **307–310**, 307–310
 - deforming, **310–314**, 311–314
- arranging furniture, **486–488**, 486–487, **495–499**, 496–498
- Array dialog box, 236–240, 236, 240
- Array Preview tool, 237
- Array Transformation settings, 236
- arrays
 - column grids, **235–239**, 235–238
 - dimensions settings for, 237–238
 - multitransform polar, **239–240**, 239–240
 - transformation settings for, 236
- arrow keys for walk through, 455–456
- articulated luminaires, 560
 - assembling, **571–572**
 - end effector binding for, **570**, 570
 - forward kinematics for, **565**, 565
 - HD Solver for, **569**, 569–570
 - inverse kinematics for, **565–566**, 566
 - joint constraints for, **566–569**, 567–568
 - light source alignment for, **562**, 563
 - merging into scene, **575–576**, 576–577
 - pivot point transforms for, **560–561**, 560–561
 - Schematic View for, **562–564**, 563–565
 - testing, **571**, 571
 - wiring parameters for, **572–575**, 573–575
- artificial lights, **537–539**
 - orange cast with, 342
 - photometric. *See* photometric lights
- aspect ratio
 - animations, 694
 - bitmap images, 180–181, 420, 427
 - montages, 722
 - for photograph boxes, 756
 - UVW Map modifier for, 903
- assemblies for articulated luminaires. *See* articulated luminaires
- assembly heads, 571, 925
- Asset Browser
 - furniture arranging, **486–488**, 486–487
 - importing with, **492–495**, 492–493, 496
 - on Internet, **503–506**, 504–506
- Asset Tracking dialog box, **506–508**, 507–508
- Assign Controller rollout, 652, 675
- Assign Material to Selection tool, 389, 606
- Assign Position Controller dialog box, 653, 653
- Assign Renderer rollout, 582, 582
- Assigning Material dialog box, 606
- associating XRef Scenes, 499
- Atmospheric Apparatus helpers, **925**
- atmospheric effects, **926–930**, 926–929

- Attach tool, 217
 - attaching objects to meshes, **228–230**, 228–230
 - attenuation settings for Omni lights, **349–352**, 350–352
 - Audio Video Interleaved (AVI) files, 500
 - codecs, **695**
 - settings, 626
 - working with, **691**
 - Auto-hide option, 9
 - Auto Key mode
 - animation, 618–619
 - moving car, 672
 - Auto option for camera motion, 633, 633
 - Auto-Rename Merged Material option, 488
 - Auto Secondary effect, 932, 932
 - Auto Smooth option, 233–234, 770, 830, 834
 - AutoCAD and Autodesk applications, **795**
 - File Link Manager for. *See* File Link Manager
 - floors, **816–820**, 817–820
 - glass, **814–816**, 815–816
 - Master It exercises, 843, **881–882**
 - mullion extrusions, **814**, 814
 - for outlines, **723–727**, 723–727
 - plans in
 - importing, **810–811**, 810–811
 - setting up, **804–810**, 805–809
 - Revit files, **839–842**, 840–843
 - topography with splines, **796–804**, 796–804
 - trusses, **837–839**, 837–839
 - updating files, **800–801**
 - wall extrusions, **811–814**, 812–814
 - AutoCAD Color Index (ACI) palette, 281
 - AutoCAD DWG/DXF Import Options dialog box
 - floors, 819–820, 820
 - plans, 810, 810
 - trusses, 838, 838
 - AutoCAD LT, 796
 - Autodesk. *See* AutoCAD and Autodesk applications
 - Autodesk applications
 - AutoGrid option, 161, 163, 256, **924**
 - Automatic Exposure Control, 557
 - Automatic Flatten UVs modifier, 889
 - Automatic option for XRef Scenes, 499
 - Automatic Update option, 485
 - automating multiple still image output, **675–681**, 676–679
 - Average GI Photons per Light setting, 601
 - Avery Aquatic Center, shadows for
 - clones for, **368–370**, 369
 - invisible objects for, **367–368**, 368–369
 - two suns for, **362–366**, 363–366
 - AVI (Audio Video Interleaved) files, 500
 - codecs, **695**
 - settings, 626
 - working with, **691**
 - AVI File Compression Setup dialog box, 670, 670
 - axes
 - lathe, **114–115**, 115
 - in object space, 60
 - orientation, 11
 - Axial Bulge settings, 94
 - Axis Constraints toolbar, 7
- B**
- Backburner utility, **680**
 - background color
 - contours, 605
 - Photoshop, 702
 - background images
 - adjusting, **461–467**, 461–467
 - creating, **458–460**, 459–461
 - in photographs, **782**, 783
 - adding, **783–784**, 783–784
 - Camera Match points, **785–791**, 786–791
 - camera-matched views, **791**

- quality matching, **791–792**, 792
 - setting up, **782–783**
- in tracing, 185
- backgrounds
 - animation, **467–469**, 468
 - contours, 605
 - in DWF files, 509
 - images for. *See* background images
 - montages, 718–720, 718–720
 - photograph boxes, 756–757
 - Photoshop, 702
 - textures, 730–731
- Basic Options settings for shadows, 362
- Basic tab for file links, **830–831**, 830
- beginning of segments, adding frames to, **656–658**, 657–658
- benches, concrete, **745–749**, 746–749
- Bend modifier, **71–73**, 72–73, 77, 889
- Bevel modifier, 164, **889**, 889
- Bevel Profile modifier, **890**, 890
- Bevel Values rollout, 889
- beveling text, **161–165**, 161–166
- Bezier Corner option, 118–120, 120
- Bezier curves, 226
- Bezier Position controller, 649
- Bezier-Smooth handles, 465, 465–466
- Bezier splines, 105, 118–120
- Bezier vertices
 - camera motion, 691
 - tapered walls, 196–197, 197
 - tracing images, 184–185
- Bias settings
 - shadows, 353, 361–362
 - TCB, 654
- BIM (Building Information Modeling)
 - program, 822, 839
- Bind option, 828
- binding
 - end effectors, **570**, 570
 - files, 828
 - XRef Scenes, 499
- binoculars, modifiers for, 76
- Bionatics Normal Map option, 907
- Bitmap option, 743, 908
- Bitmap Fit option, 401
- Bitmap Fit Alignment option, 427
- bitmap images
 - apartment building, 784
 - backgrounds, **459–460**, 460
 - car side, 770
 - colors from, **502–503**, 502–503
 - Displace modifier, 743
 - fitting shapes to, 401
 - map paths to, **383–391**, 384–391
 - materials, 377
 - shadow maps, 355
 - for tracing, 178
 - importing, **178–181**, 179–181
 - process, **184–186**, 184–186
 - scaling, **181–184**, 182–183
- Bitmap Parameters rollout
 - alpha channel images, 717
 - lighting, 611
 - materials, 411
- Bitmap/Photometric Paths utility, 442, 442
- bitmap shapes
 - adjustments for, **427**, 427
 - fitting, 401
- bitmap strength of materials, **408–411**, 408–411
- bitmap texture maps, **377–378**
 - Diffuse Color maps, **378–382**, 378–382
 - surface properties for, **382**, 382
- bleeding color, 595
- Blend material, 905
- Blend to Color Above option, 804
- Blinn Basic Parameters rollout
 - color, 411–412
 - materials, 409, 411
- Blinn shaders, 414
- block node hierarchy, **824–827**, 825–827
- Blowup option, 474, 474

- blue color component for image curves, 466
 - Blur effect, 933, 933
 - blurring shadow edges, **360–361**
 - BMP image files, 692. *See also* bitmap images
 - BnxNormalMapTex option, 908
 - Boole, George, 169
 - Boolean operations
 - closed splines, **148–151**, 148–151
 - roofs, **318–321**, 319–321
 - subtraction guidelines, 193
 - wall openings, **169**, 170
 - border tracing for roofs, **315–318**, 316–318
 - Bottom Offset parameter, 248
 - boundaries
 - railings for, **255–258**, 255–258
 - walls, 805–810, 806
 - Boundary Creation dialog box, 805–810, 806
 - Bounding Box setting, 660
 - bounding boxes, 47
 - Box option, 499
 - Box Selected option, 474
 - Box tool, 756
 - boxes and Box primitives
 - creating, 58, 66, 66
 - mapping, 405, 405, 408
 - for photographs
 - creating, **756–758**, 757–758
 - vertices, **759**, 759–761
 - for XRef Scenes, 499
 - BoxGizmo, 925
 - brackets ([]) for groups, 34
 - brick material
 - diffuse color maps for, 378–379, 378
 - mapping coordinates for, 393, 393, **399–401**, 400
 - options, 402, 402
 - tiling effect for, **402–403**, 402–403
 - Bridge Borders dialog box, 220, 220
 - brightness and Brightness setting
 - dynamic range, 557
 - photometric lights, 545
 - radiosity, 520
 - self-illumination maps for, 380
 - Brightness and Contrast effect, 934
 - Browse Images for Output dialog box, 339, 339, 499–501, 500
 - Brush tool, 707–708
 - Bubble setting, 312
 - buckets in mental ray renderer, 581–582, 581
 - building elevations for AutoCAD, 821
 - Building Information Modeling (BIM)
 - program, 822, 839
 - bulge for cars, **761–768**, 762–768
 - Bump channel in Special Effects rollout, 441, 522
 - bump maps, **380**, 381, **418–419**, 418–419
 - grass material, **418–419**, 419
 - noise for, 749
 - outlines for, **723–727**, 723–727
 - for textures, **723**
 - building, **727–732**, 728–732
 - color in, **736–742**, 736–741
 - irregularities in, **735–737**, 735–737
 - testing, **733–735**, 734
 - Buy Creative texture maps and models, 426
 - By Layer option, 284–285
 - By Object option, 285
- ## C
- Camera Correction modifier, 454, **890–891**, 890
 - Camera Effects rollout, 604, 604
 - Camera Map modifier, **887**, **891**
 - Camera Match helper, 925
 - Camera Match Keyboard Entry rollout, 787
 - Camera Match points
 - adding, **786–787**, 786–787
 - aligning, **787–791**, 788–791
 - Camera Match rollout, 789–790
 - Camera Match tools, 782
 - Camera Match warning message, 788

- cameras, **447**
 - adding, **448–449**, *448–449*
 - for animation
 - motion, **619–620**, **630–633**, *631–633*, **636–643**, *636–643*
 - paths, **620–622**, *621–622*, *634–635*, *634–635*
 - trajectory, **622–625**, *623–624*, *634–636*, *634–635*, **648–651**, *649–651*
 - walkthroughs, **687–689**, *688–689*
 - CamPoints, **925**
 - adding, **786–787**, *786–787*
 - aligning, **787–791**, *788–791*
 - cost, **454**
 - for DWF files, **510**
 - for elevations, **676–681**, *676–679*
 - location, **450–451**, *452*
 - panning, **454**
 - rotating, **450**, **456–457**
 - shortcut keys, **450**
 - targets, **448–451**, *448*
 - location, **450–451**, *452*
 - moving through time, **660–661**, *661*
 - Viewport tools, **452–457**, *453*
 - in walkthrough scenes, **455–456**
 - zooming, **452–453**, *453*
- CamPoint Info rollout, **788**, *788*
- CamPoints, **925**
 - adding, **786–787**, *786–787*
 - aligning, **787–791**, *788–791*
- candelas measurement unit, **554–555**
- Canopy mode geometry, **261**
- Cap Closed Objects option, **830**
- Cap Holes modifier, **891**
- cars, **755**
 - for animations, **671–675**, *672–675*
 - boxes for
 - creating, **756–758**, *756–758*
 - vertices, **759**, *759–761*
 - curvature for, **761–768**, *762–768*
 - in entourage material. *See* entourage material and objects
 - mesh editing for, **755**
 - in montages, **722**
 - in photographs
 - front, **774–779**, *774–779*
 - mesh smoothing, **779–781**, *780–782*
 - side, **770–771**, *770–771*
 - UVW Mapping modifier for, **771–774**, *772–774*
 - wheel wells, **771**, *771*
 - surface smoothing, **769–770**
- cascading menus, **4**
- caustics, **588**, **595–599**, *595–599*, **602**
- Caustics and Global Illumination (GI)
 - rollout, **592**
- ceilings
 - vaulted, **214–220**, *215–220*
 - for walls, **151–155**, *152–155*
- Cellular maps, **908**
- Center option
 - alignment, **325–326**
 - bends, **73**
 - outlines, **127**
 - UVW Map gizmo, **401**
- chain-link fences, **733**
- chairs, **488–490**, *489–490*
- chamfer cylinders, **92**
- ChamferBox tool, **92**, *94–95*
- Channel method, **159**
- channels
 - opacity maps, **713–717**, *713–717*
 - in Rendered Frame Window, **502**
 - splines, **159**
- Channels palette, **714**, *714*
- Chapel at Ronchamp, **178**, *179*
 - bitmap images
 - importing, **178–181**, *179–181*
 - scaling, **181–184**, *182–183*
 - tracing, **184–186**, *184–186*

- ceilings, **214–220**, 215–220
- layers, **278–285**, 278–285
- naming objects, **273–277**, 274–276
- roofs
 - Boolean functions, **318–321**, 319–321
 - border tracing, **315–318**, 316–318
 - combining, **320–321**, 320–321
 - lofting. *See* lofting roofs
 - shells from surfaces, **314–315**, 314–315
 - surfaces from splines, **306–314**, 306–314
- walls
 - attaching to meshes, **228–230**, 228–230
 - converting meshes to splines, **203–205**, 203–205
 - converting splines to meshes, **198–201**, 199–201
 - flattening, **206–207**, 206–207
 - meshes, **195–198**, 196–198
 - miscellaneous, **224–228**, 224–225, 227
 - smoothing meshes, **230–235**, 231–235
 - tapering, **191–198**, 192–194, 196–198, **208–209**, 208
 - tower, **211–214**, 211–214, **221–223**, 221–224
 - user grids, **210–211**, 210–211
 - vertices, **202–203**, 202–203
 - void, **190–194**, 190–194
- character animators, 618
- Chartered Institution of Building Services Engineers (CIBSE), 552
- Check Boxes controls, 440
- checker diffuse color maps, 415
- Checker maps, 908
- Choose a New Asset Path dialog box, 507, 508
- Choose New External Files Path dialog box, 384, 384
- Choose Renderer dialog box, 583, 583
- Chop option for spheres, 60
- CIBSE (Chartered Institution of Building Services Engineers), 552
- .cin files, 692
- Cinepak codec, 695
- Circle method for splines, 156
- circular actions, 20
- claymation, 617
- Clean MultiMaterial utility, 442, 443
- Clone Rendered Frame Window tool, 502
- clones and Clone Options dialog box
 - with arrays, **235–240**, 235–240
 - instance
 - ceilings, **214–220**, 215–220
 - creating, **80–82**, 81–82
 - walls, **209–214**, 210–214, **221–228**, 221–225, 227
 - lofting roof paths, **303–306**, 303–306
 - modifier, **89–91**, 89–91
 - objects, **28–30**, 28
 - Omni lights, 344, 344
 - reference, **82–84**, 82–84
 - shadows, **368–370**, 369
 - Snapshot for, **241–242**, 241–242, 751–753
 - sun, 365
 - unique, **88–89**, 88
 - walls, 172, 187, 814
- closed splines
 - converting, 820
 - joining, **148–151**, 148–151
 - in plans, 806
- clouds in wind, 471
- cloudy skies, **469–472**, 469, 471–472
- codecs
 - AVI, **695**
 - selecting, 691
- collapsing editable splines, **160**
- color
 - ambient light, 341–342, 345
 - animation backgrounds, 468

- background images, 792
- bleeding, 595
- contours, 605
- daylight, 517
- Diffuse Color maps, **378–382**, 378–382
- dynamic range, 558
- from external bitmap files, **502–503**, 502–503
- file output options, 692–693
- glass, 385
- layers, **280–285**, 281–282, 285
- materials, **411–413**, 411–413
- MOV files, 671
- Omni lights, 345
- Opacity maps, 420, **709–710**, 710
- photometric lights, 540–541, **554–555**
- Photoshop, 702, **705–706**, 705–706
- radiosity, 520
- reflectivity, 522, 522
- sky, 609
- spotlights, 335, 335
- terrain, 800, 800
- textures, 734, **736–742**, 736–741
- true vs. 256 color, **694**, 695
- wall materials, **391–392**, 392
- Color Balance effect, 934
- color banding, 694, 695
- Color by Elevation rollout, 799, **802–804**, 804
- Color Clipboard utility, 443, 443
- Color Contrast Contours option, 606
- Color Correction setting, 558
- color depth, 671
- Color Map graph, 464, 464
- Color Picker dialog box, 739–740, 740
- Color property, 283
- Color Range dialog box, 705–706, 705, 722
- Color Selector dialog box
 - ambient light, 341, 341, 345
 - animation backgrounds, 468
 - contours, 605
 - daylight, 517
 - materials, 411–412, 411
 - spotlights, 335–336, 335
 - terrain, 800, 800
 - textures, 734
 - wall material, 391–392
- color temperature, 541, **554–555**
- column grids, arrays for, **235–239**, 235–238
- Combine XRef Records option, 485
- combining
 - photographs, **880–881**
 - primitive splines, **142–148**, 144–148
 - roofs, **320–321**, 320–321
 - XRef records, 485
- Combustion maps, 908
- Combustion software, 476
- command panel
 - for modifiers, 69–71
 - for parameters, 64
 - for primitives, 57
 - tabs, **15**
- Common tab for mental ray renderer, 582
- Compare window for lofting, 295–296, 295–296, 299–301, 299–300
- comparing files, **502**
- Compass helpers, 925
- compass rose orientation, 682
- complexity, XRefs for, 480
- Composite maps, 908
- Composite materials, 905
- compositing, render elements for, **474–477**, 474–477
- compression
 - for animations
 - files, 670–671, 670
 - time, **643–648**, 644–648
 - AVI codecs for, **695**
 - file output, 691
- Compression Settings dialog box, 671, 671

- concrete landscaping benches, **745–749**,
746–749
- cones, creating, 67–68, 67
- Configure User Paths dialog box, 383–385,
384, 508
- Connect tool, 563–564, 564
- Constant Velocity option, 636
- constraining
 - animations, 685–687
 - articulated luminaires, **566–569**,
567–568
 - lines, **108–109**
 - motion, **23**
- Constraints toolbar, 22–23
- Continuity setting option, 654
- Contour Contrast Function Levels (contour)
Parameters rollout, 606
- Contour Only (contour) Parameters
rollout, 605
- Contour Only (contour) shader, 605
- Contour Output channel, 604–605
- contours, 797–798, 797–798
 - mental ray renderer for, **603–607**,
604–607
 - Terrain for, **801–804**, 801–804
 - updating, **800–801**, 801
- contrast
 - background images, 792
 - dynamic range, 557
- Contrast Function Levels (contour)
shader, 605
- Control Parameters rollout, 515
- control vertices, 917–918, 917–918
- Convert Selected option, 498
- Convert Selected Object(s) to XRefs
option, 485
- Convert Surface dialog box, 919, 919
- Convert to Editable Poly command, 199,
217–218, 231
- Convert to Editable Spline option, 160
- converting
 - closed splines, 820
 - displacement maps to editable meshes,
749–750, 750
 - meshes to splines, **203–205**, 203–205
 - planes to editable patches, **913–914**,
913–914
 - primitives to editable patches, **914–915**,
914–916
 - splines to meshes, **198–201**, 199–201
- coordinate readout
 - straight-line segments, 107–108
 - walls, 813
- coordinates, **60**
 - alpha channel images, 715
 - background images, 462–463
 - grids, 133
 - mapping. *See* maps and mapping
 - spline lines, 130
 - splines, 129
 - text, 164
 - tiling, 407
- Copy Connect tool, **309–310**
- Copy CurvePoints option, 466
- Copy or Swap Colors dialog box, 413, 413
- copying. *See also* clones and Clone Options
dialog box
 - color settings, **412–413**, 412–413
 - objects, **28–29**, 28
- corner marks, 22
- corner points for curved splines, 111, 112
- corners, spline, **117–120**, 117–120
- couches
 - groups for, **98–102**, 98–102
 - importing, **479–484**, 480–483
 - modeling, **92–98**, 92–98
- courtyard rendering, **343–345**, 343–346
- Create Assembly dialog box, 571–572, 571
- Create Helper at Drawing Origin option, 832
- Create Key dialog box, 628, 628

Create New Layer (Containing Selected Objects) option, 278
Create New Set tool, 37
Create One Scene Object for Each ADT Object option, 832
Create tab in Command Panel, 15
Create XRef Record from File option, 485
Creation Method rollout
 cubes, 21
 lines, 111
 lofting, 292, 298, 300
Crop option, 474, 474
Crop Selected option, 474
Cross Billboard method, 262–263, 263, 267
Cross Section tool, 307–309, 307–310
Crossing Selection method, 32, 200
crossing windows, 31
CrossSection modifier, 891, 892
Ctrl key in selections, 32, 32
Current Camera Error message, 789
curvature for cars, 761–768, 762–768
Curve Steps option, 830
curves and Curve Editor
 adding frames, 658
 background images, 465–466
 camera motion, 639, 641
 camera trajectory, 648–652, 649
 drawing, 109–111, 110
 lights, 663
 NURBS, 916–918, 916–918
 tapers, 74
 time, 643–648, 645–647
Custom Maps folder, 383
Custom option for camera motion, 633, 633
Custom Section Types section, 324
Custom tangent option, 651, 651
Custom UI, 52–55, 52–55
Custom UI and Defaults Switcher dialog box, 52–55, 352

Customize User Interface dialog box, 54–55, 54
Cutout channel, 441
CV Curve option, 916–917, 917
CylGizmo, 925
cylinder area lights, 596
cylinders, 92
 concrete landscaping bench, 746–749, 746–749
 creating, 66, 66
cylindrical maps
 background images, 462–463
 purpose, 403, 404

D

Danish Illuminating Laboratory (LTLI), 552
data flow for objects, 78–80
date setting, 515–516, 516
Daylight Environment, 334
Daylight Parameters rollout
 photometric lights, 544
 sun, 683
Daylight System, 513–517, 514–518
Daylight system tool, 681
Default Scanline Renderer
 ambient light, 341
 faking radiosity, 342
defaults
 camera focal length, 449
 EASYNat, 263
 lights, 332
 shadow settings, 352
Defaults Switcher, 52–55
deformations
 armatures, 310–314, 311–314
 NURBS, 919
degradation, adaptive, 659–660
Delete XRef Entity option, 485
Delete Zone option, 804
DeleteMesh modifier, 892

- DeletePatch modifier, **893**
- DeleteSpline modifier, **893**
- Dent maps, **908**
- depth
 - displacement maps, **749**
 - walls, **250, 250**
- Depth of Field effect, **934, 934**
- Depth of Field Parameters rollout, **17–18**
- Derive AutoCAD Primitives By option, **831**
- Desaturate Low Levels setting, **558**
- DesignVIZ settings, **52–53**
- Detach dialog box, **230, 230**
- diamonds, Index of Refraction of, **440**
- Diffuse Color channel, **494**
- Diffuse Color Map option, **470**
- Diffuse Color setting, **522**
- Diffuse Map control, **439**
- diffuse maps, **265**
 - Architectural material, **439**
 - Diffuse Color maps, **378–382, 378–382, 421–422**
- direct illumination, **588**
- Direct3D driver technology, **659**
- direction
 - bends, **73, 73**
 - lights, **337, 551–554, 552–553**
- Directional Parameters rollout, **337**
- disassembling groups, **101–102, 102**
- Disp Approx modifier, **893**
- Displace modifier, **742–745, 742, 893**
- Displace Mesh (WSM) modifier, **750–751, 887**
- Displace NURBS modifier, **887**
- Displacement Approx modifier, **747**
- Displacement Approx. rollout, **750**
- Displacement channels, **441**
- displacement maps, **382, 742, 742**
 - Displace modifier for, **742–745, 743–745, 893**
 - editable meshes from, **749–752, 750–752**
 - Material Editor for, **745–749, 746–749**
 - for terrains, **796, 796**
- Display Background option, **185, 461**
- Display Color rollout, **811**
- Display Floater command, **171**
- Display group for Terrain, **803**
- Display Options option, **499**
- Display Properties rollout, **624**
- Display Radiosity in Viewport option, **519–520**
- Display Subtree option, **570**
- Display tab in Command Panel, **15**
- Display Unit Scale setting, **518**
- Display/Update rollout, **176–178**
- distortion, bitmap shape adjustments for, **427, 427**
- distribution of photometric lights, **551–554, 552–553**
- Divide tool, **307–308**
- docked toolbars, **6–8, 7, 9**
- Dolly Camera tool, **452–453**
- Dolly Target tool, **453**
- domes, **469–472, 469, 471–472**
- Donut splines, **114, 157**
- doors in walls, **248–251, 249–251**
- Dope Sheets
 - adding frames, **656–657**
 - camera motion, **639–642, 639, 641–643**
 - frame numbers, **655**
 - lights, **662, 664–665**
 - time, **643**
- Double Sided material, **905**
- Draft Mode (No Precalculations) option, **601–602, 609**
- drawer pulls, **76**
- drawing
 - contours, **797–798, 797–798**
 - Terrain for, **801–804, 801–804**
 - updating, **800–801, 801**
 - curves, **109–111, 110**
 - with splines, **106–107**
 - straight-line segments, **107–108, 107–108**

- Drawing Web Format (DWF) files, **508–510**, 509–511
 - dual-screen systems, 6
 - Dummy helpers, **922–923**
 - Duplicate Material Name dialog box, 491, 491, 494
 - DVDs for animations, 695
 - DWF (Drawing Web Format) files, **508–510**, 509–511
 - DWF Publish Options dialog box, 508, 509
 - DWG files, 797, 822
 - DWG Files dialog box, 822
 - DXF files, 797
 - dynamic range in radiosity, **556–560**, 556–559
- E**
- Ease Curve
 - frame numbers, 655–656
 - time, 644–648, 644, 646–647
 - Ease From setting, 653–654
 - Ease To setting, 653–654
 - EASYNat Parameters rollout, 262
 - EASYNat plug-in for trees, 259
 - creating, **261–265**, 262–265
 - modifying, **264–265**, 264–265
 - Edged Faces option
 - boxes, 70
 - doors, 251
 - viewports, 47
 - edges
 - mesh, **199–201**, 199–201
 - roof, **286–291**, 286–291
 - shadows, **354–355**, 354, **360–361**
 - softening, **710–713**, 710–712
 - Edit Elements rollout, 470
 - Edit Geometry rollout, 207, 228–229
 - Edit Mesh modifier, 893
 - Edit Patch modifier, 893
 - Edit Poly modifier, **209**, 228, 758, 893
 - Edit Segment rollout, 248
 - Edit Spline modifier, **893–894**
 - editable meshes
 - from displacement maps, **749–752**, 750–752
 - sub-materials for, 433
 - editable patches, converting
 - planes into, **913–914**, 913–914
 - primitives into, **914–915**, 914–916
 - editable polys, 195, **226**, 470
 - Editable Spline modifier, 815
 - editable splines, 306–307
 - editing
 - keyframes, **634–636**, 634–636
 - lights, **334–336**, 334–336
 - meshes
 - curvature, **761–768**, 762–768
 - forms for, **756–758**, 756–758
 - with photographs, **755**
 - smoothing, **769–770**
 - vertices for, **759**, 759–761
 - named selection sets, **35–37**, 36–37
 - paths, **303–306**, 303–306
 - selection sets, **35–37**, 36–37
 - splines, **159–160**, 159–160
 - trees and plants, **264–265**, 264–265
 - effects, **926**
 - atmospheric, **926–930**, 926–929
 - rendering, **930–935**
 - elements
 - for compositing, **474–477**, 474–477
 - for radiosity mesh, 525
 - elevations
 - AutoCAD, 821
 - cameras for, **676–681**, 676–679
 - stairs for, **251–255**, 252–255
 - elevators, 251–252
 - Ellipse method, 157
 - Email Notifications rollout, 681, 681
 - Enable Airbrush tool, 736
 - Enable Color Map option, 463

- Enable in Renderer option, 833
- Enable in Viewport option, 834
- Enable mental ray Extensions option, 582
- Enable Notifications option, 681
- Enabled option
 - XRef Scenes, 499
 - XRefs, 485
- Encapsulated PostScript file type, 500, 692
- end effector binding, **570**, 570
- ends of segments, adding frames to, **636–638**, 636–638
- Energy multipliers, 597
- entourage material and objects, 245, **420**
 - bitmap shape adjustments for, **427**, 427
 - foliage, **259–261**, 259–261
 - Master It exercises, 271–272, **854–856**, 855–856
 - in montages, 722, 723
 - Opacity maps for, **420–426**, 420–426
 - people, **268–271**, 269–271
 - plants and trees
 - creating, **261–265**, 262–265
 - modifying, **264–265**, 264–265
 - for still images, 681
- Environment and Effects dialog box
 - ambient light, 341, 341
 - animation backgrounds, 467, 467
 - apartment building, 785
 - background images, 459–460, 459, 792, 792
 - daylight, 517, 517
 - dynamic range, 556–558, 557
 - Fire effect, 927
 - Fog effect, 928–929
 - radiosity, 519–520
 - radiosity mesh, 528
 - reflectivity, 523
 - rendering, 930–931, 930
 - scene states, 373, 373
 - skylight, 611–612, 611
- Environment Map for background images, 459
- environments
 - animations, **467–472**, 468–469, 471–472
 - background image adjustments, **461–467**, 461–467
 - creating, **458–460**, 459–461
- escalators, 251–252
- Euler XYZ controller, 675
- Every Nth Frame setting, 657, 670
- Exclude/Include dialog box
 - animation backgrounds, 472
 - highlights, 348, 349
 - shadows, 364–365
- .exi files, 693
- expanding time in animation, **643–648**, 644–648
- Export dialog box, 841, 841
- exporting Revit files, **840–841**, 840–841
- Exposure Control rollout
 - daylight, 517
 - dynamic range, 557
 - radiosity, 520
- extended primitives, **91–98**, 91–98
- extended spline types, **158–159**
- Exterior Daylight setting, 558
- external bitmap files, colors from, **502–503**, 502–503
- Extras toolbar, 7–8, 8
- Extrude modifier
 - purpose, 894
 - for text, 164
 - for walls, 225, 813
- extruded splines, 105
- extruding
 - mullions, **814**, 814
 - primitive splines, **142–148**, 144–148
 - Sweep Modifier for, **322–324**, 322–324
 - text, 164
 - walls, 225, **811–814**, 812–814
- Eyedropper tool, 701–702, 702
- eyes, dynamic range of, 556

F

- Face Extrude modifier, **894**
- Face Map shaders, 414
- face mapping, 406, 406
- Faceted shaders, 414
- faking radiosity, **342–345**, 343–346
- Falloff/Field setting, 334, 337, 337
- Falloff maps, 908
- Falloff setting, 312
- Far Attenuation End setting, 350–351, 350–351
- Far Attenuation Start setting, 350–351, 350–351
- farming, render, 603
- Fast option for camera motion, 633, 633
- Favorite Plants rollout, 260
- feet, 59
- Fence Selection Region tool, 766, 766–767
- fences, creating, **733**
- Fetch command, 77–78
- FFD modifier, **894–895**, 894–895
- FG (final gathering), **600–603**, 601–603, 609–610
- field of view, 40–42, 449, **452–453**, 453
- File Link Manager, **821–831**, 821–822
 - Attach tab, 797–798, 797, **827–828**
 - block node hierarchy, **824–827**, 825–827
 - editing linked AutoCAD files, **823–824**, 823
 - exported Revit files, 842, 842
 - Files tab, **828–829**
 - linked geometry, **834–836**, 834–836
 - Presets tab, **829**
 - settings for, **829–834**
 - updating files, 800–801
- File Link Settings dialog box, **829**
 - Advanced tab, **831–832**, 831–832
 - Basic tab, **830–831**, 830
 - Spline Rendering tab, **833–834**, 833
 - updating files, 801
- File Load: Units Mismatch dialog box, 331, 331, 342
- file names in animations, **694**
- File Output effect, **935**
- files
 - bitmap. *See* bitmap images
 - comparing, **502**
 - externally referenced. *See* XRefs
 - file types for, **499–501**
 - Master It exercises, 510–511, 511, **866–867**
- Files tab in File Link Manager, **828–829**
- Fillet/Chamfer modifier, 895
- Fillet parameter, 92
- Fillet tool, 146–147
- Film Grain effect
 - background images, 792
 - purpose, 935
- filter color maps, 380
- Filter Radius setting, 537
- filters
 - radiosity, 529, 537
 - textures, 727, 731
- Final Gathering (FG), **600–603**, 601–603, 609–610
- Fire effect, **926–927**, 927
- Fisheye camera lenses, 463
- Fit option for UVW Map gizmo, 401
- Fit on Screen option, 704, 708, 728, 732
- Fix Ambient utility, 443, 444
- FK (forward kinematics), **565**, 565
- Flat Mirror maps, 908–909
- flattening surfaces, **206–207**, 206–207
- flicker, 671
- flicker fusion, 617
- Flip option for symmetry, 765
- Flip Hinge option, 250
- Flip Normals option, 313
- Flip Swing option, 250
- flipbooks, 617–618
- flipping surface normals, **116–117**, 116
- floating command panel, 15

floating toolbars, 3, 6–8
 floors, **816–820**, 817–820
 fluorescent tubes, 550
 flyouts, 8–9
 focal length for cameras, 449
 Fog effects, **927–929**, 928–929
 foliage, **259–261**, 259–261, 427. *See also*
 entourage material and objects
 Follow rollout, 687–688
 fonts, 751
 foregrounds
 montages, **720–722**, 721–723
 Photoshop, 702
 textures, 732
 Form settings for Terrain, 803
 forward kinematics (FK), **565**, 565
 FOV setting, 449, 677
 frames
 in animation, 618
 at beginning of segments, **656–658**,
 657–658
 for camera motion, **636–638**,
 636–638
 for segments, **629–630**, 629–630
 between selected keys, **655–656**
 in buckets, 581
 keyframes. *See* keyframes
 in rendering, 338–340
 free cameras, 450
 Free Form Deformation modifiers, **894–895**,
 894–895
 Free lights, 330–331
 Direct lights, 330, 336
 point lights, 550
 Spot lights, 330
 free motion plane, 23
 Free Point options, 540
 Free Transform option, 719–720
 freezing layers, 818
 Front viewport, 49–50

furniture
 arranging, **486–488**, 486–487, **495–499**,
 496–498
 substitute modifier for, **834–836**, 834–836
 XRefs for, **479–484**, 480–483

Fuzziness setting
 montages, 722
 tree maps, 706

G

Generate Cross Billboard option, 262
 Generate Full Geometry option, 264
 Generate Global Illumination option, 592
 Generate Mapping Coords option,
 408, 834
 generic lights, **543**
 Gengon object, 91
 Geographic Location dialog box, 515, 515
 Geometry rollout
 lofts, 293
 outlines, 187–188
 splines, 128, 145, 147–148, 152
 tangent handles, 122
 thickness, 125, 131
 geospheres, **66**, 66
 Get Location tool, 515
 Get Material tool
 animation backgrounds, 468
 background images, 461
 Get Path option, 292, 294
 Get Shape tool, 294, 298, 300
 GI (global illumination), 513
 indirect illumination, 588
 skylight, **607–612**, 608–612
 GIF image files, 692
 Gizmo option for bends, 73
 glass
 adding, **814–816**, 815–816
 highlights on, 347–348, 348
 Index of Refraction of, 440

- material for, **385–390**, 389–390
- ray tracing reflection and refraction for, **428–429**, 429
- global illumination (GI), 513
 - indirect illumination, 588
 - skylight, **607–612**, 608–612
- global lighting, 330
- Global Multipliers settings, 597
- Glossiness maps, 379
- Glow effect, 931, 931
- Go to End button, 659, 659
- Go to Parent tool, 421, 715
- Go to Start button, 659, 659
- Go to Time button, 622
- gobo lights, 368
- goniometric diagrams, 552
- Graded Solid option, 803
- Graded Surface option, 803
- gradient color, 693
- Gradient maps, 909
- Gradient Parameters rollout, 468
- Gradient Ramp maps, 909
- Gradient tool, 732
- gradients
 - animation backgrounds, 467–468
 - textures, 732
- graph editor tools, 5
- grass material
 - bitmap strength, **408–411**, 408–411
 - bump maps, **418–419**, 419
 - mapping coordinates, **393–401**, 397, 399
 - options, 402, 402
 - tiling effect, 402–403
- green component for image curves, 466
- Grid helpers, **923–924**
- Grid panel, 14
- grids and Grid and Snap Settings dialog box, 134, 134
 - aligning objects, **133–138**, 133–137
 - bitmap image scaling, 182, 182

- border tracing, 316–317, 317
- CamPoints, 785
- combining splines, 142
- curved splines, 111, 112
- line segments, 137
- moving meshes, 202
- plan tracing, **210–211**, 210–211
- settings, 139
- in viewports, 11, 60
- wall void, 189
- Ground-Grass Diffuse Color bitmap, 467
- Ground-Grass material
 - bitmap strength, **408–411**, 408–411
 - bump maps, **418–419**, 419
 - mapping coordinates, **393–401**, 397, 399
 - options, 402, 402
 - tiling effect, 402–403
- groups and Group dialog box, **98**
 - couch components, **98**, 98–99
 - disassembling, **101–102**, 102
 - materials, **430–433**, 431–433
 - in selections, 33
 - shadows, 369–370
 - smoothing, 769–770
 - working within, 99–101, 100–101

H

- halogen lamps, **555**
- handrails, **254**
- Hatch and Gradient dialog box, 725–726, 725
- Hatch Pattern palette, 725
- HD (History Dependent) Solver, **569**, 569–570
- HDRI (High Dynamic Range Images)
 - purpose, 693
 - support, 501
 - working with, **613–614**, 613
- HDRShop site, 614
- HDRView site, 614
- Head Tilt Angle option, 688

headlights for car, **778–779**, 778–779
 heads, assembly, 571, 925
 hedra objects, 91
 height and Height setting
 boxes, 70
 objects, 19–20
 Photoshop, 709
 UVW Map gizmo, 406
 Height Segs setting, 70, 72
 Helix method for splines, 158
 Helix spline primitives, 105
 helpers, **921**
 assembly heads, 925
 Atmospheric Apparatus, 925
 Camera Match, 925
 adding, **786–787**, 786–787
 aligning, **787–791**, 788–791
 RPC, 925
 standard, **921–924**
 hemispheres
 cloudy skies, **469–472**, 469, 471–472
 spheres, 60
 Hide Unselected option, 785
 hiding
 Command Panel, 15
 entourage material, **420–426**, 420–426
 shapes, **170–171**, 171
 Hierarchical Subdivision Surfaces (HSDS)
 modifier, 895
 Hierarchy tab in Command Panel, 15
 High Dynamic Range Images (HDRI)
 purpose, 693
 support, 501
 working with, **613–614**, 613
 high-pressure sodium vapor lamps, **555**
 high-quality image files, 691
 Highlight Selected Objects' XRef Records
 option, 485
 highlights, Omni lights for, **346–348**, 346–349

History Dependent (HD) Solver, **569**,
 569–570
 History palette, 711
 Hold command, 77–78
 Horizontal settings for Terrain, 803
 horizontally constrained lines, **108–109**
 Hotspot/Beam setting, 334, 337, 337
 Hours parameter, 682
 HSDS (Hierarchical Subdivision Surfaces)
 modifier, 895
 HSV light source, 335
 Hue setting, 468

I

i-drop catalog, 504, 505
 IBL (Image-Based Lighting), **610–612**,
 611–612
 .icb files, 692
 IES (Illuminating Engineering Society),
 513, 552
 IES Sky, 513
 IES Sun, 513
 moving, 516, 516
 standard light from, **683–685**,
 683–684
 Ignore option for XRef Scenes, 499
 Ignore Backfacing option, 759–760
 Ignore Background option, 792
 IK (inverse kinematics), **565–566**, 566
 IK Controller Parameters rollout, 570
 illuminance in dynamic range, 559
 Illuminating Engineering Society (IES),
 513, 552
 illumination. *See* lights and lighting
 Image-Based Lighting (IBL), **610–612**,
 611–612
 image-editing programs. *See* Photoshop
 Image Size dialog box, 790
 Image Size Width setting, 709

- images
 - alpha channels for, **713–717**, *713–717*
 - background. *See* background images
 - bitmap. *See* bitmap images
 - printing, **501**
 - size and resolution, **694–695**, *694*
- immersive environments, **467–472**, *468–469*, *471–472*
- importing
 - with Asset Browser, **492–495**, *492–493*, *496*
 - AutoCAD plans, **810–811**, *810–811*
 - objects. *See* XRefs
 - options, **484**
 - photometric lights, **543–545**, *543–545*
 - Revit files, **839–842**, *840–843*
 - trusses, **837–839**, *837–839*
- in-betweens, **618**
- incandescent lightbulbs
 - free point lights as, **550**
 - intensity, **554–555**
 - Omni lights as, **330**
- inches, **59**
- Include All option, **485**
- Include Group option, **830**
- incremental values for clones, **236**
- Index of Refraction control, **440**
- indirect illumination
 - caustic, **597–600**, *597*
 - mental ray renderer, **591–592**
 - overview, **587–588**
- Indirect Illumination tab, **583**, **591**, **600**, **602**, **609**
- Initial Quality setting, **527**
- inserting modifiers, **75–76**, *75*
- instance clones
 - for ceilings, **214–220**, *215–220*
 - creating, **80–82**, *81–82*
 - for walls, **209–214**, *210–214*, **221–228**, *221–225*, *227*
- Instance (Copy) Map dialog box
 - alpha channel images, **716**
 - contours, **605**, *605*
 - lighting, **611**
- Instance Duplicate Maps utility, **443**, *443*
- integrating Autodesk products, **795–796**
- Intel Indeo codec, **695**
- Intel Indeo RAW codec, **695**
- Intensity channel, **441**
- Intensity/Color/Attenuation rollout
 - photon maps, **597**
 - skylight, **471**
 - spotlights, **334**
- Intensity/Color/Distribution rollout
 - light sources, **562**
 - photometric lights, **540–542**, *552–553*
- intensity of photometric lights, **541**, **554–555**
- Interactive Viewport Renderer (IVR)
 - animation backgrounds, **472**
 - preview animation, **625**
 - textures, **435**
- interior views, **457–458**, *457–459*
- Internet, Asset Browser on, **503–506**, *504–506*
- Interpolation rollout, **156**
- Intersection operations
 - roofs, **318–319**
 - shapes, **169**, *170*
 - splines, **149**, *151*
- inverse kinematics (IK), **565–566**, *566*
- invisible objects for shadows, **367–368**, *368–369*
- irregularities in textures, **735–737**, *735–737*
- Isolate Selection option, **248**
- Isolated Selection dialog box, **192–193**
- isometric projections, **45**
- Isotropic distribution of photometric lights, **551–552**, *552*
- IVR (Interactive Viewport Renderer)
 - animation backgrounds, **472**
 - preview animation, **625**
 - textures, **435**

J

jagged shadow edges, 356, 356
 Jitter Amount setting, 361
 joining
 closed splines, **148–151**, 148–151
 shapes, 169, 170
 joint constraints for articulated luminaires,
566–569, 567–568
 Joint Photographic Experts Group (JPEG)
 files, 500, 692
 JPEG Image Control dialog box, 534, 534

K

Keep Old Material as Sub-Material? option,
 432, 775
 key animators, 618
 Key Info rollouts
 camera motion, 630–632
 camera targets, 661
 keyframes, 627, 636–637
 rotation, 675
 TCB method, 653
 key window for camera motion, 639–640
 keyable tracks, 642
 Keyboard Entry rollout
 extended primitives, 93, 95
 spline lines, 130
 Keyframe Every Nth Frames setting, 691
 keyframes, 617
 in animation, 618
 for camera motion, **638–643**, 639–643
 editing, **634–636**, 634–636
 overview, **626–629**, 627–628
 TCB method, **652–654**, 652–654
 for camera, 622–623
 keys
 animation, 13, 618
 camera, 622
 kinematic chains, 565
 Kodak Cineon file type, 500, 692

L

Large Icons option, 2
 Lasso tool, **703–704**, 703–705
 Lasso Selection Region tool, 200, 200
 Lasso selection regions, 33, 33
 Last Used Settings option, 827–828
 Lathe modifier, 111–113, 214–215,
 216, 895
 lathed splines, 105, **111–113**, 112, 115
 Latitude setting, 515
 Lattice modifier, 89–90, 89, **896**, 896
 Layer Color dialog box, 281, 281
 Layer dialog box, 278–281, 278, 525
 Layer Manager, 5
 Layer Manager dialog box
 floors, 816
 radiosity mesh, 525–526
 Layer Visibility setting, 730
 Layered Fog option, 928
 Layered Solid option, 801–802, 801
 layers, **278**
 assigning objects to, **279–280**
 color of, **280–285**, 281–282, 285
 file links for, 822–823
 freezing, 818
 setting up, **278–279**, 278
 for visibility, **283–284**, 283–284
 for walls, 808
 Layers toolbar, 6–7, 7
 layouts for viewports, 47–50, 48–50
 Leaf Parameters rollout, 251
 leaking, light, 353
 length and Length option, 70
 boxes, 70
 objects, 20
 UVW Map gizmo, 406
 wall openings, 172
 Length Segs option, 70
 Lens Effects, **930–933**, 931–933
 Lens setting, 449

- libraries
 - font, 751
 - material, 377, **383**, 392–393
 - shader, 586
- Light Falloff tool, 591
- Light Hotspot tool, 590
- light leaking, 353
- Light Lister
 - photometric lights, 546–547, 547
 - working with, 370–372, 370–372
- light maps, 587
- Light Painting rollout, 538–539
- light probes, 614
- light sources
 - for daylight, 513–514
 - for mental ray renderer, 588, 595–596
- lightbulbs
 - free point lights as, 550
 - intensity, 554–555
 - Omni lights as, 330
- Lighting Analysis control, 559–560, 559
- lights and lighting, **329**. *See also* radiosity
 - ambient, 340–342, 341–342
 - animation, 471, 662–665
 - editing, 334–336, 334–336
 - environment, 460, 461
 - faking radiosity, 342–345, 343–346
 - highlights, 346–348, 346–349
 - managing, 370–372, 370–372
 - Master It exercises, 375–376, **860–861**
 - mental ray renderer, 591–592, 603
 - moving, 333, 333
 - options, 349–352, 350–352
 - rendering views, 338–340, 338–340
 - scene states for, 372–375, 372–375
 - shadows. *See* shadows
 - spotlights, 331–333, 331–332
 - types, 329–330, 336–338, 336–337
- Lightscape Materials utility, 444, 445, 887
- Lightscape Mtl material, 905
- Line method, 156
- Line splines, 106, 156, 184
- linear lights, 550–551, 551, **555–556**
- Linear Lights Parameters rollout, 556
- Linear tangent option, 633, 633
- lines
 - constraining, **108–109**
 - drawing, **107–108**, 107–108
 - for paths, 685
 - snap settings for, 137
 - splines for, **129–131**, 129–131
- Linked Geometry nodes
 - for file linking, 829
 - substitute modifier with, **834–836**, 834–836
- links
 - exported Revit files, **841–842**, 842–843
 - file. *See* File Link Manager
 - XRef, 483
- List Controllers option, 485
- List Materials option, 485
- List Objects option, 485
- loading maps and material libraries, **383**
- local coordinate system
 - camera targets, 451
 - grids, 133
 - text, 164
- Lock Zoom/Pan option, 757
- Loft modifier, 305
- loft objects, 286
- Loft tool, 821
- lofting roofs, **285**
 - edge shapes for, **286–291**, 286–291
 - fine-tuning, **294–295**, 295–296
 - paths for
 - adjusting to, **293–295**, 293–295
 - editing, **303–306**, 303–306
 - shapes along, **296–303**, 296–303
 - process, **291–293**, 292
- lofts, 105

Logarithmic Exposure Control settings

- brightness, 684
- daylight, 517
- dynamic range, **556–557**, 556
- mental ray, 595
- photometric lights, 545
- radiosity, 518
- radiosity mesh, 528
- Longitude setting, 515
- Look At Parameters rollout
 - camera motion, 635
 - camera trajectory, 623
- LS Colors modifier, 887
- LS Mesh modifier, 896
- LTLI (Danish Illuminating Laboratory), 552
- LTypeStair stairs, 252
- lumens measurement unit, **554–555**
- LumeTools Collection library, 586
- luminaires. *See* articulated luminaires
- luminance
 - in dynamic range, 559
 - settings for, 440
- Luminance Center option, 745
- lux measurement unit, **554–555**

M

- macros, 14
- Magic Wand tool
 - Photoshop, 700–701
 - textures, 732
- magnolia trees, selecting, **699–704**, 699–705
- main menu bar, **3–4**, 4
- main toolbar, **5**, 17
- Make Preview dialog box
 - animation, 625, 625, 628, 631–632, 656
 - lights, 664
- Make Unique tool, 78, 88
- Manage Scene States dialog box, 372–375, 372, 374
- Manager system, 680

- Manipulate option, 401
- Manual Override setting, 682
- Manual Secondary effect, 932, 932
- Manually option for Terrain, 803
- Map option for Displace modifier, 745
- Map Scalar modifiers, **416–418**, 416–418
- maps and mapping
 - background images, 463
 - to bitmaps, **383–391**, 384–391
 - bump. *See* bump maps
 - car front, 775–776
 - Command Panel for, 15
 - diffuse, 265
 - Architectural material, **439**
 - Diffuse Color maps, **378–382**, 378–382, 421–422
 - displacement, **382**, **742**, 742
 - Displace modifier for, **742–745**, 743–745, 893
 - editable meshes from, **749–752**, 750–752
 - Material Editor for, **745–749**, 746–749
 - for terrains, 796, 796
 - for materials
 - adding, **393–398**, 393–399
 - modifiers for, **416–418**, 416–418
 - operation, **399–401**, 400
 - settings, **401–407**, 401–407
 - sub-materials, 436–437
 - types, **403–407**, 404–407
 - opacity. *See* opacity maps
 - overview, **907–911**
 - photon
 - contour renderings, 607
 - mental ray renderer, **587–600**, 589–592, 594–599
 - procedural, 377–378, 406
 - projector, 368
 - shadow, **355–358**, 355–358
 - tree, **699–706**, 699–706

- maps folder, 460
- Maps rollout, 470
 - animation backgrounds, 467
 - materials, 403, 410, 410
 - reflection, 388
- MapScalar modifier, 886, 888, 896
- Marble maps, 909
- marching ants, 708
- Marlin Studios texture maps and models, 426
- Marquee tool, 728, 729
- Mask maps, 909
- Master It exercises
 - animations
 - creating, 696, **874–878**, 876
 - overview, 665–666, **871–874**, 873
 - Autodesk applications, 843, **881–882**
 - entourage objects, 271–272, **854–856**, 855–856
 - files, 510–511, 511, **866–867**
 - light and shadow, 375–376, **860–861**
 - materials, 446, **861–864**
 - mental ray, 614–615, **869–871**, 870
 - meshes, 243, **852–854**
 - objects, 102–103, **847–849**, 847–849
 - organization, 327–328, **857–860**, 858
 - overview, **845–846**
 - photographs, 793, **880–881**
 - Photoshop, 753, **878–879**
 - radiosity, 577–578, **868–869**
 - shapes with splines, 166–167, 167, **850–851**, 851
 - staging, 477–478, **864–865**
- master objects, 79
- Match Bitmap option, 180
- Material Editor. *See* materials and Material Editor
- Material Editor Options dialog box, 395, 395
- Material/Map Browser dialog box. *See* materials and Material Editor
- Material/Map Navigator dialog box, 422
- Material modifier, **896–897**
- Material Shaders rollout, 585
- Material XML Exporter utility, 444, 445
- MaterialByElement modifier, 897
- materiallibraries folder, 393
- materials and Material Editor, **377**
 - adding to objects, **382–383**
 - alpha channel images, 715–716
 - animation backgrounds, 467–468, 470
 - Architectural, **437–439**, 438–439
 - Physical Qualities rollout, **438–441**, 439
 - Special Effects rollout, **440–441**
 - background images, 459, 461, 463–466
 - bitmap strength, **408–411**, 408–411
 - bitmap texture maps, **377–378**
 - Diffuse Color maps, **378–382**, 378–382
 - surface properties for, **382**, 382
 - bump maps, **418–419**, 418–419
 - cars
 - front, 775–776
 - side, **770–771**, 770–771
 - color of, **411–413**, 411–413
 - contours, 605–607, 605
 - displaced geometry, **745–749**, 746–749
 - displacement maps, 743
 - entourage, **420**
 - bitmap shape adjustments, **427**, 427
 - Opacity maps, **420–426**, 420–426
 - exported Revit files, 842, 843
 - externally referenced. *See* XRefs
 - glass, 385, 386
 - groups for, **430–433**, 431–433
 - Image-Based Lighting, 611–612
 - libraries for, 377, **383**, **392–393**
 - mapping for
 - adding, **393–398**, 393–399
 - to bitmaps, **383–391**, 384–387
 - modifiers for, **416–418**, 416–418
 - operation, **399–401**, 400

- settings, **401–407**, 401–407
- sub-materials, 436–437
- types, **403–407**, 404–407
- Master It exercises, 446, **861–864**
- for mental ray renderer, **583–587**, 583–586
- Multi/Sub-Object, **431–433**, 431–433
- overview, **904–907**
- ray tracing, **428–429**, 429
- reflectance values, **523–524**
- reflectivity, **520–524**, 521–523
- shaders, **413–414**, 413
- sub-materials, **433–437**, 433–436
- textures. *See* textures
- tools, 5
- utilities, **441–445**, 441–446
- Matte/Shadow material, **905–906**, 906
- Max setting for dynamic range, 558
- Max Meshing Size setting, 530
- Maximize Viewport Toggle tool, 12–13, 92
- Maximum option for alignment, 325–326
- Maximum Elev option, 803
- Maximum Sampling Radius setting, 593–594, 600
- Maximum Surface Deviation for 3D Solids option, 830
- MAXScript programming language, 14
- measurement units, 59
- mental ray Connection rollout, 441, 584, 585, 606
- mental ray renderer, **579**
 - contours, **603–607**, 604–607
 - final gathering, **600–603**, 601–603
 - High Dynamic Range Images, **613–614**, 613
 - Image-Based Lighting, **610–612**, 611–612
 - Master It exercises, 614–615, **869–871**, 870
 - Material Editor for, **583–587**, 583–586
 - overview, **579–581**
 - photon maps for, **587–600**, 589–592, 594–599
 - setting up, **582–583**, 582–583
 - shaders for, 580, **584–586**, 585
 - skylight global illumination, **607–612**, 608–612
 - workflow, **603**
- menu bar, main, **3–4**, 4
- menus
 - cascading, 4
 - quad, **121**
- mercury vapor lamps, **555**
- Merge dialog box, 486–487, 486
- Merge File dialog box
 - car front, 779
 - Xrefs, 486–487
- Merge option for XRef Scenes, 499
- Merge in Scene option, 485
- Merge Manipulators option, 486
- Merge Materials option, 486
- Merge Transforms option, 486
- Mesh Select modifier
 - purpose, 886
 - walls, 225
- Mesh Size setting, 550
- meshes
 - attaching objects to, **228–230**, 228–230
 - converting splines to, **198–201**, 199–201
 - converting to splines, **203–205**, 203–205
 - from displacement maps, **749–752**, 750–752
 - editing
 - curvature, **761–768**, 762–768
 - forms for, **756–758**, 756–758
 - with photographs, **755**
 - smoothing, **769–770**
 - vertices for, **759**, 759–761
 - Master It exercises, 243, **852–854**
 - radiosity, **524–531**, 525–531
 - rendering time for, 550
 - smoothing, **230–235**, 231–235, **779–781**, 780–782

- tapered walls, **195–198**, 196–198
- vertex moving for, **202–203**, 202–203
- MeshSmooth modifier, 779–780, 897
- Metal shaders, 414
- Microsoft RLE codec, 695
- Microsoft Video codec, 695
- Mid Tones control, 557
- Min Meshing Size setting, 530
- Min setting for dynamic range, 558
- Minimum option for alignment, 325–326
- Minimum Elev option, 803
- Mirror: Grid Coordinates dialog box, 213, 213
- Mirror modifier, 897
- Mirror: Screen Coordinates dialog box, 223
- Mirror tool, 223
- Missing XRefs dialog, 506–507, 507
- Mix maps, 909
- Modifier List, 74
- modifier stacks, 70
- modifiers
 - cloning, **89–91**, 89–91
 - in object data flow, 79
 - Object-Space, **889–904**
 - Selection, **885–886**
 - for standard primitives, **68–69**
 - accessing, **72–75**, 72–74
 - adding, **69–71**, 69–72
 - inserting, **75–76**, 75
 - tools for, **77–78**
 - World-Space, **886–888**
 - for XRefs, 486
- Modifiers option, 486
- Modify tab in Command Panel, 15
- Modify Zones option, 804
- monitors, dynamic range of, 557
- Monochromatic option, 731
- monochrome in textures, 731
- montages, **717–722**, 718–723
- mortar joints for walls, 739–741, 739, 741
- motion
 - animations. *See* animations
 - constraining, **23**
- Motion Blur rendering effect, 935
- Motion tab in Command Panel, 15
- MOV files
 - color depth, 671
 - overview, **692**
- Move Keys tool, 650
- Move Path to Eye Level option, 687
- Move Selection to New Layer option, 280, 305
- Move tool, 757
- Move Transform gizmo, 22
- Move Transform Type-In dialog box, 190
- moving
 - lights, **333**, 333
 - meshes, **202–203**
 - objects, **21–25**, 21–25
 - vertices, **759**, 759–761
- mr Area Omni light source, 589, 595–596
- mr Area Spot light source, 589–590, 589
- mullions, extruding, **814**, 814
- Multi-Layer shaders, 414
- Multi/Sub-Object Basic Parameters rollout, 775, 775
- Multi/Sub-Object material, **431–433**, 431–433, 774–775, 906
- Multiple Billboards option, 264, 265
- multiple objects, selecting, **29–35**, 30–35
- multiple still images, output of, **675–681**, 676–679
- multiple threads, 580
- multiple UVW maps, **436–437**
- multiple viewports, **43–45**, 43–45
- multiple wall openings, **175–176**
- Multiplier setting
 - photometric lights, 541
 - spotlights, 335

multipliers for mental ray renderer, 597
 MultiRes modifier, 750, 897
 multitransform polar arrays, **239–240**,
 239–240

N

Name and Color rollout, 35, 273, 394, 786
 Name Section Shape dialog box, 205
 named selection sets, **35–37**, 36–37
 names
 animation previews, 626
 cameras, 449, 451
 merged duplicate material, 488
 objects, 35, **273–277**, 274–276
 selection sets, 35
 National Television System Committee
 (NTSC) standard, 618
 navigation, viewport, 12, 12
 Near Attenuation End setting, 352
 Near Attenuation Start setting, 352
 network rendering, 680
 New dialog box
 files, 709, 709
 texture, 726, 726
 new features, **1–2**
 New Layer dialog box, 735, 735
 New Scene dialog box, 129
 New Settings Preset dialog box, 822
 Next Frame button, 659, 659
 NGon method, 157
 node hierarchy, block, **824–827**, 825–827
 noise
 background images, 792
 bump maps, 749
 textures, 727, 731, 738
 Noise filters, 727, 731
 Noise maps
 purpose, 909
 for special effects, 441
 Noise material, 418–419, 419

Noise modifier, 897
 Noise Parameters rollout, 419, 419
 Non-Scaling Object Size option, 686
 Non-Uniform Rational B-Splines. *See* NURBS
 (Non-Uniform Rational B-Splines)
 Non-Uniform Scale option, 450
 Non-Uniform Squash option, 450
 nonparametric shapes, 106
 Normal Align option, 402
 Normal modifier, 897
 Normalize Spline modifier, 897
 Normalize Time button, 636
 normals
 aligning, 402, 830
 flipping, **116–117**, 116
 for spheres, 470
 North Direction setting, 682
 NSurf Sel modifier, 886
 NTSC (National Television System
 Committee) standard, 618
 NURBS (Non-Uniform Rational B-Splines),
 107, **916**
 curves, **916–918**, 916–918
 deformations for, **919**
 for displacement maps, 743
 for splines, 158
 surfaces, **918–919**, 919
 Nursery window, 262

O

Object Color dialog box, 281, 281, 284–285
 object data flow, **226**
 Object Enablers, 828
 Object Properties dialog box
 armatures, 310, 311
 layers, 285, 285
 moving car, 672
 radiosity mesh, 530
 object space, 60, 226

- Object-Space modifiers (OSM), 60, 415, 417, 417, **889–904**
- Object Type rollout, 18, 58
- objects
 - aligning, **133–138**, 133–137, **325–326**, 325–327
 - attaching to meshes, **228–230**, 228–230
 - clones. *See* clones and Clone Options dialog box
 - copying, **28–29**, 28
 - creating, **18–20**, 19
 - data flow for, **78–80**
 - extended primitives, **91–98**, 91–98
 - externally referenced. *See* XRefs
 - layers for. *See* layers
 - Master It exercises, 102–103, 327–328, **847–849**, 847–849, **857–860**, 858
 - moving, **21–25**, 21–25
 - naming, 35, **273–277**, 274–276
 - parameters for, **18–20**, 19, **59–64**, 60–64
 - for radiosity mesh, **525–526**, 526
 - replacing, **488–490**, 489–490
 - rotating and scaling, **24–27**, 25–28
 - selecting, **21–25**, 21–25, **29–35**, 30–35
 - standard primitives. *See* standard primitives
 - substituting, **490–491**, 491
- Obsolete File dialog box, 504
- Offset mode, 24
- Offset setting
 - background images, 462–463
 - objects, 26
- Oil Tank primitive, 92
- Omni lights, 330–331
 - animation backgrounds, 471
 - for faking radiosity, **343–345**, 343–346
 - highlights, **346–348**, 346–349
 - mental ray, 589, 595–596
 - options, **349–352**, 350–352
- opacity maps, 265, 380, 380, **707**
 - alpha channels for, **713–717**, 713–717
 - car wheel wells, 771, 771
 - changing color to black, **709–710**, 710
 - edge softening for, **710–713**, 710–712
 - entourage materials, **420–426**, 420–426
 - for selections
 - fine-tuning, **707–709**, 707–708
 - transferring, **709**
- Opacity setting for montages, 722
- Open File dialog box, 28
 - object substitution, 491
 - XRefs, 481, 495
- Open Material Library dialog box, 387, 393, 396, 484
- OpenEXR file type
 - extensions for, 500–501
 - overview, 693
 - site for, 614
- opening groups, **430–433**, 431–433
- openings
 - floors with, **816–820**, 817–820
 - walls
 - changes to, **176–178**, 176–178
 - multiple, **175–176**
 - shape of, **172**, 172–173
 - subtraction from, **173–174**, 173–175
- operands, Boolean, 169, 318
- Optimize for Final Gather (Slower GI) option, 601
- Optimize modifier, 898
- Options Group settings for radiosity, 533
- Orbit Camera tool, 456
- order
 - of modifiers, 75, 75
 - in object data flow, 78
- Oren-Nayar-Blinn shaders, 391–392, 414
- Orient Normals option, 811

orientation
 axes, 11
 compass rose, 682
 origins in World Coordinate System, 60
 Orthographic Projection option
 cameras, 449
 elevation, 676
 OSM (Object-Space modifiers), 60, 415, 417, 417, **889–904**
 outdoor flyby of buildings, 467
 outlines for walls, 126, 131–132, **723–727**, 723–727
 Output maps, 909
 Output settings for background images, 465–466
 Output Size settings for radiosity, 532
 Overlay option, 499
 Override option, 802

P

Paint Bucket tool, 738–739
 PAL (Phase Alternate Line)
 standard, 618
 palettes
 Photoshop, 698–699
 tool, **9–10**, 9–10
 Pan tool, 756–757
 Pan Camera tool, 456–457
 Pan viewport, 248, 249
 panning
 photographs, 756–757
 in Rendered Frame Window, **502**
 views
 camera, **454**
 perspective, **38–39**, 39
 panoramas, 614
 paper size, 695
 parallelism in mental ray renderer, 580–581, 603
 Parameter Wiring dialog box, 574

parameters
 modifier, **72–75**, 72–74
 object, **18–20**, 19
 accessing, **64**, 65
 adjusting, **59–63**, 60–64
 Parameters rollout, 17–18
 cameras, 449–450, 450
 spheres, 59–60, 64, 65
 Terrain, 802–803, 802
 parametric modeling, 59
 parametric walls, **245–251**, 246–247
 Parent option, 499
 passing subobjects to stack, 885
 Patch Select modifier, 886
 PatchDeform modifier, 888, **898**, 915
 patches, **913**
 converting planes into, **913–914**, 913–914
 converting primitives into, **914–915**, 914–915
 Path Level setting, 302
 Path Parameters rollout, 298, 300, 687
 Path Steps setting, 292
 PathDeform modifier, 888, 898
 paths
 for animation
 camera, **620–622**, 621–622, 634–635, 634–635
 constraints, 685–687
 for assets, 507
 to bitmaps, **383–391**, 384–391
 for lofting roof
 adjusting to, **293–295**, 293–295
 editing, **303–306**, 303–306
 shapes along, **296–303**, 296–303
 moving car, 673–674, 673
 rail, 254, 257
 walkthrough, **685–687**, 685–687, **690–691**, 691
 penumbra, 360–361, 360–361

- people, **268–271**, 269–271, 722, 723. *See also*
 - entourage material and objects
- percentages for UVW map coordinates, 394
- performance, object substitution for, **490–491**, 491
- Perlin Marble maps, 909
- persistence of vision, 617
- Perspective tool, 453–454
- Perspective viewports, 11, 11
 - grid in, 60
 - panning and zooming, **38–39**, 39
 - for walls, 248, 249
- Phase Alternate Line (PAL) standard, 618
- Phong shaders, 414
- photographs, **755**
 - background images for, **782**, 783
 - adding, **783–784**, 783–784
 - Camera Match points, **785–791**, 786–791
 - camera-matched views, **791**
 - quality matching, **791–792**, 792
 - setting up, **782–783**
 - boxes for
 - creating, **756–758**, 756–758
 - vertices, **759**, 759–761
 - cars
 - front, **774–779**, 774–779
 - side, **770–771**, 770–771
 - wheel wells, 771, 771
 - curvature for, **761–768**, 762–768
 - Master It exercises, 793, **880–881**
 - meshes with
 - editing, **755**
 - smoothing, **779–781**, 780–782
 - surface smoothing, **769–770**
 - UVW Mapping modifier for, **771–774**, 772–774
- photometric lights, 538
 - color temperature and intensity, **554–555**
 - direction, **551–554**, 552–553
 - importing, **543–545**, 543–545
 - shadows for, **545–550**, 545–550
 - for sun, 683
 - types, **550–551**, 551
 - working with, **539–543**, 539–542
- photon maps
 - contour renderings, 607
 - mental ray renderer, **587–600**, 589–592, 594–599
- photons, 587, 603
- Photoshop, **697**
 - bump maps. *See* bump maps
 - displaced geometry, **745–749**, 746–749
 - displacement maps, **742–745**, 743–745
 - interface, **697–699**, 698
 - Master It exercises, 753, **878–879**
 - montages, **717–722**, 718–723
 - opacity maps, **707–716**, 707–716
 - selecting in
 - areas, **699–704**, 699–705
 - specific colors, **705–706**, 705–706
 - tree maps, **699–706**, 699–706
- Physical Qualities rollout
 - alpha channel images, 715
 - materials, **438–441**, 439
 - reflectivity, 522, 522
- Physical Scale setting, **557–558**
- .pic files, 693
- Pick Boolean rollout, 174, 319
- Pick Illumination from a Surface tool, 539
- Pick Object dialog box, 569, 569
- Pick Operand rollout, 802, 802
- Pick Shape tool, 296
- Picket Spacing dialog box, 258, 258
- pickets, 258
- Pinch setting, 312
- Pivot option, 239
- Pivot Point option, 325–326
- pivot points, 239
 - for alignment, 325–326
 - transforming, **560–561**, 560–561
- pixelated shadow edges, 357

Place Highlight tool, 346–347

placing

sun, 516, 516

text, **161–165**, 161–166

planar maps, 403, 406

planes

converting into editable patches, **913–915**, 913–915

creating, 65, 66

Planet maps, 909

Plant Tuning settings, 262–264

plants. *See also* entourage material and objects

creating, **261–265**, 262–265

modifying, **264–265**, 264–265

plasticity of geospheres, 66

Play Animation tool, 659–660, 659

plus signs for subobject levels, 113

PNG Configuration dialog, 339–340, 340

.png file extension, 339–340

PNG image files, 692

Point Curve option, 916, 916, 918

Point helpers, 924

point lights, 550–551, 551

points

Camera Match

adding, **786–787**, 786–787

aligning, **787–791**, 788–791

spline lines, 130–131

points of view. *See* views and viewports

polar arrays, **239–240**, 239–240

Poly Select modifier

purpose, 886

for walls, 225

Polygon Properties rollout, 233

Portable Network Graphics file

type, 500

pose-to-pose animation, 618

Position function curves, 649–650, 650

Position XYZ controller, 649

predefined focal lengths, 449

Preference Settings dialog box, 2, **582–583**, 582–583

Preserve modifier, **898**

preset material libraries, 377

preset rendering settings, 534

Presets tab in File Link Manager, **829**

previews, animation

creating, **624–625**, 625

options, **659–660**, 659–660

speeding up, **656–657**

Previous Frame button, 659, 659

primitives

converting into editable patches, **914–915**, 914–916

extended, **91–98**, 91–98

NURBS surfaces from, **918–919**, 919

splines, combining and extruding, **142–148**, 144–148

standard. *See* standard primitives

Print Bitmap tool, 501

Print Size Wizard dialog box, 694–695, 694

printing images, **501**

procedural maps, 377–378, 406

Processing tab, 583

processors for mental ray renderer, 603

profiles for walls, 821

projector maps, 368

prompt line, 11, 12

Protractor helpers, **924**

PRS Parameters rollout, 675

Pseudo Color Exposure Control, 558–559, 558

publishing DWF files, **508–510**, 509–511

pull of spline corners, 120

Push modifier, 898

Put to Library tool, 390

pyramids, 66, 66

Q

quad menus, 113, **121**
quality matching for background images,
791–792, 792
Quick Align tool, 326
Quick Mask mode, **707–709**, 707–708
QuickTime file type, 500

R

Radial option, 834
Radiance Image File (HDRI) images
 extensions for, 500
 purpose, 693
 working with, **613–614**, 613
RADIANCE site, 614
radiosity, **513**. *See also* lights and lighting
 articulated luminaires. *See*
 articulated luminaires
 Daylight System for, **513–517**, 514–518
 dynamic range, **556–560**, 556–559
 faking, **342–345**, 343–346
 Master It exercises, 577–578, **868–869**
 material reflectivity, **520–524**, 521–523
 mesh, **524–531**, 525–531
 rendering options, **531–537**, 532–537
 settings, **519–520**, 519–520
 workflow in, **518–519**
Radiosity Meshing Parameters rollout, 527
Radiosity Processing Parameters rollout, 519,
 523, 527
radius
 photon maps, 593–594
 spheres, 59
Rail Path option, 254
railings for boundaries, **255–258**, 255–258
random numbers for foliage, 260
ranges, key, 642
Raw Diffuse Texture control, 440
Ray effect, 932, 932
Ray Traced Shadows, 269, 355
 entourage, 425
 mental ray renderer, 596
 signs, 363
 torchiere lamps, **545–550**, 545–550
 working with, **358–362**, 359–362
Rays per Sample setting, 537
Raytrace maps, 909–910
Raytrace materials, **906**, 907
raytrace rendering, 513
 vs. mental ray rendering, 587
 reflection and refraction in, **428–429**, 429
Re-scale Time dialog box, 629, 630
Re-Use Direct Illumination option, 546
Real-World Map Size option
 materials, 397, 407, 424
 photographs, 771
 splines, 834
 UVW maps, 471, 777
RealTexture site, 614
rectangles
 drawing, **107–108**, 107–108
 for splines, 157, 834
 for wall outlines, 723–725
rectangular lights
 fluorescent tubes, 550
 shadows with, 362
Rectangular Selection Region tool, 200, 213,
 223, 759, 764, 766
red component for image curves, 466
reference clones, **82–84**, 82–84
Reference Coordinate System, 223
Reference Elev option, 803
Refine Iterations (All Objects) setting,
 528–529, 529
Reflect/Refract maps, 910
Reflectance setting, 521
reflectance values of materials, **523–524**
reflection in ray tracing, **428–429**, 429
reflection maps, **381**, 381

- Reflection setting for glass, 388
- reflective light with spheres, 378–379, 378
- refraction in ray tracing, **428–429**, 429
- refraction maps, **381**
- Regather Indirect Illumination option, 536–537, 537, 548, 549
- Region option for render type, **473**, 474
- Region Fit option, 401, 402
- Region Selected option, 474
- relative paths, **385**
- Relax modifier, 898
- Remove option, 499
- Remove All Head Animation option, 689
- Remove XRef Record option, 483, 485
- Rename Object dialog, **277**, 277
- Rename Preview command, 626
- renaming
 - animation previews, 626
 - cameras, 449, 451
 - merged duplicate material, 488
 - objects, 273, 274, **277**, 277
- render elements for compositing, **474–477**, 474–477
- Render Elements rollout, 475–476
- render farms, 603
- Render Last command, 473
- Render Output File dialog box
 - animation, 669–670
 - names in, 694
 - options, 680, **691–693**
 - radiosity, 533–534, 533
- Render Presets Load dialog box, 668
- Render Presets Save dialog box, 535, 535
- Render Scene dialog box
 - animation, 668–671, 669
 - artificial lights, 538
 - contours, 604, 606
 - final gathering, 602
 - frames, 680
 - global illumination, 591, 597
 - indirect illumination, 591–592, 598–600
 - lights, 338
 - mental ray renderer, 582–583
 - photometric lights, 544–545, 548
 - photon maps, 591
 - radiosity, 519–520, 519, 532–537, 532
 - radiosity mesh, 527–528
 - reflectivity, 523
 - render elements, 474–475, 474
 - shadows, 683
 - skylight, 609–610
- Render Shortcuts toolbar, 6–7
- render wander, 680
- Renderable Spline modifier, 898
- Rendered Frame Window
 - buckets in, 581, 581
 - for comparisons, **502**
 - file types in, **499–501**, 500
 - lights, 338–340, 338
 - printing, **501**
 - radiosity, 342–343, 343, 534
 - speed in, 473
 - suns, 364
 - Z Depth element, 477, 477
 - zooming, panning, and channels in, **502**
- rendering
 - animations, **656–657**, **667–675**, 668–675
 - effects, **930–935**
 - lighting, **338–340**, 338–340
 - mental ray. *See* mental ray renderer
 - raytrace, 513
 - vs. mental ray, 587
 - reflection and refraction in, **428–429**, 429
 - render types, **472–474**, 473–474
 - shadow study, **681–685**, 683–684
 - speed, 473, 546
 - tools, 5
- Rendering rollout
 - splines, 156
 - trusses, 838–839
- Replace dialog box, 489, 489

- Replace Color dialog box, 709–710, 710
- Replace File dialog box, 489
- Replace Map dialog box, 429, 429
- Replace Material dialog box, 432, 432, 775, 775
- replacing
 - color, 709–710, 710
 - maps, 429, 429
 - material, 432, 432, 775, 775
 - objects with XRefs, 488–490, 489–490
- Resample Image option, 790
- Reset Background Transform command, 182–183
- Reset option for UVW Map gizmo, 402
- Reset Radiosity Solution dialog box, 528
- Reset Radiosity Solution message, 523
- Reset Tangents option, 124
- Reset Warning message, 486
- resetting files vs. starting, 181
- resolution
 - image, 694–695, 694
 - RPCs, 270
 - screen, 6
- Resource Collector utility, 444, 446
- Respect Corners option, 257
- Restore Active Perspective View command, 42
- Restore Active Top View command, 196
- Restore Scene State dialog box, 375, 375
- Restrict to XY Plane tool, 23
- Retriangulate option, 803
- Revert to Startup Layout option, 5
- Revit files
 - importing, 839–842, 840–843
 - presets, 822
- .rgb files, 693
- RGB light sources, 335
- RGB Multiply maps, 910
- RGB Tint maps, 910
- Rich Photographic Content (RPC) plug-in, 265–266
 - animated RPCs, 269–271
 - content types, 268
 - helpers, 925
 - static RPCs, 266–269, 266–269
- Rich Pixel Format files, 476, 500, 693
- Right viewport, 50–51
- Ring effect, 932, 932
- Ripple modifier, 898
- risers, 254–255
- RLA file type, 476, 500, 693
- Roll Camera tool, 456
- rollouts, 16–18
- Ronchamp Chapel. *See* Chapel at Ronchamp
- roofs
 - Boolean functions, 318–321, 319–321
 - border tracing, 315–318, 316–318
 - combining, 320–321, 320–321
 - lofting. *See* lofting roofs
 - shells from surfaces, 314–315, 314–315
 - surfaces from splines, 306, 307
 - armature building, 307–310, 307–310
 - armature deforming, 310–314, 311–314
- Rotate tool, 25
- Rotate Transform gizmo, 25
- rotating
 - cameras, 450, 456–457
 - loft paths, 304
 - objects, 24–27, 25–28
 - with transform tools, 84–88, 85–87
- Rotational Joints rollout, 567
- roughening edges, 710
- RPC (Rich Photographic Content) plug-in, 265–266
 - animated RPCs, 269–271
 - content types, 268
 - helpers, 925
 - static RPCs, 266–269, 266–269

RPC Selection rollout, 268
 RPF format, 476, 500–501, 693
 RPF Image File dialog box, 501
 rubber-banding lines
 for camera, 448
 constraining, 109
 for straight lines, 107
 rubylith material, 709

S

Sample Range setting, 354–358, 354, 357
 sample slots for materials, 395
 Samples per Pixel setting, 610
 sampling
 for mental ray renderer, 601–602
 for shadows, 354–358, 354, 357
 for skylight, 610
 Saturation setting, 468
 Save Active Perspective View command, 39
 Save As dialog box, 711–712
 Save Custom UI Scheme dialog, 54, 55
 Save Material Library dialog box, 393, 484
 saving
 images with alpha channels, 713–714,
 713–714
 libraries, 393, 484
 opacity maps, 711–712
 schemes, 54–55, 55
 views, 39–40
 Scale gizmo, 27
 Scale tool, 25–26
 Scale Transform gizmo, 222
 scaled parametric objects, 226
 scaling
 bitmap images, 181–184, 182–183
 objects, 24–27, 25–28
 with transform tools, 84–88, 85–87
 scattered light, 607–612, 608–612
 _scene.avi file, 626
 scene components, 479
 Scene option, 468
 scene states for lighting, 372–375, 372–375
 Schematic View, 562–564, 563–565
 Scott Onstott's 3D Models texture maps and
 models, 426
 screen resolution, 6
 scroll wheel zooming, 107
 scrolling panels, 16–18
 scrubbing, animation, 638
 seams in smoothing, 232
 season for plants, 261
 SECAM (System Electronique Couleur Avec
 Memoire) standard, 618
 Section method for splines, 157
 Seed parameter for foliage, 260
 Segment objects, 188
 segments
 adding frames to
 beginning, 656–658, 657–658
 end, 636–638, 636–638
 animation, 619
 options for, 70
 outlines, 188
 spheres, 63–64, 63–64
 splines, 114, 160
 Select Advanced Lighting rollout, 519
 Select and Move tool, 22, 24
 axes, 114
 benefits, 51
 Bezier handles, 118
 cameras, 619–620
 clones, 80, 82, 89
 constraining motion with, 23
 coordinate readout with, 24
 copying, 28
 keyframes, 627, 638
 lights, 333
 multiple objects, 30
 Omni lights, 344
 snap settings, 135

- Select and Rotate tool, 304
- Select and Scale tool, 26
- Select and Uniform Scale tool, 26, 369
- Select Background Image dialog box
 - apartment building, 784
 - importing, 180, 180
 - photographs, 756
- Select Bitmap Image File dialog box
 - animation backgrounds, 470
 - apartment building, 785
 - background images, 459–460, 460
 - car front, 775
 - car side, 770
 - displace geometry, 746
 - entourage, 422
 - skylight, 611
 - splitface block walls, 741
 - textures, 733
- Select by Name tool, 33, 485
- Select Camera dialog box, 450
- Select DWF File dialog box, 508, 509
- Select File to Import dialog box, 810, 819
- Select Layers dialog box, 828, 831, 832
- Select Layers to Include option, 831
- Select Object dialog box
 - CamPoints, 787
 - substitute objects, 836, 836
 - trusses, 838
- Select Object tool, 21, 21
- Select Objects dialog box, 33–34, 34, 36
 - contours, 798
 - glass, 814
 - layers, 279
 - renaming objects, 273–274, 274
 - walls, 812
- Select option for XRefs, 485
- Select Preset Categories dialog box, 535, 535, 668, 668, 683
- Selected option for render type, 473
- selecting
 - objects
 - multiple, 29–35, 30–35
 - process, 21–25, 21–25
 - in Photoshop
 - areas, 699–704, 699–705
 - specific colors, 705–706, 705–706
 - Quick Mask mode for, 707–709, 707–708
 - tools for, 5
 - selection brackets, 22, 30
 - Selection Floater dialog box, 825, 825
 - Selection Lock Toggle, 114
 - Selection modifiers, 885–886
 - Selection rollout, 113
 - selection sets, 29–30
 - editing, 35–37, 36–37
 - names for, 35
 - subobject, 767
 - selection windows, 31–32, 32
 - Selective Reload option, 832
 - self-illumination maps, 380
 - Set Current Layer to Selection's Layer button, 282
 - Set Key mode, 618
 - Set Luminance from Light control, 440
 - Set Number of Materials dialog box, 432, 432, 775, 775
 - .sgi files, 693
 - Shader Basic Parameters rollout, 391, 413
 - shaders, 379
 - for materials, 413–414, 413
 - in mental ray renderer, 580, 584–586, 585
 - Shadow Bias option, 361–362
 - Shadow Map Params rollout, 353, 353, 358
 - Shadow Map Size setting, 355
 - shadow maps, 355–358, 355–358, 596
 - Shadow Quality setting, 361
 - shadows, 269, 352–354, 353–354
 - clones for, 368–370, 369
 - invisible objects for, 367–368, 368–369

- for mental ray renderer, 596
- Omni lights, **349–352**, 350–352
- photometric lights, **545–550**, 545–550
- for radiosity, 537, 537
- ray traced. *See* Ray Traced Shadows
- rendering, **681–685**, 683–684
- softening edges, **354–355**, 354
- two suns for, **362–366**, 363–366
- Shape Commands rollout, 295, 299–302
- Shape Steps setting, 292
- shapes
 - hiding, **170–171**, 171
 - along loft paths, **296–303**, 296–303
 - roof edges, **286–291**, 286–291
 - splines for. *See* splines
 - wall openings, **172**, 172–173
- sharpness of shadows, 355, **361–362**, 361–362
- Shell material, 906
- Shell modifier, 306, 314, 899
- Shellac material, 906
- shells
 - purpose, 105
 - from surfaces, **314–315**, 314–315
- Shininess control, **439–440**
- shortcut keys for cameras, **450**
- shortcut menus, 113, **121**
- shots in animation, 619
- Show DWF in Viewer option, 508
- Show End Result tool, 77
- Show Interior Edges option, 913
- Show Last Rendering command, 340
- Show Map in Viewport option, 471, 715–716
- Show Reload Options option, 828
- Show This Dialog At Startup dialog box, 2
- Show Track Bar command, 618
- Show Vertex Numbers option, 128
- shrink wrap mapping, 405–406, 405
- signs, shadows for, **362–370**, 363–364, 369
- Silicon Graphics file type, 500
- Simple (contour) Parameters rollout, 606
- Simplification rollout, **803**, 803
- simulated illumination, **588**
- Single Lens Reflex (SLR) film camera
 - metaphor, 447
- size
 - images, **694–695**, 694
 - wall openings, 172, **176–178**, 176–178
- sketches, tracing over, **178**, 179
 - image scaling for, **181–184**, 182–183
 - importing bitmap images for, **178–181**, 179–181
 - process, **184–186**, 184–186
 - void outline for, **187–190**, 187–190
 - void wall for, **190–194**, 190–194
- Skew modifier, 76, 82–83, 83, 899, 899
- skies
 - background images for, **459–460**
 - color, 609
 - in montages, 718–720, 718–720
 - texture maps and hemispheres for, **469–472**, 469, 471–472
- Skies folder, 470
- Skin Parameters rollout, 292, 298
- Skip All Frozen Layers option, 819
- skylight global illumination, **607–612**, 608–612
- Skylight option for photometric lights, 544
- Skylight Parameters rollout, 609, 612
- Slice From setting, 61
- Slice modifier, 899
- Slice To setting, 61
- Slow option for camera motion, 633, 633
- SLR (Single Lens Reflex) film camera
 - metaphor, 447
- Smoke maps, 910
- Smooth Across Levels option, 165
- Smooth modifier, **234–235**, 234–235, 899
- Smooth option, 120
- Smooth tangent option, 632, 632
- Smooth vertices option, 691

- smoothing
 - in mental ray renderer, 587
 - meshes, **230–235**, 231–235, **779–781**, 780–782
 - spheres, 62–64, 62–64
 - spline corners, **117–120**, 117–120
 - surfaces, **769–770**
- smoothing groups, 769–770
- snaps for aligning objects, **133–138**, 133–137
- Snaps Toggle tool
 - vaulted ceilings, 219
 - vertices, 205
 - wall void, 189–191, 189
 - walls, 246
- Snaps toolbar, 6–8
- Snapshot dialog box, 241–242, 242, 751–752, 751
- Snapshot tool for clones, **241–242**, 241–242, 751, 753
- Soft Selection option, **312–313**, 312–313
- Soft Selection rollout, 312, 312
- softening edges, **354–355**, 354, **710–713**, 710–712
- Solid Fill option, 258
- solid form, **151–155**, 152–155
- Solid to Top of Zone option, 804
- Sort settings, 276
- spacetime, 617
- Special Effects rollout, **440–441**, 522, 716, 746
- Specify Asset Path dialog box, 507–508, 507
- Specify Cropping/Placement dialog box, 611
- Speckle maps, 910
- Specular Color maps, **379**, 379
- Specular Level maps, 379
- speed
 - animation, **634**, **656–657**
 - renderings, 473, 546
- sphere lights
 - mental ray renderer, 596
 - shadows with, 362
- SphereGizmo, 925
- spheres
 - for cloudy skies, **469–472**, 469, 471–472
 - creating, **58–59**, **66**, 66
 - mapping coordinates, 408
 - parameters, **59–64**, 60–64
 - reflective light with, 378–379, 378
- spherical environment, 463
- spherical maps, 403, 405, 462–463, 463
- Spherify modifier, 899
- Spheron site, 614
- spindle primitives, 92
- spinners, 20–21
- spiral staircases, 252
- Splat maps, 910
- Spline dialog box, 108
- Spline Rendering tab, **833–834**, 833
- splines, **105–106**
 - closed, **148–151**, 148–151, 806, 820
 - combining and extruding, **142–148**, 144–148
 - constraining lines in, **108–109**
 - converting meshes to, **203–205**, 203–205
 - converting to meshes, **198–201**, 199–201
 - for curves, **109–111**, 110
 - drawing with, **106–107**
 - editing, **159–160**, 159–160
 - extended, **158–159**
 - flipping surface normals, **116–117**, 116
 - grids and snaps for, **133–138**, 133–137
 - importing, **833–834**, 833
 - joining, **148–151**, 148–151
 - lathing, **111–113**, 112, 115
 - for lines, **129–131**, 129–131
 - Master It exercises, 166–167, 167, **850–851**, 851
 - for roof edges, 291, 291
 - smoothing corners, **117–120**, 117–120
 - for solid form, **151–155**, 152–155

- for straight-line segments, **107–108**, 107–108
- subobject levels for, **113–114**, 113
- surfaces from, **306–307**, 306
 - armature building, **307–310**, 307–310
 - armature deforming, **310–314**, 311–314
- tangent handles for, **120–124**, 121–125
- for text, **161–165**, 161–166
- for thickness, **125–128**, 125–128
- for topography, **796–804**, 796–804
- types, **156–159**
- for walls
 - location, **139–142**, 139–141
 - thickness, **131–132**, 131–132
- SplineSelect modifier, 886
- splitface block walls
 - outlines for, **723–727**, 723–727
 - textures for
 - building, **727–732**, 728–732
 - color, **736–742**, 736–741
 - irregularities, **735–737**, 735–737
 - testing, **733–735**, 734
- Spotlight distribution, 551–552
- Spotlight Parameters rollout, 334
- spotlights
 - editing, **334–336**, 334–336
 - mental ray, 589–590, 589
 - moving, **333**, 333
 - for sun, **331–333**, 331–332
- spread
 - spotlights, 331
 - Target Spots, 335
- Squash option, 60
- Squeeze modifier, 76, 94, 899, 900
- stacks
 - modifier, 70
 - passing subobjects to, 885
- staging process, **447**
 - cameras for. *See* cameras
- environment
 - for animations, **467–472**, 468–469, 471–472
 - background image adjustments, **461–467**, 461–467
 - creating, **458–460**, 459–461
 - interior views, **457–458**, 457–459
 - Master It exercises, 477–478, **864–865**
 - render elements for compositing, **474–477**, 474–477
 - render types in, **472–474**, 473–474
- stairs, **251–255**, 252–255
- stairstepping effect, 355–356, 356
- stand-in geometry, **488–490**, 489–490
- standard helpers, **921–924**
- Standard material, 907
- standard primitives, **57–59**, 58
 - modifiers for, **68–69**
 - accessing, **72–75**, 72–74
 - adding, **69–71**, 69–72
 - inserting, **75–76**, 75
 - tools for, **77–78**
 - overview, **65–68**, 65–68
 - parameters for, **59–64**, 60–64
- Star effect, 933, 933
- Star method for splines, 158
- Start New Shape option, 161
- starting files vs. resetting, 181
- static RPCs, **266–269**, 266–269
- status bar, 11, 12
- Step tangent option, 633, 633
- sticking maps to objects, 406
- still image automated output, **675–681**, 676–679
- Stitched Border option, 803
- STL Check modifier, 900
- Stock Lenses, 449
- Stop Animation button, 621, 659
- stop motion, 617
- straight ahead animation, 617

- straight-line segments, **107–108**, *107–108*
- Strauss shaders, 414
- Streak effect, 933, 933
- Stretch modifier, 900, *901*
- Stucco maps, 910
- study animations, **667–671**, *668–671*
- sub-materials, **433–437**, *433–436*
- Subdivide modifier
 - purpose, 888, 900
 - for radiosity mesh, **530–531**, *531*
- Subdivision Presets options, 750
- subobjects, 105
 - selection sets for, **767**
 - for splines, **113–114**, *113*
- subpixel sampling, 602
- Substitute modifier
 - with linked geometry, **834–836**, *834–836*
 - overview, **900–901**
 - for performance, 490
- substituting objects, **490–491**, *491*
- Substitution Question dialog box, 835
- Subtract Illumination from a Surface tool, 539
- Subtract operations
 - guidelines for, 193
 - roofs, 318
 - shapes, 169, *170*
 - splines, 149, *151*
 - wall openings, **173–174**, *173–175*
 - walls, **170–171**, *171*
- sun
 - in animation, 662–664
 - editing, **334–336**, *334–336*
 - IES, 513
 - moving, **333**, *333*
 - multiple, **362–366**, *363–366*
 - placing, 516, *516*
 - shadow maps for, 358
 - spotlights for, **331–333**, *331–332*
 - standard light from, **683–685**, *683–684*
- SUN directional light, 678–680, *679*
- sunlight, adding, **513–517**, *514–518*
- Sunlight directional light, 682
- Sunlight option, 514, *544*
- Sunlight System, **334**, *782*
- sunset image, 461–462
- SuperSampling rollout, 441
- Surf Deform modifier, 919
- Surface Common rollout, 919
- Surface modifier, 901
- Surface Mapper modifier, 888
- Surface Properties rollout, 234, *770*
- Surface shader, 585
- surfaces
 - bitmap texture maps, **382**, *382*
 - flattening, **206–207**, *206–207*
 - flipping normals for, **116–117**, *116*
 - NURBS, **918–919**, *919*
 - shells from, **314–315**, *314–315*
 - smoothing, **769–770**
 - from splines, **306**, *307*
 - armature building, **307–310**, *307–310*
 - armature deforming, **310–314**, *311–314*
 - sub-materials for, **433–437**, *433–436*
- SurfDeform modifier, 888, 901
- Sweep modifier
 - extruding with, **322–324**, *322–324*
 - purpose, 901
- Sweep Parameters rollout, **324**
- Swirl maps, 910
- switching viewports, 14
- symmetric forms, **210–211**, *210–211*
 - tower walls, **211–214**, *211–214*, **221–223**, *221–224*
 - vaulted ceilings, **214–220**, *215–220*
 - walls, **224–228**, *224–225*, *227*
- symmetry for car, 765, *765*, 769, *769*
- Symmetry modifier, 765, 901
- System Electronique Couleur Avec Memoire (SECAM) standard, 618
- System Unit Setup button, 4, *4*, 518

T

Tab key, 93

Tagged Image File Format (TIFF) files

characteristics, 692

elevations, 680

extension for, 500

textures, 733

treemaps, 706

tangent handles, **120–124**, 121–125

tangent options for camera motion, **630–633**,
631–633

Tape helpers, **924**

Taper modifiers, **73–76**, 74

for clones, 82

inserting, 77–78

purpose, 902

for walls, **193–194**, 194, 208–209

tapered photograph boxes, 758, 758

tapered walls

aligning, **193–195**, 194

creating, **191–193**, 192–193

meshes for, **195–198**, 196–198

top, **208–209**, 208

Targa image files, 500, 692

Targa Options dialog box, 713, 713

Target Direct lights, 330, 336–338

target points for lighting, 330–331

Target Spot lights, 330–331, 332

targets, camera, 448–451, 448

location, **450–451**, 452

moving through time, **660–661**, 661

TCB (Tension Continuity Bias) method,

652–654, 652–654, 675

teapot drawing, 68, 69

Tee method, 159

temperature, color, 541, **554–555**

templates for Architectural material, 438

Tension Continuity Bias (TCB) method,

652–654, 652–654, 675

Tension option in TCB, 654

Terrain object, **801–804**, 801–804

Tessellate modifier, 902, 902

text

on concrete bench, **745–749**, 746–749

placing and beveling, **161–165**, 161–166

splines for, **161–165**, 161–166

Sweep Modifier for, **322–324**, 322–324

Text method for splines, 157

Text Shape object, 751

texture maps

cloudy skies, **469–472**, 469, 471–472

imported images, 830

textures

bump maps for, **723**

building, **727–732**, 728–732

color, **736–742**, 736–741

irregularities, **735–737**, 735–737

testing, **733–735**, 734

outlines for, **723–727**, 723–727

.tga files, 692

thickness

walls, **131–132**, 131–132, 250, 250

wine glass, **125–128**, 125–128

Thin Wall Refraction maps, 910

3D foliage, 427

3D models, 796, 804

3D RPC content type, 268

3.5D RPC content type, 268

Threshold setting

armature deforming, 314

smoothing meshes, 234, 234

thumbnail images for importing files,

493, 493

TIF Image Control dialog box, 680

TIFF (Tagged Image File Format) files

characteristics, 692

elevations, 680

extension for, 500

textures, 733

treemaps, 706

- Tiles maps, 910–911
- tiling
 - background images, 463
 - Coordinates rollout for, 407
 - materials, 398, **402–403**, 402–403
- time
 - compressing and expanding, **643–648**, 644–648
 - controlling lights over, **662–665**
 - moving camera target through, **660–661**, 661
 - for radiosity, 532
 - setting, 515–516, 516
 - sliders, 619, 619, 621, 621
- Time Configuration dialog box
 - for adding frames, 629–630, 629
 - at beginning of segments, 656
 - at end of segments, 636–637
 - between selected keys, **655–656**
 - for lights, 662
- time controls, 11, 12, **13–14**
- Time Output settings, 532
- tint
 - background images, 792
 - mapping, 910
- Toggle the Flip Normals option, 126
- Tolerance setting, 700
- tonal ranges of images, 464
- tool palettes, **9–10**, 9–10
- toolbars
 - docked and floating, 3, **6–8**, 7, 9
 - flyouts, **8–9**
 - main, 5, 17
 - Photoshop, 698, 698
- tools
 - time control, **13–14**
 - viewport, **11–14**, 12–13
- Top/Bottom material, 907
- topography, splines for, **796–804**, 796–804
- topology in Boolean functions, 319
- torchiera lights
 - shadows for, **545–550**, 545–550
 - working with, **539–543**, 539–542
- torus, 67, 67
- tower walls, **209–214**, 210, **221–223**, 221–224
- tracing
 - borders for roofs, **315–318**, 316–318
 - over sketches, **178**, 179
 - image scaling for, **181–184**, 182–183
 - importing bitmap images for, **178–181**, 179–181
 - process, **184–186**, 184–186
 - void outline for, **187–190**, 187–190
 - void wall for, **190–194**, 190–194
 - user grids for, **210–211**, 210–211
- Track view
 - adding frames, 656–657
 - camera motion, 639–642, 639
 - camera trajectory, **648–652**, 649, 651
 - lights, 662–665
 - time, **643–647**
- tracking assets, **506–508**, 507–508
- tracks for camera motion, 638–639
- trajectory
 - camera, **622–625**, 623–624, 634–636, 634–635, **648–651**, 649–651
 - moving car, 673–674, 673
- Transform gizmo, 115
- Transform Type-Ins
 - data in, 14
 - moving objects, 24–25
 - rotating objects, 25–26
 - vaulted ceilings, 219
- transforms
 - arrays, 236
 - bitmap images, 182–183
 - cameras, 450
 - lofting, 293
 - modifiers for, 903–904
 - montages, 719–720

- in object data flow, 79
- pivot points, **560–561**, 560–561
- scaling and rotating objects, **84–88**, 85–87
- tools for, 5
- vaulted ceilings, 219
- wall void, 190
- Translucency control, 440
- Translucent Shader shaders, 414
- Transmittance setting, 521
- transparency
 - glass, 388–390
 - refraction maps for, 381
- Transparency control, 440
- tree maps, **699–706**, 699–706
- trees. *See also* entourage material and objects
 - creating, **261–265**, 262–265
 - modifying, **264–265**, 264–265
 - in montages, **720–722**, 721–723
 - selecting, **699–704**, 699–705
 - shadows for, **362–368**, 363–367
- trial rendering speed, 546
- triangles for material status, 389
- Trim/Extend modifier, 902
- Trim tool, 145–146, 146
- tripods, 457
- troughs, 306
- Truck Camera tool, 454–455, 677
- true color, **694**, 695
- true north, adjusting for, **682–683**
- Truevision Targa file type, 500
- trusses, **837–839**, 837–839
- tubes, 68, 68
- tubular trusses, 837
- Turbo Squid texture maps and models, 426
- TurboSmooth Iterations setting, 780
- TurboSmooth modifier, 779–781, 780–782, 902
- Turn Head option, 688
- Turn To modifiers, 902
- tweens, 618
- Twist modifier, 902, 903

- 2-Pass Antialias setting, 361
- 2-Sided option, 391
- 2-Sided shaders, 414
- two suns for shadows, **362–366**, 363–366
- 2D RPC content type, 268
- 2.5D RPC content type, 268
- 2.5D Snaps Toggle tool, 202, 205
- 256 colors, **694**, 695

U

- U Offset spinner, 462–463
- U Tiling setting
 - alpha channel images, 715
 - car front, 776
 - car side, 770
 - Displace modifier, 745, 748
 - material, 421–422
 - textures, 734
 - UVW maps, 403, 407, 407
- UCS icon, 726
- Unbind option, 499
- Undo tool, 87
- Undo View Change command, 39, 225
- Unhide All dialog box, 316, 316, 812, 812
- Unhide by Name option, 275
- Unhide Objects dialog box, 171, 171, 275–276, 276
- Uniform Scale option
 - cameras, 450
 - rotating objects, 86
- Unify Normals option, 830
- Union operations
 - vs. Attach tool, 217
 - roofs, 318
 - shapes, 169, 170
 - splines, 149, 151
- unique clones, **88–89**, 88
- Units Setup dialog box, 4, 4
 - primary units, 59, 756, 756
 - radiosity, 518

- scaling bitmap images, 181, 182
 - walls, 129, 129
 - Unlink Selected tool, 563
 - Unwrap UVW modifier, 903
 - Update option for XRefs, 485
 - Update File option, 499
 - Update Now option, 499
 - Update settings for Terrain, 803
 - updating AutoCAD files, **800–801**
 - Use 1/2 of Points option, 803
 - Use 1/4 of Points option, 803
 - Use Adaptive Subdivision options, 530
 - Use Custom Section option, 324
 - Use Extrude Modifier to Represent
 - Thickness option, 832
 - Use Global Subdivision Settings option, 530
 - Use Map option, 792
 - Use Merged Material option, 488
 - Use Pivot Point Center tool, 86–88, 369
 - Use Real-World Scale option
 - alpha channel images, 715
 - car front, 776
 - car side, 770
 - material, 421–422
 - skies, 470
 - textures, 734
 - Use Scene Environment option, 612
 - Use Scene Material option, 488, 494
 - Use Scene Material Assignments on Reload
 - option, 832, 842
 - Use Scene Material Definitions option, 832, 842
 - Use Selection Center tool, 88
 - Use Soft Selection option, 312
 - Use Transform Coordinate Center tool, 87
 - user grids
 - aligning objects, 133–137, 134
 - border tracing, 316–317, 317
 - plan tracing, **210–211**, 210–211
 - User viewports, 45–46, 46
 - Utilities dialog box, 442, 442
 - utilities for materials, **441–445**, 441–446
 - Utilities tab in Command Panel, 15
 - UTypeStair stairs, 252
 - UVW Mapping Parameters rollout
 - car front, 777
 - displaced geometry, 747
 - sub-materials, 435–436
 - UVW maps and UVW Map modifier, 416–417
 - bitmap shape adjustments, 427
 - car front, 775–776, 778–779
 - car surface, 770
 - coordinates, **393–394**
 - displacement maps, 745
 - mapping types with, **403–407**, 404–407
 - materials, **397–401**, 397–401
 - entourage, 425
 - sub-materials, 434–437
 - multiple, **436–437**
 - operation, **399–401**, 400
 - photographs, **771–774**, 772–774
 - purpose, **903**
 - settings, **401–407**, 401–407
 - skies, 471
 - XRefs, 484
 - UVW Remove utility, 444
 - UVW Xform modifier, **903**
- ## V
- V Offset spinner, 462–463
 - V Tiling setting
 - alpha channel images, 715
 - car front, 776
 - car side, 770
 - Displace modifier, 745
 - material, 421–422
 - textures, 734
 - UVW maps, 403, 407, 407
 - vacuums, Index of Refraction of, 440

- vanishing points, 782–783, 783
- vaulted ceilings, **214–220**, 215–220
- .vda files, 692
- Vertex Color maps, 911
- Vertical settings for Terrain, 803
- vertically constrained lines, **108–109**
- vertices
 - armatures, 311, 311
 - camera motion, 691
 - in converting planes into editable patches, 914, 914
 - corners, 118–120, 119–120
 - curvature, **761–768**, 762–768
 - image tracing, 184–185, 184–185
 - moving meshes, **202–203**, 202–203
 - photograph boxes, **759**, 759–761
 - shapes along loft paths, 297, 297
 - splines, 105, 114, 118–119, 119–120, 160
 - tapered walls, 196–197, 197
 - wall location, **140–141**, 140–141
- Video Compression dialog box, 626
- Video Post feature, 693
- video time, **617–618**
- View Align tool
 - surfaces, 207–208
 - UVW maps, 401
- View Controls rollout, 688, 688
- View File dialog box, 670–671
- View Image File command, 670
- View option for render type, 473
- view steps, 914
- Viewport Background dialog box
 - background images in, 776
 - image tracing, 185
- Viewport Configuration dialog box
 - adaptive degradation, 660
 - default lights, 332
 - layout settings in, 47–50, 47–50
- Viewport Image dialog box
 - apartment building, 784
 - background images, 461
 - imported bitmap images, 180, 180
 - photographs, 756–757, 757
- Viewport/Renderer option, 834
- views and viewports, **11**, 11
 - cameras in, 449, **452–457**, 453
 - configuration, **45–52**, 45–52
 - interior, **457–458**, 457–459
 - multiple, **43–45**, 43–45
 - panning and zooming, **38–39**, 39
 - saving, **39–40**
 - switching, 14
 - tools, **11–14**, 12–13
 - viewing angles for, **40–42**, 41, 43
- Villa Savoye model
 - animation for
 - camera motion, **619–620**, **630–633**, 631–633, **638–643**
 - camera path, **620–622**, 621–622
 - camera trajectory, **622–625**, 623–624, 634–636, 634–635, **648–651**, 649–651
 - cars, **671–675**, 672–675
 - frames, **629–630**, 629–630, **636–638**, 636–638
 - keyframe editing, **634–636**, 634–636
 - keyframes, **626–629**, 627–628, **638–643**, 639–643
 - shadow study, **681–685**, 683–684
 - still image output, **675–681**, 676–679
 - time compression and expansion, **643–648**, 644–648
 - walkthroughs, **685–691**, 685–689
 - articulated luminaires. *See* articulated luminaires
 - cameras for
 - adding, **448–449**, 448–449
 - location, **450–451**, 452
 - viewport tools, **452–457**, 453
 - environments for
 - for animations, **467–472**, 468–469, 471–472

- background image adjustments, **461–467**, 463
 - creating, **458–460**, 459–461
 - file linking for, **821–831**, 821–822
 - floors with openings, **816–820**, 817–820
 - furniture arranging, **495–499**, 496–498
 - interior views, **457–458**, 457–459
 - lights and lighting, **331–333**, 332
 - ambient, **340–342**, 341–342
 - artificial, **538–550**, 539–543
 - daylight, **514–517**, 514–518
 - editing, **334–336**, 334–336
 - highlights, **346–348**, 347–349
 - moving, **333**, 333
 - rendering, **338–340**, 338–340
 - types, **336–338**, 336–337
 - materials
 - bump maps, **418–419**, 419
 - glass, **385–390**, 389–390, **814–816**, 815–816
 - ground-grass, **393–401**, 397, 399
 - Opacity maps, **420–426**, 425–426
 - ray tracing reflection and refraction in, **428–429**, 429
 - reflectivity, **520–524**, 521–523
 - sub-materials, **433–437**, 434–436
 - mullions, **814**, 814
 - Photoshop for
 - alpha channels for, **714–717**, 714–717
 - for montages, **717–722**, 718–723
 - radiosity
 - faking, **342–345**, 343–346
 - mesh, **524–531**, 525–531
 - rendering options, **531–537**, 532–537
 - settings, **519–520**, 519–520
 - render elements, **474–477**, 474–477
 - render types, **472–474**, 473–474
 - Rendered Frame Window, **503**, 503
 - shadows, **352–354**, 353–354
 - maps, **355–358**, 355–358
 - ray traced, **358–362**, 359–362
 - softening edges, **354–355**, 354
 - walls
 - AutoCAD plans, **805–810**, 805–809
 - extruding, **811–814**, 812–814
 - visibility
 - camera trajectory, **624–625**, 624
 - layers for, **283–284**, 283–284
 - XRef Scenes, 499
 - Visible option, 499
 - VIZ2008 folder, 383
 - void walls
 - forming, **190–191**, 190–191
 - outline for, **187–190**, 187–190
 - tapered, **191–194**, 192–194
 - Vol. Select modifier, 886
 - Volume fog effect, 929
 - Volume Light effect, **929–930**
 - volumes, 117
 - VRML97 helpers, 925
 - .vst files, 692
- ## W
- Walk Through tool, **455–456**
 - Walkthrough Assistant dialog box, 685–686, 686
 - walkthroughs
 - for animations
 - cameras for, **687–689**, 688–689
 - paths, **685–687**, 685–687, **690–691**, 691
 - camera settings, **455–456**
 - walls
 - AutoCAD plans for, **805–810**, 805–809
 - ceiling for, **151–155**, 152–155
 - color, **391–392**, 392
 - converting meshes to splines, **203–205**, 203–205
 - converting splines to meshes, **198–201**, 199–201
 - doors and windows in, **248–251**, 249–251

- extruding, 225, **811–814**, 812–814
- flattening, **206–207**, 206–207
- grids and snaps for, **133–138**, 133–137
- joining, **148–151**, 148–151
- lines for, **129–131**, 129–131
- location, **139–142**, 139–141
- miscellaneous, **224–228**, 224–225, 227
 - attaching to meshes, **228–230**, 228–230
 - smoothing meshes, **230–235**, 231–235
- Multi/Sub-Object material for, **431–433**, 431–433
- openings
 - changes to, **176–178**, 176–178
 - multiple, **175–176**
 - shape, **172**, 172–173
 - subtraction from, **173–174**, 173–175
- outlines for, 126, 131–132, **723–727**, 723–727
- parametric, **245–251**, 246–247
- profiles for, 821
- subtraction operations, **170–171**, 171
- tapered
 - aligning, **193–195**, 194
 - creating, **191–193**, 192–193
 - meshes for, **195–198**, 196–198
 - top, **208–209**, 208
- texture, **723**
 - building, **727–732**, 728–732
 - color, **736–742**, 736–741
 - irregularities, **735–737**, 735–737
 - testing, **733–735**, 734
- thickness, **131–132**, 131–132, 250, 250
- tower, **209–214**, 210–214, **221–223**, 221–224
- tracing, **184–186**, 184–185
- vertices, **140–141**, 140–141, 196–197, 197, **202–203**, 202–203
- void
 - forming, **190–191**, 190–191
 - outline for, **187–190**, 187–190
 - tapered, **191–194**, 192–194
- warnings, yellow color for, **114**
- water, Index of Refraction of, 440
- Wave modifier, 903
- waves, light, 588
- Waves map, 911
- Web distribution of light, **552–554**, 552–553
- Welcome Screen dialog box, 1–2, 1
- Weld Nearby Vertices option, 830
- wheel wells for cars, 771, 771
- When Rendering option, 803
- Whiteness setting, 341, 341
- Wide Flange method, 159
- width
 - boxes, 70
 - objects, 19–20
 - segments, 70, 94
 - UVW maps, 406
 - wall openings, 172, 177
- Width Segs setting, 70, 94
- Width setting in Photoshop, 709
- wind, clouds in, 471
- window/Crossing Selection tool, 31
- Window Selection mode, 31
- Window Selection tool, 200
- windows
 - selection, 31–32, 32
 - in walls, **251**, 252
- Windows Bitmap file type, 500
- wine glass
 - lathing splines for, **111–113**, 112, 115
 - smoothing spline corners, **117–120**, 117–120
 - tangent handles, **120–124**, 121–125
 - thickness, **125–128**, 125–128
- Wire shaders, 414
- wireframe views, 45–47, 46
- wiring parameters for articulated
 - luminaires, **572–575**, 573–575
- Wood maps, 911

workflow

- mental ray renderer, **603**
- radiosity, **518–519**

world axis, 11**World Coordinate System, 60****World-Space modifiers (WSM), 60**

- for displacement maps, 750–751
- list of, **886–888**
- for scaling, 416–418, 417

WRectangle method, 158**X****X axis, 60****X coordinates for spline lines, 130****X curves, 651****X Offset setting, 324****X Position option, 324–325****XForm modifier, 88, 903–904****XRef dialog box, 481****XRef File option, 499****XRef material, 907****XRef Merge dialog box, 491, 835****XRef Objects dialog box, 480–483, 481–482, 485****XRef Record toolbar, 485****XRef Scenes dialog box, 480**

- furniture, 495–498

- photometric lights, 543–545

XRefs

- controlling, 499

- for furniture arranging, **479–484, 480–483, 486–488, 486–487, 495–499, 496–498**

options, 485–486

- for photometric lights, **543–545, 543–545**

- replacing objects with, **488–490, 489–490**

XYZ to UVW mapping, 406**Y****Y axis, 60****Y coordinates for spline lines, 130****Y curves, 651****Y Offset setting, 324****Y Position option, 324–325****yellow color for warnings, 114****Z****Z axis, 60****Z curves, 651****Z Depth element, 476, 477****Z direction, 476****Z Position option, 324–325****Zones by Base Elevation group, 799, 804****Zoom tool, 38, 756****Zoom All tool, 44****Zoom Extents All tool, 44, 44, 93****Zoom Extents tool, 45****Zoom Horizontal Extents tool, 639****Zoom Region tool, 43, 43, 145****Zoom Region window, 145, 145****zooming**

- cameras, **452–453, 453**

- in Rendered Frame Window, **502**

- with scroll wheel, 107

- views, **38–39, 39**

