

Index

A

- Abbreviations, App. A, 295–296
- Acoustical analysis, systems approach, 2, 84–85
- Acoustical concepts, 2–34. *See also* Room acoustic qualities
 - cavity absorption in double constructions, 16–17
 - ceiling attenuation class, 21
 - combining decibels, 10–11
 - composite constructions, 17–18
 - decibel scale, 6–7
 - direct structure-borne sound, control of, 22
 - double walls, 16
 - field sound transmission class, 21
 - flanking paths, 18–19
 - frequency, 3–5
 - frequency bands, 4, 5
 - frequency-weighted sound levels, 7–8
 - impact insulation class, 22–23
 - isolation of equipment, 23, 24
 - magnitude of sound, 5–6
 - noise isolation class, 21–22
 - noise reduction coefficient, 13
 - outdoor vs. indoor sound, 11–12
 - overview, 1–2
 - reverberation, indoor, 14
 - single homogeneous walls, 16
 - sound-absorbing materials, 12–13
 - sound and sound control, 2–3
 - sound leaks, 18
 - sound level change, relative, 11
 - sound level reduction, indoor, 13–14
 - sound transmission between rooms, 14–15
 - sound transmission class, 20–21
 - sound transmission loss, 15
 - field measurement of airborne, 21
 - laboratory measurement of airborne, 19–20
 - time-varying sound levels, 8–10
 - wavelength, 4–5
- Acoustical consultant, selection of, App. C, 303–304
- Acoustical design, *see* Design, Places for Listening
- Acoustical insulation, 41
- Acoustical louver, noise control methods, 114
- Acoustical masonry units (AMUs), properties of, 50–51
- Acoustical materials:
 - case studies:
 - Berklee College of Music, 79–81
 - Boston waterfront development under a flight path, 75–78
 - Duke University Chapel, 71–74
 - design and research innovations, 233–236
 - types of, 50–54
 - performance tables, 58–69
 - airborne sound isolation performance data, 62–66
 - impact and airborne sound isolation performance data, 67–69
 - sound absorption data for general building materials, 59
 - sound absorption data for acoustical materials, 60–61
- Acoustical modeling, 210, 231–233
 - aural simulation, 233
 - computer modeling techniques, 232–233
 - computer modeling tests, 264–271
 - expert systems, 233
 - loudspeakers, 180
 - noise control methods, HVAC systems, 117–119
 - physical modeling techniques, 232
 - psychoacoustic models, 218–219
 - studies in, 231–232
- Acoustical privacy, 101–107
 - closed-plan spaces, 101–103
 - open-plan spaces, 101, 104–107
 - speech privacy index, 236
- Acoustical societies, listing of, App. B, 297–301
- Acoustical Society of America, 38, 39
- Acoustical thermometer, magnitude of sound, 6
- Acoustic warmth, research on, 213
- Active noise control systems, design and research innovations, 236
- Adjustment tests, in laboratory evaluations, 223
- Agganis Arena and Boston University Fitness and Recreation Center (Boston, Massachusetts), 194–196
- AIA (American Institute of Architects), 284
- Airborne sound attenuation, 41–43
- Airborne sound isolation performance data, performance tables, 62–66
- Airflow, noise control methods, HVAC systems, 112, 116–117
- Airfoil blade fans, 112
- Air springs, acoustical properties of, 54
- Alameda County California Waste Management Authority, 276
- Ambience, concert hall design, 138
- Ambient noise level, 215

318 | INDEX

- American Institute of Architects (AIA), 284
American National Standards Institute (ANSI):
background sound levels, design criteria, 26
classroom acoustics, 39
noise control criteria, 85–86, 93–96
school acoustics, 158
standards, 31
sustainable design, 281
American Society for Testing and Materials (ASTM):
ceiling attenuation class, 21
field sound transmission class, 21
impact insulation class, 22
noise control criteria, 85, 98
noise isolation class, 21–22
sound-absorbing materials, 12
sound absorption, 46
sound transmission loss, 19
standards of, 31
American Society of Heating, Refrigerating and Air
Conditioning Engineers (ASHRAE):
design and innovations, 238
noise control criteria, 85, 109–111, 113, 117, 118
American Society of Hospital Engineers (ASHE), 284
Amphitheater design:
acoustical considerations, 134–135
case studies:
Hollywood Bowl stage redesign, 169–174
Jay Pritzker Music Pavilion, 206–207
AMUs (acoustical masonry units), properties of, 50–51
Annoyance, room acoustic qualities, 218–219
ANSI, *see* American National Standards Institute
Apparent source width (ASW):
concert hall design, 139
lateral reflections, 216
Architectural acoustics timeline, 38–39
Architectural features, effects of, room acoustic qualities,
230–231
ASHE (American Society of Hospital Engineers), 284
ASHRAE, *see* American Society of Heating, Refrigerating and
Air Conditioning Engineers
Assisted resonance, 143
Assistive listening systems, sound systems, 191
ASTM, *see* American Society for Testing and Materials
ASW, *see* Apparent source width
Athletic facilities, *see* Sports facilities
Attenuation, *see* Sound attenuation
Audio Engineering Society, 39
Auditoriums:
design criteria, 28–30
multipurpose, 148
panel array, 141
sound systems, 188
Auditory spaciousness, research on, 217
Aural simulation, acoustical modeling, 210, 233
Ave Maria University Oratory (Florida), 197–198
- B**
Background sound levels:
design criteria, 24–27
reflection thresholds, 215
Backward-inclined fans, 112
Balanced noise criteria curve (NCB):
design criteria, 26
and 4-band SIL method, 94
Ballrooms, sound systems for, 189
Banquet halls, sound systems for, 189
Barriers, *see* Noise barriers
Bass Performance Hall (Fort Worth, Texas), 253–255
Bass Ratio (BR):
based on early decay time, room acoustic qualities
measurement, 229
concert halls, 139, 140
Batts, fibrous, acoustical properties of, 52
BBN, *see* Bolt Beranek and Newman, Inc.
Bell Telephone Laboratories, 38
Beranek, Leo, 39, 133, 136, 137, 139, 140
Berklee College of Music, 79–81
Binaural dissimilarity, research on, 216
Binaural quality index (BQI), 139, 216
Blankets, fibrous, acoustical properties of, 52
Board, fibrous, acoustical properties of, 52
BOCA (Building Officials and Code Administrators
International), 86
Boettcher Concert Hall (Denver, Colorado), 142
Bolt Beranek and Newman, Inc. (BBN), 39, 141
Boston Music Hall, 140
Boston Symphony Hall, 38, 140, 211
Boston waterfront development under a flight path, 75–78
Boxed centrifugal fans, 112
BQI, *see* Binaural quality index
BR, *see* Bass Ratio
BREEAM (Building Research Establishment Environmental
Assessment Method), 276
Brick, acoustical properties, 47
Building exterior envelope design, noise control methods, 86–91
Building floor/ceiling design, noise control methods, 98–99
Building materials and systems, sustainable design, 278–281
Building noise control, *see* Noise control
Building Officials and Code Administrators International
(BOCA), 86
Building partition design:
and flanking paths, 18
moveable partitions, 281
noise control methods, 97–98
for sustainable projects, 277
Building Research Establishment Environmental Assessment
Method (BREEAM), 276
- C**
CAC, *see* Ceiling attenuation class, acoustical concepts
California, green building initiatives in, 276
Carpeting:
acoustical properties of, 47
low-VOC, 279
Cathedral design, 151–152
Cavity absorption, in double constructions, acoustical concepts,
16–17
Ceiling attenuation class (CAC), acoustical concepts, 18, 21
Ceiling design:
common ceiling plenum:
airborne sound isolation ranges for rooms with, 69
flanking, 19, 43

- flanking paths:
 - acoustical concepts, 18–19
 - continuous ceiling plenums, 21, 43
 - noise control methods, 98–99
 - reflections from, 213–214
 - Cellulose fiber, acoustical properties of, 51
 - Central loudspeaker cluster sound systems, 178
 - Ceramic tile, acoustical properties, 47
 - Channels, resilient, acoustical properties of, 56
 - Charles Salter Associates Tenant Improvement Office (San Francisco, California), 291–293
 - Choir-organ arrangement, worship spaces design, 154–155
 - CHPS (Collaborative for High-Performance Schools), 284
 - Christchurch Town Hall (New Zealand), 142
 - Churches, *see* Worship spaces
 - Classrooms:
 - design criteria, 28–30
 - for distance learning, 158
 - music, 157
 - Clips, resilient, acoustical properties of, 56
 - Closed-plan spaces, acoustical privacy, 101–103
 - CMUs (concrete masonry units), acoustical properties, 47–48
 - CNEL (community noise exposure level), health and, 274
 - Code organizations, noise control, 86
 - Collaborative for High-Performance Schools (CHPS), 284
 - Coloration, conference room design, 147
 - Column array loudspeakers, 183–184
 - Combined decibels, acoustical concepts, 10–11
 - Common ceiling plenum:
 - airborne sound isolation ranges for rooms with, 69
 - flanking, 19, 43
 - Common corridors, as flanking path, 43
 - Community noise exposure level (CNEL), health and, 274
 - Composite constructions, acoustical concepts, 17–18
 - Computer modeling techniques:
 - case study, 264–271
 - research using, 232–233
 - Concertgebouw (Amsterdam), 211
 - Concert halls, 136–144
 - case studies:
 - The Esplanade Concert Hall, Theaters on the Bay, 255–256
 - Evangeline Atwood Concert Hall, Alaska Center for the Performing Arts, 249–252
 - Jay Pritzker Music Pavilion, 206–207
 - Katherine M. Elfers Concert Hall, Esther Eastman Music Center, 165–166
 - McDermott Concert Hall, Morton H. Meyerson Symphony Center, 245–248
 - Segerstrom Hall, Orange County Performing Arts Center, 242–244
 - Tokyo Opera City Concert Hall, Takemitsu Memorial, 257–259
 - Walt Disney Concert Hall, 260–263
 - design innovation, 211
 - electronic concert hall, 143–144
 - in-the-round, 142
 - multipurpose, 143
 - partially enclosed, 142–143
 - shoebox approach, 140
 - subjective attributes and objective measures, 137–140
 - Concrete, acoustical properties, 47
 - Concrete masonry units (CMUs), acoustical properties, 47–48
 - Condenser microphones, 181
 - Conference rooms:
 - design criteria for, 28–30
 - design of, 157
 - sound systems, 188
 - Continuous ceiling plenums, as flanking path, 43
 - Continuous floors, as flanking path, 43
 - Continuous roof decks, as flanking path, 43
 - Convention centers, sound systems, 189
 - Conversion factors, App. A, 295–296
 - Cork underlayment, 278–279
 - Corporate worship configurations, 152–153
 - Cross-linked polyethylene (PEX) supply piping, 279–280
 - Crossovers, signal processing equipment, 185–186
 - Crossover point, 185
 - Crosstalk, duct-borne, 43
 - Cultural events:
 - design for, 156
 - sports facility design, 155–156
 - Curtains, acoustical properties of, 51
 - Curtain-wall systems, as flanking path, 43
- D**
- Daylighting, in sustainable design, 277
 - Day-night average sound level (DNL), noise control criteria, 90
 - Day-night equivalent sound level, 10
 - Decibels:
 - combined, acoustical concepts, 10–11
 - defined, 6
 - Decibel scale, acoustical concepts, 6–7
 - Deck:
 - acoustical, properties of, 50
 - steel, acoustical properties of, 49
 - wood, acoustical properties of, 49
 - Design criteria, architectural acoustics applications,
 - high noise level areas, 27–28
 - listening and performance rooms, 28–30
 - mechanical systems, 28
 - sound isolation between dwelling units, 28–30
 - Design, places for listening, 133–174
 - acoustic transition from outside to inside, 133–134
 - case studies:
 - Fogg Art Museum Lecture Hall, 33–38
 - Hitchcock Presbyterian Church, 164
 - Hollywood Bowl stage redesign, 169–174
 - Holy Cross Church, 160–161
 - Katherine M. Elfers Concert Hall, Esther Eastman Music Center, 165–166
 - Mitchell Hall, University of Delaware, 162–163
 - Ozawa Hall, Tanglewood Music Center, 167–168
 - concert halls, 136–144
 - electronic, 143–144
 - in-the-round, 142
 - multipurpose, 143
 - partially enclosed, 142–143
 - shoebox approach, 140
 - subjective attributes and objective measures, 137–140
 - conference rooms, 157

320 | INDEX

- Design, places for listening (*cont'd*)
criteria for, 23–30
background sound levels, 24–27
rooms for listening, 28–30
cultural events, 156
historical perspective, 133
home listening rooms, 157–158
innovations in, *see* Design and research innovations
lecture rooms, 158
motion picture theaters, 149–151
movable stage enclosures, 149
music buildings, 156–157
opera houses, 145–146
outdoor amphitheaters, 134–135
recital halls, 144–145
reverberation goals, 135–136
sports facilities, 155–156
theaters, 147
worship spaces, 151–155
- Design and research innovations, 209–271
acoustical modeling, 231–233
aural simulation, 233
computer modeling techniques, 232–233
expert systems, 233
physical modeling techniques, 232
studies in, 231–232
- active noise control systems, 236
case studies, 241
Bass Performance Hall, 253–255
computer model tests, 264–271
The Esplanade Concert Hall, Theaters on the Bay, 255–256
Evangeline Atwood Concert Hall, 249–252
McDermott Concert Hall, 245–248
Segerstrom Hall, Orange County Performing Arts Center, 242–244
Tokyo Opera City Concert Hall, Takemitsu Memorial, 257–259
Walt Disney Concert Hall, 260–263
- impact noise, 237–238
mechanical systems and health and energy issues, 238
overview, 209–211
plumbing system noise control, 237
room acoustic qualities, 211–231
architectural feature effects measurement, 230–231
existing rooms measurement, 230
general, 211–212
impulse response, 224–228
measurement systems, 223–224
measures derived from impulse response, 227–230
research summary, 212–218
sound perception issues, 218–219
sound quality assessment methods, 219–223
summary table, 231
sound-diffusing materials, 233–236
sound isolation testing, 236–237
- Diffusers, noise control methods, 116–117
Diffusion, research on, 217
Digital delays, signal processing equipment, 186
Digital signal processors (DSPs), 185–186
- DIL (dynamic insertion loss), 112–115. *See also* Noise control methods
Directed-energy halls, 140
Direction:
for music sound systems, 177
perception of, 214
for speech sound systems, 176
Direct-radiator loudspeakers, 181–182
Direct sound, 214
Direct structure-borne sound, control of, acoustical concepts, 22
Discrete reflections control, sound absorption, 46
Distributed loudspeaker systems, 179
Distribution amplifiers, signal processing equipment, 186
DNL (day-night average sound level), noise control criteria, 90
Dolby Laboratories, 150
Doors, acoustical, properties of, 54
Door slams, 83
Double constructions, cavity absorption in, acoustical concepts, 16–17
Double-envelope halls, 141, 144, 145, 148
Double-sloped decays, 212–213
Double walls, sound transmission loss, acoustical concepts, 16
Dougherty Valley High School (San Ramon, California), 289–290
Dry recording, 233
DSPs (digital signal processors), 185–186
Dual-mono split loudspeaker system, 178
Duct attenuation, sound attenuation, 44
Duct-borne crosstalk, 43
Duct insulation, in sustainable design, 278
Duct lining:
acoustical properties of, 51–52
noise control, 112–113
Duct silencers:
acoustical properties of, 54–55
design and research innovations, 238
noise control methods, 112–116
Duke University Chapel, 71–74
Dwelling units, sound isolation between, design criteria, 28–30
Dynamic insertion loss (DIL), 112–115. *See also* Noise control methods
Dynamic microphones, 181
- E**
Ear, frequency-weighted sound levels, 7–8
Early decay time (EDT):
research on, 212
room acoustic qualities measurement, 228
bass ratio based on, 229
treble ratio based on, 229
Early interaural cross-correlation coefficient, room acoustic qualities measurement, 229
Early-late ratios:
concert hall design, 138–139
room acoustic qualities measurement, 228
Early sound reflections, 214, 215
EDT, *see* Early decay time
Elastomers, acoustical properties of, 55

- Electrical systems:
 - isolation of equipment, acoustical concepts, 23, 24
 - sustainable design, 280
 - Electroacoustic equipment, sound systems, 181–184
 - loudspeakers, 181–184
 - microphones, 181
 - Electroacoustic systems, noise control design, 87, 107
 - Electronic acoustic enhancement, sound systems, 191
 - Electronic concert hall design, 143–144
 - Electronic equipment, sound systems, 184–186
 - mixers, mixing consoles, and preamplifiers, 184
 - new wiring/signal transmission methods, 186
 - power amplifiers, 186
 - signal-processing equipment, 185–186
 - sound control, 184–185
 - Energy-efficient mechanical systems/equipment, 280
 - Energy equivalent sound level, 8, 10
 - Energy issues, mechanical systems noise control, 238
 - Energy-time curve (ETC), concert hall design, 137–138
 - Entertainment facilities, sound systems, 190
 - EPA, *see* U.S. Environmental Protection Agency
 - Equalizers, signal processing equipment, 185
 - The Esplanade Concert Hall, Theaters on the Bay (Singapore), 255–256
 - Estidama (Sustainable Buildings Program for the Emirate of Abu Dhabi), 276
 - ETC (energy-time curve), concert hall design, 137–138
 - Evangelical churches, 153–154
 - Evangeline Atwood Concert Hall, Alaska Center for the Performing Arts (Anchorage, Alaska), 249–252
 - Exhibition halls, sound systems, 189
 - Expert systems, acoustical modeling, 233
 - Exterior noise:
 - in green healthcare facility design, 284
 - noise control design, 86–91
 - categorization of non-facility-produced noise, 89–91
 - overview, 87–89
- F**
- FAA, *see* Federal Aviation Administration
 - Fabrics, acoustical properties of, 51
 - Facility Guidelines Institute (FGI), 83, 90, 284
 - Fans, noise control methods, 111–112
 - Federal Aviation Administration (FAA), 10, 89
 - Federal government, green building initiatives of, 276–277
 - Federal Highway Administration (FHWA), 10, 89
 - Federal Housing Administration (FHA), 28–30
 - Feedback suppressors, signal-processing equipment, 185
 - Festpielhaus (Bayreuth), 147
 - FGI, *see* Facility Guidelines Institute
 - FHA (Federal Housing Administration), 28–30
 - FHWA, *see* Federal Highway Administration
 - Fiberglass:
 - acoustical properties of, 52
 - noise control, 238
 - Fibrous batts and blankets, acoustical properties of, 52
 - Fibrous board, acoustical properties of, 52
 - Fibrous plank, acoustical properties of, 52
 - Fibrous spray, acoustical properties of, 52–53
- Field impact insulation class rating measurements,
 - condominium floor/ceiling construction case study, 123–124
 - Field sound transmission class (FSTC), acoustical concepts, 21
 - Finish flooring, sustainable design, 279
 - 500 Atlantic Avenue hotel/condominium building vibration isolation, 126–131
 - Flanking paths:
 - acoustical concepts, 18–19
 - airborne sound attenuation, 42
 - sound attenuation, 43
 - Fletcher, Harvey, 38
 - Flexible connections, acoustical properties of, 55–56
 - Floating floors, acoustical properties of, 56
 - Floor design:
 - continuous floors, 43
 - floating floors, acoustical properties of, 56
 - noise control methods, 98–99
 - raised floor systems, 43
 - Flooring materials, sustainable design, 278–279
 - Foam, acoustical, properties of, 50
 - Fogg Art Museum Lecture Hall (Harvard University), 33–38
 - Footfall:
 - impact isolation, 28
 - definition and examples, 83–84
 - Forward-curved fans, 112
 - 4-band speech interference level (SIL) rating method, 94
 - Frequency:
 - acoustical concepts, 3–5
 - concert hall design, 138
 - for music sound systems, 177–178
 - for speech sound systems, 176
 - Frequency bands, acoustical concepts, 4, 5
 - Frequency response, research on, 216–217
 - Frequency-weighted sound levels, acoustical concepts, 7–8
 - Friction, absorption through, 44
 - FSTC (field sound transmission class), acoustical concepts, 21
 - Functional absorbers, acoustical properties of, 56
- G**
- GBI (Green Building Initiative), 275
 - GGHC (Green Guide for Health Care), 284
 - Glass:
 - acoustical properties, 48
 - laminated, acoustical properties of, 53
 - Glass-fiber linings, mechanical systems, design and research innovations, 238
 - Global Ecology Research Center at Stanford University (Palo Alto, California), 287–288
 - Grant Park (Chicago, Illinois), 144
 - Jay Pritzker Music Pavillion, 206–207
 - Gray water systems, 280
 - Green Building Initiative (GBI), 275
 - Green building rating systems, *see* Sustainable design
 - Green Globes, 275
 - Green Guide for Health Care (GGHC), 284
 - Green roofs, 280–281
 - Green sound-absorbing materials, 239

322 | INDEX

Grilles:

- acoustical properties of, 53–54
- noise control methods, 116–117

Grosser Musikvereinsaal (Vienna), 211

GSA, *see* U.S. General Services Administration

Gypsum board:

- acoustical properties, 48
- interior partitions, 97–98
- sustainable design, 279

H

Haas effect, 176

Halls for Music Performance (Acoustical Society of America), 39

Hangers:

- isolation, 107
- resilient, acoustical properties of, 57

Hanover Theatre (Worcester, Massachusetts), 192–193

Hard-surfaced floors, 279

HDPE (high-density polyethylene) piping, 280

Healthcare facilities:

- Sound and Vibration Control Guidelines, 83
- noise pollution in, 274
- sustainable, 284–285

Health risks:

- and indoor environmental quality, 273, 274
- mechanical systems noise control, design and research innovations, 238

Heating, ventilation, and air conditioning (HVAC) systems:

- acoustical modeling of sound, 117–119
- background sound levels, design criteria, 26, 27
- duct attenuation, 44
- isolation of equipment, 23
- listening and performance rooms, design criteria, 29
- mechanical systems, design criteria, 28
- noise control methods, 111–119
 - diffusers and grilles, 116–117
 - fans, 111–112
 - silencers, 112–116
- sustainable design, 277, 280

Hertz (Hz), 3

High-density polyethylene (HDPE) piping, 280

High noise level areas, design criteria, 27–28

Hitchcock Presbyterian Church (Scarsdale, New York), 164

Hollywood Bowl stage redesign (Los Angeles, California), 169–174

Holy Cross Church (Dewitt, New York), 153, 160–161

Home listening room design, 157–158

Horn loudspeaker designs, 182

Hospital-type duct silencer, noise control methods, 113

Hotels:

- ballrooms and banquet halls, sound systems, 189
- case studies:
 - 500 Atlantic Avenue hotel/condominium building
 - vibration isolation, 126–131
 - noise insulation class rating measurements, hotel guestroom door, 125

HUD, *see* U.S. Federal Department of Housing and Urban Development

Hybrid sound systems, 179–180

Hz (Hertz), *see* Hertz

I

IACC, *see* Interaural cross-correlation coefficient

IBANA-Calc software, 237

IBC (International Building Code), 86

ICBO (International Conference of Building Officials), 86

IEQ, *see* Indoor environmental quality

IIC, *see* Impact insulation class

Impact attenuation, sound attenuation, 43–44

Impact insulation class (IIC):

- acoustical concepts, 22–23
- materials, 44
- selecting ratings, 237–238
- standards, 86

Impact noise, design and research innovations, 237–238

Impact sound isolation performance data, performance tables, 67–69

Impulse response:

- convolving, 221
- measures derived from, room acoustic qualities, 227–230
- reflection thresholds, 214–215
- room acoustic qualities, 224–228

Indoor environmental quality (IEQ), 273, 274

Indoor sound:

- outdoor sound vs., acoustical concepts, 11–12
- reduction of levels, acoustical concepts, 13–14
- reverberation, acoustical concepts, 14
- transition from outdoor sound, 133–134
- transmission between rooms, acoustical concepts, 14–15

Industrial facilities, sound systems, 190–191

Initial time delay gaps, research on, 215

In-line centrifugal fans, 112

Institute of Noise Control Engineering, 39

Insulation:

- loose, acoustical properties of, 53
- in sustainable design, 278
- definition, 41

Interaural cross-correlation coefficient (IACC):

- binaural dissimilarity, 216
- concert hall design, 139

Interior room finishes, noise control design, 87, 91–93

International Building Code (IBC), 86

International Code Council, 86

International Conference of Building Officials (ICBO), 86

International Standards Organization (ISO), 31

Interpretation systems, simultaneous, 191

In-the-round design:

- concert halls, 142
- theaters, 147

Intimacy, acoustical quality of, 215

ISO (International Standards Organization), 31

Isolation:

- of equipment, acoustical concepts, 23, 24
- definition, 41
- vibration, noise control design, 87, 107–110

Isolation hangers, 107

Izenour, George, 141

J

Jay Pritzker Music Pavilion (Chicago, Illinois), 206–207

Johnson, R., 136

Joists, acoustical properties of:
steel, 49
wood, 50

K

Katherine M. Elfers Concert Hall, Esther Eastman Music Center (Hotchkiss School, Lakeville, Connecticut), 165–166
Kitara (Sapporo, Japan), 142
Knudsen, Vern O., 38

L

Laminated glass, acoustical properties of, 53
La Scala (Milan), 146, 147
Lateral energy fraction, room acoustic qualities measurement, 229–230
Lateral fraction (LF) ratio, concert hall design, 139
Lateral reflections, research on, 215–216
Leadership in Energy and Environmental Design (LEED®) Green Building Rating System, 274–275, 277, 282–285
Lead sheet, acoustical properties of, 53
Lecture halls:
design of, 158
Fogg Art Museum Lecture Hall case study, 33–38
sound systems, 188
LEED-CI, 285
LEED® for Homes, 277
LEED for Residential, 277
LEED for Schools, 282–285
LEED® Green Building Rating System, 274–277, 282–285
LEED-Hospitals, 285
LEV, *see* Listener envelopment
LF (lateral fraction) ratio, concert hall design, 139
Limiters, signal processing equipment, 186
Line array loudspeakers, 183
Listener envelopment (LEV):
concert hall design, 139
research on, 217
Listening environment, outdoor amphitheatres, 135
Listening levels, preferred, 216
Listening room design, 28–30, 157–158
Live sound, 175
Living roofs, 280–281
Localization:
of music sources, 177
of speech sources, 176
Loose insulation, acoustical properties of, 53
Loudness:
concert halls, 137
design criteria, 30
importance of, 216
for music sound systems, 177
relative, room acoustic qualities measurement, 228–229
for speech sound systems, 175–176
Loudspeaker systems:
directional, 223–224
efficiency of, 176
sound systems, 178–184, 188–190

Low-frequency absorption materials, design and research innovations, 235
Low-VOC carpeting, 279

M

McDermott Concert Hall, Morton H. Meyerson Symphony Center (Dallas, Texas), 39, 140, 245–248
Magnitude, of sound, acoustical concepts, 5–6
Manufactured-wood constructions, 279
Masonry, acoustical properties, 48
Masonry units, acoustical, properties of, 50–51
Materials, 41–81. *See also* Acoustical materials
case studies:
Berklee College of Music, 79–81
Boston waterfront development under a flight path, 75–78
Duke University Chapel, 71–74
design and research innovations, 233–236
combination sound-absorbing and sound-diffusing panels, 234–235
low-frequency absorption, 235
micro-perforated wood and metal panels, 235
stretched PVC, 235
transparent sound-absorbing materials, 235
transparent sound-diffusing materials, 235
listing of acoustical materials, 50–54
listing of common materials, 47–50
overview, 41
performance tables, 58–69
airborne sound isolation performance data, 62–66
impact and airborne sound isolation performance data, 67–69
sound absorption coefficients data for general building materials, 59
sound absorption data for acoustical materials, 60–61
recycled, 278
sound-absorbing:
acoustical concepts, 12–13
design and research innovations
combination sound-absorbing and sound-diffusing panels, 234–235
transparent, 235
green, 239
sound absorption concepts, 44–47
attenuation improvement, 46–47
discrete reflections control, 46
noise control, 46
principles, 44–46
reverberation control, 46
sound attenuation concepts, 41–44
airborne attenuation, 41–43
duct attenuation, 44
flanking, 43
impact attenuation, 43–44
shielding, 44
vibration isolation, 44
special devices, 54–58
sustainable design, 278–280
worship spaces design, 155

324 | INDEX

- Measurement:
of airborne sound transmission loss:
field measurement, 21
laboratory measurement, 19–20
concert hall design, 137–140
room acoustic qualities, 209–210, 223–224. *See also* Room
acoustic qualities
architectural feature effects, 230–231
existing rooms, 230
impulse response, 227–230
- Mechanical systems:
design and research innovations, 238
design criteria, 28
energy-efficient, 280
isolation of equipment, acoustical concepts, 23, 24
- Mechanics Hall (Worcester, Massachusetts), 121–122
- Medium-size churches, 152
- Meeting rooms, *see* Conference rooms
- Mega-churches, 153–154
- Membrane structures, concert halls, 143
- Metals, acoustical properties, 48
- Metal pans, acoustical properties of, 53
- Metal panels, micro-perforated, 235
- Metric sabin, 45
- Metropolitan Opera House (Lincoln Center, New York), 146, 147
- Micro-perforated wood and metal panels, design and research innovations, 235
- Microphones, sound systems, 181, 187–190
- Mineral fiber, acoustical properties of, 53
- Minnesota Sustainable Building Guidelines (MSBG), 276
- Mitchell Hall, University of Delaware (Newark, Delaware), 162–163
- Mixers, sound systems, 184
- Mixing consoles, sound systems, 184
- Modeling, *see* Acoustical modeling
- Modeling and room prediction software, 180
- Motion picture theaters:
design of, 149–151
sound systems, 188–189
- Mounts, resilient, acoustical properties of, 57–58
- Moveable stage enclosure design, 149
- Movie theaters:
design of, 149–151
sound systems, 188–189
- MSBG (Minnesota Sustainable Building Guidelines), 276
- Multichannel sound systems, 180
- Multipurpose design:
auditoriums, 148
concert halls, 143
Rhodes Arts Center, Northfield Mount Hermon School case study, 202–204
- Music:
classrooms, 157
sound systems for, 177–178
- Music Acoustics and Architecture (Leo L. Beranek), 39
- Musical theater, 147
- Music building design, 156–157
case studies:
Ozawa Hall, Tanglewood Music Center, 167–168
Tufts University Granoff Music Center, 205
electronic concert hall, 143–144
in-the-round, 142
multipurpose, 143
panel-array halls, 140–141
partially enclosed, 142–143
rectangular, 140, 141
shoobox approach, 140
sound systems, 188
subjective attributes and objective measures, 137–140
Music halls, design criteria, 28–30
- N**
- Natoriums, 190
- National Council of Acoustical Consultants (NCAC), 39
- NCB, *see* Balanced noise criteria curve
- NC curves, *see* Noise criteria curves
- Neurological responses, direct measurement of, 223
- NIC (noise isolation class), acoustical concepts, 21–22
- Noise barriers:
acoustical privacy, 104
noise control methods, 96–97
- Noise control, 83–131
acoustical analysis, 84–85
acoustical privacy, 101–107
closed-plan spaces, 101–103
open-plan spaces, 101, 104–107
case studies:
500 Atlantic Avenue hotel/condominium building
vibration isolation, 126–131
field impact insulation class rating measurements,
condominium floor/ceiling construction,
123–124
Mechanics Hall, 121–122
noise insulation class rating measurements, hotel
guestroom door, 125
code organizations, 86
design, 86–110
electroacoustic systems, 87, 107
exterior noise, 86–91
interior room finishes, 87, 91–93
noise criteria curves, 93–94
room criteria curves, 95
room noise levels, 87, 93–96
sound isolation between rooms, 87, 96–107
standards and organization, 85–86
vibration isolation, 87, 107–110
in mechanical systems, energy issues with, 238
overview, 83
for plumbing systems, 237
sound absorption, 46
standards organizations, 85–86
systems approach, 84–85
- Noise control methods:
active noise control systems, 236
building floor/ceiling design, 98–99
HVAC systems, 111–119
acoustical modeling, 117–119
diffusers and grilles, 116–117
fans, 111–112
silencers, 112–116

- Noise criteria (NC) curves:
background sound levels, design criteria, 24–27
room noise levels, 93–94
standards, 85
- Noise floor or background sound levels:
design criteria, 24–27
exterior noise, 88
- Noise insulation class, rating measurements, hotel guestroom
door case study, 125
- Noise isolation class (NIC), acoustical concepts, 21–22
- Noise pollution, 273
- Noise reduction (NR):
airborne sound attenuation, 41–43
interior room finishes, 92–93
- Noise reduction coefficient (NRC):
acoustical concepts, 13
sound absorption, 45
- NR, *see* Noise reduction
- NRC, *see* Noise reduction coefficient
- O**
- Objective measures, concert hall design, 137–140
- Occupational Safety and Health Administration (OSHA),
27
- Office spaces:
green acoustical design, 285
sound systems, 189
- Open-plan spaces:
acoustical privacy, 101, 104–107
sound reinforcement systems, 189
- Opera houses:
design of, 145–146
orchestra pit design, 146–147
sound systems, 187–188
- Oratories, 150
- Orchestra pit, opera house design, 146–147
- Organ-choir arrangement, worship spaces design, 154–155
- Orthodox synagogues, 154
- OSHA (Occupational Safety and Health Administration), 27
- Outdoor amphitheater design, 134–135
- Outdoor sound:
indoor sound vs., acoustical concepts, 11–12
time-varying sound levels, 8, 9
transition to indoor sound, 133–134
- Outdoor spaces, sound systems, 190
- Overall acoustical impression, research on, 217
- Ozawa Hall, Tanglewood Music Center (Lenox,
Massachusetts), 167–168
- P**
- Paging systems:
green healthcare facilities, 284–285
sound systems, 190–191
theaters and opera houses, 187–188
- Paired comparison tests, in laboratory evaluations, 223
- Panel-array halls, concert hall design, 140–141
- Partially enclosed concert hall design, 142–143
- Partition, *see* Building partition design
- Path, source and receiver, noise control, 84–85
- Perception differences, research on, 217
- Performance halls:
Bass Performance Hall case study, 253–255
design criteria, 28–30
- Performance rooms, design criteria, 28–30
- Performance tables (materials), 58–69
airborne sound isolation performance data, 62–66
impact and airborne sound isolation performance data, 67–69
sound absorption coefficients, 59
sound absorption data for selected, 60–61
- Performing environment, outdoor amphitheater, 135
- PEX (cross-linked polyethylene) supply piping, 279–280
- Philharmonic Hall, Lincoln Center (New York), 141
- Philharmonie (Berlin), 142
- Physical modeling techniques, 232
- Physiological responses, direct measurement of, 223
- Piping, sustainable design, 279–280
- Plank, fibrous, acoustical properties of, 52
- Plaster, acoustical properties, 48, 51
- Plug fans, 112
- Plumbing systems:
noise control, design and research innovations, 237
piping for, sustainable design, 279–280
sustainable design, 280–281
vibration control, 109
- Plywood, acoustical properties, 48
- Polyvinyl chloride (PVC):
piping, 280
stretched, design and research innovations, 235
- Postoccupancy evaluations, sustainable design,
281
- Power amplifiers, sound systems, 186
- Power plants, sound systems, 190–191
- Preamplifiers, sound systems, 184
- Precautionary principle, 273
- Precedence effect, 176
- Preference tests, in laboratory evaluations, 223
- Preferred listening levels, research on, 216
- Preferred reverberation times, research on, 212
- Privacy:
acoustical, *see* Acoustical privacy
in healthcare settings, 284
- Proscenium theaters, 147
- Psychoacoustic models, 218–219
- PVC, *see* Polyvinyl chloride
- Q**
- Quadratic-residue diffusors (QRDs):
acoustical properties of, 56
as design innovation, 235, 236
- R**
- R. Fraser Elliott Hall (Toronto), 146
- Radial blade fans, 111
- Raised floor systems, as flanking path, 43
- Rapid speech transmission index (RASTI):
concert hall design, 138
perception of sounds, 218
- RC curves, *see* Room criteria curves
- Receiver, path and source, noise control, systems approach,
84–85
- Recital hall design, 144–145. *See also* Concert halls

326 | INDEX

- Recommended sound levels in spaces, room noise levels, 96
Recorded sound fields, 220–221
Rectangular concert halls, 140, 141
Recycled building materials, sustainable design, 278
Reduction of room sound levels, 13–14, 91–93
Reflections:
 from ceiling, 213–214
 discrete, sound absorption, 46
 lateral, 215–216
Reflection thresholds, research on, 214–215
Regenerated noise, 112
Reinforcement systems, *see* Sound systems
Relative loudness or strength, room acoustic qualities
 measurement, 228–229
Relative preference estimation, research on, 217
Relative sound level change, acoustical concepts, 11
Religious building design, *see* Worship spaces
Research, *see* Design and research innovations
Resilient clips and channels, acoustical properties of, 56
Resilient hangers, acoustical properties of, 57
Resilient mounts, acoustical properties of, 57–58
Resilient tile, acoustical properties, 49
Resilient underlayments:
 acoustical properties of, 58
 in sustainable design, 278
Resonance:
 absorption through, 44–45
 assisted, 143
Reuse of materials and components, sustainable design, 281
Reverberant sound field, 215
Reverberant sound level, 46
Reverberation:
 cathedrals, 151
 design, 30, 135–136
 indoor, acoustical concepts, 14
Reverberation control, sound absorption, 46
Reverberation time (RT), 135
 for acoustic warmth, 213
 ideal value for, 136
 motion picture theaters, 150
 preferred, 212
 room acoustic qualities measurement, 227–228
 worship spaces, 152
Rhode Island Senate Chamber (Providence, Rhode Island),
 201
Riverbank Acoustical Laboratory (Geneva, Illinois), 38
RNC curves, *see* Room noise criteria curves
Room acoustic qualities, 209–231
 architectural feature effects measurement, 230–231
 existing rooms measurement, 230
 general, 211–212
 impulse response, 224–228
 measurement systems, 223–224
 measures derived from impulse response, 227–230
 research summary, 212–218
 sound perception issues, 218–219
 sound quality assessment methods, 219–223
 actual rooms, 219–220
 laboratory analysis, 220–223
 summary table, 231
Room criteria (RC) curves:
 background sound levels, design criteria, 26
 noise control design, 95
 standards, 85
Room noise criteria (RNC) curves:
 noise control design, 95–96
 standards, 85
Room noise levels:
 in green healthcare facility design, 284
 noise control design, 87, 93–96
 noise criteria curves, 93–94
 recommended sound levels in spaces, 96
 room criteria curves, 95
 room noise criteria curves, 95–96
Royal Festival Hall (London), 143
RT, *see* Reverberation time
Rubber sheet underlayments, 279
Rumble criterion, 94

S
Sabins, 45
Sabine, Clement, 38
Sabine, Hale, 38
Sabine, Paul, 38
Sabine, Wallace C., 38, 133, 135
Sabine equation, 46
San Francisco, California, green building initiative in, 276
SBCCI (Southern Building Code Congress International), 86
School acoustical design:
 case studies:
 Dougherty Valley High School, 289–290
 University of Connecticut Student Union, 199–200
 sustainable, 281–284
Seals, sound, 58
Sealants, acoustical properties of, 53
Segerstrom Hall, Orange County Performing Arts Center
 (Orange County, California), 242–244
Self Study Guide, App. D, 305–309
Semantic differentials, in laboratory evaluations, 223
Shielding, sound attenuation, 44
Shoobox approach, concert hall design, 140
Silencers, *see* Duct silencers
SIL (4-band speech interference level) rating method, 94
Simulated sound fields, 221
Simultaneous interpretation systems, 191
Single homogeneous walls, sound transmission loss, 16
Slats, acoustical properties of, 53–54
Small churches, 152
Society of Motion Picture and Television Engineers (SMPTE),
 150
Sound:
 acoustical concepts, 2–3
 components of, 214–215
 magnitude of, acoustical concepts, 5–6
 outdoor vs. indoor, acoustical concepts, 11–12
 wavelength of, 4–5
Sound-absorbing materials:
 acoustical concepts, 12–13
 acoustical materials, 44–47

- design and research innovations:
 - combination sound-absorbing and sound-diffusing panels, 234–235
 - transparent, 235
 - green, 239
- Sound absorption, 44–47
 - attenuation improvement, 46–47
 - discrete reflections control, 46
 - noise control, 46
 - principles, 44–46
 - reverberation control, 46
 - sports facility design, 156
- Sound absorption coefficients:
 - interior room finishes, 91
 - performance tables (materials), 59
- Sound and light churches, 153
- Sound attenuation, 41–44
 - airborne attenuation, 41–43
 - duct attenuation, 44
 - flanking, 43
 - impact attenuation, 43–44
 - improvement in, sound absorption, 46–47
 - materials, 41–44
 - shielding, 44
 - vibration isolation, 44
- Sound control equipment, sound systems, 184–185
- Sound-diffusing materials, design and research innovations:
 - combination sound-absorbing and sound-diffusing panels, 234–235
 - transparent, 235
- Sound isolation:
 - in acoustical privacy analysis, 101–107
 - closed-plan spaces, 101–103
 - open-plan spaces, 101, 104–107
 - between dwelling units, design criteria, 28–30
 - in green healthcare facilities, 284–285
 - Mechanics Hall case study, 121–122
 - between rooms, noise control design, 87, 96–107
 - acoustical privacy analysis, 101–107
 - composite sound transmission class rating, 99–101
 - floor/ceiling design, 98–99
 - interior partition design, 97–98
 - methods, 96
 - noise barriers, 96–97
 - within rooms, noise control design, 87, 93–96
- Sound isolation testing, design and research innovations, 236–237
- Sound leaks, acoustical concepts, 18
- Sound levels:
 - frequency-weighted, acoustical concepts, 7–8
 - reduction of, indoor, acoustical concepts, 13–14
 - relative change in, acoustical concepts, 11
 - time-varying, acoustical concepts, 8–10
- Sound level adequacy, research on, 216
- Sound quality assessment methods, 219–223
 - actual rooms, 219–220
 - laboratory analysis, 220–223
- Sound reinforcement systems, 175. *See also* Sound systems
- Sound reproduction systems, 175. *See also* Sound systems
- Sound seals, acoustical properties of, 58
- Sound systems, 175–207
 - case studies:
 - Agganis Arena and Boston University Fitness and Recreation Center, 194–196
 - Ave Maria University Oratory (Florida), 197–198
 - Hanover Theatre (Worcester, Massachusetts), 192–193
 - Jay Pritzker Music Pavilion (Chicago, Illinois), 206–207
 - Rhode Island Senate Chamber (Providence, Rhode Island), 201
 - Rhodes Arts Center, Northfield Mount Hermon School (Massachusetts), 202–204
 - Tufts University Granoff Music Center (Medford, Massachusetts), 205
 - University of Connecticut Student Union (Stores, Connecticut), 199–200
 - equipment:
 - electroacoustic, 181–184
 - electronic, 184–186
 - loudspeakers, 181–184
 - microphones, 181
 - new wiring/signal transmission methods, 186
 - power amplifiers, 186
 - preamplifiers, 191–192
 - signal-processing equipment, 185–186
 - examples, 186–190
 - auditoriums and lecture halls, 188
 - concert halls, 188
 - convention centers, 189
 - entertainment facilities, 190
 - exhibition halls, 189
 - general, 186–187
 - hotel ballrooms and banquet halls, 189
 - meeting and conference rooms, 188
 - movie theaters, 188–189
 - office spaces, 189
 - outdoor spaces, 190
 - sports facilities, 190
 - theaters and opera houses, 187–188
 - transportation spaces, 190
 - worship spaces, 189
 - loudspeaker systems, 178–180
 - for music, 177–178
 - overview, 175
 - special installations, 190–191
 - assistive listening systems, 191
 - electronic acoustic enhancement, 191
 - paging and voice-alarm systems, 190–191
 - simultaneous interpretation systems, 191
 - for speech, 175–177
 - worship spaces, 152
- Sound transmission:
 - noise control, systems approach, 84
 - between rooms:
 - acoustical concepts, 14–15, 19
 - paths of, 84
- Sound transmission class (STC):
 - acoustical concepts, 20–21
 - composite rating, 99–100
 - field (FSTC), acoustical concepts, 21
 - materials, 43, 97–98

328 | INDEX

- Sound transmission class (STC) (*cont'd*)
noise control criteria, 98–101. *See also* Noise control
sound isolation testing, 237
standards, 86
- Sound transmission loss. *See also* Sound absorption; Sound
attenuation
acoustical concepts, 15
airborne sound attenuation, 41–43
cavity absorption in double constructions, acoustical
concepts, 16–17
composite constructions, acoustical concepts, 17–18
double walls, acoustical concepts, 16
field measurement of airborne, acoustical concepts, 21
laboratory measurement of airborne, acoustical concepts,
19–20
single homogeneous walls, 16
sound isolation testing, 237
- Source, path and receiver systems approach, *see* Systems
Approach to Acoustical Analysis
- Southern Building Code Congress International (SBCCD), 86
- Spaciousness, auditory, 217
- Special devices, listing of, 54–58
- Spectral imbalance, 94
- Speech intelligibility, 175
paging and voice-alarm systems, 190–191
room acoustic qualities, 218
sound systems for, 175–177
worship spaces, 151–153
- Speech privacy index (SPI), 236
- Speech security, 236
- Speech transmission index (STI):
concert hall design, 138
perception of sounds, 218
- SPI (speech privacy index), 236
- SPiRiT program, 277
- Split loudspeaker cluster sound systems, 178
- Sports facilities:
Agganis Arena and Boston University Fitness and Recreation
Center case study, 194–196
design, 28–30, 155–156
sound systems, 190
- Spray, fibrous, acoustical properties of, 52–53
- Springs, steel:
acoustical properties of, 58
vibration isolation, 107–109
- Staatsoper (Vienna), 146
- Stage acoustics research, 217
- Stage enclosures:
acoustics of, 217
moveable, 149
- Stagehouses, 148
- Standards:
listing of selected, 31
noise control criteria, 85–86
sound absorption, 46
- STC, *see* Sound transmission class
- Steel decking, acoustical properties, 49
- Steel joists and trusses, acoustical properties, 49
- Steel springs:
acoustical properties of, 58
vibration isolation, 107–109
- Steel studs, acoustical properties, 49
- STI, *see* Speech transmission index
- Stone:
acoustical properties, 49
for floors, 279
- Strength, relative, room acoustic qualities measurement,
228–229
- Stretched PVC, design and research innovations, 235
- Structure-borne sound, direct, control of, acoustical concepts,
22
- Studs, acoustical properties of:
steel, 49
wood, 50
- Subjective attributes, concert hall design, 137–140
- Subjective qualities of sound, studies of, 211–212
- Suntory (Tokyo), 142
- Supplemental sound systems, 178–179
- Support (of reflected sound), room acoustic qualities
measurement, 229–230
- Surround-sound loudspeakers, 180
- Sustainable design, 273–293
acoustical challenges of, 277–281
building materials and systems, 278–281
overview, 277–278
reuse of materials and components, 281
case studies:
Charles Salter Associates Tenant Improvement Office,
291–293
Dougherty Valley High School, 289–290
Global Ecology Research Center at Stanford University,
287–288
cost gap between traditional design and, 273
healthcare facilities acoustical initiatives, 284–285
office acoustical design, 285
organizations leading, 274–277
overview, 273–274
postoccupancy evaluations, 281
school acoustical design, 281–284
- Sway braces, acoustical properties of, 58
- Synagogues, orthodox, 154
- Systems Approach to Acoustical Analysis, 2, 84–85
- T**
- Talking movies, 38
- Tangency rating method, 93–94
- Tanglewood (Lenox, Massachusetts):
Ozawa Hall, 167–168
structure of, 142–143
- Theaters:
design of, 147
Hanover Theatre case study, 192–193
sound systems, 187–188
Thrust-stage theaters, 147
- THX Division, Lucasfilm Ltd., 149–150, 158
- Tile:
acoustical, properties of, 51
ceramic, acoustical properties, 47
for floors, 279
resilient, acoustical properties of, 49
- Timbre, research on, 216–217

- Time factor:
for music sound systems, 178
for speech sound systems, 176–177
Timeline of architectural acoustics events, 38–39
Time-varying sound levels, acoustical concepts, 8–10
TL (transmission loss), 42–43. *See also* Sound transmission loss
Tokyo Opera City Concert Hall, Takemitsu Memorial (Japan), 257–259
Transmission, *see* Sound transmission
Transmission loss (TL), 42–43. *See also* Sound transmission loss
Transparent sound-absorbing materials, design and research innovations, 235
Transparent sound-diffusing materials, design and research innovations, 235
Transportation spaces, sound systems, 190
Treble ratio, based on early decay time, room acoustic qualities measurement, 229
Trusses, steel, acoustical properties of, 49
Tufts University Granoff Music Center (Medford, Massachusetts), 205
- U**
Under-floor air ventilation systems (UFADs), 280
Underlayments, resilient:
acoustical properties of, 58
sustainable design, 278–279
U.S. Army Corps of Engineers, 276–277
U.S. Department of Housing and Urban Development (HUD), 1, 10, 28, 89
U.S. Department of Labor, 1
U.S. Environmental Protection Agency (EPA), 6, 8, 88, 89
U.S. General Services Administration (GSA), 1–2, 101, 276, 281
U.S. Green Building Council (USGBC), 274, 275, 277
Unit symbols, App. A, 295–296
University of Connecticut Student Union (Storrs, Connecticut), 199–200
USGBC, *see* U.S. Green Building Council
- V**
Vibration control, in green healthcare facilities, 284–285
Vibration isolation:
equipment, acoustical concepts, 23, 24
500 Atlantic Avenue hotel/condominium building, 126–131
noise control design, 87, 107–110
Vibration isolation efficiency, 108
Vineyard concept, concert halls, 142
Virtual sound fields, 233
Voice-alarm systems, sound systems, 190–191
- W**
Walls:
composite constructions, acoustical concepts, 17–18
double, sound transmission loss, acoustical concepts, 16
single homogeneous, sound transmission loss, acoustical concepts, 16
sound transmission between rooms, acoustical concepts, 15
sound transmission loss, acoustical concepts, 15
STC ratings, 100
Wallace C. Sabine Silver Medal, 39
Wallace Sabine Centennial Symposium, 39
Walt Disney Concert Hall (Los Angeles, California), 142, 260–263
Waterfall, Wallace, 38
Watson, Floyd R., 38
Wavelength, acoustical concepts, 4–5
Windows:
acoustical, properties of, 54
STC ratings, 100
in sustainable design, 277
Wireless microphones, 181, 187
Wood decking, acoustical properties, 49
Wood floors, 279
Wood paneling:
acoustical properties, 49–50
micro-perforated, 235
Wood studs and joists, acoustical properties, 50
World Health Organization, 284
Worship spaces:
case studies:
Ave Maria University Oratory (Florida), 197–198
Duke University Chapel (Durham, North Carolina), 71–74
Hitchcock Presbyterian Church (Scarsdale, New York), 164
Holy Cross Church (Dewitt, New York), 160–161
cathedrals, 151–152
corporate worship configurations, 152–153
design of, 151–155
evangelical churches and mega-churches, 153–154
finishes and furnishings, 155
organ-choir arrangements, 154–155
orthodox synagogues, 154
small and medium-size churches, 152
sound and light churches, 153
sound systems, 189
undesirable acoustic characteristics, 155

