

INDEX

A

- Access 2010, 627–630
- Access Services, 4, 627–630
- activities
 - CallExternalMethodActivity, 534
 - FaultHandler, 527
 - HandleExternalEvent, 534
 - LogToHistoryListActivity, 534
 - logToHistoryListActivity1, 522
 - logToHistoryListActivity3, 536
 - onTaskChanged1, 523
 - onWorkflowActivated1, 521
 - SendEmail, 517
 - sendEmail, 523
 - Visual Studio 2010
 - coding, 486–488
 - deploying, 489–491
 - deployment preparation, 488–489
 - workflows, coding, 521–524
- activity feeds, 6
 - notes, 196–197
 - tags, 196–197
- Administration Object Model (BCS), 460–463
- administrative OM, 253–254
- advanced form templates, 346
- Adventure Works
 - databases, downloading, 547
 - Edit Training View, 339
 - Training Management application, 333
 - Training Registration form schema, 374–375
 - Trainings list, 335–336
 - distributing, 343–344
- AIIIM (Association for Information and Image Management International), 255
- AJAX (Asynchronous JavaScript +XML), 3
- AJAX-style user interface, 82
- ALM (application lifecycle management), 53
- Analysis Services database, deploying, 547
- API block list, Sandbox Solutions, 167
- APIs (application programming interfaces)
 - deprecated, 54
 - query-side APIs, 242–245
 - Runtime Object Model, 458–460
 - Service Applications, 77
 - themes, 115–117
- Application Page template, 39
- applications
 - development, Enterprise Search, 226–228
 - search architecture and, 225–226
 - search driven, 228
- ApplyElementManifest block, 56
- ApprovalFT content type, 497–498, 506
- architecture
 - Excel Services, 552–553
 - PerformancePoint Services, 573–575
 - Reporting Services
 - connected mode, 592–596
 - local mode, 591–592
 - search architecture, 217
 - Enterprise Search, 217–222
- artifacts that can be tagged, noted, and rated, 197
- ASPX workflow initiation forms, 517–520
- associating workflows
 - to content types, 482–483, 506–508
 - to forms, 503–504
- Association Form, 481
- association form parameters, 474
- asynchronous code, 154
- ATOMSub/Pub, 3
- Auditing and Reporting, 256
- auditing in records management, 260–261
- authentication
 - administrative OM, 253
 - claims-based, 70–73, 631
 - claims-based systems, accessing, 443–444

authentication (*continued*)

- client OM, 146
- clients, 444
- Credential Manager, 444
- datasources, 577–578
- Impersonation and Delegation, 441
- Kerberos, 442
- models, configuration, 441–443
- NTLM, 442
- passthrough, 441–442
- Per-User identity, 555
- Reporting Services, multiple providers, 593–594
- RevertToSelf, 442–443
- scenarios, 441–445
- SSS (Secure Store Service), 555–558
 - credential management, 443
- token-based systems, accessing, 444
- Trusted Subsystem, 441
- Windows, Kerberos and, 555

authentication code, claims-based authentication and, 71

AuthenticationMode element, 441

authoring reports, 598–601

authorization, 445

B

backward compatibility of the Ribbon, 86

BCS (Business Connectivity Services), 2

- Administration Object Model, 460–463
- architecture, 432–441
- Client layer, External Content types, 429
- Connector Framework, 233
- connectors, 433
- Credential Manager, 444
- External Content Types, creating, 429–430
- external lists, 63–64
- filters, defining, 449–450
- lists, 119–121
- .NET Assembly Connectors, creating, 463–465
- operations, 445–448
- overview, 427–429
- relationships, creating, 448–449
- Runtime Object Model, 458–460
- searches, 233
- solutions
 - creating, 429–432
 - custom, 458–465
- SPD integration, 31

BDC (Business Data Connectivity), 433–438

- client cache, 438
- service application, throttles, 434

BDC Metadata Model, 445

BDC Server Runtime, 437–438

BdcServiceApplicationProxy, 459

BeginInvoke method, 154

Best Bets (searches), 214

BI (business intelligence), 1. *See also* Business Intelligence Center

- artifacts, outside SharePoint databases, 543
- BI for everyone, 543
- Excel Services, 551
- Microsoft Office SharePoint Server 2007, 543
- Office Data Connection, 553–558
- overview, 541
- SharePoint Portal Server 2003, 543
- SharePoint Server 2010, 544–545
- SQL Enterprise Manager and, 543
- SQL Server and, 543
- traditional, challenges with, 541–542

BIDS 2008 R2

- parameters, 616–617
- RDL files, 597

BIDS (Business Intelligence Development Studio), 597

binding redirect, 55

bit rate throttling, 13, 67

BLOB (binary large object) files, remote storage, 13–14, 67

blogs, 5–6, 178

- microblogs, 7
- My Site and, 198–200
- SharePoint Developer Documentation team blog, 642

bookmarking, 6

branching workflows, 524

broken master pages, 18

browser-based content type development, 292–293

browser-based site column development, 283–284

browsers

- list customization, 335
- organization browser, 6–7
- SPD, 33
- WCM, 12

Business Data Catalog, 428

Business Data Connectivity Model template, 37

Business Data Connectivity Resource Item template, 39

Business Data Parts, 452

Business Intelligence. *See* BI (business intelligence)

Business Intelligence Center, 548

- configuration, 596–597
 - Dashboards Document Library, 550
 - Data Connections library, 553
 - DCL (Data Connections Document Library), 550
 - PerformancePoint Content List, 550
 - site collection, 549
 - Business Intelligence Development Studio, starting, 547
 - Business Intelligence template, 549
 - Button control, 86
 - buttons, SPD, 101
- C**
- CA (Central Administration), UPA access, 179
 - CAB (cabinet) files, 371
 - Cache Lifetime setting, 576
 - caching, 617–620
 - CAL (client access license), 207
 - CallEventHandler() method, 534
 - CallExternalMethodActivity activity, 534
 - CAML (Collaborative Application Markup Language), 2
 - site columns, 284
 - statements, entering in property tags, 323
 - CAML query, 140–141
 - camlQuery object, 150
 - canHandleCommand function, 97
 - capacity testing, best practices, 50–51
 - CAS (code access security), 3, 73
 - Sandbox Solutions, 167
 - Chart Viewer web part, 20
 - Chart web part, 20
 - Checkbox control, 86
 - claims
 - authentication, 631
 - SharePoint, 72–73
 - value of, 71
 - when to use, 71
 - claims-based authentication, 70–73
 - accessing system, 443–444
 - classes
 - CommunicationObjArgs, 531
 - CoreResultsDataSource, 230
 - CoreResultsWebPart, 229
 - CreateTrainingSite, 486–487
 - myFields, 377–379
 - QueryManager, 244
 - SetupDocSiteFeatureReceiver, 402
 - SocialData namespace, 193–194
 - SPDatabase, 69
 - SPDeveloperDashboardSettings, 46
 - SPMonitoredScope, 47
 - SP.UI.Notify, 108–109
 - SP.UI.Status, 105–106
 - SPWebApplication, 120
 - StateObject, 534
 - ThmxTheme, 115–117
 - UserProfileManager, 180
 - WebPart, 229
 - XmlSerializer, 381
 - ClickOnce deployment, 576
 - client cache, BDC, 438
 - client object model-based content type development, 298–300
 - client OM (Object Model), 3, 141–144
 - authentication, 146
 - camlQuery object, 150
 - ClientContext object, 146–147
 - code, asynchronous, 154
 - DeleteObject method, 153
 - DLLs implementing, 144–145
 - ECMAScript and, 155–157
 - equivalent objects in server OM, 144
 - Fiddler, 142
 - fields, creating, 152
 - groups, 153–154
 - items, creating, 152
 - LINQ (Language Integrated Query), queries and, 151–152
 - lists
 - creating, 152
 - deleting, 153
 - Load method, LoadQuery method comparison, 149
 - LoadQuery method
 - Load method comparison, 149
 - nested Include statements, 150
 - namespaces, 143–144
 - properties
 - requesting, 148–149
 - returned, 148–149
 - server object model, 142
 - SharePoint, retrieving items, 147–148
 - Silverlight, 157–159
 - themes, deleting, 153
 - users, 153
 - ClientContext class
 - methods, 146–147
 - properties, 146–147
 - ClientContext object, 146–147

- clients, authentication, 444
- CloseCallback function, 111
- cloud scenarios, 639–640
- cmdlets, 78–79
- CMIS (Content Management Interoperability Services), 3, 11
- CO (Content Organizer), 409
 - Drop Off Library, 409–410
 - rules, 410–412
 - Site Features List, 409
- code
 - asynchronous, 154
 - deploying, 52–54
 - developer dashboard, 46–48
 - forms
 - load event, 356
 - system requirements, 357
 - maintaining, 52–54
 - Master Pages, 84–85, 310–311
 - menu command control, 93
 - profiles, 184–190
 - Ribbon, calling code from, 89
 - Sandbox Solutions, 165–168
 - upgrading from 2007, 54–57
 - workflows, imported, 508–509
- code-separated workflows, 495
- codebase, FAST, 205
- collaboration, Excel Services, 551
- collaboration and social computing, 5–7
- collapsing search results, 216
- ColorPicker control, 86
- columns, ECTs, 451–452
- ComboBox control, 86
- comboboxes, commands, 95
- command line, PowerShell, 78
- CommandAction attribute, 89
- CommandUIDefinitions element, 89
- CommandUIExtension element, 89
- CommandUIHandler, 89
- CommunicationObjArgs class, 531
- compiling, workflows, 524–526
- Compose Summary tool, 388
- connected web parts, 390–394
- Connector Framework, 233
 - batching, 234
 - crawl mode, 234–235
 - inline caching, 234
- connectors
 - BCS, 433
 - crawl mode, 234–235
 - custom, writing, 237–238
 - deploying, 238
 - DLLs, 237–238
 - indexing connectors, 235
 - model files, 235
 - SharePoint Designer 2010, 235
 - Visual Studio 2010, 235
 - JDBC, 239
 - .NET Assembly Connector, 433
 - searches, 9
 - WCF, 433
- Content by Query web part, 318, 319–320
 - filters, 320
 - Presentation section, 320
 - query results, 321
 - Query section, 320
 - redeploy using Visual Studio, 326–327
 - XML customization, 322–324
- Content Organizer rules, 270–274
- content-processing pipeline (searches), 251
 - configuration, 252
 - extensibility, 252
- content rating, 6
- Content Type template, 37
- content types
 - ApprovalFT, 497–498, 506
 - browser-based development, 292–293
 - client object model-based development, 298–300
 - document sets, 422–423
 - feature-based development, 293–295
 - object model-based development, 296–298
 - publishing, 422
 - publishing to, 368–369
 - syndication, 422
 - Training, 469
 - workflows, associating, 482–483, 506–508
- Content Types IDs, 291–292
- contextual groups, web parts, 101–105
- contextual searches, 216
- contextual tabs, web parts, 101–105
- controls
 - hiding, 93
 - replacing, 90–91
 - Ribbon, 85–86
- conversational searches, 215–216
- converting documents, 328–330
- CoreResultsDataSource class, 230
- CoreResultsWebPart class, 229

- correlation tokens, 516–515
 - counters, Sandbox Solution, 169
 - CPU type, 41
 - crawled properties, 250
 - crawlers, 220
 - entity associations, 238
 - external systems, 235
 - CreateDataSource() method, 606
 - CreateTrainingSite class, 486–487
 - Creator method, 445
 - Credential Manager, 444
 - credentials
 - setting, 557–558
 - SSS, 438–440
 - stored, 614–616
 - CRM (customer relationship management), 427
 - web services, workflows, 529
 - Cross-Site Scripting (XSS), 74–75
 - CRUD (create, read, update, and delete), 429
 - Runtime Object Model, 458
 - CSS (Cascading Style Sheets), 12, 83
 - Master Pages, 306
 - Publishing feature, 281
 - CSS processor, 113
 - CTP (Community Technical Preview), 590–591
 - cubes, 546
 - Current Navigation, 312
 - CustomUpgradeAction element, 56
- D**
- DAM (Digital Asset Management), 13
 - Dashboard Designer
 - introduction, 575–576
 - Web Frontend server, 573
 - dashboards, 573
 - creating, 576–584
 - datasources, 576–577
 - authentication, 577–578
 - unattended service account, 577–578
 - KPIs (key performance indicators), 578–580
 - performance, 578–580
 - scorecards and, 573
 - Dashboards Document Library, 550, 584
 - data access technologies, 132
 - LINQ
 - CAML query, 140–141
 - enumeration, 137
 - queries, 136–138
 - REST (Representational State Transfer), 159–164
 - Silverlight, 157–159
 - SPLINQ, 132–134
 - DataContext object, 135–136
 - fields, 135
 - SPMetal, 132–134
 - data sharing, 611–612
 - data visualizations, Reporting Services, 603–605
 - data warehouses, 546
 - databases
 - Adventure Works, downloading, 547
 - Analysis Services, deploying, 547
 - calls, hyperlinks, 44
 - locking, 60
 - mirroring, 68–69
 - read-only, 69–70
 - datasources, 547
 - authentication types, 577–578
 - dashboards, 576–577
 - time intelligence, 588–589
 - Date and Time Picker, 336
 - DCL (Data Connections Document Library), 550
 - debugging
 - developer dashboard, 43–44
 - Document Center and, 407–408
 - F5 debugging, 42–43
 - Fiddler, 52
 - Firebug, 52
 - Internet Explorer 8 tools, 52
 - logs, 48
 - minified version of JavaScript files, 83
 - Silverlight code, 48
 - solutions, 637–639
 - ULS (Unified Logging System), 48
 - workflows, 43, 526–529
 - declarative feature upgrading, 55
 - declarative workflows, 495
 - Declare Record action, 274
 - DeclareItemAsRecord method, 262
 - DeleteObject method, 153
 - DeleteOnSubmit method, 138
 - Deleter method, 445
 - Delicious, 6
 - dependency properties, attributes, 487
 - deploying
 - activities, Visual Studio 2010, 488–489, 489–491
 - Analysis Services database, 547
 - ClickOnce deployment, 576
 - code, 52–54

- deploying (*continued*)
 - connectors, 238
 - customizing, Visual Studio 2010, 53
 - Document Center and, 407–408
 - packages, 441
 - SharePoint Online, 635–636
 - workflows, 524–526
- deserializing initiation forms, 518–519
- `DeserializeFormData()` method, 381
- Design Checker, 385
- developer dashboard, 5
 - code monitoring, 46–48
 - customizing, 46
 - debugging with, 43–44
 - diagnostic mode, 46
 - events, track, 46
 - OnDemand setting, 46
 - permissions, 46
 - PowerShell, 45
 - `SPDeveloperDashboardSettings` class, 46
 - STSADM, 45
 - turning on, 44–45
- dialog framework, programming, 110–112
- dialogs
 - modal, 82
 - `OpenDialog` function, 111
 - `showModalDialog` function, 111
 - working with, 109–112
- Digg, 6
- digital assets
 - content types, 13
 - DAM (Digital Asset Management), 13
 - image property promotion, 14
 - Silverlight media player web part, 14
 - Silverlight web part, 14
- dimensions, 546
- dispositions, 12
 - multi-stage, 256–257
- distribution policies of content lifecycle, 278
- DLLs (dynamic link libraries)
 - client OM, implementation, 144–145
 - connectors, 237–238
- Document Center, 400–401
 - content types, 421–423
 - publishing, 422
 - syndication, 422
 - creating, 403–408
 - customizing, 403–408
 - debugging, 407–408
 - deploying, 407–408
 - document libraries, 412–416
 - exporting to SharePoint site, 403–405
 - feature receiver, 402–403
 - indices, 414
 - metadata
 - managed, columns, 419–420
 - tagging, 417–418
 - taxonomy, 417–418
 - taxonomy object model, 420–421
 - types, 417–418
 - navigation, metadata-based, 413–414
 - queries, 414
 - Visual Studio, 402–403
 - `.wsp` file, importing, 405–407
- document conversion, 328–330
- Document Conversions Launcher Service, 328
- Document Conversions Load Balancer Service, 328
- Document ID Service, 423–426
- document libraries
 - Document Center, 412–416
 - HTML file rendering, 74
 - recordization, 256
 - uploading files, 262
 - Visual Studio and, 414–416
- document management
 - CMIS, 11
 - document sets, 10–11
 - ECM
 - metadata, 9–10, 10
 - navigation, 9–10
 - taxonomy services, 10
 - routing, 10
 - unique document IDs, 10
 - Word Services, 11
- document sets, 10–11, 27, 422–423
- double-hop issue, 442
- downloading, on-demand, 83
- Drop Off Library, 409–410
- `DropDown` control, 86

E

- EBS (external blob storage), 67
- ECB (EditControlBlock), 93
- ECM (Enterprise Content Management), 6, 397
 - blog, 255
 - digital assets
 - bit rate throttling, 13

- BLOB storage, 13–14
- content rating, 13
- content types, 13
- DAM (Digital Asset Management), 13
- IIS (Internet Information Server), 13
- image property promotion, 14
- Silverlight media player web part, 14
- Silverlight web part, 14
- document management
 - CMIS, 11
 - document sets, 10–11
 - metadata, 9–10
 - navigation, 9–10
 - routing, 10
 - taxonomy services, 10
 - unique document IDs, 10
 - Word Services, 11
- forms, 15
- metadata, location-based, 10
- new features, 398–399
- object model, 399–400
- records management, 11
 - dispositions, 12
 - in-place records management, 12
- web content management, 12
 - browser support, 12
 - page layout, 12
 - Pages library, 12
 - social computing, 13
 - standards, 12
- Workflow
 - OOB (out-of-the-box), 14
 - site workflows, 14
 - Visio, 14–15
- ECMAScript, client OM and, 155–157
- ECMAScript object model namespaces, 143
- ECS (Excel Calculation Services), 552
- ECT metadata
 - data retrieval, 434
 - external systems, 434
- ECTs (External Content Types), 233, 429
 - basic information, 430
 - Business Data Parts, 452
 - creating, 429–430
 - operations, 445–448
 - defining, 429–430
 - ECT Catalog, 433
 - external columns, 451–452
 - external lists, creating, 431–432
 - external systems, searching, 453–454
 - forms, creating custom, 451
 - Office 2010
 - Outlook integration, 456–457
 - SPW (SharePoint Workspace), 455–456
 - Word Quick Parts, 457–458
 - operations, SPD, 430
 - profile pages, creating, 453
 - user profiles, supplementing, 454
 - using, 450–451
- eDiscovery, 260
 - description, 256
- Edit mode (Excel), 570
- EDS (External Data Exchange), 530
- elements, adding to `elements.xml`, 56
- EMM (Enterprise Metadata Management), 420–421
- Empty Element template, 39, 287
- Empty SharePoint Project template, 38, 286
- Enterprise CAL, 544
- Enterprise Content Management, Web Content Management, 277, 281
- Enterprise crawler, 238
- Enterprise Search, 203
 - application development, 226–228
 - architecture, 217–222
 - availability, 220–221, 221–222
 - codebases, 205
 - Crawler, 218–219, 220
 - customization range, 226–227
 - customization scenarios, 227–228
 - FAST Search for SharePoint, 207–208
 - Indexer, 219, 220
 - Microsoft Search Server 2010, 206
 - Microsoft SharePoint Foundation, 206
 - Microsoft SharePoint Server 2007, 207
 - Microsoft SharePoint Server 2010, 207
 - Query Object Model, 219
 - Query Server, 219
 - resiliency, 221–222
 - scaling, 220–221
 - Search Center, 211–213
 - search-drive applications, 228
 - search options, 204–210
 - Search Server, 206
 - Search Server Express, 206
 - SharePoint Server 2010, 207
 - topologies, 220–221
- Enterprise Wiki, 280
- entities, 445

- enumeration, LINQ, 137
- ERP (enterprise resource planning) systems, 427
- error pages, custom, 129
- errors in read-only databases, 69
- event handlers, implementing, 532
- Event Receiver template, 38
- Event_Changed event handler, 361
- EventName_Changed event handler, 362
- events
 - error pages, custom, 129
 - FeatureUpgrading, 56
 - impersonation, enhancements, 129–131
 - MessageIn, 531
 - new, 126–128
 - post-synchronous, 129
 - registration, 129
 - tracking, developer dashboard, 46
 - workflows, 537–538
- EW (Enterprise Wiki), 200–201
- EWA (Excel Web Access), 553
- EWS (Exchange Web Services), 228
- Excel
 - Named Sets, 565–567
 - Show Value, 564–565
 - Sparklines, 563–564
 - Visual Slicers, 562
 - what-if analysis, 567
 - workbooks
 - consuming, 552
 - Edit mode, 570
 - editing, 552
 - publishing, 567–572
- Excel Calculation Services. *See* ECS (Excel Calculation Services)
- Excel Services, 20, 551
 - Application Server layer, 553
 - architecture, 552–553
 - collaboration, 551
 - SharePoint farm topology, 552
 - workbooks, 552
 - authoring, 559–561
 - publishing to, 568–570
 - unattended service account, 555–556
- Excel Services 2010, 544
- Excel Web Access web part, 571–572
 - interactivity, 572
- Excel Web App, 551
 - workbooks, 570
 - editing, 570

- exceptions, 527
 - SPQueryThrottledException, 60
- ExecuteQuery method, 151–152
- execution account (Reporting Services), 594–596
- exit criteria for tasks, 24
- exporting
 - files, Document Center to SharePoint, 403–405
 - workflows, to Visual Studio 2010, 494–495
- extensibility of Ribbon, 86–87
- external columns, ECTs, 451–452
- External Connectors
 - data retrieval, 434
 - external systems, 434
- External Content Type Catalog, 429
- External Content Types. *See* ECTs (External Content Type)
- external data, Sandbox Solutions, 166–167
- External Data List, 2
- External List throttling, 63–65
- external lists, creating, 431–432
- external systems, 427
 - ECT, 429
 - ECTs, searching, 453–454
- ExternalDataExchange attribute, 531
- extracting data from forms, 376–383

F

- F5 debugging, 42–43
- Facebook, 6
- FailoverServer property, 69
- farm solutions, 636
- FAST
 - advanced content processing, 251–252
 - architecture, 222–223
 - farm, 223
 - indexing connectors, 238–239
 - licensing, 208
 - topology, 222–223
- FAST Content SSA, 223
- FAST Query Language, 208
- FAST Query SSA, 223
- FAST Search and Transfer, 203
 - codebase, 205
 - integration, 204
 - standalone codebase, 205
- FAST Search for SharePoint, 207–208
 - freshness, 225
 - indexed content, 224

- indexing latency, 225
- query load, 224
- scaling, 224–225
- SharePoint Server 2010 Search comparison, 210
- visual cues, 213–215
- web parts, 232–233
- FAST Search Server 2010 for SharePoint
 - Best Bets, 216
 - contextual searches, 216
 - refinement, 214
 - relevancy, 216
 - results, collapsed, 216
 - Search Core Results web part, 214
 - synonyms, 216
- FAST technologies for Enterprise Search, 1, 9
- FaultHandler activity, 527
- feature-based content type
 - development, 293–295
- feature-based site column
 - development, 284–288
- Feature Designer, 35–36
- Feature folder, 286
- Feature Receiver
 - Master Pages, 310
 - site columns, 289
- feature scope, 286
- FeatureActivating methods, 290
- FeatureUpgrading event, 56
- federation
 - administration UI, 241
 - customization examples, 241
 - indexing and, 239
 - OpenSearch, 240
 - Query RSS feed, 244
 - query syntax, 245–246
 - Query web service, 244
 - ranking, 242
 - web parts, 241
- Federation OM, 244
- Fiddler, 52, 386–387
 - client OM, 142
- fields
 - creating, 152
 - InfoPath, 339
 - projected, 452
 - SPLING, 135
- files
 - minified, 83
 - .odc, 553–555
 - XSN, 371
- filters
 - BCS, defining, 449–450
 - Content by Query web part, 320
 - form templates, 352
 - label filtering PivotTables, 561
 - Limit, 450
 - PageNumber, 450
 - property filters, 246
- Finder method, 445
- Firefox, Firebug, 52
- FlowChart template, 470–471
- Fluent UI, 191
 - InfoPath Filler, 332
- FlyoutAnchor control, 86
- folders
 - Feature, 286
 - ISAPI, 399
 - mapping, 39–40
 - Package, 286
- form libraries, 344–345
 - publishing to, 368–369
- FormEvents>Loading event handler, 359
- forms
 - code, system requirements, 357
 - custom content types, 335
 - data extraction, 376–383
 - default, list items, 123–124
 - Design Checker, 385
 - ECTs, custom, 451
 - Fiddler, 386–387
 - IE Developer Tools, 385–386
 - InfoPath, 15
 - packaging, 501–503
 - workflows, 480–482
 - InfoPath Form web part, 389–390
 - initiation, workflows, 517–520
 - inline tools, 388–389
 - introduction, 331–332
 - list forms
 - customizing, 334–344
 - publishing, 340–343
 - lists, querying, 350–352
 - load event, code, 356
 - programming, 356–364
 - publishing, 364–367
 - Rule Inspector, 384–385
 - sandboxing, 370–371
 - security, 369–370
 - SPD (SharePoint Designer), 15
 - Submit, 354–356

forms (*continued*)

templates, 344

advanced, 346

designing, 345–350

filters, 352

InfoPath 2007, 346

popular, 346

templates parts, 346

workflows, associating, 503–504

XSN files, 371

Forms Services 2007, 332

Forms Services 2010, 332

formulas, list validation, 121–122

FQL (FAST Query Language), 208, 246–247

frameElement, methods, 112

full-trust proxies, 173–176

functions

canHandleCommand, 97

CloseCallback, 111

OpenDialog, 111

RaiseEvent(), 534

showModalDialog, 111

G

GAC (global assembly cache), 3

GetInitiationData method, 520

GetPolicy method, 268

GetRelatedFields method, 120

GetSecurityDescriptor() method, 238

GhostableInLibrary attribute, 309

Global Navigation, 312

Global Resources File template, 39

global workflow, 27

Groove, 15

Group object, 153–154

GroupCollection object, 153–154

groups

client OM, 153–154

contextual, web parts, 101–105

users, adding, 153–154

GUID, content types, 291–292

H

HA (high availability), 68

HandleExternalEvent activity, 534

happy hours, 61

health analyzer, 75–76

health monitoring, 75–76

HideCustomAction element, 93

HideEventDetailsField value, 360–361

hiding controls, 93

holds on records, 260

HTML (HyperText Markup Language), 12

files, document libraries, 74

HTTP request throttles, 65–67

Hyper-V, 40

hyperlinks, database calls, 44

I

IE Developer Tools, 385–386

iframes, Sandbox Solution, 167

IIS (Internet Information Server), bit rate throttling, 13

images, property promotion, 14

impersonation, 26

enhancements, 129–131

Impersonation and Delegation authentication

model, 441

Import Reusable Workflow template, 38

Import SharePoint Solution Package template, 38

importing

workflows

code, 508–509

Infopath view, 505–506

missing references, 500–501

to SPD, 472

to Visual Studio 2010, 494–511

.wsp file, to Document Center, 405–407

In-Place Records Management, 12, 256, 261

versus Records Center, 258

Include statements, LoadQuery method, 150

IncrementCounter() method, 380

indexing, 220

Document Center, 414

federation and, 239–242

indexing connectors, 233, 235

FAST-specific, 238–239

model files, 235

SharePoint Designer 2010, 235

Visual Studio 2010, 235

InfoPath

fields, 339

forms

packaging, 501–503

publishing, 364–367

workflows, 480–482

- rules, 338–340
- SharePoint integration, 28
- views, 338–339
 - workflows, 505–506
- XML and, 331–332
- InfoPath 2007, form templates, 346
- InfoPath 2010, 332
 - Date and Time Picker, 336
 - new features, 333
- InfoPath Designer, 332
- InfoPath Filler, 332
 - Fluent UI, 332
- InfoPath Form Services, 4, 15
- InfoPath Form Services 2010, new features, 333
- InfoPath Form web part, 389–390
- information, declaring as records, 256
- Information Architecture, 279–280
- Initiation Form, 481
- initiation forms
 - deserialization, 518–519
 - parameters, 474
 - serialization, 518–519
 - workflows, 517–520
- inline JavaScript, 92
- inline tools, 388–389
- InsertAllOnSubmit method, 138
- InsertOnSubmit method, 138
- InsertTable control, 86
- installation, virtual *versus* physical, 40–41
- integration, Reporting Services, 590–591
- InternalStartup() method, 361
- Internet Explorer 8, developer tools, 52
- ISAPI folder, 399
- IsMobileField value, 359
- item-level permissions in workflow, 478–479
- item-type templates, 47
- ItemAdded method, 380–381
- items, creating, 152

J

- JavaScript, 83
 - inline, 92
 - on-demand downloading, 83
- JDBC (Java Database Connectivity), connector, 239
- joins
 - lists, 122–123
 - queries, 137

- Joins property, 123
- jQuery, 164
- JSOM (JavaScript object model), 553
- JSON (JavaScript Object Notation), 3, 160–161

K

- Kerberos authentication, 442
 - Per-User identity, 555
 - Windows authentication and, 555
- keywords
 - me, 359
 - queries, 246
 - searches, 214
 - this, 359
- KPIs (key performance indicators), 578–580
- KQL (Keyword Query Language), 245–246

L

- Label control, 86
- label filtering, PivotTables, 561
- layout, 18
- _Layouts pages, 84
- libraries
 - Dashboards Document Library, 550
 - DCL (Data Connections Document Library), 550
 - document libraries
 - Document Center, 412–416
 - Visual Studio, 414–416
 - Drop Off Library, 409–410
 - form libraries, 344–345
 - publishing to, 368–369
- library throttling, 60
- Limit filter, 450
- LINQ (Language Integrated Query), 2. *See also*
 - SPLINQ (SharePoint LINQ)
 - adding data, 138–140
 - CAML query, 140–141
 - conflicts, 138–140
 - DataContext object, 135–136
 - deleting data, 138–140
 - enumeration, 137
 - queries, 136–138
 - queries and, 151–152
 - updating data, 138–140
- List Definition from Content Type template, 39
- List Definition template, 38

- list forms
 - customizing, 334–344
 - publishing, 340–343
- List Instance template, 39
- List Template gallery, 343
- list throttling, 60–63
 - external, 63–65
 - triggering, 60
- ListCreationInformation object, 152
- ListHasPolicy property, 266
- lists, 2
 - creating, 152, 624–625
 - deleting, 153
 - External Data List, 2
 - forms
 - default, 123–124
 - querying, 350–352
 - joins, 122–123
 - limiting, 54
 - lookups, 119
 - querying large, 623–624
 - relationships
 - blocks, 119–121
 - cascades, 119–121
 - properties, 120
 - retention schedules, 266
 - SPD (SharePoint Designer), 117–118
 - uniqueness, 122
 - validation, formulas and, 121–122
 - Visual Studio 2010, 117–118
 - workflows, 512
- ListsOverride property, 323
- Load method, 147–148
 - LoadQuery method comparison, 149
- load testing, 49–51
 - best practices, 50–51
- LoadQuery method
 - Load method comparison, 149
 - nested Include statements, 150
- LOB (Line-of-Business), 2
- Local Index Federation, 241
- Location attribute, 88
 - replacing controls, 90–91
- locking database, 60
- locking down SPD, 33
- Logic Inspector. *See* Rule Inspector
- logs, ULS (Unified Logging System), 48
- LogToHistoryListActivity activity, 534
- logToHistoryListActivity1 activity, 522

- logToHistoryListActivity3 activity, 536
- lookup manager action, 27
- lookups
 - lists, 119
 - limiting, 54
 - referential integrity, 120
- looping, 26
- LTK (Load Testing Kit), 49–51

M

- Managed Metadata SSA, 249
 - columns, 419–420
 - taxonomy object model, 420–421
 - Term Store Management, 418–419
- managed properties, 250
 - search results, 215–216
- management
 - health monitoring, 75–76
 - Service Applications, 76–78
- mapping
 - folders, 39–40
 - user profile store, 183
- mashups, 395–396
- Master Pages, 83–85, 306–307
 - broken, 18
 - code and, 84–85
 - content placeholders, 307
 - CSS, 306
 - exporting, 308
 - Feature Receiver, 310
 - incomplete, 308
 - navigation, 314–315
 - pages not referencing, 84
 - properties, 309
 - Publishing feature, 281
 - Publishing Master Page, 307
 - Ribbon, 307
 - setting in code, 310–311
 - SharePoint Designer, 307–308
 - Site Master Page, 307
 - System Master Page, 307
 - version compatibility, 309
 - Visual Studio, 308–310
- Master Pages and Page Layouts gallery, 281, 300
- MDX (Multidimensional Expressions), 547
- Me keyword, 359
- media, streaming, 67
- MemberConflict object, 138

- menu commands, code for controlling, 93
- Menu control, 86
- MenuSection control, 86
- MessageIn event, 531
- metadata
 - Document Center
 - tagging, 417–418
 - taxonomy, 417–418, 420–421
 - ECM, 9–10
 - location-based, 10
 - managed columns, 419–420
 - missing, 251
 - types, 417–418
- metadata-based navigation in Document Center, 413–414
- metadata-driven navigation of Records Center, 258
- methods
 - BeginInvoke, 154
 - CallEventHandler(), 534
 - ClientContext class, 146–147
 - CreateDataSource(), 606
 - Creator, 445
 - DeclareItemAsRecord, 262
 - DeleteObject, 153
 - DeleteOnSubmit, 138
 - Deleter, 445
 - DeserializeFormData(), 381
 - ExecuteQuery, 151–152
 - FeatureActivating, 290
 - Finder, 445
 - GetInitiationData, 520
 - GetPolicy, 268
 - GetRelatedFields, 120
 - GetSecurityDescriptor(), 238
 - IncrementCounter(), 380
 - InsertAllOnSubmit, 138
 - InsertOnSubmit, 138
 - InternalStartup(), 361
 - ItemAdded, 380–381
 - Load, 147–148
 - onWorkflowActivated1_Invoked, 536
 - QueryFeatures, 57
 - QueueUserWorkItem, 533
 - SelectSingleNode, 359
 - SpecificFinder, 445
 - SP.UI.showModalDialog, 110
 - SPUtility.Redirect, 520
 - SubmitChanges, 138
 - throttles, 61–62
 - ToList, 153
 - UndeclareItemAsRecord, 262
 - Updater, 445
 - WorkflowCompleted, 538
- microblogs, 7, 178
 - presence awareness, 196
- Microsoft Business Scorecard Manager 2005, 543
 - ProClarityAnalytics and, 543
- Microsoft help files, 641
- Microsoft Office SharePoint Server 2007, 177, 207
 - BI and, 543
- Microsoft online help, 641
- Microsoft Search Server 2010 Express (MSSX), 206
- Microsoft Search Server 2010 (MSS), 206
- Microsoft SharePoint Development Center, 641
- Microsoft SharePoint Foundation, 206
- Microsoft SQL Server Reporting Services 2000, 543
- Microsoft TechNet, Report Definition Language Specification, 253
- Microsoft.SharePoint namespace, Sandbox Solutions, 166
- minified files, 83
- mirroring databases, 68–69
- modal dialogs, 82
- Module template, 38
- monitoring, workflows, 492–494
- MOSS 2007, BI and, 543–544
- MOSS 2007 search code, 205
- MOSS (Microsoft Office SharePoint Server 2007), 207
- MRUSplitButton control, 86
- MSDN Development Center for SharePoint, 641
- MSS (Microsoft Search Server 2010), 206
- MSSX. *See* Search Server Express
- multi-stage disposition, 256–257
- multilingual searches, 250–251, 252–253
- MVC (Model-View-Controller), 48
- MVP (Model-View-Presenter) framework, 48
- My Sites, 178, 190–193
 - blogs, 198–200
 - Fluent UI, 191
- myFields class, 377–379
- MySpace, 6

N

- Named Sets (Excel), 565–567
- namespaces
 - client OM, 143–144
 - ECMAScript object model, 143
 - .NET object model, 143

namespaces (*continued*)

- SharePoint SDK, 185
- SocialData, 193–194
- SP.Utilities.Utility, 111
- native reporting, 582–583
- navigation
 - Current Navigation, 312
 - documents, ECM, 9–10
 - Global Navigation, 312
 - metadata-based, Document Center, 413–414
 - object model, 315–317
 - site settings, 311–314
 - web parts, 318–319
- Navigation Editing and Sorting, 312
- .NET Assembly Connector, 433
 - creating, 463–465
- .NET Framework, support, 41
- .NET object model, namespaces, 143
- no-code solutions, 636
- notes, 196–197
 - artifacts, 197
- notification area, 105
 - customizing, 108–109
- NTLM authentication, 442
 - double-hop issue, 442
- Federation OM, 244
- navigation, 315–317
- Query OM, 245
 - query-side, 242–245
- on-demand downloading, 83
- OnDemand, 46
- one-click publishing, to SharePoint, 584–587
- online help, Microsoft, 641
- onTaskChanged1 activity, 523
- onWorkflowActivated1 activity, 521
- onWorkflowActivated1_Invoked method, 536
- OOB (out-of-the-box) workflow, 14
 - editable, 30–31
 - reusing, 473
 - site customization, 18
- Open with Report Builder option, 613–614
- OpenDialog function, 111
- OpenSearch, 240
 - refinement, 242
- operating system requirements, 40
- operations, BCS, 445–448
- organization browser, 6–7
- Outlook
 - ECTs, 456–457
 - social newsfeeds, 7
 - social searches, 248

O

- Object Model, 3
- object model-based content type development, 296–298
- object model-based site column development, 288–291
- object tracking, 141
 - .odc files, creating, 553–555
- Office 2010, ECTs
 - Outlook integration, 456–457
 - SPW (SharePoint Workspace), 455–456
 - Word Quick Parts, 457–458
- Office Business Parts, 441
- Office Data Connection, 553–558
- OIR (Office Integration Runtime), 438
- OLAP (Online Analytical Processing), 546
 - cubes, 546
 - data warehouses, 546
 - datasources, 547
 - dimensions, 546
 - MDX (Multidimensional Expressions), 547
 - PivotTable report, 559–560
- OM (object model), 61

P

- Package Designer, 36–37
- Package folder, 286
- packages, deploying, 441
- page components, writing, 97–101
- Page Layouts, Publishing feature, 281
- page layouts, 300
 - developing, 300
 - SharePoint Designer, 301–302
 - Visual Studio, 302–306
- PageManager, 98
- PageNumber filter, 450
- Pages library, 12
 - workflows, 281
- parameterization, 51
- parameters
 - association forms, 474
 - BIDS 2008 R2, 616–617
 - initiation forms, 474
 - Report Builder, 616–617

- SP.UI.showModalDialog method, 110
- passthrough authentication, 441–442
- people-centricity, 178–190
- People Search Center, 248
- people searches, 216–217
 - address style, 8
 - phonetics, 8
 - results, 8–9
- Per-User identity authentication, 555
- performance
 - dashboards, 578–580
 - improvements, 59
 - list throttling, 60–63
 - KPIs (key performance indicators), 578–580
- PerformancePoint, 1
 - content storage, 550
 - web parts, 573
 - web services, 573
- PerformancePoint Content List, 550
- PerformancePoint Scorecard Builder 2007, 544
- PerformancePoint Services, 572–573
 - architecture, 573–575
 - Report Template, 582
 - SharePoint Server farm topology, 573
 - time intelligence filtering, 587–590
 - unattended service account, 574–575
- PerformancePoint Services Site Features, 550
- permissions
 - assigning, 27
 - developer dashboard, 46
 - user interface, 93
 - workflows, item-level, 478–479
- Peschka, Steve, 229, 231
- phonetics in searches, 8
- physical installation *versus* virtual, 40–41
- PivotCharts (Excel), 559–561
- PivotTables (Excel), 559–561
 - label filtering, 561
- platforms, 81–82
 - improvements, 83
- Pluggable Workflow Services, 530–537
 - creating, 531–532
 - implementation, 532–534
 - primary uses, 530
- popular form templates, 346
- populating comboboxes, 95
- Post-it-style notes in IE, 178
- post-synchronous events, 129
- PowerShell, 45
 - command line, 78
 - STSADM and, 78
 - support, 78
 - tools, 78
 - UPA creation, automation, 179–182
 - Windows PowerShell Integrated Scripting Environment, 78
- pre-built templates, 345
- presence awareness, 196
- Presentation Settings, 318
- ProClarity, 543
- ProClarityAnalytics, Microsoft Business Scorecard Manager 2005, 543
- Professional Business Connectivity Services*, 428
- profile pages (ECTs), 453
- profiles
 - code, 184–190
 - creating, 180
 - customization, 184–190
 - synchronizing, 183–190
- programming forms, 356–364
- project-type templates, 37–39
- projected fields, 452
- properties
 - ClientContext class, 146–147
 - crawled, 250
 - dependency, attributes, 487
 - FalloverServer, 69
 - filters, 246
 - Joins, 123
 - ListHasPolicy, 266
 - ListsOverride, 323
 - managed, 250
 - Master Pages, 309
 - property promotion, 14
 - QueryOverride, 323
 - QueryThrottleMode, 63
 - requesting, 148–149
 - returned, 148–149
 - Synchronization, 129
 - throttles, 61–62
 - Title, 148–149
 - user profile store, 183
 - WebsOverride, 323
- protocol handlers, 233
- protocols
 - ticket-based, 442
 - Web 2.0, 3
- prototyping, Visio, 470–471

proxies, full-trust proxies, 173–176

publishing

to content type, 368–369

content types, 422

to form library, 368–369

forms, InfoPath, 364–367

list forms, 340–343

reports to SharePoint, 606–608

parts, 608–609

to SharePoint, one-click, 584–587

workbooks (Excel)

to Excel Services, 568–570

trusted locations, 567–568

Publishing feature

activating, 280

Cascading Style Sheets, 281

components, 281

content type, 282

Master Pages, 281

Page Layouts, 281

Pages library, 281

site columns, 283

browser-based development, 283–284

CAML-based, 284

feature-based development, 284–288

object model-based development, 288–291

Sandbox Solutions, 285

templates, 280

Publishing Master Page, 307

Publishing Portal, 280

Publishing Wizard, 365

Q

queries, 8

customization, 247

Document Center, 414

FQL (FAST-specific Query Language syntax), 245

joins, 137

keywords, 246

KQL (Keyword Query Language), 245–246

LINQ, 136–138, 151–152

lists, large, 623–624

lists in forms, 350–352

query-side processing, 242

requests, 245

REST web services, 352–354

SQL syntax, 245

subsecond query latencies, 220

syntax, 245–246

URL syntax, 245

Query Object Model, 208

Query Object Model for SharePoint Foundation
2010, 210

Query OM, 245

Query RSS feed, 244

query-side APIs, 242–245

query-side OMs, 242–245

Query web service, 244

QueryFeatures method, 57

QueryManager class, 244

QueryOverride property, 323

QueryThrottleMode property, 63

QueueUserWorkItem method, 533

Quick Publish, 340

R

RaiseEvent() function, 534

ranking, federation, 242

rating

artifacts, 197

content rating, 6

RBS (remote blob storage), 67

RDBMSs (relational database management
systems), 545

RDL (Report Definition Language), 597

RDLC (Report Definition Language Client-Side), 253

read-only databases, 69–70

<Receivers> XML block, 129

RecolorImage command, 115

recordization

Content Organizer, 259

Content Organizer rules, 259, 270–274

description, 256

document libraries, 256

in-place records management, 256

multi-stage disposition, 256–257

records

declaring, 261–263

declaring information as, 256

undeclaring, 261–263

Records Center

versus in-place records management, 258

metadata-driven navigation, 258

Records Center template, 258

records management. *See* RM (records management)

redirecting, binding redirect, 55

- references
 - adding, VS, 145
 - VS, 135
 - workflows, imported, 500–501
- referential integrity in lists, 120
- refinements in searches, 214
 - OpenSearch, 242
- registering events, 129
- Registration Form template, 345
- registration ID, 88
- RegistrationID, 88
- relationships
 - BCS, creating, 448–449
 - properties, 120
- relevancy in searches, 216
- ReplaceColor command, 115
- ReplaceFont command, 115
- replacing
 - controls, 90–91
 - Ribbon, 86
- Report Builder, 613–614
 - parameters, 616–617
- Report Definition Language Specification, 253
- Report Viewer web part, 609–611
- Report Wizard, 598
- reporting, records management, 260–261
- Reporting Services
 - access to reports, anonymously, 594
 - architecture
 - connected mode, 592–596
 - local mode, 591–592
 - authentication, multiple providers, 593–594
 - authentication mode, 593
 - authoring reports, 598–601
 - caching, 617–620
 - data visualizations, 603–605
 - execution account, 594–596
 - integration modes, 590–591
 - publishing reports
 - parts, 608–609
 - to SharePoint, 606–608
 - report as data feed, 612–613
 - report layout, 601–603
 - snapshots, 620–623
 - stored credentials, 614–616
 - tablix data region, 605
- reports
 - native reporting, 582–583
 - searches, administrative OM, 253
 - requesting properties, 148–149
- REST (Representational State Transfer), 3, 159–164
 - URIs, 352–353
 - web services, queries, 352–354
- Retention and Expiration, 256
- retention policies of content lifecycle, 278
- retention schedules in RM, 263–270
 - lists, 266
- returning properties, 148–149
- reusable workflows, 473, 512
- RevertToSelf, 442–443
- Ribbon, 18, 85–86
 - architecture, 87
 - backward compatibility, 86
 - buttons, SPD, 101
 - code, calling code from, 89
 - controls, 85–86
 - customizing, 87–88
 - troubleshooting, 92–93
 - extensibility, 86–87
 - Master Pages, 307
 - replacing, 86
 - ToolTips, 97
 - turning off, 82
 - UI, 22
 - XML definition files, 87
 - XML elements, implementation, 87
- RM (records management), 11, 255
 - actions, 264–265
 - auditing, 256, 260–261
 - Content Organizer, rules, 270–274
 - dispositions, 12
 - eDiscovery, 256, 260
 - holds, 260
 - in-place records management, 12
 - overview, 255–256
 - programming, 261–275
 - recordization, 256–259
 - document libraries, 256
 - in-place records management, 256
 - multi-stage disposition, 256–257
 - records
 - declaring, 261–263
 - undeclaring, 261–263
 - reporting, 256, 260–261
 - Retention and Expiration, 256
 - retention schedules, 263–270
 - SPD, 27
 - workflows, 274–275

round trips, VRTA (Visual Round Trip Analyzer), 52
 RSS feeds, Query RSS feed, 244
 RTM (Release to Manufacturing), 591
 Rule Inspector, 384–385
 rules
 CO, 410–412
 InfoPath, 338–340
 Runtime Object Model, 458–460
 BDC Server Runtime, 437–438
 Visual Studio 2010, 458

S

SAML (Security Assertion Markup Language), 71
 authentication, 443
 Sandbox Solutions, 3, 73–74
 API block list, 167
 CAS, 167
 code execution, 165–168
 counters measured, 169
 external data, 166–167
 forms, 370–371
 full-trust proxies, 173–176
 iframes, 167
 Microsoft.SharePoint namespace, 166
 Sandbox Worker Process, 165
 Sandbox Worker Proxy, 166
 site columns, 285
 solutions
 monitoring, 168–170
 types, 164–165
 validation, 170–173
 User Code Service, 165
 Visual Studio 2010 support, 167–168
 visual web parts, 637
 scaling
 Enterprise Search, 220
 FAST Search for SharePoint, 224
 tabs, 95
 Scaling node, 95
 schemas, 250
 SCOM (System Center Operations Manager), 222
 scope, features, 286
 Scope attribute, 129
 scorecards
 building, 580–581
 dashboards and, 573
 Search Core Results web part, 214
 search-driven applications, 228
 Search Health Monitoring OM, 253–254
 Search Server, 206
 Search Server Express, 206
 search SSA, 219–220
 search web parts, 229–231
 sorting in, 231–232
 searches, 7–9. *See also* Enterprise Search; social searches
 administrative OM, 253–254
 architecture, 217
 applications and, 225–226
 Enterprise Search, 217–222
 FAST, 222–223
 BCS (Business Connectivity Services), 233
 Best Bets, 214
 connectors, 9, 233–234
 content-processing pipeline, 251
 configuration, 252
 extensibility, 252
 contextual, 216
 conversational, 215–216
 crawled properties, 250
 ECTs, external systems, 453–454
 EWS (Exchange Web Services), 228
 exploration, 214
 general-purpose search applications, 209
 keywords, 214
 managed properties, 250
 MOSS 2007 search code, 205
 multilingual, 250–251, 252–253
 options, 204–210
 people searches, 8, 216–217
 address style, 8
 phonetics, 8
 results, 8–9
 product selection, 209–210
 queries, 8
 query processing, 242
 query-side processing, 242
 refining, 214
 relevancy tuning, 216
 reports, administrative OM, 253
 results, 8
 collapsing, 216
 similar results, 216
 sorting on managed properties, 215–216
 schemas, 250
 Simple Search box, 211
 social, 248
 social behavior and, 248

- special-purpose search applications, 209
- synonyms, 216
- user experience, 228–233
- visual cues in, 213–215
 - thumbnails, 214
- security
 - authentication, claims-based, 70–73
 - CAS (code access security), 73
 - forms, 369–370
 - Sandbox Solutions, 73–74
 - XSS (Cross-Site Scripting), 74–75
 - SelectSingleNode method, 359
 - SendEmail activity, 517
 - sendEmail activity, 523
 - Sequence attribute, 88
 - Sequential Workflow template, 38
 - sequential workflows, 514–517
 - serialization in initiation forms, 518–519
 - server object model, equivalent objects in
 - client OM, 144
 - Service Application Proxies, 76
 - Service Applications, 76–78
 - APIs, 77
 - WCF and, 76
 - SetupDocSiteFeatureReceiver class, 402
 - shapshots, Reporting Services, 620–623
 - SharePoint
 - claims, 72–73
 - community, 642
 - publishing to, 608–609
 - one-click, 584–587
 - reports, publishing to, 606–608
 - retrieving items, 147–148
 - SharePoint Customization Wizard, 186
 - SharePoint Designer
 - list customization, 335
 - Master Pages, 307–308
 - page layouts, 301–302
 - SharePoint dev wiki, 255
 - SharePoint Developer Documentation team blog, 642
 - SharePoint Mobile, microblogs, 7
 - SharePoint Online, 5
 - deployment options, 635–636
 - SharePoint Portal Server 2003, 177
 - BI and, 543
 - SharePoint SDK
 - downloading, 641
 - namespaces, 185
 - SharePoint Server, 207
 - Application Server, 552
 - Database Server, 552
 - farm topology, 552
 - PerformancePoint Services, 573
 - Web Frontend, 552
 - SharePoint Server 2010, BI and, 544–545
 - SharePoint Server 2010 Search
 - FAST Search for SharePoint comparison, 210
 - process view, 219–220
 - SharePoint Server Explorer, 34
 - sharing data, 611–612
 - Show Value (Excel), 564–565
 - showModalDialog function, 111
 - Silverlight
 - client OM, 157–159
 - code, debugging, 48
 - integration, 2
 - media player web part, 14
 - web part, 14, 19
 - similar results in searches, 216
 - Simple Search box, 211
 - site collection, Business Intelligence Center, 549
 - Site Collection Administrator, 61
 - Site Collection Auditor, 61
 - Site Collection Publishing feature, 280
 - site columns, 283
 - browser-based development, 283–284
 - CAML-based, 284
 - feature-based development, 284–288
 - object model-based development, 288–291
 - Sandbox Solutions, 285
 - Site Columns gallery, 283
 - Site Definition template, 38
 - Site Master Page, 307
 - site workflows, 14, 27
 - activities, coding, 521–524
 - sequential, 514–517
 - starting programmatically, 520
 - Slicers, 562
 - social behavior, searches and, 248
 - social bookmarking, 6
 - social computing
 - definition, 177
 - WCM, 13
 - Social Data web service, 194–196
 - social newsfeeds, Outlook, 7
 - social searches, 7, 248
 - architecture, 248–250
 - operations, 248–250

social searches (*continued*)

- Outlook contacts, 248
- social tags, 249
- SSAs, 248–249
- user profiles, 249
- social tagging, 6, 196–197, 249
- SocialData namespace, 193–194
- Software Development Lifecycle, 277
- Solution Explorer, 35
- Solution gallery, 165–168, 371
- solution validation, 170–173
- sorting, search web parts, 231–232
- SP (SharePoint Server), 207
- Sparklines, 563–564
- SPD (SharePoint Designer), 4, 21–22
 - BCS (Business Connectivity Services), integration, 31
 - browser to, 33
 - buttons, 101
 - document sets, 27
 - ECT operations, 430
 - external lists, creating, 431–432
 - forms, 15
 - impersonation, 26
 - InfoPath, integration, 28
 - lists, 117–118
 - locking down, 33
 - looping, 26
 - new features, 22–33
 - OOB workflow, editable, 30–31
 - permissions, assigning, 27
 - records management, 27
 - Task/Approval Designer, 24
 - Task Process Designer, 24, 29–30
 - Visio, 14–15
 - integration, 28–29
 - interoperability, 22
 - Workflow Designer, 23–24
 - workflows
 - content types and, 27
 - customizing, 471–484
 - global, 27
 - importing, 472
 - new actions, 26–27
 - reusable, 27
 - site workflows, 27
 - WSP (Web Solution Package), integration, 33
- SPDatabase class, 69
- SPDisposeCheck, 51–52
- SpecificFinder method, 445
- SPException, 527
- SPF (SharePoint Foundation), 206
- Spinner control, 86
- SPIs (SharePoint Project Items)
 - event receivers, 538
 - workflow forms, 517
- SPLINQ (SharePoint LINQ), 132–134
 - DataContext object, 135–136
 - fields, default, 135
 - SPMetal, 132–134
- SPListItem object, 262
- SplitButton control, 86
- SPMetal, 132–134
- SPMonitoredScope class, 47
- SPQueryThrottledException exception, 60
- SPUHostService.exe, 73
- SPUCWorkerProcess.exe, 73
- SPUCWorkerProcessProxy.exe, 73
- SP.UI.Dialog.debug.js, dialog framework, 110
- SP.UI.Notify class, 108–109
- SP.UI.showModalDialog method, 110
- SP.UI.Status class, 105–106
- SP.Utilities.Utility namespace, 111
- SPUtility.Redirect method, 520
- SPView object, 125
- SPViewCollection, 125
- SPW (SharePoint Workspace), 15
 - ECTs, 455–456
 - Launch Bar, 455
 - Workspace Window, 455
- SPWebApplication class, 120
- SQL Enterprise Manager, BI and, 543
- SQL Server
 - BI and, 543
 - testing, best practices, 50
 - version, 41
- SQL Server Analysis Services, connecting to, 553–554
- SQL Server Compact Edition, 438
- SQL Server Reporting Services 2008 R2, list data extension, 625–627
- SSA (Shared Service Architecture), 219–220, 222
 - FAST Content SSA, 223
 - FAST Query SSA, 223
 - Managed Metadata, 249
- SSAS (SQL Server Analysis Services), 544
 - Windows authentication and, 555
- SSO (single sign-on), 555
- SSP (Shared Services Provider), 76
- SSS (Secure Store Service), 438–440, 555–558

- credential management, 443
- State Machine Workflow template, 38
- StateObject class, 534
- Stats List View web part, 390
- status bar, customizing, 105–108
- stored credentials, 614–616
- STP files, 54
- streaming media, 67
- structured tagging, 196–197
- STS (Secure Token Service), 444, 631
- STSADM, 45
 - developer dashboard, turning on, 45
 - PowerShell and, 78
- Submit (InfoPath forms), 354–356
- SubmitChanges method, 138
- subsecond query latencies, 220
- subtypes, 184–190
- Summary Links web part, 318
- synchronization, BDC, 438
- Synchronization property, 129
- synonyms in searches, 216
- System Master Page, 307
- system requirements
 - forms code, 357
 - operating system, 40

T

- Table of Contents web part, 318
- tablix data region in tables, 605
- tabs
 - contextual, web parts, 101–105
 - scaling, 95
- Tag Clouds, 6
 - Tag Cloud web part, 21
- tagging, 178
 - artifacts, 197
 - SocialData namespace, 193–194
- tags, 196–197
- target applications, setting credentials, 557–558
- Task/Approval Designer, 24
- Task Form, 481
- Task Process Designer, 24, 29–30
- tasks
 - displaying, 506
 - exit criteria, 24
- taxonomy services, 10
- templates
 - Application Page, 39

- Business Data Connectivity Model, 37
- Business Data Connectivity Resource Item, 39
- Business Intelligence, 549
- Business Intelligence Center, 548
- Content Type, 37
- Empty Element, 39, 287
- Empty SharePoint Project, 38
- Event Receiver, 38
- event receivers, 538
- FlowChart, 470–471
- forms, 344
 - advanced, 346
 - designing, 345–350
 - filters, 352
 - InfoPath 2007, 346
 - popular, 346
 - templates parts, 346
- Global Resources File, 39
- Import Reusable Workflow, 38
- Import SharePoint Solution Package, 38
- item-type, 47
- List Definition, 38
- List Definition from Content Type, 39
- List Instance, 39
- Module, 38
- parts, 346
- pre-built, 345
- project-type, 37–39
- Publishing features, 280
- Records Center, 258
- Registration Form, 345
- Sequential Workflow, 38
- Site Definition, 38
- State Machine Workflow, 38
- User Control, 39
- Visual Web Part, 38
- Web Part, 39
- Workflow Association Form, 39
- Workflow Initiation Form, 39
- workflows as, 473

testing

- capacity, 50–51
- load testing, 49–51
 - best practices, 50–51
- moving to production, 53–54
- SPDisposeCheck, 51–52
- unit testing, 48–49
- Visual Studio 2010 tools, 49
- workflows, 483–484

- Textbox control, 86
- themes, 82, 112–113
 - API, 115–117
 - commands, 115
 - deleting, 153
 - previewing changes, 114
- theming infrastructure, 112–115
 - previewing changes, 114
- this keyword, 359
- ThmxTheme class, 115–117
- throttles
 - BDC service application, 434
 - bit rate throttling, 67
 - happy hours, 61
 - HTTP request throttles, 65–67
 - library throttling, 60
 - list throttling, 60–63
 - external, 63–65
 - methods, 61–62
 - properties, 61–62
 - working with programmatically, 61–63
- thumbnails, searches, 214
- ticket-based protocols, 442
- time dimensions, 587–590
- time intelligence, 587–590
- Title property, 148–149
- ToggleButton control, 86
- token-based systems, accessing, 444
- tokens, 516–515
- ToList method, 153
- ToolTips, 97
- topology
 - FAST, 222–223
 - SharePoint Server, PerformancePoint Services, 573
- Training Approval workflow, 468–469
- Training content type, creating, 469
- Trainings list, 335–336
 - distributing, 343–344
- troubleshooting, custom Ribbon, 92–93
- Trusted Subsystem authentication model, 441
- Twitter, 7
- UndeclareItemAsRecord method, 262
- unique document IDs, 10
- unit testing, 48–49
- UPA (User Profile Service Application), 178–182
 - access, 179
 - administration screen, 180–182
 - creation, PowerShell and, 179–182
 - My Site Settings section, 182
 - Organizations, 181
 - People section, 180–181
 - profiles, synchronizing, 183–190
 - Synchronization section, 181
- Updater method, 445
- upgrading
 - code, from 2007, 54–57
 - declarative feature upgrading, 55
 - versions, 55
- uploading files to document libraries, 262
- URIs (Uniform Resource Indicators), REST and, 352–353
- URLs (Uniform Resource Locators)
 - syntax, 245
 - token replacements and, 92
- User Code Service, 165
- User Control template, 39
- user interface
 - administrators, 93
 - AJAX-style, 82
 - changes, 82
 - elements, creating, 89
 - groups, 94
 - Ribbon, 82, 85–86
 - rights, 93
 - status bar, 105
 - tabs, 94
 - themes, 112–113
 - Workflow Designer, 23
- User object, 153–154
- user profiles
 - social searches, 249
 - supplementing, 454
 - user profile store, 178
 - mappings, 183
 - properties, 183
- user subtypes, 184–190
- UserCollection object, 153–154
- UserProfileManager class, 180
- users, 153
 - search experience, 228–233

U

- ULS (Unified Logging System), 48, 526
- unattended service account, 555–558
 - dashboard datasources, 577–578
 - PerformancePoint Services, 574–575
- Undeclare Record action, 274

V

validation
 lists, formulas, 121–122
 solutions, Sandbox Solutions, 170–173

validation rules, 51

versioning features, 55

views
 enhancements, 124–126
 InfoPath, 338–339

Virtual Box, 41

virtual installation *versus* physical, 40–41

Visio
 prototyping in, 470–471
 SharePoint, integration, 28–29

Visio Services, 4, 14–15
 visual diagrams, 493

Visio web part, 20

Visual Slicers (Excel), 562

Visual Studio 2010, 5
 actions, custom, 484–494
 activities
 coding, 486–488
 deploying, 489–491
 deployment preparation, 488–489

Content by Query web part, 326–327

deployment, customizing, 53

Document Center, 402–403

document libraries, 414–416

Feature Designer, 35–36

folders, mapping, 39–40

lists, 117–118

Master Pages, 308–310

.NET Framework, support, 41

Package Designer, 36–37

page layout creation, 302–306

project-type templates, 37–39

projects, setup, 484–485

references, 135
 adding, 145

REST in, 161–164

Runtime Object Model, 458

Sandbox Solutions support, 167–168

SharePoint Server Explorer, 34

Solution Explorer, 35

SQL Server, version, 41

testing tools, 49

workflows
 building, 512–538

exporting, 494–495

importing, 494–511

WSPs, importing, 34

XML, 36

Visual Web Part template, 38

visual web parts, Sandbox Solution, 637

visualizing workflows, 492–494

VMWare, 41

VRTA (Visual Round Trip Analyzer), 52

VSeWSS (Visual Studio Extensions for WSS), 17
 upgrades, 34

VSTA (Visual Tools for Applications), 343

W

WAG (Web Content Accessibility Guidelines), 12

WAN (wide area network), 49

WCF connectors, 433

WCF Data Services, 352–354

WCF (Windows Communication Foundation), 2
 claims authentication, 443
 debugging and, 43
 Service Applications, 76

WCM (Web Content Management), 12
 BLOB storage, 13–14
 browser support, 12
 content lifecycle, 277–279
 distribution policies, 278
 retention policies, 278
 content presentation, XSL and, 324–326
 Content Type IDs, 291–292
 content types
 browser-based development, 292–293
 client object model-based development,
 298–300
 feature-based development, 293–295
 object model-based development, 296–298
 conversion, document conversion, 328–330
 Information Architecture, 279–280
 introduction, 277
 Master Pages, 306–307
 content placeholders, 307
 navigation, 314–315
 Publishing Master Page, 307
 setting in code, 310–311
 SharePoint Designer, 307–308
 Site Master Page, 307
 System Master Page, 307
 Visual Studio, 308–310

WCM (Web Content Management) (*continued*)

- navigation
 - Master Pages, 314–315
 - object model, 315–317
 - site settings, 311–314
 - web parts, 318–319
- page layout, 12
- page layouts, 300
 - developing, 300
 - SharePoint Designer, 301–302
 - Visual Studio, 302–306
- Pages library, 12
- Publishing features
 - activating, 280
 - content type, 282
 - site column development, 283–291
 - site columns, 283
- separation of design and development, 279
- social computing, 13
- standards, 12
- Web 2.0, protocols, 3
- Web Analytics web part, 21
- Web Frontend server, Dashboard Designer, 573
- Web Part Connection framework, 611–612
- Web Part Properties Pane, 322
- Web Part template, 39
- web parts
 - Chart, 20
 - Chart Viewer, 20
 - connected, 390–394
 - Content by Query, 318, 319–320
 - Excel Web Access, 571–572
 - FAST Search for SharePoint, 232–233
 - federation, 241
 - forms for lists, 123–124
 - getting data, 394–395
 - groups, 101–105
 - InfoPath Form, 389–390
 - navigation, 318–319
 - Report Viewer, 609–611
 - search, 229–231
 - sorting in, 231–232
 - Search Core Results, 214
 - Silverlight, 14, 19
 - Silverlight media player, 14
 - Stats List View, 390
 - Summary Links, 318
 - Table of Contents, 318
 - tabs, 101–105
 - Tag Cloud, 21
 - Visio, 20
 - visual, 637
- web services
 - CRM, workflows and, 529
 - Query web service, 244
 - REST, queries, 352–354
 - Social Data, 194–196
- WebPart class, 229
- WebsOverride property, 323
- WFEs (Web Front Ends), 50
 - SPUHostService.exe, 73
 - User Code Service, 165
- what-if analysis (Excel), 567
- wikis, 5–6, 178
 - Enterprise Wiki, 280
 - EW (Enterprise Wiki), 200–201
 - SharePoint dev wiki, 255
- Windows Authentication, Kerberos and, 555
- Windows Live, 444
- Windows PowerShell Integrated Scripting Environment, 78
- wizards
 - Publishing Wizard, 365
 - Report Wizard, 598
 - SharePoint Customization Wizard, 186
- Word, Quick Parts, ECTs, 457–458
- Word Services, 11
- workbooks (Excel), 552
 - consuming, 552
 - Edit mode, 570
 - editing, 552
 - PivotCharts, 559–561
 - PivotTables, 559–561
 - label filtering, 561
 - publishing
 - to Excel Services, 568–570
 - trusted locations, 567–568
 - unattended service account, 555–556
- Workflow Association Form template, 39
- Workflow Designer, 23–24
- Workflow Initiation Form template, 39, 517
- WorkflowCompleted method, 538
- workflows
 - activities, coding, 521–524
 - associating, content type, 506–508
 - association form parameters, 474
 - branching, 524
 - code-separated, 495

- compiling, 524–526
- content types, associating, 482–483
- correlation tokens, 516–515
- CRM web services, 529
- customizing, SharePoint Designer, 471–484
- debugging, 43, 526–529
- declarative, 495
- deploying, 524–526
- development lifecycle, 469–470
- events, 537–538
- exporting, to Visual Studio 2010, 494–495
- forms
 - associating, 503–504
 - InfoPath, 480–482
- imported
 - code, 508–509
 - missing references, 500–501
- importing
 - InfoPath view, 505–506
 - to SPD, 472
- initiation forms
 - ASPX, 517–520
 - parameters, 474
- lists, 512
- logic, customizing, 475–480
- monitoring, 492–494
- OOB (out-of-the-box), 14
 - reusing, 473
- Pages library, 281
- permissions, item-level, 478–479
- Pluggable Workflow Services, 529–537
- reusable, 473, 512
- RM use, 274–275
- scenarios, 467–468
- sequential, 514–517
- site workflows, 14

- SPD
 - actions, 26–27
 - content types and, 27
 - global, 27
 - lookup manager, 27
 - permission assignment, 27
 - reusable, 27
 - site workflows, 27
- starting programmatically, 520
- as tempaltes, 473
- testing, 483–484
- Training Approval, 468–469
- Visio, 14–15
- Visual Studio 2010, building, 512–538
- visualization, 492–494
- XOML-only, 495
- Workspace Window (SPW), 455
- WPF (Windows Presentation Framework), 142
- .wsp file, importing to Document Center, 405–407
- WSP (Web Solution Package), 5
 - importing to Visual Studio 2010, 34
 - SPD, integration, 33

X

- XAP files, 19
- XML (eXtensible Markup Language), 36
 - DOM (Document Object Model), 263
 - InfoPath and, 331–332
 - retention schedules in RM, 263–270
 - Ribbon, 87
- XML-only operations, 87–105
- XmlSerializer class, 381
- XOML-only workflows, 495
- XSL, content presentation and, 324–326
- XSN files, 371
- XSS (Cross-Site Scripting), 74–75