

Index

Page numbers in *italics* refer to photographs.

- academic performance, nutrition and, 182
- action phase, change and, 24, 29
- activity enforcers, 50, 53–54
 - defined, 145–151
 - example of, 158–159
 - for infants, 152
 - for older children, 155–157
 - for toddlers, young children, 152–155
- activity providers, 50
 - defined, 113–117
 - example of, 126–127
 - for infants, 117
 - for older children, 122–125
 - for toddlers, young children, 118–122
- activity role models
 - defined, 50–52, 79–82
 - enforcement and, 146, 156
 - example of, 93–94
 - for infants, 84
 - for older children, 88–92
 - physical activity, benefits of, 82–84
 - for toddlers, young children, 84–88
- advocates. *See* healthy-weight advocates
- American Academy of Pediatrics (AAP), 185
 - on beverages, 41
 - on parents' influence, 49
 - on physical activity for infants, 84
 - on screen time, 46
- American Council on Exercise (ACE) (Web site), 202
- American Dietetic Association (ADA) programs, 31
 - Web site, 201
- American Fitness Professionals and Associates (AFPA) (Web site), 201–202
- American Heart Association, 3
- American Obesity Association (Web site), 203
- American Psychological Association (APA), 203
- anorexia nervosa, 15
- “at risk of overweight,” defined, 11, 15
- authoritative parenting style, 196
- baby food
 - breast feeding *vs.* bottle feeding, 100–101, 136
 - feeding behavior and, 102
 - learning to eat and, 65
 - See also* infants

- bariatric surgery, 206
 Beal, Cristina, 143, 143–144
 behavior, feeding, 102
 behavior change, 8–9, 36–37
 attitude and, 55–56
 confidence for, 25–27
 by food providers, 97–98
 goals for, 27–29
 healthy-weight advocates and, 178
 importance of, 26–27
 physical activity and, 118–119, 146–147
 school food and, 182–183
 science of, 23–25
 time factors and, 34–35
 weight loss and, 21–23, 146–147
 beverages, 40–41
 calories in, 135–136
 food enforcement and, 140
 healthful alternatives, 106
 BMI (Body Mass Index), 12–14, 185
 BMI-for-age, 13, 18, 32–33
 in childhood vs. adulthood, 16–17
 defined, 11
 growth and, 17–20
 guidelines for gender-specific cutoffs, 16
 obesity standards and, 15–16
 vegetables and, 41–42
 weight-loss recommendations and, 19
 weight loss surgery and, 206
 bottle feeding, 101, 136
 boys, 15
 BMI changes in, 41–42
 BMI guidelines, 16
 confidence of, 150
 screen time and eating habits of, 135
 See also children; infants; older children; young children
 breakfast, 43
 breast-feeding, 100–101, 136
 Brickfield, Kelley, 60, 61
 bullying, 164, 171
 calories, 39
 balancing intake with activity, 32–33
 in beverages, 135–136
 counting, 40
 hunger and, 103
 in school food, 181
 sources of, 35–36
 canola oil, 42
 caregivers, 48, 51
 as activity enforcers, 152, 154
 as activity role models, 87
 as food providers, 52–53
 lack of support from, 196–197
 Centers for Disease Control and Prevention (CDC) (Web site), 204
 certified physical trainers, 201–202
 change. *See* behavior change
 children
 BMI for, 13–14, 16
 boys, special considerations for, 41–42, 135, 150
 with disabilities, 189–191
 girls, special considerations for, 133, 142, 167, 170, 198
 growth in, 14–15, 17–20, 35–37
 obesity and, 15–16
 overweight, as global trend, 2–3
 overweight, as indicator of adult overweight, 16–17
 overweight, science of, 3–5
 weight gain in, 1
 weight-loss recommendations for, 4, 17–20, 31–37
 weight loss success of, 5–6, 17
 weight obsession of, 37
 See also infants; older children; young children
 China, weight issues in, 3
 chores, as physical activity, 151
 communities, 9
 activity enforcement and, 151
 healthy-weight advocates in, 177–178
 physical activity availability in, 119–120
 support from, 200

- weight loss programs in, 168
- competition, in sports, 122, 169
- computers, 36. *See also* screen time (Rule #3)
- confidence
 - for behavior change, 25–27
 - family structure changes and, 192–193
 - healthy-weight protection for, 166–170
 - physical activity and, 85, 115, 119, 149–150
- consistency
 - among parents, 143–144
 - food enforcement and, 131–132
 - of food providers, 109
 - food role modeling and, 70
 - of healthy-weight advocates, 180
 - lack of support and, 194–197
 - treats and, 171–172
 - See also* family members (Rule #5)
- contemplation, change and, 23
- cooking, by teens, 141
- criticism
 - by parents, 156
 - by physicians, 183–184
- Dance Dance Revolution (game), 126
- Davis, Anica, 110, 110–111
- depression, 197–198
- diabetes, 165
- DiClemente, Carlo, 23
- diet. *See* nutrition (Rule #1)
- dietary disinhibition, 134
- Dietary Guidelines for Americans (2005), 46, 81–82
- dietitians, 201
- dieting
 - eating disorders and, 42
 - problems for young children, 140
 - See also* weight loss
- divorce, 192–194
- eating disorders, 15
 - dieting and, 42
 - family meals and, 142
- energy, law of thermodynamics and, 32–33
- enforcers. *See* activity enforcers; food enforcers
- equipment, for physical activities, 113–114, 117, 151, 155–156
- ethnic cuisine, healthful substitutions in, 104
- European Childhood Obesity Group, 206
- exercise. *See* physical activity (Rule #4)
- families
 - closeness in, 190–191, 193–194
 - functioning of, 56–57
 - traditional, 189
 - See also* family members (Rule #5)
- family meals, 43
 - family closeness and, 190–191, 193–194
 - food enforcement and, 135, 139, 140–142
 - infants at, 65–67
 - older children at, 72–76
 - toddlers, young children at, 67–72
 - See also* meals
- family members (Rule #5), 48
 - activity enforcement and, 157
 - as activity providers, 121, 124
 - as activity role models, 85–86
 - behavior change among, 21–29, 36–37
 - common diet of, 109, 163, 170
 - consistent food enforcement and, 134–135, 171–172
 - lack of support from, 194–197
 - nutrition shared by, 165, 170
 - See also* 5 Simple Rules; parents
- family time, forced, 124
- fast food, 43
 - food enforcement and, 141–142
 - food role modeling and, 75
 - as reward, 155
- fat
 - calories in, 35
 - low-fat alternatives, 98
 - in prepared foods, 42–43

- feeding behavior, 102. *See also* baby food
- Finland, weight issues in, 2–3
- Fit Family, Fit Kids (Web site), 203
- fitness professionals, 201–202
- 5 Simple Rules, 4–6
- “5-2-1,” 157
- behavior change and, 21–23, 27
- explained, 39–48
- rebellious against, 162
- See also* nutrition (Rule #1); treats (Rule #2); screen time (Rule #3); physical activity (Rule #4); family members (Rule #5); house rules
- food enforcers, 50, 53–54
- defined, 129–136
- example of, 143–144
- for infants, 136–137
- for older children, 140–142
- for toddlers, young children, 137–140
- food neophobia, 67–69
- food providers, 50, 52–53
- defined, 95–100
- examples of, 110–111
- for infants, 100–101
- for older children, 106–109
- for toddlers, young children, 101–106
- food role models
- caregivers as, 196–197
- defined, 50–52, 63–64
- enforcement and, 146, 156
- example of, 77–78
- for infants, 64–67
- for older children, 72–76
- for toddlers and young children, 67–72
- France, Lane, 8, 8–9, 55. *See also* Pediatric Healthcare Alliance
- fruit juices, 41, 106
- fruits
- as alternative to vegetables, 102–103
- importance of, 41–42
- Geers, Cara, 174, 174–175
- genes, weight gain and, 33–34
- girls, 15
- BMI guidelines for, 16
- daughters of depressed mothers, 198
- family meals and eating disorders, 142
- food enforcers’ influence on, 133
- inhibitions about physical activity, 167, 170
- physical activity supported by family and, 169
- See also* children; infants; older children; young children
- goals
- activity enforcement and, 156
- behavior change and, 27–29
- grains, 40
- Greece, weight issues in, 2–3
- growth
- BMI and, 14–15, 17–20
- weight-loss recommendations and, 35–37
- gym classes, 47–48, 89, 122, 172, 178–179
- Hartman, Jackie, 185, 185–186
- Harvey, Tina, 60, 61
- health, 18, 197–198
- diabetes, 165
- physical activity for, 79, 82–84
- social acceptance and, 170
- weight loss resources, 199–205
- weight loss treatments, 205–206
- health care providers
- as healthy-weight advocates, 183–184
- seeking support from, 187–188, 200–203
- Healthy People 2010, 79
- Healthy Schools Healthy Youth! (Web site), 204
- healthy-weight advocates, 50, 55–57
- approaches for, 178–181
- defined, 177–178
- example of, 185–186
- physicians, health care providers as, 183–184
- schools as, 181–183

- healthy-weight homes
 defined, 2
 parents' roles and, 49–51
- healthy-weight protectors, 50, 54
 consistent treatment of family
 members, 163
 example of, 174–175
 family structure and, 161–162
 health and, 165
 physical activity and, 167–173
 prejudice and, 164
 self-esteem issues and, 166–167
- holidays, food for, 74, 107
- house rules
 enforcing, 50, 53–54, 71
 establishing, 99
 rigidity of, 97, 108, 133–134,
 136–137, 139
See also 5 Simple Rules
- hunger
 calorie intake and, 103
 fast food and, 141–142
 recognizing signs of, 99, 104, 130
- IDEA Health and Fitness Association,
 202
- indoor physical activities, 153
- infants
 activities enforced for, 152
 activities provided for, 117
 activities role modeled for, 84
 food enforcement for, 136–137
 food provided for, 100–101
 food role modeling for, 64–67
See also children
- Institute of Medicine, 2, 3, 151
- International Food Information
 Council Foundation (Web site),
 204
- Ireland, weight issues in, 2–3
- juices, 41, 106
- KidsGrowth Child Health (Web site),
 203
- label reading, 76, 107
- law of thermodynamics, 32–33
- Lisboa, Myrna, 158, 158–159
- lowfat milk, 40–41
- maintenance phase, change and,
 24–25
- meals
 environment for, 102
 ethnic cuisine substitutions, 104
 outside of home, 98
 prepared by teens, 141
 timing of, 43
See also family meals
- medical issues. *See* health
- medications, for weight loss, 205–206
- Meridia (sibutramine), 205
- milk, 40–41, 41
- Miller-Kovach, Karen, 6
- money, food choices and, 134–136
- Montegny, Sue, 60
- motivation, for physical activity, 148
- My Pyramid (Web site), 42
- Neeley, Debbie, 126, 126–127
- neophobia, 67–69
- nonfat milk, 40–41
- nontraditional family structure,
 192–194
- Nutrition Facts panels, 76, 107
- nutrition (Rule #1), 39–43, 185–186
 alternatives to treats, 97
 caloric foods and, 35–36
 common diet of entire family, 109,
 165, 170
 food role modeling for toddlers, 69
 low-fat foods and, 98
 outside influences and, 166
 in schools, 178, 180–183
See also 5 Simple Rules
- obesity
 defined, 15–16
 Web site about, 203
- oils, 42

- older children
 activities enforced for, 155–157
 activities provided for, 122–125
 activities role modeled for, 88–92
 food enforcement for, 140–142
 food provided for, 106–109
 food role modeling for, 72–76
 money spent on food by, 136
 physical activity choices of, 172–173
 self-esteem in, 166–167
 TeenGrowth Web site, 204
See also children
- olive oil, 42
- organized sports
 alternatives to, 92, 121, 123
 coaches' influence and, 179–180
 competition in, 122, 169
 support from activity providers for, 115
 time spent on, 47
- orlistat (Xenical), 205
- outside activities, 89, 118, 151
- overeating, dietary disinhibition and, 134
- overweight
 in childhood vs. adulthood, 16–17
 defined, 11, 15
 dietary disinhibition and, 134
 equal treatment within families and, 163
 fatigue and, 167
 as global trend, 2–3
 prejudice and, 164, 170
 science of, 3–5
- packaging. *See* label reading
- parents
 activity level of, 147
 as advocates, 50, 55
 as enforcers, 50, 53–57
 influence of, 49–51
 parenting styles of, 56, 194–197
 as protectors, 50, 54
 as providers, 50, 52–53
 as role models, 50–52
 school fitness activities and, 178–179
 single parenting, 192–194
See also activity enforcers; activity providers; activity role models; food enforcers; food providers; food role models; healthy-weight advocates; healthy-weight protectors
 Pediatric Healthcare Alliance, 7, 8, 185–186. *See also* France, Lane
- physical activity (Rule #4), 5–6, 46–48
 behavior change and, 21–23
 benefits of, 82–84
 caloric intake and, 32–33
 chores as, 151
 in daily routine, 90
 guidelines for, 81–82
 healthy-weight protectors and, 167–173
 indoor activities, 153
 lack of, 33, 36
 motivation for, 148
 outside activities, 89, 118, 151
 seasonal, 114, 150
See also activity enforcers; activity providers; activity role models; 5 Simple Rules; organized sports
 physical education, 47–48, 89, 122, 172, 178–179
- physical trainers, 201–202
- physicians
 as healthy-weight advocates, 183–184
 seeking support from, 200–203
See also health care providers
- picky eaters, 67–69
- play, parents and, 87
- portion size, 74, 103–104
 food providing and, 107, 108
 learning about, 76
 of treats, 44
 Web site about, 42
- positive enforcement, 131–132. *See also* activity enforcers; food enforcers
- precontemplation, change and, 23
- prejudice, against overweight children, 164, 170
- preparation, change and, 23–24

- preschools, 199–200. *See also* caregivers
- prescription drugs, 205–206
- President's Council on Fitness and Sports (Web site), 203
- prioritizing, behavior change and, 26–27
- Prochaska, James, 23
- protectors. *See* healthy-weight protectors
- providers. *See* activity providers; food providers; health care providers
- psychologists, 202–203
- puberty, 14–15
- punishment, food as, 45, 70–71
- registered dietitians (RD), 201
- rewards, food as, 45, 70–71, 155
- role models, defined, 50–52. *See also* activity role models; food role models
- Ruggles, Clara, 60, 61, 77, 77–78
- safety
 - healthy-weight protectors and, 161
 - of physical activities, 147, 167
- schools
 - cafeteria food, 107–108
 - as healthy-weight advocates, 181–183
 - physical activity programs in, 47–48, 89, 122, 172, 178–179
 - support from, 199–200
 - Web sites about health programs for, 204
- screen time (Rule #3), 36, 45–46
 - activity enforcement and, 152–155
 - activity role modeling and, 80–81, 83, 86–88, 91
 - calorie burning and, 33
 - food enforcement and, 135
 - food role modeling and, 75–76
 - physical activities balanced with, 116, 123–124
 - strategies for reducing, 149
 - weight gain and, 148–149, 154*See also* 5 Simple Rules
- seasonal activities, 114, 150
- sedentary activities, 33, 36. *See also* physical activity (Rule #4)
- self-efficacy. *See* confidence
- self-esteem. *See* confidence
- serving size. *See* portion size
- shopping
 - food enforcement and, 138
 - for snacks, 96
- siblings
 - family closeness and, 191
 - relationships between, 162
- siblings, as role models, 51
- sibutramine (Meridia), 205
- single parenting, 193–194
- snacks
 - consistency and, 180
 - food enforcement and, 132
 - physical activity and, 83–84
 - shopping for, 96
 - treats vs., 45, 138–139
- soft drinks, 40–41, 140
- special-needs children, 189–191
- sports. *See* organized sports; physical activity (Rule #4)
- spouses, behavior change and, 25. *See also* family members (Rule #5)
- stress
 - food and, 76
 - physical activity and, 82
- structure, 161–162
 - of family, nontraditional, 192–194
 - food enforcement and, 129–130
 - of physical activities, 115*See also* activity enforcers; food enforcers; organized sports
- sugar, in prepared foods, 42–43
- surgery, for weight loss, 206
- teachers, school fitness activities and, 179
- teenagers. *See* older children
- TeenGrowth (Web site), 204
- television, 36, 154. *See also* screen time (Rule #3)
- thermodynamics, 32–33

- time
 behavior change and, 34–35
 of meals, 43
- toddlers
 activities enforced for, 152–155
 activities provided for, 118–122
 activities role modeled for, 84–88
 food enforced for, 137–140
 food provided for, 101–106
 food role modeling for, 67–72
See also children
- toys, for physical activities, 117
- traditional family structure, 189, 192–194
- traditions, of families, 73–74
- treatment, weight-loss, 205–206
- treats (Rule #2), 44–45, 70
 consistency of, 171–172
 enforcing rules about, 133
 food enforcement and, 138–139
 providing, 97, 100, 105
 as rewards, 45, 70–71, 155
 shopping for, 96
 snacks *vs.*, 45, 138–139
See also 5 Simple Rules
- Twister (game), 126–127
- United Kingdom, physical activity in, 53
- U.S. Centers for Disease Control and Prevention (CDC), 15
- U.S. Surgeon General, 3
- vegetables, 41–42
 food enforcement and, 137–138
 fruits as alternative to, 102–103
 importance of, 41–42
- Verb (Centers for Disease Control and Prevention) (Web site), 204
- video games, 36. *See also* screen time (Rule #3)
- vitamin E, 42
- Von Dolteren, Joanne, 93, 93–94
- walking, 118, 173
- water, 40–41
- Web sites
 BMI information, 12
 dietitians, 201
 fitness professionals, 202
 general information, 203–204
 portion size guidelines, 42
 Weight Watchers International, 7, 204
- Weight-Control Information Network (Web site), 204
- weight gain, 11–12
 behavior change and, 8–9, 21–29
 genes and, 33–34
 screen time and, 148–149, 154
- weight loss, 1, 19
 activity behaviors and, 146–147
 for children *vs.* adults, 4, 17–20, 31–37, 140, 205–206
 community programs for, 168, 200
 forcing, 115
 physical activity for, 46, 82–84
 resources for, 199–205
 successful, for children, 31–32
 treatments for, 205–206
See also BMI (Body Mass Index)
- Weight Watchers International, 3–4, 7, 187
 leaders and coaches, 60–61
 Web site, 7, 204
- whole grains, 40
- whole milk, 41
- Wilde, Rick, 185, 185–186
- Xenical (orlistat), 205
- young children
 activities enforced for, 152–155
 activities provided for, 118–122
 activities role modeled for, 84–88
 food enforcement for, 137–140
 food provided for, 101–106
 food role modeling for, 67–72
See also children