

Contents

| | |
|--|-----------|
| Preface | ix |
| 1 Introduction | 1 |
| 1.1 General | 1 |
| 1.2 Basic Principles | 4 |
| 1.3 State-of-the-Practice | 5 |
| 1.3.1 Hybrid Mass Damper Systems | 6 |
| 1.3.2 Active Mass Damper Systems | 9 |
| 1.3.3 Semi-active Damper Systems | 11 |
| 1.3.4 Semi-active Controllable Fluid Dampers | 14 |
| 1.4 Implementation-Related Issues | 18 |
| 1.4.1 An Overview | 20 |
| 1.5 Organization | 23 |
| 2 Hardware Description | 27 |
| 2.1 Introduction | 27 |
| 2.2 Active Control Force Generation System | 28 |
| 2.2.1 General | 28 |
| 2.2.2 Electrical Power Driven Mechanism | 31 |
| 2.2.3 Hydraulic Power Driven Mechanism | 32 |
| 2.3 Measuring Equipment | 36 |
| 2.3.1 General | 36 |
| 2.3.2 Position Transducers | 37 |
| 2.3.3 Velocity Transducers – Tachometers | 38 |
| 2.3.4 Accelerometers | 39 |
| 2.3.5 Force Transducers | 40 |
| 2.4 Signal Interface System | 41 |
| 2.4.1 General | 41 |
| 2.4.2 Conditioning System | 42 |

| | | |
|----------|--|------------|
| 2.4.3 | Filtering System | 43 |
| 2.4.4 | Monitoring System | 50 |
| 2.4.5 | Fail-Safe Limitation Detection System | 52 |
| 2.4.6 | Signal Communication and the Remote Activation System | 56 |
| 2.5 | Digital Control System | 57 |
| 2.5.1 | General | 57 |
| 2.5.2 | Data Acquisition/Conversion System | 58 |
| 2.5.3 | Control Command Calculator | 61 |
| 2.6 | Case Study | 62 |
| 2.6.1 | Hydraulic Devices with a Control Console | 64 |
| 2.6.2 | Measuring Equipment | 72 |
| 2.6.3 | Custom-Designed Interface Drawer | 72 |
| 2.6.4 | Digital Control System | 102 |
| 2.6.5 | Integration Issues | 104 |
| 3 | Control Software Implementation | 121 |
| 3.1 | Introduction | 121 |
| 3.2 | Practical Considerations | 122 |
| 3.2.1 | General | 122 |
| 3.2.2 | Modeling Errors and Spillover Effects | 122 |
| 3.2.3 | Time Delay and Time Lag | 123 |
| 3.2.4 | Structural Nonlinearities | 123 |
| 3.2.5 | Uncertainties in Structural Parameters | 124 |
| 3.2.6 | Limited Number of Sensors and Controllers | 124 |
| 3.2.7 | Discrete-Time Control Features | 125 |
| 3.2.8 | Reliability | 125 |
| 3.3 | Digital Control System (Software) | 126 |
| 3.3.1 | General | 126 |
| 3.3.2 | Quantization Issues | 127 |
| 3.3.3 | Sampling Issues | 131 |
| 3.3.4 | Access to Hardware Issues | 133 |
| 3.3.5 | Saturating and Scaling Issues and the Overflow Effect | 140 |
| 3.3.6 | Digital Control with a DSP | 142 |
| 3.4 | Appropriate Design Morphology | 143 |
| 3.4.1 | General | 143 |
| 3.4.2 | Interactive Configuration Module | 143 |
| 3.4.3 | System Clock Set-up Module | 143 |

| | | |
|----------|--|------------|
| 3.4.4 | Analog I/O Module | 145 |
| 3.4.5 | Real-Time Adjustment Module | 145 |
| 3.4.6 | Channel On/Off Identification Module | 146 |
| 3.4.7 | Error Detection and the Correction Module | 147 |
| 3.4.8 | Measurement Manipulation Module | 148 |
| 3.4.9 | Engineering Unit Scaling Module | 149 |
| 3.4.10 | Control Algorithm Module | 149 |
| 3.4.11 | System Response Monitoring and the Reporting Module | 150 |
| 3.4.12 | Data Storage and the Communication Module | 150 |
| 3.4.13 | Fail-Safe Multi-protection Module | 150 |
| 3.4.14 | Smooth Start-Up/Shut-Down Module | 151 |
| 3.4.15 | Remote Control Module | 152 |
| 3.5 | Case Study | 152 |
| 3.5.1 | Interactive Configuration Group | 153 |
| 3.5.2 | Signal Processing Group | 154 |
| 3.5.3 | Control Algorithm Group | 164 |
| 3.5.4 | Fail-Safe Protection Group | 175 |
| 4 | Theoretical and Practical Control Techniques | 181 |
| 4.1 | General | 181 |
| 4.2 | Continuous-Time Optimal Direct Output Feedback | 182 |
| 4.3 | Effect of Time Delay | 184 |
| 4.3.1 | System Stability Analysis | 185 |
| 4.3.2 | Time Delay Effect | 187 |
| 4.4 | Discrete-Time Control Analysis and Design | 194 |
| 4.4.1 | Discrete-Time Systems | 194 |
| 4.4.2 | Time Delay Effect | 195 |
| 4.4.3 | Optimal Direct Output Feedback Control Gains | 197 |
| 4.4.4 | Frequency Domain Analysis Issues | 200 |
| 4.4.5 | Time Domain Analysis Issues | 201 |
| 4.5 | Analytical Simulations of Discrete-Time Control | 204 |
| 4.5.1 | General | 204 |
| 4.5.2 | Optimal Direct Output Feedback Control Gains | 204 |

| | | |
|----------|---|------------|
| 4.5.3 | Stability Analysis and Time Delay Compensation | 206 |
| 4.5.4 | Time Domain Simulation Using Earthquake Input | 212 |
| 4.6 | Case Study | 214 |
| 4.6.1 | Analytical Model | 214 |
| 4.6.2 | Optimal Control Gains and Stability Analysis | 221 |
| 4.6.3 | Time Domain Verification Using Wind Excitation | 226 |
| 5 | Control Performance Verification | 235 |
| 5.1 | Introduction | 235 |
| 5.2 | Real-Time Structural Simulator | 236 |
| 5.2.1 | Theoretical Background | 236 |
| 5.2.2 | Hardware and Software Set-up | 238 |
| 5.2.3 | Calibration and Validation Processes | 239 |
| 5.3 | Real-Time Control Verification of the Hybrid/Active Mass Damper Model | 247 |
| 5.3.1 | Experimental Set-up | 247 |
| 5.3.2 | Calibration of the Sampling Period | 248 |
| 5.3.3 | Identification of the delay time | 249 |
| 5.3.4 | Experimental Verification of the Integrated System | 250 |
| 5.4 | Case Study | 255 |
| 5.4.1 | Calibration of the Sampling Period | 255 |
| 5.4.2 | Identification of the Delay Time | 256 |
| 5.4.3 | Experimental Verification of the Integrated System | 257 |
| 6 | Summary | 263 |
| 6.1 | Directions of Future Development | 266 |
| | References | 269 |
| | Author Index | 279 |
| | Subject Index | 281 |