

Index

- 3GPP: 1
- Access Control: 118, 143, 202, 203, 207, 211, 214
- Access segment: 4, 7, 127, 129, 132, 193, 195, 197, 204, 210, 218, 220, 223, 225, 226, 234
- Application-Level Gateway: 3
- Asterisk: 239, 240, 241, 242
- Asterisk Servers: 239, 240, 241, 242
- Authentication: 4, 6, 13, 79, 85, 92, 93, 94, 95, 96, 97, 107, 112, 122, 128, 169, 192, 209, 217, 226, 227, 228, 230, 231, 234, 235
- Auto Answer: 56
- Bandwidth Optimisation: 236
- Border Equipment: 210
- Call Flow: 10, 89, 91, 93, 95, 98, 99, 100, 101, 122, 177, 205, 223, 225, 226, 237
- Call Monitoring: 8, 17, 89, 99, 101
- Call Number: 54
- Call Optimisation: 89, 100, 101, 130, 180, 185, 187
- Call Setup: 8, 12, 15, 17, 43, 89, 96, 97, 98, 101, 103, 107, 117, 122, 141, 142, 166, 180, 182, 187, 188, 226, 228
- Call tear-down: 89, 99, 123, 226, 233
- Call Transfer: 100, 101, 129
- Called Context: 49
- Called Number: 48
- Calling Name: 49
- Calling Number: 48
- Calling TNS: 60
- Calling TON: 60
- Capability Mismatches: 200, 203, 211
- CAPEX: 4, 148, 155, 175, 191
- Cause Code: 61
- CODEC: 8, 13, 39, 41, 42, 50, 62, 66, 69, 70, 72, 73, 77, 103, 105, 106, 107, 108, 109, 110, 176, 200, 216, 236, 237
- Connectivity: 2, 4, 8, 12, 17, 20, 22, 79, 80, 84, 87, 93, 100, 101, 175, 176, 177, 184, 185, 186, 207, 212
- Contact Table: 92, 93, 94, 120, 122, 160, 161, 162, 165
- Decoupled Protocol: 14, 126, 127, 211
- Demultiplexing: 12, 80, 81
- Device Type: 58
- DP Status: 54
- DUNDi: 15, 118, 119, 122, 125, 126, 131, 209
- Encrypted Frames: 35, 44
- Encryption Key: 60
- Encryption: 6, 14, 44, 46, 85, 112, 118, 202, 203, 209, 211, 214, 217, 220
- End-to-End: 2, 3, 8, 10, 15, 27, 103, 117, 118, 122, 127, 133, 169, 175, 198, 203, 205, 217, 237
- ENUM: 8, 15, 17, 19, 24, 25, 26, 27, 28, 29, 31, 32
- Firmware: 5, 6, 14, 58, 59, 69, 72, 73, 77, 89, 90, 91, 92, 101, 209, 226
- Firmware download: 58, 69, 77, 90, 91
- Firmware Update: 89, 91, 92, 101, 226
- Fixed-Mobile Convergence: 213

- Forking: 5, 9, 103, 117, 131, 158, 218, 223
- Full Frames: 35, 37, 39, 46, 77, 78
- Functional: 3, 9, 17, 67, 68, 76, 101, 104, 147, 148, 162, 163, 170, 191, 192, 193, 198
- Functional Decompositions: 9, 104, 191, 198
- IAX Requests: 8, 17, 67, 68, 115, 131, 140, 141, 143
- IAX Responses: 67, 71
- IAX Timers: 8, 17, 83
- ICE: 2
- IE Index: 47
- Implementation: 213
- IMS: 1
- Information Elements: 8, 14, 46, 66, 68, 84, 99, 105, 108, 109, 115, 130, 158, 159
- Instant Messaging: 8, 103, 110, 112, 113, 114
- Interconnection Segment: 193, 195, 198, 202, 204, 214
- Interconnection: 5, 9, 24, 25, 27, 28, 104, 114, 121, 155, 170, 174, 175, 176, 181, 183, 191, 192, 193, 194, 195, 196, 198, 202, 204, 211, 214, 227, 232, 233, 236
- Internet Assigned Numbers Authority: 3
- Internet Engineering Task Force: 3
- IP Exhaustion: 3, 9, 104, 134, 145, 152, 170, 212
- IP Security: 1
- IP telephony administrative domain: 120
- IP Telephony Administrative Domain: 120, 126, 191, 192
- IP Version-Agnostic: 180
- IPSec: 1
- IPv4-IPv6 Interworking: 218
- IPv5: 175
- IPv6: 3, 4, 6, 9, 22, 31, 32, 104, 133, 145, 148, 169, 170, 171, 174, 175, 176, 178, 179, 180, 181, 182, 183, 184, 185, 189, 200, 212, 213, 218
- Legal Requirements: 4, 9, 25, 126, 148, 191, 196, 197, 198
- Lightweight SBC: 4, 191, 193, 195, 197, 199, 201, 203, 204
- Lightweightness: 4, 8
- Load Balancing: 8, 117, 118, 124, 125, 209
- MD5 Result: 51
- Media: 2, 4, 5, 6, 7, 9, 11, 12, 13, 14, 19, 27, 35, 42, 43, 50, 67, 68, 70, 71, 72, 73, 77, 78, 79, 80, 81, 84, 87, 96, 97, 98, 104, 106, 107, 108, 109, 110, 115, 118, 123, 126, 127, 129, 130, 131, 140, 144, 145, 147, 156, 177, 179, 185, 187, 188, 189, 191, 192, 193, 196, 200, 202, 203, 208, 209, 211, 212, 215, 216, 217, 219, 220, 223, 225, 226, 228, 230, 231, 236, 239
- Media Encryption: 202, 203, 211, 217, 220
- Media Frames: 43, 77, 87, 101, 123
- Media types: 6, 13, 77, 108, 110, 200, 208
- Message Count: 55
- Meta Frames: 36, 41, 78, 82
- Meta Trunk Frames: 36, 42, 46
- Meta Video Frames: 42, 46,
- MEVA Architecture: 156, 157, 162
- MEVA Information Elements: 159
- MEVA Services: 159
- Middleboxes: 2, 10, 133, 140, 144, 162, 197, 205, 212, 219, 237
- Migration to IPv6: 4, 170
- Mini Frame: 36, 39, 41, 44, 46, 77, 78, 82, 84, 97, 98, 129, 130
- Mobility: 105, 114
- Multi-IAX Servers: 117, 119, 123, 131
- Multiplexing: 1, 8, 12, 17, 80, 81, 82
- Music on Hold: 56
- NAT Traversal: 3, 5, 6, 7, 9, 14, 79, 101, 104, 128, 133, 145, 150, 152, 156, 177, 201, 203, 209, 210, 217
- Network Load: 14
- Operational Networks: 219
- OPEX: 4, 148, 155, 175, 191
- Out of Order: 63
- Over-specification Phenomenon: 3
- P2P: 9, 15, 104, 134, 150, 155, 156, 167, 217
- Path-Coupled: 6, 9, 14, 103, 117, 126, 127, 180, 185, 203, 211, 214, 220, 223
- Path-Decoupled: 2, 6, 9, 89, 99, 101, 103, 117, 126, 128, 130, 131, 144, 185, 207, 211
- Personal Mobility: 105, 114
- Point-de-Rendezvous: 162
- Port Number: 2, 6, 12, 13, 14, 21, 22, 23, 24, 32, 77, 80, 81, 87, 129, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 145, 146, 148, 149, 150, 160, 161, 166, 176, 177, 179, 180, 183, 194, 203, 208, 217, 237
- Presence Services: 8, 103, 110, 112
- Protocol Repair: 202, 203
- Provisioning: 5, 14, 27, 57, 80, 89, 90, 91, 93, 101, 148, 157, 164, 209, 214, 226

- RDNIS: 57
Reference Architecture: 225
Registered Users: 234
Registration: 6, 8, 13, 15, 17, 29, 58, 59, 71, 74, 75, 76, 80, 83, 84, 89, 92, 93, 94, 95, 96, 114, 119, 140, 141, 177, 179, 180, 182, 183, 184, 185, 194, 201, 208, 226, 227, 229, 231, 234, 244
Registration Release: 234
Registration with Authentication: 94, 95, 226, 227
Registration without Authentication: 93, 95, 226, 227
Reliability: 6, 8, 12, 13, 17, 77, 79, 81, 82, 87, 456, 209
Reliable: 6, 9, 12, 13, 35, 46, 67, 68, 77, 79, 82, 84, 104, 150, 152, 209, 232
Requests: 7, 8, 12, 14, 15, 17, 24, 28, 67, 68, 85, 92, 99, 101, 110, 112, 115, 125, 129, 131, 134, 138, 140, 141, 142, 143, 151, 158, 162, 177, 179, 183, 184, 195, 201, 202, 209, 235, 241, 244
Retransmission: 80, 83, 84, 112, 113
Route Symmetry: 9, 117, 131, 132
RR Delay: 63
RR Dropped: 63
RR Jitter: 62
RR Loss: 63
RSA Result: 51

Sampling rate: 61
Security: 1, 6, 14, 25, 30, 46, 85, 86, 94, 95, 96, 112, 156, 169, 175, 176, 198, 203, 209, 211, 217, 228, 231, 235, 236
Service Identifier: 58
SIP Complication: 2, 5, 207, 208, 213, 218, 220
SIP Express Router: 242
SIP Tags: 176
Standardisation: 2, 7, 133, 155, 213
STUN: 2

Taxonomy: 218
TDM: 1
Technical Considerations: 196, 197, 208
Telephony: 1, 2, 3, 4, 5, 9, 15, 19, 24, 25, 27, 28, 94, 104, 105, 115, 118, 120, 122, 124, 125, 126, 128, 131, 156, 163, 170, 171, 176, 191, 194, 195, 196, 219, 220, 225, 227, 236
Telephony Routing over IP: 120
TISPAN: 1
Topology: 7, 8, 103, 114, 199, 200, 202, 210, 211, 220
Topology Hiding: 7, 8, 103, 114, 199, 200, 202, 210, 220
Traffic Shaping: 200, 203
Transfer Identifier: 56
Transport Protocol: 2, 8, 12, 77, 79, 80, 207, 209, 223
TRIP: 15, 27, 120, 121, 122, 125, 131, 132, 192, 193, 209
TURN: 2

Uniform Resource Identifiers: 20, 22, 24
Unreliable: 6, 13, 39, 67, 68, 77, 78, 82, 209
URI: 8, 14, 15, 17, 19, 20, 21, 22, 23, 24, 28, 29, 30, 31, 32, 33, 48, 118, 120, 121, 159, 161, 176, 180, 181, 211, 218, 229, 231, 246
User Name: 49
UTF8-Encoded data: 47
Video: 2, 6, 13, 42, 46, 78, 84, 103, 107, 108, 109, 116, 117, 129, 208, 225
Voice over IP: 1, 2, 11, 16, 24, 79
VoIP: 11, 16, 24, 79

