

Index

- ABO typing 130
- accountability 248–50
- accreditation status for laboratories 255
- advance care directives 77
- adverse event and reaction reporting 103–4, 247
- affinity, spectrum of 5
- Alder Hey Hospital, Liverpool, UK 13–14, 173
- Algeria 148
- altruism
 - donors 14, 70–1, 75
 - bone marrow and peripheral blood stem cells 207, 210, 212
 - embryos 227–8
 - social desirability bias 79
 - families of donors 84
- American Association of Blood Banks (AABB) 126
- American Association of Tissue Banks (AATB) 8–9, 169
 - consent guidelines 69
 - donor history questionnaire 103
 - ethical issues 149
 - funeral home directors 167, 168
 - routine referral 30
 - standards 32, 135
 - testing requirements 117, 120, 122
 - hemodilution 129
 - test results, management of 134, 140
 - donor notification 141–2, 145, 146
 - tissue recovery site, documented evaluation of 170
- American Fertility Society 226
- American Nurses Association 33–4
- American Society of Reproductive Medicine 226, 237
- Anatomy Acts (UK) 11
- Ancient Arabic Order of the Nobles of the Mystic Shrine 7
- animal bites 100
- antibodies, testing for 118
- apheresis 213, 214
- Argentina 24, 154
- aseptic surgical technique 124
- Association of Organ Procurement Organizations (AOPO) 69, 167, 168
- audit, clinical 252–3
- AusCord 217
- Australia
 - bereavement support 60
 - bone marrow and peripheral blood stem cells donation 207, 211
 - Christianity 154
 - cord blood donation 203, 204, 217
 - donor history 107
 - exclusion criteria for donation 101
 - explicit/informed consent 23
 - Organ Donor Awareness Week 38
 - promotion of tissue banking to the public 37, 38

- regulatory framework 24
- routine recovery 29
- testing requirements 117, 121
- tissue transplant coordinators 158
- Australian Bone Marrow Donor Registry (ABMDR) 207, 217
- Australian Medical Association 42
- Australians Donate 37, 42
- Austria 23, 69
- autonomy, and consent 67, 71, 76, 93
 - family autonomy 80, 81
 - posthumous autonomy 77, 78, 79, 80, 81, 86, 89, 94
- Avicenna 153
- babesia 127
- bacterial contamination, testing for 123–6
- Bangladesh 24, 152
- Belgium 23, 24, 57, 69
- bereavement
 - staff 182
 - support 59–64
 - see also* grief
- Biomedical Tissue Services, USA 32
- Biotechnology and Biological Sciences Research Council (UK) 225
- bites, animal 100
- Blair, Tony 229
- blood samples
 - deceased donors, sample quality 127–8
 - future viral testing 120–3
 - hemodilution 100, 106–7, 116, 128–9
 - history of donations and blood banks 2–3, 4
 - labeling 130
- bone marrow donation 198–9, 205–6, 212–13, 217–19
 - equity of access 217–19
 - history taking 105
 - information systems and privacy 207–8
 - long-term protection of donors and recipients 214–15
 - recruitment 206–7
 - respect and protection of donors 209–12, 214–15
- Brauer, Karl 2
- Brazil 24, 154
- Breakthrough Collaborative for Organ Donation 19
- Bristol Royal Infirmary, UK 173
- British Association for Tissue Banking 226
- Brown, Gordon 229
- Brown, Harry 6
- Brown, James Barrett 1, 5
- Brown, Louise 224
- Buddhism 150–1
- Burma 158
- Burnett, Sir Macfarlane 5
- burnout 183
- Bush, George 226
- cadaveric donors *see* deceased donors
- Cambodia 150
- Canada
 - adverse event and reaction reporting 103
 - donor history 107
 - exclusion criteria for donation 101
 - explicit/informed consent 23
 - promotion of tissue banking to the public 38
 - public awareness and support for tissue donation 36–7
 - regulatory framework 24–5
 - routine referral 31
 - testing requirements 117, 119
- Canadian Council for Donation and Transplantation (CCDT) 36, 37, 38
- capital punishment 9
- Catholicism 154–5
- Centers for Disease Control and Prevention (CDC) 103
- Central Eye Bank of Iran 153
- Chagas' disease 127, 137
- child donors
 - cord blood 215–16
 - medical examiners' and coroners' concerns 163–4
 - risk reduction 101–3
- Chile 25, 154
- China 25, 152, 157–8

- Chinese Middleware Documentation Project 157–8
- Christianity 154–5
- Circle of Life 36
- clinical audit 252–3
- clinical governance 243–4, 260–1
 - accountability 248–50
 - clinical audit 252–3
 - continuing professional development 255–6
 - glossary 261–2
 - good practice 256
 - introduction of 244–6
 - medical direction 257–9
 - organizational needs for evidence-based decisions 247–8
 - policy setting in health care 246–7
 - quality assurance 251
 - risk assessment and management 253–5
 - service users, learning from 256–7
 - standards, use of 250–1
- Clinic Hospital/TSF, Barcelona 46–8
- cloning 224
- competence to consent 71–2
- conditioning regimens, hematopoietic stem cell recipients 210
- confidentiality
 - bone marrow and peripheral blood stem cells donation 208, 209, 214
 - cord blood donation 216
 - ethics committees 92
 - history taking 104
 - information for donor family 89
 - safeguards 94–5
 - staff support 193
 - test results, management of 142, 145, 146
- consent 67–8, 95–6
 - for deceased donation 70–1, 76
 - confidentiality safeguards 94–5
 - conflicting preferences among family members 81–2
 - conflicting preferences between deceased and family 57, 80–1
 - enabling an informed decision 82–90, 91–2
 - and grief process 52–4
 - history of tissue banking 13, 14
 - realizing donor intent and the future use of tissue 90–4
 - reasons for giving or refusing consent 56
 - recruitment for tissue donation 19
 - skilled and sensitive approach 54–7
 - by telephone 54–5
 - who decides and according to what? 76–9
 - explicit *see* informed consent
 - first-person *see* donor designation
 - gamete and embryo donation
 - best practices 229
 - conditional consent 232, 234–5
 - coordination 224–6
 - informed consent 227–9
 - UK criteria 230–2
 - implied *see* implied/presumed consent
 - informed *see* informed consent
 - intransitivity 72, 86
 - legal and regulatory frameworks 69–70
 - from living donors 70
 - bone marrow and peripheral blood stem cells donation 211, 217
 - clinical and donation interventions, differences between 70–1
 - competence and voluntariness 71–2
 - cord blood donation 199–202, 203, 217
 - information for 72–5
 - omitting the recommendation to donate 75–6
 - opt-in *see* opt-in consent system
 - opt-out *see* opt-out consent system
 - presumed *see* implied/presumed consent
 - for research use of tissue
 - discarded tissue 146
 - hematopoietic stem cells 217
 - surrogate 78
 - withdrawal of 89
- continuing professional development (CPD) 185, 255–6
- Cook County Hospital, Chicago 3
- cord blood donation 198–9, 217–19
- consent process 199–202

- equity of access 217
- ethical and policy issues 216–17
- follow-up of donor and recipient 215–16
- history taking 105
- protections needed
 - for maternal and infant donors 204–5
 - for recipients 202–4
- respect for donors as research subjects 217
- corneal donation
 - history 2, 3, 4, 9, 10
 - history taking, importance of 99
 - routine recovery 29
 - spectrum of affinity 5
 - spiritual beliefs 83
 - see also* eye banks
- Corneal Grafting Act (1952, UK) 11
- Corneal Tissue Act (1986, UK) 7
- coroners and forensic investigators
 - as donation stakeholder 33, 34
 - facilitating donation 160–5, 174, 175
 - history of tissue banking 12
 - routine recovery 29
- cosmetic uses of donated tissue 15
 - consent issues 72, 86, 90, 93
- counseling skills 188, 189
- Creutzfeldt–Jakob disease (CJD)
 - cadaver transmission 14
 - exclusion criteria for donation 102
 - gamete and embryo donation 238
 - history taking, importance of 99
 - risk assessment and management 254–5
 - testing 123, 137
- Cuba 25, 154
- cultural issues 148, 150, 158–9
 - ethics 149
 - see also* spirituality and religion
- cultural work 4–5, 9–10, 14
- death, circumstances of 106–7
- debriefing staff 190–1, 194
- deceased donors 20–1
 - blood sample quality 127–8
 - discarded tissue 146
 - histories of tissue banking 4, 6, 9, 10, 11–12, 14–15
 - history, medical and behavioral 109–10
 - legal and regulatory frameworks for consent 69–70
 - quarantining tissue 139
 - staff development and support 194–6
 - background 179–83
 - organizational, practical, and psychological issues 184–7
 - practice 190–4
 - practice frameworks 187–90
 - testing of tissue samples 127–8, 137–8
 - results, management of 135, 136, 141, 142, 143–4
 - see also* consent; facilitating donation; recruitment for donation
- dermatomes 5–6
- designated donors 77
 - authorization for deceased-tissue donation, obtaining 91–2
 - families' wishes 56–7, 80–1
- direct method of tissue banking 2, 10
- discarded tissue 139, 141, 146
- discriminative donation choices 94
- disease transmission, risk of 99–101
 - see also* risk reduction, disease transmission
- doctors, donors'
 - notification of test results 141, 142, 145–6
 - as source of donor history 108
- Donaldson, Liam 245
- Donate Life America 36, 37, 38, 43
- donor cards 23, 77
 - history 10, 11
 - public awareness and support for tissue donation 36
- donor designation 77
 - authorization for deceased-tissue donation, obtaining 91–2
 - families' wishes 56–7, 80–1
- Donor Recovery Services, USA 32
- donor registries 23, 42–3, 77
 - public awareness and support for donation 37
- donors *see* deceased donors; living donors

- education
 - for collaboration between organ procurement organizations and tissue banks 45
 - for healthcare professionals 41–2
 - for the public 37–9
- educational uses of donated tissue 93
- Edwards, Robert 223
- egg donation 222–3, 238–40
 - background 223–4
 - consent
 - best practices 229
 - coordination 224–6
 - informed 227–9
 - UK criteria 230–2
 - future 232–8
 - history taking 105
 - payment 237
 - staff issues 229–30
- Egypt 148, 152
- embalmers
 - enucleation of eyes from corpses 6
 - facilitating donation 166
- embryo donation 222–3, 238–40
 - background 223–4
 - consent
 - best practices 229
 - coordination 224–6
 - informed 227–9
 - UK criteria 230–2
 - future 232–8
 - patient concerns 232, 236–7
 - payment for 237
 - staff issues 229–30
- empathy 188
- equity of access hematopoietic stem cells donation 217
- ethics committees 93
- EUROCET project 42
- European Association of Tissue Banks (EATB) 169
 - consent guidelines 70
 - Ethical Code 149
 - testing requirements 117
- European Union 169
 - adverse event and reaction reporting 103
- clinical governance
 - accountability 249, 250
 - health care policy 247
 - standards 251
 - tracking of cell and tissue products 256
- consent to donation, legal framework 69
- donor history 107
- education for healthcare professionals 42
- exclusion criteria for donation 101, 102
- funeral home directors 171
- recruitment for tissue donation 21, 22
- referral sources 32
- regulatory framework 25
- testing requirements 117, 119, 122–3
- Tissues and Cells Directive (TCD)
 - facilitating donation 171
 - gamete and embryo donation 229, 230, 234, 238
 - test results, management of 134
 - tracking of cell and tissue products 256
- evidence-based medicine 247–8
- exclusion criteria for donation 101–3
- expansion of tissue banking 6–9
- explicit consent *see* informed consent
- Eye Bank Association of America (EBAA) 169
 - consent guidelines 69
 - routine referral 30
 - testing requirements 117
- European Eye Bank Association (EEBA) 117, 169
- Eye-Bank for Sight Restoration, New York 9–10
- eye banks
 - history 3, 6, 7, 9–10, 13
 - moist storage 3
 - Sri Lanka 151
 - see also* corneal donation
- facilitating donation 160–1, 176–7
 - funeral home directors 165–71
 - hospital pathologists 172–5

- medical examiners and coroners
 - 161–5
 - see also* recruitment for donation
- families of donors 52, 65, 70
- bereavement support 59–64
- communicating information to 57–9
- consent 70–1, 76
 - confidentiality safeguards 94–5
 - conflicting preferences among the family 81–2
 - conflicting preferences between deceased and family 57, 80–1
 - enabling an informed decision 82–90, 91–2
 - and grief process 52–4
 - history of tissue banking 13, 14
 - informed consent 77
 - legal and regulatory frameworks 69–70
 - motives 84–5
 - realizing donor intent and the future uses of tissue 90–4
 - reasons for giving or refusing consent 56
 - recruitment for tissue donation 19
 - skilled and sensitive approach 54–7
 - by telephone 54–5
 - who decides and according to what? 76–9
- discarded tissue 146
- as donation stakeholder 33, 34, 35–6
- donor history 105–11
- healthcare professionals, relationships with 39
- Muslims 153
- recruitment for tissue donation 19, 29, 33, 34, 35–6
- test results, management of 135, 136, 137, 139, 141, 142, 143–6
- see also* staff development and support for deceased donation
- Fantus, Bernard 3
- fears about tissue donation 38–9
- Filatov, Vladimir Petrovich 3, 4
- financial incentives for donation 71–2
- first-person consent *see* donor designation
- First World War 1
- Fisher, Russell 12–13
- Flosdorf, Earl 7–8
- Food and Drug Administration, USA (US FDA) 135, 169
 - donor history questionnaire 103
 - funeral home directors 169
 - reproductive biomedicine 226, 238
 - testing requirements 117, 122–3, 127
 - deceased donors 128
 - hemodilution 128–9
 - test results, management of 140, 141
- forensic investigators *see* coroners and forensic investigators
- for-profit organizations, donations to 15
 - consent issues 72, 86, 93
 - ethical issues 93, 149
- France 23, 26
- funeral home directors
 - as donation stakeholder 33, 34, 35
 - enucleation of eyes from corpses 6
 - facilitating donation 160–1, 165–71, 175
- funeral home recovery programs 31–2
- fungal contamination, testing for 123–6
- future uses of tissues 90–4
- gamete donation *see* egg donation; sperm donation
- general practitioners *see* doctors, donors'
- genetic testing, cord blood donation 203–4
- Germany 23, 26, 36, 217
- Ghana 148
- Gift of Life 18–19, 207
- Gillies, Harold 1
- Global Organization for Organ Donation 36
- GPs *see* doctors, donors'
- grief
 - common manifestations 53
 - complicating factors 53
 - and consent for donation 52–4, 78–84
 - staff 182
 - see also* bereavement
- grief companion program 62
- Golgar, Alois 2
- Griffith, Frederick N. 13
- Health Canada 101
- healthcare policy 246–7

- healthcare professionals (HCPs)
 - as donation stakeholder 33–4
 - education 41–2
 - promotion of tissue banking to the public 37, 39–42
- Health Insurance Portability and Accountability Act (USA) 142
- Helmreich, R. L. 254
- hematopoietic stem cell donation 198–9
 - history taking 104–5
 - information for consent 73–4
 - see also* bone marrow donation; cord blood donation; peripheral blood stem cells donation
- hemodilution 100, 106–7, 116, 128–9
- hepatitis transmission 99, 111
 - disease notification 143–4
 - risk reduction
 - history 101–3
 - testing 116, 117, 118, 119–20, 121, 128, 135, 137, 139, 140–1
- highway patrol referral programs 34–5
- Hinduism 151
- Hippocratic Oath 149
- histories of tissue banking 1–2, 3–5
 - asking 14–15
 - cultural work 9–10
 - expansion of tissue banking 6–9
 - giving and taking 11–14
 - organizational work 5–6
 - prehistory 2–3
- history taking
 - best sources for deceased donors 108–10
 - bone marrow and peripheral blood stem cell donation 209
 - cord blood donation 203
 - for different types of donors 104–7
 - importance 98–9, 100
 - investigation requirements 111
 - who decides donor suitability? 112
 - by whom? 107–8
- HIV
 - donor notification 143, 144
 - transmission 14, 99, 106, 109–10
 - risk reduction 101–3, 116, 117, 118, 119–20, 128, 135, 140
- Hong Kong 26
- horizon scanning to detect new risks 104
- hospital donation programs 32
- hospital pathologists 160–1, 172–5
- hospital staff *see* healthcare professionals
- HTLV transmission 106
 - risk reduction 101–3, 118, 119–20, 121–2, 135, 140
- Human Embryonic Stem Cell Coordinators (HESCCO, UK) 229, 232
- Human Fertilisation and Embryology Act (1990, UK) 225, 230
- Human Fertilisation and Embryology Authority (HFEA) 225, 226, 232, 235, 237, 238
- Human Fertilisation and Embryology (Research Purposes) Regulations (2001, UK) 225
- Human Tissue Act (1961, UK) 12
- Human Tissue Act (2004, UK) 14, 15, 69, 171, 173–4, 251
 - accountability 249
 - conflicting donation preferences
 - between deceased and family 81
 - consent criteria 230
 - hospital pathologists 175
- Human Tissue Act (Scotland) (2006) 173–4
- Human Tissue Authority (HTA, UK) 134, 139, 173–4, 226
 - accountability 249
 - donor family representation on board 257
 - standards 251
- Hyatt, George 6, 8
- identifiability of tissues, importance of
 - 109–10, 130
 - clinical governance 256
 - embryos 234
- implied/presumed consent 23
 - conflicting preferences between
 - deceased and family 80
 - deceased donors 78–9
 - families' wishes 57
 - histories of tissue banking 13
 - legal and regulatory frameworks 69
 - Slovakia 155

- incidence–window period model 119–20
- indeterminate test results 139–40
- India 26, 149, 151, 152
- indirect method of tissue banking 2–3, 10
- Indonesia 26, 152, 158
- infection
 - and confidentiality issues 94
 - exclusion criteria for donation 102
 - see also* disease transmission, risk of; risk reduction, disease transmission
- infectious window period 119
- information
 - for bereaved families 57–9, 82–90
 - approaching the bereaved 82–5
 - obtaining the authorization 89–90, 91–2
 - voluntariness 85–6
 - for donors and prospective donors 72–5
 - bone marrow and peripheral blood stem cells donation 209
 - gamete and embryo donation 230–1, 233
 - from donors and their families *see* history taking
 - for organizations 246
- information systems, bone marrow registries 207–8
- informed consent 23
 - autonomy 67
 - in clinical practice 68–70
 - conflicting preferences between the deceased and family 80
 - deceased donors 76–8
 - gamete and embryo donation 227–9
 - legal and regulatory frameworks 69–70
 - living donors 71, 72–5
 - cord blood donation 202, 203
- International Atomic Energy Agency (IAEA) 38, 69, 151
- international distribution of cells and tissues 86
- international guidelines on consent to donation 69
- International Society of Stem Cell Research 237
- Internet
 - bereavement support 61
 - donor registries 42
 - education for healthcare professionals 41
 - promotion of tissue banking to the public 38, 39
 - service users' use of 256
- in vitro fertilization (IVF)
 - future 232
 - history 223–4
 - payment to egg donors 237
 - "surplus" embryos 222–3, 227–8
- Iran 26, 152, 153–4
- Iranian Tissue Bank (I.T.B.) 153–4
- Iraq 152
- Ireland, Republic of 23, 173
- Iris Fund 7
- Islam 152–4
- Israel 155–7
- Israeli Medical Association 156–7
- Italy
 - consent 23, 26
 - facilitating donation 164
 - funeral home directors 171
 - recruitment for tissue donation 20
 - referral sources 32
 - regulatory framework 26
- Japan 26, 149, 158
- Jewish community 155–7, 207
- John Paul II, Pope 154
- Jordan 152
- Judaism 155–7, 207
- J. Walter Thompson Advertising Agency 10
- keratoplasty *see* corneal donation; eye banks
- kidney transplants, history of 12
- Korea 27, 150, 154, 155, 158
- Korean War 8
- Kuwait 152
- labeling of samples 130
 - cord blood 204
 - errors 192–3
- Laos 150

- Lasting Legacies 35
- law enforcement, as donation
 - stakeholder 33, 34
- legal frameworks on consent to donation 69
- letters from tissue transplant recipients 61
- Lewis, C. S. 64
- Libya 148
- LifeLine of Ohio 35
- Linderer, Rob 45
- Lions Club International 6, 7
- Lions Doherty Eye & Tissue Transplant Bank 13
- living donors
 - altruism 14, 70–1, 75
 - bone marrow and peripheral blood stem cells 207, 210, 212
 - embryos 227–8
 - social desirability bias 79
 - consent 70
 - clinical and donation interventions, the substantial difference between 70–1
 - competence and voluntariness 71–2
 - information for 72–5
 - legal and regulatory frameworks 69–70
 - omitting the recommendation to donate 75–6
 - discarded tissue 146
 - histories of tissue banking 1, 2, 3, 4, 14–15
 - history taking 104–5
 - realizing donor intent 90–4
 - staff stress 186
 - test results, management of 135–6, 139, 141, 142
 - see also* bone marrow donation; consent; cord blood donation; egg donation; embryo donation; facilitating donation; peripheral blood stem cells donation; recruitment for donation; sperm donation
- lymphocytic choriomeningitis virus (LCMV) 100
- malaria 14, 127
- Malaysia 27, 149, 151, 152, 158
- malignant diseases 102
- mandated choice 57, 69
- mass media 36, 206, 209
- McIndoe, Archibald 10, 11
- McNeil, Robert 13
- Medawar, Peter 5, 7, 15
- media 36, 206, 209
- medical direction and clinical governance 257–9
- medical directors, roles 257–9
- medical examiners
 - as donation stakeholder 33, 34
 - facilitating donation 160–5
 - history of tissue banking 12
 - routine recovery 29
- Medical Examiner's Law (Maryland) 13
- Medical Eye Bank of Maryland (MEB) 13
- Medical Healthcare Products Regulatory Agency (UK) 226
- medical record reviews 40
- Medical Research Council (MRC, UK) 225, 229
- meningoencephalitis 100
- Mexico 27, 154
- microbial contamination, testing for 123–6
- Midwest Transplant Networks, Kansas City 45
- Ministry of Health, Israel 156–7
- mourning *see* bereavement; grief
- Muslim community 152–4
- mutilation, fear of 82–3
- Myanmar 158
- myths about tissue donation 38–9
- National Academy of Science (USA) 226, 237
- National Association of Medical Examiners (USA) 164
- National Blood Service (NBS, UK) 15, 135, 142, 145, 191, 226, 238
 - continuing professional development 255–6
 - Tissue Service (NBS TS) 134, 136, 137, 138, 139, 141, 146

- National Donor Family Council (USA)
 confidentiality issues 95
 consent issues 70, 94, 95
- National Funeral Directors Association
 (NFDA, USA) 167, 168, 169, 170
- National Health Service (NHS, UK)
 Blood and Transplant 134, 226
 Blood Service *see* National Blood
 Service
 clinical governance 245, 248, 254
 donor registry 42
 history of tissue banking 7, 8, 12, 15
 routine referral 30
 Tissue Services 171, 175, 191
- National Institute for Biological
 Standards and Control (NIBSC,
 UK) 225, 226
- National Institute for Health and Clinical
 Excellence (NICE, UK) 226, 248
- National Kidney Foundation 70
- National Patient Safety Agency (NPSA,
 UK) 254, 257
- National Reporting Learning System
 (UK) 254
- National Skin Bank (Jerusalem) 157
- National University Hospital Tissue Bank
 (Singapore) 150–1
- Navy Tissue Bank, USA 6, 7, 8
- NetCord-FACT 203, 205
- Netherlands 27, 30, 43, 69
- neurological disease 99, 102
- newborns, testing of 129
- newspaper announcements of donation 36
- New York State Nurses Association
 (NYSNA) 34, 41
- New Zealand 37
- next of kin *see* families of donors
- Nicholas Green Foundation 41
- Nigeria 148
- Northwest Tissue Center, Seattle 34–5
- nucleic acid testing (NAT) 116, 119–20,
 122, 128, 135
 reliability 121, 128
- obituaries 36
- opt-in consent system 23
 conflicting preferences between
 deceased and family 80
- deceased donors 76–8
 legal and regulatory frameworks 69
- opt-out consent system 23
 conflicting preferences between
 deceased and family 80
 deceased donors 78–9
 legal and regulatory frameworks 69
 Slovakia 155
- organ and tissue donation (OTD)
 committees 18, 19
- organizational work 4, 5–6, 14
- Organ Donation Act (1998, Netherlands)
 164
- organ procurement organizations (OPOs)
 collaboration with tissue banks 43–6
 recruitment for tissue donation 18, 19,
 43–6
- organ transplant team
 concerns over consent rates 43–4
 as donation stakeholder 33, 34
- Padgett, Earl C., Senior 5
- Pakistan 152
- Patel, Lord Naren 226
- pathologists 160–1, 172–5
- Paton, R. Townley 9–10
- performance goals 40
- performance monitoring 40
- peripheral blood stem cells donation
 205–6, 213–14, 217–19
 equity of access 217
 ethical and policy issues 216–17
 history taking 105
 information systems and privacy
 207–8
 long-term protection of donors and
 recipients 214–15
 recruitment 206–7
 respect and protection of donors 209–
 12, 214–15
 as research subjects 217
- Peru 27
- Peter Brent Brigham Hospital, Boston 12
- Philippines 27, 154–5
- physical examination of donor 108–9
- physicians *see* doctors, donors'
- pituitary glands, history of tissue
 donation 13

- Poland 23
- policy setting in health care 246–7
- polymerase chain reaction (PCR) 119, 126
 - nucleic acid testing 120, 128
- Pope John Paul II 154
- Portugal 23
- postmortem examination of donor 109
- prehistoric age of tissue banking 2–3
- presumed consent *see* implied/presumed consent
- primary health care standards 158
- prion diseases, transmission of 100, 102, 123
 - see also* Creutzfeldt–Jakob disease
- privacy issues 94
 - bone marrow and peripheral blood stem cells donation 207–8, 214
 - cord blood donation 205
- private cord blood banks 200–1
- processing of tissues 15
 - costs associated with 149
 - risk reduction for disease transmission 116–17, 126
- procurator fiscal 161
- professional guidelines on consent 69–70
- public
 - awareness and support for tissue donation 36–7
 - as donation stakeholder 33, 34
 - promotion of tissue banking to the 37–42
- quality assurance (QA) 247, 251
- quality control 251
- quality improvement
 - philosophy 245
 - standards 250
- quality leadership culture 245–6
- quarantine 128–9, 138–9
- Queen Victoria Hospital, East Grinstead, UK 10–11
- rabies 100
- Reason, Jim 253
- recipients of tissues
 - confidentiality issues 94–5
 - information for donor families 95
- recognition of healthcare professionals 41
- recovery of tissue 123–5
 - bone marrow 212
 - cord blood 202, 205
 - corneas 29
 - funeral home directors' concerns 168, 170
 - medical examiners' and coroners' concerns 162–3
 - peripheral blood stem cells 213–14
- recruitment for donation 18–23, 48–9
 - bone marrow and peripheral blood stem cells 206–7
 - cases 19–20, 29–30, 31, 34–5, 46–8
 - Clinic Hospital/TSE, Barcelona, Spain 46–8
 - collaboration between organ procurement organizations and tissue banks 43–6
 - donor registries 42–3
 - promotion of tissue banking 37–42
 - public awareness and support 36–7
 - public policies 23–31
 - referral sources 31–2
 - stakeholders 32–6
 - see also* facilitating donation
- Red Cross, American 8
- Reese dermatome 5–6
- referral sources 31–2
- referral systems 29–31
- refusals to donate 47
- religion *see* spirituality and religion
- remembrance events 61
- reproductive setting *see* egg donation; embryo donation; sperm donation
- required request 29–30
- research, donation for 20–1
 - consent issues 90, 93, 146, 217
 - discarded tissue 146
 - egg sharing 237
 - embryos 223, 227–8, 233
 - hematopoietic stem cells 217
- risk assessment 253–5
- risk management 254–5
- risk of disease transmission 99–101
- risk reduction, disease transmission 98–9, 112–14

- donor information requirements
 - 101–3
- emerging diseases and horizon
 - scanning 103–4
- history taking
 - best source for deceased donors 108–10
 - for different types of donors 104–7
 - investigation requirements 111
 - who decides donor suitability? 112
- by whom? 107–8
- testing *see* testing
- tissue processing 116–17
- Roman Catholicism 154–5
- routine recovery 29
- routine referral 30–1
- Royal Liverpool Children’s Hospital, UK
 - 13–14, 173, 227
- Rycroft, Benjamin 10
- Saudi Arabia 152
- Scally, Gerald 245
- scandals 13, 14
- Scottish National Blood Transfusion Service 134
- screening *see* testing
- Second World War 7, 8, 10
- self-care, staff 183
- seronegative infectious window period
 - 119
- service users, learning from 256–7
- Silva, Hudson 151
- sharing of test results 140
- Singapore
 - processing costs 149
 - regulatory framework 28
 - religions 150–1, 152, 154
 - tissue transplant coordinators 158
- Sittser, Jerry 64
- skin grafts
 - history 1, 5
 - spectrum of affinity 5
- Sklifosovsky Institute, Moscow 3, 9
- Slovak Center for Organ Donations 155
- Slovakia 23, 155
- South Africa 148
- Soviet Union 3, 9
- Spain
 - consent 23, 69
 - donation model 20
 - referral sources 32
 - regulatory framework 28, 69
 - transplant coordinators 161
- Spanish Civil War 2–3
- spectrum of affinity 5
- sperm donation
 - background 223–4
 - consent
 - best practices 229
 - coordination 224–6
 - informed 227–9
 - UK criteria 230–2
 - future 232–8
 - history taking 105
 - staff issues 229–30
- spirituality and religion 150
 - Buddhism 150–1
 - Christianity 154–5
 - families of donors 63–4, 82–3
 - Hinduism 151
 - Islam 152–4
 - Judaism 155–7, 207
- Sri Lanka
 - processing costs 149
 - regulatory framework 28
 - religions 150, 151
 - tissue transplant coordinators 158
- Sri Lanka Eye Donation Society 151
- staff development and support for
 - deceased donation 194–6
 - background 179–83
 - organizational, practical, and psychological issues 184–7
 - practice 190–4
 - practice framework 187–90
- stakeholders in donation 32–6
- Stalin, Joseph 9
- standards 250–1
 - primary health care 158
- Stem Cell Bank (UK) 225–6, 230, 231, 232, 236, 238
- Steptoe, Patrick 223
- Stockholm syndrome 182
- Stockwell, Steve 35

- stored blood samples for future viral testing 120–3
- stress
 - donors 212
 - staff 180, 181, 182
 - alleviation 185
 - increased levels of 186
 - sources 183, 186–7
- sudden infant death syndrome 164, 193–4
- syphilis (*Treponema pallidum*) 118, 122–3, 135, 139, 140–1
 - donor notification 143
- Tang LuShuYi 157
- team-building strategies 191
- teamwork, interdisciplinary 245–6
- telecare 54
- telephone
 - consent process undertaken by 54–5, 90, 91
 - information given over the 186
- testing 116–17, 130–1
 - bone marrow and peripheral blood stem cells donation 209
 - cord blood donation 203–4
 - gamete and embryo donation 238
 - hemodilution of donor blood sample 128–9
 - incidence–window period model 119–20
 - nature of 137–8
 - newborns 129
 - nucleic acid testing, importance of 119
 - quality of deceased-donor blood samples 127–8
 - rationale 117–18
 - results *see* test results, management of
 - sample and donor identification issues 130
 - seronegative infectious window period 119
 - stored blood samples for future viral testing 120–7
 - viral 118–19
 - stored blood samples 120–7
- test results, management of 134–7, 147
 - discarded tissue 146
 - donor notification 141–6
 - interpretation of results 138–41
 - nature of screening tests 137–8
- Thailand 150
- Therapeutic Goods Administration (TGA, Australia) 101, 117, 121
- Thomas, Tudor 2
- tissue transplant coordinators 158
- Tissue Services (UK) 171, 175, 191
- traceability of tissues, importance of 109–10, 130
 - clinical governance 256
 - embryos 234
- transcription-mediated amplification (TMA) 119, 126
 - nucleic acid testing 120, 128
- transmissible spongiform encephalopathies (TSEs) 123
- trephines 5
- Treponema pallidum* (syphilis) 118, 122–3, 135, 139, 140–1
 - donor notification 143
- Trillium Gift of Life Network 31
- Trypanosoma cruzi* 127
- tuberculosis 104, 126
- UK Transplant 37
- Uniform Anatomical Gift Act (1968, UAGA, USA) 11–12
- Uniform Anatomical Gift Act (2006, UAGA, USA) 23, 69
 - conflicting donation preferences
 - between deceased and family 80
 - facilitating donation 164
 - surrogate consent 80
 - withdrawal of consent 89
- Union of Soviet Socialist Republics 3, 9
- United Arab Emirates 152
- United Kingdom
 - bereavement support 60
 - clinical governance 243, 244, 245
 - accountability 249, 250
 - clinical audit 252
 - evidence-based medicine 248
 - policy setting in health care 246
 - risk management 254
 - service users, learning from 257
 - standards 251

- Code of Practice for Tissue Banking 117
- conflicting donation preferences
 - between deceased and family 81
- consent 23, 69
- cord blood donation 217
- coroners 161, 174
- dedicated donation facility 171
- families' wishes 57
- gamete and embryo donation
 - best consenting practices 229
 - conditional consent 235
 - coordination and consent 224–6
 - criteria for consent 230–2
 - donor screening 238
- history of tissue banking 7, 8, 10–11, 12, 13–14, 15
- hospital pathologists 173–5
- in vitro fertilization 223
- promotion of tissue banking to the public 37
- regulatory framework 25, 69
- staff development and support 180, 191
- testing requirements 117, 121
- test results, management of 134, 135, 136, 138
 - donor notification 141, 145
 - interpretation 139, 141
- voluntary referral 30
- United States Food and Drug Administration *see* Food and Drug Administration, USA
- United States Navy Tissue Bank 6, 7, 8
- United States of America
 - adverse event and reaction reporting 103
 - bereavement support 60, 61
 - bone marrow and peripheral blood stem cells donation 207
 - Christianity 154
 - clinical governance 243, 244
 - evidence-based medicine 248
 - policy setting in health care 247
 - risk management 254
 - confidentiality issues 89
 - conflicting donation preferences
 - between deceased and family 80, 81
 - between family members 81
 - consent 23, 29, 69
 - withdrawal 89
 - controversial practices, providing material information about 86
 - cord blood donation 217
 - coroners 161, 163, 164
 - donor history 103, 107
 - donor registries 43
 - exclusion criteria for donation 101
 - for-profit tissue banks 149
 - funeral home directors 167, 168, 169, 170
 - highway patrol referral programs 34–5
 - history of tissue banking 6–10, 11–13, 14, 15
 - hospital pathologists 172
 - medical examiners 161, 162, 163, 164
 - National Donate Life Month 38
 - promotion of tissue banking to the public 37, 38
 - public awareness and support for donation 37
 - recruitment for tissue donation 18–19, 21, 29–32, 34–5, 37, 38, 43
 - referral sources 31–2, 34–5
 - regulatory framework 28, 69
 - reproductive biomedicine 225, 226, 237, 238
 - required request 29–30
 - routine recovery 29
 - routine referral 30–1
 - staff development and support 180, 191
 - surrogate consent 80
 - testing requirements 117, 119, 122–3, 127, 137
 - deceased donors 128
 - hemodilution 128–9
 - test results, management of 134, 135, 136, 138
 - donor notification 141–2, 145–6
 - information sharing 140
 - interpretation 139, 140, 141
 - tissue transplant coordinators 158
 - West Nile virus 127
 - withdrawal of consent 89

- variant Creutzfeldt–Jakob disease (vCJD)
 - cadaver transmission 14
 - exclusion criteria for donation 102
 - gamete and embryo donation 238
 - history taking, importance of 99
 - risk assessment and management 254–5
- Vietnam 28, 150
- Vietnam War 8
- viral testing 118–19
 - future 120–3
 - newborns 129
- voluntariness of consent to donation
 - families of donors 85–6
 - living donors 71–2
 - bone marrow and peripheral blood stem cells 210
- voluntary referral 30
- Von Hippel, Eugene 5
- war, and histories of tissue banking 1, 2–3, 7, 8
- Warnock, Mary 224
- Washington State Patrol (WSP) 34–5
- West Nile virus (WNV) 100, 127
 - testing for 119, 127, 135, 137
- World Health Organization (WHO) 69
- World Marrow Donor Association (WMDA) 199, 212, 215
- World War I 1
- World War II 7, 8, 10
- Zambia 148
- Zirm, Eduard 2