

Contents

	Foreword	V
	Preface	VII
	List of Contributors	XVII
1	Supercritical Carbon Dioxide for Sustainable Polymer Processes	1
	<i>Maartje Kemmere</i>	
1.1	Introduction	1
1.2	Strategic Organic Solvent Replacement	3
1.3	Physical and Chemical Properties of Supercritical CO ₂	5
1.4	Interactions of Carbon Dioxide with Polymers and Monomers	8
1.5	Concluding Remarks and Outlook	11
	Notation	12
	References	13
2	Phase Behavior of Polymer Systems in High-Pressure Carbon Dioxide	15
	<i>Gabriele Sadowski</i>	
2.1	Introduction	15
2.2	General Phase Behavior in Polymer/Solvent Systems	15
2.3	Polymer Solubility in CO ₂	19
2.4	Thermodynamic Modeling	27
2.5	Conclusions	32
	Notation	33
	References	34

3	Transport Properties of Supercritical Carbon Dioxide	37
	<i>Frederic Lavanchy, Eric Fourcade, Evert de Koeijer, Johan Wijers, Thierry Meyer, and Jos Keurentjes</i>	
3.1	Introduction	37
3.2	Hydrodynamics and Mixing	39
3.2.1	Laser-Doppler Velocimetry and Computational Fluid Dynamics	39
3.2.2	Flow Characteristics	41
3.3	Heat Transfer	44
3.3.1	Specific for Near-Critical Fluids: the Piston Effect	45
3.3.2	Reaction Calorimetry	46
3.3.3	Heat Transfer in Stirred Vessel with SCFs	48
3.4	Conclusions	53
	Notation	53
	References	54
4	Kinetics of Free-Radical Polymerization in Homogeneous Phase of Supercritical Carbon Dioxide	55
	<i>Sabine Beuermann and Michael Buback</i>	
4.1	Introduction	55
4.2	Experimental	57
4.3	Initiation	57
4.4	Propagation	62
4.4.1	Propagation Rate Coefficients	62
4.4.2	Reactivity Ratios	67
4.5	Termination	69
4.6	Chain Transfer	73
4.7	Conclusions	75
	Notation	76
	References	79
5	Monitoring Reactions in Supercritical Media	81
	<i>Thierry Meyer, Sophie Fortini, and Charalampos Mantelis</i>	
5.1	Introduction	81
5.2	On-line Analytical Methods Used in SCF	82
5.2.1	Spectroscopic Methods	82
5.2.1.1	FTIR	82
5.2.1.2	Raman Spectroscopy	84
5.2.1.3	UV/Vis	85
5.2.1.4	NMR	87
5.2.2	Reflectometry	89
5.2.3	Acoustic Methods	89
5.3	Calorimetric Methods	90
5.3.1	Power Compensation Calorimetry	90

5.3.2	Heat Flow Calorimetry	91
5.3.2.1	Heat Balance Equations	92
5.3.2.2	Determination of Physico-Chemical Parameters	95
5.3.2.3	Calorimeter Validation by Heat Generation Simulation	96
5.4	MMA Polymerization as an Example	97
5.4.1	Calorimetric Results	97
5.4.2	The Coupling of Calorimetry and On-Line Analysis	100
5.5	Conclusions	101
	Notation	102
	References	103
6	Heterogeneous Polymerization in Supercritical Carbon Dioxide	105
	<i>Philipp A. Mueller, Barbara Bonavoglia, Giuseppe Storti, and Massimo Morbidelli</i>	
6.1	Introduction	105
6.2	Literature Review	106
6.3	Modeling of the Process	108
6.4	Case Study I: MMA Dispersion Polymerization	115
6.5	Case Study II: VDF Precipitation Polymerization	124
6.6	Concluding Remarks and Outlook	132
	Notation	133
	References	136
7	Inverse Emulsion Polymerization in Carbon Dioxide	139
	<i>Eric J. Beckman</i>	
7.1	Introduction	139
7.2	Inverse Emulsion Polymerization in CO ₂ : Design Constraints	141
7.3	Surfactant Design for Inverse Emulsion Polymerization	142
7.3.1	Designing CO ₂ -philic Compounds: What Can We Learn from Fluoropolymer Behavior?	143
7.3.2	Non-Fluorous CO ₂ -Philes: the Role of Oxygen	144
7.4	Inverse Emulsion Polymerization in CO ₂ : Results	148
7.5	Future Challenges	154
	References	154
8	Catalytic Polymerization of Olefins in Supercritical Carbon Dioxide	157
	<i>Maartje Kemmere, Tjerk J. de Vries, and Jos Keurentjes</i>	
8.1	Introduction	157
8.2	Phase Behavior of Polyolefin-Monomer-CO ₂ Systems	158
8.2.1	Cloud-Point Measurements on the PEP-Ethylene-CO ₂ System	158
8.2.2	SAFT Modeling of the PEP-Ethylene-CO ₂ System	161
8.3	Catalyst System	162
8.3.1	Solubility of the Brookhart Catalyst in scCO ₂	163

- 8.3.2 Copolymerization of Ethylene and Norbornene Using a Neutral Pd-Catalyst 165
- 8.3.3 Ring-Opening Metathesis Polymerization of Norbornene Using an MTO Catalyst 166
- 8.4 Polymerization of Olefins in Supercritical CO₂ Using Brookhart Catalyst 168
 - 8.4.1 Catalytic Polymerization of 1-Hexene in Supercritical CO₂ 168
 - 8.4.2 Catalytic Polymerization of Ethylene in Supercritical CO₂ 170
 - 8.4.2.1 Experimental Procedure for Polymerization Experiments 170
 - 8.4.2.2 Determination of Reaction Rate 171
 - 8.4.2.3 Results of the Ethylene Polymerizations 173
 - 8.4.2.4 Monitoring Reaction Rate Using SAFT-LKP and SAFT-PR 175
 - 8.4.2.5 Topology of Synthesized Polyethylenes 177
 - 8.4.3 Copolymerization of Ethylene and Methyl Acrylate in Supercritical CO₂ 180
- 8.5 Concluding Remarks and Outlook 183
 - Notation 185
 - References 186

- 9 Production of Fluoropolymers in Supercritical Carbon Dioxide 189**
Colin D. Wood, Jason C. Yarbrough, George Roberts, and Joseph M. DeSimone
 - 9.1 Introduction 189
 - 9.2 Fluoroolefin Polymerization in CO₂ 189
 - 9.2.1 Overview 189
 - 9.2.2 TFE-based Materials 192
 - 9.2.3 Ionomer Resins and Nafion[®] 195
 - 9.2.4 VF₂-based Materials 195
 - 9.2.5 VF₂ and TFE Telomerization 196
 - 9.3 Fluoroalkyl Acrylate Polymerizations in CO₂ 197
 - 9.4 Amphiphilic Poly(alkylacrylates) 199
 - 9.5 Photooxidation of Fluoroolefins in Liquid CO₂ 200
 - 9.6 CO₂/Aqueous Hybrid Systems 202
 - 9.7 Conclusions 202
 - References 203

- 10 Polymer Processing with Supercritical Fluids 205**
Oliver S. Fleming and Sergei G. Kazarian
 - 10.1 Introduction 205
 - 10.2 Phase Behavior of CO₂/Polymer Systems and the Effect of CO₂ on Polymers 206
 - 10.2.1 Solubility of CO₂ in Polymers 206
 - 10.2.2 CO₂-Induced Plasticization of Polymers 207
 - 10.2.3 CO₂-Induced Crystallization of Polymers 208

10.2.4	Interfacial Tension in CO ₂ /Polymer Systems	211
10.2.5	Diffusion of CO ₂ in Polymers and Solutes in Polymers Subjected to CO ₂	213
10.2.6	Foaming	215
10.3	Rheology of Polymers Under High-Pressure CO ₂	218
10.3.1	Methods for the Measurements of Polymer Viscosity Under High-Pressure CO ₂	218
10.3.2	Viscosity of Polymer Melts Subjected to CO ₂	219
10.3.3	Implications for Processing: Extrusion	220
10.4	Polymer Blends and CO ₂	222
10.4.1	CO ₂ -Assisted Blending of Polymers	222
10.4.2	CO ₂ -Induced Phase Separation in Polymer Blends	224
10.4.3	Imaging of Polymeric Materials Subjected to High-Pressure CO ₂	226
10.5	Supercritical Impregnation of Polymeric Materials	228
10.5.1	Dyeing of Polymeric Materials	229
10.5.2	Preparation of Materials for Optical Application	230
10.5.3	Preparation of Biomaterials and Pharmaceutical Formulations	230
10.6	Conclusions and Outlook	232
	Notation	233
	References	234
11	Synthesis of Advanced Materials Using Supercritical Fluids	239
	<i>Andrew I. Cooper</i>	
11.1	Introduction	239
11.2	Polymer Synthesis	239
11.2.1	Reaction Pressure	240
11.2.2	Inexpensive Surfactants	240
11.3	Porous Materials	243
11.3.1	Porous Materials by SCF Processing	243
11.3.2	Porous Materials by Chemical Synthesis	245
11.4	Nanoscale Materials and Nanocomposites	247
11.4.1	Conformal Metal Films	247
11.4.2	Synthesis of Nanoparticles	247
11.4.3	Synthesis of Nanowires	248
11.5	Lithography and Microelectronics	249
11.5.1	Spin Coating and Resist Deposition	249
11.5.2	Lithographic Development and Photoresist Drying	250
11.5.3	Etching Using SCF Solvents	250
11.5.4	“Dry” Chemical Mechanical Planarization	251
11.6	Conclusion and Future Outlook	251
	References	253

12	Polymer Extrusion with Supercritical Carbon Dioxide	255
	<i>Leon P. B. M. Janssen and Sameer P. Nalawade</i>	
12.1	Introduction	255
12.2	Practical Background on Extrusion	256
12.3	Supercritical CO ₂ -Assisted Extrusion	257
12.4	Mixing and Homogenization	260
12.4.1	Dissolution of Gas into Polymer Melt	260
12.4.2	Diffusion into the Polymer Melt	261
12.5	Applications	262
12.5.1	Polymer Blending	262
12.5.2	Microcellular Foaming	265
12.5.3	Particle Production	268
12.5.4	Reactive Extrusion	269
12.6	Concluding Remarks	270
	Notation	271
	References	271
13	Chemical Modification of Polymers in Supercritical Carbon Dioxide	273
	<i>Jesse M. de Gooijer and Cor E. Koning</i>	
13.1	Introduction	273
13.2	Brief Review of the State of the Art	275
13.3	End-group Modification of Polyamide 6 in Supercritical CO ₂	277
13.3.1	Background	277
13.3.1.1	Sorption and Diffusion	278
13.3.2	Amine End-Group Modification with Succinic Anhydride	279
13.3.2.1	Sorption Measurements	281
13.3.2.2	Melt Stability of Modified and Unmodified PA-6	285
13.3.2.3	Conclusions	286
13.3.3	Amine and Carboxylic Acid End-Group Modification with 1,2-Epoxybutane	286
13.3.3.1	Melt Stability of Modified and Unmodified PA-6	289
13.3.3.2	Conclusions	289
13.3.4	Amine End-group Modification with Diketene and Diketene Acetone Adduct	289
13.3.4.1	Modification of PA-6 Granules with Diketene and Diketene Acetone Adduct in Supercritical and Subcritical CO ₂	290
13.3.4.2	Molecular Characterization	291
13.3.4.3	Conclusions	292
13.3.5	General Conclusions on Polyamide Modification	292
13.4	Carboxylic Acid End-group Modification of Poly(Butylene Terephthalate) with 1,2-Epoxybutane in Supercritical CO ₂	292
13.4.1	Background	292
13.4.2	Chemical Modification of PBT with 1,2-Epoxybutane	293

13.4.2.1	Influence of Acid End-Group Concentration on Hydrolytic Stability	296
13.4.2.2	Determination of Molecular Weights	296
13.4.3	General Conclusions Concerning PBT Modification	297
13.5	Concluding Remarks and Outlook	297
	Notation	298
	References	299
14	Reduction of Residual Monomer in Latex Products Using High-Pressure Carbon Dioxide	303
	<i>Maartje F. Kemmere, Marcus van Schilt, Marc Jacobs, and Jos Keurentjes</i>	
14.1	Introduction	303
14.2	Overview of Techniques for Reduction of Residual Monomer	304
14.2.1	Conversion of Residual Monomer	305
14.2.2	Removal of Residual Monomer	305
14.2.3	Alternative Technology: High-Pressure Carbon Dioxide	307
14.3	Enhanced Polymerization in High-Pressure Carbon Dioxide	307
14.3.1	Procedure for Pulsed Electron Beam Experiments	308
14.3.2	Results and Discussion	308
14.4	Extraction Capacity of Carbon Dioxide	310
14.4.1	Modeling Phase Behavior with the Peng-Robinson Equation of State	311
14.4.2	Procedure for Measuring Monomer Partition Coefficients	313
14.4.3	Validation of the Experimental Determination of Partition Coefficients	315
14.4.4	Measured Partition Coefficients of MMA over Water and CO ₂	316
14.4.5	Prediction of Partition Coefficients of MMA over Water and CO ₂	319
14.4.5.1	Modeling the Two-Component Systems CO ₂ -H ₂ O, MMA-CO ₂ and MMA-H ₂ O	320
14.4.5.2	Modeling the Three-Component System CO ₂ -H ₂ O-MMA	320
14.5	Process Design for the Removal of MMA from a PMMA Latex Using CO ₂	323
14.5.1	Extraction Model	323
14.5.1.1	Diffusion and Mass Transfer Coefficients	324
14.5.1.2	Partition Coefficients	326
14.5.1.3	Interfacial Surface Areas	326
14.5.2	Process Flow Diagram, Equipment Selection, and Equipment Sizing	326
14.5.3	Economic Evaluation	328
14.6	Conclusion and Future Outlook	330
	Notation	330
	References	332
	Subject Index	335

