

INDEX

- Adsorption
 - adsorption affinity, 81
 - adsorption equilibrium
 - constant, 81, 103
 - adsorption kinetic, 76
- Affinity
 - affinity latex, 120
 - affinity Separation, 123
- Agglutination
 - agglutination of latex, 123
 - aggregation of microspheres, 98
 - probability of agglutination, 80
- Allotropes of carbon, 21
- Amphiphilic polymer, 31
- Anopheles mosquito, 67
- Antibody
 - antibody coated latex particles, 71
 - antibody-Antigen reaction, 332
- Anticancer
 - anticancer doxorubicin, 47
 - anticancer doxorubicin, 47, 50
- Anticoagulant, 67, 68
- Antigen
 - antigen-antibody complex, 68
 - antigen-antibody interactions, 95, 99
 - antigen-antibody reaction, 123
 - antigen-coated particles, 80
- Anti
 - anti-H.pylori, 110, 111
 - anti-HSA, 109
- Artificial latexes, 20
- Assembly
 - assembly layer-by-layer, 22
 - assembly of inorganic colloids, 21
 - assembly of organic colloids, 21
- Atom
 - atom Transfer Radical Polymerization, 17, 36, 39, 47
 - atomic Force Microscopy, 229, 336
- Automated
 - automated hematology analyzer, 69
 - automated malaria detection, 70
- Azo-initiator polymerization, 73
- Bacillus subtilis, 149
- Bacteria detection, 149
- Bar-code beads, 127
- Bio
 - bio-analytica assay, 162
 - bio-Bar-code DNA duplex, 188
 - bio-Bar-code process, 187
 - biochips, 1
 - bioconjugation of nanocrystals, 143
 - biodegradability, 3
 - biodegradable polymer, 49, 120
 - biodistribution, 49
 - bioinert surface, 118
 - biointerface, 119
 - biological fluids, 4
 - biological ligand, 3
 - biominiaturization, 1
 - bioreactors, 118
 - biosensors, 162
 - biospecific reaction, 117
 - biotin-streptavidin reaction, 179
 - biotinylated peptide, 309
- Bleaching of fluorophores, 145
- Blood
 - blood cells, 117
 - blood sera, 111
 - blood, 68, 129

- Bovine serum albumin, 73, 82, 260
 Bragg scattering, 249
 Brucella cells, 99
- Capture of antibodies, 312, 317
 Carbon nanotubes, 2
 Cell
 cell activator, 120
 cell autofluorescence, 134
 cell for phagocytosis, 120
 cell internalization, 41
 cell manipulation, 213
 cell membrane protein, 125
 cell permeable virus capsids, 161
 cell separator, 120
 cell sorting, 213
 cell surface receptor, 52
 Cellular imaging, 134
 Chelation, 79
 Chemical
 chemical activation, 78
 chemical immobilization, 120
 chemical micropatterning, 315
 Chemoselectivity, 323
 Clark electrode for glucose, 184
 Clinical diagnostic, 47, 77
 Colloidal
 colloidal crystals, 211
 colloidal Micropump, 216
 colloidal Microstirrer, 217
 colloidal stability, 4
 Colorimetric detection, 2
 Composite particles, 21
 Conductivity
 conducting polymer, 225, 241
 conductivity measurements, 233
 conductivity of the self-assembled nanocomposites, 226
 Contact angle measurements, 309
 Coomassie Brilliant, 110
 Copolymer
 copolymer latexes, 16
 copolymers, 45, 51
 diblock copolymer, 35, 38, 40, 42
 Core-shell
 core-globule transition, 19
 core-shell nanocrystals, 142
 core-shell particles, 19, 50, 119
 core-shell structure, 19, 50
- Covalent
 covalent coupling of immunoglobulin, 78
 covalent coupling, 78
 covalent immobilization of biomolecules, 104, 105
 C-reactive protein (CRP), 98, 178
 Cyclic Voltammetry, 229
 Cytoskeleton in human phagocyte cell, 148
- Dendrimers, 20
 Depletion of biomolecules, 3
 Detection
 detection of DNA, 191
 detection of point mutated DNA, 124
 detection of ssDNA, 261
 Diblock copolymer, 35, 38, 40, 42
 Dielectrophoresis, 213
 Diffusion coefficient, 86
 Direct latex agglutination, 71
 Dispersion polymerization, 18, 119
 DNA
 DNA chip, 2, 188
 DNA delivery, 52
 DNA detection, 2, 10
 DNA hybridization, 124, 175
 DNA Sequences, 2
 DNA/DNA interaction, 180, 188
 DNA-carrying affinity latex, 124
 Drug
 drug delivery using affinity latex, 47, 49, 126
 drug delivery, 1, 47, 49
 drug Doxorubicin, 49
 drug targeting, 2
- Electric
 electric charge, 100
 electrical detection of antibodies, 329, 335
 Electro
 electrocapillary forces, 210
 electrochemical detection, 171
 electrochemical immunomagnetic sensors, 169
 electrophoretic mobility, 95, 100, 101, 107, 108, 112
 Emulsion
 emulsion copolymerization, 102
 emulsion droplets, 247
 emulsion evaporation, 210
 emulsion polymerization, 16, 72

- Entamoeba histolytica, 71
 Enzyme
 enzymatic biosensors, 184, 185, 186
 enzyme Linked Immunomagnetic electrochemical assay, 171
 enzyme Linked Immunosorbent assay (ELISA), 98, 157, 182, 292, 312
 enzyme Linked Oligosorbent assay (ELOSA), 261, 263
 Escherichia coli, 149, 214
 Evaporation induced colloidal assemblies, 209
 Ex vivo live cell imaging, 162
 Exoerythrocytic schizonts, 66

 Falciparum
 falciparum infection, 65, 67, 87
 falciparum life cycle, 66
 falciparum parasite, 66
 falciparum proteins, 67
 Ferric oxide, 11
 Film
 film of conducting polymers, 223, 227
 film of nanocomposites, 223
 film-forming nanoparticles, 22
 Flow cytometry assay, 155, 156, 290
 Fluorescence
 fluorescence images, 147
 fluorescence lifetime, 135
 fluorescent particles, 6, 22, 99, 100, 133, 134
 fluorescent semiconductor, 134
 Force
 force between magnetic particles, 249
 force measurement in magnetic emulsion, 263
 force measurements in ssDNA, 261
 force measurements, 247
 force-distance measurement, 250
 force-distance measurements during sol-gel reaction, 269
 Free energy, 309
 Fullerenes, 21
 Functionality, 5

 Gas
 gas detection, 233, 230
 gas sensors, 223, 241
 Gel
 gelification, 8
 gel-sol method, 13

 Geometry of microfluidic, 211
 Geromagnetic electrochemical assays, 175
 Gibbs free energy, 76, 78, 81
 Global distribution of Malaria, 66
 Gold particles, 2
 Grafting-to, 120
 Gram-positive bacterium, 149

 Hairy particles, 17, 82
 Helicobacter pylori, 110
 Herpes virus, 181
 Heterocoagulation, 22
 High luminiscent nanocrystals, 138
 Histidine-tagged protein, 79
 Hollow particles, 23
 Homogenous nucleation, 74
 Human Serum albumin (HSA), 104
 Hydro
 hydrodynamic flow, 215
 hydrogels particles, 46
 hydrogels-based microvalves, 54
 hydrogen bond, 77
 hydrophilic-hydrophobic balance, 5, 19, 36
 hydrophobic aminoacid, 81
 hydrophobic interaction, 77

 Immuno
 immobilization of biomolecules, 78, 170
 immunoaggregates, 86
 immunochemistry, 162
 immunochemical method, 68
 immunodiagnostic test, 95, 106, 110
 immunoglobulin, 96
 immunolabeling with quantum dots, 145
 immunolatex, 72, 76, 84
 immunosensors, 171
 immunostaining of cytokeration in skin, 146
 Impedance
 impedance measurements, 233
 impedancemetry based sensors, 172
 In-situ polymerization, 22
 In-situ quantification of cancer markers, 153
 In vivo
 In vivo optical biopsy
 In vivo quantum dots application, 138
 In vivo tumor, 49
 Indirect latex agglutination, 71

- Injectable
 - injectable drug-delivery systems, 44
 - injectable hydrogels, 45
- Inorganic
 - inorganic colloids, 5
 - inorganic particles, 2
- Interaction forces, 77
- Interfacial polarity, 5
- Intracellular detection, 148
- Intravenous administration, 50
- Isoelectric point (pI), 77
- Lab-on-a-chip, 1, 199
- Lamellar phase, 10
- Laminar flow reactor, 208
- Latex
 - latex agglutination test, 70, 72, 80, 83, 87, 110
 - latex protein immobilization, 76
- Layer
 - layer-by-layer electrostatic deposition of polymer, 154
 - layer-by-layer process, 17, 22
 - layer-by-layer Quantum dots tagged microbeads, 154
- Lewin's calculation, 77
- Lewis acid, 309
- Lifshitz-van der Waals, 309
- Ligation chemistry, 299
- Lipidmicelles, 150
- Liposome, 212
- Living radical graft polymerization, 120
- Lower Critical Solution Temperature, 19, 34, 42, 50
- Functionalized nanolatexes, 18, 75
- Lysed blood, 68
- Macromolecular aggregates, 97
- Magnetic
 - magnetic beads, 289
 - magnetic emulsion, 22, 24
 - magnetic force microscopy, 179
 - magnetic microbeads, 188, 190
 - magnetic nanoparticles, 179, 192
 - magnetic particles, 2
 - magnetic permeability measurements, 177
 - magnetic resonance imaging, 180, 181
 - magnetite sols, 40
- Malaria
 - malaria disease, 65
 - malaria pigment, 69
- Metal
 - metal nanoparticles, 2006
 - metal oxides, 2
- Micellar electrokinetic chromatography, 287
- Microactuators, 54
- Microarrays, 145, 152, 299
- Microchip, 282, 284, 287, 291
- Microelectrodes, 332
- Microemulsion, 9, 14, 18
- Microfluidic
 - microfluidic Chip, 212
 - microfluidic devices, 54, 199, 209, 212, 216, 275
 - microfluidic Electrophoresis, 216
 - microfluidic Pumps, 217
 - microfluidic reaction, 201, 208
 - microfluidic valves, 217
- Microgap based biosensor, 334
- Microgel, 19
- Micropatterning
 - micropatterning, 317
 - micropatterning of polycarbonate, 314
 - micropatterning of Titanium oxide, 321
- Microscopic diagnostic, 67
- Microsystems, 2
- MicroTAS, 53
- Microvalve, 53, 54
- Miniemulsion polymerization, 17
- Mismatch DNA, 125
- Monodisperse colloids, 9
- Multicompartment micelles, 35
- Multifunctional colloids, 24
- Multiplex
 - multiplex Assay, 117, 127
 - multiplex beads, 128, 129
 - multiplex cytometric assays, 99
 - multiplex detection on tissue, 152
- Multiresponsive polymer, 45
- Multi-walled nanotubes, 21
- Nano
 - nanoelectrodes, 332, 342
 - nanofibers, 35
 - nanogap based biosensor, 341
 - nanogaps, 329

- Nanoparticles
 - nanoparticles for affinity biosensors, 169
 - nanoparticles synthesis, 2002
 - paramagnetic nanoparticles, 178, 217
- Nanotubes, 21
- Nitroxide Mediated Polymerization (NMP), 17
- Nonviral DNA, 52
- Nuclei, 8, 9
- Nyquist diagram, 173

- One-step magnetic immunoassay, 177
- Optical
 - optical characterization of films, 231
 - optical fractionation, 214
 - optical measurements of aggregates, 123
 - optical separation, 213
 - optical Trapping, 214
- Organic
 - organic fluorophores, 145
 - organic/inorganic composite particles, 2
- Ostwald ripening, 8, 13, 17
- Oxide nanoparticles, 241
- Oxyanion-initiated polymerization, 34

- Paramagnetic nanoparticles, 178, 217
- Particles
 - particles colored, 6
 - particles degradable, 6
 - particles surface modification, 7
- Pentablock copolymer, 46
- Peptide Microarrays, 299
- Peroxidase detection, 181
- Pharmacokinetic, 49
- Photon correlation spectroscopy, 85
- pH
 - pH-responsive gels, 39
 - pH-sensitive hydrogels, 54
 - pH-sensitive liposomes, 46
 - pH-sensitive micelles, 46
 - pH-sensitive polymer, 31, 33, 36, 41, 45, 50
- Physical adsorption of protein, 76, 78
- Piezo
 - piezoelectric, 53, 174
 - piezoimmunosensors, 174
- Plasmid
 - plasmid DNA, 51, 52
 - plasmodium, 65
- Pluronic, 43, 49, 50, 79
- Poloxamer, 43
- Poly(L-histidine), 41
- Polycondensation, 18
- Polymer
 - polymer micelles, 47
 - polymer polyelectrolyte, 7
 - polymer self-assembly, 7
- Polymerase Chain Reaction (PCR), 187
- Polymerization
 - polymerization suspension, 15
 - polymerization, 15
 - precipitation polymerization, 19
- Polyol Process, 13
- Precipitation polymerization, 19
- Preparation
 - preparation condensation, 7
 - preparation of nanoparticles, 6, 7
 - preparation polycondensation, 7
 - preparation polymerization, 7
- Probability of agglutination, 80
- Protein
 - protein adsorption, 80
 - protein analysis in microfluidic systems, 275
 - protein microarray technologies, 153
 - protein/protein interaction, 180
- Protozoa, 65
- Pseudoternary phase diagram, 9

- Quantification of DNA, 177
- Quantum
 - quantum dots antibody, 146
 - quantum dots encoded human DNA, 155
 - quantum dots, 11, 127
 - quantum dots based immunostaining 153
 - quantum dots bioconjugates, 153
 - quantum dots for in vivo imaging, 148
- Quasi-Elastic Light Scattering, 95

- Rapid diagnostic, 65, 68
- Reactive
 - reactive groups, 5
 - reactive surface groups, 3
- Red blood cells, 66, 67
- Repulsive electrostatic force, 82
- Reservoirs of drugs, 2
- Resistance measurements, 233
- Reversible Addition Fragmentation Chain
 - Transfer polymerization, 17, 34
- RNA isolation, 129

- Saccharomyces cerevisiae detection, 184
- Salmonella
 salmonella cells, 174
 salmonella detection, 174
 salmonella typhinum, 174
- Sandwich bioassay, 179
- Seed polymerization, 16, 120
- Self-Assemblies
 self-assemblies of copolymer, 28
 self-assemblies of nanofibers, 35
 self-assemblies of polymer, 32, 40
- Semicarbazide functionalized silica, 304
- Semiconductor
 semiconductor chemical composition, 136
 semiconductor nanoparticles, 11, 204
 semiconductor spectra, 135
 semiconductor, 2, 11, 24
- Separation of biological species, 215
- Shape of particles, 4
- Shot-growth, 16
- Silica
 silica covered ferrofluid emulsion, 267
 silica nanoparticles, 11, 299
 silica Stöber, 12
- Single
 single stranded DNA, 124
 single-walled nanotubes, 21
- Size distribution of quantum dots, 139
- Sol
 sol-gel process, 14
 sol-gel reaction, 269
 sol-gel transition, 43, 47
- Specific
 specific capture of Nucleic Acid, 261
 specific gravity, 117
 specific surface area, 117
- Sporozoites, 66
- Stimuli
 stimuli-responsive hairy, 24
 stimuli-responsive polymer, 31
 stimuli-responsive self-assemblies, 44
- Stöber silica, 12
- Streptavidin
 streptavidin-biotin DNA, 150
 streptavidin-biotin system, 5
 streptavidin-coated beads, 285
 streptavidin-coated quantum dots, 145
- Strip, 69
- Structured latex, 16
- Superparamagnetism, 6
- Surface
 surface area, 9
 surface charge density, 4
 surface concentration of HSA, 107
 surface modification, 14
 surface tension, 309
- Synthesis of Silica nanoparticles, 315
- Temperature
 temperature sensitive hydrogel, 44
 temperature sensitive immunoassay, 286
 temperature sensitive latexes, 19
 temperature sensitive polymer micelles, 49
 temperature-responsive polymer, 31, 42, 53
- Time resolved fluorescent bioassay, 2
- Tissue
 tissue autofluorescence, 152
 tissue microarray, 152
- Titanium oxide nanoparticles, 299
- Traditional diagnostic, 96
- Transfect cells, 52
- Triblock
 triblock copolymer, 37, 40, 43
 triblock polyampholyte, 32
- Tumor
 tumor tissue, 49
 tumors derived cells, 183
 tumors, 153
- Turbidity, 83, 84
- Tyrosinase-based biosensor, 185
- UV
 UV irradiation, 45, 125, 163
 UV-cleavable linker, 121
 UV-photopolymerization, 209
- Vaccination, 2
- Van der Waals forces, 250
- Viruses detection, 150
- Vitamin M, 40
- Vivax, 65, 87
- Volume phase transition temperature, 19
- Young's equation, 309
- Zeta potential 270
- Zip-code, 128
- Zwitterionic copolymer, 45