

# Index

## • A •

- absolute measurement, 183–190
- absolute starting point, 42
- accessibility, 110
- accumulation. *See* water accumulation
- accuracy
  - of conversion, 32–33, 72
  - database errors, 131, 132
  - datums, 299, 300
  - of Digital Elevation Model, 90
  - elevation values, 89
  - of interpolation, 206
  - of interpretation, 46
  - location/measurement errors, 34
  - of maps, 147, 280
  - of object-oriented models, 108
  - raster/vector data, 71
  - sampling errors, 177
  - scale as factor, 30–31
  - of scanning, 127
  - of software, 275–276
  - spatial, 75
  - of statistics packages, 178
  - of surface data, 97
  - of Topologically Integrated Geographical Encoding and Referencing, 85
  - of Universal Transverse Mercator, 35–36
  - of vector searches, 148
  - verification, 65–66
  - of viewshed models, 216
- acres, 37
- adjacency, 17, 191–192
- advanced geographic representations, 87–88
- aerial photography, 17, 71, 120
- agency benefits, 312
- aggregation, 169, 178
- agriculture, 297
- airline safety, 298
- alarms, 297
- algorithms
  - best first, 234
  - shortest path, 188
  - software, 275–276
- allocation, 238, 272
- alpha index, 231
- analog (hard copy) maps, 61
- analysis
  - basins, 217
  - complexity, 138
  - cost/benefit, 311–313
  - of GIS in organizations, 310–313
  - with grid systems, 97–98
  - needs, 310–311
  - from overlays, 242
  - patterns, 50–54
  - quality of, 31
  - service areas, 238
  - shortcomings, 95–96
  - software checks, 275–276
  - stream definition, 222
  - surface, 206
  - traffic patterns, 231
  - vector differences, 148
  - viewsheds., 214–215
- analytical model design, 311
- AND operators, 167, 246
- animations, 297–298
- anisotropy, 195
- annotations in maps, 86
- annulus (donut shape), 50, 261, 264
- application design, 310–311
- applications developers, 302
- appropriateness, 118, 280
- ArcGIS, 102, 153–157, 158, 161
- ArcInfo, 85–86, 98, 101–102, 111–112, 116

arcs in maps, 86  
 area objects, 242  
 areas  
   about, 18  
   cartograms, 288  
   classification of, 284  
   nearest neighbor analysis, 54  
   as non-comparative features, 43  
   polygons as, 66, 68  
   raster models, 75  
   searching for, 140–141  
   as space on maps, 40  
   surface data, 204–205  
   symbols for, 42, 44  
   of topology, 83, 84, 87  
   in zonal functions, 267  
 arithmetic operators, 257  
 artistic success of maps, 280, 287  
 ASCII characters, 96  
 aspect (direction), 90, 273  
 atlases, 28  
 attributes  
   changes to, 98  
   color/patterns, 281  
   errors in, 131  
   graphics linking, 94–95  
   of hybrid systems, 111–112  
   as linked lists, 95–96  
   searching, 142, 151, 172  
   storage as ASCII characters, 96  
   tables, 87  
 audience response, 145  
 Audio Video Interleave (.avi) files, 299  
 Australian Consortium for the Asian Spatial  
   Information and Analysis Network, 335,  
   340–341  
 auto thefts, 37  
 Autodesk, Inc., 324  
 automated electronic/signaling systems,  
   297  
 automobile onboard navigation systems,  
   297

## • B •

backup plan for output devices, 282  
 banking, 20  
 barometric pressure, 204  
 base maps, 121  
 baseline measurements, 33, 38  
 basins, 217–219  
 behavior of objects, 105  
 benefits, raster/vector compared, 71–72  
 benefit-to-cost ratio, 312  
 Bentley GIS, 327  
 Berry, Joseph K. (map algebra researcher),  
   253, 255, 256, 270  
 best first algorithm, 234  
 best practices, 106  
 bidirectional buffers, 190  
 bifurcation ratio, 223  
 biodiversity, 265  
 block functions, 268–269  
 borders, 285  
 boundaries, basin, 218  
 buffers, 188–190, 191–192  
 building contractors, 31, 61–62, 63–65  
 built-in flowcharting, 274  
 bundling hardware/software, 286  
 bus routes, 158  
 business customers, 51  
 business owners, 9  
 businesses, 20  
 by-cell operations, 258

## • C •

CAC (computer-assisted cartography),  
   94–95  
 CAD (computer-aided design), 94, 95–96  
 Canada Geospatial Data Infrastructure,  
   336, 341  
 Canadian resources, 21  
 cartograms, 287–292  
 cartographic modeling, 72, 253–254,  
   270–273

- cartographic output
  - about, 279–280
  - cartograms, 287–292
  - traditional maps, 280–287
- categories
  - in GIS, 166
  - of grid cells, 77
  - in group definitions, 176
  - of map themes, 78
  - searching by, 170–171
- cause and effect, 48, 50–51, 180
- CBA (cost/benefit analysis), 311–313
- census data, 124–125
- census geography, 84, 125
- Center for International Earth Science Information Network, 334, 339
- center of gravity of the distribution, 206
- central tendency, 144
- central trunk stream, 218
- central-point cartograms, 290
- centripetal stream patterns, 49–50
- centroid (center of an area), 206, 267
- CGIAR Consortium for Spatial Information, 335, 340
- characteristics
  - sharing, 87, 88
  - of statistical surfaces, 199–204
- charts, 145, 296
- checkerboard pattern, 73–74
- children under 5 years old, 30
- choropleth map, 288
- circuitry, 48, 55, 230–231
- city planning, 21, 64, 214
- Clark Laboratories, 323
- classification
  - appropriateness of, 118
  - creating, 283–284
  - discrepancies, 133
  - of nearby areas, 82
  - of objects, 149
  - properties, 114–115
  - in searches, 152
  - of symbols, 44
  - types of, 122
- clay (soil), 31
- client lists, 342
- climate change, 298
- clip overlay, 249
- closed loops, 230
- clustered distributional patterns, 46
- clustered sampling, 123
- coding
  - color, 67, 68, 281
  - direction, 220, 221, 230
  - pattern, 67, 68, 281
  - time, 141
  - of turns/intersections, 232–233
- college admissions departments, 305
- color blindness, 27, 286
- color coding, 67, 68, 281
- columnar reports, 295
- combinations of layers, 112, 114–115
- command-line interface, 256, 257
- comparable data relationships, 110
- comparison
  - of kind, 43
  - of map-handling capabilities, 110–115
  - of maps/map layers, 97–98
- compass direction, 203
- compatibility
  - of features, 105
  - of raster/vector data, 71
  - of software/hardware, 13, 282
- complement overlay, 245, 247–248
- complementary information, 86
- completeness, 118
- components of GIS, 11
- computational accuracy, 71
- computer-aided design (CAD), 94, 95–96
- computer-assisted cartography (CAC), 94–95
- computerized map reading, 60
- computing power, 12–13
- conceptual models
  - about, 59
  - computerized map reading, 60
  - contents of, 61–66

- conceptual models (*continued*)
    - conversion to computerized models, 66–72
    - creation of, 60
  - congestion, 237
  - conic projections, 32
  - connectivity
    - about, 16
    - of highway systems, 48
    - measurement, 225–227
    - of networks, 55
    - of topology, 83, 84, 87
  - conservation groups, 21, 305
  - construction zones, 237
  - consulting firms, 303
  - containment, 193–194
  - Content Standard for Digital Geospatial Metadata, 333
  - context, 27
  - contiguity, 68, 83, 84, 87, 264
  - contiguous cartograms, 289–290
  - continuing education, 5
  - continuity assumption, 208
  - continuous data, 207
  - continuous surfaces, 201
  - contrast in map design, 287
  - conversion
    - from CAD, 96
    - to computerized models, 66–72
    - to matrix models, 91
    - to raster grid structure, 90
    - to scaled map data, 95
  - coordinate systems
    - CAD limitations, 96
    - distance measurement, 186
    - finding objects by, 76
    - map information, 34–38
    - as scaled map data, 95
    - of vectors, 69
  - co-registration of grids, 76–77
  - correction of overshoots, 132
  - corrections agencies, 21, 304
  - corridors, 225
  - cosines, 185
  - cost/benefit analysis (CBA), 311–313
  - costs
    - of Global Positioning Systems, 120
    - initial outlays, 312
    - updating, 123
  - counting, 162
  - coverage model, 85–87, 111
  - credits, 285
  - criminologists, 51
  - cross-sectional profiles, 91
  - cultural studies, 299
  - cursor, 126
  - customer lists, 294–296
  - cylindrical projections, 32
- D •
- damage estimation, 299
  - damage potential (water), 220
  - Dangermond, Jack (ESRI president), 22
  - dangling nodes, 131
  - data. *See also* geographic data digitizing
    - appropriateness of, 118
    - area surfaces, 204–205
    - availability of, 26–27
    - breaking down, 63–65
    - characteristics, 65–66
    - fitting models to, 274
    - geographic, 11–12
    - layering, 110
    - measurement scales, 169
    - modeling, 72
    - qualitative, 280–281
    - quantitative, 281–282
    - in rasters, 96–97, 102
    - remotely sensed, 71
    - reorganizing, 169
    - source modifications, 342
    - spatial, 17–19
    - structure of, 69–70, 149–151
    - suppliers of, 302, 303
    - symbolology and, 42–44

- types of, 30, 148
- in vectors, 101–102, 147
- data descriptions tracking. *See* descriptive data tracking
- data models
  - rasters, 73–79
  - surfaces, 89–91
  - vectors, 79–88
- data points, 201
- database management systems (DBMS), 98, 143, 149
- databases
  - correlations in, 37
  - datum conversion accuracy, 34
  - design, 311
  - errors in, 131
  - management systems, 79, 98–104
  - scale variations in, 30–31
  - time coding, 141
- datums, 3, 33–34, 299, 300
- .dbf extension, 80
- DBMS (database management systems), 98, 143, 149
- dead ends, 234
- decimal numbers, 97
- decomposing projects, 130
- defined intervals, 283
- degradation of original data, 342
- delivery vehicles, 20, 298
- DEM (Digital Elevation Model), 87, 90, 215, 217, 220, 273
- demographic data, 295
- dendritic stream patterns, 49–50
- denominators, 24
- density, 16, 53–54
- depressionless surface, 218
- description
  - graphics linking, 98
  - object linking, 79
- descriptive data tracking
  - about, 93
  - object-oriented systems, 104–108
  - simple systems, 94–98
  - tables/database management systems, 98–104
- design (artwork), 280, 287
- design work (drafting), 94
- destination finding, 236
- detail level, 66, 118
- diagonal distances, 186
- diagonals of cells, 67, 267, 272
- diagrams, 296
- diameter of Earth, 33
- Digital Elevation Model (DEM), 87, 90, 215, 217, 220, 273
- digital imagery, 87
- digital (electronic) maps, 61
- digitizing
  - choices, 130–131
  - cleaning up, 131–132
  - forms of, 125–129
  - metadata, 132–134
  - preparing for, 129–130
- DIME (Dual Independent Map Encoding), 82, 84–85, 125
- dimensions, representation of, 73–74
- direct benefits, 312
- direction coding, 220, 221, 230
- direction lines on flat surfaces, 35
- direction of events, 55
- Directions Magazine, 6
- discomfort with maps, 287, 288
- discrete surfaces, 201
- disk space, 71
- display tool, GIS as, 13–14
- dissimilar features, 47–48
- distance measurement
  - absolute measurement, 183–190
  - estimating, 176
  - in flowcharting, 273
  - functional distance, 194–198
  - relative measurement, 191–194
  - types of, 269
- distance-weighted interpolation, 211–212

- distortions
  - spherical to flat-surface conversions, 31–32, 35
  - as technique, 288
- distribution
  - of features, 178
  - in GIS, 166
  - pattern types, 45–47, 52–53
  - questions, 37
  - searching for, 140–141
- downhill water movement, 219–220
- drafting work, 94
- drain points, 221
- draping, 207
- drawing exchange format (.dxf), 96
- drivers for digitizers, 127
- Dual Independent Map Encoding (DIME), 82, 84–85, 125
- .dwg files, 96
- .dxf files, 96

## • E •

- E911 systems, 297
- Earth mapping, 94
- Earth sandwich, 109
- earthquakes, 31, 177
- Earth's diameter, 33
- Eason, Ken (Eason's principles), 309
- Eason's principles, 309
- eastings, 35
- ecology, 192, 222, 226, 265, 299
- economic geography, 61
- economic placement companies, 303
- edge species, 226
- education level attainment, 30
- educational organizations, 305–306
- efficiency
  - of computer-assisted cartography, 95
  - of map overlaps, 98
  - of object-oriented systems, 104
- electromagnetic spectrum, 121
- electronic maps, 61

- elevation values
  - accuracy of, 89
  - basin analysis, 217
  - changes in, 68
  - in expanded-search approach, 221
  - unique, 90
  - in water flow changes, 219–221
- ellipsoids, 33–34
- emergency services, 21, 51, 304
- enterprise plans, 314
- entities, 86, 95, 98, 111–112, 131
- Environmental Systems Research Institute (ESRI)
  - about, 317–319, 337
  - ArcGIS, 257
  - ArcInfo, 98, 101–102
  - coverage model, 85–87
  - features of, 334
  - geodatabase, 105–106, 114
  - K-12 educators, 109
  - Map Objects product, 87
  - maps arcs in, 86
  - Model Builder, 274
  - Podcasts, 6
  - Spatial Analyst software, 79
- epidemiology, 179
- equal intervals, 283
- equatorial diameters, 33
- erosion, 219–220
- error avoidance, 104, 149. *See also*
  - accuracy; safety
- ESRI. *See* Environmental Systems Research Institute (ESRI)
- Euclidean method, 184
- evolution of streams, 222
- exact interpolation methods, 211–212
- exaggeration of geographic space, 288
- expanded-search approach, 221
- expectations, 152
- expediency, 342
- exponential operators, 258
- extent of map, 23
- external benefits, 313
- external players, 301

● **F** ●

facets, 90  
facilities management, 113  
failures, GIS, 308–309  
family income, 30  
fastest path, 235–237, 294  
features  
  distribution changes, 178  
  fastest-route, 235  
  friction from, 195  
  of GIS Data Sources, 334–336  
  in hybrid systems, 112  
  inclusion decisions, 26  
  incompatibility of, 105  
  patterns among, 47–48  
  on reference maps, 28  
  searching, 140, 151  
  stored as objects, 88  
  in viewshed models, 216  
Federal Geographic Data Committee, 133  
FedEx, 158  
field data, 123–124  
figure ground, 287  
final product specifications, 61–63  
fire fighters, 158, 297  
first-order streams, 223  
flat coordinate systems, 186  
Flat Earth Society, 31  
flat surface distances, 184–185  
flatness ratios, 33  
flexibility of tables, 101  
flight simulation, 299  
flood zones, 31, 85  
flow characteristics, 219–221  
flowcharting, 64–65, 271, 274  
flythroughs, 298–300  
focal flow function, 262  
focal functions, 259–264  
focal-maximum search, 264  
focused study areas, 141  
foreign key, 100  
formal regions, 264

formulation flowchart, 271  
fractions, scales as, 24  
fragmentation of formal regions, 264  
friction, 195, 197–198, 219  
functional distance, 194–198  
functional relationships, 180  
functions, modeling tasks as, 257  
future benefits, value of, 312

● **G** ●

gamma index, 225–226, 230  
GE Smallworld, 87, 324–325  
geodatabase, 87–88, 104, 106, 114–115  
geodesy, 33  
geographic data digitizing  
  digitizing, 125–134  
  identifying quality data, 117–118  
  importing data, 118–125  
geographic object searches  
  about, 165  
  elements of, 160–161  
  group definitions, 176–180  
  object appropriateness, 166–169  
  polygon searches, 166  
  2-D map objects, 170–176  
geographic representation, 23–27, 71  
geography improvements, 85  
geometry  
  area comparisons, 249  
  intervals, 284  
  of patterns, 51–52  
  in searches, 260, 262  
  zonal, 266–268  
geomorphologists, 222  
Geoscience Australia, 336, 341  
geospatial metadata, 133  
GIS Café, 6  
GIS Data Depot, 6, 334, 336–337  
GIS Data Sources. *See also specific vendors*  
  about, 333  
  cautionary note, 342  
  features of, 334–336  
  vendors, 336–341

- GIS in organizations
  - analysis, 310–313
  - change detection, 313–314
  - introducing GIS, 306–310
  - organizational change, 301–302
  - uses of, 302–306
- GIS Lounge, 6
- GIS packages, 11–12, 35, 75–76, 87, 302.
  - See also specific components; specific software; specific vendors*
- global functions, 269–270
- Global Positioning System (GPS), 119
- Go-Geol., 335, 339
- Google Earth, 298
- Google Maps, 234
- governing rules/conditions, 105–106, 114–115
- government agency benefits, 313
- government organizations, 304–305
- GPS (Global Positioning System), 119
- GPS-enabled transportation, 158
- gradients, 203
- graduated symbols, 43–44
- graphic map design, 286–287
- graphical query tool, 176
- graphical user interface (GUI)
  - for map algebra, 256, 257
  - for overlay, 240
  - for searches, 148, 151, 167, 171
- graphics
  - attribute linking, 94–95
  - description linking, 98
  - digitizing, 127
- graphs, 145
- GRASS GIS, 327–328
- graticules, 285
- great circle distance, 185
- grid cell resolution, 76
- grid cells in distance measurement, 186
- groundwater global functions, 270
- growth of organizations, 303
- GUI (graphical user interface). *See* graphical user interface (GUI)

## • H •

- hand-digitizing data, 125–127
- hardcopy output, 61, 125, 282
- hardware
  - bundling, 286
  - components of, 12–13
  - digitizer drivers, 127
- hazardous material maps, 29
- head gradient, 270
- heads-up digitizing, 121, 128–129
- help overlay, 240
- hierarchy, 104
- high risk safety corridors, 189
- highway bypasses, 48, 231
- historical events, 22
- home security systems, 297
- hot spots, 46, 168, 298
- housing developments, 61–62, 63–65
- human environment, 199, 200
- hybrid systems, 111–112, 113
- hydrological engineering programs, 270
- hydrology functions, 269
- hypotenuse, 184–185
- hypotheses, 167

## • I •

- icons in this book, 4–5
- identity overlay, 248
- Illinois tornados, 52–54
- imagery, 71, 121, 122
- immediate neighborhood, 262
- impedance
  - of dead ends/one-way paths, 234
  - in fastest path analysis, 236
  - in networks, 227–229
  - of scenic routes, 237
  - travel, 195
  - turns, 233
- industry-specific geodatabase, 88, 106–108
- industry-specific schemas, 106

- inflation discount percentage, 312  
information overlays, 76–77, 79, 85–86,  
95, 98  
inheritance, 104, 114, 149  
initial outlays, 312  
ink quality, 282  
institutional/system design, 311, 314  
Instituto Nacional de Estadística  
Geographia e Informatica, 335, 340  
insurance companies, 20, 31, 85  
intangibles, 196  
integrated system models, 113  
integrated topological models, 112  
integration planning, 309–310  
interactive maps directing traffic, 235  
Intergraph, 321–322  
internal players, 301  
interpolation, 70, 91, 209, 269  
interpretations, 55–56, 145  
intersections  
networks, 232–233  
overlays, 245, 246–247  
roundabouts, 231  
intervals, 19, 41, 42, 207, 283–284  
inverse distance weighting, 211  
isolation, 17, 192  
isotropy, 195
- **J** •
- journalism, 20
- **K** •
- K-12 educators at ESRI, 109
- **L** •
- land management, 21, 34–38, 99–100,  
249, 298  
landscape architects, 239  
latitude-longitude system, 34, 35–36,  
185–186  
law enforcement, 21, 29, 304  
layer interaction, 198  
least convex polygon, 178, 179  
left polygon, 83  
left turns, 233  
legal descriptions, 38  
legends, 170, 284  
Leica Geosystems, 326  
level of polygons, 171–172  
limitations  
computer-assisted cartography, 94, 95  
computer-assisted design, 96  
Dual Independent Map Encoding, 85  
Global Positioning Systems, 120  
heads-up digitizing, 128–129  
MAP data model, 80  
paper maps, 137  
shapefile, 81  
spaghetti model, 80  
of street maps, 229  
without metadata, 163  
linear cartograms, 290  
linear features, 48, 140  
linear interpolation, 209–210  
line-of-sight analysis, 214, 216  
lines  
about, 18  
in circuitry, 230–231  
in computerized maps, 79  
linking of, 82  
nearest neighbor analysis, 54  
non-comparative features, 43  
orthogonal/diagonal cells, 67  
on polygons, 240, 243–244  
raster models, 75  
as space on maps, 40  
symbols for, 42, 44  
in topology, 83  
in vector systems, 147

link #, 83  
 links, 86, 112  
 local functions, 258–259, 269  
 location errors, 34  
 location of polygons, 175–176  
 logarithmic operators, 258  
 logical comparison, 257  
 logical operators, 171, 264  
 logical overlays, 245–249  
 logic-based search strategies, 167  
 longitude, 35–36, 185–186

## • M •

management agencies, 304  
 management awareness, 314  
 Manhattan distances, 187–188  
 map algebra  
   data model, 78  
   functions with, 256–270  
   language of, 256  
   in map comparison, 250  
   modeling language, 72  
   understanding, 254–256  
 Map Analysis Package (MAP). *See* map algebra  
 map models. *See also* map algebra  
   cartographic models, 253–254  
   formulating, 270–273  
   implementing, 273–275  
   testing, 275–276  
 map reading  
   about, 39  
   computerized, 60  
   interpretations, 55–56  
   patterns  
     analyzing/quantifying, 50–54  
     recognizing, 44–50  
   symbols, 40–44  
 mapmakers, 24–27  
 mapped areas, 285  
 mapping companies, 303  
 MapQuest, 294

maps  
   coordinate systems/land subdivisions, 34–38  
   elements of, 284–285  
   geographic representation of, 23–27  
   overlays, 240–244  
   projections and datums, 31–34, 186  
   traditional, 280–287  
   types of, 27–31  
 maps, multiple. *See* multiple maps  
 marketing, 9, 235, 295  
 mathematical inconsistencies, 114–115  
 mathematical operators, 171, 258  
 mathematics of neighborhood, 82–84  
 matrix algebra, 255  
 maximum and minimum values, 144  
 maximum friction values (barriers), 197  
 mean, 144  
 measurement. *See also* distance  
   measurement  
     baselines, 33, 37–38  
     connectivity, 225–227  
     data, 42–44, 65–66  
     errors, 34  
     of land, 36–38  
     levels of, 41–42, 152  
     scales of, 169  
     of surfaces, 72  
     in zones, 35–36  
 median, 144  
 medical agencies, 304  
 medical maps, 29  
 medium risk safety corridors, 189  
 merchandise distributors, 10  
 metadata, 132–134, 163, 177, 333, 342  
 meteorological and climate centers, 304  
 military functions, 21, 51, 214, 297, 304  
 minimum friction values (barriers), 197  
 mining, 204  
 misinterpretations. *See* accuracy  
 mission oriented organizations, 305  
 MLS (Multiple Listing Service), 20, 303  
 mobile homes, 177

mode, 144  
modeling, 72, 97–98, 274, 276. *See also*  
    data models  
modest risk safety corridors, 189  
monitor choices, 286  
movement of weather systems, 16  
Multiple Listing Service (MLS), 20, 303  
multiple locations to multiple locations  
    analysis, 214  
multiple maps  
    about, 109, 239–240  
    capability comparisons, 110–115  
    data layering, 110  
    logical overlay, 245–249  
    map overlay, 240–244  
    object-oriented models, 115–116  
    raster overlay, 250  
    selective overlay, 250–251  
multivariate global functions, 270

## • N •

naming conventions, 158  
narrowing down with maps, 174–175  
National Geospatial Data Clearinghouse,  
    334, 337–338  
National Geospatial-Intelligence Agency, 279  
natural breaks, 284  
nearest neighbor statistic, 53, 54  
nearness, 191–192  
needs analysis, 310–311  
neighborhood functions, 259–264  
networks  
    circuitry characteristics, 230–231  
    connectivity measurement, 225–227  
    distance measurement, 188  
    impedance values, 227–229  
    one-way paths, 229–230  
    of streams, 223  
    traffic, 234–238  
    turns/intersections, 232–233  
nicest path, 237

nodes 1 and 2, 83  
node-to-node links, 225  
noise abatement, 214  
nominal objects, 19, 41, 42–43  
non-cartographic output  
    about, 293  
    alarms/signals, 297  
    customer lists/statistical data, 294–296  
    routings/travel directions, 294  
    virtual output, 297–300  
non-comparative features, 43  
noncontiguous areas, 68  
non-contiguous cartograms, 289–290  
non-linear interpolation, 210–211  
non-profit organizations, 305–306  
non-turns, 233  
non-uniformity (surfaces), 195  
normalizing data, 282  
northings, 35  
NOT operators, 167  
number coding, 67  
numbering  
    coding with, 68  
    of land parcels, 38  
    of townships, 37  
numerators, 24

## • O •

object-oriented database management  
    system (OODBMS), 104–105  
object-oriented models, 115–116  
object-oriented programming (OOP), 87  
object-oriented systems, 104–108,  
    114–115, 149  
objects. *See also* geographic object  
    searches  
    about, 104  
    description linking, 79  
    in object-oriented systems, 114  
    searching for, 138–139  
observation points, 207, 214, 215

- OD (Origin-Destination) matrix, 228–229, 237
  - 1/flattening, 33–34
  - one-dimensional features/objects, 18, 40
  - one-way paths, 229–230, 234
  - OODBMS (object-oriented database management system), 104–105
  - OOP (object-oriented programming), 87
  - operators
    - AND/OR/NOT, 167
    - logical, 171
    - for map algebra, 257, 258, 264, 268
  - optical geometry, 215
  - OR search, 245
  - ordered operations, 270
  - ordinal (ranked) objects/polygons, 19, 41, 42, 43, 171
  - organizational change, 14–15, 301–302, 313–314
  - organizational diagrams, 306
  - orientation, 203–204
  - orientation of polygons, 173
  - Origin-Destination (OD) matrix, 228–229, 237
  - orthogonal cells (edge to edge), 67, 186, 267, 272
  - outerbelts, 48
  - output devices, 27, 282
  - overlays, 79, 85–86, 95, 98, 113
  - overshoots, 131, 132
  - ownership, land, 36–38, 64
- p •**
- packaging descriptions, 105–108
  - pair-wise nearest neighbors, 54
  - paper maps, limitations, 137
  - parallel stream patterns, 49–50
  - pathways, 48
  - patterns
    - analyzing/quantifying, 50–54
    - changes in, 16
    - coding, 67, 68, 281
    - comparisons of kind, 96
    - questions, 37
    - recognizing, 44–50
  - PCI Geomatics, 325–326
  - peaks, 218
  - people problems, 308–309
  - perforation of formal regions, 264
  - perimeter, 267
  - philanthropic organizations, 305
  - physical environment, 199, 200
  - physical geography, 61
  - physical parameters, 195
  - picture elements. *See* pixels
  - PitneyBowes MapInfo Incorporated, 320–321
  - pixels, 120–121
  - place names, 285
  - place sequence emphasis, 290
  - planar projections, 32
  - planar/spherical coordinates, 186
  - planet mapping, 94
  - plotters, vector based, 72
  - point object concentrations, 168
  - point of diminishing returns, 205
  - point to point analysis, 214
  - pointers, 112, 113
  - points
    - about, 18
    - buffers around, 189
    - in computerized maps, 79
    - distance between, 67
    - in ESRI maps, 86
    - nearest neighbor analysis, 54
    - in polygons, 240, 241–243
    - raster models, 75
    - as space on maps, 40
    - symbols for, 42
    - in topology, 83
    - in vector systems, 147
  - polar diameters, 33
  - political/cultural studies, 299
  - polygons
    - about, 18

as areas, 66, 68  
characteristics of, 167, 171–176  
codes, 102  
in computerized maps, 79  
in ESRI maps, 86  
logical overlay comparisons, 245–249  
position of, 175–176  
in raster systems, 267  
size of, 168  
in the TIN model, 91  
in topology, 83  
in vector systems, 147  
polygons to polygons, 240  
polynomial regression, 212  
population figures, 125, 204  
positioning in common, 177–178  
possible destinations, closest, 235  
pour points, 218, 223  
precision, 71  
predictability of patterns, 45  
prediction, values, 70  
presence/absence overlay method, 240  
preservation, maps, 129  
preservation of properties, 32  
primary data, 11–12  
primary key, 99  
principal meridians, 38  
printing, 27, 72, 282  
private data sources, 302  
private/commercial organizations, 303–304  
processes. *See* cause and effect  
product line, 314  
prohibitions, 88  
projections, 3, 31–34, 35, 96  
properties  
  common, 104, 176–177  
  sharing, 87, 88, 114  
  of Z values, 204  
proximity, 16, 31  
public data sources, 302  
puck, 126  
punctuation errors in SQL, 167  
Pythagorean Theorem, 184–185

## • Q •

qualitative data, 280–281  
quality considerations  
  data components, 117–118  
  grid cells, 77  
  hand-digitizing data, 126  
  of line displays, 158  
  metadata, 133, 134  
quantiles, 284  
quantitative data, 281–282  
quantitative operators, 264  
questions for vendors, 329–332  
Quicktime (.mov) files, 299

## • R •

radial stream patterns, 49–50  
radiation values, 120  
radio-collared wildlife species, 298  
Rand McNally, 279  
random distributional patterns, 45  
random nearest neighbor distance, 53–54  
random sampling, 124  
ranking, 43, 171–172, 176, 282  
raster system searches  
  about, 137  
  counting and tabulating, 144–145  
  software for, 141–143  
  strategies, 138–141  
rasters  
  about, 1  
  data, 66–69, 71–72, 89–90, 96, 102  
  distance measurement, 188  
  groundwater global functions, 270  
  layer interaction, 198  
  models, 73–79  
  overlays, 250  
  satellite images compared with, 122  
  storage as ASCII characters, 96  
  stream analysis strengths, 222  
rational numbers, 97  
ratios, 19, 41–42, 55, 207

- ray tracing, 215–217
  - RDBMS (relational database management systems), 98, 102, 105
  - readability, 26, 287
  - reader characteristics, 27
  - real estate companies, 20, 303
  - reality representation, 26–27
  - real-time information, 297
  - reclassification operators, 258
  - rectangular stream patterns, 50
  - reference ellipsoids, 33–34
  - reference maps, 27–29
  - regional data collection, 205–206
  - relational database management systems (RDBMS), 98, 102, 105
  - relational joins, 100–101
  - relations (associations), 98
  - relative distance measurement, 191–194
  - relative values, 282
  - relief organizations, 305
  - remote sensing, 71, 120–123
  - repeated sequencing of shapes, 48–50
  - representation tool, GIS as, 13–14
  - resampling to coarser grids, 268
  - resolution quality, 71, 72, 76, 118
  - results, expected, 152
  - retrieval ease, 85
  - reverse engineering, 310–311
  - review and remediation., 313, 314
  - right polygons, 83
  - right triangles, 184–185
  - right turns, 233
  - riparian corridors, 222
  - rise over reach, 203
  - river types, 49–50
  - road maps, 29
  - road network changes over time, 226
  - robustness of object-oriented models, 108, 116
  - routed line cartograms, 290
  - routings, 294
  - row duplication, 99
  - rugged surfaces, 201–202, 205
  - rules, 27, 208, 233
  - rush hours, 237
- S ●
- safety, 88, 189
  - sample searches, 153–157, 159, 174–175, 179–180
  - sampling, 118, 123–124, 177, 205–207, 268
  - satellite images, 17, 71, 87, 94, 122
  - satellite radio signals, 119–120
  - saving searches, 157–158
  - scalar data, 19
  - scale
    - appropriateness of, 118
    - in group definitions, 176
    - of maps, 24–25, 26–27, 30–31, 284
  - scanning maps, 125–126, 127
  - scenic routes, 237, 294
  - schema, 106
  - scope of GIS
    - about, 9–11
    - GIS collective, 11–15
    - spatial thinking, 15–19
    - uses of GIS, 20–22
  - searches, 77, 99, 144–145
  - seasonal closings, 237
  - secondary data, 12
  - sections, 37
  - segmentation, data, 110
  - seismic hazards, 31
  - selection operators, 258
  - selective overlay, 250–251
  - semi-major axis, 33–34
  - sensory data, 118–123
  - separation, 192
  - sequence changes in surface value, 209
  - sequence of shapes, 48–50
  - sequential path, 299
  - service areas, 237–238
  - set theory, 245–248
  - setback buffers, 189
  - shading, 68

- shape of land, 16
- shape of polygons, 173
- shapefile, 80
- “sharing the property,” 87
- shelterbelt networks, 226
- shortest path, 188, 226, 234, 294
- .shp extension, 80
- Shreve method, 224
- shrink-swell clay, 31
- .shx extension, 80
- signals, 297
- sines, 185, 258, 259
- sinuosity, 16
- SIP (spatial information product), 130, 303
- six-year planning horizon, 312
- size of land/polygons, 16, 173–174
- slope (angle from horizontal), 90, 195, 203–204, 273
- smooth surfaces, 201–202, 205
- socioeconomic data, 30, 200
- software
  - algorithms, 275–276
  - bundling, 286
  - datum choices, 34
  - for digitizing, 127
  - equipment compatibility, 13, 282
  - pattern analysis, 52
  - projection conversions, 32–33
  - for rasters, 66, 141–143
  - robustness, 143
  - transportation-specific, 226
  - for vectors, 66
- software vendors. *See also specific vendors*
  - questions for, 329–332
  - vendors, 317–328
- soils, 31, 59, 197
- space categories, 40
- spacing in group definitions, 177
- spaghetti model, 80
- spatial accuracy, 71
- Spatial Analyst, 79, 257
- spatial co-occurrence, 180
- spatial data, 133
  - spatial decision-making, 254
  - spatial information, 160–161
  - spatial information product (SIP), 130, 303
  - spatial patterns. *See* patterns
  - spatial relationships, 81–84, 180
  - spatial sampling, 123–124
  - spatial statistics packages, 178
  - spatial surrogates (replacement data), 274
  - spatial thinking, 15–19
  - species interaction, 192
  - spectral values, 121, 122
  - speed, traffic, 227
  - sphere of influence, 272
  - spherical conversions, 31–32, 186
  - spherical Earth distances, 185–186
  - SQL (Structured Query Language), 103–104, 151, 152–160, 167
  - standard deviations, 144, 284
  - statistical surfaces
    - character of, 199–204
    - values prediction with interpolation, 209–212
    - working with, 204–208
  - statistics
    - data, 118, 123–125, 294–296
    - functions, 144, 270
    - operators, 258
      - as Z values, 204
  - steepness, 202, 220
  - STF (summary tape files), 125
  - storage space, 71
  - Strahler method, 224
  - straight-line paths, 184–186
  - stratification of samples, 124
  - streams
    - analysis, 217, 223
    - cells, 223
    - definition, 222–224
    - ecology, 159
    - magnitudes, 224
    - morphometry, 213, 222, 223
    - ordering, 217
    - patterns, 49–50, 55
    - types of, 49–50

- streets to avoid, 294
  - Structured Query Language (SQL). *See* SQL (Structured Query Language)
  - sub-basins, 218
  - subject matter experts, 56
  - sub-parallel stream patterns, 49–50
  - substrate modeling, 270
  - subsurface flows, 270
  - summary statistics, 162, 295
  - summary tape files (STF), 125
  - supervised classification, 122
  - surfaces
    - about, 18, 68
    - analysis, 206
    - definition, 199
    - as features, 66
    - functions, 269
    - models, 87, 89–91
    - raster/vector data, 70, 72
    - types of, 195
  - surroundedness, 193–194
  - survey data, 87
  - symbols/symbology, 25–27, 40–44, 285
  - symmetrical difference overlay, 245, 247–248
  - systems
    - development costs, 333
    - operators, 302
    - sampling, 124
    - sponsors, 302
    - users, 301
- T •
- table of relations, 99–100
  - tables, 98–104, 242, 244, 296
  - tabular reports, 295
  - tabulation, 162
  - target cells, 259, 263–264, 272
  - target points, 214
  - technological change, 307, 314
  - telecommunications systems, 214
  - telephone calls, 297
  - terrain evaluations, 299
  - thematic maps, 27, 29–30, 61–65
  - themes in searches, 78, 152
  - third-party vendors, 85, 90, 134
  - three-dimensional features/objects, 18, 40, 66, 73, 298
  - tics, 86
  - TIGER (Topologically Integrated Geographical Encoding and Referencing), 82, 85, 125
  - time coding, 141
  - timeliness, 118
  - times of day, 237
  - TIN (Triangulated Irregular Network), 70, 72, 90–91
  - title, 284
  - Tomlin, C. Dana (map algebra researcher), 253, 255, 256, 270
  - tools, metadata, 133–134
  - topographical surfaces
    - basins, 217–219
    - flow characteristics, 219–221
    - stream definition, 222–224
    - viewshed analysis, 213–217
  - topological graphics data models, 112
  - Topologically Integrated Geographical Encoding and Referencing (TIGER), 82, 85, 125
  - topology, 81–84
  - tornados, 52–54
  - townships, 37
  - traffic flow
    - coding, 230
    - directing, 234–238
    - impedance in, 228–229
    - pattern analysis, 231
  - transportation
    - gamma index in, 226
    - impedance in, 227
    - networks, 158
    - planning, 37, 243
    - routed line cartograms in, 290
  - transportation geography, 61, 64

transportation-specific software packages, 225  
 travel directions, 294  
 trellis stream patterns, 50  
 trend surface, 212  
 Triangulated Irregular Network (TIN), 70, 72, 90–91  
 tributaries, 218  
 trigonometry, 185, 203, 257, 258, 259  
 tuples, 98, 99  
 turns, 232–233  
 two-dimensional objects/representation, 18, 40, 73, 170–176  
 type of pattern, 52–54

## • U •

U turns, 233  
 UAVs (unmanned aerial vehicles), 21  
 ugly views, hiding, 214  
 undershoots, 131, 132  
 unidirectional paths, 229–230  
 uniform distributional patterns, 47  
 union overlay, 245–246  
 United States, connectivity in, 226  
 Universal Soil Loss Equation, 197  
 Universal Transverse Mercator (UTM), 35–36  
 university departments, 305  
 university faculty advice, 342  
 unmanned aerial vehicles (UAVs), 21  
 unsupervised classification, 122  
 updating, 5, 123, 314  
 UPS, 158  
 urban impact assessment, 299  
 urban planners, 9, 51, 239  
 U.S. Census, 82, 84–85  
 U.S. Geological Survey (U.S.G.S.)  
   aerial photography, 120  
   Digital Elevation Model, 87, 90, 215, 217, 220, 273  
 U.S. Public Land Survey System (PLSS), 36, 37, 38

usability, 280, 287  
 user interface, 96, 257  
 user satisfaction, 276  
 utilities, 30, 51, 64, 226  
 UTM (Universal Transverse Mercator), 35–36

## • V •

validation, 150, 162–163  
 value-added data/products, 90, 342  
 value-by-area maps, 288  
 values  
   coding, 67  
   of height, 70  
   interpolation, 209  
   of map themes, 78  
   of polygons, 173  
   of symbols, 44  
 vandalism, 177  
 variable buffers, 189  
 vector system searches  
   about, 147  
   counting/tabulation/summary statistics, 161–162  
   data, 148–151  
   geography in searches, 160–161  
   search approaches, 151–152  
   SQL searches, 152–160  
   validating, 162–163  
 vectors  
   about, 1  
   data, 66, 69–72, 79–88, 101–102, 147  
   distance measurement, 184–186, 188  
   surfaces in, 90–91  
 vegetation types, 177  
 vendors. *See* software vendors  
 vertices (points), 70, 90, 91  
 VerySpatial, 6  
 viewshed analysis, 213–217  
 vineyards, 303  
 virtual output, 297–300  
 vision impairment, 27

visual hierarchy, 287  
visual overlays, 96  
vocabulary, 27  
volcanoes, 177  
volumes, 40, 43, 44, 54, 68, 70

## • W •

water accumulation, 217, 218  
watersheds, 222  
weakest link hypothesis, 31  
weather phenomena, 298  
Web sites, 6, 33, 133, 294  
weighted-based-on-distance method, 211  
whole numbers, 97  
wildlife specialists, 51  
winter tourists, 177  
worm's eye view, 258

worship locations, 67  
written commands, 256

## • X •

X and Y coordinates, 76–77

## • Y •

Yahoo! Maps, 234

## • Z •

Z values, 91, 201, 202  
zero-dimensional features/objects, 18, 40  
zonal functions, 264–268  
zones in Universal Transverse Mercator,  
35–36



