

Index

• A •

- absolute measurement, 183–190
- absolute starting point, 42
- accessibility, 110
- accumulation. *See* water accumulation
- accuracy
 - of conversion, 32–33, 72
 - database errors, 131, 132
 - datums, 299, 300
 - of Digital Elevation Model, 90
 - elevation values, 89
 - of interpolation, 206
 - of interpretation, 46
 - location/measurement errors, 34
 - of maps, 147, 280
 - of object-oriented models, 108
 - raster/vector data, 71
 - sampling errors, 177
 - scale as factor, 30–31
 - of scanning, 127
 - of software, 275–276
 - spatial, 75
 - of statistics packages, 178
 - of surface data, 97
 - of Topologically Integrated Geographical Encoding and Referencing, 85
 - of Universal Transverse Mercator, 35–36
 - of vector searches, 148
 - verification, 65–66
 - of viewshed models, 216
- acres, 37
- adjacency, 17, 191–192
- advanced geographic representations, 87–88
- aerial photography, 17, 71, 120
- agency benefits, 312
- aggregation, 169, 178
- agriculture, 297
- airline safety, 298
- alarms, 297
- algorithms
 - best first, 234
 - shortest path, 188
 - software, 275–276
- allocation, 238, 272
- alpha index, 231
- analog (hard copy) maps, 61
- analysis
 - basins, 217
 - complexity, 138
 - cost/benefit, 311–313
 - of GIS in organizations, 310–313
 - with grid systems, 97–98
 - needs, 310–311
 - from overlays, 242
 - patterns, 50–54
 - quality of, 31
 - service areas, 238
 - shortcomings, 95–96
 - software checks, 275–276
 - stream definition, 222
 - surface, 206
 - traffic patterns, 231
 - vector differences, 148
 - viewsheds., 214–215
- analytical model design, 311
- AND operators, 167, 246
- animations, 297–298
- anisotropy, 195
- annotations in maps, 86
- annulus (donut shape), 50, 261, 264
- application design, 310–311
- applications developers, 302
- appropriateness, 118, 280
- ArcGIS, 102, 153–157, 158, 161
- ArcInfo, 85–86, 98, 101–102, 111–112, 116

arcs in maps, 86
 area objects, 242
 areas
 about, 18
 cartograms, 288
 classification of, 284
 nearest neighbor analysis, 54
 as non-comparative features, 43
 polygons as, 66, 68
 raster models, 75
 searching for, 140–141
 as space on maps, 40
 surface data, 204–205
 symbols for, 42, 44
 of topology, 83, 84, 87
 in zonal functions, 267
 arithmetic operators, 257
 artistic success of maps, 280, 287
 ASCII characters, 96
 aspect (direction), 90, 273
 atlases, 28
 attributes
 changes to, 98
 color/patterns, 281
 errors in, 131
 graphics linking, 94–95
 of hybrid systems, 111–112
 as linked lists, 95–96
 searching, 142, 151, 172
 storage as ASCII characters, 96
 tables, 87
 audience response, 145
 Audio Video Interleave (.avi) files, 299
 Australian Consortium for the Asian Spatial
 Information and Analysis Network, 335,
 340–341
 auto thefts, 37
 Autodesk, Inc., 324
 automated electronic/signaling systems,
 297
 automobile onboard navigation systems,
 297

• B •

backup plan for output devices, 282
 banking, 20
 barometric pressure, 204
 base maps, 121
 baseline measurements, 33, 38
 basins, 217–219
 behavior of objects, 105
 benefits, raster/vector compared, 71–72
 benefit-to-cost ratio, 312
 Bentley GIS, 327
 Berry, Joseph K. (map algebra researcher),
 253, 255, 256, 270
 best first algorithm, 234
 best practices, 106
 bidirectional buffers, 190
 bifurcation ratio, 223
 biodiversity, 265
 block functions, 268–269
 borders, 285
 boundaries, basin, 218
 buffers, 188–190, 191–192
 building contractors, 31, 61–62, 63–65
 built-in flowcharting, 274
 bundling hardware/software, 286
 bus routes, 158
 business customers, 51
 business owners, 9
 businesses, 20
 by-cell operations, 258

• C •

CAC (computer-assisted cartography),
 94–95
 CAD (computer-aided design), 94, 95–96
 Canada Geospatial Data Infrastructure,
 336, 341
 Canadian resources, 21
 cartograms, 287–292
 cartographic modeling, 72, 253–254,
 270–273

- cartographic output
 - about, 279–280
 - cartograms, 287–292
 - traditional maps, 280–287
- categories
 - in GIS, 166
 - of grid cells, 77
 - in group definitions, 176
 - of map themes, 78
 - searching by, 170–171
- cause and effect, 48, 50–51, 180
- CBA (cost/benefit analysis), 311–313
- census data, 124–125
- census geography, 84, 125
- Center for International Earth Science Information Network, 334, 339
- center of gravity of the distribution, 206
- central tendency, 144
- central trunk stream, 218
- central-point cartograms, 290
- centripetal stream patterns, 49–50
- centroid (center of an area), 206, 267
- CGIAR Consortium for Spatial Information, 335, 340
- characteristics
 - sharing, 87, 88
 - of statistical surfaces, 199–204
- charts, 145, 296
- checkerboard pattern, 73–74
- children under 5 years old, 30
- choropleth map, 288
- circuitry, 48, 55, 230–231
- city planning, 21, 64, 214
- Clark Laboratories, 323
- classification
 - appropriateness of, 118
 - creating, 283–284
 - discrepancies, 133
 - of nearby areas, 82
 - of objects, 149
 - properties, 114–115
 - in searches, 152
 - of symbols, 44
 - types of, 122
- clay (soil), 31
- client lists, 342
- climate change, 298
- clip overlay, 249
- closed loops, 230
- clustered distributional patterns, 46
- clustered sampling, 123
- coding
 - color, 67, 68, 281
 - direction, 220, 221, 230
 - pattern, 67, 68, 281
 - time, 141
 - of turns/intersections, 232–233
- college admissions departments, 305
- color blindness, 27, 286
- color coding, 67, 68, 281
- columnar reports, 295
- combinations of layers, 112, 114–115
- command-line interface, 256, 257
- comparable data relationships, 110
- comparison
 - of kind, 43
 - of map-handling capabilities, 110–115
 - of maps/map layers, 97–98
- compass direction, 203
- compatibility
 - of features, 105
 - of raster/vector data, 71
 - of software/hardware, 13, 282
- complement overlay, 245, 247–248
- complementary information, 86
- completeness, 118
- components of GIS, 11
- computational accuracy, 71
- computer-aided design (CAD), 94, 95–96
- computer-assisted cartography (CAC), 94–95
- computerized map reading, 60
- computing power, 12–13
- conceptual models
 - about, 59
 - computerized map reading, 60
 - contents of, 61–66

- conceptual models (*continued*)
 - conversion to computerized models, 66–72
 - creation of, 60
 - congestion, 237
 - conic projections, 32
 - connectivity
 - about, 16
 - of highway systems, 48
 - measurement, 225–227
 - of networks, 55
 - of topology, 83, 84, 87
 - conservation groups, 21, 305
 - construction zones, 237
 - consulting firms, 303
 - containment, 193–194
 - Content Standard for Digital Geospatial Metadata, 333
 - context, 27
 - contiguity, 68, 83, 84, 87, 264
 - contiguous cartograms, 289–290
 - continuing education, 5
 - continuity assumption, 208
 - continuous data, 207
 - continuous surfaces, 201
 - contrast in map design, 287
 - conversion
 - from CAD, 96
 - to computerized models, 66–72
 - to matrix models, 91
 - to raster grid structure, 90
 - to scaled map data, 95
 - coordinate systems
 - CAD limitations, 96
 - distance measurement, 186
 - finding objects by, 76
 - map information, 34–38
 - as scaled map data, 95
 - of vectors, 69
 - co-registration of grids, 76–77
 - correction of overshoots, 132
 - corrections agencies, 21, 304
 - corridors, 225
 - cosines, 185
 - cost/benefit analysis (CBA), 311–313
 - costs
 - of Global Positioning Systems, 120
 - initial outlays, 312
 - updating, 123
 - counting, 162
 - coverage model, 85–87, 111
 - credits, 285
 - criminologists, 51
 - cross-sectional profiles, 91
 - cultural studies, 299
 - cursor, 126
 - customer lists, 294–296
 - cylindrical projections, 32
- D •
- damage estimation, 299
 - damage potential (water), 220
 - Dangermond, Jack (ESRI president), 22
 - dangling nodes, 131
 - data. *See also* geographic data digitizing
 - appropriateness of, 118
 - area surfaces, 204–205
 - availability of, 26–27
 - breaking down, 63–65
 - characteristics, 65–66
 - fitting models to, 274
 - geographic, 11–12
 - layering, 110
 - measurement scales, 169
 - modeling, 72
 - qualitative, 280–281
 - quantitative, 281–282
 - in rasters, 96–97, 102
 - remotely sensed, 71
 - reorganizing, 169
 - source modifications, 342
 - spatial, 17–19
 - structure of, 69–70, 149–151
 - suppliers of, 302, 303
 - symbolology and, 42–44

- types of, 30, 148
- in vectors, 101–102, 147
- data descriptions tracking. *See* descriptive data tracking
- data models
 - rasters, 73–79
 - surfaces, 89–91
 - vectors, 79–88
- data points, 201
- database management systems (DBMS), 98, 143, 149
- databases
 - correlations in, 37
 - datum conversion accuracy, 34
 - design, 311
 - errors in, 131
 - management systems, 79, 98–104
 - scale variations in, 30–31
 - time coding, 141
- datums, 3, 33–34, 299, 300
- .dbf extension, 80
- DBMS (database management systems), 98, 143, 149
- dead ends, 234
- decimal numbers, 97
- decomposing projects, 130
- defined intervals, 283
- degradation of original data, 342
- delivery vehicles, 20, 298
- DEM (Digital Elevation Model), 87, 90, 215, 217, 220, 273
- demographic data, 295
- dendritic stream patterns, 49–50
- denominators, 24
- density, 16, 53–54
- depressionless surface, 218
- description
 - graphics linking, 98
 - object linking, 79
- descriptive data tracking
 - about, 93
 - object-oriented systems, 104–108
 - simple systems, 94–98
 - tables/database management systems, 98–104
- design (artwork), 280, 287
- design work (drafting), 94
- destination finding, 236
- detail level, 66, 118
- diagonal distances, 186
- diagonals of cells, 67, 267, 272
- diagrams, 296
- diameter of Earth, 33
- Digital Elevation Model (DEM), 87, 90, 215, 217, 220, 273
- digital imagery, 87
- digital (electronic) maps, 61
- digitizing
 - choices, 130–131
 - cleaning up, 131–132
 - forms of, 125–129
 - metadata, 132–134
 - preparing for, 129–130
- DIME (Dual Independent Map Encoding), 82, 84–85, 125
- dimensions, representation of, 73–74
- direct benefits, 312
- direction coding, 220, 221, 230
- direction lines on flat surfaces, 35
- direction of events, 55
- Directions Magazine, 6
- discomfort with maps, 287, 288
- discrete surfaces, 201
- disk space, 71
- display tool, GIS as, 13–14
- dissimilar features, 47–48
- distance measurement
 - absolute measurement, 183–190
 - estimating, 176
 - in flowcharting, 273
 - functional distance, 194–198
 - relative measurement, 191–194
 - types of, 269
- distance-weighted interpolation, 211–212

- distortions
 - spherical to flat-surface conversions, 31–32, 35
 - as technique, 288
- distribution
 - of features, 178
 - in GIS, 166
 - pattern types, 45–47, 52–53
 - questions, 37
 - searching for, 140–141
- downhill water movement, 219–220
- drafting work, 94
- drain points, 221
- draping, 207
- drawing exchange format (.dxf), 96
- drivers for digitizers, 127
- Dual Independent Map Encoding (DIME), 82, 84–85, 125
- .dwg files, 96
- .dxf files, 96

• E •

- E911 systems, 297
- Earth mapping, 94
- Earth sandwich, 109
- earthquakes, 31, 177
- Earth's diameter, 33
- Eason, Ken (Eason's principles), 309
- Eason's principles, 309
- eastings, 35
- ecology, 192, 222, 226, 265, 299
- economic geography, 61
- economic placement companies, 303
- edge species, 226
- education level attainment, 30
- educational organizations, 305–306
- efficiency
 - of computer-assisted cartography, 95
 - of map overlaps, 98
 - of object-oriented systems, 104
- electromagnetic spectrum, 121
- electronic maps, 61
- elevation values
 - accuracy of, 89
 - basin analysis, 217
 - changes in, 68
 - in expanded-search approach, 221
 - unique, 90
 - in water flow changes, 219–221
- ellipsoids, 33–34
- emergency services, 21, 51, 304
- enterprise plans, 314
- entities, 86, 95, 98, 111–112, 131
- Environmental Systems Research Institute (ESRI)
 - about, 317–319, 337
 - ArcGIS, 257
 - ArcInfo, 98, 101–102
 - coverage model, 85–87
 - features of, 334
 - geodatabase, 105–106, 114
 - K-12 educators, 109
 - Map Objects product, 87
 - maps arcs in, 86
 - Model Builder, 274
 - Podcasts, 6
 - Spatial Analyst software, 79
- epidemiology, 179
- equal intervals, 283
- equatorial diameters, 33
- erosion, 219–220
- error avoidance, 104, 149. *See also*
 - accuracy; safety
- ESRI. *See* Environmental Systems Research Institute (ESRI)
- Euclidean method, 184
- evolution of streams, 222
- exact interpolation methods, 211–212
- exaggeration of geographic space, 288
- expanded-search approach, 221
- expectations, 152
- expediency, 342
- exponential operators, 258
- extent of map, 23
- external benefits, 313
- external players, 301

● **F** ●

facets, 90
facilities management, 113
failures, GIS, 308–309
family income, 30
fastest path, 235–237, 294
features
 distribution changes, 178
 fastest-route, 235
 friction from, 195
 of GIS Data Sources, 334–336
 in hybrid systems, 112
 inclusion decisions, 26
 incompatibility of, 105
 patterns among, 47–48
 on reference maps, 28
 searching, 140, 151
 stored as objects, 88
 in viewshed models, 216
Federal Geographic Data Committee, 133
FedEx, 158
field data, 123–124
figure ground, 287
final product specifications, 61–63
fire fighters, 158, 297
first-order streams, 223
flat coordinate systems, 186
Flat Earth Society, 31
flat surface distances, 184–185
flatness ratios, 33
flexibility of tables, 101
flight simulation, 299
flood zones, 31, 85
flow characteristics, 219–221
flowcharting, 64–65, 271, 274
flythroughs, 298–300
focal flow function, 262
focal functions, 259–264
focal-maximum search, 264
focused study areas, 141
foreign key, 100
formal regions, 264

formulation flowchart, 271
fractions, scales as, 24
fragmentation of formal regions, 264
friction, 195, 197–198, 219
functional distance, 194–198
functional relationships, 180
functions, modeling tasks as, 257
future benefits, value of, 312

● **G** ●

gamma index, 225–226, 230
GE Smallworld, 87, 324–325
geodatabase, 87–88, 104, 106, 114–115
geodesy, 33
geographic data digitizing
 digitizing, 125–134
 identifying quality data, 117–118
 importing data, 118–125
geographic object searches
 about, 165
 elements of, 160–161
 group definitions, 176–180
 object appropriateness, 166–169
 polygon searches, 166
 2-D map objects, 170–176
geographic representation, 23–27, 71
geography improvements, 85
geometry
 area comparisons, 249
 intervals, 284
 of patterns, 51–52
 in searches, 260, 262
 zonal, 266–268
geomorphologists, 222
Geoscience Australia, 336, 341
geospatial metadata, 133
GIS Café, 6
GIS Data Depot, 6, 334, 336–337
GIS Data Sources. *See also specific vendors*
 about, 333
 cautionary note, 342
 features of, 334–336
 vendors, 336–341

- GIS in organizations
 - analysis, 310–313
 - change detection, 313–314
 - introducing GIS, 306–310
 - organizational change, 301–302
 - uses of, 302–306
- GIS Lounge, 6
- GIS packages, 11–12, 35, 75–76, 87, 302.
 - See also specific components; specific software; specific vendors*
- global functions, 269–270
- Global Positioning System (GPS), 119
- Go-Geol., 335, 339
- Google Earth, 298
- Google Maps, 234
- governing rules/conditions, 105–106, 114–115
- government agency benefits, 313
- government organizations, 304–305
- GPS (Global Positioning System), 119
- GPS-enabled transportation, 158
- gradients, 203
- graduated symbols, 43–44
- graphic map design, 286–287
- graphical query tool, 176
- graphical user interface (GUI)
 - for map algebra, 256, 257
 - for overlay, 240
 - for searches, 148, 151, 167, 171
- graphics
 - attribute linking, 94–95
 - description linking, 98
 - digitizing, 127
- graphs, 145
- GRASS GIS, 327–328
- graticules, 285
- great circle distance, 185
- grid cell resolution, 76
- grid cells in distance measurement, 186
- groundwater global functions, 270
- growth of organizations, 303
- GUI (graphical user interface). *See* graphical user interface (GUI)

• H •

- hand-digitizing data, 125–127
- hardcopy output, 61, 125, 282
- hardware
 - bundling, 286
 - components of, 12–13
 - digitizer drivers, 127
- hazardous material maps, 29
- head gradient, 270
- heads-up digitizing, 121, 128–129
- help overlay, 240
- hierarchy, 104
- high risk safety corridors, 189
- highway bypasses, 48, 231
- historical events, 22
- home security systems, 297
- hot spots, 46, 168, 298
- housing developments, 61–62, 63–65
- human environment, 199, 200
- hybrid systems, 111–112, 113
- hydrological engineering programs, 270
- hydrology functions, 269
- hypotenuse, 184–185
- hypotheses, 167

• I •

- icons in this book, 4–5
- identity overlay, 248
- Illinois tornados, 52–54
- imagery, 71, 121, 122
- immediate neighborhood, 262
- impedance
 - of dead ends/one-way paths, 234
 - in fastest path analysis, 236
 - in networks, 227–229
 - of scenic routes, 237
 - travel, 195
 - turns, 233
- industry-specific geodatabase, 88, 106–108
- industry-specific schemas, 106

- inflation discount percentage, 312
 - information overlays, 76–77, 79, 85–86, 95, 98
 - inheritance, 104, 114, 149
 - initial outlays, 312
 - ink quality, 282
 - institutional/system design, 311, 314
 - Instituto Nacional de Estadística
 Geographia e Informatica, 335, 340
 - insurance companies, 20, 31, 85
 - intangibles, 196
 - integrated system models, 113
 - integrated topological models, 112
 - integration planning, 309–310
 - interactive maps directing traffic, 235
 - Intergraph, 321–322
 - internal players, 301
 - interpolation, 70, 91, 209, 269
 - interpretations, 55–56, 145
 - intersections
 - networks, 232–233
 - overlays, 245, 246–247
 - roundabouts, 231
 - intervals, 19, 41, 42, 207, 283–284
 - inverse distance weighting, 211
 - isolation, 17, 192
 - isotropy, 195
- **J** •
- journalism, 20
- **K** •
- K-12 educators at ESRI, 109
- **L** •
- land management, 21, 34–38, 99–100, 249, 298
 - landscape architects, 239
 - latitude-longitude system, 34, 35–36, 185–186
 - law enforcement, 21, 29, 304
 - layer interaction, 198
 - least convex polygon, 178, 179
 - left polygon, 83
 - left turns, 233
 - legal descriptions, 38
 - legends, 170, 284
 - Leica Geosystems, 326
 - level of polygons, 171–172
 - limitations
 - computer-assisted cartography, 94, 95
 - computer-assisted design, 96
 - Dual Independent Map Encoding, 85
 - Global Positioning Systems, 120
 - heads-up digitizing, 128–129
 - MAP data model, 80
 - paper maps, 137
 - shapefile, 81
 - spaghetti model, 80
 - of street maps, 229
 - without metadata, 163
 - linear cartograms, 290
 - linear features, 48, 140
 - linear interpolation, 209–210
 - line-of-sight analysis, 214, 216
 - lines
 - about, 18
 - in circuitry, 230–231
 - in computerized maps, 79
 - linking of, 82
 - nearest neighbor analysis, 54
 - non-comparative features, 43
 - orthogonal/diagonal cells, 67
 - on polygons, 240, 243–244
 - raster models, 75
 - as space on maps, 40
 - symbols for, 42, 44
 - in topology, 83
 - in vector systems, 147

- link #, 83
- links, 86, 112
- local functions, 258–259, 269
- location errors, 34
- location of polygons, 175–176
- logarithmic operators, 258
- logical comparison, 257
- logical operators, 171, 264
- logical overlays, 245–249
- logic-based search strategies, 167
- longitude, 35–36, 185–186

• M •

- management agencies, 304
- management awareness, 314
- Manhattan distances, 187–188
- map algebra
 - data model, 78
 - functions with, 256–270
 - language of, 256
 - in map comparison, 250
 - modeling language, 72
 - understanding, 254–256
- Map Analysis Package (MAP). *See* map algebra
- map models. *See also* map algebra
 - cartographic models, 253–254
 - formulating, 270–273
 - implementing, 273–275
 - testing, 275–276
- map reading
 - about, 39
 - computerized, 60
 - interpretations, 55–56
 - patterns
 - analyzing/quantifying, 50–54
 - recognizing, 44–50
 - symbols, 40–44
- mapmakers, 24–27
- mapped areas, 285
- mapping companies, 303
- MapQuest, 294
- maps
 - coordinate systems/land subdivisions, 34–38
 - elements of, 284–285
 - geographic representation of, 23–27
 - overlays, 240–244
 - projections and datums, 31–34, 186
 - traditional, 280–287
 - types of, 27–31
- maps, multiple. *See* multiple maps
- marketing, 9, 235, 295
- mathematical inconsistencies, 114–115
- mathematical operators, 171, 258
- mathematics of neighborhood, 82–84
- matrix algebra, 255
- maximum and minimum values, 144
- maximum friction values (barriers), 197
- mean, 144
- measurement. *See also* distance
 - measurement
 - baselines, 33, 37–38
 - connectivity, 225–227
 - data, 42–44, 65–66
 - errors, 34
 - of land, 36–38
 - levels of, 41–42, 152
 - scales of, 169
 - of surfaces, 72
 - in zones, 35–36
- median, 144
- medical agencies, 304
- medical maps, 29
- medium risk safety corridors, 189
- merchandise distributors, 10
- metadata, 132–134, 163, 177, 333, 342
- meteorological and climate centers, 304
- military functions, 21, 51, 214, 297, 304
- minimum friction values (barriers), 197
- mining, 204
- misinterpretations. *See* accuracy
- mission oriented organizations, 305
- MLS (Multiple Listing Service), 20, 303
- mobile homes, 177

mode, 144
modeling, 72, 97–98, 274, 276. *See also*
 data models
modest risk safety corridors, 189
monitor choices, 286
movement of weather systems, 16
Multiple Listing Service (MLS), 20, 303
multiple locations to multiple locations
 analysis, 214
multiple maps
 about, 109, 239–240
 capability comparisons, 110–115
 data layering, 110
 logical overlay, 245–249
 map overlay, 240–244
 object-oriented models, 115–116
 raster overlay, 250
 selective overlay, 250–251
multivariate global functions, 270

• N •

naming conventions, 158
narrowing down with maps, 174–175
National Geospatial Data Clearinghouse,
 334, 337–338
National Geospatial-Intelligence Agency, 279
natural breaks, 284
nearest neighbor statistic, 53, 54
nearness, 191–192
needs analysis, 310–311
neighborhood functions, 259–264
networks
 circuitry characteristics, 230–231
 connectivity measurement, 225–227
 distance measurement, 188
 impedance values, 227–229
 one-way paths, 229–230
 of streams, 223
 traffic, 234–238
 turns/intersections, 232–233
nicest path, 237

nodes 1 and 2, 83
node-to-node links, 225
noise abatement, 214
nominal objects, 19, 41, 42–43
non-cartographic output
 about, 293
 alarms/signals, 297
 customer lists/statistical data, 294–296
 routings/travel directions, 294
 virtual output, 297–300
non-comparative features, 43
noncontiguous areas, 68
non-contiguous cartograms, 289–290
non-linear interpolation, 210–211
non-profit organizations, 305–306
non-turns, 233
non-uniformity (surfaces), 195
normalizing data, 282
northings, 35
NOT operators, 167
number coding, 67
numbering
 coding with, 68
 of land parcels, 38
 of townships, 37
numerators, 24

• O •

object-oriented database management
 system (OODBMS), 104–105
object-oriented models, 115–116
object-oriented programming (OOP), 87
object-oriented systems, 104–108,
 114–115, 149
objects. *See also* geographic object
 searches
 about, 104
 description linking, 79
 in object-oriented systems, 114
 searching for, 138–139
observation points, 207, 214, 215

- OD (Origin-Destination) matrix, 228–229, 237
 - 1/flattening, 33–34
 - one-dimensional features/objects, 18, 40
 - one-way paths, 229–230, 234
 - OODBMS (object-oriented database management system), 104–105
 - OOP (object-oriented programming), 87
 - operators
 - AND/OR/NOT, 167
 - logical, 171
 - for map algebra, 257, 258, 264, 268
 - optical geometry, 215
 - OR search, 245
 - ordered operations, 270
 - ordinal (ranked) objects/polygons, 19, 41, 42, 43, 171
 - organizational change, 14–15, 301–302, 313–314
 - organizational diagrams, 306
 - orientation, 203–204
 - orientation of polygons, 173
 - Origin-Destination (OD) matrix, 228–229, 237
 - orthogonal cells (edge to edge), 67, 186, 267, 272
 - outerbelts, 48
 - output devices, 27, 282
 - overlays, 79, 85–86, 95, 98, 113
 - overshoots, 131, 132
 - ownership, land, 36–38, 64
- p •**
- packaging descriptions, 105–108
 - pair-wise nearest neighbors, 54
 - paper maps, limitations, 137
 - parallel stream patterns, 49–50
 - pathways, 48
 - patterns
 - analyzing/quantifying, 50–54
 - changes in, 16
 - coding, 67, 68, 281
 - comparisons of kind, 96
 - questions, 37
 - recognizing, 44–50
 - PCI Geomatics, 325–326
 - peaks, 218
 - people problems, 308–309
 - perforation of formal regions, 264
 - perimeter, 267
 - philanthropic organizations, 305
 - physical environment, 199, 200
 - physical geography, 61
 - physical parameters, 195
 - picture elements. *See* pixels
 - PitneyBowes MapInfo Incorporated, 320–321
 - pixels, 120–121
 - place names, 285
 - place sequence emphasis, 290
 - planar projections, 32
 - planar/spherical coordinates, 186
 - planet mapping, 94
 - plotters, vector based, 72
 - point object concentrations, 168
 - point of diminishing returns, 205
 - point to point analysis, 214
 - pointers, 112, 113
 - points
 - about, 18
 - buffers around, 189
 - in computerized maps, 79
 - distance between, 67
 - in ESRI maps, 86
 - nearest neighbor analysis, 54
 - in polygons, 240, 241–243
 - raster models, 75
 - as space on maps, 40
 - symbols for, 42
 - in topology, 83
 - in vector systems, 147
 - polar diameters, 33
 - political/cultural studies, 299
 - polygons
 - about, 18

as areas, 66, 68
characteristics of, 167, 171–176
codes, 102
in computerized maps, 79
in ESRI maps, 86
logical overlay comparisons, 245–249
position of, 175–176
in raster systems, 267
size of, 168
in the TIN model, 91
in topology, 83
in vector systems, 147
polygons to polygons, 240
polynomial regression, 212
population figures, 125, 204
positioning in common, 177–178
possible destinations, closest, 235
pour points, 218, 223
precision, 71
predictability of patterns, 45
prediction, values, 70
presence/absence overlay method, 240
preservation, maps, 129
preservation of properties, 32
primary data, 11–12
primary key, 99
principal meridians, 38
printing, 27, 72, 282
private data sources, 302
private/commercial organizations, 303–304
processes. *See* cause and effect
product line, 314
prohibitions, 88
projections, 3, 31–34, 35, 96
properties
 common, 104, 176–177
 sharing, 87, 88, 114
 of Z values, 204
proximity, 16, 31
public data sources, 302
puck, 126
punctuation errors in SQL, 167
Pythagorean Theorem, 184–185

• Q •

qualitative data, 280–281
quality considerations
 data components, 117–118
 grid cells, 77
 hand-digitizing data, 126
 of line displays, 158
 metadata, 133, 134
quantiles, 284
quantitative data, 281–282
quantitative operators, 264
questions for vendors, 329–332
Quicktime (.mov) files, 299

• R •

radial stream patterns, 49–50
radiation values, 120
radio-collared wildlife species, 298
Rand McNally, 279
random distributional patterns, 45
random nearest neighbor distance, 53–54
random sampling, 124
ranking, 43, 171–172, 176, 282
raster system searches
 about, 137
 counting and tabulating, 144–145
 software for, 141–143
 strategies, 138–141
rasters
 about, 1
 data, 66–69, 71–72, 89–90, 96, 102
 distance measurement, 188
 groundwater global functions, 270
 layer interaction, 198
 models, 73–79
 overlays, 250
 satellite images compared with, 122
 storage as ASCII characters, 96
 stream analysis strengths, 222
rational numbers, 97
ratios, 19, 41–42, 55, 207

- ray tracing, 215–217
 - RDBMS (relational database management systems), 98, 102, 105
 - readability, 26, 287
 - reader characteristics, 27
 - real estate companies, 20, 303
 - reality representation, 26–27
 - real-time information, 297
 - reclassification operators, 258
 - rectangular stream patterns, 50
 - reference ellipsoids, 33–34
 - reference maps, 27–29
 - regional data collection, 205–206
 - relational database management systems (RDBMS), 98, 102, 105
 - relational joins, 100–101
 - relations (associations), 98
 - relative distance measurement, 191–194
 - relative values, 282
 - relief organizations, 305
 - remote sensing, 71, 120–123
 - repeated sequencing of shapes, 48–50
 - representation tool, GIS as, 13–14
 - resampling to coarser grids, 268
 - resolution quality, 71, 72, 76, 118
 - results, expected, 152
 - retrieval ease, 85
 - reverse engineering, 310–311
 - review and remediation., 313, 314
 - right polygons, 83
 - right triangles, 184–185
 - right turns, 233
 - riparian corridors, 222
 - rise over reach, 203
 - river types, 49–50
 - road maps, 29
 - road network changes over time, 226
 - robustness of object-oriented models, 108, 116
 - routed line cartograms, 290
 - routings, 294
 - row duplication, 99
 - rugged surfaces, 201–202, 205
 - rules, 27, 208, 233
 - rush hours, 237
- S ●
- safety, 88, 189
 - sample searches, 153–157, 159, 174–175, 179–180
 - sampling, 118, 123–124, 177, 205–207, 268
 - satellite images, 17, 71, 87, 94, 122
 - satellite radio signals, 119–120
 - saving searches, 157–158
 - scalar data, 19
 - scale
 - appropriateness of, 118
 - in group definitions, 176
 - of maps, 24–25, 26–27, 30–31, 284
 - scanning maps, 125–126, 127
 - scenic routes, 237, 294
 - schema, 106
 - scope of GIS
 - about, 9–11
 - GIS collective, 11–15
 - spatial thinking, 15–19
 - uses of GIS, 20–22
 - searches, 77, 99, 144–145
 - seasonal closings, 237
 - secondary data, 12
 - sections, 37
 - segmentation, data, 110
 - seismic hazards, 31
 - selection operators, 258
 - selective overlay, 250–251
 - semi-major axis, 33–34
 - sensory data, 118–123
 - separation, 192
 - sequence changes in surface value, 209
 - sequence of shapes, 48–50
 - sequential path, 299
 - service areas, 237–238
 - set theory, 245–248
 - setback buffers, 189
 - shading, 68

- shape of land, 16
- shape of polygons, 173
- shapefile, 80
- “sharing the property,” 87
- shelterbelt networks, 226
- shortest path, 188, 226, 234, 294
- .shp extension, 80
- Shreve method, 224
- shrink-swell clay, 31
- .shx extension, 80
- signals, 297
- sines, 185, 258, 259
- sinuosity, 16
- SIP (spatial information product), 130, 303
- six-year planning horizon, 312
- size of land/polygons, 16, 173–174
- slope (angle from horizontal), 90, 195, 203–204, 273
- smooth surfaces, 201–202, 205
- socioeconomic data, 30, 200
- software
 - algorithms, 275–276
 - bundling, 286
 - datum choices, 34
 - for digitizing, 127
 - equipment compatibility, 13, 282
 - pattern analysis, 52
 - projection conversions, 32–33
 - for rasters, 66, 141–143
 - robustness, 143
 - transportation-specific, 226
 - for vectors, 66
- software vendors. *See also specific vendors*
 - questions for, 329–332
 - vendors, 317–328
- soils, 31, 59, 197
- space categories, 40
- spacing in group definitions, 177
- spaghetti model, 80
- spatial accuracy, 71
- Spatial Analyst, 79, 257
- spatial co-occurrence, 180
- spatial data, 133
- spatial decision-making, 254
- spatial information, 160–161
- spatial information product (SIP), 130, 303
- spatial patterns. *See* patterns
- spatial relationships, 81–84, 180
- spatial sampling, 123–124
- spatial statistics packages, 178
- spatial surrogates (replacement data), 274
- spatial thinking, 15–19
- species interaction, 192
- spectral values, 121, 122
- speed, traffic, 227
- sphere of influence, 272
- spherical conversions, 31–32, 186
- spherical Earth distances, 185–186
- SQL (Structured Query Language), 103–104, 151, 152–160, 167
- standard deviations, 144, 284
- statistical surfaces
 - character of, 199–204
 - values prediction with interpolation, 209–212
 - working with, 204–208
- statistics
 - data, 118, 123–125, 294–296
 - functions, 144, 270
 - operators, 258
 - as Z values, 204
- steepness, 202, 220
- STF (summary tape files), 125
- storage space, 71
- Strahler method, 224
- straight-line paths, 184–186
- stratification of samples, 124
- streams
 - analysis, 217, 223
 - cells, 223
 - definition, 222–224
 - ecology, 159
 - magnitudes, 224
 - morphometry, 213, 222, 223
 - ordering, 217
 - patterns, 49–50, 55
 - types of, 49–50

- streets to avoid, 294
 - Structured Query Language (SQL). *See* SQL (Structured Query Language)
 - sub-basins, 218
 - subject matter experts, 56
 - sub-parallel stream patterns, 49–50
 - substrate modeling, 270
 - subsurface flows, 270
 - summary statistics, 162, 295
 - summary tape files (STF), 125
 - supervised classification, 122
 - surfaces
 - about, 18, 68
 - analysis, 206
 - definition, 199
 - as features, 66
 - functions, 269
 - models, 87, 89–91
 - raster/vector data, 70, 72
 - types of, 195
 - surroundedness, 193–194
 - survey data, 87
 - symbols/symbology, 25–27, 40–44, 285
 - symmetrical difference overlay, 245, 247–248
 - systems
 - development costs, 333
 - operators, 302
 - sampling, 124
 - sponsors, 302
 - users, 301
- T •
- table of relations, 99–100
 - tables, 98–104, 242, 244, 296
 - tabular reports, 295
 - tabulation, 162
 - target cells, 259, 263–264, 272
 - target points, 214
 - technological change, 307, 314
 - telecommunications systems, 214
 - telephone calls, 297
 - terrain evaluations, 299
 - thematic maps, 27, 29–30, 61–65
 - themes in searches, 78, 152
 - third-party vendors, 85, 90, 134
 - three-dimensional features/objects, 18, 40, 66, 73, 298
 - tics, 86
 - TIGER (Topologically Integrated Geographical Encoding and Referencing), 82, 85, 125
 - time coding, 141
 - timeliness, 118
 - times of day, 237
 - TIN (Triangulated Irregular Network), 70, 72, 90–91
 - title, 284
 - Tomlin, C. Dana (map algebra researcher), 253, 255, 256, 270
 - tools, metadata, 133–134
 - topographical surfaces
 - basins, 217–219
 - flow characteristics, 219–221
 - stream definition, 222–224
 - viewshed analysis, 213–217
 - topological graphics data models, 112
 - Topologically Integrated Geographical Encoding and Referencing (TIGER), 82, 85, 125
 - topology, 81–84
 - tornados, 52–54
 - townships, 37
 - traffic flow
 - coding, 230
 - directing, 234–238
 - impedance in, 228–229
 - pattern analysis, 231
 - transportation
 - gamma index in, 226
 - impedance in, 227
 - networks, 158
 - planning, 37, 243
 - routed line cartograms in, 290
 - transportation geography, 61, 64

transportation-specific software packages, 225
 travel directions, 294
 trellis stream patterns, 50
 trend surface, 212
 Triangulated Irregular Network (TIN), 70, 72, 90–91
 tributaries, 218
 trigonometry, 185, 203, 257, 258, 259
 tuples, 98, 99
 turns, 232–233
 two-dimensional objects/representation, 18, 40, 73, 170–176
 type of pattern, 52–54

• U •

U turns, 233
 UAVs (unmanned aerial vehicles), 21
 ugly views, hiding, 214
 undershoots, 131, 132
 unidirectional paths, 229–230
 uniform distributional patterns, 47
 union overlay, 245–246
 United States, connectivity in, 226
 Universal Soil Loss Equation, 197
 Universal Transverse Mercator (UTM), 35–36
 university departments, 305
 university faculty advice, 342
 unmanned aerial vehicles (UAVs), 21
 unsupervised classification, 122
 updating, 5, 123, 314
 UPS, 158
 urban impact assessment, 299
 urban planners, 9, 51, 239
 U.S. Census, 82, 84–85
 U.S. Geological Survey (U.S.G.S.)
 aerial photography, 120
 Digital Elevation Model, 87, 90, 215, 217, 220, 273
 U.S. Public Land Survey System (PLSS), 36, 37, 38

usability, 280, 287
 user interface, 96, 257
 user satisfaction, 276
 utilities, 30, 51, 64, 226
 UTM (Universal Transverse Mercator), 35–36

• V •

validation, 150, 162–163
 value-added data/products, 90, 342
 value-by-area maps, 288
 values
 coding, 67
 of height, 70
 interpolation, 209
 of map themes, 78
 of polygons, 173
 of symbols, 44
 vandalism, 177
 variable buffers, 189
 vector system searches
 about, 147
 counting/tabulation/summary statistics, 161–162
 data, 148–151
 geography in searches, 160–161
 search approaches, 151–152
 SQL searches, 152–160
 validating, 162–163
 vectors
 about, 1
 data, 66, 69–72, 79–88, 101–102, 147
 distance measurement, 184–186, 188
 surfaces in, 90–91
 vegetation types, 177
 vendors. *See* software vendors
 vertices (points), 70, 90, 91
 VerySpatial, 6
 viewshed analysis, 213–217
 vineyards, 303
 virtual output, 297–300
 vision impairment, 27

visual hierarchy, 287
visual overlays, 96
vocabulary, 27
volcanoes, 177
volumes, 40, 43, 44, 54, 68, 70

• W •

water accumulation, 217, 218
watersheds, 222
weakest link hypothesis, 31
weather phenomena, 298
Web sites, 6, 33, 133, 294
weighted-based-on-distance method, 211
whole numbers, 97
wildlife specialists, 51
winter tourists, 177
worm's eye view, 258

worship locations, 67
written commands, 256

• X •

X and Y coordinates, 76–77

• Y •

Yahoo! Maps, 234

• Z •

Z values, 91, 201, 202
zero-dimensional features/objects, 18, 40
zonal functions, 264–268
zones in Universal Transverse Mercator,
35–36

