

Index

References followed by t indicate material in tables.

- AAPP+PS1 transgenics, 311
- AAV-phenylalanine hydroxylase treatment, 351. *See also* Adenoassociated virus (AAV)
- Aberrant social behaviors, 222
- Abnormal spontaneous behaviors, testing, 56
- AC3 adenylate cyclase knockout mice, 102
- Accelerating automated rotarods, 71
- Accuscan, 53, 65, 328
- Acoustic startle test, 94–96
 - reduced habituation to, 253
- Acoustic tests, strain distribution on, 24
- Acr7* deficient mice, Paylor Screen of, 51t
- Active avoidance, 131, 132
- Adenoassociated viral vectors, 370. *See also* Adenovirus vectors
- Adenoassociated virus (AAV), 18. *See also* AAV-phenylalanine hydroxylase treatment
- Adenoassociated virus gene transfer, 351
- Adenosine_{2a} receptor knockout mice, 219
- Adenovirus vectors, 370, 372, 373
 - administration of, 351
 - gene delivery via, 368–369
- Adrenergic α_{2C} knockout mice, 219
- Adult age, defined for mice, 31
- Aged age, defined for mice, 31
- Age-dependent deficits, 309
- Aged rats, in Morris water task, 115
- Age-related pathologies, 301–302, 303
- Aggression, 221
 - among caged mice, 30
- Aggression tests, 213–217
- Aggressive behaviors, 209–210
 - serotonin receptors in, 218
- Aggressive encounters, scoring, 216
- Agouti mouse mutant, 181
- Agouti obesity syndrome, 181
- AKR/J strain, reproductive characteristics of, 189
- Alcoholism, 267
- Alcohol-preferring inbred strain, 274
- Alleles
 - in breeding strains, 25
 - new, 21
- Allogrooming, 210–211
- Alopecia, 208, 212
- α -synuclein overexpression, 315–316
- Alternation training, 135–137
- Alzheimer's disease, 25, 307–314
 - double and triple mutant lines for, 20
 - genes linked to, 308
 - genetic linkage analysis in, 356
 - mutant mouse models of, 161
- Alzheimer's memory loss, mutant mouse models of, 308
- AMPA receptor, 158, 269

- Amyloid precursor-like protein 2 (APLP2) deficiency, 310–311
- Amyloid precursor protein, 25
- Amyloid protein overexpression, 308, 314
- Amyloid protein vaccine, 291, 308, 311, 355
- Amyotrophic lateral sclerosis (ALS), 317
- Analgesia, 97, 99, 100, 105, 106, 107, 108, 280–281
- hot-plate, 281
- Anhedonia, 208, 250
- Animal behavior, 3, 4. *See also* Behavioral entries
- Animal House Manager (AMAN) software package, 28
- Animal housing, 30
- Animal/litter system, 27
- Animal models, of anxiety-related behaviors, 230t
- Animal models of human psychiatric diseases, 228
- designing, 228–229
 - goals of, 228
- Anosmia, 57, 335
- ANOVA (analysis of variance), group size and composition for meaningful, 31
- Anti-anxiety drugs, 231
- Antidepressant agents
- Porsolt forced swim test and, 246
 - rodent models sensitive to, 232t
- Antidepressant drugs, 228
- Antipsychotic drug treatments, 269
- Anxiety disorders, 23, 24, 25, 27
- role of neuropeptide transmitters in, 258–260
 - treatment for, 256
- Anxiety-like phenotypes, 26
- Anxiety-related behaviors
- order of testing for, 341
 - tests of, 230
- Anxiety-related behavior tests, 238–245, 338
- Anxiety-related conflict tests, 245
- Anxiety-related task, strain distribution on, 25t
- Anxiolytic drugs, 241–242
- Apolipoprotein E (*ApoE*) deficiency, 312
- APP23 Swedish double mutation, 311
- Appetite. *See* Feeding and drinking
- APP* gene, 308–314
- Applied Genomics Training Center, 27–28
- APP* overexpressing transgenic mice, immunotherapy
- treatment of, 312–314
- APP* transgenic mouse models, 309
- Arginine vasopressin overexpressing transgenic rats, 355
- Aromatase knockout mice, 201
- Associations, memory as, 111–112
- Associative learning, 113
- Ataxia, 81
- Ataxia telangiectasia, 73, 78, 81, 306, 334, 366
- Atm* gene mutations, 81
- Attentional abnormalities, 252–253
- Attentional tasks, schedule-induced operant behavioral, 153–154
- Auditory acuity tests, 94–96
- Auditory-evoked brainstem response (ABR), 96
- Authorships, 329
- Autism, 299–301, 306
- Automated grip test, 75
- Automated open field locomotion test, 65, 66
- Automated rotarod systems, 70
- Automated videotracking software, 122–123
- Autoshaping, 149, 154
- Avoidance tasks, 131–133
- variations on, 132–133
- Background genes, 21–26
- differences in, 22–23
 - expression of, 302
- Balance-beam test, 71–72
- BALB/cJ strain, 20
- eyeblink conditioning in, 136
 - reproductive characteristics of, 188–189
- Barbering behavior, 211, 212
- Barnes, Carol, 138
- Barnes maze, 138–139, 140
- Barrett, Jim, 148
- “Bat Detector,” 198
- Bay Genomics database, 367
- Baylor College of Medicine behavioral test battery, 340
- Bcl-2* transgenic mice, 317
- BDNF, 307, 311
- Beam breaks, 54, 65, 66, 81, 154, 241, 247, 316
- Behavior, housing environment effect on, 326–328
- Behavioral despair, 231
- Behavioral domains, 2
- complex, 335–341
- Behavioral endocrinology, 187
- Behavioral experiments, age of mice in, 31–32

- Behavioral genetics, 3–4
 DNA microarrays in, 361
- Behavioral neuroscience, 2–3, 3–4, 6
- Behavioral neuroscience laboratories,
 collaborations with, 4–5
- Behavioral neuroscience research, transgenic
 and knockout rats for, 354–355
- Behavioral neuroscientists, 4, 5–6
- Behavioral paradigms, of learning and
 memory, 115–156
- Behavioral phenotyping, ix–x, 2, 5–6, 63–64,
 324
 breeding for, 27
 next generation of, 345–382
 number of tests for, 341–342
 preliminary observations for, 43–44
- Behavioral phenotyping suite, 329
- Behavioral protocols, approval for, 33
- Behavioral sensitization, 252
- Behavioral stressors, 252
- Behavioral tasks, 3
- Behavioral test battery
 Baylor College of Medicine, 340
 University of Helsinki, 340–341
- Behavioral test equipment, 328, 380
 companies that manufacture, 36–37
- Behavioral tests, 4, 52–57, 89–101
 for emotional behaviors, 233–255
 feeding and drinking, 167–180
 motor functions and, 64–80
 for neurodegenerative diseases, 301–303
 neurodevelopment-related, 293–303
 order of, 338–341
 for reproductive behaviors, 191–200
 reward-related, 272–281
 for social behaviors, 210–217
 standardized, 49
- Behavioral test selection, 323–343
 housing environment, 326–328
 minimum numbers of mice (*N*s), 324–326
 when to start, 323–324
- Behavioral traits, QTL analyses of, 360
- Benzodiazepines, 256
- Berthold, A. A., 187
- β -*APP*₇₅₁ cDNA transgene, 308–309
- β -*APP* gene, null mutation of, 309
- β -endorphin gene, 105
- Bioinformatics tools, x
- Biomedical research, advancing, x
- Bipolar disorder, 251
- Blanchard, Caroline and Robert, 217,
 236–237
- Blastula donor, strain choice for, 26
- Blind rats, Morris water task performance
 and, 116
- Body temperature test, 53
- Body weight measurements, 336
- Body weight test, 52–53
- Bogue, Molly, 22
- Bombesin, 183
- Bombesin knockouts, 222
- Bone marrow transplants (BMT), therapeutic
 efficacy of, 376
- Botstein, David, 357
- Braff, David, 253
- Brain-derived neurotrophic factor (BDNF),
 307
- Brain lesions, Morris water task performance
 and, 115
- Brain neurotransmitters, 209
- Branchi, Igor, 295
- Breeders, commercial, 21
- Breeding records, 27–29
- Breeding strategies, 18–21, 327–328
 literature on, 35
 new, 353–354
- Brodkin, Ted, 301
- Brown, Richard, 49
- Buried food test, 80, 89, 102, 103, 222
- Burrow, 218
- C3H/HeJ mice, 71
- C3H strain, as mouse breeding strain choice,
 25
- C57BL/6J strain, 19, 20
 embryonic stem cell lines from, 27
 as mouse breeding strain choice, 23–26
 reproductive characteristics of, 188–189
- Cafeteria diet, 174–175
- Caffeine-induced seizures, 270
- Caging, 30. *See also* Home cage entries
- Calbindin, 81, 82, 159
- Calcium-calmodulin-dependent kinase II α
 (CaMKII α), 139, 159, 346
 promoter, 346
- Calcium influx, 159
- Calibrated drinking bottles, 169
- Caloric restriction, 302
- CaMKII transgene expression, 348
- cAMP responsive element binding protein
 (CREB), 160–161. *See also* CREB
 entries
- Cannabinoid binding, 286
- Cannabinoid receptors, 108

- Carboxy terminal 100 amino acid sequence expression, 309
- Carryover effects, systematic analysis of, 339–340
- Carter, Rebecca, 316
- CB₁ receptor knockout mice, 286
- CCK-2 knockout mice, 259
- CCK-2 receptor antagonists, 172, 182, 183, 197, 259
- C/EBP δ* knockout mice, 161
- “Ceiling effect,” 24
- Celera Genomics, 378
- Cerebellar defects, 71
- Cerebellar learning, 154
- C-fiber pain transmission, 106
- Chemical-induced random mutagenesis, 362–366
- Chemical mutagenesis, 364
- Chemical mutagenesis projects, large-scale, 363
- Chesselet, Marie-Francoise, 316
- Chimera, 13, 14
- Chimeric mice, 16
- Chip, as mouse identification method, 29
- Choice tests, food-related, 170–172, 173
- Cholecystokinin (CCK), 108, 166, 167, 172, 182, 183, 259
- Ciliary neurotrophic factor gene transfer, 104
- Circadian cycle, 56, 67–68, 68–69
Morris water task and, 123
- Circadian locomotor rhythms, 93–94
- Circadian wheel running, 77, 79
- Circling test, 76–77
- Classical conditioning, 113
of eyeblink, 135
- Classical transmitters, in feeding and drinking, 166
- Claudin 14* knockout mice, 104
- Cleaning of behavioral test equipment, 34
- Cloned mice, 354
- Clozapine, 253
- CNGA2* knockout mice, 102–103
- Cnga3* gene, 103
- CNGA4* gene, 102
- Coat color, as genetic marker, 13
- Cocaine self-administration, 270
- Cochlear hair cells, 88
- Cognitive-enhancing drugs, passive avoidance and, 134t
- Cold-water tail flick, 100
- Collaborators, 4, 5, 328, 329, 341, 378
- coloboma* mouse mutant, 69, 306–307
- Columbus Instruments, 53, 54, 75, 78, 117, 138, 174
- Commercial, 21, 22, 30, 101, 116, 170, 328, 378, 380
- Companies manufacturing behavioral testing equipment, 36, 37
- Compensatory events, mechanisms triggering, 348
- Compensatory genes, 347
- Complex behavioral domains, 335–341
hypothesis concerning, 334–335
- Complex Traits Consortium database, 359
- Comprehensive Lab Animal Monitoring System, 53, 54
- Computer-assisted lickometer systems, 176
- Conditional and inducible transgenics/knockouts, 345–350
- Conditional mutants, inducible, 348–350
- Conditional mutations, 16
techniques for, 345
- Conditioned place preference apparatus, 277
- Conditioned place preference test, 276–278
- Conditioned taste aversion, 133–135, 178–180
- Conditioned taste preference, 178, 179
- Conditioning training, 128
- Congenic breeding, 353–354
strategy for, 19
- Congenic line, 327, 353
- Contact quieting, 199, 200, 297, 298
- Contextual and cued conditioning, 126–131
- Contextual and cued fear conditioning, 126, 233–235
apparatus for, 126–128
typical data for, 129
- Contextual discrimination of fear conditioning, 129–130
- Contextual fear-conditioning, mouse strain distribution on, 23t
- Contextually conditioned fear, 6, 128
- Conventional facilities, 32
- Conventional mutations, 346
- Conventional targeted gene mutation, potential outcomes of, 347–348
- Coordination and balance testing, 70–71, 71–72
- Copulation, 103, 187, 191
- Corpus callosum, 27, 29t
- Corroborative phenotyping results, 338
- Corticotropin releasing factor (CRF), 183.
See also CRF entries
overexpression of, 257, 261
transgenic mice, 202–203

- Courtship and copulation tests, 191–194
- Crabbe, John, 32, 71, 327
- Cre recombinase, 345, 348
- CREB knockout mice, 283. *See also* cAMP responsive element binding protein (CREB)
- CREB repressor isoforms, 161
- Crestani, Florence, 256
- CRF-R1 null mutants, 257
- Crusio, Wim, 209
- Cryan, John, 249–250
- Cryopreservation, 380–381
- Cued and contextual conditioning, quantitative trait loci analysis for, 358. *See also* Contextual entries
- Cued conditioning, 130
- Cumulative search error scores, Morris water task and, 125
- Cunningham, Chris, 273
- Cup-shaped nests, 195
- DARPP, 82
- D_{1A}–D₅ dopamine subtypes, 82
- “Dalila effect,” 211
- Dancing mouse, 63–64
- dancing* mutant mice, 78
- Dantzer, Robert, 144–146
- DARPP-32 deficient mice, 284
- Data analysis systems, with Morris water task, 117–119
- Databases, 5, 23, 359, 380
- Dawson, Gerry, 256
- Dbh h/h* knockout mice, 203
- Deafness genes, 104
- deafwaddler (dfw)* mouse mutant, 104
- Death, fear of, 229
- Declarative memory, 112
- Defecation test, 233
- Defensive behaviors, measures of, 238t
- Deficits, delay-dependent and delay-independent, 150
- Defined inbred mouse strains, 21
- Delay, between sample and choice phases, 149–150
- Delay-dependent deficits, 150
- Delayed matching/nonmatching to position, 148–150, 152–153
- Delay-independent deficits, 150
- Deltagen, 324
- Demonstrator rats and mice, 143, 144–145
- Depression
bulbectomy model of, 250
newer mouse models of, 249–251
- Depression-related behavior tests, 245–251
- Depression syndromes, 231
- Designer mice, 1–6
- Despair, behavioral, 231
- Developmental disease model, 293
- Developmental milestones, 293–295, 297, 298, 304, 318
in mice, 293, 294t, 295
- Developmental milestones battery, 49
- Developmental neurotoxicology, mice observational tests via, 48–49
- Diagnostic criteria, 229
- Dierssen, M., 295
- Diets, specialized, 170–172, 173
- Digiscan System, for open field locomotion tests, 65, 66
- Dihydrotestosterone, 188
- Dihydroxyphenylacetic acid, 231–233
- Discriminative interoceptive stimuli, drugs as, 276
- Diseases, neurodegenerative and neurodevelopmental, ix, 291–292, 299, 301–303. *See also* Alzheimer’s disease; Developmental disease model; Genetic diseases; Huntington’s disease (HD); Neuropsychiatric diseases; Parkinson’s disease; Sandhoff disease; Tay-Sachs disease *disheveled-1* gene, 104
- Disheveled-1 protein, 222
- Distress call, 190, 235, 296, 339
- DNA constructs
literature on, 33–34
in transgenic techniques, 12
- DNA microarrays, 361–362
- Dominance, 87, 209, 215–216. *See also* Social dominance
barbering behavior and, 211, 212
determining hierarchy of, 213–214
- Dopamine, 81–82
- Dopamine and adenosine 3′,5′-monophosphate-regulated phosphoprotein 32 kilodaltons (DARPP-32), 284
- Dopamine β-hydroxylase (*Dbh*) promoter, 196, 203, 346
- Dopamine D2 receptors (*h/h*), 279, 280
- Dopamine-mediated behaviors, individual differences in, 270–272
- Dopamine metabolites, 231–233

- Dopamine pathways, 268–269
- Dopamine receptor subtype knockout mice, 283–284
- Dopamine replacement therapy, 314
- Dopaminergic mesocorticolimbic pathway activation, 269
- Dopaminergic transmission genes, mutant mice
deficient in, 82
- Dopamine transporter (DAT), 27, 82, 270, 284
- Dopamine transporter knockout mice, 26, 284
- Double knockouts, of *Hexa* and *Hexb*, 84
- Double mutant lines, issues for, 20–21
- Double mutants, 311
- Double mutation, breeding, 20
- Double-stranded RNA (dsRNA), 352, 352
- Downstream genes, 311
- Down syndrome, 151, 161, 304
- Drinking, quantitation of, 169–170. *See also*
Feeding and drinking
- Drug addiction, 267
- Drug pairing, 278
- Drug preloading, 272
- Drugs
as discriminative interoceptive stimuli, 276
intravenous and intracranial
self-administration of, 272–274
oral self-administration of, 274–275
passive avoidance and cognitive-enhancing, 134t
rewarding properties of, 268
- Drug screening, avoidance tasks in, 133
- Drug self-administration
genetic substrates for, 270
stressful experiences and, 270t
- Dudek, Bruce, 32, 327
- Duman, Ron, 350
- Dunnett, Stephen B., 71–72, 80, 83
- Ear punch/tag, as mouse identification method, 29
- Ear twitch reflex, 56
- Eichenbaum, Howard, 140
- Ejaculation, 193, 194, 200, 202, 336
- Electrophysiological recording, 94
- Electroretinogram (ERG) recordings, 94
- Elevated plus maze test, 241, 242–243, 244, 262, 318
- Elevated zero maze test, 243
- Embryonic stem (ES) cells, 374–377. *See also* ES lines; 129 ES line; Stem cell therapeutics
in targeted gene mutation, 12–13
- Emergence test, 243
- Emotional behaviors, 227–265
anxiety-related behavior tests, 238–245
behavioral tests related to, 233–255
behaviors related to symptoms of schizophrenia, 251–255
depression-related behavior tests, 245–251
fear-related behavior tests, 233–238
history and hypotheses related to, 227–233
recommendations related to, 261–262
in transgenics and knockouts, 256–261
- EMPreSS database, 363
- Endocrine abnormalities, 257
- Endophenotypes, 227
- β -Endorphin gene, 105
- Engrams, 112
- Enkephalin and enkephalins, 105, 106, 134, 269, 276, 279
- ENU phenotypes, 365t, 366. *See also* *N*-Ethyl-*N*-nitrosourea (ENU)
- Environment, environmental effects, 32, 326, 327
- Environmental perturbations, effects of, 326–327
- Environmental standardization, 327
- Epilepsy, 25
- Epileptic seizure susceptibilities, 82–83
- Episodic memory, 112
- Epistatic, 26
- Equipment, 328
for contextual and cued conditioning, 126–128
- ER* α knockout mice, 200
- Erection, 202
- Escapable shock condition, 248
- ES lines, 27, 366–367. *See also* Embryonic stem (ES) cells
- Estradiol, 188, 191
- Estrogen, 187
- Estrogen receptor knockouts, 200–201
- Estrus, 30, 187, 191, 201, 354
- Ethanol, behavioral responses to, 19, 23, 27, 285–286
- Ethanol preference drinking, 271, 272
- Ethical issues, 379–380
- N*-Ethyl-*N*-nitrosourea (ENU), 362–363. *See also* ENU phenotypes
- European Program on Mouse Phenotyping (EUMORPHIA), 324, 363, 366

- Everitt, Barry, 172
 Experimental design, 5–6
 Explicit memory, 112
 Exploratory activity, 56
 Eyeblink conditioning, 135
 Eyeblink reflex, 56
 Eyelid EMG amplification system, 135, 136
- F₁ heterozygote offspring, 15–16
 F₂ generation, 15–16
 Factor analysis, 341
 Family tree of mice strains, 22
 Fear-conditioned startle apparatus, 236
 Fear conditioning, 131, 318
 contextual and cued, 126, 233–235
 Fear-induced freezing, 233
 Fear-potentiated startle test, 235
 Fear-related behaviors, 229–230
 Fear-related behavior tests, 233–238
 Fear responses, brain regions mediating, 230
 Feeding and drinking, 165–185
 abnormalities in, 336
 behavioral tests related to, 167–180
 circadian variation in feeding, 171
 conditioned taste preference and
 conditioned
 taste aversion, 178–180
 history and hypotheses related to, 165–167
 macronutrient selection, 173–175, 336
 monitoring of microstructural analysis of
 rodent
 feeding behavior, 175–176
 neurotransmitters that modulate feeding,
 166t
 ontogeny of, 176
 quantitation of, 176
 regulation of feeding behaviors, 167
 restricted daily access, 170
 satiety syndrome, 177
 sham feeding, 176–177
 specialized diets and choice tests,
 170–172, 173
 transgenic and knockout feeding behavior,
 180–184
 twenty-four-hour consumption test,
 167–170
 Feldon, Joram, 253
 Female rodents, sexual receptivity of, 191,
 192
FGFR-3 deficient mice, abnormal skeletal
 growth in, 59, 81
FGFR-3 knockout mice, 58, 81, 327
 Fibroblast growth factor-1 gene delivery, 373
 Fibroblast growth factor receptor-3
 (*FGFR-3*), 57–58, 59, 81. *See also*
 FGFR-3 entries
 Fibroblast growth factor receptor 3 gene,
 knockout mice deficient in, 104
 Fibroblast growth factors (FGFs), 57
 Fighting, among mice, 208
 File, Sandra, 239, 240
 Finch response, 97
 Five-choice serial reaction-time attentional
 task, 153–154, 155
 5-HT_{1A} knockout mice, 257, 260
 5-HT_{1B} knockout mice, 257, 260
 5-HTT serotonin transporter, 256
 5-minute fighting test session, 214–215
 5-minute open field test session, 67, 68
 5-minute resident–intruder test, 219
 5-minute standard opponent test, 220
 Fixed ratio (FR), 146–148
 Fixed ratio responding, 151–152
 Flavor preference learning, 178
 Flinch amplitude, measuring, 94–96
FMRI gene, 292
FMRI mutations, 305
 Food preference, social transmission of,
 142–144, 145
 Footprint pattern test, 73–75, 76
 Footshock, 127, 128, 129, 130, 131, 132,
 133, 135, 253
 Formalin test, 101
 Forward genetics, 362
fosB knockouts, 203
 Founder lines, 14–18
 Fox, W. M., 49
 Fragile X knockouts, 306
 Fragile X retardation, 292
 Fragile X syndrome, 305
 Freeze Monitor, 128
 Freezing, 126, 127, 128, 130
 Freezing test, 233
 Friedman, Jeffrey, 180
 Functional magnetic resonance imaging
 (fMRI), in research on memory, 113
 Fur, as genetic marker, 13
 FVB/N strain
 as mouse breeding strain choice, 24–26
 reproductive characteristics of, 188–189
fyn knockout mice, 285
fyn tyrosine kinase deficient mice, 260, 307

- GABA-A receptor, 256. *See also* γ -amino butyric acid (GABA)
- Gait, 48, 53, 73
- Galanin, 106–108, 131, 172, 173
overexpression of, 287, 259
- Galanin overexpressing transgenic mice, 124, 131, 311–312, 313
- Galanin receptor GAL-R1 knockout mice, 259
- γ -amino butyric acid (GABA), 227–228. *See also* GABA-A receptor
- Gamma secretase, 311
- GAP-43, 307
- Gap-crossing test, 97
- Gastrin-releasing peptide (GRP) receptor, 183
knockouts, 222
- Geller-Seifter conflict test, 238
- GenBank database, 359
- Gender, caging mice by, 30
- Gender analysis, in animal experiments, 31
- Gene delivery, 368, 375
alternatives for, 374
viral vector, 350–351
- Gene disruption technology, 16
- Gene expression, DNA microarrays for, 361–362
- Gene knockouts, potential outcomes of, 347–348. *See also* Knockout entries
- Gene mutations, 5
- Gene Ontology database, 359
- General appearance, testing, 52
- General health
considerations, 330–332
measures of, 332
observational batteries to evaluate, 44–52
observations of, 331
- General motor activity, preliminary assessment of, 67
- Generational breeding methods, 19
- Gene replacement therapy, 1, 367
- Genes
acoustic-startle-related, 96
compensatory, 347
deafness, 104
olfactory-related, 88, 102–103
pain-transmission-related, 105
redundant, 347
retinal degeneration, 94
taste receptor, 105
in transgenic mice, 12
- Gene silencers, siRNA, 352
- Genes of interest, 4
- Gene therapies, 367–380
clinical trials of, 378
- Gene therapy protocols, testing of, 368t
- Genetic background, Morris water task performance and, 115–116
- Genetic diseases, transgenic and knockout mouse models of, 370
- Genetic linkage analysis, 356–357
- Genetics, behavioral, 3–4
- Genetic substrates, for cued and contextual conditioning, 126
- Genetics Web site addresses, 38–40
- Genetic testing, ethical issues concerning, 379–380
- Gene transcription, turning off and on, 353
- Gene transfer
strategies for, 368–369
successes with, 370–374
- Gene trapping, 367
- Genotype, 2
caging mice by, 30
- Genotyping, in chimera identification, 13
- Geotaxis, negative, 294
- Germ-line transmission, detecting, 14–16, 323
- Geyer, Mark, 253
- Gibbs, Jim, 177
- Glial cell neurotrophic factor gene delivery, 372
- Glowa, John, 238
- GluR1 glutamate receptor, microinjection of, 374
- GluR-B* mutants, 83
- Gnat1* gene, 103
- G_o* knockout mice, 108
- Gold, Lisa, 257
- “Gold standard” behavioral tests, 342
- Golf* gene, 102
- Golf* knockout mice, 203–204
- Golf* protein, 102, 203–204
- Go/no-go task, 152
- Gonadal steroid hormones, 187–188
- Gonadal steroid receptor mutations, 200
- Gonadal steroid receptors, 201
- G protein deficiency, 108
- Grahame, Nick, 273
- Gram balance, 168
- Grasp reflex, 294
- Gross abnormalities, 43, 67, 201
- Group composition, for animal experiments, 30–32
- Group size, for animal experiments, 30–32

- Growth-associated protein-43 (GAP-43), 307
- Gustatory receptors, 88
- Habituate, habituation, 68, 94, 333, 339
- Habituation and shaping sessions, 137
- Hamilton-Kinder, 54, 55, 241
- Handling, 330, 331, 333, 341
 - hyperresponsivity to, 210
 - mouse reactions to, 237–238
- Hanging wire test, 72–73, 74
- Hargreaves test, 99–100
- HD* gene, 83
- Health considerations, 330–332
- Hearing, 88–89
- Hearing loss, in knockout mice, 104
- Heinrichs, Steve, 216
- Helsinki, University of, 340–341
- Heme oxygenase, 159
- Hen, René, 217–218, 257
- Heroin analgesia, 281
- Herpes simplex viruses, gene delivery via, 368–369
- Heterozygous individuals, 15–16
 - in double-mutation breeding, 20, 21
- HEXA* gene mutants, 83
- HexB* gene, 374–375
- HEXB* gene mutants, 83
- Hexb* knockout mouse model, 84, 374
- Heyser, Charles, 49, 293
- Hidden platform trials, 121–123. *See also* Platforms
- High-throughput screening, 363–366
- Hippocampal lesions
 - behavioral syndrome related to, 252
 - Morris water task performance and, 115
- Hippocampal mossy fiber densities, Morris water task performance and, 116
- Hippocampus, 5, 113, 115, 126, 135, 138, 140, 157, 159–161
- “Hitchhiker” genes, 19
- Hofer, Myron, 296
- Hole board exploration, 69–70, 269
- Holmes, Andrew, 256
- Home cage activity, 54
- Home cage activity patterns, testing, 53–56
- Home cage monitoring, automated, 55–56
- Home cages, fully automated, 54–55. *See also* Caging
- Homer 2b protein, AAV administration of, 351
- Homologous recombination (HR), 14
- Homovanillic acid, 231–233
- Homozygous individuals, 15–16
 - in double-mutation breeding, 20
- Homozygous matings, 20
- Hormonal control, of reproductive behaviors, 187
- hot-foot* mutant mice, 71
- Hot-plate analgesia, 281
- Hot-plate test, 57, 100–101
- Hot-water tail flick, 100
- Housing environment, cages, racks, facilities, 32, 326–328
- Hsiao, Karen, 308
- Huddling, 210
- Human brain regions, identifying, 113
- Human genetic diseases, transgenic and knockout
 - mouse models of, 370
- Human Genome Project, 377–379
- Human mental illness, 227
- Human nervous system, gene delivery into, 368–370
- huntingtin* gene, 316
 - mutations of, 316
- Huntingtin protein, 83
- huntingtin* transgenics, 83
- Huntington’s disease (HD), 83, 292
 - models of, 314, 315, 316–317
- Hyperalgesia, 108
- Hyperlocomotion test, 278–280
- Hyperreactivity, 58
- Hyperresponsivity to handling, 210
- Hypocretins, 183
- Hypothalamic lesions, feeding mechanisms and, 165
- Hypothalamus, feeding mechanisms and, 5, 165, 167
- Hypothermia, 46, 52
- Hypotheses, developing, 4
- Hypothesis testing, 330–338
- Identification (bar code, scanner, ear punch, tattoo, toe clip, implanted transponders), 29
- Imaging, rodent, 355
- Imaging techniques, in research on memory, 113–114
- Implanted chip, as mouse identification method, 29
- Implicit memory, 112
- Inbred mice strains, 21
 - choice of, 19

- Inbred mice strains, (*continued*)
 family tree of, 22
 reproductive characteristics of, 188–189
 rotarod testing for, 71
 spontaneous open field activity of, 68
- Inducible conditional mutants, 348–350
 Clontech technology for, 349
- Inducible mutations, 17, 348
- Inducible transgenic mice, neuron-specific, 350
- Inescapable shock condition, 248
- Infant mice. *See also* Young mice
 stress response in, 296
 vocalizations of, 190, 196–200
- Infant–mother interactions, 197
- Infrared camera, infrared photocell beams, infrared lighting, 53, 55,
- Ingestion
 measuring at young ages, 176
 neurotransmitters influencing, 166
- Insel, Tom, 299
- Insulin levels, 165
- Insulin-like growth factor 1 (IGF-1), viral delivery of, 375
- Intellicage, 55
- Intelligent Hearing System (ISH) unit, 96
- Interleukin 6 (IL-6) expression, 312
- International Gene Trap Consortium, 367
- Interoceptive sensory information, 89
- Interoceptive stimuli, 276
- Interval between testing, 339
- Intracranial self-administration test, 272–274
- Intravenous self-administration test, 272–274
- Ion channel gene Mutations, 108
- Irwin, Samuel, 44
- Irwin Observational Test Battery, 44, 45–47t, 51
- Isolation-induced fighting, 215
- Jackson Laboratory JAX Mice Database, 323
- Jackson Laboratory, The (JAX), 21, 22, 27–28, 49, 211
 motor abnormality mutant mice from, 63
- Japanese dancing mouse, 63–64
- Juvenile age, defined for mice, 31
- Juvenile mice, observational tests for, 48–49.
See also Young mice
- Juvenile play behavior, 210, 211
- Juvenile rats, recognition of, 146
- Kanarek, Robin, 173
- Kieffer, Brigitte, 105, 106, 281
- Kinder, Michael, 54
- Knockdown mutations, 18
- Knock-in mutations, 18
- Knockout mice, 2, 5, 12, 57–58, 81–84
 conditional and inducible, 345–350
 emotional behaviors of, 256–261
 feeding behaviors of, 180–184
 generation of, 15
 in Morris water task, 115
 neurodegeneration in, 307–317
 neurodevelopment in, 304–307
 neurotransmitter gene mutations in, 157–158
 repositories of, 323–324, 380
 reproductive behaviors in, 200–204
 as research tools in learning and memory, 155–156, 156–162
 reward for, 281–287
 sensory abilities of, 102–109
 social behaviors in, 217–223
- Knockout Mouse Project, 324
- Knockout mouse technology, 287
- Knockout rats, 354–355
- Koob, George, 216, 250
- Laboratories, consistent results across, 33
- Laboratory Animal Behaviour Observation Registration, 54
- Laboratory cage housing, social behaviors in, 207–208
- Lactation, 197
- Lander, Eric, 357
- Latency, 132, 133
 Morris water task and, 121, 123, 124
- Latent inhibition, 252–253, 254–255
- Lathrop, Abbie, 21
leaner mutant mice, 80
- Learned helplessness, 226, 247–248
- Learned helplessness task, 231
- Learning, in olfactory acuity tests, 90
- Learning and memory. *See also* Memory
 entries, 22–24, 27, 29, 34
 behavioral paradigms of, 115–156
 conditioned taste aversion, 133–135
 contextual and cued conditioning, 126–131
 effect of biochemical mechanisms on, 161–162
 experimental approaches to, 113
 eyeblink conditioning, 135
 five-choice serial reaction-time attentional task, 153–154
 history and hypotheses related to, 111–115

- mazes, 135–140
 Morris water task, 115–126
 motor learning, 154
 olfactory tasks, 140–144
 passive and active avoidance, 131–133
 physical basis for, 113
 recommendations for assessment of, 155–156
 schedule-induced operant tasks, 146–152
 social recognition, 144–146, 147
 transgenic and knockout mice as research tools in, 155–156, 156–162
 Learning and memory tasks, 337
 Learning tasks, strain choice relevant to, 27, 29t
 Leibowitz, Sarah, 173
 Lentivirus delivery, 351
 Leptin, 168, 180
 Leptin gene therapy, 372
 Leptin rescue experiment, 168, 373
 Leptin resistance, 180
 Lesions, neuroanatomical, 113
 Lethal mutations, 347
 Lever pressing, 148, 152–153
 Lexicon Genetics, 324, 367
 Lickometer systems, 178
 computer-assisted, 176
 Life span, of lab mice, 31, 302
 Light–dark exploration conflict test, 257
 Light–dark mouse exploration test, 240–241, 242
 Light–dark test, 257, 318
 Lighting, 30, 67, 68
 Lipkind, Dina, 69
 Lipoplexes, 374
 Lipska, Barbara, 252
 Literature, neuroscience, 3. *See also* Publications
 Littermates, 20, 21
 Locomotor abnormalities, 68–69
 Locomotor hyperactivity, 251
 Locomotor systems, automated, 65, 66
 Lod score, 357, 358
 Long-Evans Tokushima Otsuka (LETO) control rats, 183
 Longitudinal studies, 318
 Long-term depression (LTD), in memory formation, 114
 Long-term memory, 112, 114
 fear conditioned, 130
 Long-term potentiation (LTP), in memory formation, 114–115
 Lordosis behavior, female, 191, 192
 Lordosis quotient (LQ), 191
 Lordosis responses, 202–203
 Lorenz, Konrad, 3
 Lowe syndrome, 103–104
 LSD, 82, 276
 Lucki, Irwin, 246, 249
lurcher mutant mice, 71
 Macronutrient monitoring apparatus, 174
 Macronutrient selection, 173–175, 336
 Magnetic resonance imaging (MRI), 355
 Maier, Steve, 247–248
 Mair, Robert, 140
 Male mice, aggressiveness in, 209
 Male rodents, sexual behaviors of, 191–194
 Mammalian Genetics Unit, 366
 Mania, 251
MAO-A knockout mice, 218
 MAPMAKER program, 357
 MapMaker/QTL program, 357
 Marker-assisted congenic production, 354
 Markers, 13
 Markou, Athena, 249
 Match to position, delayed, 148–150
 Maternal behaviors, maternal care, 197, 198, 202, 298
 Maternal potentiation of ultrasonic vocalization, 306
 Mating unit system, 27
 Mayford, Mark, 346
 Mazes, 135–140. *See also* T-maze entries; Y-maze entries
 Maze tasks, 140
 McCown, Thomas, 351
 Meaney, Michael, 298
Mecp2 knockouts, 306
 Med Associates, 131, 140, 148, 149, 154, 155, 176, 248, 249
medJ gene, 23
 Meisler, Miriam, 23
 Melanin-concentrating hormone (MCH), 182
 Melanocortin, agonists and antagonists of, 181
 Melanocortin-4 receptor knockout mice, body weight gain in, 169
 Melanocortin receptors, mutated, 181
 Memory. *See also* Learning and memory defined, 111
 long-term, 114
 neuroanatomical lesions and, 113
 short-term, 114

- Memory. *See also* Learning and memory
(continued)
social recognition, 144–146, 147
types of, 112
- Memory deficits, 113
- Memory processes, 112
- Memory tasks
neurotransmitter role in performance of,
158–159
strain choice relevant to, 27, 29t
- Mendel, Gregor, 356
- Mendelian, 16, 19, 20, 21, 378
- Mental illnesses
genetic linkages in, 228
mice and, 227
- Mental retardation, 299
- Mental retardation syndromes, mouse models
for, 304–305
- Merlo-Pich, Emilio, 274
- Mesolimbic dopamine pathway, 268
- Metabotropic, 158, 260, 311
- N*-Methyl-D-aspartate (NMDA) receptor,
157–158
- Meyerhoff, Jim, 246
- mGluR2 glutamate receptor, 158
- mGluR8 knockout mice, 158
- Mice. *See also* Knockout mice; Mouse
entries; *Mus musculus*; Transgenic
mice
ages of, 31–32
anxiety-related behaviors in, 230
auditory acuity in, 88–89
behavioral phenotypes of, ix, 2, 5–6
behavioral tests for, ix, 52–57, 323–343
chimeric, 16
circadian cycle of, 56, 67–68, 68–69, 123
cloned, 354
demonstrator and observer, 143, 144–145
depression-related behavior tests for,
245–251
developmental milestones in, 293, 294t,
295
dominance among, 213–214, 215–216
emotional behaviors of, 227–265
feeding and drinking by, 165–185
fixed-ratio responding in, 151–152
general health of, 43–60
group size and composition of, 30–32
housing, 30
inbred strains of, 21
macronutrient selection for, 173–175
measures of defensive behaviors in, 238t
motor functions of, 83–84
nest building by, 190
numbers required for behavioral
experiments (*Ns*), 324–326
nursing by, 189
olfactory conditioning test for, 140–141
operant chamber for, 148, 149
parental behaviors of, 189
performance of rats and, 116
performance on operant tasks, 150–152
population dynamics among, 208
posture and gait observations of, 73
recombinant inbred strains of, 359–360
reproductive behaviors of, 187–205
reproductive characteristics of, 188–189
retrieval behaviors of, 190
sensory abilities of, 87–109
sexual behaviors of, 188, 191–194
social behaviors of, 207–224
social interactions between, 208–209,
212–213
targeted gene mutation in, 1–2
transportation of, 32
visual acuity in, 88
- Micro RNA (MiRNA), 352
- Microarrays, 361–362
- Microinjection
of GluR1 glutamate receptor, 374
of viral vectors, 350–351
- Micro-opioid receptor (OPRM1) knockout
mice, 282–283
- Microstructural analysis of rodent feeding
behavior, monitoring, 175–176
- Miczek, Klaus, 209
- Miner, Cindy, 278
- Minimum numbers of mice (*Ns*), 324–326
- miRNAs, 352
- Mirrored chamber test, 243–244. *See also*
“No secrets” mirrored box
- Monoamine oxidase A deficiency, 260
- Mood disorders, role of neuropeptide
transmitters in, 258–260
- Moor abnormalities, 78–80
- Morphine, 105, 106, 108, 281–282
- Morphine consumption, in a two-bottle
choice study, 275
- Morris, Richard G. M., 115
- Morris swim tank equipment, protocols for
using, 119–123
- Morris swim test, 115. *See also* Morris water
task
- Morris tank, 117, 118
- Morris water maze, 336
- Morris water task, 115–126, 318

- advantages of, 124
- mouse strain distribution on, 23t
- performance of mice on, 115–116
- performance of rats versus mice at, 116
- pretraining for, 120–121
- probe trial in, 122, 123
- training trials for, 121
- Morton, Jenny, 316
- Moser, Virginia, 44
- Moser Neurobehavioral Toxicology Test Battery, 44, 48t
- Motor abilities, measurable from birth, 295
- Motor abnormalities, 63
- Motor activation, 278
- Motor and sensory responses, Paylor Screen for, 51t, 52
- Motor behavior, 64
- Motor deficits, 81
- Motor dysfunctions, as primary symptoms, 293
- Motor functions, 63–84
 - standardized general measure of, 64
 - tests for, 334
- Motor learning, 154
- MotorMonitor system, 54
- Motor tasks, choice of, 333–335
- Mouse analysis, choosing tests for, 323. *See also*
 - Behavioral test selection; Mice; *Mus musculus*
- Mouse behavior, courses in, 8–9
- Mouse behavioral genetics, sharing research tools in, 380–381
- Mouse behavioral phenotyping, organizations and
 - companies conducting, 38
- Mouse behavioral phenotyping suite, 329
- Mouse breeding-colony management software companies, 37–38
- Mouse breeding strain, choosing, 23–26
- Mouse Defense Test Battery, 217, 236–237
- Mouse embryonic stem cell library, 367
- Mouse exploration test, 240–241, 242
- Mouse family tree, 22
- Mouse genes, ES lines for, 366–367
- Mouse Genetics* (Silver), 28, 188, 189
- Mouse genome, 378
 - linkage and physical maps of, 380
- Mouse handbooks, 35–36
- Mouse handling, 333
- Mouse identification methods, 29
- Mouse IQ Test, 49
- Mouse models, importance of, 292–293
- Mouse mutant lines, ethological observations of, 44
- Mouse Phenome Project, 22, 49
- Mouse pup vocalizations, reflexive versus cognitive components of, 297–298
- Mouse strains, choice of, 19
- MPTP lesions, 314–315
- Mu opiate receptor knockout mice, 182
- μ -opioid receptor gene, 105, 106, 109, 281
- Muscarinic cholinergic receptors, 108
- Mus musculus*, 21. *See also* Mice; Mouse entries
 - in open field locomotion tests, 67
 - as social species, 207
- Mutagenesis
 - chemical, 364
 - chemical-induced and radiation-induced random, 362–366
- Mutagenesis projects, large-scale, 339
- Mutant lines. *See also* Mutant mice lines
 - founding of, 12
 - health of, 330–332
- Mutant mice, preliminary behavioral observations of, 43–44
- Mutant mice lines, companies generating and/or distributing, 37
- Mutant mouse models, of
 - neurodevelopmental diseases, ix
- Mutations
 - conditional, 16
 - confirming, 17
 - conventional, 345, 346
 - hypothesized phenotype resulting from, 333–335
 - inducible, 17
 - inducible conditional, 348–350
 - lethal, 347
 - on and off, 348
 - random, 364
- Myers, David D., 211
- Narcolepsy, 83
- NCBI Genome Survey Sequences database, 367
- Negative geotaxis, 294
- Nelson, Randy, 219
- Neonatal age, defined for mice, 31
- Neonatal hippocampal lesion, 252
- Neonatal mice, observational tests for, 48–49. *See also* Young mice
- Nervous system, gene delivery into, 368–370
- Nest building, 190, 194–195, 210

- Nestler, Eric, 350–351
- Neural cell adhesion molecule (NCAM)
knockouts, 219, 346
- Neural networks, memory in, 111–112
- Neurodegeneration, 291–303
history and hypotheses related to, 291–293
recommendations related to, 318–319
in transgenics and knockouts, 307–317
- Neurodegenerative diseases, 291–292
behavioral tests for, 301–303
genetic models of, ix
- Neurodevelopment, 291–303
behavioral tests related to, 293–303
history and hypotheses related to, 291–293
mice observational tests via, 48–49
recommendations related to, 318–319
in transgenics and knockouts, 304–307
- Neurodevelopmental battery, 295
- Neurodevelopmental diseases, 291–292, 299
- Neurofibrillary tangles, 312
- Neurofibromatosis, mouse model of, 305
- Neurokinin 1 receptor knockout mice,
behavioral phenotypes of, 107t
- Neurokinin receptor NK1R knockout mice,
259
- Neurological reflexes, 330–332
measures of, 331–332
testing, 56
- Neurological reflexes battery, 44–48
- Neuronal nitric oxide synthase knockout
mice, 202
- Neuron-specific inducible transgenic mice,
350
- Neuropeptides, 188
in feeding and drinking, 166
role in reward processes, 287
- Neuropeptide Y, 181–182
overexpression in rats, 355
- Neuropeptide Y knockout mice, 259–260,
285
- Neuropeptide Y receptor knockout mice, 182
- Neurophysiological recording, in research on
memory, 114
- Neuropsychiatric diseases, 2
- Neuroscience literature, 3
- Neurotoxicology, 61
- Neurotoxin 6-hydroxydopamine (6-OHDA),
314–315
- Neurotransmitter actions, passive avoidance
and, 134t
- Neurotransmitter gene mutations, 256
in knockout mice, 157–158
- Neurotransmitters, 209
in feeding and drinking, 166
in memory formation, 114
- Neurotransmitter systems, rewarded behavior
mediation by, 269
- Neurotrophin, 311, 312
- New alleles, 21
- Nfl* knockouts, 305
- Nicotine, reinforcing properties of, 23, 24,
25, 274, 286
- Nicotine self-administration, strain
distribution on, 25t
- Nicotinic cholinergic receptors, 108
- Nicotinic receptor knockout mice, 158
- NIH Guide for the Care and Use of
Laboratory Animals, 33
- NIH Knockout Mouse Project, 324
- NIOSH noise exposure facility, 96
- Nitric oxide, 159
- Nitric oxide synthase knockouts, 202, 219
- NMDA, 83, 157, 158, 159, 160, 197, 269,
285, 289, 315, 346
- Nociceptin/orphanin FQ, 166
- Nociception, 107
- Nocturnal, 132
- Noldus, 54, 117, 190, 200, 213, 235, 241
- Nonautomated open field locomotion test, 64
- Nonmatch to position, 149, 152–153
delayed, 148–150
- “No secrets” mirrored box, 193. *See also*
Mirrored
chamber test
- Nose-poke behavior, 148
- Novel foods, conveyance of information
about, 143–144, 145
- nr/nr* mouse strain, 103
- Nucleus accumbens, 266, 268, 269
- Null mutant homozygous knockout mouse, 2
- Null mutants, 16, 109
- Numbers of mice (*Ns*), 30–32, 324–326
- Nursing, 189
- Nutrient consumption, in rats, 173–174
- Nutrients, preferences for, 174
- Obesity, 180, 181, 360
- Obesity, inducing, 174–175, 360
- Object recognition memory task, 297
- ob/ob* mice, daily food intake of, 168
- Observational batteries, to evaluate general
health, 44–52
- Observer rats and mice, 143, 144–145
- Observer-scored open field locomotion test,
64, 65

- Odorants, in olfactory acuity tests, 90, 91
- Odor aversion learning, 299
- Odors, generation of, 140, 141
- Olfaction, 87–88, 140. *See also* Olfactory entries
- Olfactometers, 90
- Olfactory abilities, investigations of genes mediating, 102–103
- Olfactory acuity tests, 89–90
- Olfactory bulbectomy, 250
- Olfactory conditioning test, 140–141
- Olfactory cues, importance of, 190–191
- Olfactory discrimination tasks, modifications of, 141–142
- Olfactory habituation/dishabituation, 91
- Olfactory impairments, 102
- Olfactory learning apparatus, 140, 141, 142
- Olfactory receptors, 87
- Olfactory recognition, 103
- Olfactory tasks, 57, 140–144
- 129 ES line, 25, 26, 27
- pedigree diagram of, 28
- 129/SvJ strain, reproductive characteristics of, 188–189
- Ontogeny, 176, 291
- Ontogeny, of feeding, 176
- Open field activity (OFA), 233, 234
- Open field locomotion test, 64–70
- Operant chamber, 148, 149, 152–153
- Operant tasks, mice versus rats on, 150–151
- Opiate, opioid, 105, 106
- Opiate receptor knockout mice, 281–282
- baseline responses for, 108
- behavioral phenotypes of, 106t
- Oral self-administration task, 274–275
- Order of operations, recommendations for, 58–60
- Order of testing, 338–341
- Orexins, 183
- Ornithine decarboxylase overexpressing transgenic rats, 355
- Otsuka Long-Evans Tokushima Fatty (OLETF) rats, 182–183
- Ovariectomy, ovariectomized, 191, 201
- Overcrowding, in laboratory rats, 207–208
- Overcrowding in mice, 208
- Overinterpretation of phenotypes, 203
- Overstreet, David, 240
- Oxymax Comprehensive Lab Animal Monitoring System, 53, 54
- Oxytocin deficiency, 306
- Oxytocin knockout mice, 201–202, 220
- p75 neurotrophin receptor deficiency, 312
- PACAP receptor 1 knockout mice, male, 306
- Pain sensitivity tests, 97–101, 105–108, 335
- Pain transmission gene mutations, 105
- Palmiter, Richard, 11, 346
- Parental behaviors, 189. *See also* Parental retrieval behaviors
- scoring, 298–299
- Parental response, 297
- Parental retrieval behaviors, 196–200
- Parenting tests, 194–200
- parkin* gene, AAV delivery of, 351
- Parkinson's disease, 292, 314–316
- genetic mouse models of, 315
- Paroxetine, 316
- Partial trisomy 16 mice, 304
- “Passenger” genes, 19
- Passive avoidance, 131
- apparatus, 131, 132
- Pavlov, Ivan Petrovich, 113
- Paylor, Richard, 51, Richard, 340
- Paylor Screen for General Motor and Sensory Responses, 51t, 52
- pcd/pcd* mouse strain, 103
- Pedigrees, 356
- Peg3* knockout mice, 203
- Per1* transgenic rats, 355
- Personnel, choosing, 328–330
- Petkov, Petro, 21
- Pharmacogenomics, 378–379
- PhenoLab home cage, 54
- Phenotype, 2
- Phenotype expression, background genes and, 25
- Phencyclidine, 253, 272, 276, 279, 360
- Phenylketonurea, 292
- Photocell-equipped open field systems, 65–67
- Photoreceptor gene mutations, 103
- Physical deficit, 330
- Picciotto, Marina, 274, 350
- Pilocarpine-induced seizures, 24, 26
- Pituitary adenylate cyclase-activating polypeptide (PACAP) type 1 receptor (PAC1), 222
- Placidity, 237
- Platforms, with Morris water task, 116–117.
- See also* Hidden platform trials; Visible platform trials
- Platform-type nests, 195
- Plexiglas test box, 65–67
- Point mutation, 18, 81, 104, 256, 361, 362
- Polymerase chain reaction assay, 15
- Polymorphisms, methods for detecting, 378

- Population dynamics, 207–208
- Porsolt, Roger, 246
- Porsolt forced swim task/test, 231, 245–247
- Positron emission tomography, in research on memory, 113
- Postnatal behavioral tests, 295
- Posttraumatic stress disorder, 228, 229, 231, 235
- Postural reflex, 56
- Posture and gait
 - observations of, 73
 - testing, 53
- Preexposure session, in conditioned place preference test, 277–278
- Preference test, 278
- Preliminary mouse observations, 43–44
- Prepulse inhibition, 96
 - deficits, 260–261
 - strain distribution, 255
- Prepulse inhibition test, 253–255, 262
- Presenilin 1 and 2 mutants, 311
- Presenilin transgenic rats, 355
- Pretraining, 120
 - for Morris water task, 120–121
- Preyer startle reflex, 94, 295, 331, 335
- Probe trial, 122, 123
- Procedural memory, 112
- Progesterone, 187, 188
- Progesterone receptor knockout mice, 201
- Protein kinase A mutations, 160
- Protein synthesis, in memory formation, 114
- Proust, Marcel, 111–112
- Psychiatric diseases
 - animal models of, 228
 - mouse models of, 261–262
- Psychomotor activation, 279
- Psychophysics, 87
- Psychostimulants, sensitization to, 279, 280
- Publications, 329
- PubMed searches, 329
- Punishment
 - in Geller-Seifter conflict test, 238
 - in Vogel conflict test, 238–239
- Pup behaviors, 49, 50, 190, 298
- Pupil constriction/dilation, 56
- Pupomat, 198
- Pups, parental care of, 196
- Pup vocalizations, 196–200, 207
 - of behavioral traits, 360
 - for cued and contextual conditioning, 358
 - of recombinant inbred strains, 359–360
 - targeted gene mutation and, 360–361
- Quarantine, 32, 380
- R406W tau mutation mice, 312
- Radial maze learning, 137–138
- Radiation-induced mutagenesis programs, 362–363
- Radiation-induced random mutagenesis, 362–366
- Radioimmunoassay, 16
- Random mutagenesis, chemical-induced and radiation-induced, 362–366
- Random mutations, 364
- Rat metallothionein-growth hormone fusion gene, 10
- Rats
 - demonstrator and observer, 143, 144
 - overcrowding in, 207–208
 - performance of mice and, 116
 - performance on operant tasks, 150–151
 - satiety sequence in, 178
 - specific nutrient consumption in, 173–174
 - transgenic and knockout, 354–355
 - vocalizations by, 235–236
- rd/rd* mouse strain, 103
- rds/rds* mouse strain, 103, 104
- Reaction-time attentional task, five-choice serial, 153–154
- Reciprocal social interactions, 208, 299
- Receptor gene mutations, 256
- Receptor kinase activation, 160
- Recombinant inbred strains (RIS), QTL analysis of, 359–360
- Recombination fraction, 357
- Red lighting, 53, 67, 68
- Reduced habituation to acoustic startle, 253
- Redundant genes, 347
- reeler* mutant mice, 78
- Reflexes, 294
 - learning and memory and, 113
- Reflex responses, 50
- Reinforcement, reward versus, 268
- Reinforcers, 268
- Reinforcing behavior, brain mechanisms underlying, 268
- Reinforcing drugs, exposure to, 273–274
- Replication experiments, 325
- Reporter gene, 12
- Repository, 340, 367, 380
- QTL approaches, 359
- Quantitative trait loci (QTL) analysis, 272, 356–361 *See also* QTL entries

- Reproductive behaviors, 187–205
 behavioral tests for, 191–200
 courtship and copulation tests for, 191–194
 history and hypotheses related to, 187–191
 parenting tests, 195–200
 in transgenics and knockouts, 200–204
Research Animal Review, 380
 Research tools, sharing, 380–381
 Resident–intruder test, 209, 215–216, 221
 Restricted daily feeding and drinking access, 170
 Restriction enzyme (RE), 14
 Restriction fragment length polymorphisms (RFLPs), 357
 Retinal degeneration genes, 94, 103
 Retinal receptors, 88, 94
 Retinitis pigmentosa, 104, 351, 378
 Retrieval behaviors, 190
 Retrovirus vector, 371
 Rett syndrome, 306
 Reversal learning, Morris water task and, 125
 Reverse genetics strategy, 362
 Reverse light cycle, 67
 Reverse tetracycline transactivators, 17
 Reward, 267–289
 behavioral tests related to, 272–281
 conditioned place preference test, 276–278
 drugs as discriminative interoceptive stimuli, 276
 history and hypotheses related to, 267–272
 hyperlocomotion test, 278–280
 intravenous and intracranial self-administration tests, 272–274
 in olfactory acuity tests, 90
 oral self-administration test, 274–275
 reinforcement versus, 268
 for transgenics and knockouts, 281–287
 Reward processes, role of neuropeptides in, 287
 Ricceri, Laura, 295
 Righting reflex, 56
 RI Manager program, 357
 Risk assessment behaviors, scoring, 238, 241–242
 Rissman, Emilie, 193
 RNA interference (RNAi), 18
 RNA silencing, 352–353
 Robbins, Trevor, 172
 Rodent feeding behavior, monitoring of microstructural analysis of, 175–176
 Rodent imaging, 355
 Rodent magnetic resonance imaging (MRI) magnets, 355
 Rodents
 early social deprivation in, 208
 fear-related behaviors in, 229–230
 Rogers, Derek, 44
 Rooting reflex, 58, 294
 Rotarod motor learning, 156, 157
 Rotarod task, 70–71, 375
 Rotational behavior monitoring system, 78
 Round-robin approach, 213
 Royle, S. J., 44–48
 Saccharin, in conditioned taste aversion, 135, 136
 Sandhoff disease, 17, 83
 San Diego Instruments, 117, 118, 127, 128, 131, 255
 Sarter, Martin, 302
 Satiation, 166–167
 Satiety sequence, 178
 Satiety syndrome, 177
 Schedule-induced operant tasks, 146–152, 153–154
 Schizophrenia, 231–233, 295–296
 Schizophrenia models, assessing predictive validity of, 251t
 Schizophrenia symptoms, behaviors related to, 251–255
 Scientific research, gold standard in, 342
SCNMI gene, 23
 Scoresheets, 75, 293
 Secretase, 291, 311
 Seizures, 18, 25, 26, 78–80
 Selective breeding, 190, 237, 248, 356
 Self administration, 24, 25, 252, 268, 269, 270, 272, 273, 274, 275, 280, 281, 283, 284, 285, 286, 338, 342
 Self-grooming, 52, 355
 Semantic memory, 112
 Sensitization, 252
 to psychostimulants, 279, 280
 Sensorimotor gating (prepulse inhibition), 96, 231, 253, 262, 342
 Sensory abilities, 87–109
 behavioral tests related to, 89–101
 history and hypotheses related to, 87–89
 of transgenics and knockouts, 102–109
 Sensory tasks, choice of, 333–335
 Serial analysis of gene expression (SAGE), 361

- Serotonin, 82, 256
5-HT, 307
- Serotonin receptors, in aggressive behaviors, 218
- Serotonin receptor subtype knockout mice, 284, 327
- Serotonin transporter, null mutation of, 218–219
- Serotonin transporter gene polymorphisms, 267
- Serotonin transporter knockout mice, 184, 260
- SERT gene disruption, 285
- Sexual behaviors, 188, 191–194
- Sexual motivation, 194
- Sham feeding, 176–177
- Shaping and habituation sessions, 137. *See also* Autoshaping
- SHIRPA protocol, 44, 48
- “Shoebbox” cages, 30
- Short-term memory, 114
- shRNAs, 18
- Shuttlebox apparatus, 131, 132
- Shuttlebox avoidance tasks, 133
- Silencer RNA (siRNA), 18
- Silva, Alcino, 305
- Silver, Lee, 28
- Single gene mutations, 81
- Single nucleotide polymorphisms (SNPs), DNA
microarrays for, 361–362
- siRNA gene silencers, 352
- siRNAs, 352
- Skeletal growth, abnormal, 59
- Skinner, B. F., 146
- Sleeping patterns, 56
in open field locomotion tests, 67–68, 68–69
- Sleep testing, 77–78
- SmartFrame Cage Rack, 54, 55
- “Smart vivarium,” 54
- Smith, Gerard, 166, 177
- SNAP-25 deficiency, 306–307
- SNAP-25 gene, 58
- SNAP-25 proteins, 58
- Sniffing, in olfactory acuity tests, 90, 91
- Sociability apparatus, 300
- Social affiliation tests, 210–213
- Social amnesia, 220
- Social approach behaviors, 319
- Social behaviors, 207–224, 337
aberrant, 222
aggression tests, 213–217
behavioral tests related to, 210–217
history and hypotheses related to, 207–210
physiological factors in, 222–223
in transgenics and knockouts, 217–223
- Social choice test protocols, 213
- Social defeat, 247
- Social deprivation, 208
- Social dominance, tube test for, 216. *See also* Dominance
- Social hierarchies, among caged mice, 30
- Social interaction(s), 208–209, 212–213
step-by-step protocols for measuring, 213
- Social interaction conflict test, 239–240
- Social memory, 220
- Social odor recognition task, 142
- Social preference apparatus, 214
- Social recognition, 144–146
deficits in, 222
defined, 220
- Social recognition memory, 147
- Social transmission of food preference, 142–144, 145
- Society for Neuroscience, 4
- Software
for maintaining breeding records, 27
mouse breeding-colony management, 37–38
for open field locomotion tests, 65, 66
- Southern blot analysis, 15, 16
- spastic* mouse strain, 103
- Spatial learning index, Morris water task and, 125
- Specialized diets, 170–172, 173
- Specific-pathogen-free (SPF) facilities, 32
- Speed congenic breeding, 19, 353–354
- Spillage, in feeding quantitation, 169
- staggerer* mutant mice, 71, 78
- Staircase test, 75, 77, 244–245
- Standardized Battery of Tests of Mouse Behavior, 32
- Standard opponent method, 213–214
- Standard tests, 3
- stargazer* mutant mice, 78
- Startle reflex, prepulse inhibition of, 253
- Startle test, 23, 24, 235, 236
- Statistical power analysis, 325
- Statistical tests, group size and composition
for
meaningful, 30–32
- Stem cell therapeutics, 374–377. *See also* Embryonic stem (ES) cells
clinical application of, 376–377
- Step-down avoidance, 132–133

- Stereotyped sniffing/grooming, 56, 251
- Stereotypy, 65, 75
- Steroid receptor knockout mice, 187, 201,
- Strain distribution, 21–22
- on acoustic and tactile sensory reflex tests, 24
 - on anxiety-related task, 25t
 - on learning and memory tasks, 23t
 - on nicotine self-administration, 25t
 - studies of, 96
- Stress, drug self-administration and, 270t
- Stress-induced analgesia, 97
- Stressors, in Porsolt forced swim test, 247
- Stress responses, 229–230
- in infant mice, 296
- Submissiveness, 209, 216
- Substance abuse, 267
- Substance K, 106
- Substance P, 105–106, 109
- Substance P antagonists, 258–259
- Substance P knockout mice, 219–220
- behavioral phenotypes of, 107t
- Substance P receptor knockout mice, baseline responses for, 108
- Successive-cue procedure, for olfactory learning, 140
- Suckling, 49, 170, 189, 293, 294, 295, 296, 299
- Suite of behavioral testing rooms, 328
- Sumikawa, Katumi, 351
- Superoxide dismutase 1 (SOD1) mouse models, 317, 318, 375
- Superoxide dismutase transgenic rats, 355
- Surrogate markers, 1, 5, 293
- Swimming tests, 80. *See also* Morris water task
- Synaptic docking proteins, in memory formation, 114
- Synaptic proteins, 161
- Synaptic strengthening, in memory formation, 114
- Synaptotagmin, 161
- Synthetic siRNAs and miRNAs, 352
- α -Synuclein overexpression, 315–316
- tachykinin 1* gene, 105–106
- Tactile prepulse inhibition, 253
- Tactile response tests, 57
- Tactile sensory tests, strain distribution on, 24
- Taconic, 13, 15, 22, 28, 38, 380, 381
- Tail flick, 57, 97, 98–99, 281
- Tail suspension test, 231, 248–249
- Takahashi, Joe, 363
- Tamoxifen-inducible Cre-ERT recombinase, 17
- Targeted gene mutation(s), 1–2, 5
- generating, 11–14
 - hypotheses driving, 333–334
 - QTL analyses and, 360–361
 - in rats, 355
 - in research on memory, 115
 - technologies using, 11
- Target-specific siRNA gene silencers, 352
- Task groups, recommendations for, 336–338
- Taste, 88, 276
- Taste aversion conditioning, 136
- Taste reactivity responses, 98
- Taste receptor genes, 105
- Taste tests, 97, 98
- Tattoo, as mouse identification method, 29
- Tau overexpression, 312
- Tay-Sachs disease, 83
- Temperature, 30, 53, 116
- Test equipment, 380
- Testing
- caveats related to, 32–33
 - order of, 338–341
 - resources for, 328–330
 - rooms for, 328
- Testosterone, 187, 188
- circulating levels of, 209
- Tet-off system, 349, 350
- Tet-on system, 349, 350
- Tetracycline-controlled transactivator, 17
- Therapeutic gene delivery
- to the correct location, 367–368
 - safety and efficacy challenges related to, 370
- Thigmotaxis, 233
- Thirst. *See* Feeding and drinking
- Thompson, Richard, 135
- Tinbergen, Nikolaas, 3
- T-maze, 137, 140
- T-maze avoidance, 133
- T-maze delayed alternation, 135
- Tolerance, 280–281
- Toth, Miklos, 257
- tottering* mutant mice, 80
- Touch, 89
- Touchscreen, 152, 155
- Touch tests, 97, 101
- Trace fear conditioning, 130, 131
- Training courses, 363
- Training trials, 121

- Trait loci analysis, quantitative, 356–361
- Transgene, 12
- Transgenic mice, 1–2, 5, 12, 57–58, 81–84
 conditional and inducible, 345–350
 emotional behaviors of, 256–261
 feeding behaviors of, 180–184
 generation of, 12–13
 in Morris water task, 115
 neurodegeneration in, 307–317
 neurodevelopment in, 304–307
 repositories of, 323–324, 380
 reproductive behaviors in, 200–204
 as research tools in learning and memory,
 155–156, 156–162
 reward for, 281–287
 sensory abilities of, 102–109
 social behaviors in, 217–223
- Transgenic rats, 354–355
- Transmitters, in feeding and drinking,
 166
- Trans-NIH Mouse Initiative, 324
- Transportation, of mice, 32
- Triple mutant lines, issues for, 20–21
- TRP2 mutation, 222–223
- Ts65Dn mice, neurodevelopment in, 151,
 304
- Tube test for social dominance, 216
- Tumor suppressor gene expression,
 restoration of, 370–372
- Twenty-four-hour consumption test,
 167–170
- twitchee* mutant mice, 78
- Two-bottle choice test, 274–275, 276
- Ubiquitin, 83
- Uhl, George, 281
- Ultrasonic pup vocalizations, 190, 196–200,
 207
- Ultrasonic vocalization, for measuring stress
 response, 296–297
- Ultrasonic vocalization tests, 235–236
- Ultravox system, 235
- Unconditioned fear, 128
- Unconditioned response, 113
- Unconditioned stimulus, 113
- University of Helsinki behavioral test battery,
 340–341
- Urine, in olfactory acuity tests, 90
- U.S. Public Health Service Policy on
 Humane Care and Use of Laboratory
 Animals, 33
- van Abeelen, J. H. F., 44
- Vasopressin receptor knockout mice, 188,
 220, 306
- Ventilation, of animal housing, 30
- Vertical pole test, 72, 73
- Vesicular monoamine transporter, 285
- Vestibular, 78
- Vestibular dysfunctions, 78–80
- Vibrissae, 89
- Videotracking software, 122–123
- Videotracking systems, with Morris water
 task, 117–119, 122
- Viral vector, 18, 351, 368, 374
- Viral vector gene delivery, 350–351
- Viruses, gene delivery via, 368–372. *See also*
 Adenoassociated virus entries
- Visible platform trials, 120–121. *See also*
 Platforms
- Vision, 88. *See also* Visual entries testing,
 56–57, 90–94
- Visual acuity tests, 90–94
- Visual attentional function, five-choice serial
 reaction time test of, 155
- Visual attention test, 153–154, 155
- Visual cliff test, 92–93
- Visual cues, with Morris water task, 117,
 118
- Visual deficits, Morris water task
 performance and, 116
- Visual discrimination, 93
- Visual placing test, 92
- Visual system, spontaneous mutations in,
 94
- Visual thresholds, 94
- vittiligo* mouse strain, 103
- Vivarium, 30, 32, 53, 54, 68, 340
- VMAT2 heterozygote mice, 285
- Vocalization(s), 88, 339
 of infant mice, 190, 196–200
- Vocalization tests, ultrasonic, 235–236
- Vogel conflict test, 238–239, 245, 260, 262
- Voikar, Vootele, 340–341
- Vomer nasal organ, 87, 89, 103, 146,
 222
- Von Frey hairs touch test, 101–192
- von Frisch, Karl, 3
- Wahlsten, Doug, 31, 32, 71, 130, 327
- Waltzing mouse, 63
- Watase, Ken, 304
- Water maze, 115. *See also* Morris water
 task

- weaver* mouse mutant, 68
WebQTL database, 359
Web sites, 5, 378, 380
Wehner, Jeanne, 148
Weight, 51, 52, 175, 282
Weinberger, Daniel, 252
Weiner, Ina, 253, 254
whirler mutant mice, 76
Whishaw, Ian, 211
Whisker-orienting reflex, 56
Whiskers, 89
Whisker trimming, 210–212
Wildness rating scale, 237–238
Wildtype control data, 326
Wildtype normal control, 2
Winslow, Jim, 213, 299
- Withdrawal symptoms, 281, 282
Wynick, David, 346
- YAC129 mouse model, of Huntington's disease, 316
Yerkes, Robert, 63
Y-maze, 140
Y-maze avoidance, 133
Young, Larry, 299
Young mice, observational test batteries for, 293. *See also* Infant mice; Juvenile mice; Neonatal mice
- Zoghbi, Huda, 304

