

INDEX

- Aberration multigraph 100
- Acute lymphoblastic leukemia (ALL) 119, 129
- Acute myeloid leukemia (AML) 119, 129
- AdaBoost 318–344
 - AdaBoost machine 320, 323–324, 332
 - binary classifier 342
 - cascaded AdaBoost 320, 326–327
 - fast AdaBoost 323, 337
 - fuzzy AdaBoost 319
 - fuzzy weakness classifier 331–332
 - generating training set 332
 - meta algorithm 323
 - strong classifier 323, 337, 342
 - training algorithm 324
 - weakness classifiers (WCs) 322–327, 330–333, 342–344
 - weight-based AdaBoost 331
- Advanced Encryption Standard (AES) 410, 427
- Algorithmic game theory 287–309
 - adaptive routing 299
 - algorithmic mechanism design 287, 299–300
 - Bayesian routing game 295–296
 - complexity of computing equilibria 289, 305
 - congestion games 288, 290–293, 303, 308
 - coordination ratio 291
 - correlated equilibrium 307
 - interdependent security games 304
 - leader-follower games 287, 300–301
 - mechanism design 287
 - Nash equilibrium 287, 289–293, 305
 - network congestion games 290
 - network security games 289, 303
 - noncooperative games 295, 300
 - pearls 292
 - price of anarchy (PoA) 288, 291–292
 - pricing mechanisms 289, 300
 - restricted selfish scheduling 298
 - selfish routing games 288–289, 293, 295, 297
 - Stackelberg games 289, 300–301
 - Stackelberg strategy 301
 - tax mechanism 302
 - unweighted congestion games 294
 - virus inoculation game 304
 - weighted congestion games 290, 293–294, 296
 - zero-sum game 290
- Almost-Delaunay edges 99
- Alpha helix 99–100
- Amino acid 98–99
- Approximate Nash equilibria 307
- Artificial neural networks (ANNs) 101, 103–107
 - activation function 103
 - backpropagation method 103, 106
 - firing function 103
 - synaptic weights 103, 105–106
- Association rules 219, 229–231, 239
- Automatic frequency planning (AFP) 271, 275–277, 282–285
- Backtracking 4, 6–7, 9–12, 39–83
- Balaban index 94
- Bandwidth utilization (BU) 466–467, 480, 483
- Bayesian fully mixed Nash equilibrium 296

- Bayesian Nash equilibrium 296
- Belousov-Zhabotinsky (BZ) medium
 - 156–158, 160–161, 168
- Belousov-Zhabotinsky reactor 164, 167
- Belousov-Zhabotinsky solution 167
- Belousov-Zhabotinsky system 149, 160–161
- Belousov-Zhabotinsky vesicles 167
- Bending energy 366
- Beta strand 99–100
- Biochemical modeling 92
- Biochemical process 115
- Bioinformatics 89
- Biomolecules 89
- Block cipher 374–394
 - Advanced Encryption Standard (AES) 391–394
 - Caesar's cipher 390
 - Data Encryption Standard (DES) 381, 391–392
 - DES cipher 391
 - invertible mapping 389
 - permutation (or transposition) cipher 390
 - product cipher 390
 - round function 390
 - round key 393–394
 - r-round block cipher 389
- Bootstrapping 339
- Bounding shapes 354–355, 348, 352
 - bounding circles 355
 - bounding ellipses 355
 - bounding rectangle 348, 352
- Brouwer fixpoints 306
- Byzantine game theory 304
- Call admission control 465–483
 - Class I connection (traffic) 469, 473–474, 481
 - Class II connection (traffic) 474, 481–482
 - opportunistic resource management scheme (OSCAR) 475–479, 481–483
 - performance evaluation 480–483
 - predictive allocation and management scheme (Q-WIN) 473–474, 476, 478–483
 - refined call admission control strategy (RADAR) 478–483
 - selective look-ahead allocation scheme (SILK) 471–472, 476, 483
 - sliding window concept 469–470
- Call admission strategy 467
- Call blocking probability (CBP) 466–467, 480
- Call dropping probability (CDP) 466–467, 469, 471, 480–482
- Central dogma 116
- Channel assignment problem 271
- Chemical databases 89
- Chemical genomics 89
- Chemical graph theory 89
- Chemical molecules 89
- Cheminformatics 89–90
- Chromosome aberrations 100
- Chronic fatigue syndrome (CFS) 119
- Cipher system 373
- Ciphertext 374–375, 381
- Circulation vectors 496
- City block distance 349
- Clar formula 73–77
- Cluster 177–178, 212
 - degree of purity 212
 - silhouette width 212
- Clustering 177–178, 203
 - agglomerative algorithm 178, 190, 200
 - centroid method 200
 - complete-link algorithm 198–199
 - exclusive 178
 - extrinsic 178
 - group average method 199
 - hierarchical 178, 190, 195, 200
 - hierarchical divisive algorithm 178
 - intrinsic 178
 - limitations 206
 - partitional 178
 - quality 210
 - single-link algorithm 195, 197, 201–202
 - supervised evaluation 210, 212
 - unsupervised evaluation 210
 - Ward method 200
- Clustering algorithm 177, 213
- Clustering function 206–211
- Collision-based computing 157, 167
- Combinations 1, 7–9, 30, 33–34
- Combinatorial object 1–38, 46
 - adjacent interchange 3
 - constant average delay 2, 8, 10, 15
 - Gray code 3, 18–19, 27–29
 - large integers 2, 31–35
 - listing 1–38

- loopless algorithms 2, 4–5
- minimal change order 3, 18–22
- random generation 29–31
- ranking 23–29
- unranking 3, 23–29, 31–35
- worst case 2
- Combiner model 384
- Common Best Response property 294
- Communication networks 485
- Computational chemistry 89, 95
- Computer-aided drug designs 89
- Computer-aided searching algorithms 89
- Computer vision (CV) 317, 329, 343, 347
- Computer vision system 347
- Concentrated Nash equilibria 293
- Connectivity index 94
- Content-based image retrieval 347
- Convex hull algorithm 355
- Critical Assessment of Microarray Data Analysis (CAMDA) 119, 141
- Cryptanalysis 373
- Cryptographic algorithms 373–404
- Cryptography 373–374
- Cryptology 373
- Cryptosystem 373
- Cybenko theorem 106
- Data mining 347
- Data mining algorithms 177–239
- Data stream algorithm design 248–264
 - AMS sketches 254
 - approximation 262, 264
 - communication complexity 260–261
 - deterministic algorithm 260, 262
 - frequent items 249–251
 - lower bounds 260–261
 - probabilistic counting 252–254
 - randomization 261, 264
 - randomized algorithm 260, 264
 - randomized linear projections 254
 - reservoir sampling 248–249
 - sampling 248
 - simulation of PRAM algorithms 258–259
 - sketches 252
 - weight matching problem 256
- Data stream algorithms 241–269
- Data stream models 246–247
 - classical streaming 246
 - semi-streaming 246
 - stream-sort model 247
- Decryption 374–375, 382
- Delaunay tessellation 99
- Derangements 1
- Dissimilarity 179–181, 187, 192–194, 200–201, 204–207, 210–211
 - construction of ultrametrics 182
 - definiteness 179
 - evenness 179
 - metric 180
 - metric space 181
 - poset of ultrametrics 187
 - subdominant ultrametric 201–202
 - triangular inequality 179
 - ultrametric finite space 185
 - ultrametric inequality 179, 181–182, 185, 187
 - ultrametric space 181
 - ultrametrics 180–182, 185–190, 214
- Distributed sensor networks (DSN) 407
- DNA 89, 96–97, 115–116
- Edge orientation histogram (EOH) 331, 337
- Elementary transceiver (TRX) 271–272, 275–285
- Encryption 374, 381–382
- Equivalence relations 11–12
- Euler theorem 42
- Evolutionary algorithms (EAs) 271–272, 276–285
 - $(\lambda + \mu)$ algorithm 276–279, 279
 - fitness function 278
 - parameterization 282
 - perturbation operator 279
 - selection of frequency 281
 - selection of transceivers 279–280
- Exhaustive generation 46, 50–51
- Exhaustive search 3, 39
- Feature space 102
- Fitting shapes 355–358
 - circle and ellipse fits 358
 - ellipse fitting 355
 - Mallat's method 357
 - rectangle fitting 355
 - sigmoid fitting 357–358
 - triangle fitting 355
- FloatBoost 340

- Forgy's algorithm 204–205
 Fourier descriptors 365, 368
 Frequency assignment problem (FAP) 271
 Frequent item sets 219–239
 - μ -frequent item set 222–224, 228, 238
 - μ -maximal frequent item set 228
 - Apriori algorithm 224–225, 228, 231, 233
 - border of a set 231
 - graded poset 233, 237
 - hereditary subset of a poset 232
 - inclusion dependency 237
 - levelwise algorithms 231–235
 - partially ordered set 231
 - posets 231–235
 - ranked poset 233
 - Rymon tree 222–223
 - subset of a poset 232
 - transaction data set 220–231, 237–239
- Fully mixed Nash equilibrium 302, 306
 Fully mixed Nash equilibrium conjecture 291, 298
- Gamma function 357
 Gene 115–144
 - expression data 115
 - expression data distribution 121
 - expression level 116, 136
 - expression pattern 125
 - expression profile 133–137
 - functional annotation 130
 - good quality spots 120
 - low quality spots 120
 - ontology 130
 - problematic spots 120
- Generalized Gaussian distribution 357
 Generating function 87
 Geometric moments 348
 Global positioning system (GPS) 445, 470–471, 483
 Global System for Mobile communications (GSM) 273, 273–276
 - automatic frequency planning 273–276
 - base station controller (BSC) 274–275
 - base transceiver station (BTS) 274–274
 - broadcast control channel (BCCH) 276, 278
 - dynamic channel allocation (DCA) 275
 - fixed channel allocation (FCA) 275
 - frequency division multiplexing 271
 - hybrid channel allocation (HCA) 275
 - mobile terminals 274
 - time division multiplexing 271
 - traffic channel (TCH) 276, 278
- Gordon–Scantlebury index 93
 Graph theoretic models 85
 Graph 85
 - as protein 98
 - bipartite 85–86
 - chemical 87, 91
 - chromatic number 513, 518
 - circular arc graph 518
 - connectivity 87, 91
 - cycle 85–86
 - degree of graph 87
 - densely connected 505
 - diameter 93
 - directed acyclic graph (DAG) 130–132
 - domination number 92
 - edge coloring 513
 - girth 87
 - Hamiltonian 92
 - hydrogen-depleted 91
 - isomorphic 85–86
 - k -factor 92
 - line graph 93
 - order of 87
 - path conflict graph 517
 - scale-free 505
 - sparse 505
 - spectrum of 94
 - vertex coloring 513
 - vertex eccentricity 93
- Greedy Best Response (GBR) 294
- Handoff with queuing (HQ) 467
 Harsanyi transformation 295
 Hexagonal system 40–83
 - boundary code 49, 52, 61–64
 - cage algorithm 57–60
 - Dias parameter 43
 - enumeration 49–52
 - id-fusenes 66
 - Kekule structure 68, 71
 - labeled inner duals 64–67
 - perimeter 41–42
 - rotations 53
 - symmetries 43–44, 53

- Hierarchy 182–186, 189, 199, 202
 - dendrogram 186, 199, 202
 - graded hierarchy 184–186
 - grading function 184, 189
- Human Genome Project 89
- Image processing 318–319
- Image registration 347
- Image segmentation 347, 351
- Integer compositions 4–7, 12–15
- Integer partitions 6–7, 12–15, 31
 - multiplicity representation 12
 - standard representation 13–15
- Intersatellite links (ISL) 465
- Isomorph-free generation 39–83
- Isomorphism 48
- K* numbers 69–77
- Key agreement protocol 397–404
 - cryptographic bilinear maps 400
 - decision hash bilinear Diffie–Hellman (DHBDH) problem 400, 403–404
 - Diffie–Hellman (DH) key agreement 397
 - Hasse’s theorem 399
 - Schoof’s theorem 399
 - Tate pairing 398, 400
 - tree-based group key agreement using pairing 401
 - Weil pairing 398, 400
 - Weil theorem 399
 - Weirstrass equation 398
- Key predistribution 413–427
 - probabilistic design 415
 - block merging strategy (merging blocks) 415, 417, 424
 - block merging strategy 415
 - Chakrabarti–Maitra–Roy approach 417
 - combinatorial design 415–416
 - key exchange 426
 - Lee–Stinson approach 416–419, 422–424
 - randomized key predistribution 415
 - transversal design (TD) 413, 415
- Kleinberg’s impossibility theorem 209
- k*-means algorithm 202–204
- Knapsack problem 3
- k*-nearest-neighbor based method (KNN) 122
- Koutsoupias–Papadimitriou (KP) model 291
- Lance–Williams formula 194, 200
- Least median of squares (LMedS) 356
- LEO satellite networks 465–468, 470, 475, 483
 - footprint 466
 - spotbeams 466
- Lexicographic order 2–38, 47
- Linear feedback shift register (LFSR) 377–381, 384, 388, 429–434
- Linear separability 101–102
- Local least squares method (LLS) 122
- Logical network abridgement (LNA) 489–494, 501–502, 505
 - abstraction, 491, 493
 - application 492
 - convergence 492
 - path diversity 490
 - procedure 489, 491
- Low cost key agreement algorithms 412–413
 - bipartite key agreement protocol 412
 - contributory group key agreement protocols (CGKA) 413
 - discrete logarithm problem (DLP) 412
 - group key agreement protocols 413
- Low cost symmetric ciphers 427–435
 - A5/1 stream cipher 431
 - E0 stream cipher 429–430
 - grain stream cipher 432–433, 435
 - RC4 stream cipher 428
- Low Earth Orbit (LEO) 465
- Machine learning 318, 329–331
- Macromolecules 92
- Matching Nash equilibria 305
- Matrix 94
 - adjacency 94
 - distance 94
 - eigenvalue 94
 - Laplacian 94
- Microarray 115–125
 - data analysis 118–119, 125
 - dual-channel 117–119
 - experiments 115, 119, 121
 - single-channel 117, 119, 123
 - single-nucleotide polymorphism (SNP) technology 116
- Microarray data analysis 125–141
 - biomarker identification 138

- Microarray data analysis (*Continued*)
- bootstrap approach to gene selection 128–129
 - bootstrapping analysis 137
 - bottom-up clustering 135
 - classical feature selection (CFS) 138–140
 - cluster validation 137–138
 - clustering of microarray data 135
 - correlation among gene expression profiles 135
 - distance of gene expression profile clusters 137
 - empirical Bayes analysis 128
 - false discovery rate (FDR) control 129–131
 - functional annotation of genes 130
 - gene ontology (GO) 130–133, 139–140
 - hierarchical clustering 135
 - identification of differentially expressed genes 125, 129
 - kernel method 137
 - Kruskal–Wallis test 127–128, 139–140
 - Mann–Whitney U-test 127
 - mixture model approach 137
 - nonparametric statistical approaches 127
 - one-way analysis of variance (ANOVA) 126–128
 - parametric statistical approaches 126
 - Pearson correlation coefficient 137
 - principal component analysis (PCA) 138
 - random forest (RF) clustering 135
 - regression model approaches 128
 - RF predictor 135
 - sample *t*-test 126
 - self-organizing map (SOM) 135
 - shrinkage-based similarity procedure 137
 - significance analysis of microarray (SAM) 128
 - Student's *t*-test 126
 - supervised methods for functional annotation 134
 - support-vector machines (SVM) model 134, 140
 - unsupervised methods for functional annotation 133
 - volcano plot 126
 - Wilcoxon rank-sum test 127
- Microarray data preprocessing 115–124
- between-chip normalization 123
 - data cleaning 119–120
 - data summary report 124
 - data transformation 119–121
 - distribution (quantile) normalization 123
 - handling missing values 121
 - identification of low quality gene spots 120
 - linear regression normalization 123
 - loess normalization 123
 - normalizations 122
 - reduction of background noise 120
 - row-column normalization 123
 - standardization normalization 123
 - statistical model-fitting normalization 124
 - within-chip normalization 122
- Minimum area bounding rectangles 349, 355
- Minimum bounding rectangles 348–354
- convex hull 348, 355
 - measuring convexity 349–351
 - measuring orientability 352–354
 - measuring rectangularity 348–349
 - measuring rectilinearity 351–352
 - minimum area rectangle 348, 353
 - rotating orthogonal calipers 348, 353
- Minimum perimeter bounding rectangle 349
- Mobile ad hoc networks (MANETs) 488, 500
- Mobile host (MH) 465–468, 470, 473, 476, 480, 483
- location 467–468, 483
 - location database 470
 - speed 468
- Molecular biology 86, 89, 116
- Molecular descriptors 90–92, 95
- Molecular graph 89
- Molecular operating environment (MOE) 91
- Molecular structure 87
- Moments 358–365
- geometric moment 358
 - N*th order central moments 361
 - shape elongation 362–363
 - shape encoding 358
 - shape identification 358
 - shape matching 358
 - shape normalization 358–359
 - shape orientation 359–360, 363
 - zeroth-order moment 359

- mRNA 115, 140
- Multilayer feedforward network (MLF)
 - 103–105
 - energy function 105
 - three-layer 103–105
 - training pattern 104
 - universal classifiers 105
- Neighbor elimination schemes (NES) 440, 448–459
 - cone-based topology control (CBTC) 450–451, 459
 - counting-based method 451–452
 - Delaunay triangulation 454
 - Gabriel graphs (GGs) 452–453, 455–456
 - Local Information No Topology (LINT) 452
 - minimum energy communication network (MECN) 449–450
 - MobileGrid approach 452
 - relative neighborhood graphs (RNGs) 452, 457–458
 - relay regions 449
 - small minimum energy communication network (SMECN) 449–450
- Network diversity 492–494
 - diversity index 494
 - local diversity index 494
- NIH Molecular Libraries Initiative 90
- Nonlinear feedback shift register (NFSR) 432–434
- Normalized energy 366
- Object classification 351
- Object recognition 347
- One-dimensional signature 347
- Orbit 65
- PAM algorithm 204–205
- Pentagonal chain 72–73
- Perfect matching Nash equilibria 305
- Perfect matchings 68–77
- Perimeter-based vision 355
- Permutations 9–12, 19–22, 27, 30, 34–35, 53
- Perpendicular distance 359
- Personal communication services (PCS) 465
- Pharmacogenomics 89
- Plaintext 374, 381
- Polyhexes 39–83
 - benzenoid hydrocarbon 40–41
 - circulenes 42
 - coronoids 42
 - fuzenes 42, 64–65
- Polynomial Wardrop games 295
- Private key (symmetric key) 374
- Probability QoS (PQoS) 468
- Projections 365
- Protein property-encoded surface translator (PPEST) 96
- Public key cryptography (asymmetric cryptography) 374, 394–397
 - Fermat's theorem 396
 - public key cryptosystem 395
 - RSA algorithm 396
 - RSA cryptosystem 395
 - signature validation 395
 - signature verification 395
- Pure Nash equilibria 298, 301, 305, 309
- Quality of service (QoS) 272, 278, 465–466, 468, 471, 483, 500
 - provisioning 483
- Quantitative structure-activity relationships (QSAR) 95, 99, 101
- Radio frequency (RF) 407
- Radius function 366
- RAG database 98, 107, 109
- Reaction-diffusion 145–172
 - algorithms 145–172
 - cellular automaton model 150, 152–153, 155
 - chemical systems 167, 171
 - computational geometry 151–156
 - computationally universal 156
 - computer memory 161–164
 - computers 149–152, 171
 - hexagonal cellular automation 163
 - logical universality 156–161
 - process 150
 - processor 157
 - programmability 164–167
 - robot navigation and manipulation 167–171
- Real-time object detection 317
 - car detection 329–334

- Real-time object detection (*Continued*)
 - detecting pedestrians 335
 - detecting penguins 335
 - downhill feature search 339
 - face detection 320–329
 - postoptimization 335
 - red eye detection 336
 - rotated features 335
- Resilient recursive routing 485, 494–504
 - generic R3 algorithm 494–500
- Reverse Weiner index 95
- RNA 89, 96–99, 101, 107–109, 115–117
- Rooftop networks 439
- Roughness coefficient 366
- Routing and wavelength assignment (RWA)
 - problem 510, 516–527
 - aggregate network capacity bound 517
 - edge avoidance routing 519
 - first-fit coloring 518
 - limiting cut bound 517
 - on rings 518–521
 - on tree of rings (TR) 523–527
 - on trees 521–522
 - wavelength assignment (WA) 517–525
- Routing protocols 485–504
 - ad hoc on demand distance vector (AODV) 488, 500
 - adaptive 485
 - Bellman–Ford algorithm 486–487
 - Dijkstra’s algorithm 486–487
 - distance vector 488
 - dynamic routing protocol 489
 - dynamic source routing (DSR) 488
 - equal cost multipath (ECMP) 487
 - link-state 487, 488, 496
 - loop-free 486
 - multipath 486
 - resilient recursive routing 485–504
 - static 485
- Saturated hydrocarbon 87–88
- Scale-free networks 500
 - Albert–Barabasi algorithm 500
- Secure communication 407–412
 - denial of service (DoS) attack 411–412
 - digital signature 411
 - insider attack 411
 - models 409
 - outsider attack 411
 - public key cryptography 411
 - secure information agreement (SIA) protocol 412
 - security issues 409
 - Sybil attack 412
 - symmetric key cryptography 411
- Self-organizing feature maps (SOFM) 104
- Set partitions 11–12
- Shape measures 347–368
 - boundary-based convexity 350
 - circularity 348, 355
 - classification 347
 - contour grouping 347
 - ellipticity 355, 364
 - elongation 349, 367
 - image registration 347
 - orientation 349
 - pentagonality 367
 - rectilinearity 351
 - rectilinear shape 351
 - shape bias 347
 - shape partitioning 347, 351
 - shape representations 347
 - shape retrieval 351
 - skew correction 351
 - snakes 347
 - triangularity 355, 364, 367
- Signal-to-noise ratio 440
- Silhouette method 210–212
- Single-commodity network 291
- Sobel gradient mask 333–334
- Sobel kernel 333–334
- Square systems 51, 55
- Standard fully mixed Nash equilibrium 298–299
- Stream cipher 374–376, 388
 - asynchronous 381–382
 - autocorrelation test 377
 - Berlekamp–Massey algorithm 379–381
 - frequency test 377
 - Golomb’s randomness postulates 376
 - key scheduling algorithm (KSA) 382–383, 392
 - linear complexity 379–380
 - linear complexity properties 379
 - nonlinear filter generator 381

- poker test 377
- pseudo-random generator algorithm (PRGA) 382–383
- pseudo-random sequence generator (PSG) 376, 383
- randomness measurement 376
- RC4 382–384
- runs test 377
- serial test 377
- synchronous 381
- Subsets 4–7, 25–26, 36
 - Gray code 18–19
- Sum-of-squares partition 304
- Support vector machines (SVMs) 101–104, 318
- Symmetry group 44

- Terrestrial wireless networks 465
- Topological index 91, 94
- Topology control model assumptions 444–448
 - direct power control 448
 - direction-based topology control 446
 - distance-based energy model 447
 - distance-based topology control 446
 - energy models 445
 - geographic topology control 445
 - geometric data 445
 - link-based topology control 445
 - localized power control 448
 - neighbor discovery 446
 - power control 448
 - unit disk graphs (UDGs) 447, 452–457, 460
- Topology control objectives 441–444
 - angle-based direct planarization (ABDP) 456
 - connectivity 441
 - energy consumption 442
 - energy efficient (optimal) paths 442
 - explicit planarization 455
 - node degree 443
 - planar graph routing schemes 443
 - planarity 443
 - symmetric subtopology 444
- Traffic grooming problem 512, 527–531
 - on arbitrary traffic graph 529–530
 - on unidirectional path switched rings 527
- Tree 1, 16–18, 87
 - binary trees 16–18
 - B-trees 18
 - Euclidean minimum spanning tree, 456–457
 - local minimum spanning tree (LMST) 456–458
 - minimum spanning tree 456
 - spanning trees 49, 456
 - t-ary trees 6–18, 35–36
- Triangular systems 51–55

- Universal Mobile Telecommunication System (UMTS) 271

- Variations 1, 6, 36
- Viola and Jones's face detector 320–328
 - image feature 321
 - integral image 328
 - sliding window technique 320
- Voronoi diagram 151–156, 164–165, 172
 - continuous 152
 - discrete 152
 - planar Voronoi 151
 - Voronoi cell 151–152

- Wardrop model 292
- Wave-based computing 145
- Wavelength division multiplexing (WDM) networks 509–531
 - add-drop multiplexer (ADM) 510–512
 - aggregate capacity bound 517
 - all optical routing 509
 - demultiplexer (DEMUX) 511–512
 - dynamic (or on-line) routing problem 512
 - grooming factor 512
 - multiplexer (MUX) 511–512
 - one-to-one (or unicast) demand 512
 - optical add-drop multiplexers (OADM) 511–512
 - routing algorithms 509–531
 - routing and wavelength assignment (RWA) problem 510, 516–523, 527
 - SONET ADM (SADM) 512, 527, 528, 531

- Wavelength division multiplexing (WDM)
 - networks (*Continued*)
 - static (or off-line) routing problem 512
 - synchronous optical network (SONET)
 - 512
 - topologies 513
 - traffic grooming problem 512, 527–531
 - unidirectional path switched ring (UPSR)
 - 527–528, 531
 - wavelength assignment (WA) problem
 - 517–527
- Wireless sensor networks 407–411
 - applications 407
 - attack models 408
 - basic goals 408
 - classification 408
 - requirements 408–409
 - security issues 409
 - security requirements 410–411
- Worst-case Nash equilibria 293–294, 302