

INDEX

- Absolute, 47, 97, 140, 151, 243, 271
error loss, 232, 233, 235, 236
penalty error, 112, 113
relative error, 79, 94, 99, 100–102
- Accelerated, 116
- Acceptance, 112
- Accumulated, 64, 80, 82, 93, 117, 181
- Accuracy, 48, 78, 80, 98, 99, 100, 110, 112,
113, 118, 129, 143, 155, 162, 189, 206,
257, 262, 253. *See also* Forecast, accuracy
- Adaptive maintenance, 131
- Aircraft, 45
- Algorithm, 18, 92, 170, 177, 215, 241, 244,
275, 284, 303
binary, 259
compression, 257, 258, 260, 264, 267, 269,
270, 258, 306
decoding, 268–271
encryption, 156
enumeration, 281
EBSR, 208, 211
genetic, 303
L-M, 90, 91, 114, 116
MESAT, 187, 189, 205
MLE, 93
NLR, 93
overlap, 282, 283, 307
public key, 158
RBD, 259
reliability, 274, 282, 285, 287, 289, 291, 293,
295, 297–299, 301, 303
SPSS, 82, 93
stack, 269
stopping rule, 171, 173, 174, 175, 184, 187,
215
- Alternative, 6, 19, 22, 23, 67, 80, 82, 98, 99,
100, 114, 115, 119–121, 138, 170, 173,
174, 175, 177, 183, 188, 234, 270, 282
- Analysis
ANOVA, 17
Army Materials Systems, 64
Bayes(ian), 115, 120, 137, 178, 184, 208,
218
component, 258
cost, 173, 197, 202, 203, 212, 214, 223
cost benefit, 166, 173, 211
cost of quality, 172
coverage, 225
crypto, 156
data, 153
decision, 165, 166, 210
economic, 197, 228
exploratory data, 79, 96, 196
fault tree, 69
goodness-of-fit, 223, 224
likelihood, 152
mathematical-statistical, 63
nonparametric, 38
of error processes, 70, 113
posterior, 55
regression, 79, 80, 114
reliability, 71, 258, 262, 304
risk, 122, 124, 132, 137, 162, 166
security, 159
security meter, 120, 135, 137
sensitivity, 187

- Analysis (*continued*)
 - sequential, 227
 - statistical, 62, 67, 163, 174, 215
 - stopping rule, 223, 224, 229
 - system, 40
 - track, 144
 - tree, 161, 162, 164
 - vulnerability, 165
- Anonymity, 155, 156
- Application(s), 7, 8, 17, 46, 106, 125, 130, 131, 138, 156, 167, 174, 183, 204, 205, 215, 216, 221, 229, 233, 243, 245, 253, 258, 260–263, 275, 305
- Approach(es)
 - analytical, 67, 251
 - Bayes(ian), 18, 47, 55, 99, 100, 118, 115, 135, 184, 188, 189, 221
 - decision-tree (diagram), 122, 138, 142
 - enumeration, 266, 270, 276, 278
 - evolutionary, 304
 - frequency, 143, 144
 - informative, 112
 - integral, 25
 - inverse-transform, 20
 - K-S, 94
 - large sample, 103
 - MESAT, 193
 - NBD, 153
 - noninformative, 111, 118
 - nonsystematic, 120
 - numerical, 121
 - Poisson-geometric, 152
 - prior distribution, 104
 - privacy meter, 150
 - probabilistic, 138
 - qualitative, 121, 155
 - quantitative, 66, 155, 228
 - RBD, 258
 - security meter, 132, 137, 168
 - shotgun, 206, 208
 - statistical, 66, 303
 - testing to death, 173–175, 206
- Approximation(s), 45, 71, 116
- Arithmetic, 35, 100–102, 110, 112, 113, 158
- Arrival, 14, 20, 58, 59, 61, 63, 79, 80, 82, 93, 176–178
- Assumption(s), 33, 40, 47, 48, 51, 57, 58, 62, 63, 80, 138, 142, 147, 174, 184, 187, 190, 193, 194, 196, 233
- Attack trees, 120, 137
- Attribute(d), 75, 113, 120, 207, 215
- Audit, 153, 155, 156, 162
- Authentication, 143, 155–157, 163
- Availability
 - average, 25
 - Bayes(ian), 232, 233, 253
 - calculations, 239, 241
 - component, 231, 244
 - expected, 232, 233
 - long run (term), 25, 75
 - modeling, 231, 234
 - network, 231, 233, 234, 239, 244
 - non, 190
 - source target, 231
 - system, 64
- Background, 80
- Backward, 90, 264
- Bathtub curve, 7, 23, 24, 27, 52
- Bayes(ian) model(s), 47, 55
- Behavior, 47, 48, 53, 79, 99, 174, 187
- Bernoulli, 20, 21, 23, 32, 58, 67, 114, 176, 187, 188, 189, 226, 227, 254
- Best estimate, 47, 169
- Binomial
 - density, 17
 - distribution, 20, 46, 60, 71, 177
 - multi, 21
 - negative, 22, 23, 57, 58, 78, 116, 152, 177–179, 181, 183, 184, 189, 195, 226
 - processes, 176
 - quadri, 21
 - random variable, 21
 - sampling, 227
 - setting, 48
 - type model, 48, 49, 51, 53, 64
- Block(s), 72, 158, 188, 199, 257–260, 265, 268
- Boundary, 111
- Bug(s), 122, 160, 183, 198, 199
- Calendar, 48, 52, 61, 80–86, 87, 92, 188, 206
- Capability-based attack trees, 120, 154
- Catastrophic, 120
- Categories, 159
- Categorize, 159
- Category, 47
- Cause(s), 25, 45, 135, 137, 144, 271
- Central, 12, 26, 52, 156
 - limit theory, 67
- Change, 39, 40, 44, 49, 55, 190, 236, 254
- Characterization, 78, 82
- Checkpoint, 101, 174, 215
- Class, 35, 49, 55, 63, 66, 97, 130
- Classification(s), 48, 49, 121
- Clock, 52
- Clumping, 196

- Cluster(ing), 79, 94, 96, 151–153, 176, 180, 191
- Code(s), 51, 82, 123, 137, 151, 156, 170, 173, 177, 206, 210, 235, 242, 272, 308
- Coefficient, 178, 183, 184, 187, 189, 237
- Cold standby, 15
- Combination, 62, 156, 160, 161, 178, 180, 266, 276, 277
- Comparative, 131
- Comparison, 16, 48, 98, 103, 104, 105, 112, 113, 132, 173, 197, 198, 200
- Complex(ity), 100, 172, 174, 175, 233, 245, 257, 259, 260, 267, 272, 280–286, 291, 293, 295, 296, 300
 - measures, 47
 - metrics, 69
 - networks, 231, 245, 259, 271, 281, 282, 284, 285, 291, 293, 295
 - systems, 257–262, 264, 270–272, 304, 305
 - topology, 272, 281
- Computer systems, 68, 304
- Conclusion(s), 96, 98, 110, 121, 129, 137, 142, 149, 154, 188, 213, 221, 230, 281
- Conditional, 4, 38, 39, 49, 52, 54, 104, 105, 130, 138, 141, 178, 236, 251
- Confidence, 16, 17, 36, 37, 76, 117, 177, 185, 186, 187, 193, 194, 195, 196, 221, 229
- Confidentiality, 155
- Consensus, 151
- Consistency, 81, 98
- Consistent, 121, 162
- Constant, 9, 17, 20, 23, 51, 65, 71, 79, 97, 99, 100, 106, 110, 111, 122, 123, 130, 147, 168, 178, 180, 181, 184, 188, 190, 208, 220, 230, 244, 255
 - criticality, 147
 - deterministic, 130
 - failure (rate), 24, 37, 43, 69, 72–74, 77, 151
 - hazard (rate), 7, 34, 49, 52
 - measures, 99
 - proportionality, 49
- Continuous, 1, 2, 3, 21, 60, 73, 80, 121, 161, 176, 180, 188, 229, 230, 243
- Control, 17, 20, 122, 157, 172, 173, 174, 199
- Corrective, 131, 252
- Correlation, 58, 153, 176, 178, 181, 182, 184, 187, 190, 193
 - function, 176
- Cost
 - analysis, 173, 197, 212, 223, 225
 - average, 149
 - benefits, 166, 173, 197
 - budget, 132
 - capital (investment), 123–125, 127, 168–171, 183, 223, 225
 - coefficient, 183
 - criterion, 198
 - effective, 132, 172–174, 177, 183, 186, 197, 205, 212, 215, 230
 - efficient, 173, 184
 - expected, 124, 127, 132, 135, 137, 150, 207, 217
 - factors, 198
 - fixed, 182, 184, 217, 221
 - improvement, 154
 - implied, 183
 - index, 198
 - maintenance, 131
 - maximum, 121
 - model, 183, 195, 196
 - opportunity, 130
 - output, 132
 - parameters, 183, 187–189
 - projected, 122
 - redemption, 120
 - scenarios, 185
 - shadow, 127
 - software, 131
 - testing, 194, 196, 198, 199
 - utility, 121, 132
 - variable, 182, 183, 217
- Countermeasure (CM), 119, 121–127, 129, 132, 135, 137, 138, 142, 144, 148, 150, 153, 154, 155, 161, 165, 168, 170
 - lack of (LCM), 121–124, 143, 170
- Counting, 47, 57, 58, 150, 173, 176, 177, 187, 188, 195, 207, 272
- Coverage, 51, 223, 225
 - branch(ing), 174–177, 181–184, 188, 195, 196
 - cost of, 207
 - data sets, 178, 228
 - decision, 175
 - detection, 174
 - estimation, 228
 - failure, 173
 - fault, 173, 200
 - imperfect, 304
 - level, 185
 - minimal, 185, 190, 210
 - number, 185, 187
 - reliability, 173, 177
 - statement, 175
 - total, 190
 - white-box, 172
- CPU, 12, 39, 40, 48, 52, 53, 54, 55, 73, 75, 77, 79, 80, 81, 188

- Criteria, 115, 227, 228
- Crypto, 156
- Data
 - bank, 77
 - censored, 36, 38, 39, 76
 - clustered, 80, 82
 - compaction, 305
 - complete, 33, 35, 36
 - correlated, 116
 - cost, 188
 - countermeasure, 142
 - coverage, 178
 - current, 47
 - domain, 77
 - effort-based, 173
 - empirical, 6, 33, 146, 148, 168, 173
 - error, 113, 115
 - exploratory, 79, 96, 196
 - failure, 33, 39, 48, 67, 76–80, 92–96, 98–100, 152, 252
 - field, 207, 234
 - grouped, 34, 35, 39, 40, 73, 77, 80, 95, 114
 - historical, 234
 - hybrid, 169
 - incomplete, 36
 - insufficient, 244
 - large sample, 238, 244
 - latent, 183
 - models, 67, 114
 - Musa's sets, 57
 - nonreplacement, 36
 - output, 92
 - qualitative, 127, 169
 - quantitative, 120, 122, 127
 - recovery, 253, 304
 - reliability, 67, 71
 - repair, 245
 - repository, 119
 - resistant, 243
 - simulated, 79
 - software, 92
 - statistical, 143
 - symmetric, 147
 - system design, 120
 - test case based, 174
 - test, 69
 - ungrouped, 33–35, 38, 76
 - VHDL, 198
 - weekly sets, 82
- Death, 36, 39, 46, 173, 174, 175, 206
 - process, 68
- Debugging, 46, 57, 68, 71, 232
- Decision, 66, 101, 102, 115, 123, 164, 166, 210, 211, 228
- Decryption, 156
- Defective, 10, 22, 173
- Defect(s), 7, 48, 54, 55, 57, 62, 63, 257
- Degrees of freedom, 15, 16, 17, 98
- Delayed, 62, 63, 187, 189
- Density, 1, 2, 3, 4, 6, 8, 12, 13, 15, 17, 23, 25, 34, 36, 49, 51, 53, 54, 56, 58, 78, 80, 125, 137, 147, 151, 188, 218, 219, 231–233, 242, 243, 250, 251, 256
- Density function, 2, 3, 4, 6, 8, 25, 34, 51, 80, 147, 218, 219, 232, 243, 256
- Dependent, 21, 47, 58, 63, 130, 139, 140, 141, 142, 150, 154, 188, 194
- Design, 40, 46, 64, 75, 119, 120, 121, 122, 130, 131, 135, 142, 143, 148, 150, 162, 168, 169, 175, 205, 206, 215, 229, 258
- Detection, 68, 69, 113, 166, 305
- Determination, 161, 196
- Device, 11, 14, 73, 77, 122, 143, 144
- Diagnostic(s), 98, 190, 195, 196
- Discovery, 83, 84, 85, 86, 87
- Discrete, 2, 3, 20, 21, 48, 58, 60, 79, 80, 142, 150, 155, 157, 168, 176, 177, 178, 181, 182, 184, 229, 255, 308
- Discrimination ratio, 195
- Discriminative, 190, 196
- Disjoint, 39, 122, 127, 138, 139, 140, 141, 142
- Disjointness, 141, 142
- Disk, 74
- Distribution(s)
 - asymptotic, 31
 - beta, 17, 18, 180, 181, 187, 234, 252
 - binomial, 20, 46, 58, 181, 184
 - compound Poisson, 177
 - compound(ing), 58, 59, 71, 79, 80, 188, 195
 - conditional, 104, 105, 178, 236, 251
 - cumulative, 3, 6, 98
 - discrete, 226
 - double, 12
 - empirical, 94, 98
 - Erlang(ian), 13–15
 - extreme value, 24,
 - failure, 4, 5, 24, 33, 35, 49, 55, 62
 - frequency, 79, 82, 92, 96, 191
 - function, 6, 18, 176, 180, 195, 233, 234
 - gamma, 13, 14, 18, 237
 - geometric, 58, 80, 215
 - half-normal, 113
 - hyperexponential, 12
 - hypergeometric, 70
 - hyperprior, 104
 - joint, 56, 59, 218, 249
 - limiting, 188

- logarithmic-series (LSD), 58, 173, 176, 177, 187, 188, 195, 207
- log-normal, 27
- marginal, 56, 59, 178, 180
- mixture, 12
- multinomial, 21
- negative binomial (NBD), 60, 71, 174–177, 179, 184, 195
- negative exponential, 11–13, 20, 21, 50, 80, 115, 168
- noninformative, 100
- nonparametric, 33
- normal, 25–28, 30, 104, 105, 243
- Pareto, 56
- Poisson, 20, 58, 71, 147, 168, 177, 216
- Poisson-geometric, 58, 70, 76, 82
- Poisson-logarithmic, 76
- posterior, 47, 55, 56, 180, 233, 236, 249
- power-function, 13
- power-law, 12
- prior, 47, 55, 56, 102, 104, 113, 178, 180, 227, 247
- probability, 52, 66, 67, 98, 150, 151, 176, 180, 193–196, 252
- skewed, 187
- statistical, 1, 26, 32, 48, 120, 150, 233
- survival, 116
- three-parameter beta (SL), 233, 235
- truncated, 25
- type-I, 30, 31
- type-II, 30, 31
- type-III, 30, 31
- uniform, 53, 105
- univariate, 227, 253
- Weibull, 23, 24, 31
- Down times, 233, 236, 239, 243, 244, 247, 249
- Duane (model), 47, 64, 68, 69
- Duration, 76, 77
- Dynamic, 130, 131, 150, 174, 197, 257
- Economic, 123, 172, 174, 177, 182, 187, 189, 196, 197, 204, 207, 211, 215, 221
- Effect(ive), 24, 40, 52, 55, 78, 79, 99, 134, 142, 185, 187, 196
 - avalanche, 146
 - cause and, 208
 - domino, 207
 - logarithmic, 97
 - ripple, 123, 127, 130
 - saturation, 189
 - side, 123, 131
- Effort, 137, 179, 183, 184, 205
 - based, 48, 172, 173, 176, 178, 229
 - discrete, 182
 - domain, 46, 177, 182, 188, 189
 - errors, 208
 - testing, 206, 208, 210
 - unit, 179
- Empirical, 120, 142, 184, 187, 188, 195, 205, 218, 221
 - Bayes(ian), 47, 67, 69, 114, 116, 165, 168, 174–177, 184, 187, 188, 195, 205–208, 218, 220, 225, 229, 252
 - data, 33, 146, 148, 173
 - distribution, 94, 95, 98
 - rule(s), 206, 227
 - software testing, 205
- Encryption, 143, 156, 166, 170
 - Cesar's, 157
 - El-Gamal, 158
 - public key, 157, 158
 - RSA, 157
- Error, 11, 93–103, 117, 135, 136, 150, 167, 194, 205–208, 210–213, 223–225, 235, 243, 251
 - common mode, 75
 - detection, 63, 68, 113, 259, 323
 - detection rate, 3
 - loss, 232, 233, 235, 236
 - measurement, 26
 - mode, 75
 - post facto, 211
 - predictive, 97, 103
 - relative, 79, 80, 83–85, 100, 102
 - round off, 117
 - sampling, 11
 - squared, 47, 79, 80, 94, 98, 178, 181, 232, 233, 236–239, 243, 251
 - standard, 91, 106
 - type, 1, 103
 - vector, 89
- Estimation, 3, 4, 38, 47, 55, 63, 94, 113, 149, 150, 154, 193, 232, 233
 - Bayes(ian), 17, 47, 177, 195, 235
 - coverage, 195, 228
 - density, 71
 - error of, 237
 - interval, 96
 - lack of privacy, 150
 - least-squares, 90, 91
 - max likelihood, 79, 80, 96
 - method(s), 33, 36, 101
 - model, 63
 - nonlinear, 91
 - of failures, 57, 78
 - of hazard, 34

- Estimation (*continued*)
- parameter, 47, 67, 79, 80, 82, 92, 93, 96–99, 114, 142, 149, 226, 252
 - prior, 248
 - procedures, 33, 100
 - process, 193
 - reliability, 33, 56, 67, 79, 113–115, 259
 - regression, 82
 - risk, 154
 - statistical, 17, 143, 174
 - under, 121
- Estimator
- asymptotic, 233, 238, 244
 - availability, 232, 233, 246
 - Bayes(ian), 178, 181, 219, 231, 234–239, 241, 243, 244, 251, 252
 - Kaplan–Meier, 39
 - large sample, 244
 - maximum likelihood, 50, 81
 - of an attack, 143
 - nonparametric, 37
 - small sample, 238
 - type I, 37,
 - type II, 37,
 - unavailability, 232
 - unbiased, 37
- Evaluation, 1, 68, 78, 114, 115, 119, 172, 226, 227, 231, 257, 304
- Event(s), 7, 20, 45, 78–80, 93, 122, 123, 127, 132–134, 142, 143, 148–152, 155, 156, 162, 168, 175–178, 215, 244, 255, 262, 308
- Expectation, 49, 173, 196, 219, 238
- Expected, 46, 47, 51–53, 57, 76, 82, 121, 127, 154, 175, 183, 184, 187, 190, 193, 194, 207, 232–234, 243, 244, 256, 267
- availability (un), 232–234
 - errors (number of), 190
 - estimator, 183, 207, 217
 - failures (faults), 50, 63, 73, 79, 81, 179, 182, 217–219
 - life, 6
 - load (loss of), 55
 - loss (cost of), 124, 125, 127, 131, 132, 135, 137, 142, 147, 149, 150, 168, 169
 - output, 125
 - repair (cost of), 124
 - risk (residual), 125, 137
 - time, 50
 - value, 20, 22, 59, 77, 81, 125, 178, 181, 182, 216, 220, 236, 256
- Experiment(al), 22, 39, 76, 150, 152, 175, 184, 196
- Explanatory, 146
- Exploratory, 79, 96, 196
- Exponential, 1, 11–15, 20, 21, 24, 31, 36, 37, 49, 50–52, 55, 60–64, 73, 77, 79–82, 92, 97, 147, 167, 168, 195, 217, 248, 256
- Exposure, 151, 162
- Extended, 1, 47, 63
- Factor(s), 27, 45, 46, 63, 105, 123–126, 127, 130, 137, 158, 159, 176, 184, 190, 195, 198, 207, 208, 215
- Failure
- application, 131
 - chance, 120, 135, 137
 - clumping of, 51, 78
 - common-mode, 44, 45, 72
 - component, 18, 33
 - constant, 24
 - coverage, 174
 - count(ing), 93, 100, 116, 226, 47, 50, 59, 62–64, 78, 79
 - cumulative, 64
 - data, 100, 114, 115, 226, 245, 251, 252, 33, 39, 67, 76–80, 92, 93, 98, 99
 - date, 48
 - density, 49, 53, 54
 - detection, 63
 - distribution, 4, 5, 33, 35, 49, 62
 - epoch, 57
 - events, 256
 - finite, 52
 - grouped, 95
 - hardware, 170
 - index, 57
 - information, 35
 - injection, 47
 - instantaneous failure, 6, 45
 - intensity, 46, 49, 50, 51, 53, 54, 57, 61, 63–65, 69, 73, 76
 - intentional, 120
 - malicious, 123, 135, 137
 - mean time to, 5, 33, 77, 151, 221
 - model, 30, 49, 50, 63, 64
 - modes of, 24
 - number of, 21, 22, 37, 46, 48, 50, 52, 53, 57, 62, 64, 73, 78, 82, 88, 89, 177, 100, 179, 182, 184, 186, 189, 194, 197, 216, 219, 220
 - power, 170
 - probability, 20, 43, 74, 151, 259
 - process, 93, 195
 - random, 173
 - rate(s), 5, 6, 24, 37, 42–45, 50, 55, 56, 58, 63, 64, 71–75
 - remaining, 182

- residual, 98
- size, 174
- software, 47, 57, 71, 78, 79, 94, 96, 99, 122, 165, 176, 177, 182, 184, 193, 221
- system, 14, 43, 45
- time(s), 6, 33, 34, 39, 49, 52, 53, 55–58, 62, 64, 72, 77, 220
- time to, 6, 14, 15, 25, 31, 33, 49, 57
- Fatigue, 24, 27
- Fault(s)
 - arrival, 176
 - content, 80
 - correction, 55
 - coverage, 175, 200, 223
 - detection, 51, 52, 55, 73
 - expected number of, 63
 - hazard rate, 64
 - injection, 47
 - number of faults, 51, 184, 193, 223
 - remaining, 185, 193, 216, 223
 - removal, 70
 - seeding, 47
 - size, 207
 - simulation, 226
 - spreading model, 47
 - software, 69, 177, 216
 - tolerant(ce), 47, 69, 70, 156, 225, 253, 305
 - tree(s), 47, 69
- Files, 116, 229
- Final, 149, 171, 261
- Finite, 5, 26, 31, 48, 49, 52, 53, 62, 63, 152, 235
- Forecast
 - accuracy, 67, 99, 115, 227, 252
 - quality, 79, 91, 94, 98, 113
- Function(s)
 - beta, 18
 - characteristic, 178, 179
 - correlation, 176
 - criterion, 104
 - cumulative density, 3, 4, 8
 - cumulative distribution, 6, 51, 98
 - decreasing, 27, 53, 217, 219
 - discrete, 155
 - distribution, 17, 18, 67, 234
 - expected value, 220
 - exponential, 217
 - failure rate, 64
 - hazard (rate), 2, 6, 23, 28, 34, 40, 47, 49, 52, 54, 64, 73, 76, 77
 - intensity, 6, 49, 50, 51, 54, 57, 63, 64, 65
 - joint density, 4
 - likelihood, 4, 81
 - linear, 64
 - logarithmic, 53
 - loss, 47, 56, 116, 178, 181, 219, 233–238, 251, 252
 - mathematical-statistical, 1
 - mean value, 46, 49–54, 62–65, 73
 - moment generating, 232, 235, 249
 - Pareto, 11, 13
 - penalty, 234, 235, 245
 - power, 11, 13,
 - prior, 244
 - probability density, 1–3, 6, 8, 25, 34, 51, 80, 147, 218, 232, 243, 256, 304
 - probability distribution, 52, 98, 151, 176, 180, 195, 233, 252
 - probability mass, 8
 - reliability, 2, 4, 11, 15, 23, 25, 26, 34, 38, 76, 280
 - security meter, 130
 - statistical, 4
 - survival, 38, 77, 151
 - type-I, 31
 - type-III, 31
 - weight, 237, 238, 251
- G3B, 231, 232, 235
- Gamma, 1, 17–19, 61, 219, 233–235, 238, 249
 - density, 13, 15, 219, 242, 243
 - distribution, 13, 14, 18, 237
 - family, 56, 247, 249
 - models, 243, 244
 - multiplier, 110
 - pdf, 15, 62, 150, 218, 233, 234
 - plots, 244, 245
 - posterior, 55
 - prior, 18, 55–57, 221–224, 232, 240, 241, 248
 - variables, 231, 232
- Gauss, 91
- Generalized, 52, 57, 73, 79, 92, 97, 121, 140, 142, 176, 181, 182, 187, 189, 232, 233, 234
 - beta, 181, 182, 187, 189, 252, 253
 - compound, 57, 79
 - exponential, 92, 97
 - gamma, 232, 233
 - Goel–Okumoto NHPP, 73
 - multivariate beta distribution, 234
 - Poisson, 71, 92, 97
- Geometric, 21–23, 50, 55, 57–60, 76–82, 93, 152, 188, 189, 215, 216, 218, 219, 221–224, 226
- Goodness-of-fit, 46, 71, 80, 94, 98, 99, 174, 187–191, 200, 203, 223, 224

- Graphical(ly), 161, 230, 258, 259, 262, 270, 281
 Graphs, 98, 162
- Hardware, 1, 22, 46, 64, 143, 149, 173, 174, 188, 196, 200, 208, 231–233, 243, 247
 Hazard, 2, 5, 6, 7, 11, 23, 25, 28, 30, 34, 47, 48, 49, 50, 52, 53, 54, 55, 64, 72, 73, 75–77, 170
 rate, 5–7, 11, 23, 30, 49, 50, 52, 54, 55, 64, 72
 Histogram, 35, 91
 Homogeneous, 48, 62–64, 65, 151
 Hyperexponential, 12, 62–64, 240, 244
 Hypothesis, 16, 99, 103, 110–112, 193, 194
- Identical, 14, 21, 31, 40, 42–44, 48, 55, 56, 60, 67, 73, 75, 95, 137, 149, 152, 153, 156, 176, 183, 194, 240–243, 266, 267, 298
 IID, 14, 30, 31, 152
N-, 21
 non, 26, 176, 188, 240, 242
 variables, 26, 67
 Improper, 105
 Independence, 138
 Independent, 4, 11, 14, 15, 16, 21, 26, 28–31, 40, 45, 46, 48, 55, 57–59, 67, 73, 75, 82, 138–140, 150, 152, 175–178, 188–190, 194, 195, 233
 exponential, 14, 55, 152
 failure, 59
 increments, 176, 190, 195
 N-, 4, 15, 26, 29–31
 non, 67
 Poisson process, 175, 176
 S, 189
 statistically, 40
 threats, 40
 time, 46, 150, 176, 178, 188, 189
 Infeasibility, 187
 Inference, 150, 151, 153, 184, 189, 233
 Infinite, 25, 50, 53, 54, 64, 76, 111, 235, 238
 Informative, 98, 99, 112, 113, 232–236, 243, 244
 Initial value, 98, 221, 285, 298
 Integration, 236
 Integrity, 155
 Intensity, 6, 46, 49–51, 53, 54, 57, 61, 63–65, 73, 76, 80
 Interfailure, 52, 53, 55, 62, 64
 Interruptions, 176, 194, 195, 216, 218, 219, 220
 Interval, 2, 3, 6, 8, 35, 36, 37, 39, 46, 58, 59, 63, 76, 80, 81, 82, 93, 96, 152, 174, 182, 183, 207, 217–220
 confidence, 16, 17, 36, 65, 93, 245
 CPU seconds, 73
 i(th), 12, 39, 182, 183, 207
 k, 35
 M-O Poisson, 96
 n-, 100
 of integration, 3
 1000-second, 40
 t, 2, 6, 217, 219, 220
 testing, 182
 time, 35, 39, 42, 46, 48, 58, 59, 81, 100, 183, 217, 218, 227
 Inverse, 10, 11, 13, 18, 20, 22, 24, 26, 232, 240, 248, 255
 Iterative, 98
- Jelinski–Moranda, 46, 47, 49, 68
 Job, 121, 126
 Joint probability, 218
- Key, 46, 156–159, 195
 Knowledge, 104, 105, 162
 Kolmogorov–Smirnov, 79, 80
 K-S, 80, 94, 96–98
- Latent, 183
 Law, 12, 26, 123, 130, 144, 150
 of large numbers, 26, 28
 Learning, 63
 Least, 42, 57, 75, 77, 82, 90, 91, 96, 98, 118, 119–121, 137, 143, 149, 151, 156, 168, 175, 185, 186, 193, 194, 205, 206, 220, 221, 237, 278, 279
 squares, 57, 82, 90, 91, 237
 Life cycle, 147, 167, 205
 Likelihood, 4, 8, 50, 79, 80, 81, 96, 151, 152, 154, 162, 206, 208, 233, 250
 Limitations, 44, 45, 70, 115, 228
 Linear, 34, 57, 64, 82, 116
 Link(s), 254, 271, 275, 276, 282, 283, 286–288, 290–297, 299, 306, 307, 308
 and nodes, 301–303
 connecting, 260, 272
 imperfect, 262
 index, 283, 285–302
 perfect, 256
 reliability, 254, 256, 257
 weakest, 40
 List, 1, 160, 190, 244, 260, 276, 277, 284–291, 293, 295–302, 304
 Littlewood, 47, 48, 55, 57, 68–70, 115
 Load, 55
 Logistic, 28, 29, 228, 229
 Long-term, 75

- Loss, 47, 55, 56, 123–127, 131–137, 142, 147–150, 162, 167, 169, 178, 181–185, 197, 219, 232–239, 243, 244, 252, 253.
See also Function
- Marginal, 4, 56, 57, 59, 178, 180, 218
- Markov, 21, 58, 60, 67, 80, 114, 184, 188, 189, 197, 226, 227, 228
- Matrix, 91, 188, 259
- Maximum likelihood, 81
- Mean(s), 2, 5, 9, 14, 17, 20, 25–27, 30, 33, 35, 40, 45–54, 58, 60, 62–65, 73, 75, 77, 79, 80, 90, 94–106, 110–113, 121, 135, 137, 147, 151, 167, 168, 187, 190, 194, 195, 219, 221, 233, 235, 236, 240, 244, 245, 247, 256, 257, 271. *See also* Arithmetic squared error, 79, 80, 94, 98, 99
time to crash, 147, 167
time to failure, 5, 33, 46, 57, 221
time to repair, 25, 75
value function, 46, 49–54, 62–65, 73
- Measure, 24, 33, 41, 46, 55, 65, 94, 97, 98, 103, 112, 121–123, 126, 131, 175, 244
- Measurement(s), 26, 68, 94, 100, 113, 114, 116, 120, 162, 193, 229
- Median, 2, 5, 10, 13, 16, 27, 28, 47, 232–236, 240
- Memoryless, 21, 219, 220
- Metrics, 68, 116
- Minimal, 177, 185–187, 190, 195, 196, 210, 229, 251, 274, 285, 298
- Minimal coverage, 177
- Minimum, 5, 10, 30, 162, 174, 185, 201–203, 236, 251, 274, 275, 282, 285
- Mode, 2, 10, 13, 15, 17, 28, 29, 43, 45, 72, 75, 235
- Model(s), 12, 17, 27, 54, 55, 56, 73, 76, 80, 92, 93, 94, 98, 99, 105, 121, 122–124, 128, 129, 131, 138, 146–48, 151, 161, 168, 172–175, 176, 183, 184, 189, 193, 196, 197, 199, 207
- AMSAA, 64, 65
- Bayesian, 47, 103, 104
- Bell–LaPadula, 155
- binomial, 48
- Biba, 155
- Chinese wall, 155
- Clark–Wilson, 155
- compound Poisson, 78, 79, 195
- decision tree, 119
- Duane’s, 64
- failure, 31, 53
- failure-counting, 47
- Goel–Okumoto nonhomogenous Poisson, 50, 52
- Harrison–Ruzzo–Ullman, 155
- Howden’s, 194
- Jelinski–Moranda de-eutrophication, 49, 80
- Littlewood–Verral Bayesian, 55
- Modified exponential software reliability, 64
- Moranda’s geometric, 50, 80
- Musa’s basic execution time, 49, 52
- Musa–Okumoto logarithmic Poisson execution time, 53, 96, 97
- Poisson, 48
- Poisson geometric, 81, 82
- power, 64
- quantitative security meter, 142–145, 150, 155
- Rayleigh, 52
- reliability, 46–48, 62, 100
- Sahinoglu’s compound Poisson geometric, 58
- Sahinoglu’s compound Poisson logarithmic series, 57
- Sahinoglu–Libby probability, 234
- Schick–Wolverton, 64
- Schneidewind, 51
- static, 47
- time between failures, 46
- time-domain, 48
- TTD, 120, 162, 163
- Weibull, 52
- Yamada’s delayed and Ohba’s inflection S and hyperexponential, 62, 63
- Moment(s), 5, 29, 60, 184, 216, 232, 235, 236, 243, 249
- Mortality, 6, 7
- MTBF, 50
- MTTF, 5, 25, 33, 37, 42, 44, 45, 57, 65, 72–77, 221, 223, 224
- MTTR, 25, 75
- Multiplication rule, 138, 139
- Musa, 47, 52, 53, 57, 68, 69, 70, 71, 73, 76, 79, 80, 93, 96, 101, 113–115, 195, 196, 217, 220, 221, 228, 229
- Musa–Okumoto, 47, 53, 73, 76, 79, 80, 93, 96, 101
- Mutation testing, 165, 208, 226
- Network, 67, 165, 166, 240, 253, 255, 258, 259, 268, 271, 287, 288, 290, 297–300, 303–305
- Neural networks, 258
- Node, 160, 161, 254–256, 258, 259, 260, 262–264, 266–276, 280–296, 298–302, 305–308
- follow, 283
- ingress, 262, 270, 274

- Node (*continued*)
 lead, 283
 root, 160, 161
Nondisjointness, 120, 169
Nonhomogeneous, 47, 48, 52, 53, 62, 79, 80,
 151, 152, 173, 176, 188, 195
Nonparametric, 33, 37, 38, 40, 72, 73, 76, 94,
 96
Nonrepudiation, 155
Null hypothesis, 193
Numerical, 51, 94, 105, 120, 128, 155, 233, 235
- Occurrence(s), 2, 22, 63, 148, 168, 174, 176,
 189, 223, 224
One step, 173
Operating, 11, 14, 33, 38, 52, 55, 64, 72, 208,
 232, 243, 256, 263, 275, 279
 system, 72
Operation(s), 46, 64, 73–75, 121, 127, 156,
 157, 161, 170, 215, 259, 261, 269
 modulus, 157
Optimal, 51, 170, 177, 185, 211, 215, 216, 230
Optimization, 165, 304
Optimum, 70
Order statistics, 34
Output(s), 41, 98, 122, 125, 132, 205, 243, 256,
 280, 281
- Package, 116
Parameter estimation, 47, 67, 79, 80, 89, 96,
 98, 114, 226, 252
Performance, 40, 96, 97, 98, 131
Phase, 12, 25, 63, 82, 175, 206, 208, 210
Poisson, 20, 21, 32, 47, 48, 49, 50, 52, 53, 54,
 55, 62–69, 70, 71, 73, 76–82, 92, 93, 96,
 97, 101, 114, 115, 147, 148, 151–154,
 168, 184, 187–190, 195, 197, 198, 206,
 207, 215–229, 252
 compound, 47, 57–60, 78, 79, 91, 93, 96,
 97, 152, 193, 216, 223
 distribution, 20, 59, 168, 177
 geometric, 57, 59, 80, 81, 152, 188, 189,
 218, 223
 Musa–Okumoto logarithmic series, 47, 53,
 80
 nonhomogeneous process (NHPP), 47–50,
 53, 78, 80, 151, 152, 173, 176
 random numbers, 20
 Sahinoglu’s compound geometric, 57
Population, 29, 151, 245
Prediction(s), 48, 49, 63, 70, 78–80, 94, 98, 99,
 103, 113, 115, 118, 147
Predictive, 46, 48, 78, 80, 97, 99, 100, 103,
 110, 112, 113, 118
- Privacy, 143, 150–157, 164, 165, 167
Probability density, 6, 232
Probability mass, 8
Process(es), 10, 12, 14, 25, 27, 48, 49, 50, 52,
 53, 55–62, 63–65, 71, 78–82, 164,
 172–178, 188, 193–196, 200, 205, 213,
 218–221, 239, 243, 258, 262, 270, 275,
 282, 296, 297, 302
 Bernoulli, 176
 homogeneous (HPP), 151
 Markovian birth and death, 46
 random, 49, 52
 verification, 174
Product(s), 10, 12, 27, 40, 51, 59, 71–73, 82,
 125, 130, 172–175, 190, 193, 194,
 205–207, 214, 218, 219, 229, 233, 241
 limit, 38, 39
Program, 48, 53–55, 63, 76, 93, 106, 117, 156,
 170, 176, 177, 183, 193, 206, 216, 217,
 221, 241, 308
- Qualitative, 113, 119–121, 127–129, 138, 155,
 168
Quality, 17, 20, 40, 73, 79, 82, 94, 98–100,
 113, 172–175, 193, 194, 214
Quantitative, 103, 104, 115, 119–122,
 127–129, 132, 138, 142, 150, 154, 155,
 162, 169, 173
- Random, 8, 10, 18, 24, 28, 49, 57, 58, 59, 60,
 77, 99, 101, 105, 120, 122, 125, 129, 130,
 137, 147, 148, 150, 151, 158, 159, 167,
 168, 173, 178, 179, 180, 194, 195, 206,
 215, 216, 217, 218, 243, 245, 246, 247,
 249, 253–255
 deviate(s), 11, 14, 23
 number generation(s), 11, 13, 15, 17, 19, 21,
 23, 25, 27, 29, 31, 66
 number(s), 8, 10, 11, 13–32
 sampling, 4
 variable, 4, 10, 14–17, 19–22, 25–27, 29,
 33, 55, 56, 79, 81, 97, 100, 103, 123,
 174, 176–181, 187, 188, 194, 216, 217,
 232, 234–236, 238, 239, 244, 249, 251
- Rank deficient, 91
Rate, 5, 6, 7, 9, 12, 18, 20, 23, 24, 27, 37, 42,
 43, 44, 45, 48–59, 63, 64, 65, 71–75, 77,
 151, 167, 176, 178, 194, 232, 233, 247,
 249, 256
 defect, 51, 63
 detection, 51, 52, 63, 68, 73, 113
 failure, 56, 64, 71–75, 77, 151, 229,
 231–233, 247, 255
 outage, 18, 55, 232, 249

- Poisson, 20, 178
- recovery, 18, 232
- repair, 55, 231, 233, 243, 244, 247, 249, 256
- time-dependent error-detection, 68, 113
- Rayleigh, 23, 32, 52
- Recovery, 18, 232
- Recursive, 38, 235, 280, 284
- Reduction, 53, 92, 217
- Redundancy, 1, 15, 40–42, 72, 75, 76, 156, 263
- Regression, 82, 93, 114, 116, 227
- Regression testing technique, 176
- Relative, 2, 41, 79, 80, 83–87, 92–94, 98–102, 130, 144, 150
 - frequency, 2, 144, 150
- Reliability, 1, 2, 4, 7, 8, 11, 15, 16, 23, 24, 25, 26, 28, 31, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50, 51, 52, 53, 54, 55, 56, 57, 62, 63, 64, 65, 68, 69, 71, 72, 73, 75, 76, 77, 78, 79, 80, 99, 100, 101, 113, 118, 120, 151, 169, 172, 173, 174, 177, 188, 189, 193, 194, 195, 221, 253, 256–263, 265–275, 277, 280, 281, 283, 284, 296, 297, 298, 302, 303, 308
- Bayes(ian), 241, 252
- block diagramming, 258, 265
- engineering, 2, 8, 47
- equation, 7, 44
- function, 2, 4, 5, 8, 11, 15, 23, 26, 34, 38, 47, 115
- hardware, 45, 46
- management, 121, 122, 150, 152, 166
- residual, 122, 124–126, 130, 132, 137, 146–150, 170, 171
- scenarios, 120
- security, 119, 121, 123, 128, 137, 138, 148, 149, 154, 155
- series, 40
- software, 45, 46, 48, 49, 55, 62, 64, 78–80, 97, 99, 101, 113, 118, 151, 172, 193, 195, 221
- Renewal, 152
- Residual, 46, 57, 62, 78, 82, 92, 98, 122–127, 129, 130, 132, 137, 146–150, 169–171
- Response, 151, 188, 226, 251, 304
- Reward, 184
- Risk, 119–138, 141, 143, 146–150, 153–155, 161, 162, 164–171, 195, 205, 236, 240, 251
- Run, 25, 72, 76, 121, 130, 186, 187, 194, 208
- Safety, 68, 123, 155, 170, 253, 258, 304
- Sample, 4, 6, 21, 26, 29–33, 46, 82, 95–97, 100, 101, 103, 110–112, 117, 122, 123, 125, 127, 150, 164, 178, 221, 232–234, 238–240, 244–247, 251, 270, 274
- Sampling, 4, 70, 79, 80, 102, 103, 148, 165, 189, 195, 196, 197, 227, 228
 - error, 11, 150
 - plans, 11, 143
- Security, 1, 119–123, 128–132, 135, 137, 138, 142–144, 146–151, 153–155, 160–164, 167–169, 173, 190, 229, 258–259, 281
- Semiquantitative, 119
- Simulation, 1, 11, 105, 106, 120, 123–125, 127, 129, 130, 132–142, 147–150, 167, 168, 255, 259, 308
 - defect, 48
 - discrete event, 147, 148, 150
 - Monte Carlo, 105, 120, 123–125, 127, 129, 130, 134, 137, 138, 142, 147, 148, 150, 168, 184, 254, 255, 256, 259, 304, 306, 308
 - program, 310
- Software, 1, 10, 40, 45–49, 51–57, 62–64, 68–73, 76, 77–82, 92–96, 99–101, 113, 118, 120–123, 130–137, 143, 149–153, 167, 169–177, 181–184, 188–190, 193–198, 205–207, 213–221, 232, 233, 272, 281, 282
 - engineering, 68, 114, 165, 166, 172, 176, 193, 213, 215, 225, 228, 229, 304
 - environment, 52
 - failure(s), 47, 48, 57, 71, 78, 79, 81, 93, 96, 100, 101, 122, 174, 176, 177, 181, 182, 194, 216, 221
 - fault(s), 47, 49, 69, 131, 177, 216, 220
 - maintenance, 120, 121, 131–133, 135, 137, 164, 165, 168, 225, 227
 - module, 72, 73
 - reliability, 1, 46, 99, 120, 193
- Standard deviation, 95, 96, 97, 103, 163
- Standby, 14, 15, 16, 43, 44
- Statistical, 1, 2, 4, 6, 17, 25, 26, 32, 33, 43, 46, 48, 49, 62, 63, 66–68, 70, 98–100, 112–115, 120, 121, 129, 138, 142–145, 150, 151, 154, 162, 172–174, 189, 193, 195, 196, 206, 215, 226–228, 234, 253, 254, 306
- Statistics, 11, 17, 34, 46, 66, 67, 79, 94–98, 114–116, 122, 132, 162, 165, 168, 215, 227–229, 252–254, 305
- Stochastic, 48, 67, 70, 78, 98–103, 105, 111, 113–115, 151, 167, 188, 253
- Stochastic processes, 71, 227
- Storage, 281, 283

- Sum of squares, 15, 35
- System, 1, 2, 4, 6, 8, 10, 12, 14–16, 18, 20, 22, 24–27, 30, 31, 40–45, 55, 56, 64, 67, 68, 72, 75, 76, 114, 120, 122, 123, 130–136, 143, 156, 159, 161, 163, 166, 168–170, 175, 194, 208, 226, 227, 240, 241, 253, 259, 260–262, 265–268, 271–273, 277–279, 280–283, 286, 298, 304, 305
- System analysis, 40
- System reliability, 2, 4, 6, 40, 41, 43–45, 258–260, 266, 269, 275, 280, 284, 296
- Systems, 21, 31, 41, 42, 44, 45, 64, 65, 67–72, 74, 114, 121, 131, 149, 156, 160, 162, 164, 166, 168, 193, 215, 225, 228, 242, 253, 254, 259–264, 266–274, 276, 278, 280, 282, 284, 286, 288, 290, 292, 294, 296, 298, 300, 302, 304, 305
- Test, 33, 36, 37, 38, 48, 63, 64, 67–69, 72, 75–77, 83–87, 94, 103, 112–118, 172–178, 182–190, 194–198, 202, 205–215, 223, 225–229, 252, 253, 286, 287
 - goodness-of-fit, 209
 - Kolmogorov–Smirnov (K-S), 80, 95
 - white-box, 175
- Testing, 1, 10, 16, 33, 35–37, 39, 40, 48, 58, 62–70, 75, 78–80, 82, 97, 102, 110, 113–115, 120, 121, 142, 149, 164, 168, 172–177, 182–190, 193–200, 202, 205–210, 224–230, 233, 252, 257, 258, 305
- Theorem, 16, 26, 57, 58, 180
- Threat, 121–129, 132, 135–146, 149, 150, 165, 167, 168, 170, 171, 196
- Time to defeat (model), 120, 154, 162–164
- Time to failure, 5, 6, 14, 15, 25, 31, 33, 49, 57, 221
- Transform (inverse), 10, 11, 13, 20, 22, 24, 28, 31, 128
- Tree diagram, 121, 122, 123–128, 132, 133, 138, 139–143, 146, 147, 167, 168
- Trend(s), 50, 51, 98, 100, 111, 112, 151, 152, 172, 176, 282
- Unavailability, 233, 236, 239, 243, 245–249
- Unavailable, 36
- Unbiased, 37, 67
- Unpredictable, 7
- Unreliability, 75
- Uptime, 18, 231
- User, 113, 123, 130, 156, 158, 184, 200, 216, 218, 259, 261, 264, 269
- Utilization, 1, 173
- Validation, 69, 98, 196, 227, 228
- Variance, 16, 17, 20, 21, 26, 27, 29, 35, 58, 60, 80, 95–97, 104, 105, 111, 112, 152, 189, 236
- Variation(s), 34, 50, 55, 100, 236
- Venn diagram, 140, 141
- Vulnerability(ies), 121, 124–130, 132, 134–138, 139, 141, 142, 143, 144, 145, 146, 150, 164, 165, 167, 168, 169–171
- Web, 12,
- Wireless, 259
- Yamada, 47, 69, 113