

Index

- A/D adaptors 213
- AC/CD/AC converter 74
- AC/DC converter 213
- AC/DC/AC Conversion systems 74, 75
- AC/DC/AC experimental analog models 75
- AC/DC/AC frequency domain model 75
- AC/DC/AC probabilistic modeling 76
- AC/DC/AC time domain model 75
- Accelerated aging 134
- Active power 188
- Adaptive notch filter 289
- Adjustable speed drive (ASD) 195, 253, 254, 257, 260, 261, 270, 274, 275
- Aliasing 150, 151
- Almost Gaussian 59, 60, 62, 63, 66, 68, 69
- Aluminum sheet facility 357, 358
- Amplitude demodulation 240
- Amplitude modulation 273
- Analog to digital conversion 150
- Analog to digital converters (ADCs) 150
- Analysis filter bank 278–281, 286, 304, 305
- Apparent frequency 304, 307–309, 315, 316
- Apparent power 29–33, 35, 36, 37
- Approach 101, 103, 106, 111
- Arc furnace 161, 359, 361
- Arc furnace facility 360–361
- Arc furnace load 8
- Arc furnace melting cycle 362
- ATP 298
- Average Value 12
- Background distortion 75, 116
- Background voltage 116
- Balance equations 101
- Balance power system 111
- Bandwidth parameter 193
- Bayes relations 123
- Bessel 59, 60
- Bessel function 59
- Bivariate normal distribution 58, 60, 61, 63
- Boundary effects (in wavelet) 194
- Breakdown 132
- Bursts of harmonics 133, 134
- Capacitor aging 134
- Capacitor temperature 135
- Case studies 170
- Cell phone battery charger 332, 353
- Center frequency 193
- Compatibility levels 162, 163
- Complex time-frequency characteristic 178
- Complex wavelet 191, 192
- Computational effort 152, 154, 157
- Conservative level 136
- Continuous range of frequencies 25
- Continuous time Fourier transform 151
- Continuous wavelet transform 178
- Converter 96–101, 104, 107, 108
- Converter Station 167
- Convolution method 53, 56
- Convolution process 101, 102, 105, 106, 109
- Corona 132

- Correlation coefficient 8, 103, 153–154
- Cumulative distribution 133, 134
- Cumulative frequency distributions 336, 340, 344
- Cumulative frequency histogram 83, 86–88, 336, 338, 345
- Cumulative probability function (CPF) 117, 121, 122, 124, 125, 127, 162
- Current distortion 36

- Dampened sinusoidal 22
- Damping factor 317–320, 322, 326, 327
- Daubechies' wavelets 180, 181
- DC link 167–170, 253, 255, 257, 260, 261
- DC-link harmonic 255, 260, 261
- Decimator structure 279
- Desktop PC 332, 333, 347, 349, 350, 352–354
- Diagnostics 199, 208
- Digital bandpass filter 304
- Digital filter bank 304
- Digital simulator 211, 212, 215
- Digital sine-cosine generator 292
- Dilatation parameter 193
- Dilation 179
- Direct method 95–97, 111
- Dirichlet condition 44
- Discrete Fourier transform (DFT) 151, 152, 157
- Discrete range of frequencies 25
- Discrete wavelet transform 179
- Distribution network 332, 353, 355
- Disturbance 25, 26
- Dominant harmonics 317, 320, 323, 325, 326
- Double-stage conversion 253
- Down-sampler 281, 304, 306, 308
- Dyadic down-sampling 293

- Edgenworth approach 103
- Electric energy 29
- Electromagnetic Transient Programs (EMTP) 211
- Empirical mode decomposition 233, 234, 235, 236, 249, 250
- EMTP 74, 76, 77
- Enhanced PLL (EPLL) 304, 308–311, 314
- Evolutionary spectrum 20, 22, 23, 24, 176
- Excessive harmonic levels 134
- Expected value 102–105
- Experimental results 332, 349, 352

- Fast Fourier Transform (FFT) 7, 9, 11, 12, 149, 151–152, 157, 234, 235, 303
- Fast ICA 220
- FFT 22, 168, 177–178, 187
- Filter properties 152
- Filter reactors 167
- Filters 167–169, 171, 172
- Finite element analysis 39
- Finite element analysis software 41
- Finite impulse response (FIR) 149, 150, 152, 154, 155
- Firing asymmetries 75
- Flicker 187, 313, 315
- Fourier 270, 254, 255
- Fourier analysis 21, 22, 96, 176–177, 321–323
- Fourier methods 176
- Fourier series 39
- Fourier transform 21, 22, 149–152, 157, 175–180, 183, 255
- Frequency distribution histogram 340
- Frequency heterodyne 245, 248
- Frequency resolution 178, 179
- Frequency scales 188
- Full-cycle DFT 290
- Fuzzy control 199, 202–205, 207
- Fuzzy inference 198, 204, 205
- Fuzzy logic 197, 198, 200, 201, 204, 205, 207–209
- Fuzzy logic toolbox 199, 209
- Fuzzy set 198, 199, 201

- Galvanic isolation 149
- Gamma function 60
- Gauss bell curve 157
- Gaussian 57, 59, 60, 62, 63, 66–70
- Gaussian assumption 63, 66–68
- Gaussian distribution 13, 57, 67
- Gaussian functions 21
- Gaussian law 59
- Gaussian modeling 65–67, 69, 70
- Gaussian wavelet 193
- Generalized gamma distribution 60, 61, 70
- Generation variation 26
- Gibbs phenomenon 44
- Gram-Charlier approach 103

- Hardware-in-the-loop (HIL) 212, 214–216
- Harmonic 123–128
- Harmonic amplitudes 253, 259
- Harmonic analysis 1, 3, 5, 6, 7, 18, 175–176, 180, 185
- Harmonic behavior 168
- Harmonic bursts 133, 134

- Harmonic component 89, 176, 253, 254, 258, 259, 261, 262, 272–274
- Harmonic content 135, 136, 149
- Harmonic control 162
- Harmonic current 53, 54, 58, 65, 69, 70, 115, 116, 117, 266–267, 274, 331, 333–341, 343, 345–351, 353–355
- Harmonic currents magnitude cumulative frequency diagrams 347
- Harmonic data 133
- Harmonic decomposition 19
- Harmonic distortion 20, 23, 24, 175, 176, 180, 185, 197, 199, 200, 204, 205, 206, 208, 303
- Harmonic elimination 257
- Harmonic emission 162
- Harmonic estimation 304, 308, 310, 315, 316
- Harmonic filter 167, 168, 169, 171
- Harmonic frequencies 135–136, 253–255, 257, 258, 273, 274
- Harmonic frequency 89
- Harmonic Group 85, 89
- Harmonic impedance 115, 116, 121, 123, 128
- Harmonic limits 162
- Harmonic phasors 29
- Harmonic power flow 95, 96, 100, 102, 111
- Harmonic problems 171
- Harmonic signal 149, 150
- Harmonic source 217, 218, 220–224, 228, 230, 231
- Harmonic standards 132
- Harmonic summation 22, 53, 55, 161, 163, 164
- Harmonic variations 135
- Harmonic vectors 53–57, 69, 70
- Harmonic voltage 36, 115–117, 123, 127, 199, 200, 201, 203, 204
- Harmonic voltage levels 135
- Harmonic voltage measurement 133
- Harmonics 25, 26, 27, 131–134, 136, 167, 211, 212, 216–217, 253–254
- Harmonics measurements 26, 27
- Heterodyne 245, 248
- High Voltage 167
- High-frequency ripple 133
- Hilbert Transform 282
- Hilbert-Huang transform 250
- Histogram 13, 14, 15, 16, 127, 133, 134
- IEC 61000-3-2 132
- IEC 61000-3-6 131
- IEC 61000-4-3 132
- IEC grouping of bins for interharmonic 90
- IEC Standard 61000-4-30 73, 74, 91
- IEC subgrouping 269, 270
- IEEE 519 131, 132, 134
- IEEE 519-1992 132
- IEEE industrial test system 118
- IEEE Standard 519 161
- IEEE Standard 1459 32, 37
- IEEE Standard 18 134, 136
- IEEE Standard 519-1992 349, 354
- Impedance amplitude 116, 120
- Impedance variability 115, 116, 118, 120, 121, 123, 127
- Independent component analysis (ICA) 217–224, 230, 231
- Induction machines 132
- Infinite impulse response (IIR) 149, 155
- Ink-jet printers 337
- Inrush current 283, 285–287
- Instantaneous frequency 236, 240, 241, 245
- Instantaneous magnitude 240, 241, 244, 245
- Instantaneous phase 191
- Instantaneous voltages 134
- Insulation overstress 133
- Integrated method 96
- Intelligent Electronic Devices (IEDs) 296, 299
- Interharmonic 121–128
- Interharmonic amplitudes 256, 259, 263, 264, 266, 267
- Interharmonic currents 76, 77, 80–82
- Interharmonic frequencies 89, 253, 255–259, 262, 265, 269, 270
- Interharmonic frequencies in LCI drive 78
- Interharmonic Group 85, 89
- Interharmonic Group frequency 89
- Interharmonic impedance 123
- Interharmonic spectra 82, 84, 85
- Interharmonic vectors 53–55
- Interharmonics 253–259, 267–272, 274, 275
- Intermodulation 253, 255–258, 260–263
- Interpolator structure 279
- Intrinsic mode functions 234, 235, 250
- Inverter 74
- Isolation 149, 150
- Itaipu Hydro Plant 167
- Iterative harmonic analysis 95, 96, 107, 108, 111
- Johnson approach 103
- Joint density method 53, 56–58
- Jointly normal random variables 61
- Joseph Fourier 39, 40
- Joseph Fourier: the experiment 40

- Kalman filter 152–157
- Kalman gains 153, 155

- Laplace Transforms 103
- Large penetration 331, 332, 353
- Large penetration electronic equipment 331, 353
- LCI drive 254, 259, 261–264
- Leakage 151, 152, 190
- Light flicker 127
- Line commutated inverter (LCI) 74, 78, 79, 254, 256, 259, 260, 261–264
- Linear predication model (LPM) 318, 319, 321
- Linear vector sum 161
- Load disruption 132, 133
- Load identification 217, 220, 222, 223
- Load profile 218, 220–224, 230, 231
- Load signal 156, 157
- Load time variability 118, 119
- Load variation 26

- Magnetic saturation 75
- Magnitude frequency distributions 339
- Marginal distributions 54
- Masking signals 234–237, 239, 240, 244, 245
- Matlab 199, 205, 295
- Matroids 268
- Measured currents 169
- Measurement techniques 149
- Membership function 198, 199, 201, 202
- Metering campaign 168
- Meyer wavelet 48, 180, 181, 183, 184
- Model based techniques 150, 152
- Modified Hilbert Huang technique 235
- Modulating harmonics 272
- Modulation ratio 257, 261, 264, 273, 274
- Monte Carlo 53, 56, 58, 62–65, 71, 101, 102, 105, 106
- Monte Carlo method 58, 71
- Monte Carlo simulation 53, 56, 62, 63–65, 74, 77, 117
- Morlet wavelet 157, 158, 193, 194
- Mother wavelet 179, 180, 182, 184, 185
- Moving-average filter 310
- Multimodal behavior 67
- Multirate processing 303, 304
- Multirate System 278, 279, 288
- Multiresolution analysis (MRA) 175, 176, 179, 180–185

- Nonactive power 29, 31, 33, 37
- Nonlinear appliances 332, 353
- Nonlinear equipment 349, 350, 353
- Nonlinear sources 53
- Nonperiodic function 25
- Nonperiodic time-varying functions 20
- Non-recursive numerical filter 291
- Nonstationary processes 22
- Nonstationary random processes 19
- Nonstationary signal 234, 247
- Nyquist criteria 293

- Over-currents 135
- Overheating 201, 203
- Over-temperature 135

- Parameter uncertainty 115, 119
- Parametric bandpass filters 305
- Parametrical model identification 349, 350, 353
- Partial discharge 134
- Pdfs 334, 353
- Peak factor 137–147
- Pearson 103, 105–106, 111
- Percentile 95, 104–106
- Periodic function 25
- Phase shifting filter 188
- Phase-locked loop (PLL) 152, 289, 303, 304, 309, 315, 316
- Phasorial composition 55
- Photocopier 332, 340, 353
- Picket-fence effect 151
- Point of common coupling (PCC) 161, 348–350, 352, 353
- Polar plot 7, 8, 10
- Polar representation 191
- Positive sequence 32–34
- Power electronic 175
- Power electronic device 212, 213
- Power factor 192
- Power quality 187, 303, 316
- Power quality contract 137
- Power quantities 191
- Power systems 197, 199, 208, 217, 218, 222, 224, 230, 231
- Printer 332, 334–338, 347, 353, 354
- Prior knowledge of frequency 317, 327
- Probabilistic methods 29, 20, 22, 176, 185, 211
- Probabilistic modeling 121, 128, 266, 269, 270
- Probabilistic network analysis 93–95, 115
- Probability densities 37
- Probability density function (pdf) 3, 4, 7, 13, 14, 54, 55, 59, 65, 69, 77
- Probability distribution function 14, 15, 16

- Probability functions 54
- Probability histogram 54
- Prony analysis 317, 318–327, 329, 330
- PSCAD 298
- Pulse width modulation (PWM) 254, 257, 259–261, 264–268, 272, 274, 275

- Random characteristics 211
- Random harmonic 53–55, 58, 70, 71
- Random harmonic current injection 58
- Random harmonic vectors 55, 70
- Random load 31
- Random modulations 257
- Random variable 98, 103, 109
- Random variation 169
- Random vectors 54–56, 59, 69
- Randomness 29–32, 34, 36, 37
- Randomness current distortion 36
- Randomness power 29, 30, 31, 34, 37
- Randomness reactive power 32
- Rayleigh 59, 60
- Rayleigh distribution 4, 13, 59, 62
- Rayleigh magnitude distributions 62
- Reactive power 188, 190
- Real wavelet 188
- Real-time 212, 214, 216
- Real-time digital simulators 211, 212
- Real-time simulation 211
- Real-time simulators 211
- Real-zero phenomenon 237
- Rectifier 74
- Relative cumulative frequency histogram 83, 86–88
- Residential customers 65–67
- Resistant torque 77
- Resonant frequencies 116
- Resonator-in-a-loop filter bank 289
- Rician 59, 60, 62
- Rician magnitude distribution 62
- Rician probability density function 59
- Ripple harmonics in DC inverter 81
- RMS value 190
- Root sum of squares (RSS) 161
- Rotation matrix 156

- Sample of waveforms 357
- Sampling rate alternation 279
- Sampling rate impact 182
- Scaling 149
- Scaling parameter 192
- Scatter plot 8, 11, 54, 63, 64, 67, 68

- Selective harmonic cancellation 318, 322, 324, 326, 327
- Shannon theory 293
- Short term harmonic 27
- Short time Fourier transform (STFT) 177, 178, 278, 289, 303, 316
 - Aliasing 12
 - Leakage 12
 - Picket-fence 12
- Shorter-term harmonic 135
- Short-term excursions 131, 132
- Short-term harmonic levels 133, 136
- Short-term situations 136
- Short-term variations 136
- Signal processing for interharmonic analysis 89
- SimPower-matlab 298
- Simulink 199, 200, 202, 204
- Single Side Band Modulation 245, 282
- Single site probabilistic harmonic
 - index 137–138, 146
- Single-phase 331, 332, 353, 354
- Single-phase nonlinear loads 331, 353
- Singular value decomposition (SVD) 319, 320, 322, 327
- Six-pulse inverter 80, 81
- Six-pulse rectifier 80, 81
- Sliding window 44
- Sliding window recursive DFT (SWR-DFT) 290, 291, 293, 295, 299
- Spectral analysis 5, 19, 20, 24
- Spectral methods 176
- Speed demand probability distribution 78
- Standard deviation 12, 104, 111
- State estimation 217, 218, 230, 231
- State variable 153, 154
- Stationary signal 234, 246, 247
- Statistical concepts 168
- Statistical measures 12, 13, 16
- Statistical methodology 168
- Statistical methods 211
- Statistical treatment 167, 170, 171
- Steady-state limits 131, 134–136
- Steady-state quantities 131
- Stochastic properties 153
- S-transform 235, 244, 250
- Student's t-distribution 167, 170, 171
- Subharmonic frequency 195
- Subharmonics 37
- Summation method 58
- Superposition principle 55
- Supply time variability 118, 120

- Switching 25, 26
- Switching frequency 261, 262, 264, 266–268, 274
- Symmetrical components 29
- Symplet wavelet 190
- Synchronized 151, 152
- Synchronous machines 132
- Synchronous PWM 272, 274
- Synchronous sampling 331
- Synthesis filter bank 278, 281, 304
- System average excessive peak factor ratio index 142, 144–147
- System average excessive total harmonic distortion ratio index 142, 144–147
- System average peak factor 142–147
- System average total harmonic distortion 142–147
- System faults 26
- System impedance 115, 116, 119, 120–122, 127
- System probabilistic harmonic index 137, 142, 144–147
- System total harmonic distortion 95th percentile 142–147

- Temperature 197–206, 208
- THD limit 135, 136
- Thermal heating 135
- Thermal time constant 133–136
- Time invariant linear discrete Kalman filter 154
- Time varying harmonic loads 161
- Time varying harmonics 25, 27
- Time-dependent spectrum 22
- Time-frequency analysis 44
- Time-frequency domain 188
- Time-frequency techniques 176
- Time-varying (harmonic) frequency components 180
- Time-varying behavior 331, 332, 347, 353
- Time-varying harmonic 1, 3, 11, 19, 23, 176, 177, 185, 197, 211, 331, 353, 354
- Time-varying harmonic distortion 20, 23, 24
- Time-varying loads 25
- Time-varying nature of harmonics 137
- Time-varying processes 211, 212
- Time-varying sources 53
- Time-varying waveform distortions 175–177, 183, 185

- Time-varying waveform/harmonic distortions 176
- Time-varying waveforms 175, 176
- Torque ripple 133
- Total harmonic distortion 131, 134
- Total harmonic distortion of current 138–140
- Total harmonic distortion of voltage 137–147
- Total interharmonic distortion (TID) 86
- Transient 25, 26, 27
- Transient event 26, 27
- Transient harmonics 317, 318
- Transient Network Analyzers (TNAs) 211
- Transient overvoltage 135
- Transient phenomena 131
- Transient response 152, 155, 306
- Transients 25–27, 131
- Translation 179
- Typical harmonic voltage profiles 136

- Unbalanced power 33
- Unbalanced power systems 111
- Unbalances 75
- Upper sideband modulation 246
- Up-sampler 279, 306
- Useful life 140–141

- Vector sum 161
- Vectorial summation 53, 55, 70
- Voltage dip 194
- Voltage distortion 115, 116, 117, 123, 128
- Voltage fluctuation 313, 315
- Voltage overstress 133
- Voltage variability 116

- Wavelet 149, 150, 157, 158, 187
- Wavelet MRA 185
- Wavelet multi-resolution analysis (MRA) 175, 179, 181
- Wavelet multi-resolution decomposition 178
- Wavelet scales 188
- Wavelet transform 48, 176, 178, 185, 278, 288–289
- Wavelet-based filter bank method 48
- Wigner-Ville distribution 177

- X2 distribution 60, 63, 64