

# Index

2n-Gong, 181

A\* algorithm, 103–107, 112

A-STAR, **107**

Acceptor, 124, 144

Action, 125

Active collusion, 222, 225

Active object, 217–220, 224

Adaptation, 121–122, 143, 157

Adaptive pipeline protocol, 217

Admissibility, 104, 107, 112

Aesthetics, 108, 113

*Age of Empires II: The Age of Kings*, 6, 119, 139, 205

Aggregation, 163–164

AI processor, 110

Algol68, 246

Algorithm format, 242–244

Algorithmic function, 232

Alignment, 135, 137

ALIGNMENT, **138**, 147

ALL-PERMUTATIONS, **29**, 44

Alluringness, 139

Ally, 6

Alpha-beta pruning, 82–86, 88, 89, 94  
analysis, 84–86  
rules, 83

*Amaze*, 181

Amdahl's law, 187

Anthropocentrism, 5, 8, 12

ARABIC-TO-ROMAN, **244**

Area-of-interest filtering, 205–209, 211

Armwrestling, 47

Array, 240

Aspiration search, 86

Asynchronous lockstep protocol, 216

Augmented reality, 171

Aura, 206, 208, 211

Autonomy, 143

Avatar, 9

Avoidance, 108, 135

AVOIDANCE, **138**

B-spline, 108

Backgammon, 73

Bandwidth, 173, 176, 183, 185, 190–193, 205, 210

Bayes' theorem, 149–151

Bayesian network, 151, 166

Beam search, 102

Belief, 149, 152–153, 167

Best-first search, 102, 104

Best-of-*m* match, 53, 60, 70

Bézier curve, 108

Binary, 237

Binary tree, 56

Binomial distribution, 25

Bit reversal, 18, 57

BIT-REVERSE, **60**

*Black & White*, 118

Boid, 135, 147

Boxing, 118, 119

Bracket, 56, 69, 71

Branching factor, 78, 81, 82, 85, 88, 93

Breadth-first search, 102, 104, 111

Bridge, 222

Broadcasting, 174, 175, 180

Brownian movement, 35

Bullet time effect, 202–205, 211

Bye, 57–58, 60–62

C programming language, 229, 245, 246

C++, 229, 246

Card trick, 28, 44

Centralized architecture, 177, 181, 186, 221, 225

- Challenge, 2, 12, 223  
 Champion, 47, 49, 69, 70  
 Chance node, 87, 88, 95  
 Characteristic function, 156  
 Cheapest-first search, 104  
 Cheating, 6, 213  
 Cheating prevention, 213–214, 224  
 Checksum, 215  
 Chess, 3, 73, 80, 94  
 CIRCLE-HILL-TERRAIN, **39**  
 Client, 175, 176, 179, 182, 188, 189, 214, 221  
 Client authority abuse, 221  
 Client–server architecture, 175–176, 181, 186, 187, 189, 210  
 Clique, 62  
 Cobol, 246  
 Cohesion, 135, 137  
 COHESION, **138**  
 Collaboration, 178  
 Collusion, 221–224, 225  
 Combinatorial explosion, 88, 121, 133  
 COMBINED-MASS-FUNCTION, **154**  
 Commitment, 215  
 Communication architecture, 175–176, 181, 182, 210, 211  
 Communication capacity, 189  
 Compression, 190  
 Computator, 125  
 Concurrence, 137  
 Conditional probability, 149, 153  
 Configuration, 5  
 Conflict, 2, 12  
 Conjunction, 164  
 Connection, 97, 102  
 Consistency, 7, 176, 184–186, 205, 209, 210, 211  
 Constant, 233  
 Constraint satisfaction problem, 159, 167  
 Control structure, 234–237  
 Controller, 5, 12  
 Convergence, 193–195, 210  
 CONVERGENCE-LINEAR, **194**  
 Convex partitioning, 100  
 CONVEX-PARTITION, **101**  
 Cooperation, 7, 117  
 Copper Noughts and Crosses, 87–88, 95  
 Core structure, 4, 5  
*Core War*, 6  
 Cost function, 102, 103, 107, 112  
 CREATE-PLANETS, **32**  
 CREATE-STARS, **32**  
 Crisp set, 156  
 Critical proximity, 198, 211  
 CSP, *see* Constraint satisfaction problem  
 Cup tournament, *see* Single elimination tournament  
 Current state, 125, 127, 133, 134  
 Customization, 9  
 Cut-off phenomenon, 30  
 Cut-off point, 139  
  
 Data and control architecture, 176–178, 181, 182, 185, 224  
 Data structure, 237–241  
 Dead reckoning, 191–196, 209, 210  
 DEAD-RECKONING-MESSAGE, **193**  
 DEAD-RECKONING-VALUE, **194**  
 DECIDE-DIRECTION, **165**  
 Decision-making, 5, 41, 74, 115, 117, 119, 123, 166, 192, 205  
     operational, 117, 121, 122, 143  
     strategic, 117, 120, 122, 143  
     tactical, 117, 121, 122, 143  
 Deep history state, 127  
 Definition  
     computer game, 3  
     game, 1–2  
     play, 1  
 Delay function, 199, 201–203  
 Delegate, 218, 220  
 Dempster's rule, 153  
 Dempster–Shafer theory, 152–155, 167  
 Denial-of-service attack, 214, 221  
 Depth-first search, 82, 102, 104, 111  
 Derivative polynomial, 191–193  
 Design by contract, 130  
 Design defect, 221  
 Deus ex machina, 5, 12  
*Diablo II*, 8  
 Diced Noughts and Crosses, 86–88  
 Difficulty level, 9  
 Dijkstra's algorithm, 102  
 DIS, *see* Distributed Interactive Simulation  
 Discrete finite distribution, 25–27, 44  
 Disjunction, 164  
 DISPLACEMENT, 38  
 Distributed architecture, 177, 181, 186, 225  
 Distributed Interactive Simulation, 173, 186  
 Distribution, 5, 143  
 Division Nim, 75, 93

- Dog Eat Dog, 160–161
- Doom*, 12
- Double elimination tournament, 60
- Doubt, 153, 167
- Dragon's Lair*, 8
- Draughts, 73, 79, 93
- Dungeon master, 9
- Edge, 151, 175, 241
- Eight-connectivity, 100
- Elimination tournament, 49, 53–60, 70, 71
- Elite*, 8, 31
- Emergence, 9, 110, 136
- Enemy, 6
- Entry action, 125, 127
- Equitable seeding, 57, 71
- EQUITABLE-SEEDING, **60**
- Estimation function, *see* Evaluation function
- EVALUATE-DIRECTION, **165**
- Evaluation function, 78–80, 93, 103–104
- Event, 122, 126
- EverQuest*, 213, 223
- Evidence, 149, 150, 153
- Exit action, 125, 127, 130
- EXPECTI-ALPHA-BETA, **90**, 95
- Expectiminimax, 88
- Expression, 232–233
- Extension pack, 10
- External compression, 190
- Extrinsic filter, 209
- Factor Division Nim, 93
- Fail-soft enhancement, 86, 89
- Falcon A.T.*, 7
- Fault line, 35
- FAULT-LINE-TERRAIN, **39**
- Final, 57
- Final state, 126
- Finite state machine, 122–135, 144–147
  - hierarchical, 126, 127, 131
  - synthetic player, 122–124
- First-person shooter, 12, 174, 214, 221
- Fitness, 49
- FLOCK, **137**
- Flocking, 108, 110, 120, 135–139, 147
- Focus, 208, 211
- Fog of war, 213, 220, 225
- Football, 13, 53, 117, 171
- Formula One Grand Prix*, 7
- Fortran, 246
- Four-connectivity, 100, 125
- FPS, *see* First-person shooter
- Free will, 8, 12
- Frontier node, 78, 81
- Frontier: Elite II*, 8
- FSM, *see* Finite state machine
- Fuzziness, 123
- Fuzzy constraint satisfaction problem, 159–166, 167, 168
- Fuzzy operation, 157–159
- Fuzzy set, 155–159, 167
- Galaxy, 31
- Game, 3
  - non-zero sum, 73, 91
  - zero-sum, 73
- Game balancing, 47, 119
- Game programming, 12
- Game tree, 115
  - analysis, 77–78
  - definition, 73
  - depth, 78, 81, 84, 93
  - partial, 78
  - problem statement, 74
  - width, 93
- Game world, 5, 7, 30, 116
- Generator, 118–119
- Genetic algorithm, 120, 121, 157
- Geometric distribution, 27
- Global optimum, 120
- Go, 73, 94, 139
- Goal, 1, 12
- Goldrush, 147, 168
- Gossip, 220, 224
- Grand Theft Auto III*, 5
- Graph, 97, 102, 151, 175, 241
- Gray code, 18
- Grid, 32, 99–100, 111, 139, 147
- Guard, 125
- Guess a Number, 205
- GUESS-NUMBER, **206**
- Half-Life*, 6
- Halo: Combat Evolved*, 6
- HASH, 216
- Height map, 32, 38
- Hertel–Mehlhorn method, 101, 111
- Hexagonal grid, 100, 111
- Hidden Markov model, 122
- Hill, 37
- Hill-climbing, 120

- Hill-climbing tournament, 47, 52, 69, 70, 222
- HILL-CLIMBING-TOURNAMENT, **52**
- Homeworld*, 143
- Horizon effect, 80, 81
- Horizon node, *see* Frontier node
- Huffman tree, 27
- Human player, 5, 8, 9, 205
- Humanness, 6
- Hunt the Wumpus*, 139, 148
- Hypothesis, 149, 150, 153
- Ice hockey, 116
- Immersion, 3, 8, 9, 171
- Imperfect information game, 93, 221
- Increment, 18, 22
- Indeterminism, 116
- Inertia, 230
- Influence map, 121, 139–142, 147
- Information exposure, 221
- Information principle equation, 183, 190, 191, 205, 209, 210
- Informedness, 105, 107, 112
- Initial state, 126
- Initial transition, 126
- INITIAL-RANK-ADJUSTMENT, **50**, 52, 69
- Instance data, 5
- Interaction, 196
- Interactive plot, 8
- Integer, 237
- Interior angle, 101
- Internal compression, 190
- Internal node, 241
- Internet, 7
- Internet Protocol, 175, 180, 188
- Interval, 237
- Intrinsic filter, 209
- IP, *see* Internet Protocol
- IP spoofing, 214
- Iterated Prisoner's Dilemma, 91
- Iterative deepening, 81
- Java, 229, 244, 246
- Jedi Knight II: Jedi Outcast*, 202
- Jitter, 173, 198
- JOIN-LADDER-TOURNAMENTS, 69
- King, *see* Champion
- King of the hill tournament, 53–55
- KING-OF-THE-HILL-TOURNAMENT, **55**, 69
- Knockout tournament, *see* Elimination tournament
- Kyykkä, 47
- Ladder tournament, 51, 69
- LADDER-MATCH, 51, **51**, 53, 69
- LAN, *see* Local area network
- Las Vegas approach, 19, 41
- Last man standing tournament, *see* Hill-climbing tournament
- Last player theorem, 81
- Latency, 173–174, 176, 180, 185, 198, 221
- Lazy evaluation, 139
- Leaf, 241
- Learning, 118, 121
- Limitation, 10
- LIMITED-RANDOM-TERRAIN, **35**
- Line-of-sight testing, 108
- Linear congruential method, 18–25, 41, 42
- Local area network, 7, 173, 175, 182
- Local optimum, 120
- Local perception filter, 196–205, 209, 210, 211
- Local variable, 126
- Location-based game, 3, 171
- LOCKSTEP, **217**
- Lockstep protocol, 215–217, 224
- Logical platform, 175–178, 181, 182, 186
- Look-ahead cheating, 215–220
- Loop, 235
- Lossless compression, 190
- Lossy compression, 190
- LPF, *see* Local perception filter
- Ludology, 9, 10
- m*-round winner tournament, 71
- Manhattan metric, 104, 105
- Mapping, 240–241
- Mass function, 153, 167
- Mathematical function, 232
- MAX, 73, 74, 82
- Max Payne*, 8, 202
- Maze, 125, 144, 181
- MD5 algorithm, 215
- Mealy machine, 129–130, 145, 146
- Membership function, 156–157
- Mersenne prime, 22, 25
- Message aggregation, 191, 210
- Message compression, 190, 210
- Message-digest algorithm, 215
- Metal Hear Oil, 144

- Middle-square method, 17  
 Midpoint displacement, 37, 45  
 MIDPOINT-DISPLACEMENT-TERRAIN, **40**, 45  
 MIN, 73, 82  
 Minimax, 74–86, 88, 91, 93, 94  
   convergence theorem, 81  
   partial, 78–80  
   pathology theorem, 81  
   recursive definition, 76  
   rules, 74  
   search depth, 80–86  
 MINIMAX, **77**  
 Minimax tree, 87  
 MINIMAX-ALPHA-BETA, **83**  
 Mod, *see* Modification  
 Model, 4, 5, 12, 117, 118, 149  
 Model–View–Controller, 3, 12  
 Modification, 9  
 MODULO-SUM, **20**  
 Modulus, 18, 22  
 Monkey puzzle, 159, 167  
 Monkey-in-a-cage problem, 111  
 Monotonicity, 104  
 Monte Carlo approach, 19  
 Moore machine, 129–130, 145, 146  
 Movie, 6  
 MUD, *see* Multi-user dungeon  
 Multi-playing, 5–7, 178, 187  
 Multi-user dungeon, 7  
 Multicasting, 174, 175, 180, 187, 209  
 Multiplicative linear congruential method,  
   24–25  
 Multiplier, 18, 22, 42  
 Multiset, 239  
 Multivalued logic, 155  
 MVC, *see* Model–View–Controller  
 MY-RANDOM, 41  
 MY-VECTOR, 42  
  
*n* queens problem, 112, 167  
*n*<sup>2</sup>-Pile Flipflop, 94  
*n*-move look-ahead, 78, 81, 94  
 Narratology, 9  
 Natural, 237  
 Navigation mesh, 100–101, 139  
 Negamax, 76, 94  
 NEGAMAX, **77**  
 NEGAMAX-ALPHA-BETA, **84**  
 Neighbourhood, 99, 102  
*NetHack*, 6  
 Networked application, 178, 181  
  
 Networking, 7, 143  
 Neural network, 122, 157  
*Neverwinter Nights*, 6, 7  
 Nim, 75, 93  
 Nimbus, 208, 211  
*No One Lives Forever 2: A Spy in  
   H.A.R.M.'s Way*, 7  
 Node, 173, 175, 241  
 Non-player character, 5  
 Normalized round robin pairings, 64  
 NORMALIZED-ROUND-ROBIN-PAIRINGS, **66**  
 Notch, 101  
 Noughts and Crosses, 73, 86, 94  
 NPC, *see* Non-player character  
 Null window, 86  
  
 Object-oriented programming, 4  
 Objective function, 119, 120, 155  
 One-Two-Three Nim, 93  
 Online game site, 7, 178, 222, 223  
 Opponent, 1, 2  
 Optimization, 97, 119–121, 143, 229  
 Oracle function, 103, 112  
 Ordered set, 239  
 Ordered standard seeding, 57, 71  
 Ordered weighted averaging operator, 164  
 ORDERED-STANDARD-SEEDING, **59**  
 OWA, **164**  
 OWA operator, *see* Ordered weighted  
   averaging operator  
  
*Pac-Man*, 12, 13, 181  
 Packet interception, 214, 224  
 Packet replay attack, 214, 215, 224  
 Pairing, 49, 53, 57, 58, 62  
 Parallel execution, 187–188  
 PARALLEL-MAX, 70  
 Parent, 241  
 Particle deposition, 35  
 PARTICLE-DEPOSITION-TERRAIN, **36**, 45  
 Pascal, 229  
 Passive collusion, 223, 225  
 Path finding, 5, 115, 139, 147  
   discretization, 98–101  
   minimum path, 102–107  
   movement realization, 108–109, 113  
 Path-finding  
   problem statement, 97  
 Pattern recognition, 8, 115, 117, 121, 122,  
   134  
 Pay-off function, *see* Utility function

- Peer match, 53
- Peer-to-peer architecture, 175, 181, 182, 187, 189, 210, 215
- Perfect information game, 73, 225
- Period, 21
- Persistence, 143, 178
- Pessimization, 45, 229
- Phantom Cube Die, 43
- Phenomenon, 115
- Physical platform, 173–175, 181, 182
- Physical reality, 171
- Pipelined lockstep protocol, 217
- Pipelining, 187
- Pitstop II*, 7
- Plausability, 152–153, 167
- Play, 2, 12
- Player, 1, 12
- Player killer, 223
- Ply, 73
- Poker, 3, 4, 73, 93, 221, 222
- Pong*, 211
- Pool, 61
- Position history–based dead reckoning, 192
- Possibility, 149, 166, 166
- Predicate logic, 133
- Prediction, 118–119, 191–194, 210
- PREDICTION-SECOND-ORDER, **192**
- Premo, 28
- Prime, 22
- Primitive routine, 232, 233, 237
- Principal variation, 74, 85
- Principal variation search, 86
- PRINCIPAL-VARIATION-SEARCH, **87**
- Prisoner’s Dilemma, 73, 91
- Probability, 123, 149–151, 166, 166
- Production, 119
- Profile, 9
- Propagation method, 151
- Proposition, 151–153
- Proposition logic, 133
- Proto-view, 4, 12
- Protocol, 174–175
- Pseudo-code, 10, 129, 145, 229, 242
  - all**, 235
  - and then**, 233
  - arithmetic operator, 233
  - case**, 234
  - children*, 241
  - columns*, 240
  - copy**, 231
  - div**, 233
  - domain*, 240
  - else**, 234
  - ends*, 241
  - enumeration*, 238
  - error**, 236
  - FALSE, 231, 237
  - for**, 235
  - head*, 241
  - if**, 234, 235
  - indices*, 236
  - logical operator, 233
  - mod**, 233
  - neighbourhood*, 241
  - NIL, 231, 237
  - or else**, 233
  - others**, 235
  - preamble, 242
  - predecessors*, 241
  - rationale, 229–230
  - repeat**, 236
  - return**, 236
  - rows*, 240
  - signature, 242
  - successors*, 241
  - tail*, 241
  - then**, 234
  - TRUE, 231, 237
  - weight*, 241
  - while**, 236
- Pseudo-random number, 17, 24, 25, 30, 38, 43, 205, 215, 224
- Pull approach, 147
- Push approach, 147
- Puzzle, 2, 12
- PVS, *see* Principal variation search
- Pyramid tournament, 53, 70
- PYRAMID-MATCH, **54**
- Quake*, 7, 12
- Quantization, 117, 147
- Quarter-final, 57
- Quasi-random number, 18
- Quorum-based message aggregation, 191, 210
- RANDOM, **20**, 25
- Random number
  - empirical testing, 22–23
  - generator, 17, 24, 41, 42
  - non-uniform, 25
  - parallel generator, 25

- true, 17, 23, 41
  - uses in computer games, 30, 45, 205
- Random pairing tournament, 71
- Random permutation, 27
- Random process, 3
- Random sampling, 28
- Random selection tournament, 53–55, 71
- Random shuffling, *see* Shuffling
- RANDOM-FROM-WEIGHTS, 27, 44
- RANDOM-INTEGER, 21, 21, 41
- RANDOM-PAIRING-TOURNAMENT, 56, 71
- RANDOM-SEEDING, 57, 69
- RANDOM-SELECTION-TOURNAMENT, 55, 71
- RANDOM-UNIT, 19
- Rank adjustment tournament, 49–55, 69
- Rank challenge match, 53
- Ranking, 47, 49
- Re-ranking rule, 51, 53
- Real, 237
- Real-time interaction, 97, 171, 187
- Real-time response, 142
- Real-time strategy, 139, 143, 173, 220
- RECEIVE-ALL, 218
- Reflex augmentation, 214, 224
- Reigning champion, 47, 52
- Relay, 185
- Replay, 10
- Replicated architecture, 177, 181, 186, 205, 221, 225
- Representation, 1
- Repulsiveness, 139
- Responsiveness, 7, 176, 184–186, 209
- RESTING, 66
- Reverse Polish notation, 146
- Riffle shuffle, 28
- RTS, *see* Real-time strategy
- Rock-Paper-Scissors, 143, 218
- Role-playing game, 133, 143, 223
- Root, 241
- Rote learning, 81
- ROUND, 66
- Round robin tournament, 61, 71, 187
  - matches in total, 64
  - resting player, 62, 63
- ROUND-ROBIN-TOURNAMENT, 68
- ROUND-WINNER-TOURNAMENT, 71
- Rule, 1, 4, 12, 224
  
- Scalability, 7, 178, 187–189, 209
- Scoring tournament, 49, 60–65, 222
- Screen capture, 10
- Seed, 22, 25, 31
- Seeding, 57–60, 71
- Seidel's algorithm, 101
- Self-transition, 126, 130
- Semifinal, 57
- SEND-ALL, 218
- Separation, 135
- SEPARATION, 138, 147
- Sequence, 238–240
- Serial execution, 187–188
- Server, 175, 176, 178, 179, 182, 185, 187–189, 209, 214, 221
- Server-network architecture, 176, 181, 182, 189, 210
- Set, 237–238
- SET-SEED, 31
- Seven brothers, 47
- Shadow, 201, 204
- Shallow history state, 127
- Shared-space technology, 171, 180
- Short-circuit relay, 185
- Shortest path problem, 102
- SHUFFLE, 30, 50, 52, 57
- Shuffling, 3, 27–30, 43–45
- SIMPLE-HILL-CLIMBING-TOURNAMENT, 69
- SIMPLE-KING-OF-THE-HILL-TOURNAMENT, 69
- SIMPLE-RANDOM-TERRAIN, 33
- SIMPLE-ROUND-ROBIN-PAIRINGS, 64
- Simplex, 97
- Simulated annealing, 120
- Single elimination tournament, 47, 56–60, 71
- SINGLE-ELIMINATION-SEEDING-TOURNAMENT, 71
- SINGLE-ELIMINATION-TOURNAMENT, 61, 71
- Singles: Flirt Up Your Life*, 6
- Smalltalk, 3
- Snap, 194
- Snooker, 53
- Soccer, *see* Football
- Soft computing, 119
- Soft-and, 164
- SOFT-AND-WEIGHTS, 164
- Software development, 12, 130, 144, 229
- Sorites paradox, 149, 166
- Sorted sequence of kings, 65
- Spectral test, 23
- Spline, 195
- Square grid, 100, 110, 111

- Staged search, 81
- Stance, 6–7
- Standard normal distribution, 42
- Standard seeding, 57, 71
- STANDARD-SEEDING, **59**
- Star Wars: Battlefront*, 6
- Starmap generation, 30–31, 45
- Start state, 126
- Starting value, 18, 22
- State, 122, 125, 134
  - composite, 127
  - non-simple, 127
  - simple, 127
  - submachine, 127
- State instance, 4
- Statechart, 122
- Statement, 232, 234
- Static evaluation function, *see* Evaluation function
- Statistical reasoning, 149–155
- Steering behaviour rules, 135
- Storytelling, 8–9, 115, 116
- Styling, 222
- Sub-linear communication, 189, 210
- Swarm algorithm, 120
- SYNCHRONIZE, **218**
- Synchronized simulation, 205, 209, 211
- Synthetic player, 4–9, 115, 132, 134, 143, 177, 178, 187, 205, 209, 211
- Synthetic view, 4
- Tabu search, 120
- Tag, 3, 180
- TCP/IP, *see* Transmission Control Protocol
- Telepresence, 171
- Television, 6
- Temporal contour, 197–200, 202–204, 210, 211
- Temporal distortion, 196, 198
- Terminus*, 223
- Terrain generation, 32–38, 45
- Tessellation, 99, 111
- The Sims*, 6, 12
- Tie, 47, 60
- Tiebreak, 53
- Timeout-based message aggregation, 191, 210
- Tip node, *see* Frontier node
- Top-of-the-mountain tournament, *see* Hill-climbing tournament
- Tournament, 47–49, 115, 222
- Towers of Hanoi, 242
- Tracking, 222
- Transducer, 124
- Transition, 122, 126, 127, 134
  - level crossing, 127, 130
  - level preserving, 127
  - triggerless, 126, 130
- Transmission, 174
- Transmission Control Protocol, 175, 180, 190
- Transposition table, 81, 94
- Tree, 241
- Triangular grid, 99, 100, 111
- Triangulation, 101, 111
- Turn-based game, 142, 187, 216
- Tutorial, 9
- Two-generals problem, 210
- Two-way relay, 185
- UDP/IP, *see* User Datagram Protocol
- ULAM-SHUFFLE, 43
- Ultima Online*, 7, 223
- UML, *see* Unified Modeling Language
- UNBALANCED-NEIGHBOUR, 45
- Uncertainty, 5, 149, 159
- Undirected graph, 61, 241
- Unicasting, 174, 180
- Unified Modeling Language, 125, 129
- Uniform distribution, 19, 27
- Unit vector, 42, 136
- UNIT-VECTOR, **136**
- User Datagram Protocol, 175, 180, 190
- User interface, 9, 108
- Utility function, 76, 78, 93
- Variable, 233
- Vertex, 151, 241
- View, 4, 12
- Virtual reality, 171
- Walker’s alias method, 27
- WAN, *see* Wide area network
- Waypoint, 97, 98, 102, 108, 111
- WEIGHT-CRITERION, 164
- Weighting, 163
- Wide area network, 173, 182
- Wumpus, 140, 147, 148
- WUMPUS-HUNTER-REACT, **142**
- Zero-sum property, 73, 74, 79