

Index

• A •

- abuse. *See specific types*
- acamprosate, 175
- accident, traumatic
- personal stories, 152
 - physical exam, 96
 - PTSD myths, 334
 - trauma triggers, 14, 17, 39
- accompanying disorders, 52–59. *See also specific disorders*
- Acupressure & Reflexology For Dummies* (Dempsey and Andrews), 190
- acute PTSD, 29
- acute stress disorder, 26–27
- ADA (Americans with Disabilities Act), 88
- addiction. *See alcohol abuse; drug abuse*
- adolescent. *See teen*
- adrenaline, 33, 67
- advanced practice nurse, 102
- advice, for PTSD sufferer, 325
- African Americans, 13
- age, of sufferer
- children's treatment, 296
 - PTSD risk factors, 30–31
- agoraphobia
- definition, 48
 - example, 50
 - overview, 54
 - PTSD resources, 343
- Agoraphobics Building Independent Lives (Web site), 343
- agreement, caregiver–sufferer, 260
- alcohol abuse
- adult children, 324
 - CBT combined treatment, 161–162
 - consult with pediatrician, 291
 - effectiveness of CBT, 138
 - fear of diagnosis, 90, 91
 - medications, 175
 - nutrition, 222
 - overview, 55–56
 - PTSD resources, 120, 243, 343
 - PTSD risk factors, 119
 - recovery timeframe, 207
 - recovery tips, 118–123
 - relapse risk, 214
 - stress of loved ones, 249
 - teen's symptoms, 64
 - therapy tips, 121–123
- Alcoholics Anonymous (support group), 243
- Alcoholscreening.org (Web site), 120
- alprazolam, 173
- always/never thought, 135
- Ambien (medication), 174
- American Association of Pastoral Counselors, 104
- American Self-Help Group Clearinghouse, 343
- Americans with Disabilities Act (ADA), 88
- amitriptyline, 172
- amygdala, 34, 35
- anchoring strategy, 182, 278
- Andrews, Synthia (*Acupressure & Reflexology For Dummies*), 190
- anemia, 96
- anger
- borderline personality disorder, 56
 - caregiver strategies, 319
 - children's recovery, 306
 - family's feelings, 247, 256–260
 - request for help, 261
 - signs of recovery, 337
 - with toxic people, 115
- anniversary, of trauma, 209
- anorexia, 50, 58–59
- anti-anxiety medication, 172–173
- anticonvulsant medication, 175
- antidepressant medication
- children's treatment, 301
 - organization, 233
 - overview, 170
 - types, 170–172

National Council on Alcoholism and Drug Dependence, 343
 National Domestic Violence Hotline, 113, 341
 National Eating Disorders Association, 343
 National Institute of Mental Health, 326, 342
 National Mental Health Information Center, 104
 National Suicide Prevention Lifeline, 341
 National Technical Information Service, 13
 National Vietnam Veterans Art Museum, 189
 natural disaster. *See also specific disasters*
 PTSD risk factors, 36
 sense of calm, 307
 trauma triggers, 14, 15–16
 needs, personal
 acceptance of help, 260–262
 caregiver strategies, 318–319
 nefazodone, 172
 negative thinking. *See also pessimism*
 CBT changes, 136–137
 CBT patterns, 133–136
 CBT process, 141, 146–151
 relapse tips, 219
 sexual intimacy, 235
 neglectful partner, 320–321
 negotiation, with child, 303
 Network for Good (Web site), 241
 networking tips, 105–106
 neurofeedback, 141, 192–194
 neuro-linguistic programming (NLP), 180–184
 neuron, 166–169, 171
 neurotransmitter, 168, 169
 new experiences, 239–240
 newspaper resources, 79
 nightmare
 acute stress disorder, 26
 sleep strategies, 76, 231–232
 Norpramin (medication), 172
 nortriptyline, 172
 numb feeling
 overview, 45–47
 stress disorders, 25, 26
 nurse, function of, 100, 102, 310
 nutrition. *See diet*

• 0 •

obesity, 51, 222, 224
 obsessive-compulsive disorder (OCD), 54
 obstructive sleep apnea, 193
 odor, as trigger, 40
 Office for Victims of Crime, 104
 older adult, 31, 242
 omega-3 fatty acid, 224
 omen formation, 62
 one-side-of-the-equation thought, 135
 open communication, 251–252, 255
 optimism
 caregiver strategies, 317
 children's recovery, 311
 PTSD risk factors, 31
 signs of recovery, 202, 338
 organization strategies, 232–233
Organizing For Dummies (Roth and Miles), 233
 overeating, 59
 overgeneralizing thought, 135
 overidentifying behavior, 267
 oxazepam, 173

• p •

pain
 alcohol/drug abuse, 55
 eating disorders, 59
 emotional anesthesia, 46
 PTSD symptoms, 51–52
 relationship health, 275
 self-injury, 57
 trauma triggers, 40
 Pamelor (medication), 172
 panic attack
 exercise cautions, 226
 multiple channel exposure therapy, 159–160
 overview, 48
 symptoms, 54
 paradigm shift, in treatment, 146
 paranoia, feeling of, 56

358 Post-Traumatic Stress Disorder For Dummies

- parent. *See also* family
 - of adult sufferers, 322–324
 - children's reaction to PTSD, 265–268
 - children's therapy, 296, 302–309
 - PTSD risk factors, 31
 - PTSD resources, 344
- Parents of Murdered Children (support group), 241
- paroxetine, 171, 233
- partner. *See* family
- part-time work, 280
- past experience. *See also* memory
 - future goals, 271–272
 - positive effects, 282–284
- pastoral counselor, 102, 264
- patience, of caregiver, 316
- Paxil (medication), 171, 233
- PDR (Physicians' Desk Reference)*, 177
- PDRhealth (Web site), 343
- pediatrician, 288–292
- perfection, need for, 215–216, 266
- personality
 - borderline personality disorder, 56
 - PTSD risk factors, 31
 - therapist selection, 106–108
 - toxic people, 115–118
- perspective, of sufferer, 283, 294–295
- pessimism. *See also* negative thinking
 - fear of diagnosis, 91
 - PTSD risk factors, 31
 - PTSD symptoms, 45
 - recovery tips, 114–118
 - signs of recovery, 338
- pet, company of, 75
- physical abuse
 - emergency numbers, 341
 - partner strategies, 321
 - personal stories, 148
 - PTSD incidence, 13
 - PTSD types, 29
 - recovery environment, 112–113
 - self-injury, 58
 - trauma triggers, 17
- physical awareness technique, 218
- physical exam, 95–97
- physical health
 - caregiver strategies, 316, 325
 - diagnostic questions, 88
 - dietary tips, 222–224
 - employer-provided benefits, 280
 - enjoyment of life, 238–242
 - exercise strategies, 224–226
 - foreshortening, 47
 - overview, 221–222
 - relaxation techniques, 227–229
 - sexual intimacy, 234–238
 - sleep, 231–232
 - stress management, 232–233
 - wellness plans, 242–243
- physician
 - child's PTSD, 292–293
 - coexisting mental disorders, 124
 - diagnostic assessment, 93–97
 - fear of diagnosis, 90–91
 - medication prescription, 164
 - questions about medication, 175–177
 - support group referral, 79
 - treatment plan, 97
 - treatment team, 103
 - visit preparation, 92–93
- Physicians' Desk Reference (PDR)*, 177
- placebo effect, 191
- play activity
 - children's symptoms, 61
 - children's therapy, 299–301
 - enjoyment of life, 241–242
- poetry writing, as therapeutic, 190
- police officer, as risk group, 17, 22
- positive reinforcement, 255
- positive self-talk, 141, 235
- pregnancy trauma, 51
- premature ejaculation, 235–236
- preoccupation, with objects, 61
- prevalence of PTSD, 12–14
- preventive treatment
 - cognitive behavioral therapy, 70
 - immediate actions, 66–69
 - overview, 65–66
 - self-help strategies, 70–80
- principal, school, 310

- progressive relaxation, 73
 prolonged exposure therapy, 138, 146
 propranolol, 66–68, 173, 174
 Prozac (medication), 171
 psychiatrist
 children's medication, 302
 overview, 101
 prescription authority, 164
 relationship with, 109
 selection, 103–109
 psychodynamic therapy, 185–186
 psychogenic amnesia, 45
 psychological abuse, 112–113
 psychological first aid. *See* crisis intervention
 psychological problem. *See also specific problems*
 coexisting problems, 123–125, 165, 208
 effectiveness of CBT, 137
 individualized treatment, 53, 54
 PTSD risk factors, 31
 PTSD symptoms, 52–59
 psychological support, 275
 psychologist
 overview, 101–102
 relationship with, 109
 selection, 103–109
 PTSD Forum (Web site), 326, 343
 PubMed (Web site), 342
 punishment, self-injury as, 58
- R •**
- ramelteon (sleep aid), 174
 rape
 incidence, 16
 personal stories, 147, 322
 sexual intimacy, 234–238
 trauma triggers, 14, 17
 rational emotive behavior therapy (REBT), 158–159
 rationalizing strategy, 119
 reading
 for pleasure, 238
 PTSD resources, 345–346
 readjustment counseling, 105
- recovery, from PTSD
 children's healing, 305–312
 demonstration of, 273
 early milestones, 202
 goals, 204
 overview, 201–202
 personal stories, 203
 process, 204–205
 signs, 337–340
 stages, 202–207
 timeframe, 207–208
 Red Cross, 71, 344
 reframing technique, 182
 refugee, as risk group, 12
 Registered Play Therapist (RPT), 301
 rehearsal tool, 216–217, 257
 rejection, sense of, 306
 relapse, suffering from, 213–219
 relaxation response, 228
 relaxation techniques
 children's recovery, 307–308
 hypnotherapy, 188
 overview, 191–192
 physical health, 227–229
 relapse risk, 214
 self-help strategies, 72–74, 192
 sexual intimacy, 235
 simple lifestyle, 238, 239
 stress inoculation training, 141
 workplace tips, 278
 religious belief, sensitivity of therapist, 108
 Remeron (medication), 172
 remorse, feelings of, 273
 repetitive transcranial magnetic stimulation (rTMS), 194–195
 repressed memory therapy, 186, 187
 rescue team, as risk group, 15, 22
 research, PTSD, 197, 297
 resentment, feelings of, 247–248, 272
 resilience, of children, 308
 responsibility
 adult children, 323–324
 care for family, 252
 distortion, 149
 restitution, providing, 273
 Restoril (medication), 173

360 Post-Traumatic Stress Disorder For Dummies

- reversible inhibitor of monoamine oxidase A (RIMA), 172
 - ReVia (medication), 175
 - rewind technique, 183
 - Roth, Eileen (*Organizing For Dummies*), 233
 - routine, daily, 307, 316
 - Rozerem (medication), 174
 - RPT (Registered Play Therapist), 301
 - rTMS (repetitive transcranial magnetic stimulation), 194–195
- S ●
- S.A.F.E. Alternatives (Web site), 343
 - Safe Horizon (Web site), 113
 - safety issues
 - CBT combined treatments, 161
 - CBT process, 147–148
 - consult with pediatrician, 291
 - family's feelings, 247
 - Internet chats, 265
 - recovery tips, 112–113
 - self-help strategies, 77
 - Salvation Army (charitable agency), 71
 - scapegoat personality, 116–117
 - schedule, daily, 125, 307
 - school
 - children's recovery, 310–311
 - children's symptoms, 62
 - consult with pediatrician, 289
 - shootings, 13, 14
 - teen's symptoms, 63
 - second opinion, from doctor, 302
 - secondary trauma, 22
 - secondhand stress, 248–250
 - seizure, 194
 - selective serotonin reuptake inhibitor (SSRI), 170–171
 - selegiline (an MAOI), 172
 - self-affirmation, 236, 278
 - self-compassion, 274
 - self-defense class, 77
 - self-esteem
 - caregiver strategies, 319–320
 - effects of toxic people, 114–118
 - sexual intimacy, 236
 - signs of recovery, 338, 339
 - self-help strategy
 - basic needs fulfillment, 71–72
 - control issues, 77
 - diet and exercise, 76–77
 - education about trauma, 72
 - exercise, 225–226
 - overview, 70–71
 - relaxation techniques, 72–74, 192
 - resource books, 345
 - support groups, 78–80
 - self-injury
 - complex PTSD symptoms, 50
 - overview, 57–58
 - teen's symptoms, 64
 - sensitivity, with child, 311
 - sensory trigger, 40
 - separation anxiety, 61
 - September 11th attacks, 16, 36, 162
 - Serax (medication), 173
 - serotonin, 169, 170–172
 - serotonin and norepinephrine reuptake inhibitor (SNRI), 169, 171–172
 - sertraline, 138, 171, 226
 - Serzone (medication), 172
 - sexual abuse
 - emergency resources, 341
 - PTSD incidence, 13
 - PTSD types, 29
 - recovery environment, 112–113
 - renewed sexual intimacy, 234–238
 - self-injury, 58
 - trauma triggers, 14
 - sexual intimacy
 - diagnostic questions, 87
 - personal stories, 322
 - physical health, 234–238
 - teen's symptoms, 63, 64
 - trauma triggers, 40
 - shame, of sufferer
 - complex PTSD symptoms, 50
 - self-injury, 57, 58
 - substance abuse, 121
 - sharing, through communication, 181
 - shell shock, 11
 - Sidran Institute (Web site), 106, 326, 342
 - simple PTSD, 28
 - Six-Step Pause Tool, 217–218

- skin problem, 51
- sleep apnea, 96, 193
- sleep issues
- children's recovery, 307, 308
 - exercise, 225
 - medications, 174
 - nightmare-reducing techniques, 231–232
 - physical health, 96, 231–232
 - PTSD symptoms, 193
 - self-help strategies, 74–76
 - signs of recovery, 340
 - stress of loved ones, 249
- smiling, for healing, 239
- SNRI (serotonin and norepinephrine reuptake inhibitor), 169, 171–172
- social phobia, 54, 55
- Social Security benefits, 281–282
- social worker, 100, 102
- soldier, of war
- biofeedback therapy, 193
 - diagnosis, 98
 - disability benefits, 282
 - family therapy, 264
 - homecoming stress, 39
 - online support groups, 315
 - personal stories, 150, 156
 - PTSD history, 11, 18
 - PTSD myths, 332
 - PTSD resources, 282, 343–344, 346
 - PTSD risk factors, 37
 - PTSD types, 29
 - therapist selection, 103, 105
 - trauma triggers, 17
- solution awareness technique, 218
- Sonata (medication), 174
- The Sopranos* (television series), 185
- sound, as trauma trigger, 40
- spouse. *See* family
- SSRI (selective serotonin reuptake inhibitor), 170–171
- stalker, 16, 113
- Stalking Resource Center, 113
- Stockholm syndrome, 50
- stomach pain, 51, 52, 61
- stress
- acute disorder, 26–27
 - art therapy, 189
 - effects of exercise, 224–225
 - inoculation training, 140–141
 - management tips, 140–141, 232–233
 - pause tool, 217–218
 - PTSD incidence, 18
 - PTSD risk factors, 31
 - risk for substance abuse, 119
 - signs of recovery, 337
 - therapy setback, 209
 - toxic people, 118
 - versus trauma, 23–24
 - trauma triggers, 40
 - typical reactions to, 24–26
 - workplace tips, 278–279
- subjective unit of distress (SUD), 144
- Substance Abuse and Mental Health Services Administration, 120
- suicide
- borderline personality disorder, 56
 - children's medications, 301
 - confidentiality breach, 327
 - consult with pediatrician, 291
 - emergency helplines, 341
 - relapse signs, 219
 - selective serotonin reuptake inhibitors, 170
 - teen's symptoms, 64
 - untreated PTSD, 19
- support group
- caregiver resources, 314–315
 - children's recovery, 309
 - overview, 78
 - pros and cons, 78–79
 - resources, 342–343
 - selection, 79–80
- support, relationship, 275
- survivor
- guilt of, 151
 - recovery stages, 205–206
- swish technique, 182
- symptoms of PTSD. *See also specific symptoms*
- accompanying psychological disorders, 52–59
 - caregiver tips, 327
 - children, 59–62, 287–292
 - complex PTSD, 49–50
 - core (simple PTSD), 28
 - depression, 53
 - diagnostic questions, 84–89
 - family therapy, 262–263

362 Post-Traumatic Stress Disorder For Dummies

symptoms of PTSD (*continued*)
 main types, 44–48
 medication treatments, 165, 169–175
 overview, 9, 10, 43–44
 physical problems, 51–52, 193
 preparation for doctor's visit, 92
 psychological types, 52–59
 PTSD definition, 28
 of relapse, 219
 teens, 62–64
 workplace communication, 279
 synapse, brain, 168
 systematic desensitization, 145

• T •

tai chi, 192
 tapping therapy, 189–191
 teacher, child's, 310
 technology, organizing with, 233
 teen
 complex PTSD, 29
 domestic abuse incidence, 16
 Internet chats, 265
 parent's role in recovery, 305–309
 PTSD incidence, 13–14
 resource books, 345–346
 symptoms, 62–64, 287–292, 309
 therapy, 295–305
 trauma triggers, 16
 untreated PTSD, 19, 20
 telecommuting, 280
 television viewing, 75, 308
 temazepam, 173
 Tenex (medication), 166
 tension headache, 228
 terrorism, 16, 36, 162
 thematic TIR, 185
 therapist. *See also specific types*
 children's needs, 302–305
 selection, 103–109
 therapy setbacks, 210–211
 therapy. *See also specific therapies*
 children, 267, 295–305
 coexisting mental disorders, 124–125
 end of, 211–213

families, 103, 105, 262–265
 first appointment, 126–127
 versus medication, 165
 overview, 179–180
 plans, 125–126
 PTSD myths, 333, 335
 recovery stages, 205–207
 research, 197
 setbacks in, 208–210
 substance abuse issues, 121–123
 supplemental therapy considerations,
 195–196
 timeframe, 207–208
 Thought Field Therapy, 189–190
 thriver recovery stage, 206–207
 thyroid, 95
 time
 PTSD myths, 332–333, 334, 335
 skew, 39, 62
 therapy timeline, 207–208
 TIR (traumatic incident reduction),
 184–185
 TMS (transcranial magnetic stimulation),
 194–195
 Tofranil (medication), 172
 tolerance, to alcohol/drugs, 122
 touch, sense of, 96, 237–238
 toxic people, 114–118, 275–276
 transcranial magnetic stimulation (TMS),
 194–195
 transference, of feelings, 185–186
 transportation, to therapy, 126
 Tranxene (medication), 173
 trapped feeling, 97
 trauma. *See also specific types*
 CBT process, 141–146
 definition, 22
 effects of, 1
 first therapy appointment, 126
 incidence of, 13
 PTSD history, 11–12
 PTSD risk factors, 30–39
 PTSD triggers, 14–19
 reaction levels, 24–29
 simple versus complex PTSD, 28–29
 versus stress, 23–24
 therapy setback, 209

Trauma Anonymous (Web site), 326
 trauma-based CBT, 295
 traumatic coupling
 CBT process, 142–143, 144–145
 definition, 39
 first therapy appointment, 126
 information for children, 267
 overview, 40
 types, 14–19, 40–41
 traumatic dissociation, 183
 traumatic grief, 60
 traumatic incident reduction (TIR),
 184–185
 traveling, to new places, 240
 trazodone, 172, 174
 treatment. *See also specific treatments*
 children and teens, 293–302
 coexisting mental disorders, 123–125
 costs of untreated PTSD, 19–20
 effects of toxic people, 114–118
 importance of, 10
 mental health problems, 53, 54
 plan, 97
 PTSD history, 11–12
 PTSD types, 28–29
 sense of safety, 112–113
 substance abuse plans, 118–123
 treatment, preventive
 cognitive behavioral therapy, 70
 immediate actions, 66–69
 overview, 65–66
 self-help strategies, 70–80
 treatment team, 99–103
 triazolam, 173
 tricyclic medication, 172
 trigger, trauma
 CBT process, 142–143, 144–145
 definition, 39
 first therapy appointment, 126
 information for children, 267
 overview, 40
 types, 14–19, 40–41
 trust
 CBT process, 148–149
 relationship repair, 272
 signs of recovery, 339
 twin study, 33, 34
 tyramine, 172

• U •

unconscious psychological defense, 185
 union, workers', 279
 United Way (charitable organization), 80
 University of Illinois, 344
 untreated PTSD, 19–20

• V •

validation, of trauma, 325
 Valium (medication), 173
 venlafaxine, 171
 verbal declarative memory, 171
 veteran. *See war veteran*
 Veterans Benefits Administration, 98, 282
 Veterans Coalition (Web site), 344
 victim program, 104
 victim recovery stage, 205
 Vietnam Veterans of America (veteran
 organization), 282
 Vietnam War
 costs of PTSD, 19
 homecoming stress, 39
 PTSD history, 11, 18
 soldiers' organization, 282
 viewer, in traumatic incident reduction, 184
 violence. *See also specific types*
 PTSD myths, 334–335
 trauma triggers, 16–17, 19
 virtual reality exposure therapy (VRET),
 160–161, 162
 vision, of trauma, 40
 visualization, 73, 182, 235
 visual/kinesthetic dissociation (V/KD),
 183–184
 vitamin, dietary, 224
 volunteering, 240–241
 VolunteerMatch (Web site), 241

• W •

walks, taking, 238
 war veteran
 biofeedback therapy, 193
 diagnosis, 98
 disability benefits, 282

364 Post-Traumatic Stress Disorder For Dummies

war veteran (*continued*)

- family therapy, 264
- helpful resources, 282, 343–344, 346
- homecoming stress, 39
- online support groups, 315
- personal stories, 150, 156
- PTSD history, 11, 18
- PTSD myths, 332
- PTSD risk factors, 37
- PTSD types, 29
- therapist selection, 103, 105
- trauma triggers, 17
- weakness, emotional, 261, 332
- Web site. *See* Internet
- weeper personality, 116
- weight gain, 222, 224
- Wellbutrin (medication), 172
- wellness plan, 242–243
- whiner personality, 116
- whole-person approach, 99–100
- women
 - domestic violence, 16, 113
 - PTSD prevalence, 13
 - PTSD risk factors, 31–32
 - trauma triggers, 17
- work
 - communication tips, 279–280
 - diagnostic questions, 86, 87
 - discrimination, 88, 279

fear of diagnosis, 91

- first recovery stage, 202
- on-site alternatives, 280
- overview, 276
- stress management tips, 232–233, 278–279
- successful return to, 276–277
- therapist selection, 105, 106
- untreated PTSD, 20
- worker's compensation, 281
- wrongdoing distortion, 150

• X •

Xanax (medication), 173

• Y •

yoga, 74, 192

• Z •

zaleplon, 174

*Zen and the Art of Making a Living: A
Practical Guide to Creative Career
Design* (Boldt), 271

Zoloft (medication), 138, 171, 226

zolpidem, 174