

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- Access Control tab, 472–473
- accounts. *See* user accounts
- Accounts pane for user accounts
 - creating, 23
 - deleting, 26
 - login process, **102–103**
 - passwords, 50
 - root logins, 33
 - user levels, 10
- Acrobat Reader, **249**
- Activation tab, 65
- Active Network Ports, 311
- Active Processes box, 293
- add-ons, **128–132**, *130–131*
- adding
 - add-ons, **128–132**, *130–131*
 - printers, **415–418**, *417*, **423–424**, *423*
- administrative actions, automating, **502–504**, *503*
- administrative shares, 389
- administrators and Admin users, **10**, 26
 - limiting access to, 450
 - permissions with, 36
 - security for, 452
 - sharing with, **347**
- Advanced Add Printer dialog, 437
- Advanced tab, **291–293**
- AFP (Apple File Protocol), 351, **384–385**
- AFS Properties tab, 357
- AirPort utilities, **257**, 310, 314
- Aladdin, 350
- alerts, **75**
- Alfred program, **130–131**, *131*
- alias command, 534–535
- aliases
 - for files and folders, **198–199**
 - in Finder, 190
 - for PDF files, **441**
 - in sharing, **394–395**, *395*
 - in Unix commands, **534–535**
- AliasMenu program, 234
- AliasMultiplier X program, 200
- All Off location, 314
- Allow Universal Access Shortcuts option, 84
- Allow user to administer this computer option, 23
- Allow user to log in from Windows option, 23
- allowed packets, 453
- Alsoft, 487
- alternate server ports, 382
- Always open folders in a new window option, 169
- Always show file extensions option, 162, 170
- analog utility, **552**
- Animate opening applications option, 217
- animating Desktop, **68–69**
- anonymous FTP access, 362
- anti-aliased text, 62
- .app extension, 122
- appearance
 - of Classic Environment, **301**, *301*
 - of toolbars, **53–54**
- Apple Background Images, 57
- Apple File Protocol (AFP), 351, **384–385**
- Apple menu
 - bringing back, **555–556**
 - in Classic Environment, **304**
 - clearing, 61
 - Force Quit from, **274**, *274*
 - for preference pane access, **54**
- Apple System Profiler utility, **257–258**
- AppleCare channel, 253
- AppleScripts
 - for PDF files, **441**
 - on toolbar, 180

AppleTalk protocol
 for Personal File Sharing, **356**
 for printers, **416**
 application switchers in Dock, **227–229**
 applications, **239**. *See also* utilities
 in Apple System Profiler, **257**
 Backup, **243**
 Calculator, **243–244**
 Chess, **244**
 in Classic Environment, **301–302, 302**
 Clock, **244**
 DVD Player, **245–246, 245**
 groups of, **200–201**
 help for, **241–242**
 hiding and minimizing, **240**
 Image Capture, **246–247, 247**
 installation location for, **120**
 kinds of, **240–241**
 Mac Slides Publisher, **248**
 menus and preferences for, **242, 556**
 moving, **123–124**
 for PDF files, **441**
 permissions for, **6**
 Preview, **248–250**
 priorities for, **507, 508**
 QuickTime Player, **250–251**
 quitting, **404**
 root account for, **30–31**
 Script Editor, **251**
 Sherlock, **251–253, 251**
 Stickies, **254–255**
 text, **276–280, 278–279**
 TextEdit, **255–256, 256**
 toolbars for, **87–89, 88, 179, 240**
 troubleshooting, **273–275, 274**
 in updates, **144**
 Watson, **252–254, 252**
 windows in, **556–557**

Applications folders
 files in, **123**
 in home folders, **8**

Apply to enclosed items option, **37**

apt-get program, **543**

Aqua toolbar, **88**

Archive and Install option, **142–143, 142**

arguments in Unix, **524**

ASM program, **556–557**

associations for files, **160–162, 161**

asterisks (*) in Unix, **536**

attributes
 for files, **165–167**
 for Keychain items, **471**
 for TextEdit documents, **255**

Attributes tab, **471**

autodiskmount command, **568**

automatic operations
 administrative actions, **502–504, 503**
 logins, **22**
 logouts, **467**
 share connections at logins, **399**

Automatically hide and show the Dock option, **217**

B

backgrounds
 Finder windows, **189**
 login screen, **105**

BackJack service, **514**

backticks (`) in Unix, **539–540**

Backup application, **243**

backups
 basics of, **509–510**
 frequency of, **512**
 local and removable, **512–513**
 media for, **513–514**
 NetInfo database, **19–20**
 network settings, **317**
 preference files, **92**
 selection criteria for, **510–512**
 strategies for, **514–515**
 utilities for, **515–518, 517**

bars (|) for Unix pipes, **538**

BatChmod utility, **44**

BBEdit program
 for printing folder listings, **191**
 in Unix, **547**

BBEdit Lite program
 for preference files, **89**
 for text files, **31**

beeps, visual, **76**

Bergstrand, Brian, **60**

beta software, **11**

bless command, **573**

block devices in Unix, **522**

Blocked Services screen, **461**

blocks on drives, **484**

Bluetooth File Exchange utility, **258, 324, 345–346, 346**

Bluetooth File Transfer option, **346**
 Bluetooth pane, *69*
 Bluetooth protocol
 for sharing files, **344–346**, *346*
 System Preferences for, **322–324**
 Bombich, Mike, *151*
 Bookit program, *337*, *337*
 bookmarks
 for home pages, **320–321**
 for networking, **335–337**, *335–336*
 Boot Config utility, *110*, *111*
 boot images, *100*
 boot panel, *98*
 boot process, **93–94**
 boot volume choices in, **95–98**, *95*, *97*
 startup volume and system choices in, **94–98**, *95*
 boot strings, **100–102**, *101*
 Boot Strings tab, *101*, *101*
 bootable CDs, **264**, **495**
 BootCD application, *264*, *495*
 BootROM activation, **93**
 BootX utility, **94**
 BrickHouse utility, **460–462**, *461*
 broken Keychains, **477–478**, *477*
 Browser Wars program, *320*
 browsers
 adding, **319–320**
 bookmarks for, **335–337**, *335–336*
 for FTP, **391**
 iCeCoffEE, **330–331**
 pop-up ads in, **338–339**
 popular, **332–334**, *333*
 for printing folder listings, *192*
 searching with, **331–332**, *332*
 window size in, **338–339**
 browsing
 with Bluetooth, *345–346*
 Save dialogs, **209**, *209*
 BSN init process, **94**
 built-in firewalls, **457–459**, *458*
 .bundle extension, *122*
 bundles, *121*
 Burn item on toolbar, *178*
 burning CDs
 images, **263**
 partitions for, *574*

C

cache file, *56*
 caches
 cleaning, **500–502**
 for deleted files, *491*
 in software installation, **128**
 Calculator application, **243–244**
 Calindock application, *230*
 Camino browser, *332–333*, *333*
 CaminoKnight utility, *333*
 CandyBar program, *179*
 Captain FTP client, *392*
 Carbon applications, **241**
 Carbon Copy Cloner program, *151–154*, *153*, *518*
 Carbon Registration Database, *579*
 Carbonized applications, *87*, *286*
 Casady & Greene, *292*, *305*
 case sensitivity in Unix, *524*
 cd command, *402*, *525–526*
 CDs
 for backups, *513*
 bootable, **264**, **495**
 booting from, **97**
 burning disk images to, **263**
 ejecting, *117*
 erasing, **263**
 multiple-session, **263**
 partitions for, *574*
 for restoring software, **138–139**
 CDs & DVDs pane, **69**
 ChangeDesktop program, *60*
 changing. See also *editing*
 color table, *82*
 file extensions, **162**
 permissions, **35–37**, *36*, **43–45**, *44*
 short usernames, **45–49**, *46*
 startup volumes, *572*
 toolbars display, **87–88**
 volume change sound, **75–76**
 channels in Sherlock, *251–254*, *251*
 character devices in Unix, *522*
 Character Palette, *63*, *64*
 CharView utility, *270*, *270*
 Chess game, **244**
 ChimerIcon utility, *333*
 Chooser utility, *430*
 ChronoSync program, *518*

- classes for printers, **425–426**, 426
- Classic applications, **241**
- Classic Environment, **285–286**
 - appearance of, **301**, 301
 - Apple menu in, **304**
 - application launching in, **301–302**, 302
 - memory for, **298**, **303**
 - partitions for, **298**
 - preference files for, **302–303**
 - printing in, **304**, **429–431**
 - pros and cons of, **288–289**
 - running status of, **300**
 - starting and stopping, **298–300**, 299
 - startup files for, **294–297**, **304–305**
 - support and limitations on, **287–288**
 - System Folder for, **294–298**, 295, **306**
 - System Preferences for, 79, **289–293**, 290–291, 293
 - technical details of, **286–287**
 - troubleshooting, **304–306**
 - updating software for, **289**
- Classic Finder Windows option, 557
- Classic pane
 - Advanced tab, **291–293**
 - Memory/Versions tab, **293**, 293
 - Start/Stop tab, **289–291**, 290–291
- Classic? program, 299–300, 299
- Classic Spy program, 300
- Classic Toggler program, 299–300
- Classic Window Mode, 557
- ClassicBooster program, 297–298
- cleaning
 - caches, **500–502**
 - drives, **151**, **498–500**, 499
 - text, **283–284**
- cleanup scripts, **498–500**, 499
- clearing Apple menu, 61
- clipboards, multiple, **280**, 281
- clipEdit program, 283
- clippings
 - in operating system transitions, **563**
 - for text, **283**
- Clock application, 230, **244**
- cloning for backups, 515, 518
- Cocoa applications, **240**, **276–280**, 278–279
- Collection menu, **57–59**, 59
- color, DigitalColor Meter for, **260**
- color table, 82
- ColorSync pane, **70**
- ColorSync utility, **258**, 265–266
- Column view in Finder, **186–188**, 187–188
- command line in tcsh, **530**
- command-line programs, **523**
- command+S keys, **114**
- command shells, 523
- command+V keys, **115**
- commands in Unix, **524–527**, **530**, **534–535**
- Commands tab, 80–81
- Comment Converter program, 554
- Comment Synch program, 554
- comments in operating system transitions, **554–555**
- Comments pane, **165**
- Common Unix Printing System. *See* CUPS (Common Unix Printing System)
- compatibility
 - with Classic Environment, 286
 - clipping, **563**
- compiling Unix programs, 540
- Completed Jobs screen, 428
- compressing files, **350–351**, **363**
- Computer item on toolbar, 179
- computers, transferring operating system between, **153–154**
- Concurrent Version System (CVS), 544
- configuration files in Unix, 546
- Conflict Catcher utility, 106, 292, 294, 295, 305
- Connect item on toolbar, 178
- Connect to Server dialog, **383–385**, 388, 388
- connecting
 - to printers, **412**
 - to QuickTime, 77
 - with Remote Login, **402**
 - to shares. *See* shares and sharing
 - to Virtual Private Networks, 324, 326, **399–400**, 400
- connection logs, 326
- Connection tab, 77
- console.log file, 259
- console logins, **116–117**
- Console utility, **259**
- content
 - for Dock, **223–225**
 - finding files by, **206–208**, 207
- Content Index pane, **164**, 206, 207
- Contents folder, 122
- contextual menus, 234
 - add-ons for, **129**
 - for files, **193–195**, 193
- Control Panels folder, 296–297

conversions
 in Calculator, **244**
 disk images, **261–262**
 graphics, **248**

copying
 files, **195**
 with multiple volumes, **569–570**
 network preferences, **317**
 text, **276**

CopyPaste-X program, **280, 282**

CopyPath program, **194**

cp command, **19, 403**

CPU Monitor utility, **259, 260**

crashes in Classic Environment, **305**

cron program, **502–505, 505**

CronniX program, **503–506, 503, 505**

crontabs, **502**

csh shell, **529–530**

.cshrc file, **534**

CUPS (Common Unix Printing System), **413–414, 422**
 for adding printers, **423–424, 423**
 for configuring printers, **424–425**
 for deleting printers, **425**
 for printer classes, **425–426, 426**
 for queue management, **426–429, 427**

curl command, **525, 551**

Customize item on toolbar, **178**

Customize Toolbar dialog, **177, 177**

CVS (Concurrent Version System), **544**

D

daemons
 listen, **509**
 in Unix, **545–546**

daily script, **498**

Dantz, **127, 516**

Darwin environment, **519–521**

dashes (-) in Unix, **524**

Data Backup X program, **516**

Data Recycler program, **491**

Data Rescue X program, **490**

Date & Time pane, **79, 80**

Date tab, **63**

DAVE program, **373, 389–390**

dedicated FTP/SFTP clients, **391–392**

Deep Cleaning option, **501**

Default Folder X program, **212, 212**

defaults
 browsers, **319**
 firewall rules, **463**
 Keychains, **475**
 permissions, **34–35, 35**
 shells, **365**
 voice, **81**

defragmenting drives, **492–495, 493–494**

DejaVu program, **516–517, 517**

delays, keyboard, **83**

Delete item on toolbar, **178**

Deleted Users folder, **26–27**

deleting
 Dock items, **224**
 groups, **41, 43**
 Keychain items, **473**
 Keychains, **475–476**
 print jobs, **421**
 printer drivers, **431**
 printers, **419, 425**
 shares, **356**
 software, **149**
 toolbar items, **89**
 user accounts, **26–27, 27**

deletions
 security for, **480–481**
 undeleting, **490–492**

denied packets, **453**

DesInstaller program, **149, 150**

Desktop, **170–171**
 accessing, **173–175, 174–175, 210**
 animating, **68–69**
 folder for, **7**
 as home folder, **199–200**
 location of, **171**
 printers, **443–445**
 Trash on, **559**
 View Options for, **171–172, 172**
 virtual network computing for, **405–409, 406, 408**

Desktop Effects, **68–69**

Desktop folders
 in home folders, **8**
 in operating system transitions, **561–562**

Desktop pane, **57**
 for iPhoto albums, **59–60**
 for permanent folders, **57–59, 59**

developer support files in updates, **144**

Developer Tools
 for file visibility, **166**
 installing, **542**
 uninstalling, **148**

- Device screen, 423
- Device URI screen, 424
- Devices and Volumes area, 257
- Devices tab, 323
- DEVONthink program, 278, 278
- Diablotin pane, **108–110**, 109
- diagnosing drives, **496**
- Dictionary channel, 254
- DigitalColor Meter utility, **260**
- direct technologies, 322
- directories
 - drive, repairing and rebuilding, **484–487**
 - synchronizing, **552**
 - in URLs, 381
- Directory Access utility, **260**, 372–373
- Directory Services, **418**
- disabling
 - Guest access, **353–355**
 - Open Firmware password protection, **465–466**
 - port configurations, **311–312**, 312
 - Public folders, **355**
 - root account, 451
 - services, **110**, 111
 - SSH, **365–366**, 366
- Disc Burner utility, **260–261**
- Discribe utility, 264
- Disk Copy utility, **263–264**
 - for disk images, 125, **261–263**, 262
 - for encryption, 478–479, 479
- Disk Doctor program, 496
- disk drives. *See* drives
- disk images, 125
 - burning to CDs and DVDs, **263**
 - creating and converting, **261–262**, 262
 - DropDMG for, **263–264**
- Disk Utility
 - areas in, **264–265**
 - for directory problems, **485–486**
 - for partitions, 576–577, 577
 - for permissions, 38, 38
 - for zeroing data, 481
- DiskWarrior program, 487
- Display Calibrator Assistant, **265–266**
- DISPLAY environment variable, 547
- Display Login Window as setting, **102–103**
- Displays pane, **70**
- distribution, software, **124–125**
- ditto command, 579–580
- .dmg files, 125
- DNSUpdate service, 361
- DocJector application, 230
- Dock, **215**
 - accessing, **221–222**
 - alternatives to
 - keyboard launchers, **234–235**, 235
 - menus, **232–234**, 233–234
 - replacements, **236–237**, 236
 - application switchers in, **227–229**
 - for Classic Environment, **299–300**, 299
 - content for, **223–225**
 - Desktop access from, **174**, 174
 - Docklings in, 55, **229–230**, 229–230
 - for favorites, **335**, 336
 - Force Quit from, **274**
 - keyboard-enhanced actions in, **226–227**
 - location files with, **398**, 398
 - menus for, **222–223**, 222, **230–231**, 231
 - multiple, **231**, 232
 - for preference pane access, **55–56**
 - settings for, **215–216**
 - Dock pane, 60, **216–218**, 216–217
 - hidden, **218**
 - skins, **220–221**, 221
 - TransparentDock, **218–220**, 219
 - storage on, **225–226**, 225
- Dock pane, 60, **216–218**, 216–217
- Dock Setup tab, 219–220, 219
- Dock Size option, 216
- DockDisks pane, 225
- DockExtender program, 230
- DockFun! program, 231, 232
- DockIP program, 361
- Docklings, 55, **229–230**, 229–230
- DocklingWrapper program, 229
- DockSwap program, 231, 232
- Documents folders
 - accessing, **210**
 - in operating system transitions, **554**
 - on toolbar, 180
- Documents item on toolbar, 179
- domain levels, **13–16**, 13–15
- domain names, 380
- Download Checked Items to Desktop feature, 136
- Download Files To setting, 319
- Download Options tab, 247
- Download Some screen, 247, 247
- downloading updates, **135–136**
- drag and drop folders, **210–211**

- drag-and-drop installation, **127–128**
- DragonDrop program, 559
- Dragster program, 501
- DragStrip program, 236
- DragThing program, 236, 236, 559
- Drive 10 program
 - for defragmenting drives, 493
 - for directory repair, 487
 - for optimizing drives, 494
 - for testing drives, 496
- drivers for printers, **413, 431, 433–435**
- drives, **483–484**
 - for backups, 514
 - cache cleaning, **500–502**
 - cleaning, **151, 498–500, 499**
 - defragmenting, **492–495, 493–494**
 - diagnosing, **496**
 - directory problems on, **484–487**
 - free space reports for, **504–505, 505**
 - journaling, **488–489**
 - optimizing, **494–495**
 - partitions for. *See* partitions
 - permission repairs for, **497–498, 505–506**
 - recovering files on, **490**
 - recovery services for, **497**
 - transferring operating system between, **151–152, 153**
 - undeleting data on, **490–492**
- DriveSavers recovery service, 497
- Drop Drawers program, 559
- DropDMG program, **263–264**
- Droplets, 563
- DropStuff utility, 350
- DropZip utility, 350
- dselect program, 543
- du command, 523
- DVD Capture program, 246
- DVD Player application, **245–246, 245**
- DVDs
 - for backups, 513
 - booting from, **97**
 - burning disk images to, **263**
 - ejecting, 117
- dynamic IP addresses, **361**
- EasyFind program, 208
- echo command, 523, 539
- editing. *See also* changing
 - CUPS options, **428–429**
 - firewall filters, 462
 - groups, 41, 43
 - Keychain items, **472**
 - preference files, **89–91, 91**
 - printers, **424–425**
 - root account, **31–33**
 - user accounts, **26**
 - user templates, **9**
- EightBall application, 230
- Eject item on toolbar, 178
- ejecting CDs and DVDs, 117
- emacs editor, 547
- Email Servers and Mac OS X article, 339
- Email tab, **318–319**
- encoding files, **363**
- encryption, 452, **478–479, 479**
- Energy Saver pane, **70–72, 72**
- Engst, Adam, 514
- environment variables, 531, **533**
- Erase area in Disk Utility, 265
- erasing CDs, **263**
- errors in Unix, 539
- ESP Ghostscript package, 433
- etc folder, **145–146**
- Euphoria screen saver, 67
- exchanging data. *See* shares and sharing
- ExecutiveSync program, 518
- exit command, 114
- Expanded window in CPU Monitor, 259, **260**
- expansion, command, 534
- extensions, file, **159–162, 161**
- extensions, kernel, 107
 - in Apple System Profiler, 257
 - in boot process, 94
 - in updates, **146**
- Extensions folder, 296–297
- Extensions Manager, 106, 292, 294

F

- ## E
-
- e-mail attachments, 482
 - Easy Software Products, 413

- favorites
 - files and folders, **201, 202**
 - for home pages, **320–321**
 - location files as, **398–399**

- for networking, **335–337**, *335–336*
- servers, **384**
- on toolbar, 179
- Favorites folder, 201, 224
- .FBCIndex file, 207
- Fetch FTP client, 392
- File Buddy utility
 - for comments, 554
 - for Droplets, 563
 - for group permissions, 44
 - for invisible bit, 165
 - for restoring files, 143
 - for volume changes, *75–76*
- File Exchange tab, 323, 346
- File Name Encoding Repair Utility, 555
- File Sharing Only users, **354–355**, *355*
- File Sharing protocol, 351
- filenames
 - in Finder, **190**
 - in operating system transitions, **555**, **563**
 - viewing, **211**
- files, **159**
 - aliases for, **198–199**
 - attributes for, **165–167**
 - comments for, **554–555**
 - compressing, **350–351**, **363**
 - contextual menus for, **193–195**, *193*
 - copying, **195**
 - in Dock, **224**
 - encrypting, **478–479**, *479*
 - favorites, **201**, *202*
 - Finder for. *See* Finder
 - finding, **202–208**, *204–205*, *207*
 - Get Info window for, **162–165**, *164*
 - groups of, **200–201**
 - for home pages, **320–321**
 - indexing, **206–208**, *207*
 - labels for, **167**
 - moving, **187**, **195**, **403–404**
 - Open and Save dialogs for, **209–212**, *209*, *212*
 - Open With for, **197**
 - paths for, **211**, *522*
 - permissions for, **5–6**
 - recovering, **490**
 - redirecting, **538–539**
 - sharing. *See* shares and sharing
 - temporary storage for, **196**, *197*
 - types and extensions for, **159–162**, *161*
 - in Unix, **522**
 - in URLs, 381
 - and user accounts, **7–8**, *7*
- FileXaminer utility
 - for group permissions, 44
 - for invisible bit, 165
- filters
 - firewall, 462
 - in Unix, 538
- find and replace for text, **277**
- Find function for files, **203–205**, *204–205*
- Find item on toolbar, 178
- Finder
 - background windows in, **189**
 - Desktop access from, **174**
 - for favorites, **335**
 - filenames in, **190**
 - folder listings in, **191–192**, *192*
 - FTP in, **393–394**
 - for non-boot volume access, 569
 - preferences for, **86–87**, *86*, **167–170**, *168*
 - scrolling in, **190**, *192*
 - status bars in, **189**
 - Title Bar icon in, **190–191**
 - toolbars in, **175–181**, *176–177*
 - undo feature in, **208**
 - view options for, **86–87**, **170**, **181–189**, *183*, *185*, *187–188*
- finding files, **202–208**, *204–205*, *207*
- Fink Binary Installer, 543
- fink command, 544–545
- Fink Source Release, 543
- Fink system, **542–545**
- FinkCommander utility, **545**
- Firewalk X firewall, 463
- Firewall tab, 458–459, *458*
- firewalls, **453–454**
 - built-in, **457–459**, *458*
 - configuring, **460–462**, *461*
 - hardware routers as, **454–456**
 - rules for, **459–460**, **463**
 - third-party, **463–464**
- FireWire
 - for installation, **572–573**
 - working with, **316–317**
- First Aid tab, 265, 485
- flags in Unix, 524
- FLaunch program, 560
- Floating window in CPU Monitor, 259, 260

folders, **12–13**

- aliases for, **198–199**
- in Collection menu, **57–59, 59**
- domain levels in, **13–16, 13–15**
- encrypting, **478–479, 479**
- favorites, **201, 202**
- going to, **197–198**
- groups of, **200–201**
- home. *See* home folders
- listing, **191–192, 192**
- for PDF files, **441**
- permissions for, **6**
- sharing. *See* shares and sharing
- spring-loaded, **169, 196**
- and user accounts, **7–8, 7**

Font Smoothing tab, **62**

fonts

- location of, **129**
- smoothing, **62**

Fonts pane, **276–277**

Force Quit window, **300**

force quits, **273–275, 274, 300**

formats

- filename, **563**
- for location files, **396–398**

fragmentation, drive, **492–495, 493–494, 573**

.framework extension, **122**

frameworks, **257**

free space reports for drives, **504–505, 505**

freezes, troubleshooting, **273–275, 274**

FruitMenu utility

- for Apple Menu, **555**
- for contextual menus, **195, 234**
- for preference pane access, **54, 55**

fsck utility, **20–21, 486**

FTP

- server connections, **390–394, 392–393**
- for sharing, **361–364**

Fugu FTP/SFTP client, **391**

FWSucker application, **466**

G

Galaxy screen saver, **67**

General pane, **60–62, 61, 163**

Get Info item on toolbar, **179**

Get Info window, **162–165, 164**

Gideon FTP/SFTP client, **391**

GIDs (group IDs), **40, 42**

Gimp-Print program

- for drivers, **433–435**
- for unsupported hardware, **155**

Go To Folder dialog, **198**

going

- to folders, **197–198**
- to Keychain items, **473–474**

Goliath client, **385**

Grab utility, **267**

Graphic Converter, **105**

graphics

- in TextEdit documents, **255**
- viewer for, **248**

greater than signs (>) signs for redirection, **538–539**

grep command, **524–525**

group IDs (GIDs), **40, 42**

groups

- creating, **40–43, 41–42**
- of files, folders, and applications, **200–201**
- permissions for, **39–45, 41–42, 44**

guest users

- in Personal File Sharing, **353–354**
- Samba Sharing package for, **372**
- user accounts for, **12**

H

hard drives. *See* drives

hardware

- preferences
- Bluetooth pane, **69**
- CDs & DVDs pane, **69**
- ColorSync pane, **70**
- Displays pane, **70**
- Energy Saver pane, **70–72, 72**
- Ink pane, **72**
- Keyboard pane, **73**
- Mouse pane, **73, 74**
- Sound pane, **74–76**
- unsupported, **154–155**

hardware abstraction layer, **287**

hardware routers as firewalls, **454–456**

Hearing tab, **76, 83**

Helios screen saver, **67**

Hello Jaguar utility, **100**

help

- for applications, **241–242**
- in Unix, **527–529**

- Help Center, 242
 - Help Viewer, 241–242
 - .hidden file, 166
 - hidden settings
 - Dock, **218**
 - Internet, **321–322**, 321
 - Hide menu, 220
 - Hide the Restart and Shut Down buttons option, **103**
 - hiding
 - applications, **240**
 - Desktop items, **173**
 - files, 166
 - status bars, **189**
 - hints for passwords, 23, **103**
 - holding print jobs, **420**
 - Home AirPort location, 314
 - Home AirPort/Modem location, 314
 - home folders, 7, 7
 - accessing, **210**
 - contents of, **8–9**
 - Desktop as, **199–200**
 - Home item on toolbar, 179
 - Home Page feature, 351
 - home pages, local files for, **320–321**
 - Homemade Dot-Mac with OS X article, 339
 - Hot Corners tab, 65, 468
 - HotAlias utility, 200
 - hybrid CDs, 261
-
- I
- IANA (Internet Assigned Numbers Authority), 327
 - iApps, 243
 - iCab browser, 320, 332
 - iCeCoffEE browser, **330–331**
 - iChoose program, 398, 398
 - Icon view in Finder, **182–184**, 183
 - iDisk Storage tool, 269
 - iDisk tab, **318**
 - iDisk Utility, **268–269**
 - connecting to, **384–385**
 - for Internet, **318**
 - remote sharing with, **347–351**, 348
 - on toolbar, 179
 - iListen program, 283
 - Image Capture application, **246–247**, 247
 - images
 - for boot panel, **98–100**, 100
 - disk. *See* disk images
 - inactive updates, **135**
 - indexing files, **206–208**, 207
 - Info window, 4, 5
 - Information area in Disk Utility, 264
 - Ink feature, 72, 282
 - inline execution, **539–540**
 - input in Unix, **537–540**
 - Input Menu tab, **63–64**, 64
 - Installable Options pane, 418
 - installation, **119**
 - file location in, **120–121**
 - Fink system, **543–545**
 - on FireWire volumes, **572–573**
 - Gimp-Print package, **433**
 - moving installed applications, **123–124**
 - packages for, **121–123**, 122
 - software. *See* software installation
 - installation logs, **150**
 - Installed Updates tab, 135
 - Installer utility, 126, 126, **269**
 - and packages, **125–127**, 126
 - for system add-ons, **130**
 - Installer Vise, 125
 - Intego NetBarrier firewall, 463–464
 - Intego VirusBarrier program, 482
 - interactive shells, 521
 - Interarchy FTP/SFTP client, 391
 - interface sounds, **560**
 - internal addresses, 327, 380
 - international options, **62**
 - Date, Time, and Numbers tabs, **63**
 - Input Menu tab, **63–64**, 64
 - Language tab, **62–63**
 - Internet
 - location files for, **334–335**, **395–399**, 396, 398
 - plug-ins for, **129**
 - sharing printers over, **437**
 - System Preferences for, **318–322**, 321
 - Windows file sharing over, 373
 - Internet & Network Preferences category, **76–77**
 - Internet pane, 77
 - Network pane, 77
 - QuickTime pane, **77–78**
 - Internet Assigned Numbers Authority (IANA), 327
 - Internet Connect application, **324–326**, 325
 - Internet Explorer, bookmark location in, 320
 - Internet pane, 77
 - Internet routers, **328–329**, **359–360**
 - Internet Sharing feature, **328–330**
 - Internet tab, 329

invisibility
 of files, **165–166**
 in security, 469
 invisible bit, 165–166
 IP addresses, **358–361**, **379–380**
 IP over FireWire, **316–317**
 ipfw program, 457, **459–460**
 iPhoto albums, **59–60**
 iPrint utility, 444
 IPSec protocol, 400
 iSleep program, 245
 Ittec program, 194–195
 iTunes, 222, 222

J

Jaguar Cache Cleaner (JCC), **501–502**
 journaling, **488–489**

K

Keep arranged by option, 172
 kernel extensions, 107
 in Apple System Profiler, 257
 in boot process, 94
 in updates, **146**
 Key Caps utility, **269–270**, 269–270
 Key Xing utility, 234
 keyboard
 access options for, **83**
 for Dock, **226–227**
 for launching applications, **234–235**, 235
 layouts for, 63
 for navigating, **211**
 on-screen, **84**, 84
 for screenshots, **266**
 volume keys for, **74–75**
 Keyboard Maestro program, 228–229
 for clipboards, 280, 282
 for hotkeys, 234
 Keyboard pane, **73**
 keyboard shortcuts for text, **276**
 Keyboard tab, **83**
 Keychain Access utility, 271, 468, 475
 Keychain First Aid utility, 477, 477
 Keychain menu extra, **467–468**
 Keychains, 395, 395, **469–470**

access in, **471–477**, 472
 alternatives to, **478**
 Keychain-aware applications, **470**, 471
 for locking screen, **467–468**
 repairing, **477–478**, 477
 KeyStrokes function, **84**, 84
 kill command, 68, 548–549
 killall command, 549
 kinds
 of applications, **240–241**
 of files, 204

L

labels
 for files, **167**
 in operating system transitions, **560**
 Labels X program, 167, 560
 language support, uninstalling, **147–148**, 148
 Language tab, **62–63**
 Languages for searching files contents option, 170
 Languages pane, **164–165**
 LaunchBar utility, **235**, 235
 launching applications
 in Classic Environment, **301–302**, 302
 with keyboard, **234–235**, 235
 left side of Dock, **223**
 less than signs (<) signs for redirection, **538–539**
 levels
 domain, **13–16**, 13–15
 in user accounts, **9–11**, 10, 26
 Library folder
 in home folders, 8
 in updates, **144–145**
 Light Cleaning option, 501
 LinuxPrinting.org site, 432
 List view in Finder, **184–186**, 185
 listen daemons, 509
 Listening tab, 80
 LiteSwitch X program, 228–229, 229, 557
 LittleSecrets program, 478
 ln command, 579–580
 local backups, **512–513**
 local domains, **14**
 local files for home pages, **320–321**
 local IP addresses, 380
 local variables, 531–532
 locate function for files, **205–206**, 205

location files

- for Internet, **395–399**, *396*, *398*

- for networking, **334–335**

- Location X program, **315–316**, *315*

- Locator program, 205

- Lock after x minutes of inactivity setting, 474

- Lock when sleeping option, 475

locking

- Keychains, **474**

- screen, **467–468**

- logical volumes, 573

- Login Items Engine, 104–105

- Login Items pane, 64, **103–105**, *104*

- Login Options tab, 33, 102

login screen

- background, **105**

- logo and title in, **105–106**

logins, **102**

- Accounts pane for, **102–103**

- Login Items pane for, 64, **103–105**, *104*

- login screen, **105–106**

- options for, **106–111**, *106*, *109*, *111*

- as root, **33**

- safe, **115–116**

- server connections at, **399**

- sharing options for, **387**, **399**

- Terminal access at, **116–117**

- LogMaster program, 508–509, *509*

- logo in login screen, **105–106**

- LogOut screen saver, 467

- logouts, auto, **467**

logs

- in Apple System Profiler, 257

- of completed print jobs, **428**

- for firewalls, 462

- for FTP, 364

- in Internet Connect, 326

- for Personal File Sharing, **357**

- reviewing, **508–509**, *509*

- for uninstalling packages, **150**

- in Unix, **545–546**, *552*

long filenames

- in Finder, **190**

- viewing, **211**

- lost data, recovering, **490**

- LPR printers, adding, **416–417**

- ls command, 402, 523, 525–527

M

- .Mac account, 66

- Mac OS X Colors dialog, 183–184

- Mac Slides Publisher application, **248**

- .Mac tab, **318**

- Macaroni program, 499–500

- MacBoot utility, 100

- MacEase utilities, 444

- mach files, restoring, 143

- mach.sym files, restoring, 143

- MacJanitor program, 499–500, *499*

- macro viruses, 482

- MacUpdate program, 194

- magnetic tape for backups, 514

- magneto-optical disks for backups, 513

- Magnification setting for Dock, 216

- Mail package, 122, *122*

- Mail Toolbar, 88, *88*

- Makefiles, 541

- man command, 402, **527–529**

- Manage Printers screen, 425

manual operations

- software deletions, **149**

- updates, **137**

- mapping ports, 359–360, 455–456, *455*

- Marine Aquarium screen saver, 67

- #MaxJobs option, 429

MaxMenus program

- Desktop access from, **174–175**, *175*

- as Dock alternative, 232–233, *233*

- media for backups, **513–514**

- Media Keys tab, 77

- memory for Classic Environment, **298**, **303**

- Memory pane, **164**

- Memory/Versions tab, **293**, *293*

menu bar

- for preference pane access, **54**, *55*

- starting and stopping Classic Environment from, **300**

- .menu extension, 122

- Menu Extra Enabler program, 300

- Menu Extras, 300

- Menuprefs utility, 54

menus

- for applications, **242**, **556**

- contextual, **129**, **193–195**, *193*, *234*

- for Dock, **222–223**, *222*, **230–231**, *231*

- location files with, **398**, *398*

- in URL Manager Pro, 336
- utilities for, 232–234, 233–234
- Micromat, 487
- MindVision, 125
- minimizing
 - applications, 240
 - windows, 225–226, 225
- mirrored RAIDs, 513
- mkdir command, 402
- Model/Driver screen, 424
- Modify Printer procedure, 424
- Monitor window, 462
- monitoring
 - firewalls, 462
 - Windows File Sharing, 372
- Monolingual program, 148
- monthly script, 498
- MooSB program, 85
- Moose's Apprentice utility, 363
- More Internet pane, 321, 321
- More Login tab, 106
- mounted volumes in Dock, 224–225
- Mouse Keys functionality, 83
- Mouse pane, 73, 74
- Mouse tab, 83
- Movies folder in home folders, 9
- Movies item on toolbar, 179
- moving
 - files, 187, 195, 403–404
 - installed applications, 123–124
 - with multiple volumes, 569–570, 578–580
 - preference files, 92
 - print jobs, 421
- MOX Optimize utility, 110
- Mozilla browser, 320, 332
- multihoming, 312
- multimedia files, 250
- multiple clipboards, 280, 281
- multiple Docks, 231, 232
- multiple files, opening, 210
- multiple folders, rotating photos from, 60
- Multiple Launcher program, 200
- multiple-session CDs, 263
- multiple System Folders, 564
- multiple usernames, 563
- multiple volumes, 567–568
 - copying vs. moving with, 569–570
 - FireWire, 572–573
 - moving with, 578–580

- non-boot, 569
- permissions on, 570–572
- for sharing, 343–344, 572
- startup, 572
- system swap files on, 580–582
- Music item on toolbar, 179
- Music tab for QuickTime, 77
- mv command, 21, 403
- My Account pane, 64

N

- Name & Extension pane, 163
- Name & Location pane, 418
- Name field, 23
- names
 - in Unix, 522, 527
 - for user accounts, 23
 - for workgroups, 372–373
- NAT (Network Address Translation), 328, 454
- navigating
 - keyboard for, 211
 - Open and Save dialogs, 209–211, 209
- NetBarrier firewall, 463–464
- NetInfo database, 16
 - backing up, 19–20
 - rebuilding, 21–22
 - restoring, 20–21
 - working with, 17–19, 18
- NetInfo Manager application, 17–19, 18
 - for creating groups, 40–41, 41
 - for editing root account, 32
 - for printers, 415
 - for SFTP, 365, 366
- Netscape browser, 332
- NetService program, 280
- Network Address Translation (NAT), 328, 454
- Network domain, 15
- Network File System (NFS), 374, 394
- Network pane, 77, 400
- Network Port Configurations dialog, 311, 312
- Network Time tab, 79
- Network Utility, 271
- networks and networking, 309–310. *See also* Internet
 - for backups, 514
 - bookmarks for, 335–337, 335–336
 - browsers for. *See* browsers
 - location files for, 334–335

- pop-up ads in, **338–339**
- servers for, **339**
- sharing in. *See* shares and sharing
- System Preferences for, *77*, **310–311**, 400
 - Bluetooth, **322–324**
 - copying and backing up, **317**
 - network locations, **313–316**, *315*
 - port configurations, **311–312**, *312*
 - port priorities, **312–313**
- in Unix, **551**
- New Finder Window shows option, 168
- New Folder item on toolbar, 178
- New Password field, 23
- NeXTStep operating system, 519–520
- NFS (Network File System), **374**, **394**
- NFS Manager program, 374
- niutil command, 579–580
- nmap utility, **551**
- No Access permission, 6
- no-password user accounts, **49–50**, *50*
- non-boot volumes
 - accessing, **569**
 - moving folders to, **578–580**
 - permissions on, **570–571**
 - sharing, **572**
 - system swap files on, **580–582**
- non-PostScript printers, 411–412
- nonstandard characters, entering, **269–270**, *269–270*
- Normal users, **9**, 26, 36
- Northern Softworks, 104
- Norton AntiVirus program, 482
- Norton Personal Firewall, 463
- Norton Privacy Control, 464
- Norton Utilities program
 - for defragmenting drives, 493
 - for directory problems, 487
 - for file recovery, 490
 - for optimizing drives, 495
 - for testing drives, 496
 - for undeleting data, 491
- Number of Recent Items setting, **60–61**
- Numbers tab, **63**

O

- Old Glory screen saver, 67
- OmniWeb browser, 320, 332
- on-screen keyboards, **84**, *84*
- online backups, 514

- Open and Save dialogs
 - Default Folder X for, **212**, *212*
 - navigating, **209–211**, *209*
 - for non-boot volume access, 569
- open command, 525
- Open Firmware
 - for password protection, **464–466**
 - purpose of, **117**
- Open iDisk tool, 268
- Open new windows in Column View option, 169
- Open Public Folder tool, 268, 349
- open source software
 - CUPS, 432
 - versions of, **544**
- Open Subfolder X program, 194
- Open Terminal utility, 181
- Open Terminal Here utility, 181
- Open With, **163**, **197**
- opening
 - groups of files, folders, and applications, **200–201**
 - System Preferences, **56**
- OpenSSH program, 547
- Opera browser, 332
- operating system
 - installation files location for, **120**
 - transferring between computers and drives, **151–154**, *153*
 - transitioning between. *See* transitioning between operating systems
 - uninstalling files for, **147–148**, *148*
 - updating and reinstalling, **141–147**, *142*
- Optimize Energy Settings menu, 71–72
- optimizing drives, **494–495**
- options in Unix, 524
- Options pane and screen
 - for clean installs, 142
 - for energy savers, 71
 - in Image Capture, 247
 - for print job settings, 438–439
- OS X Package Manager, 140
- OSXvnc server, 406
- Other preferences category, **84–85**, *85*
- output in Unix, **537–540**
- Ownership & Permissions section, 4, 5

P

- Pacifist utility, 140–141, *140*, 148
- Package Manager, **149**

- packages, **121–123**, *122*
 - installer, **125–127**, *126*
 - uninstalling, **149**, *150*
- packet analysis in Unix, **549–551**
- paging process, 580
- Paired Devices tab, 323
- paired technologies, 322
- panes, 51
- parallel folders, 15
- Partition area in Disk Utility, 265
- Partition Toolkit program, 575
- partitions, **573**
 - benefits of, **573–575**
 - for Classic Environment, **298**
 - creating, **576–577**, *577–578*
 - drawbacks of, **575–576**
 - in operating system transitions, **564–565**
- parts of software, installing, **139–141**, *140*
- Password Hint (optional) field, 23
- Password Retriever program, 478
- passwords
 - in FTP, 362
 - hints for, 23, **103**
 - for Keychain items, **473**
 - for Keychains, 475–476
 - for logins, 102–103
 - no-password user accounts, **49–50**, *50*
 - Open Firmware for, **464–466**
 - for root user, **32–34**
 - in security, 450–451
- pasteboard windows, 280
- pasting text, **276**
- paths
 - for files, **211**
 - on toolbar, 178
 - in Unix, 522
- PCL (Printer Control Language), 412
- PDF (Portable Document Format) files
 - printing to, **439–440**
 - working with, **440–442**, *440*
- Pepper, Chris, 519
- peripherals, unsupported, **154–155**
- permanent folders in Collection menu, **57–59**, *59*
- permissions, **3–5**, *5*
 - changing, **35–37**, *36*, **43–45**, *44*
 - default, **34–35**, *35*
 - for groups, **39–45**, *41–42*, *44*
 - meanings of, **5–6**
 - on multiple volumes, **570–572**
 - for printing, **445**
 - repairing, **497–498**, **505–506**
 - troubleshooting, **37–39**, *38*
 - in Unix, **522**
- Personal File Sharing, **351**, 455–456
 - access in, **351–352**, **357–358**
 - configuring, **352–357**, *352*, *355*
 - connecting to, **386–387**, *386*
- Personal Firewall, 463
- personal preferences category, **56**
 - Desktop pane, **57–60**, *59*
 - Dock pane, 60
 - General pane, **60–62**, *61*
- Personal Web Sharing, **374–377**, *375*, *377*
- photos for revolving Desktop, **59–60**
- Photoshop program, 574
- physical volumes, 573
- pico editor, 548
- Picture field, 23
- Pictures folder in home folders, 9
- Pictures Folder module, 66, 68
- Pictures item on toolbar, 179
- PIDs (process IDs), 549
- pipes in Unix, **538**
- piPop utility, 233, *234*
- .pkg extension, 122
- plist file, 56, 58
- Plug-ins pane, **165**
- Plus Optimizer program
 - for defragmenting drives, 493
 - for optimizing drives, 494
- PocketDock program, 236, *236*
- Point-to-Point Protocol over Ethernet (PPPoE), 324
- Point to Point Tunneling Protocol (PPTP), 399–400
- poof actions, 219
- pop-up ad blocking, 333, **338–339**
- Pop-Up Zapper utility, 338
- PopChar X utility, 270
- port blocking, 360
- Portable Document Format (PDF) files
 - printing to, **439–440**
 - working with, **440–442**, *440*
- porters, 542
- porting in Unix, 542
- ports
 - alternate server, 382
 - configurations for, enabling and disabling, **311–312**, *312*
 - for Internet connections, 359

- mapping, 359–360, 455–456, 455
- network, 310
- priorities for, 312–313
- for services, 456–457
- in sharing, 359–361
- in URLs, 381
- Position on screen setting, 217
- PostScript files, 442–443
- PostScript Printer Description (PPD) files, 412–413
- PostScript printers, 411–412
- PPD add-ons, 129
- PPP tab, 325
- PPPoE (Point-to-Point Protocol over Ethernet), 324
- PPTP (Point to Point Tunneling Protocol), 399–400
- PrefEdit utility, 90–91, 91
- preference files
 - backing up, 92
 - editing, 89–91, 91
 - location of, 89
 - moving, 92
 - System Preferences for. *See* System Preferences
 - troubleshooting, 91–92, 275
- preference pane add-ons, 129
- Prefling application, 230
- .prefPane packages, 85
- Preserve Users and Network Settings option, 142, 142
- #PreserveJobFiles option, 429
- #PreserveJobHistory option, 429
- Preview application, 105, 248–250
- preview column in Finder, 186, 187
- Preview pane, 164, 164
- Previous Systems folder, 143
- Print Center Repair program, 445
- Print Center utility, 415, 415
 - for adding printers, 415–418, 417
 - for configuring printers, 418–419
 - customizing, 421–422
 - for deleting printers, 419
 - for printing folder listings, 191
 - printing to, 443
 - for queue management, 419–421, 420
- Print Window program, 192, 192
- Printer Control Language (PCL), 412
- Printer Info window, 418
- Printer Model pane, 418
- printers and printing, 411
 - adding, 415–418, 417, 423–424, 423
 - classes for, 425–426, 426
 - in Classic Environment, 304, 429–431
 - configuring, 418–419, 424–425
 - connections for, 412
 - deleting, 419, 425
 - Desktop, 443–445
 - drivers for, 129, 413, 431, 433–435
 - folder listings, 191–192, 192
 - to PDF files, 439–440
 - permissions for, 445
 - to PostScript files, 442–443
 - PPDs for, 413
 - queue management for, 419–421, 420, 426–429, 427
 - saving settings for, 438–439
 - selective, 444–445
 - sharing, 417–418, 417, 435–438
 - troubleshooting, 445
 - types of, 411–412
 - unsupported, 431–432
- PrintMagic utility, 444
- priorities
 - for applications, 507, 508
 - for network configurations, 312–314
 - for ports, 312–313
- private volumes, 570–571
- process IDs (PIDs), 549
- Process Viewer utility, 94, 271–272, 272
 - Force Quit from, 274–275, 275
 - for processes, 111–112, 112
- processes
 - stopping and restarting, 111–114, 112
 - in Unix, 548–549
- ProcessWizard utility, 507, 508
- profiles for optimizing drives, 495
- programs. *See* applications; utilities
- prompts in Unix, 532
- Property List Editor tool, 58, 90
- Prosoft, 490–491, 516
- protocols in URLs, 381
- ps command, 548
- Pseudo utility, 30, 31
- PTHClock utility, 79, 80
- PTHPasteboard program, 280, 281, 282
- Public Folder Access tool, 269
- Public folders, 342–343
 - connecting to, 385
 - in home folders, 9
 - in Personal File Sharing, 355
- Public item on toolbar, 179
- Put Classic to sleep when it is inactive for option, 292
- pwd command, 402, 525–526

Q

Quartz Extreme technology
 for Desktop Effects, 69
 for Desktop pictures, 60
 question marks (?) in Dock, 224
 queues
 configuring, 418–419
 CUPS for, 426–429, 427
 Print Center for, 419–421, 420
 QuickAccessCM program, 234
 QuickBom script, 123
 QuickKeys utility, 234
 QuickTime pane, 77–78
 QuickTime Player application, 75, 250–251
 quitting applications, 404

R

Radar update service, 136
 RAID area in Disk Utility, 265
 RAIDs, 513
 RAM for Classic Environment, 298
 RBrowser FTP/SFTP client, 391
 RBrowser Lite FTP client, 392
 Read & Write permission, 5–6
 Read only permission, 6
 ReadMe files, 127–128, 132
 realname property, 16, 18
 Rebuild Desktop option, 292–293
 rebuilding
 drive directories, 484–487
 NetInfo database, 21–22
 recent servers, 384, 398–399
 recovering
 files, 490
 forgotten passwords, 466
 recovery services, 497
 redirection in Unix, 538–539
 rehash command, 541
 reinstalling
 operating system, 141–147, 142
 printer drivers, 413
 rejecting print jobs, 427
 remote access and control, 401
 Remote Login, 401–405
 user accounts for, 12
 VNC, 405–409, 406, 408

Remote Login, 401
 connecting with, 402
 quitting applications with, 404
 for software updates, 404–405
 SSH for, 387
 working with, 402–404
 remote sharing
 with FTP, 361–364
 with iDisk, 347–351, 348
 with Personal File Sharing. *See* Personal File Sharing
 with Personal Web Sharing, 374–377, 375, 377
 with SFTP, 364–367, 366
 with SMB, 367–373, 368, 371
 removable backups, 512–513
 removable volumes, permissions on, 571–572
 Rendezvous names, 422
 Rendezvous technology
 benefits of, 326
 FTP client support for, 392
 operation of, 327
 for Personal File Sharing, 386
 for printing, 416, 435–436
 warnings for, 327
 renice command, 507
 Renicer utility, 507
 Repair Disk function, 485
 Repair Disk Permissions utility, 505–506
 repairing
 drive directories, 484–487
 Keychains, 477–478, 477
 permissions, 497–498, 505–506
 Report Magic program, 552
 reset passwords, 32–33
 resize dialogs, 210
 resource forks in FTP, 363
 restarting
 after software installation, 127
 startup processes, 111–114, 112
 restoring
 NetInfo database, 20–21
 software, 137–141, 140
 RetroRun item, 127
 Retrospect utility, 127, 516
 ReViewPkg utility, 140
 right side of Dock, 223
 Riley, Nicholas, 331
 rm command, 579–580
 rmdir command, 403

- root account, 10, 27–28
 - access to, 10, 28–30, 29
 - disabling, 451
 - editing, 31–33
 - logging in as, 33
 - passwords for, 32–34
 - for running applications, 30–31, 31
 - sharing with, 347
 - for short usernames, 47–49
 - switching to, 33–34
- root level of drives
 - contents of, 7
 - startup files for, 295
- rotating photos, 60
- routers, 328–329
 - as firewalls, 454–456
 - and IP addresses, 359–360
- rsync utility, 552
- rules, firewall, 453, 459–460, 463
- running applications, root account for, 30–31, 31

S

- Safari browser, 332–333
- safe startup, 115–116
- SafeShred utility, 480–481
- Samba server, 367
- Samba Sharing package, 369–370
 - creating shares with, 370–372, 371
 - for guest users, 372
 - for monitoring Windows File Sharing, 372
- Samba support for printers, 417
- Sanity Software, 100
- Save dialogs
 - Default Folder X for, 212, 212
 - navigating, 209–211, 209
 - for non-boot volume access, 569
- saving
 - print job settings, 438–439
 - Terminal settings, 272–273
 - TextEdit documents, 256
 - updates, 135–136
- scheduled backups, 515–517, 517
- scratch space, 574
- screen, locking, 467–468
- Screen Effects pane, 65–69, 467–468
- screen savers, 65
 - installing, 66
 - list of, 67
 - location of, 129
 - for slide shows, 66
- screenshots, 266–268, 268
- Script Editor application, 251
- scripted porting, 542
- scripts
 - cleanup, 498–500, 499
 - shell, 521, 536–537
- ScriptSaver screen saver, 67
- scroll bar arrows, 61, 61
- scrolling in Finder, 190, 192
- Search function for files, 202–203
- SearchBar utility, 331
- searching
 - with browsers, 331–332, 332
 - files, 202–208, 204–205, 207
- Searchling utility, 331, 332
- Secure FTP (SFTP)
 - for location files, 397
 - server connections in, 390–394, 392–393
 - sharing with, 364–367, 366
- secure notes for Keychain items, 473
- secure shell (SSH) protocol
 - for Remote Login, 387
 - in SFTP, 364–366, 366
 - in X Window systems, 547
- security
 - auto-logouts, 467
 - basics for, 449–452
 - for deletions, 480–481
 - encryption for, 478–479, 479
 - Keychains for. *See* Keychains
 - locking screen, 467–468
 - for networks and Internet, 452–453. *See also* firewalls
 - passwords for, 450–451, 464–466
 - viruses, 481–482
- Seeing tab, 82, 82
- Select a Destination screen, 126, 126
- selective printing, 444–445
- Self-Monitoring Analysis & Reporting Technology (SMART), 496
- Separator item on toolbar, 178
- Serial Ports tab, 323
- Server Message Block/Common Internet File System (SMB/CIFS) protocol, 367
- servers, 382
 - addresses for, 382
 - connecting to, 382–384, 399
 - FTP/SFTP, 390–394, 392–393

- for networking, **339**
- ports for, 360, 382
- in URLs, 381
- VNC, **406–407**, 406
- services
 - disabling, **110**, 111
 - ports for, **456–457**
 - in security, 451
 - for text, **277–280**, 278
- Serving iCal Calendars Using WebDAV article, 339
- Set Auto Login setting, 78
- set command, 532
- setenv command, 534
- SetFile command, 166
- Settings tab, 322–323
- Setup Assistant, 461–462, 461
- Setup utility, 147
- SFTP (Secure FTP)
 - for location files, 397
 - server connections in, **390–394**, 392–393
 - sharing with, **364–367**, 366
- sftp-server application, 366
- sh shell, **529–530**
- Share My Desktop program, 406–407, 406
- Shared folder, **342–343**
- shared menus in URL Manager Pro, 336
- sharepoints and SharePoint utility, 356–357
 - for groups, **42–43**, 42
 - for Guest access, 353
 - in Personal File Sharing, **357**
- shares and sharing, **341–342**, **382–384**
 - access in, **343**
 - aliases in, **394–395**, 395
 - Bluetooth for, **344–346**, 346
 - compressing files for, **350–351**
 - with FTP, **361–364**, **390–394**, 392–393
 - with iDisk, **347–351**, 348, **384–385**
 - Internet location files for, **395–399**, 396, 398
 - IP addresses for, **358–361**
 - at login, **387**, **399**
 - multiple volumes for, **343–344**, **572**
 - in networking, **328–330**
 - NFS, **394**
 - non-boot volumes, **572**
 - with Personal File Sharing. *See* Personal File Sharing
 - with Personal Web Sharing, **374–377**, 375, 377
 - printers, **417–418**, 417, **435–438**
 - quick access to, **377**
 - with root and admin, **347**
 - servers for. *See* servers
 - with SFTP, **364–367**, 366, **390–394**, 392–393
 - Shared and Public folders for, **342–343**
 - with SMB, **367–373**, 368, 371
 - in Unix, **551**
 - Windows, **387–390**, 388
- Sharing pane
 - for firewalls, 458, 458
 - for Internet routers, 329
 - for Remote Login, 401
- SharingMenu program, 377
- shell programs, 521
- shell scripts, **536–537**
- shells in Unix, **523–524**
 - tcsh, 523–524, **530–531**
 - changes to, **534**
 - variables in, **531–534**
- Sherlock application, **251–253**, 251
- Short Name field, 23
- short usernames, **45–49**, 46
- shortcuts
 - in operating system transitions, **560**
 - for text, **276**, **281–282**, 282
- Show Desktop program, 173
- Show Hot Picks movie automatically option, 250
- Show icon preview option, 172
- Show Info window, 424
- Show item info option, 172
- Show Jobs window, 419–421, 420
- Show Password Hint after Three Attempts to Enter a Password option, **103**
- Show these items on the Desktop option, 168
- Show warning before emptying the Trash option, 169
- Shredder utility, 480
- signals in Unix, 548–549
- Simple Finder mode, 25, 25
- Single Application Mode, 557
- single-user mode, 20, **114**
- Sites folder, 9, 376–377
- Skin a Dock program, 218, 220–221, 221
- Skin tab, 221
- skins for Dock, **220–221**, 221
- SkipFolders file, 207
- SkyTag Software, 143
- Sleep tab, 71, 72
- slides and slide shows
 - creating, **68**
 - Mac Slides Publisher application, **248**
 - Screen Effects for, **66**

- slow motion windows, **193**
- SMART (Self-Monitoring Analysis & Reporting Technology), 496
- SMB
 - for location files, 397
 - remote sharing with, **367–373**, 368, 371
- SMB/CIFS (Server Message Block/Common Internet File System) protocol, 367
- smoothing fonts, **62**
- Snap to grid setting, 171–172
- Snapz Pro X utility, 267–268, 268
- Snard utility
 - for Dock, 230
 - for menus, 232–233
 - for preference pane access, 54
 - for running applications as root, 30, 31
 - for worksets, 231
- software installation, **124**
 - add-ons, **128–132**, 130–131
 - distribution in, **124–125**
 - drag-and-drop, **127–128**
 - installer packages for, **125–127**, 126
 - operating system, **141–147**, 142
 - parts in, **139–141**, 140
 - restoring software, **137–141**, 140
 - uninstalling, **147–151**, 148, 150
 - Unix software, **121**, **540–542**
 - updates. *See* Software Update system
- Software Restore CDs, **138–139**
- software testing, user accounts for, **11**
- Software Update system, **132–133**, 133
 - for Classic Environment, **289**
 - inactive updates, **135**
 - vs. manual updates, **137**
 - for printer drivers, 413
 - Remote Login for, **404–405**
 - saving and downloading updates, **135–136**
 - System Preferences for, 80
 - working with, **133–135**, 134
- Sonnet PCI X Installer, 154
- Sony Ericsson Clicker pane, 324
- Sound Effects tab, 74
- Sound pane, **74–76**
- SoundHack utility, 75
- sounds in operating system transitions, **560**
- source code kits in Unix, **540–541**
- Source Release program, 543
- spaces in Unix, 527
- Speech pane, **80–81**
- Speech Recognition tab, **80–81**
- Speed Disk component, 495
- SpeedChimera utility, 333
- spell-checking, **277**
- split-screen mode in Terminal, **272**, 272
- Spoken User Interface, **81**
- spring-loaded folders, 169, **196**
- Spring-loaded folders and windows option, 169
- SSH (secure shell) protocol
 - for Remote Login, 387
 - in SFTP, **364–366**, 366
 - in X Window systems, 547
- standard error in Unix, 539
- Standard window in CPU Monitor, 259, 260
- Start/Stop tab, **289–291**, 290–291
- starting
 - Classic Environment, **298–300**, 299
 - print queues, **419–420**, 427
- startup
 - boot pane in, **98–102**, 100–101
 - boot process, **93–94**
 - in Classic Environment
 - files for, **294–297**, **304–305**
 - options for, **291–292**
 - disabling services, **110**, 111
 - Open Firmware in, **117**
 - options for, **106–111**, 106, 109, 111
 - safe, **115–116**
 - single user mode, **114**
 - stopping and restarting processes in, **111–114**, 112
 - verbose mode, **115**
 - volume and system choices in, **94–98**, 95, 97
- Startup Disk pane, **81**, **95**, 95
- Startup Manager, **96–97**, 97
- startup volumes, changing, **572**
- StartupSyringe utility, 100
- static IP addresses, 359
- Stationary Pad option, 163
- status bars in Finder, **189**
- stdin in Unix, 538
- stdout in Unix, 538
- Stickies application, **254–255**
- StopExts file, 208
- stopping
 - Classic Environment, **298–300**, 299
 - print queues, **419–420**, 420, 427, 427
 - startup processes, **111–114**, 112
- StopTypes file, 208
- storage on Dock, **225–226**, 225

Stuffit Expander application, 125, 180

sudo command

- precautions with, **29–30**
- for root access, **28–29**, 29
- for system-level processes, 113

Summarize Service, 279, 279

sunShield utility, 460

support files, location of, 120

swap files, **580–582**

Swap-SwapVM program, 581

SWIM 3 Floppy Driver, 155

switching issues, **560–562**

switching to root account, **33–34**

Symantec, 487

synchronizing

- backups, 515, 518
- bookmarks, **337**, 337
- Unix directories, **552**
- volumes, 510

system add-ons

- installing, **129–132**, 130–131
- location of, **121**, **128–129**

system choices in startup, **94–98**, 95, 97

system domain, **13**

System Folders

- for Classic Environment, **294–298**, 295, **306**
- in operating system transitions, **564**
- startup files for, 296
- in updates, **145**

system initialization, **94**

system-level processes, **112–113**

system-level services, 111

system-level VNC servers, **407**

System Manager utility, 300

System Manager X utility, 230

System Preferences, **51–52**, 52

- Bluetooth pane, 69
- CDs & DVDs pane, **69**
- Classic pane, 79, **289–293**, 290–291, 293
- ColorSync pane, **70**
- Date & Time pane, **79**, 80
- Desktop pane, **57–60**, 59
- Displays pane, **70**
- Dock pane, 60, **216–218**, 216–217
- Energy Saver pane, **70–72**, 72
- Finder, **86–87**, 86
- for firewalls, 458
- General pane, **60–62**, 61
- Ink pane, 72

- international options, **62–64**, 64
- Internet & Network Preferences category, **76–78**
- Internet pane, **318–322**, 321
- Keyboard pane, **73**
- Login Items pane, 64
- Mouse pane, **73**, 74
- My Account pane, **64**
- for networks. *See* networks and networking
- opening, **56**
- Other category, **84–85**, 85
- pane access in, **53–56**, 54–55
- personal preferences category, **56**
- preference files for, **89–92**, 91
- for Remote Login, 401
- Screen Effects pane, **65–69**
- for sharing, 329
- Software Update pane, 80, 132, 133
- Sound pane, **74–76**
- Speech pane, **80–81**
- Startup Disk pane, **81**, **95**, 95
- Universal Access pane, **81–84**, 82, 84
- for user accounts, 23, 26, **78**
- for user levels, 10
- viewing options in, **52**
- for VPN connections, 400

System Profile, **257–258**

system swap files, **580–582**

SystemStarter utility, 113

T

tabbed windows, **558–559**

TCP/IP printer drivers, **434–435**

tcpdump program, **549–551**

tcsh shell, 523–524, **530–531**

- changes to, **534**
- variables in, **531–534**

.tcshrc file, 534

Tech Tool Pro 4 program

- for defragmenting drives, 493
- for directory problems, 487
- for optimizing drives, 494
- for recovering files, 490
- for testing drives, 496
- for undeleting data, 491

TechEdit program, 31

templates, editing, **9**

temporary file storage, **196**, 197

- Terminal application, **272–273**
 - for Apple System Profiler, 258
 - for editing root account, 32
 - for journaling, 489
 - login access to, **116–117**
 - for NetInfo, 17
 - for non-boot volume access, 569
 - for printers, 415
 - for printing folder listings, 191
 - for root access, **28–30**
 - for screenshots, 267
 - on toolbar, **180–181**
- Terminal Services, 280
- terminals in Unix, **523–524**
- test pages, printing, 425
- testing
 - drives, 496
 - software, **11**
- text
 - automated, **281–283**, 282
 - cleaning up, **283–284**
 - clippings for, 283
 - fonts for, **62**, 129
 - multiple clipboards for, **280**, 281
 - working with, **276–280**, 278–279
- text completion, 281
- text editors
 - for printing folder listings, 191
 - in Unix, **547–548**
- TextEdit application, **255–256**, 256, 547
- textSOAP program, 283
- TextSpesso program, 283–284
- third-party firewalls, **463–464**
- third-party software
 - for Desktop Effects, 69
 - for directory problems, 487
 - drive cleaners, **151**
 - installing. *See* software installation
 - uninstalling, **148–149**
 - updates for, **136**
- third-party system-level services, 111
- Thursby Software, 390
- Timbuktu Pro program, 409
- Time Ballz screen saver, 67
- Time tab, **63**
- Time Zone tab, 79
- TinkerTool utility
 - for Dock, **218**
 - for font smoothing, 62
 - installing, 130, 130
 - for scroll bar arrows, 61, 61
- Title Bar icon, **190–191**
- titles in login screen, **105–106**
- Toast utility, 264
- Toolbar Icon Changer program, 179
- toolbars
 - appearance of, **53–54**
 - for applications, **87–89**, 88, 179, 240
 - contents of, **88–89**, 88
 - displaying, **87–88**
 - in Finder, **175–181**, 176–177
- top command, 548–549
- Trackpad tab, 73, 74
- transferring
 - Keychains, **476–477**
 - operating system between computers and drives, **151–154**, 153
- transitioning between operating systems, **553**
 - Apple Menu in, **555–556**
 - application menus in, **556**
 - application windows in, **556–557**
 - clippings in, **563**
 - Desktop folders in, **561–562**
 - filename formats in, **563**
 - interface sounds in, **560**
 - labels in, **560**
 - multiple System Folders in, **564**
 - multiple usernames in, **563**
 - partitions in, **564–565**
 - shortcuts in, **560**
 - switching issues in, **560–562**
 - tabbed windows in, **558–559**
 - technicalities in, **553–555**
 - Trash in, **559**
 - WindowShading feature in, **557–558**
- Transmit FTP/SFTP client, 391, 392–393
- TransparentDock utility, **218–220**, 219
- Trash
 - in operating system transitions, **559**
 - in security, 480
 - on toolbar, 181
- Travel AirPort location, 314
- Travel Ethernet DHCP location, 314
- Travel Modem location, 314
- Tresor program, 479
- Trojan horses, 463
- troubleshooting
 - Classic Environment, **304–306**

- freezes, **273–275**, *274*
- permissions, **37–39**, *38*
- preference files, **91–92**, *275*
- printing, **445**
- user accounts for, **11**

troubleshooting utilities in Dock, **225**

Type, Creator & Extension pane, *160*, *161*

TypeIt4Me program, *281*

types for files, **159–162**, *161*

Typist program, *282*

U

- unalias command, *535*
- undeleting data, **490–492**
- undo feature, **208**
- UnErase function, *491*
- Uniform Resource Identifiers (URIs), *424*
- uninstalling software, **147–151**, *148*, *150*
- Universal Access pane, **81–84**, *82*, *84*
- universal access volumes, **571**
- Unix, **519**
 - benefits of, **519–520**
 - commands in, **524–527**, **530**, **534–535**
 - directory synchronization in, **552**
 - file transfer in, **551**
 - files in, **522**
 - help in, **527–529**
 - inline execution in, **539–540**
 - input and output in, **537–540**
 - installation file location for, **121**
 - installing software, **540–542**
 - network exploration in, **551**
 - packet analysis in, **549–551**
 - for PDF files, **441**
 - permissions in, **522**
 - philosophy and design decisions of, **520–522**
 - process management in, **548–549**
 - shell scripts in, **536–537**
 - shells in, **523–524**, **529–530**, **532**
 - terminals in, **523–524**
 - text editors in, **547–548**
 - types of programs, **545–547**
 - variables in, **531–534**
 - for Web log analysis, **552**
 - wildcards in, **535–536**
- unlocking Keychains, **474**
- Unpopular utility, *338*
- Unsanity program, *560*
- unsupported hardware
 - printers
 - Classic Environment for, **430–431**
 - supporting, **431–432**
 - third-party support for, **154–155**
- Update Agent service, *136*
- Update Software tab, *133*, *133*
- Update tab, *77–78*
- updating
 - operating system, **141–147**, *142*
 - software. *See* Software Update system
- URIs (Uniform Resource Identifiers), *424*
- URL Manager Pro program, **336–337**, *336*
- URLs, **380–381**
- USB Overdrive X program, *155*
- USB printers
 - adding, **416**
 - Gimp-Print drivers for, **434**
- Use only these applications option, *24*
- user accounts, **7**
 - creating, **23–25**, *24–25*
 - deleting, **26–27**, *27*
 - editing, **26**
 - and file organization, **7–8**, *7*
 - login options for, **102–103**
 - My Account pane, **64**
 - no-password, **49–50**, *50*
 - root. *See* root account
 - in security, **450**
 - System Preferences for, **23**, **78**
 - user levels in, **9–11**, *10*, *26*
 - usernames for, **45–49**, *46*
 - uses for, **11–12**
- user domain, **14**
- user folders in updates, **144**
- user-level processes, **112–113**
- user-level services, *111*
- user-level VNC servers, **406–407**, *406*
- user levels in user accounts, **9–11**, *10*, *26*
- User Template folder, *9*
- user templates, editing, **9**
- usernames
 - changing, **45–49**, *46*
 - for logins, *102–103*
 - in operating system transitions, **563**
- Users folder, *7*
- Users tab, **23**, **78**, *102*
- usr files, *146*

utilities, **256**

- AirPort, **257**
- Apple System Profiler, **257–258**
- for backups, **515–518**, *517*
- Bluetooth File Exchange, **258**
- ColorSync, **258**
- Console, **259**
- CPU Monitor, **259**, *260*
- DigitalColor Meter, **260**
- Directory Access, **260**
- Disc Burner, **260–261**
- Disk Copy, **261–264**, *262*
- Disk Utility, **264–265**
- Display Calibrator, **265–266**
- in Dock, **225**
- Grab, **266–268**
- iDisk Utility, **268–269**
- installation location for, **120–121**
- Installer, **269**
- Key Caps, **269–270**, *269–270*
- Keychain Access, **271**
- for menus, **232–234**, *233–234*
- Network Utility, **271**
- Process Viewer, **271–272**, *272*
- Terminal, **272–273**

V

- Value Control menu, **75**
- Vanity Dockling application, **230**
- VaporSec program, **400**
- var folder, **145–146**
- variables in Unix, **531–534**
- verbose logging in Internet Connect, **326**
- verbose mode in startup, **115**
- Verify Disk function, **485**
- Verify field, **23**
- Version Tracker site
 - for contextual menus, **194**
 - for screen savers, **66**
- versions of open source software, **544**
- VersionTracker Pro update service, **136**
- vertical bars (|) for Unix pipes, **538**
- vertical scrolling in Finder, **192**
- vi editor, **547**
- ViaVoice program, **283**
- view options
 - for Desktop, **171–172**, *172*
 - in Finder, **86–87**, **170**, **181–189**, *183*, *185*, *187–188*

- in Image Capture, **247**
- in System Preferences, **52**
- View Package Contents feature, **140**
- viewing Keychain items, **471**, *472*
- virtual memory, **303**
- virtual network computing (VNC), **405–406**
 - clients for, **408–409**, *408*
 - setting up, **406–407**, *406*
- Virtual PC program, **507**
- virtual PostScript printers, **442–443**
- Virtual Private Network (VPN) connections, **324**, *326*, **399–400**, *400*
- VirusBarrier program, **482**
- viruses, **452**, **481–482**
- Visage utility, **100**
- visibility of files, **165–166**
- vision impairments, features for, **82**
- visual beeps, **76**
- VNC (virtual network computing), **405–406**
 - clients for, **408–409**, *408*
 - setting up, **406–407**, *406*
- VNC Thing client, **408–409**, *408*
- voice, defaults, **81**
- voice recognition software, **283**
- volume
 - of alerts, **75**
 - changing, sound for, **75–76**
 - of keyboard keys, **74–75**
- volumes
 - in Dock, **224–225**
 - multiple. *See* multiple volumes
 - in operating system transitions, **565**
 - for sharing, **343–344**
 - in startup, **95–98**, *95*, *97*
- VPN Connection window, **400**, *400*
- VPN (Virtual Private Network) connections, **324**, *326*, **399–400**, *400*
- VPN Tracker program, **400**

W

- Watson application, **252–254**, *252*
- web browsers. *See* browsers
- Web Confidential program, **478**
- Web log analysis, **552**
- Web pages, sharing iDisk files with, **349**
- Web tab, **319**
- WebDAV (World Wide Web Distributed Authoring and Versioning), **384–385**

WebPrint Plus utility, 444–445
 weekly script, 498
 which command, 540
 whoami command, 34
 wildcards in Unix, **535–536**
 windows
 in browsers, **338–339**
 hiding, **240**
 minimizing, **225–226**, 225, **240**
 in operating system transitions, **556–559**
 tabbed, **558–559**
 Windows computers, sharing with
 connecting to shares, **387–390**, 388
 files, **367**
 access in, **367–368**, 373
 alternatives to, 373
 configuring, **368–369**, 368
 Samba Sharing package for, **369–373**, 371
 iDisk, 349
 printers, **417–418**, 417, **437**
 WindowShade X program, 226, **557–558**
 wireless networking
 with Bluetooth
 for sharing files, **344–346**, 346
 System Preferences for, **322–324**
 encryption for, 452
 WordService program, 279
 workflows in PDF, **440–442**, 440
 workgroup names, **372–373**
 worksets, 231
 WorkStrip X program, 236, 236
 Write only permission, 6

X

X-Assist program, 556–557
 X Colors dialog, 183–184
 X Window systems, **546–547**
 xBack utility, 69
 XFree86 program, 546
 XPostFacto program, 154
 XRay utility
 for file types, **160–161**, 161
 for group permissions, 44
 for invisible bit, 165
 for uninstalling packages, 151
 XShelf utility, 196, 197
 Xsupport utility
 for cleaning drives, 499
 for firewalls, 460
 for journaling, 489
 for swap files, 581

Z

Zero all data option, 481
 Zero Configuration Networking standard, 326
 Zingg! plug-in, 197
 Zip disks, 513
 Zip files, 125
 zooming rectangles, turning off, **90–91**, 91
 zooming TextEdit documents, **256**, 256