

Contents

| | |
|--|-----------|
| Preface | ix |
| Chapter 1: Single keyword matching | 1 |
| Fast Pattern Matching in Strings | 8 |
| D.E. Knuth, J.H. Morris, and V.R. Pratt | |
| from <i>SIAM Journal of Computing</i> , June 1977 | |
| A Fast String Searching Algorithm | 36 |
| R.S. Boyer and J.S. Moore | |
| from <i>Communications of the ACM</i> , October 1977 | |
| Algorithms for Pattern Matching | 47 |
| G. Davies and S. Bowsher | |
| from <i>Software — Practice and Experience</i> , June 1986 | |
| Chapter 2: Matching sets of keywords | 73 |
| Efficient String Matching: An Aid to Bibliographic Search | 78 |
| A.V. Aho and M.J. Corasick | |
| from <i>Communications of the ACM</i> , June 1975 | |
| A Method for Improving String Pattern Matching Machines | 86 |
| J. Aoe, Y. Yamamoto, and R. Shimada | |
| from <i>IEEE Trans. on Software Engineering</i> , January 1984 | |

| | |
|--|------------|
| An Efficient Algorithm for Matching Multiple Patterns | 91 |
| J.-J. Fan and K.-Y. Su | |
| from <i>IEEE Trans. on Knowledge and Data Engineering</i> , April 1993 | |
| | |
| Chapter 3: Approximate string matching | 105 |
| | |
| Approximate String Matching | 111 |
| P.V. Hall and G.R. Dowling | |
| from <i>ACM Computing Surveys</i> , December 1980 | |
| | |
| Optimal Correspondence of String Subsequences | 133 |
| Y.P. Wang and T. Pavlidis | |
| from <i>IEEE Trans. on Pattern Analysis and Machine Intelligence</i> , Nov. 1990 | |
| | |
| The Noisy Substring Matching Problem | 141 |
| R.L. Kashyap and B.J. Oommen | |
| from <i>IEEE Trans. on Software Engineering</i> , May 1983 | |
| | |
| Chapter 4: Multidimensional matching | 147 |
| | |
| Pattern Matching in Trees | 154 |
| C.M. Hoffmann and M.J. O'Donnell | |
| from <i>Journal of the ACM</i> , January 1982 | |
| | |
| Code Generation Using Tree Matching and Dynamic Programming | 182 |
| A.V. Aho, M. Ganapathi, and S.W.K. Tjiang | |
| from <i>ACM Trans. on Programming Languages and Systems</i> , Oct. 1989 | |
| | |
| The Tree-to-Tree Correction Problem | 208 |
| K.-C. Tai | |
| from <i>Journal of the ACM</i> , July 1979 | |

| | |
|---|------------|
| A Technique for Two-Dimensional Pattern Matching | 220 |
| R.F. Zhu and T. Takaoka | |
| from <i>Communications of the ACM</i> , September 1989 | |
| | |
| Chapter 5: Hardware matching | 231 |
| | |
| Performance and Architectural Issues for String Matching | 235 |
| M.E. Isenman and D.E. Shasha | |
| from <i>IEEE Trans. on Computers</i> , February 1990 | |
| | |
| HYTREM — A Hybrid Text-Retrieval Machine for Large Databases | 248 |
| D.L. Lee and F.H. Lochovsky | |
| from <i>IEEE Trans. on Computers</i> , January 1990 | |
| | |
| References | 261 |
| | |
| About the author | 281 |