

Subject Index

A

- Acenaphthene
 oxidation, 459
 structure, 454
- Acetaminophen, 565, 580, 597, 604
 bioactivation, 577
 metabolism, *see* Metabolism
 oxidation, 489
 toxicity, 577
- Acetone, 489
- Acetylcholine esterase, 118, 119, 534
- Acidity constants (of)
 coordinated water, 198
- Acetivobacter* sp., 527, 528
- ACTH, *see* Adrenocorticotrophin
- Activation (of)
 dioxygen, *see* Dioxygen
 enthalpy for carbon monoxide binding
 to P450, 210
 entropy for carbon monoxide binding
 to P450, 210
- Active site of P450s, *see* P450s
- Adamantane, 38, 44, 47, 174, 175, 204,
 205, 209, 210
 acetamide, 178
 wire, 178
- Adenosine monophosphate, *see* AMP
- Adenosine 5'-triphosphate, *see* ATP
- Adipose tissue
 steroid hormone biosynthesis, 370, 382
- Adrenal cortex
 steroid hormone biosynthesis,
 366–369, 372, 374–380
- Adrenocorticosteroids, 600
- Adrenocorticotrophin, 375–377, 380
- Adrenodoxin, 8, 136, 364, 365, 367–369,
 371, 372, 381, 382, 384
 phosphorylation, 372
 reductase, *see* Reductases
- Aflatoxins, 418, 485, 487, 488, 490, 497
 biosynthesis, 417
 structure, 418
- African Americans, 601, 606
- Alcanivorax borkumensis*, 528
- Alcohols (*see also* individual names),
 416–419
 keto, 403–408
 perillyl, 531
- Aldehyde(s) (*see also* individual names),
 408–415
 isocaproic, 398
 oxidation, 412
- Aldosterone, 364, 367, 374, 384
 formation, 365–367, 375
 structure, 363
 synthase, *see* Synthases
- Aldrin
 epoxidation, 509–511
- Alectoris rufa*, 490
- Algae (*see also* individual names), 47
 blue green, 18

- Algae (*see also* individual names)
(Continued)
green, 513
toxins, 100, 119
- Alkaloids, 417
phytotoxins, 505
- Alkanes (*see also* individual names), 446, 447
hydroxylation, *see* Hydroxylation
oxidation, 446, 459, 462, 525–529
- Alkene
epoxidation, 158, 343, 453
- Allegra[®], *see* Fexofenadine
- Allelochemicals
detoxification, 504, 505, 507
plant, 504, 505, 507, 513, 520
- Alopecia, 600
- Amines (*see also* individual names)
aromatic, 483
heterocyclic, 483
- Amino acid radicals, *see* Radicals
- Aminopyrine, 514
- AMP
cyclic, *see* cAMP
- Amphibians (*see also* individual names), 487
chemical defense, 490, 491
P450 regulation, 491–493
- Anabaena variabilis*, 18
- Androstane diol, 44
- Androstenedione, 323, 363, 369, 380, 381, 409–411
hydroxylase, 463, 489
structure, 410
- Androsterone
dehydroepi-, 363, 369, 380
dehydroiso-, 403
structure, 363
- Angiotensin II, 383, 384
- Animal(s) (*see also* individual names)
models for drug metabolism, 586–570
–plant chemical warfare, 478, 498, 499, 504, 505, 507
- Annelids (*see also* individual names)
chemical defense, 510, 511
P450s, 101, 103
- Anopheles gambiae*
genome, 4, 8
- Anthracene
9-methyl-, 454, 459
dimethylbenz-, *see*
Dimethylbenzanthracene
oxidation, 459
structure, 454
- Anthropogenic chemicals, 103, 120
- Antibacterials (*see also* individual names), 599
- Antibiotic(s) (*see also* individual names), 579, 596
antifungal treatment, 287
macrolide, 485, 610–612
resistance to azoles, 302
synthesis, *see* Synthesis
- Antibodies, 580, 581
- Anticancer drugs (*see also* individual names), 467, 531, 599
oxidation, 463
- Anticoagulants (*see also* individual names), 601
- Antidepressants, 602, 610
- Antifungals (*see also* individual names), 300, 301, 303, 579
azoles, 300–305, 598, 599
- Antihistamine
non-sedating, 578
- Anti-HIV agents (*see also* individual names), 599
- Antihypertensives (*see also* individual names), 599, 602, 604
- Antimicrobial agents (*see also* individual names), 401
- Antioxidants (*see also* individual names), 14
- Antipsychotics, 602
- Antisense oligonucleotides, 377
- Antley-Bixler syndrome, 371
- Apis mellifera*
genome, 4, 8
P450, 4, 5
- Apoptosis, 298, 369
- Arabidopsis* sp., 14
P450 genes, 58
thaliana, 4–6, 8, 9, 408, 418, 423, 514, 519, 520

- Arachidonic acid, 39, 247, 426, 486, 488
 metabolism, *see* Metabolism
 oxidation, 333
- Archaea (*see also* individual names),
 86–91
 acidothermophilic, 87
 hyperthermophilic, 86
 P450s, 4, 86–90
- Arenes
 hydroxylation, *see* Hydroxylation
- Aromatase (*see also* CYP19), 104, 323,
 343, 381, 382, 409–412, 414, 429
 inhibition, 300, 301, 371, 374
 mechanism, 410, 411
- Aromatic hydrocarbons, 14, 15, 99, 118,
 119, 453, 486
 halogenated, 496
 hydroxylation, *see* Hydroxylation
 oxidation, 447, 448, 459, 532
 polycyclic, 453, 483, 496, 497, 509,
 511, 532, 533
 structures, 448
- Arrhythmias, 578, 596, 610
- Artemisinin, 467
- Arthrobacter globiformis*, 171
- Arthropods (*see also* individual names)
 P450s, 101, 105–108
- Ascaris suum*, 238
- Ascidians (*see also* individual names), 498
- Ascochyta pisi*, 521
- Ascorbate, 173, 352
 peroxidase, *see* Peroxidases
- Asian population, 573, 601
- Aspergillus parasiticus*, 417
- Association constants (*see also* Binding
 constants), 43, 47
- Assays
 Comet, 118, 119
 fluorescence, *see* Fluorescence
 luminescence, *see* Luminescence
 micronucleus, 118, 119
- Asterias rubens*, 108, 508
- Atomic force microscopy
 studies of P450s, 76
- ATP, 475, 512, 607, 631, 637
 -binding cassette transporter, 603
 production, 320
- Atrazine, 104, 510, 512
- Autoxidation, 211
 rate constants, *see* Rate constants
- Azoles
 as antifungal drugs, 300–305, 598, 599
 as inhibitors of P450s, 300–305, 382,
 606
 heme binding, 304
 structures, 301, 304

B

- Bacillus*
 megaterium, 7, 17, 87, 160–162, 291,
 306, 331, 332, 442, 453, 527
 subtilis, 7, 17, 291, 401, 461, 462, 527
 thuringiensis, 119
- Bacteria(I) (*see also* individual names), 4,
 8, 59, 520
 P450 genes, 99
 P450s, *see* P450s
- Balanus eburneus*, 106
- Baeyer-Villiger pathway, 404, 405, 408,
 409, 412, 413, 417, 418
- Barbiturates, 309, 565, 573, 579, 580
- Barium(II)
 crown ether complexes, 34
- Barley, 418
- Barnacles (*see also* individual names) 106
- Benz[a]anthracene, 103, 511
- Benzenes
 biodegradation, 447, 449
 ethyl-, 175, 176
 polychlorinated, 447–450
 trichloro-, *see* 1,3,5-Trichlorobenzene
- Benzodiazepines, 610
- Benzo[a]pyrenes, 14, 102–108, 447, 506,
 507, 511, 512, 514
 hydroxylation, *see* Hydroxylation
 metabolism, *see* Metabolism
- Benzoic acid
 m-chloroperoxy-, *see*
 m-Chloroperoxybenzoic acid
- Benphetamine, 209, 331, 467
 demethylation, *see* Demethylation
 metabolism, 507
 structure, 330, 464

- Bifonazole
structure, 301, 304
- Binding constants
azoles/P450, 302
heme/nitric oxide, 297
imidazoles/P450, 300
P450, 288
- Bioavailability of
cyclosporin, 608
drugs, 563, 564, 567, 580, 595, 599,
604, 606, 608
felodopine, 608
immunosuppressive agents, 605
terfenadine, 608
- Biocatalysts, 530
- Biodegradation of
polychlorinated benzenes, 447, 449
vitamin D₃, 463
- Biomonitors or biomonitoring studies,
103, 106, 118–120, 481, 487, 488,
494, 497, 511
- Biomphalaria glabrata*, 105, 110, 511
- Bioreaktor, 531, 532
- Bioremediation, 165
by bacterial P450s, 532
of explosives, 533
- Biosensors, 158, 165, 533, 534
- Biosynthesis (of) (*see also* Synthesis)
aflatoxins, 417
aldosterone, 367, 372, 383, 385
biotin, 401
brassinolide, 15, 17, 408, 409
brassinosteroids, 16, 17
cAMP, 375
cholesterol, 371, 400
corticoid, 383
cortisol, 308, 367, 372
ecdysone, 16, 17
erythromycin, 248
estradiol, 16, 380
estrogen, 11, 287, 300, 343, 370, 379,
381
estrone, 323, 380
gibberellins, 418, 419, 429
hormones, 16, 17, 27, 158
pregnenolone, 363, 365, 374–376, 379,
380, 398–400
progesterone, 379–381, 403
prostaglandins, 426–429
psoralen, 407, 416, 417
reaction types for steroid hormones,
365–371
steroid hormones, 16, 17, 106, 107,
322, 361–386, 403, 409,
411, 463
sterol, 4
testosterone, 378–381
thromboxane, 428, 429
vitamin D, 384, 400, 463
- Biotechnological application of P450s,
18, 286
- Biotin, 401
- Biphenyls
polychlorinated, *see* PCBs
- Birds
chemical defense, 488–490
P450s, 488–490
- Blood pressure regulation, 384
- Bombix mori*, 8, 9
- Bortezomib, 11
- Bradyrhizobium japonicum*, 527
- Brain
steroid hormone biosynthesis, 370,
382, 383
- Brassinolide
biosynthesis, 16, 17, 408, 409
- Brassinosteroids
biosynthesis, 16, 17
- Breast
cancer, 373, 374, 382
cancer treatment, 300, 301, 371, 374,
382
- Bunodosoma cavernata*, 102
- Bupropion
hydroxylation, *see* Hydroxylation
- Burkholderia*, 528
- Butler-Volmer theory, 130

C

- Caenorhabditis elegans*, 91, 480
chemical defense, 509
genome, 4, 8, 509

- Caffeic acid, 14
Caffeine, 573, 597
 demethylation, *see* Demethylation
Calcitroic acid, *see* Vitamin D₃
Calcium(II)
 activation of fluxes, 290
 channel blocker (*see also* individual names), 581
Caldariomyces fumago, 81, 216, 307
Caldariomycin, 81
Callinectes sapidus, 106
Calmodulins, 290
Camalexin
 synthesis, 14
cAMP, 376, 378, 381, 382
 biosynthesis, *see* Biosynthesis
 -dependent phosphorylation, 372
 -dependent transcription of genes, 378
 response system, 377
Camphane, 199, 200, 205, 209, 210
Camphor, 29, 30, 145, 176, 197–199,
 201, 204, 205, 212, 444
 1R-, 199, 201, 205, 209, 221, 323
 1S-, 199, 205
 5-hydroxy-, 30, 238, 241
 bromo-, 205, 210
 hydroxylation, *see* Hydroxylation
 nor-, *see* Norcamphor
 P450 monooxygenase, *see* P450cam
 -quinone, 199
 structure, 73
Cancer
 breast, *see* Breast
 hormone-dependent, 371
 prostate, 373, 374
Candida
 maltosa, 18, 524
 tropicalis, 524
Capitella capitata, 103, 111, 511
Capric acid, 462
 oxidation, 459
 structure, 454
Carbamate(s)
 insecticides, 118, 490
 thio-, *see* Thiocarbamates
Carbon
 ¹³C, 303
 radical, *see* Radicals
Carbon-carbon bond cleavage
 alpha to acids, 419–421
 alpha to alcohols, 416–419
 alpha to aldehydes, 408–415
 alpha to carbon bearing nitrogen, 422,
 423
 alpha to ethers, 421, 422
 alpha to ketones, 408
 by P450s, 397–430
 diols, 398–403
 involving fatty acids, 423–425
 keto alcohols, 403–408
Carbon dioxide, 415, 420
Carbon monoxide, 12, 98, 192, 193,
 203–211, 287, 289, 305–308,
 424
 ¹³CO, 32
 binding to Fe(II), 31, 38, 51, 82, 158,
 306, 307, 322
 myoglobin complex, 203
 P450 complexes, *see* P450s
 Re complex, 175
 sensing transcriptional activators, 268
 sensor for the heme pocket, 203–211
 spectral properties of the P450
 complexes, 203–208
Carcinogenesis, 99, 158, 182, 463
Carcinus
 aestuarii, 106
 maenas, 107, 110, 508
Cardiovascular diseases, 384
Carnegiae gigantea, 505
Carotenoids, 87
 epoxidation, *see* Epoxidation
Castasterone
 biosynthesis, 16
 oxidation, 408, 409
Catalases, 179, 320
Catfish, 496
Catharanthus roseus, 417
Caucasian population, 571, 601, 606
Caulobacter crescentus, 527
cGMP, 290, 299
Chemical defense (of), 477–535
 amphibians, 490, 491
 annelids, 510, 511

- Chemical defense (of) (Continued)
- birds, 488–490
 - Caenorhabditis elegans*, 509
 - cnidarians, 512
 - crustaceans, 507, 508
 - definition, 479, 480
 - echinoderms, 508, 509
 - evolution, 480
 - fish, 493–497
 - fungi, 521–525
 - insects, 497–507
 - invertebrates, 497–512
 - mammals, 481–487
 - molluscs, 511, 512
 - nematodes, 509
 - plants, 513–521
 - poriferans, 512
 - prokaryotes, 525–529
 - protista, 513
 - reptiles, 490, 491
- Cherax quadricarinatus*, 508
- Chiral synthons, 286
- Chlamydomonas reinhardtii*, 4
- Chloramphenicol, 309
- m*-Chloroperoxybenzoic acid, 39–42, 217, 218, 222, 325, 352
- Chloroperoxidase, 12, 40, 50, 51, 66, 81, 169, 170, 179, 216–218, 252, 270, 273, 294, 307
- structure, 81, 268
- Cholesterol, 209, 212, 295, 322, 610
- cleavage, 8, 365, 367
 - conversion to pregnenolone, 363, 365, 374–376, 379, 380, 398–400
 - ester hydrolase, 376
 - structure, 362, 363
- Chromatography
- high-performance liquid, *see* High-performance liquid chromatography
 - ion exchange, 105
- Chrytochiton stelleri*, 105
- Chymotrypsin, 70
- Cigarette smoke (*see also* Tobacco), 572, 607
- Cineole, 72, 239
- hydroxylation, *see* Hydroxylation structure, 73
- Cinnamate hydroxylase, 519, 520
- Ciona intestinalis*, 498
- Circular dichroism
- magnetic, *see* Magnetic circular dichroism
 - P450s, 191, 192
- Citrobacter braakii*, 72
- Citrulline, 82, 291
- Clams (*see also* individual names), 512
- P450s, 111
- Clarithromycin, 597, 599
- Cleavage
- cholesterol, *see* Cholesterol
 - diols, *see* Diols
 - heterolytic, 279, 325, 333–335, 399, 439
 - homolytic, 279, 325, 399, 404, 427
 - O–O bond, 81, 213–215, 224, 251, 259, 273, 279, 325, 333–335, 337, 405, 414, 420, 427, 439, 446
 - pregnenolone, 408
 - progesterone, 408
 - steroids, 408
- Clofibrate, 103, 104, 486, 506, 510, 511
- Clotrimazole, 497
- structure, 301
- Clusters
- 2Fe-2S (*see also* Ferredoxins), 7, 8, 74, 367, 368, 537, 538
 - iron-sulfur, 8, 66
- Cnidarians
- chemical defense, 512
 - detoxification mechanism, 102, 103
 - P450s, 101–103
- Cobalt, 165, 167
- ⁶⁰Co, 349
 - porphyrins, *see* Porphyrins
- Cobalt(III)
- sepulchrate cage complex, 167
- Cobaltocene, 167
- Codeine, 602, 604, 605
- Cofactors
- P450, *see* P450
- Comamonas testosteroni*, 528
- Compound 0
- definition, 335

- Compound I, 11, 29, 30, 32, 36, 39, 40, 52,
67, 68, 81, 82, 128, 164, 165, 171,
196, 217, 225, 320, 325, 326, 333,
334, 338, 341–343, 352, 352, 440
analogues, 46
characterization, 168
definition, 169, 216, 218, 251, 345, 439
 $\text{Fe}^{\text{V}}=\text{O}$, 163, 346, 439
formation, 439
oxo iron(IV) porphyrin radical cation,
39–41, 159, 251, 345
oxygen insertion, 37
reactivity, 48
structure, 345
two states model, 347, 348
- Compound II, 325
definition, 169, 215
 $\text{Fe}^{\text{IV}}=\text{O}-\text{H}$, 169–171, 179, 180, 425
- Congenital lipoid adrenal hyperplasia,
366, 367, 370, 376
- Contraceptives (*see also* individual names)
oral, 579
- Copper(II), 46
- Corals (*see also* individual names), 512
Gorgonian, 493, 497
P450s, 102, 103
- Corticosteroids
adreno-, 600
commercial production, 523
- Corticosterone, 369
structure, 363
- Cortisol, 364, 366, 369, 374, 600
11-deoxy-, 365
biosynthesis, *see* Biosynthesis
hydroxylation, *see* Hydroxylation
- Corynebacterium* sp., 527
- Coscinasterias muricata*, 509
- Cotton, 514
- Coumarin(s), 72
7-methoxy-, 518
7-methoxy-4-trifluoromethyl-, 464,
466, 484, 496
alkoxy-, 481
demethylation, *see* Demethylation
ethoxy-, 106, 507, 518
furano-, 14, 17, 117, 416, 504,
505, 520
hydroxylation, *see* Hydroxylation
O-dealkylation, 485
propoxy-, 485
structure, 464
- Crabs (*see also* individual names), 106,
110, 508
- Crayfish (*see also* individual names)
P450s, 102, 105–107, 508
- Crocodile, 491
meat, 487
- Crown ethers
barium(II) complex, 34
- Crustaceans (*see also* individual names),
100, 118
chemical defense, 507, 508
P450s, 101, 102, 110, 111
- Cryo crystallography, 191
- Crystal structures of
chloroperoxidase, 81
CYP51, 69
CYP119, 71, 72, 86–89, 304
CYP121, 268, 269
CYP158A2, 258, 442–444
ferredoxin, 66
P450 3A4, 78
P450 BM3, 88
P450 BS β , 85
P450 distal side, 275, 276
P450cam, 88, 197
P450nor, 83
P450 models, 32, 36
P450s, 6, 62–64, 269
rubredoxin, 66
- Cucumaria miniata*, 508
- Cushing's disease, 309
- Cyanide
as P450 inhibitor, 287–289, 308
- Cyclic voltammetry (studies of) (*see also*
Voltammetry), 140–144, 162
P450 models, 32
- β -Cyclodextrins
Mn porphyrin, 44–46
Ru porphyrin, 47
substrate recognition, 43, 45, 46
- Cyclohexane
phenyl-, 448, 450
structure, 448

- Cyclohexene
 oxidation, 347
- Cyclophosphamide, 463, 467
 structure, 464
- Cyclosporin, 485, 597, 603, 605, 606,
 610–612, 614
 bioavailability, 608
 elimination, 598
- Cylindrocarpon tonkinense*, 296
- CYP1 family, 105, 109–113, 463, 483,
 488, 492, 495, 508, 512
 A2, 243, 465, 466
- CYP2 family, 105, 109, 110, 112–116,
 309, 463, 483–486, 488–490, 492,
 494, 495, 512
 inhibition, 302
- CYP2A4 (= P450 15 α), 72
- CYP2A5 (= P450 COH), 72
- CYP2A6, 466
- CYP2B1, 466, 467
- CYP2B4, 331, 333, 340, 344, 348, 410,
 413, 420, 463
 active site, 329
 dioxygen complex, 330
 mutants, 333, 347, 414
 redox potential, *see* Redox potentials
 structure, 329
- CYP2B5, 442, 463
- CYP2D6, 574, 582, 582, 596, 602
- CYP3 family, 103–105, 109–111,
 113–116, 270, 485, 486, 489,
 494–497, 508
 mutation, 278
- CYP3A4 (*see also* P450 3A4), 236, 278,
 279, 301, 302, 309, 422, 463, 467,
 574–576, 595–598, 600, 606,
 608–610
 activity, 595, 596
 inhibitors, 575, 606, 608, 610–612
- CYP3A5, 463
- CYP4 family, 4, 103, 105, 107, 108, 110,
 111, 114–116, 189, 270, 271, 486,
 498, 508, 512
- CYP4A, 222, 453
- CYP4B1, 268, 486
- CYP5, 426–429
- CYP8, 426–429
- CYP11A1, *see* P450sc
- CYP11B1 (= P450 11 β), 364, 366, 367,
 372, 374, 375, 384, 385
 inhibition, 374
 mutation, 370
- CYP11B2, *see* P450aldo
- CYP17 (= P450c17), 363, 369, 370,
 373–375, 377–385, 413, 414
 inhibition, 374
- CYP17A, 404, 405, 408, 410
- CYP19 (*see also* Aromatase), 369–371,
 374, 380–383, 414
 inhibition, 374, 382
- CYP21 (= P450c21), 363, 364, 369, 370,
 383
- CYP24, 406, 408
- CYP51 (= P450 14DM = lanosterol
 14 α -demethylase), 4, 59, 60,
 304–306, 363, 409, 411, 412, 414,
 429
 crystal structure, *see* Crystal structures
 inhibition, 300, 302
- CYP55A1, *see* P450nor
- CYP74 family, 423–426
- CYP85A family, 408
- CYP88A, 418, 419
- CYP93C, 421, 422
- CYP101, *see* P450cam
- CYP102, *see* P450 BM3
- CYP107A1, *see* P450eryF
- CYP107H1 (= P450 BioI), 400, 401
- CYP108, *see* P450terp
- CYP111 (= P450lin), 526
- CYP119, 86, 238, 305, 456
 autoxidation rate constant, 212
 structure, 71, 72, 87, 88, 304
- CYP121 (= Mtb P450), 268, 288, 302
 active site, 268
 crystal structure, 268, 269
 hydrogen bonding network, 276
- CYP158A2, 253, 257, 258, 441, 456
 crystal structure, 258, 442–444
 hydrogen bonding network, 276–278,
 443
- CYP165B1 (= OxyB), 239, 243
 structure, 241
- CYP176A1, *see* P450cin

Cypermethrin, 506
Cysteine (and residues), 334
 dissociation, 308
 N-acetyl-, 578
 nitrosylation, 298
 oxidation to cysteic acid, 273
Cytochrome *b*₅, 8, 9, 102, 149, 189, 190,
 291, 370, 373, 380, 499, 506, 508
 *b*₅₆₂, 275
 reductase, *see* Reductases
Cytochrome *c*
 oxidase, *see* Oxidases
Cytochrome *c* peroxidase, 273, 280, 335
 active site, 274
 hydrogen bonding network, 280
Cytochromes P450, *see* CYPs and P450s
Cytokines, 290

D

Danio rerio, 111–115, 494–496
Daphnia
 magna, 106
 pulex, 107, 508
DDT, 490
 detoxification, 506
 hydroxylation, *see* Hydroxylation
 resistance, 119, 506
Dealkylation (of) (*see also*
 Demethylation), 158
 7-pentoxoresorufin, 484, 485, 491, 513
 coumarins, 485, 496
 phenacetin, 495
 tributyltin, 511
Deamination
 oxidative, 99
Debaryomyces hansenii, 524
Debrisoquine, 581
Decarboxylation
 oxidative, 421
 P450-catalyzed, 419–421
O-Deethylases or deethylation
 ethoxycoumarin, 104, 105, 466, 485,
 490, 491, 495, 506, 509–513
 ethoxoresorufin, 104, 106, 483, 488,
 490, 491, 495, 496, 506, 511–513
 phenacetin, 483, 485
Deformylation, 344, 345
Dehalogenation, 99, 158
Dehydrogenases
 3 β -hydroxysteroid, 376
 FAD, 7, 8
 formate, 166
 glyceraldehyde-3-phosphate, 298
Demethylation (of) (*see also*
 Dealkylation)
 androgen steroids, 343
 benzphetamine, 495
 caffeine, 483, 570, 572
 coumarin, 491
 erythromycin, 485, 489, 491
 lanosterol, 300
 methoxyresorufin, 488, 491, 495
 oxidative, 244
 theophylline, 483
Density functional theory calculations
 P450 models, 36, 273
 P450s, 67, 68, 198, 203, 213, 326, 327,
 341, 342
6-Deoxyerythronolide, 248, 257
 hydroxylation, *see* Hydroxylation
Detoxification of
 DDT, 506
 genes, 120
 P450-based, 103
 pesticides, 507
 plant allelochemicals, 504, 505, 507
 xenobiotics, 9, 58, 102, 322
Dexamethasone, 485, 486, 489, 497
DFT calculations, *see* Density functional
 theory calculations
Diazepam, 597
 hydroxylation, *see* Hydroxylation
Diazinon, 490, 518
Dichlorodiphenyltrichloroethane, *see*
 DDT
Diclofenac, 597
 hydroxylation, *see* Hydroxylation
Dielectric
 constant, 135, 330
 environment, 137, 147–149
Digitalis, 362
Dihydralazine, 581

- Diltiazem, 597–599, 611
- Dimethylbenzanthracene
metabolism, *see* Metabolism
- Dinitrogen monoxide (nitrous oxide;
N₂O), 7, 83, 249
formation, 295–297
- Dinitrogen trioxide
formation, 298
- Diols (*see also* individual names)
androstane, 44
cleavage, 29, 36, 398–403
- Dioxins, 14, 15, 99, 106, 497
dibenzo[*p*]-, 454, 459, 488, 489, 492,
496, 497, 508
polychlorinated, 532
- Dioxygen (*see also* Oxygen)
activation, 68–70, 82, 243, 275, 341,
438, 439, 441, 443, 444
atmospheric, 2, 7
binding to P450s, *see* P450s
cleavage, *see* Cleavage
consumption, 216, 217, 241, 247
heme-bound, 242, 328, 443
iron-linked, 85
labelling studies, 163–165, 168
triplet state, 188
- Dioxygenases, 2, 321
definition, 320
- Dipteran species, 504
- Dolphins, 100
- Drosophila*
genome, 4, 8, 13
insecticide-resistant, 119
melanogaster, 504–507
mettleri, 505
nigrospiracula, 505
P450 genes, 58, 108, 110
P450s, 9, 18, 60, 111, 118, 119, 498
simulans, 506
- Drug(s) (*see also* individual names), 98,
99, 158
absorption, 593, 594
administration, 605, 606
azoles, *see* Azoles
bioavailability, 563, 564, 567, 580,
595, 599, 604–606, 608
candidates, 567
clearance, 564
distribution, 593, 594
excretion, 593, 594
high-throughput screening, 567, 568
inhibition, 605, 606
interactions, *see* Drug interactions
metabolism, *see* Metabolism
non-invasive assays, 570
nonsteroidal anti-inflammatory, 7, 8
oxidation, 463, 566
P450 inducers, 600, 601
preclinical development, 463, 563
pro-, 604, 605
properties in patients, 591–615
targets, 373, 374
therapeutic window, 573
toxicity, 565
transport, 603, 604
triazole-based, 300
- Drug interactions, 596
adverse, 593, 599, 600
beneficial, 611, 612
clinical significance, 613, 614
cytochrome-mediated, 593
diet, 607
disease state, 607
–drug, 12, 565, 567, 598, 599,
610–612
ethnicity differences, 606
FDA regulations, 582, 612, 613
herbs, 609, 610
pharmacodynamic, 583
pharmacokinetic, 583
sex differences, 606
smoking, 607
- Dugong, 100

E

- Earth
life on, 85, 86
- Earthworms (*see also* individual names),
511
- Ecdysone, 106
20-hydroxy-, 107
biosynthesis, 16, 17

- Echinoderms
 chemical defense, 508, 509
 P450s, 101, 108, 110, 508, 509
- Econazole, 301
- EE₂
 hydroxylation, *see* Hydroxylation
 metabolism, *see* Metabolism
 structure, 579
- Eicosanoids, 98, 99, 571
 metabolism, *see* Metabolism
- Eisenia fetida*, 511
- Electrochemistry of
 P450s, 127–151
 sensors, 171
- Electrodes
 Ag/AgCl, 130, 162, 167, 171
 antimony-doped tin oxide, 168, 531
 basal-plane graphite, 147, 162, 166
 clay-modified, 147–149, 166
 edge-plane graphite, 145, 149, 150, 166
 glassy carbon, 145, 170, 531
 gold, 147, 166, 531, 534
 indium-tin oxide, 145
 list of modified electrodes, 148
 modifications, 144, 145, 147, 148
 montmorillonite-modified glassy carbon, 147
 normal hydrogen, 130, 158, 160, 171, 179
 polylysine-modified, 149
 pyrolytic graphite, 534
 rhodium graphite, 531, 534
 rotating disk, 165
 standard calomel, 130
 standard hydrogen, 129, 130
 surface-modified, 166
- Electron density
 P450, 216
 P450 BM3, 79
 P450cam, 137, 207, 211, 335
- Electron nuclear double resonance, *see* ENDOR
- Electron paramagnetic resonance, *see* EPR
- Electron potentials, *see* Redox potentials
- Electron spin echo modulation, *see* ESEEM
- Electron spin resonance, *see* EPR
- Electron transfer (in)
 FAD, 290, 455
 FMN, 290, 455
 heme-dioxygen binding, 158
 mechanism, 331
 microsomal, 364
 mitochondrial, 364, 371–373
 P450s, 74, 75, 158–180, 245, 249, 338, 428, 440, 455, 456
 pathways, 455
 rate constant, 179
 regulation, 371–374
 second electron transfer, 245
- Electron tunneling
 wires, *see* Wires
- ELISA, 99, 118
- Enchytraeus crypticus*, 511
- Endoplasmic reticulum
 steroid hormone biosynthesis, 369, 375, 379, 380
- ENDOR spectroscopy (of)
 ¹H, 245
 P450 models, 33
 P450s, 191, 214, 245, 252, 349, 350
- Enthalpy of activation, 190, 210
- Entropy of activation, 210
- Environment
 monitoring, 118, 119
 pollutants, 447, 463, 487, 494, 607
- Enzyme-linked immunosorbent assay, *see* ELISA
- Enzymes (*see also* Proteins and individual names)
 phenotyping, 565, 566
- Eplerenone, 384
- Epoxidation (of)
 aldrin, 509–511
 alkenes, 158, 343, 453
 by ferryl species, 169
 by manganese porphyrins, 42, 43
 carotenoids, 47
 double bonds, 246
 in P450s, 29, 36, 44, 286, 411
 mechanism, 342, 343
 olefins, 41, 48, 51, 324, 325, 342, 343, 439, 440
 P450-catalyzed, 319–353

- Epoxidation (of) (Continued)
 propene, 36
 terpenes, 43
 α -pinene, 52
- EPR studies (of)
 detection of amino acid radicals, 192
 P450 models, 31, 33, 38
 P450s, 191, 192, 197, 198, 214,
 217–221, 302, 349, 350, 352
- Ergosterol, 363
 formation, 300, 600
 structure, 362
- Eriochair japonicus*, 508
- Erythromycin, 212, 213, 248, 518, 527,
 565, 578, 579, 597–599, 610
 -bound P450, *see* P450eryF
 demethylation, *see* Demethylation
 metabolism, *see* Metabolism
- Escherichia coli* (expression of)
 adrenodoxin, 368
 CYP11A1, 365
 CYP2C, 467
 CYP72A1, 417
 human P450s, 530, 566
 NADPH-cytochrome P450
 reductase, 371
 P450 BioI, 401
- ESEEM
 P450 models, 33
 P450s, 191, 192, 197
- ESR, *see* EPR
- Esterases (*see also* individual names),
 376, 572
 acetylcholine, 118, 119, 534
- Estradiol, 104
 17 β -, 483, 579
 biosynthesis, *see* Biosynthesis
 ethynyl-, 565
 hydroxylation, *see* Hydroxylation
 metabolism, *see* Metabolism
 structure, 363, 410
- Estrogens, 364, 370, 374, 409, 600
 biosynthesis, *see* Biosynthesis
 in breast cancer, 371
 structure, 410
- Estrone, 409, 410, 579
 biosynthesis, *see* Biosynthesis
- Ethanol (*see also* Alcohol), 489, 510, 601
- Eucalyptus, 527
 leaves, 481
- Euglena gracilis*, 513
- Eukaryotes (*see also* individual names),
 59, 86, 98
- Evolution of
 eukaryotes, 98
 life, 2
 P450s, 59, 60
- EXAFS studies of
 P450s, 191, 192, 296
- Extended absorption fine structure
 spectroscopy, *see* EXAFS
- Extensive metabolizer, 564, 574,
 601, 602

F

- FAD (in), 76, 78, 90, 160, 161, 167, 190,
 291, 323, 331, 368, 371
 dehydrogenase, *see* Dehydrogenases
 electron transfer, *see* Electron transfer
- Fadrozole, 300
 structure, 301
- Fatty acids, 98, 99, 175, 571
 hydroperoxy, 423–426
 hydroxylation, *see* Hydroxylation
 oxidation, 84, 453, 571
 oxygenated, *see* Eicosanoids
 transformation, 27
 unsaturated, 424, 425
- Favia fragrum*, 102, 512
- FDA
 regulations for drug interactions, 582,
 612, 613
- Felodopine, 608
- Fenchone, 199, 205, 210
- Ferredoxins (*see also* individual names),
 66, 86, 87, 149, 160, 291, 372
 Fe₂S₂, 7, 8, 74, 367, 368, 537, 538
 Fe₃S₄, 8
 reductase, *see* Reductases
- Fexofenadine, 578, 579, 610, 611
- Fish (*see also* individual names), 100, 487
 bioactivation of xenobiotics, 497

- Fish (Continued)
 chemical defense, 493–497
 Japanese puffer-, *see Fugu and Takifugu rubripes*
 killi-, *see Killifish*
 P450 families, 111–115
 zebra-, *see Danio rerio*
- Flash photolysis of
 P450s, 191, 192, 208–210
- Flavin adenine dinucleotide, *see FAD*
- Flavin mononucleotide, *see FMN*
- Flaviolin, 277–279
 binding, 257, 258, 442–444
- Flavodoxins, 291
- Flavonoids, 608
- Fluconazole, 302, 605
 P450 binding, 304, 305
 structure, 301, 304
- Fluoranthene, 103, 447, 511
 structure, 448
- Fluorene oxidation, 459
- Fluorescence
 assay, 165, 453, 567
 sensors, 171
- FMN, 7, 74, 86, 90, 137, 167, 168, 190, 291, 323, 331, 371, 527
 electron transfer, *see Electron transfer P450 BM3*, 76, 79, 160, 161
 P450cin, 74, 76
 reductase, *see Reductases*
- Food
 charbroiled, 572, 597, 607
 monitoring of toxicants, 119
 sea-, *see Seafood*
- Food and Drug Administration of the United States, *see FDA*
- Förster energy transfer quenching, 178
- Fossils
 chemical, 86, 87
- Fourier transform infrared spectroscopy (studies of)
 high pressure, 208
 P450s, 191, 192, 197, 201, 207, 209
- Freeze-quench experiments, 221
- Frogs, 487, 490–492
- Fruit fly, *see Drosophila melanogaster*
- FTIR, *see Fourier transform infrared spectroscopy*
- Fugu* (*see also Takifugu rubripes*), 497
 genome, 496
- Fundulus heteroclitus*, 494, 495
- Fungi (*see also individual names*), 417, 418
 chemical defense, 521–525
 list of, 522, 523
 P450s, *see P450s*
 phytopathogenic, 520–524
 xenobiotic metabolism, 522
- Fungicides (*see also individual names*), 489, 490
- Furafylline, 572
- Fusarium*
oxysporum, 7, 83, 295–297
solani, 521

G

- Gallus gallus*, 487, 488
- Garlic, 609
- Gasoline additives, 528
- Gastrointestinal tract
 drug metabolism, 594, 595
 P450s, 482
- Genes
 P450s, *see P450s*
- Genistein, 467
- Genomes
Anopheles gambiae, 4
Apis mellifera, 4
Caenorhabditis elegans, 4
Chlamydomonas reinhardtii, 4
Drosophila melanogaster, 4
 human, 4
 moss, 4
Oryza sativa, 4
 yeast, 4
- Genotoxicity of
 food toxicants, 119
 pesticides, 507
- Gibberella*
fujikuroi, 418, 419, 430
pulicaris, 524

Gibberellins, 418, 419, 430
 biosynthesis, *see* Biosynthesis
 Glucocorticoid remediable
 hyperaldosteronism, 367
 Glucocorticoids, 364–366, 370, 374, 375,
 485, 486, 492, 497
 Glutaraldehyde, 147
 Glutathione, 577
 Glycine
 N-palmitoyl-, 246, 248
 Glycosides, 362
 Glycosylation of
 P450s, 15
 Gonads (*see also* Testis), 366, 369
 steroid hormone biosynthesis, 376,
 378–382
 G-protein, 377
 Grapefruit juice, 450, 575, 597, 607–609,
 612
 GTP, 290
 Guaiacols, 352
 peroxidation, 337
 Guanosine monophosphate
 cyclic, *see* cGMP
 Guanosine 5'-triphosphate, *see* GTP
 Guanylate cyclase, 299
 nitric oxide binding, 290

H

Haemonchus contortus, 510
Haliotis rufescens, 512
 Health of ecosystem, 118, 119
 Heart
 disease, 374, 384
 failure, 384
 fibrosis, 373, 384
Helianthus tuberosus, 8, 9, 519
Helicoverpa zea, 504–506
 Heme
 –azole complexes, 303–305
 degradation, 222
 dioxygen complex, *see* Dioxygen
 distal site, 12, 242–249
 electrochemical oxidation, 168–171
 electronic nature, 348

pocket, 192, 195, 201–211, 221
 propionate interactions, 67, 68
 redox potentials, *see* Redox potentials
 solvent accessibility, 210, 221
 spin state, 192
 –thiolate systems, 12, 13, 28, 31, 51,
 66, 82, 158, 188, 216, 218, 268,
 273, 274, 306, 307
 water in pocket, 223
 Heme oxygenase, 252, 277, 279
 homolytic dioxygen cleavage, 279
 hydrogen bonding network, 276, 277
 Hemoglobin, 211, 320, 325, 337
 Hepatotoxicity of
 tienilic acid, 573
 Hepatitis, 580, 581, 607
 Heptachlor, 107
 Herbicides (*see also* individual names),
 513, 514, 528
 list of, 515, 516
 metabolism, *see* Metabolism
 resistance, 514
 safeners, 519, 520
 structures, 515, 516
 Herbivores, 513, 520
 Herbs (*see also* individual names)
 drug interactions, 609, 610
 Hexadecane
 biotransformation, 523, 524
 High-performance liquid
 chromatography, 567
 HIV
 protease inhibitors, 599, 609, 610, 612
 treatment, 612
Homarus americanus, 107, 111, 508
 Honeybee, *see* *Apis mellifera*
Hordeum vulgare, 418
 Hormone(s) (*see also* individual names)
 biosynthesis, *see* Biosynthesis
 –dependent cancer, 371
 follicle stimulating, 381
 gonadal, *see* Gonads
 luteinizing, 379–381
 molting, 106, 107, 508
 plant, 418
 receptors, 486, 492, 493, 497, 575
 sex, 364, 369, 370, 379–381, 600

- Hormone(s) (Continued)
steroid, *see* Steroids and individual names
treatment of disorders, 308
- Horseradish peroxidase, 40, 169, 171, 252
- Housefly (*see also Musca domestica*), 499
- HPLC, *see* High-performance liquid chromatography
- Human (*see also* Mammal)
genome, 4
immunodeficiency virus, *see* HIV
in vivo drug studies, 570
list of P450s, 571
P450 genes, 58, 99
- Hydra*
attenuata, 512
magnipapillata, 110
- Hydride transfer, 7, 84, 168, 296–298
- 3-Hydroacetanilide, *see* Acetaminophen
- Hydrocarbons, 106
aromatic, *see* Aromatic hydrocarbons
formation in insects, 415
halogenated, 532
hydroxylation, *see* Hydroxylation
metabolism, *see* Metabolism
- Hydrogen bonding network in
CYP121, *see* CYP121
CYP158A2, *see* CYP158A2
cytochrome *c* peroxidase, *see*
Cytochrome *c* peroxidase
heme oxygenase, *see* Heme oxygenase
iron-sulfur clusters, 66, 67
myoglobin, *see* Myoglobin
nitric oxide synthase, *see* Nitric oxide synthase(s)
P450cam, *see* P450cam
P450eryF, *see* P450eryF
P450nor, *see* P450nor
P450s, *see* P450s
proximal, 138
- Hydrogen peroxide, 7, 49, 189, 211, 215, 217, 218, 222, 333, 344, 400, 414, 415, 466, 467
formation, 164, 213, 214, 216, 222–224, 241, 242, 252, 286, 325, 335, 337, 440
reduction, 321
scavenging, 179
- Hydrolases (*see also* Proteases and individual names)
androstenedione, 463
cholesterol ester, 376
peppermint limonene-3-, 468
spearmint limonene-6-, 468
- Hydroperoxide(s) (*see also* Peroxides), 101, 102, 106, 400
ferric, *see* Iron(III)
- Hydroxylases (*see also* individual names)
11 β -, 366
androstenedione, 463
aryl hydrocarbon, 488, 491, 495, 508, 509, 511, 512
as drug targets, 374
cinnamate, 519, 520
laurate, 104, 243
pregnenolone, 108
steroid, 374–376
- Hydroxylation (of), 30, 32, 67, 99, 286, 407, 409
6-deoxyerythronolide, 248
alkanes, 48, 338, 458, 460, 531
androstenedione, 489
arenes, 458
aromatic, 29, 36
aromatic hydrocarbons, 458
aromatic hydrocarbons, 458
benzo[a]pyrenes, 483
benzylic, 29
buproprion, 484
camphor, 168, 214, 215, 217, 237, 239, 277, 323, 330, 340, 525, 526
C–H bonds, 44, 49, 128
cineole, 527
cortisol, 492
coumarin, 6, 466, 484, 491, 570
DDT, 506
debrisoquine, 581
diazepam, 491
diclofenac, 484, 567
EE₂, 579, 580
estradiol, 483, 496
fatty acids, 7, 14, 17, 18, 86, 87, 246, 287, 292, 331, 401, 453, 458, 486, 491, 527

Hydroxylation (of) (Continued)

- hydrocarbons, 158
 - isotope effect, 340
 - L-arginine, 82, 291
 - lauric acid, 167, 271, 485, 491, 495, 497, 511, 512
 - limonene, 6, 468, 531
 - linalool, 526
 - mechanism, 337–342
 - naphthalene, 491, 495, 508
 - nitric oxide, 4
 - octane, 462
 - P450-catalyzed, 319–353
 - paclitaxel, 484
 - perhexiline, 581, 582
 - phenytoin, 484
 - p*-nitrophenol, 489
 - pregnenolone, 301, 369
 - progesterone, 301, 369, 463, 464, 484, 489, 495, 508
 - radical pathway, 339–341
 - stereochemical scrambling, 340
 - steroids, 45, 58, 365, 370–373, 485
 - S*-warfarin, 484
 - testosterone, 6, 17, 484, 485, 489, 491, 495, 496, 508, 511, 576
 - tolbutamine (methyl-), 484, 567, 570
 - vitamin D₂, 408
- Hydroxyl radical, *see* Radicals
- Hydroxymethylglutarate, 530
- Hyperaldosteronism
- type I, *see* Glucocorticoid remediable hyperaldosteronism
- Hypericum perforatum*, *see* St. John's wort
- Hypertension, 373, 374
- Hypokalemia, 600

I

- Ifosfamide, 463, 467
 - structure, 464
- Imidazole (and moieties), 71, 72, 170
 - as ligand, 335
 - as P450 inhibitor, 287, 288, 300–305, 329, 333

- binding constants, 300
 - phenyl-, 71, 72, 240, 300, 301, 304, 305, 330, 333
- Immune function, 289
- Immunosuppressive agents, 596, 605, 606, 611, 612
- Imposex, 104
- Indigo
 - formation, 458, 466, 467
 - structure, 464
- Indirubin, 466
 - structure, 464
- Indole, 464
 - 3-methyl-, 485
 - oxidation, 467, 484
- Indomethacin
 - structure, 421
- Infrared (spectroscopy studies of)
 - Fourier transform, *see* Fourier transform infrared spectroscopy
 - P450s, 191, 192, 296
- Inhibitors or inhibition (*see also* individual names)
 - azoles, *see* Azoles
 - cyanide, *see* Cyanide
 - imidazole, *see* Imidazole
 - index, 599
 - of P450s, *see* P450s
 - suicide, 287, 599, 610
- Insects (*see also* individual names *and* species)
 - chemical defense, 497–507
 - hydrocarbon formation, 415
 - list of P450s involved in xenobiotic metabolism, 500–503
 - P450s, 8, 13, 15–18, 101, 110, 116, 117, 415, 480, 498
 - steroid hormones, 16, 17, 111
 - xenobiotic metabolism, 506, 507
- Insecticides (*see also* individual names),
 - 99, 119, 499, 505, 534
 - carbamate, 118, 490
 - organophosphate, 118
 - pyrethroid, 505, 506
 - resistance, 118–120
- Insulin, 510
 - like growth factor, 510

Invertebrates (*see also* individual names)
 aquatic, 99–119
 chemical defense, 497–512
 P450 genes, 108–111
 physiology and ecology, 116, 117
 Ion exchange chromatography, 105
 β -Ionone, 459, 462
 structure, 454
 IR, *see* Infrared
 Iron
 ^{56}Fe , 303
 ^{57}Fe , 219
 Iron(II), 50, 51, 166
 carbon monoxide binding, *see* Carbon monoxide
 redox potentials, *see* Redox potentials
 thiolate, 333
 Iron(III), 29, 40, 41, 48–50, 169, 410, 411
 hydroperoxide, 164, 174, 341
 hydroperoxo intermediate, 333, 334, 342, 345, 349
 low-spin, 33
 peroxo species, 343–345, 349
 porphyrin, *see* Porphyrins
 redox potentials, *see* Redox potentials
 superoxide complex, 163, 164, 173
 Iron(IV), 41, 216
 $\text{Fe}^{\text{IV}}=\text{O}$ (oxoferryl species), 67, 68, 82, 159, 218, 219, 221, 244, 291, 399, 414–416, 421, 439
 $\text{Fe}^{\text{IV}}=\text{O}-\text{H}$, 169–171, 179, 180, 425
 $\text{Fe}^{\text{IV}}-\text{OH}_2$, 179
 Mössbauer parameters, 218
 -porphyrin π -cation radical, 216, 218, 251, 252, 325, 343, 352
 Iron(V)
 $\text{Fe}^{\text{V}}=\text{O}$ (compound I), 163, 169, 439
 Iron-sulfur proteins (*see also* individual names), 67, 189
 Isazofos, 518
 Isoniazid, 599
 Isotope effects, 245, 405, 409, 419
 kinetic, 338, 340, 345, 576
 Itraconazole
 structure, 301

J

Jasmonic acid, 7, 8

K

Ketoconazole, 565, 566, 578, 579, 597, 605, 606, 611, 612
 P450 binding, 304, 305
 structure, 301, 304
 Ketones, 408
 Ketoprofen
 structure, 421
 Killifish, 100, 494–496
 Kinases
 cyclin-dependent, 466
 eIF2, 307, 308
 glycogen synthase, 466
 protein, *see* Protein kinase

L

Lactoperoxidase, 271, 294
 Lactone
 formation, 429, 430
 Lanosterol, 363, 411
 14α -demethylase, *see* CYP51
 conversion, 600
 metabolism, *see* Metabolism
 Lauric acid, 167, 247, 462, 486
 hydroxylase, *see* Hydroxylases
 hydroxylation, *see* Hydroxylation
 oxidation, 333
 Lepidopteran species, 499
Leptasterias polaris, 509
 Letrozole, 300
 structure, 301
 Leydig cells, 379–381
 Ligase
 ubiquitin, 298
 Lignin peroxidase, *see* Peroxidases
 Limonene
 hydroxylation, *see* Hydroxylation
 oxidation, 450, 531
 peppermint, 468

- Limonene (Continued)
 spearmint, 468
 structure, 448
- Linoleic acid, 424
- Linolenic acid, 424
- Linum usitatissimum*, 423
- Lipid(s), 145, 146, 148
 metabolism, *see* Metabolism
- Lipoxygenase, 171
- Liver
 disease, 607
 P450s, 481, 607
- Lobster (*see also* individual names)
 American, 107, 111
 P450s, 101, 107, 508
 spiny, 106, 110
- Loganin
 structure, 417
- Lufenuron, 111
- Lumbricus terrestris*, 511
- Luminescence assay, 567
- Lyase
 hydroperoxide, 7
- Lycopersicon esculentum*, 408, 423
- Lymnaea*, 511
palustris, 104, 512
stagnalis, 511
- Lytechinus anamesus*, 108, 509
- M**
- Macroconstants, *see* Acidity constants
 and Binding constants
- Macrolide antibiotics, *see* Antibiotic(s)
- Magnetic circular dichroism studies of
 oxyferrous intermediate, 349
 P450s, 191, 192, 302, 303
- Malathion, 106, 490, 518
- Mamestra brassica*, 499
- Mammals (*see also* individual names and
 species)
 aquatic, 100, 115, 116
 chemical defense, 481–487
 marine, *see* individual names
 P450s, *see* P450s
- Manduca sexta*, 505
- Manganese(II), 50
 propionate ligand, 67
- Manganese(III), 40–45, 50
- Manganese(IV), 41
- Manganese(V), 41, 52
- Marcus theory, 195
- Marmesin, 416, 417
 conversion to psoralen, 416
 structure, 416
- Marsupials, 481
- Mass spectrometry, 567
- MCD, *see* Magnetic circular dichroism
- Meat
 charbroiled, 572, 597, 607
- Meleagris gallopavo*, 488
- Mercenaria mercenaria*, 111, 512
- Metabolism
 acetaminophen, 576–578
 arachidonic acid, 495
 benzo[a]pyrenes, 102, 108, 507, 508
 benzphetamine, 507
 dimethylbenzanthracene, 495
 drugs, 27, 58, 69, 322, 365, 371, 485,
 561–583, 593–596, 613, 614
 EE₂, 579, 580
 eicosanoids, 571
 erythromycin, 507
 estradiol, 104, 569
 fat, 569
 herbicides, 513–517
 hydrocarbons, 104
 lanosterol, 412, 413
 lipid, 498
 nicotine, 484, 505
 nitric oxide, 295–298
 olanexidine, 402, 403
 perhexiline, 581
 polychlorinated biphenyls, 507
 scoparone, 489
 steroids, 70, 106, 107, 111
 terfenadine, 578, 579
 terpene, 531
 tienilic acid, 580, 581
 testosterone, 104, 106
 tributyltin, 507, 509
 vitamin D₂, 408
 warfarin, 573

- Metabolism (Continued)
 xenobiotics, 18, 102, 120, 365, 371,
 413, 422, 462, 506–509, 514–517,
 519, 533
- Metabolizer
 extensive, 564, 574, 601, 602
 poor, 564, 573, 601, 602, 605
- Methane oxidation, 447
- 3-Methylcholanthrene, 14, 15, 103, 104,
 483, 484, 486, 489, 492, 508, 511,
 512
- Methylococcus capsulatus*, 8
- Methyl viologen, 173
- Metyrapone, 308
- Michaelis-Menten kinetics
 non-, 278
- Miconazole, 302
 structure, 301
- Microarray analysis, 13, 14
- Microscopy
 atomic force, *see* Atomic force
 microscopy
- Microsomes or microsomal
 electron transfer, *see* Electron transfer
 invertebrate, 101
 P450s, *see* P450s
- Midazolam, 534
- Mineralocorticoids, 364–366, 370, 374,
 383, 385
- Mitochondria(l)
 electron transfer, *see* Electron transfer
 P450s, *see* P450s
 steroid hormone synthesis, 379
- Molecular dynamics simulation
 P450 3A4, 76, 77
 P450cam, 180, 202, 238, 259, 326
 random expulsion, 238
- Molecular mechanics calculations
 P450eryF, 326
 P450s, 198, 215, 259
- Molluscs (*see also* individual names)
 chemical defense, 511, 512
 gastropod, 104
 P450s, *see* P450s
- Monooxygenases, 321
 cytochrome P450, *see* P450s
 definition, 320
 steroid 11 β -, 61
 styrene, 168
- Morphine, 602, 605
 ethyl-, 508, 518
- Mosquitos (*see also* individual names)
 genome, 4, 8
 P450 genes, 108
 P450s, 5
- Moss
 genome, 4
- Mössbauer spectroscopy
 studies of P450s, 11, 191, 192, 211,
 217–221, 352
- Musca domestica*
 P450s, 8, 118, 119, 415
- Mussel (*see also* individual names), 119,
 512
 as biomonitors, 511
 P450s, 105
- Mutagenesis
 site-directed, *see* Site-directed
 mutagenesis
- Mutation
 random, 457–459, 465–467, 572
 recombinatorial, *see* Recombinatorial
 mutation
 semi-random, 466
- Mycobacterium*, 531
 smegmatis, 528
 tuberculosis, 8, 90, 269, 288, 300–302,
 304, 306
- Mycosphaerella pinodes*, 521
- Mycotoxins (*see also* individual names),
 417
- Myeloperoxidase, 271
- Myoglobin, 211, 320, 325, 337
 active site, 274
 carbon monoxide complex, 203
 dioxygen binding, 253
 docking sites for gases, 238
 hydrogen bonding network, 280
 mutation, 273
- Myrtenol
 formation, 450
 structure, 448

Mytilus

- galloprovincialis*, 104, 105, 512
- edulis*, 104, 105, 512

N

- NADH, 7, 84, 102, 106, 108, 128, 176, 295–298, 323, 365, 508

- consumption, 244
- dimer, 165, 166
- oxidation, 214, 215
- turnover rate, 447

- NADP, 364

- oxidation, 216

- NADPH, 7, 8, 30, 67, 82–84, 87, 106, 108, 128, 160, 162, 164, 165, 167, 169, 188, 190, 195, 202, 216, 217, 222, 249, 296, 322, 323, 325, 364, 365, 367, 368, 424, 439, 460, 464, 466, 467, 508, 511, 530, 531

- as electron donor, 291, 455
- consumption, 247, 398, 409, 415, 440, 446

- cytochrome P450 reductase, *see* Reductases

- dehydrogenation, 290

- dimer, 165, 166

- oxidase, *see* Oxidases

- oxidation, 216

- Naphthalene, 462, 485

- oxidation, 459, 465, 533

- Naphthoflavone

- α -, 106, 467, 488, 496, 497, 566

- β -, 14, 104, 106, 483, 486, 492, 496, 508, 510, 512

- Naphthoic acid, 518

- Nectria haematococca*, 521, 522

- Nematode(s), 108

- chemical defense, 509

- genome, 4, 8

- P450s, 480, 510

- parasitic, 509

- Nereis virens*, 103, 111, 511

- Nernst

- equation, 132

- titration, 130, 133

- Neuroleptics, 602

- Neurotransmitters (*see also* individual names)

- nitric oxide, *see* Nitric oxide

- Newt, 491

- Nicotinamide adenine dinucleotide (reduced), *see* NADH

- Nicotinamide adenine dinucleotide phosphate, *see* NADP

- Nicotinamide adenine dinucleotide phosphate (reduced), *see* NADPH

- Nicotine

- metabolism, *see* Metabolism

- Nifedipine, 497

- oxidation, 485, 491, 575

- Nitration

- P450s, 15

- tyrosine, 298, 299

- Nitric oxide (NO), 4, 82, 84, 238, 307

- as neurotransmitter, 289

- as P450 inhibitor, 287, 288, 298, 299

- binding to guanylate cyclase, 290

- formation, 11, 82, 291, 293

- hydroxylation, *see* Hydroxylation

- in immune function, 289

- in vasodilation, 289

- metabolism, *see* Metabolism

- P450 interactions, 286–310

- reductase, *see* Reductases

- reduction, 236, 249, 295

- synthesis, *see* Synthesis

- Nitric oxide synthase(s), 11, 12, 66, 77,

- 79, 82, 85, 225, 252, 270, 271, 279,

- 289, 298, 320

- active site structure, 268

- carbon monoxide binding, 306

- catalytic reactions, 291

- dioxygen complex, 82, 83

- endothelial, 83, 276, 277, 290

- heterolytic dioxygen cleavage, 279

- hydrogen bonding network, 276, 277

- inducible, 171, 189, 290, 294

- neuronal, 189, 290, 292, 294, 295, 303

- oxygenase domain, 189

- Nitrite

- formation, 298

- peroxy-, 298, 299

Nitrogen (*see also* Dinitrogen)
¹⁵N, 303
 radical, *see* Radicals
 Nitrogen monoxide, *see* Nitric oxide
 Nitrogen dioxide, 298
p-Nitrophenol
 hydroxylation, *see* Hydroxylation
 Nitrous oxide, *see* Dinitrogen monoxide
 NMR
 studies of P450s, 191, 192
 Nootkatol, 531
 oxidation, 451
 structure, 448
 Nootkatone, 450, 451, 531
 structure, 448
 Norbornane, 48, 198–200, 205, 209, 210,
 221, 339, 340
 Norcamphor, 198–200, 205, 209,
 210, 221
 Nuclear magnetic resonance, *see* NMR
 Nucleotides (*see also* individual names)
 oligo, *see* Oligonucleotides
 pyridine, *see* Pyridine(s)

O

Obtusiferol, 363
 Octane
 hydroxylation, *see* Hydroxylation
Octopus pallidus, 104, 105, 511
 Olanexidine, 401
 metabolism, *see* Metabolism
 oxidation, 402, 403
 urinary metabolites, 402, 403
 Olfactory or olfaction, 484
 neurons, 482
 organ, 493, 499
 Oligonucleotides
 antisense, 377
Ophiocomina nigra, 509
Orconectes limosus, 107, 508
Oryza sativa
 genes, 99
 genome, 4, 8, 14
 P450, 9

Otter, 100
 Ovary
 regulation of hormones, 381, 382
 steroid hormone biosynthesis, 370,
 379–382
 Oxidases (*see also* individual names)
 amine, 171
 cytochrome *c*, 299
 mixed-function, 2
 NADPH, 337
 Oxidoreductase
 2-oxoacid-ferredoxin, 7, 87
 Oximes, 423
 Oxygen (*see also* Dioxygen)
¹⁷O, 33
¹⁸O, 38, 39, 48, 303, 410
 radical, *see* Radicals
 transport, 320
 Oxygenases
 categories, 321
 di-, *see* Dioxygenases
 heme, *see* Heme oxygenases
 lip-, *see* Lipooxygenase
 mono-, *see* Monooxygenases
 Oysters (*see also* individual names),
 119, 512

P

P420
 carbon monoxide complex, 305, 306
 formation, 204, 294
 –P450 equilibrium, 294
 –P450 spectral transitions, 306
 P450s (*see also* CYP *and* individual
 P450s)
⁵⁷Fe, 219
 access to the distal pocket, 237–239
 activation enthalpy, 190
 active site, 64, 70–74, 76, 80, 85, 164,
 193, 214, 268, 269, 327–333
 active site analogues, 28, 32
 active site water, role of, 254–258, 279
 activity, 438, 439
 ancestral forms, 480

- P450s (*see also* CYP and individual P450s) (Continued)
- animal, 4, 5
 - antisera, 103
 - aquatic, 97–121
 - aquatic gene families, 108–116
 - archaeon, 4, 86–90
 - arthropodal, 101, 105–108
 - axial cysteine, 303
 - bacterial, 4, 6, 7, 17, 18, 60, 76, 160–162, 189, 190, 444–462
 - binding constant, 288
 - biocatalysis, 165–168
 - biotechnological applications, 18, 286
 - carbon–carbon bond cleavage, 397–430
 - carbon monoxide binding, 192, 193, 203–211, 289, 305–308
 - catalytic cycle, 28, 128, 129, 158–171, 175, 188, 189, 251, 287, 323–325
 - catalyzed epoxidations, *see* Epoxidation
 - catalyzed hydroxylations, *see* Hydroxylations
 - catalyzed substrate oxygenation, 163
 - characteristic reactions, 3, 36
 - clinical observations, 591–615
 - cofactor, 28
 - common themes, 529, 530
 - competitive reactions, 222–225
 - compound I, *see* Compound I
 - compound II, *see* Compound II
 - conformational changes, 70–74
 - conservation of the fold, 62–64
 - conserved acidic residues, 243
 - conserved alcohol residues, 243, 259
 - crustacean, *see* Crustaceans
 - crystal structures, *see* Crystal structures
 - cysteine ligand loop, 65–67
 - cytosolic, 296
 - designed protein models, 273–275, 280
 - designing, 437–469
 - dietary effects, 608–610
 - dioxygen activation, *see* Dioxygen
 - dioxygen binding, 10, 39, 68, 70, 190, 208, 211–215, 223, 224, 253–258, 286, 325–327, 349
 - dioxygen reduction, 163–165
 - directed evolution, 457–462, 466, 530
 - distal acid–alcohol pair, 242–249
 - distal pocket, 268, 275–279, 304, 331–333
 - diversities, 1–18
 - domain structure, 64, 65
 - drug-metabolizing (*see also* Metabolism), 52, 58, 70, 71, 81, 329
 - electrochemistry, 127–151, 167
 - electron delivery, 188, 190, 202, 203
 - electron shuttles, 167, 168
 - electron transfer reactions, *see* Electron transfer
 - energy landscape, 193
 - engineering, 437–469
 - eukaryotic, 4, 7, 294, 309, 332, 363
 - evolution of common metabolic functions, 16–18
 - evolution, *see* Evolution
 - families and subfamilies, 60, 61
 - fish, *see* Fish
 - formation of protein radicals, 217–221, 224, 225
 - fungal, 4, 6, 81, 83
 - genes, 13, 58–60
 - glycosylation, *see* Glycosylation
 - heme–azole complexes, 303–305
 - heme pocket, *see* Heme
 - heme–propionate interactions, *see* Heme
 - heme Soret band, 158
 - heme–thiolate interactions, beyond, 267–280
 - heme–thiolate systems, *see* Heme
 - herbal interactions, 609
 - high-spin state, 195–202
 - high-valent metal-oxo intermediates, 11, 12
 - high-valent species, 169
 - Holy Grail, 165–168, 180
 - human, 561–583
 - human P450s, list, 571, 597
 - human therapy, 287
 - hydrogen bonding networks (*see also* individual P450s), 275–277, 348
 - hydroperoxo complexes, 102, 213–215, 224, 243, 325

- P450s (*see also* CYP) (Continued)
- hydrophobic pocket, 348
 - hydrophobic substrates, 239, 330
 - hydrostatic pressure studies, 193–195
 - inactivation, 221, 222
 - inducers, 596, 597, 600, 601, 613
 - induction mechanism, 568
 - industrial applications, 530–534
 - inhibitors (*see also* Inhibition), 288, 293–295, 297–310, 329, 333, 371, 374, 382, 415, 566, 573–600, 606, 608, 613
 - insect, *see* Insect
 - interaction with imidazoles, 300–305
 - interactions with nitric oxide, 285–310
 - invertebrate, 100–116
 - iron-oxo intermediate, 215–221
 - irreversible inhibitors, 309, 310
 - kinetics of carbon monoxide binding, 208–211
 - leakage in reactions, 12, 187–226
 - location, 594
 - low-spin state, 195–202
 - major subfamilies, 482–486
 - mammalian, 6, 13, 18, 59, 60, 100, 101, 160, 162, 323, 329, 403, 462–467
 - mechanism, 6–13, 84, 85, 158–171, 258
 - mechanism of catalysis, 337–342
 - mechanism of epoxidation, 342, 343
 - mediated chemical defense, *see* Chemical defense
 - membrane, associated, 58, 76, 77
 - metal–diimine wires, 171–174
 - microsomal, 73, 74, 136, 189, 294, 329, 332, 364, 365, 369–371, 373
 - mimics, 27–52, 272, 273, 279, 280
 - mitochondrial, 70, 111, 189, 296, 364–369, 371–373, 499
 - molecular phylogeny, 57–91
 - mollusc, 101, 104, 105, 110, 512
 - monooxygenase catalytic mechanism, 9
 - multimeric, 77–81
 - multiple oxidants in catalysis, 343–347
 - nematode, 480
 - nitration, *see* Nitration
 - nitric oxide binding, 293–295, 303 nomenclature, 3–5, 60, 61, 99
 - ‘orphan’, 571, 576
 - overview, 322–327
 - oxidase reaction, 43, 216, 217
 - oxidized species, 168–171
 - oxy intermediates, 10, 11, 173
 - P420 equilibrium, 294
 - P420 spectral transitions, 306
 - peppermint, 6
 - peroxidase activity, 90
 - peroxo complexes, 10, 11, 213–215
 - pharmaceutical synthesis, 530–532
 - phosphorylation, 15
 - phylogenetic tree, 74, 98
 - plant, 4–7, 13, 15, 18, 423, 467, 468, 513–520
 - polymorphism, 567, 573, 601, 602, 604, 605, 613
 - predicting drug activity in humans, 565–570
 - prokaryotic, 70, 72, 74, 77, 87, 455, 525–529
 - properties of human P450s, 597
 - protein structural properties, 191–195, 222–225
 - proximal cysteine, 290, 333–337
 - proximal side, 268–275, 287, 304
 - proximal surface, 86
 - radical pathway, 339, 340
 - rate constants for binding, *see* Rate constants
 - reaction cycle, 9, 11, 188–190, 192, 195–222, 349
 - reaction intermediates, 250–253
 - reactivity landscape, 9–11, 193
 - redox partners, 6–9
 - redox potentials, list of, 134, 135, 146, 148
 - redox titration, 131–139
 - regulation by receptor-mediated systems, 486, 487
 - regulation, 13–16
 - resting state, 159
 - reversible inhibitors, 308, 309
 - secondary coordination sphere, roles of, 267–280
 - second electron transfer, 245

- P450s (*see also* CYP and individual P450s) (Continued)
 sequences, 3–5, 236
 side reactions, 189, 221, 222
 signature, 158
 similarities, 1–18
 site-directed mutagenesis, *see* Site-directed mutagenesis
 spectral properties of carbon monoxide complexes, 203–211
 spectroscopic techniques, list of, 191, 192
 steroid hormone biosynthesis, 361–386
 structural basis for binding and catalysis, 235–260
 structures (*see also* individual P450s), 5, 6, 57–91, 441–444
 substrate binding, 70–74, 199–211, 330, 331
 substrate entry, routes for, 202
 substrate hydroxylation, 225
 substrate-induced reactivity, 350, 351
 substrate interactions, 286–289
 substrate pocket, 449
 substrate recognition, 237–239
 substrate, role of, 439–441
 substrate specificity, 482–486
 superfamilies, 3, 4
 thermal-stable, 90, 91
 threonine, role of, 331–333
 transient oxygen intermediates, 351, 352
 turnover rates, 162
 ubiquitination, *see* Ubiquitination
 variant alleles, 567, 568, 574
 variation in function and fold, 81–86, 90
 vertebrate, 6, 8, 9, 15, 16, 480
 vesicle construct, 51
 voltammetry, *see* Voltammetry
 xenobiotic decomposition, 530–534
 yeast, *see* Yeast
- P450 1A2, 160, 572, 573
 inhibition, 572
 mutagenesis studies, 572
 nitric oxide binding, 294
- P450 15 α (= CYP2A4), 72, 73
- P450 2B4, 189, 198, 373
 autoxidation rate constants, 212
 azole binding, 304
 dioxygen binding, 209
 nitric oxide binding, 294
 spin states, 203
 structure, 80, 81
- P450 2C5
 membrane bilayer, 77
 structure, 75
- P450 2C9, 573, 581, 601, 602
- P450 2C19, 573, 574, 601
- P450 3A4
 active site pocket, 76–78
 structure, 76–78
- P450 175A1, 87, 89
- P450aldo (= CYP11B2), 364, 366, 367, 374, 375, 383–385
 inhibition, 374
- P450arom, 149, 150, 364
- P450 BM3 (CYP102), 7, 74–80, 84, 87, 143, 144, 147, 149, 160–162, 167, 174, 175, 189, 218–221, 237, 243, 246–248, 270, 271, 277, 291–293, 302, 303, 306, 331, 333, 464, 466, 527, 530–533
⁵⁷Fe, 219
 active site, 268, 452, 461
 autoxidation rate constants, 212
 carbon monoxide binding, 209, 306
 dioxygen binding, 452
 directed evolution, 458–462
 electron transfer, 160–162
 FMN domain complex, 78, 79
 mutation, 138, 214, 218–220, 247, 248, 452–456, 458–462
 nitric oxide binding, 293–295, 299
 redox potential, 224, 246, 247
 structure, 32, 70, 71, 74, 76, 78, 79, 88, 137, 140, 225, 246, 248, 268, 269, 292, 332
 structures of substrates, 454
- P450 BS β , 84, 86
 structure, 85, 269
- P450cam (= CYP101), 68, 69, 70, 72–76, 87, 89, 162–164, 168, 170, 171, 175, 189, 190, 198, 218, 237–241, 243,

- P450cam (= CYP101) (Continued)
247–249, 259, 270, 279, 293, 296,
299, 302, 322, 323, 331, 340, 350,
372, 429, 444–452, 456, 525–527,
531, 532
⁵⁷Fe, 219
active site, 201, 214, 239–241, 268,
274, 327–329, 445
autoxidation rate constant, 212
binding to wires, 176
catalytic cycle, 28, 30, 324
chain motions, 238
conserved aspartic acid, 244–246
conserved threonine, 242–244
crystal structure of O₂ complex, 212
dioxygen binding, 325–328, 335, 336
directed evolution, 458
Fe(II), 178, 179, 253, 326, 328, 336
Fe(III), 178, 253, 326, 352
ferrous dioxygen complex, 253–258
hydrogen bonding network, 33, 204,
212–215, 223, 224, 239, 240, 242,
244, 245, 270, 275–278, 326, 328,
329, 334–336, 444, 445
hydrogen bonding of thiolate, 33
hydroperoxy intermediate, 68, 334
hydrophobicity of active site, 138, 274
modified electrodes, list of, 148
mutants, 145, 180, 202, 214, 215, 219,
220, 223, 241, 244, 245, 253–256,
259, 274, 277, 278, 331, 333, 334,
336, 337, 343, 349, 444–452
nitric oxide binding, 293–295, 303
peroxo complex, 29, 30
photoreduction, 178, 179
rate constants for binding, 208–211
rate of 5-OH-camphor formation, 241
rate of dioxygen consumption, 241
rate of hydrogen peroxide formation,
241
redox potential, *see* Redox potentials
redox states, 174
resting state, 29, 34
reversible potential, 132, 136, 138,
145–149
structure, 32, 63, 64, 73, 74, 76, 88,
128, 197, 225, 240, 244, 257, 268,
269, 271, 278, 445, 449
structures of substrates, 448
structures of wire complexes, 178–180
substrate complexes, 199, 200, 205,
208–211, 222, 449
wire conjugates, list of, 177
xenon binding, 238
P450cin (= CYP176A1), 68, 75, 76, 133,
139, 149, 239, 243, 527
structure, 72–76, 241
P450 COH (CYP2A5), 72, 73
P450eryF (= CYP107A1), 68, 85, 189,
212, 213, 243, 248, 253, 276, 277, 456
dioxygen binding, 256, 257, 336
hydrogen bonding network, 326
ketoconazole binding, 304, 305
mutants, 256, 257, 278
structure, 32, 257, 269, 304
P450nor (= CYP55A1), 7, 86, 236, 243,
249, 295–298
hydrogen bonding network, 249, 296,
297
mutants, 249
nitric oxide binding, 294–298
structure, 83, 84, 297
P450 RhF, 136
P450scc (= CYP11A1), 136, 145, 189,
363, 365–367, 372, 374–376, 379,
381–385, 398–401, 409, 413
autoxidation rate constant, 212
carbon monoxide binding, 209
nitric oxide binding, 294
P450terp (= CYP108), 526, 527
autoxidation rate constant, 212
carbon monoxide binding, 209
X-ray structure, 32, 269
Pacifastacus leniusculus, 106
Paclitaxel, 576
hydroxylation, *see* Hydroxylation
Palmitate, 458
Palmitoleic acid, 331
Panulirus argus, 101, 106, 110, 508
Papilio sp., 504
canadensis, 504
glaucus, 504

- Papilio* sp. (Continued)
polyxenes, 504
xuthus, 499
- Paracetamol, *see* Acetaminophen
- Parathion, 490, 511, 534
- Patinopectin yessoensis*, 104
- PCBs, 101, 104, 107, 118, 119, 488, 491, 497, 509–512
 metabolism, *see* Metabolism
- Penaeus setiferus*, 107, 508
- Peppermint
 limonene-3-hydrolase, 468
 P450, 6
- Perhexiline
 hydroxylation, *see* Hydroxylation
 metabolism, *see* Metabolism
 structure, 582
- Perna canaliculus*, 512
- Peroxidases, 85, 215, 216, 320, 321
 ascorbate, 68
 chloro-, *see* Chloroperoxidase
 compound I, *see* Compound I
 compound II, *see* Compound II
 cytochrome *c*, 68
 heme, 65, 68
 horseradish, 40, 169, 171, 252
 lacto-, *see* Lactoperoxidase
 lignin, 49
 manganese(II), 68
 micro-, 171, 217
 myelo-, 171
- Peroxide(s), 12, 85, 102
 formation, 82
 hydrogen, *see* Hydrogen peroxide
- Peroxy acetic acid, 217–219, 352
- Peroxy acids (*see also* individual names)
m-chloroperoxybenzoic, 217, 218, 222, 325, 352
- Persea americana*, 518
- Pesticides (*see also* individual names), 98, 101, 106, 111, 487, 488, 490
 detoxification, *see* Detoxification
 resistance, 505, 506
- Phanerochaete chrysosporium*, 524
- Pharmaceutical industry, 562, 563, 567, 571
- Pharmacodynamics or pharmacokinetics, 593, 598, 599
 analysis, 564, 568, 570
- Pharmacological response, 564
- Phenacetin, 465, 464
- Phenobarbital, 14, 104, 106, 107, 329, 484–486, 489, 492, 496, 497, 506, 508, 510, 513
- Phenytol
 hydroxylation, *see* Hydroxylation
- Pheromones, 120, 450, 499
- Phoma pinodella*, 521
- Phosphate
 organic, 490, 507, 534
- Phosphatidylcholine
 dimyristoyl-L- α -, 534
- Phospholipid
 bilayer, 7
 membrane, 136
- Phosphorus
³²P, 349
- Phosphorylation of
 adrenodoxin, 372
 P450, 15
 serine, 15
 threonine, 15
- Phyllopertha diversa*, 499
- Phylogenetic tree
 P450s, 74, 98
- Physcomitrella patens*
 genome, 4
- Phytoalexins, 59
- Phytotoxins
 alkaloid, 505
- Pimelic acid, 401
- Pinene
 binding modes, 451
 oxidation, 450, 531
 structure, 448
- Piperidine, 423
 tetramethyl-, 422
- Pisatin, 521
 structure, 522
- Placenta, 365
 steroid hormone biosynthesis, 366, 370, 382, 383

- Plant(s) (*see also* individual names and species)
allelochemicals, 504, 505
chemical defense, 513–521
implications of immobility, 520, 521
P450s, *see* P450s
–plant chemical warfare, 520
steroid hormone biosynthesis, 16
versus animal chemical warfare, 498, 504, 505
- Platelet aggregation, 426
- Platyhelminths
P450s, 101
- Plebidonax deltoides*, 512
- Pleurodeles waltyl*, 491
- Pollutants, 102, 104, 447, 463, 487, 494, 607
- Polychaete
P450s, 101, 103, 111, 511
- Polychlorinated biphenyls, *see* PCBs
- Polycyclic aromatic hydrocarbons, *see* Aromatic hydrocarbons
- Polymerase chain reaction
error-prone, 457, 462
real-time, 118, 120
- Poor metabolizer, 564, 573, 601, 602, 605
- Poriferans
chemical defense, 512
P450s, 101
- Porphyria*, 488
- Porphyrins (*see also* Hemes and individual names)
basket-handle, 28
capped, 28
cobalt, 46, 165
electron deficient, 48–52
epoxidation, *see* Epoxidation
face-protected, 29
Fe(II), 50, 51
Fe(III), 29, 33, 40, 41, 48–50, 169, 410, 411
Fe(IV), 41, 216
Mn(III), 40–46
Mn(IV), 41
Mn(V), 41, 52
Os, 46
oxo Fe(IV), *see* Compound I
- picket-fence, 28, 37
proto-, *see* Protoporphyrins
radical, *see* Radicals
Ru(II), 40, 46–48
Ru(IV), 46
Ru(VI), 40
strapped, 28
tetramesityl, 410, 411
tetraphenyl, 40, 41
thiolate-ligated, 273
twin coronet, 279
with a thiolate, 31–40
Zn, 49, 50
- Porpoise, 100
- Potassium channel, 610, 612
- Potatoes, 423
- Potentials, *see* Redox potentials
- Potentiometric titration of P450s, 130–139, 146, 147
- Pravastatin, 530
- Pregnonolone, 374–376, 404, 600
16 α -carbonitrile, 485, 486, 489
biosynthesis, *see* Biosynthesis
cleavage, 408
hydroxylation, *see* Hydroxylation
oxidation, 403, 405, 414
structure, 363
sulfate, 111
- Pressure jump studies of P450s, 191, 192
- Procambus clarkii*, 105, 106
- Prochloraz, 489, 490
- Progesterone, 278, 366, 367, 370, 534, 575
cleavage, 408
hydroxylation, *see* Hydroxylation
oxidation, 404
structure, 363
- Prokaryotes (*see also* individual names), 59, 86
chemical defense, 525–529
P450s, *see* P450s
- Propanolol, 530
- Propiconazole, 489
- Prostacyclin, 426–428
synthase, *see* Synthases
- Prostaglandin(s), 426–429, 571
biosynthesis, *see* Biosynthesis

- Prostaglandin(s) (Continued)
 endoperoxide synthase, *see* Synthases
 H synthase, *see* Synthases
 H₂, 7, 8
- Prostate cancer, *see* Cancer
- Proteases (*see also* individual names)
 HIV, 599, 609, 610, 612
 inhibitors, 309, 598, 599, 609, 610, 612
 serine, 70
- Proteins (*see also* Enzymes and individual names)
 radical, *see* Radicals
 engineering, 463
 P-glyco-, 603–606, 609
 –protein interactions, 136, 371–373, 380
 sensor, 12
 SoxAX, 308
 steroidogenic acute regulatory, 376
- Protein kinases
 A, 15, 376, 377
 C, 15
 cAMP-dependent, 15
- Protista
 chemical defense, 513
- Protonation constant, *see* Acidity constant
- Proton transfer (in)
 cascade, 333
 P450s, 241, 243, 245, 252, 257–259, 279, 297, 326, 330, 331, 335, 428, 452
 relay system, 259, 298, 351
- Protoporphyrin IX, 128, 320, 330
 Fe(III), 28, 160
 structure, 321
- Pseudomonas* sp., 532
diterpeniphila, 527
incognita, 526
putida, 74, 162, 190, 237, 293, 322, 444, 525, 531
solanacearum, 520
- Psoralens, 520
 biosynthesis, *see* Biosynthesis
 structure, 416
- Putidaredoxin, 29, 30, 74, 75, 137, 162, 168, 176, 192, 213, 270, 323, 351, 352, 372
- reductase, *see* Reductases
- Pyrene
 benzo[a]-, *see* Benzo[a]pyrene
 oxidation, 533
 structure, 448
- Pyrethroids, 505, 506
- Pyridine
 binding to P450s, 308
 N-oxides, 46
 nucleotide oxidation, 7, 12, 242, 244
- Pyrogallol
 peroxidation, 337
- Pyrrolidines, 422, 423
- Pyruvate:ferredoxin oxidoreductase, 87
- Python regius*, 492

Q

- Quantum mechanical calculations, 198, 215, 259
- Quencher
 oxidative, 173–175, 179
 reductive, 173–175
- Quinidine, 534, 566, 596, 598
- Quinoline
 7-benzyloxy-, 456, 464, 467
- Quinones (*see also* individual names)
 1,4-naphtho-, 454, 462
tert-butylhydro-, 14
 imino-, 577

R

- Radicals (*see also* individual names)
 alkoxy, 404, 408, 410
 allyl, 39, 425, 428
 amino acid, 192
 carbonyl, 428
 carbon, 339–341, 416, 420, 422, 428, 429
 carboxyl, 420
 clock, 341, 348
 porphyrin π -cation, *see* Iron(IV)
 hydroxyl, 325, 341
 indolyl, 224

- Radicals (Continued)
intermediates, 36, 37, 339
nitrogen, 423
olefin cation, 343
oxygen, 428, 429
pairs, 224
pathway in P450s, 339, 340
porphyrin, 67, 68, 159, 179, 216–218
protein, 188, 189, 217–221
tryptophan, 189, 192, 221, 224, 225
tyrosine, 39, 180, 189, 192, 219–221, 224, 225, 352
- Radiolysis
cryo-, 252
for redox reactions, 250–253
- Rainbow trout, 493, 495, 497
- Raloxifene, 309
- Raman spectroscopy (studies of)
nitric oxide synthase, 295
P450 models, 279
P450s, 191, 192, 211, 246, 275, 278, 296, 299, 302, 303, 326, 348
- Random expulsion molecular dynamics, 238
- Rate constants for
autoxidation, 212
carbon monoxide binding, 208–210
dioxygen binding, 208–210, 212, 325
hydroperoxy complexes, 217
P450s, 199, 208–212, 217, 346
- Ravuconazole, 301, 302
- Reaction rates, *see* Rate constants
- Reaction volume, 199
- Reactive oxygen species, 10, 12, 369, 497, 504
- Recombination mutation methods
combinatorial libraries enhanced by recombination in yeast (CLERY), 457, 465
DNA family shuffling, 457, 458
DNA shuffling and ITCHY (SCRATCHY), 458
incremental truncation for the creation of hybrid enzymes (ITCHY), 458
sequence homology independent protein recombination (SHIPREC), 458, 465
staggered extension process (StEP), 457
- Redox potentials, 440
Co(III)/Co(II), 167
compound I/compound II, 224
CYP2B4, 331
Fe(II)/Fe(I), 166
Fe(III)/Fe(II), 29, 32, 33, 35, 38, 48, 50, 67, 158, 160, 162, 166, 170, 173
Fe(IV)/Fe(III), 170, 171
heme, 161, 270, 286, 324
indoyl radical pair, 224
list of, 134, 173
Mn(III)/Mn(II), 50
P450 BM3, 246, 247, 455
P450cam, 202, 273, 331, 334
pH dependence, 139
potentiometrically determined, 130–139, 146, 147
practical considerations, 143, 144
Re(I)/Re(0), 173
Re(II)/Re(I), 173
reversible, 128–151
Ru(III)/Ru(II), 173, 179
theoretical considerations, 140–143, 195
tyrosine phenoxy radical pair, 224
voltammetrically determined, 130, 131, 139–150
- Reductases
adrenodoxin, 364, 365, 368, 369, 371, 372
artificial, 162
cytochrome *b*₅, 8, 9
ferredoxin, 160
flavin containing, 160
FMN, 137
FMN/FAD, 77, 90
methionine synthase, 290
NADPH, 464
NADPH-cytochrome P450, 101, 102, 104, 371, 373, 414, 499, 569
NADPH-dependent ferredoxin, 8, 9
nitric oxide, 249
P450, 364
putidaredoxin, 176, 323

Reduction potentials, *see* Redox potentials

Reptiles, 487
 chemical defense, 490, 491
 P450 regulation, 491–493

Resonance Raman spectroscopy, *see* Raman spectroscopy

Resorufin
 7-benzyloxy-, 464, 467, 508
 alkoxy-, 481
 demethylation, *see* Demethylation
 ethoxy-, 465, 508, 518
 methoxy-, 514
O-dealkylation, *see* Dealkylation
O-deethylation, *see* *O*-Deethylation
 pentoxy-, 484, 508, 518
 structure, 464

Respiratory chain
 inhibition, 299

Respiratory tract
 cancer, 484

Rhenium (0), 173

Rhenium(I)
 wires, 173, 175–177
 redox potentials, *see* Redox potentials

Rhizopus nigricans, 523

Rhodium(I)
 diimine complex, 171

Rhodococcus sp., 8, 526, 528, 533
erythropolis, 527, 528
rhodochrous, 527, 528

Rhodospirillum rubrum, 307

Rhodotorula minuta, 419

Rhodovulum sulfidophilum, 308

Rice, *see* *Oryza sativa*

Rifampicin, 485, 486, 497, 579, 580, 608

Ritonavir, 309, 599, 612

Rubredoxin, 149
 crystal structure, 66

Ruthenium(I)
 2,2'-bipyridyl complex, 178

Ruthenium(II), 40, 46–48, 172, 173
 2,2'-bipyridyl complex, 175, 178, 179
 diimine, 162, 171, 174
 porphyrins, *see* Porphyrins
 redox potential, *see* Redox potentials
 wires, 176, 177

Ruthenium(III), 172, 173
 2,2'-bipyridyl complex, 171, 173, 178
 redox potential, *see* Redox potentials

Ruthenium(IV), 46

Ruthenium(VI), 40

S

Saccharomyces
cerevisiae, *see* Yeast
diastaticus, 531
 genome, 4

Saccharopolyspora erythraea, 304

Saccostrea glomerata, 512

Salmo salmar, 495, 497

Salt bridge in P450s, 89, 239, 246

Saponines, 362

Saxitoxin
 red-tide, 119

Scallop (*see also* individual names), 104, 119

Schistosoma mansoni, 105

Schistosomiasis, 105

Schizosaccharomyces pombe, 8

Scoparone
 metabolism, *see* Metabolism

Sea anemone (*see also* individual names), 512
 P450s, 102, 103

Seal, 100

Sea lion, 100

Sea squirts (*see also* Ascidians), 498
 P450 genes, 108

Sea stars (*see also* individual names), 108, 508, 509
 P450s, 102

Sea urchins (*see also* individual names), 108, 508, 509

Secologanin
 structure, 417

Seldane[®], *see* Terfenadine

Serine
 phosphorylation, 15

Serotonin
 receptor inhibitor, 598

Shark, 100

- Shrimps (*see also* individual names), 107, 508
 grass, 106
- Shunt pathway, 32, 37, 40, 196, 217, 224, 280, 325
- Site-directed mutagenesis of
 P450s, 72, 137, 138, 218–221, 242, 270, 271, 370, 444–452, 459, 463–465, 468, 531, 572, 574
- Skin
 expression of P450s, 384
 fungal infections, 301
- Snails (*see also* individual names), 105, 110, 511
 atrazine-exposed, 104
- Snake (*see also* individual names), 491, 492
- Solanum tuberosum*, 423
- Soret band, 179
 compound I, 217
 metal-diimine wires, 175
 P420, 306
 P450-carbon monoxide complex, 203–208, 275, 305–307, 325
 P450-dioxygen complex, 211, 213
 P450-nitric oxide complex, 293–295, 308
 P450s, 158, 197, 223, 287–300, 302, 349, 352
- Spearmint
 limonene-6-hydrolase, 468
 P450, 6
- Spectroscopy (of)
 azole drug binding to P450s, 302, 303
 list of techniques, 191, 192
- Sphingomonas paucimobilis*, 527
- Sphingosine, 378
- Spirolactone, 384
- Sponges (*see also* individual names), 110, 111, 512
- Stability constants, *see* Binding constants
- Steroids (*see also* individual names), 98, 99, 287, 600
 acute regulation of biosynthesis, 375, 376
 androgens, 300, 343, 370, 374, 375, 381, 409
 biosynthesis, *see* Biosynthesis
 chlorinated, 309
 chronic regulation of biosynthesis, 376–379
 ecdys-, 107, 108, 111
 hydroxylation, *see* Hydroxylation
 neuro-, 383
 overproduction, 373
 plant, *see* individual names
 receptors, 492
 structures, 362
- Steroidogenic factor 1, 376–379, 382, 384, 385
- Sterols, 571
 biosynthesis, *see* Biosynthesis
 demethylase activity, 302
 phyto-, 362, 363
 structures, 362
- Stigmasterol
 structure, 362
- St. John's wort, 612
 as P450 3A4 inducer, 580, 597, 610
- Stopped flow studies of
 P450s, 192, 208–210, 213, 217–221
- Streptomyces*
 carbophilus, 530
 coelicolor, 275, 441, 456
 griseus, 527, 528, 533
 P450s, 4, 257
- Strongylocentrotus*
 droebachiensis, 509
 purpuratus, 110, 508
- Structure–function relationships of P450s, 370
- Styrene, 485
 3-chloro-, 453, 454
 structure, 454, 522
- Suberite domuncula*, 512
- Sulfaphenazole, 566
 as inhibitor, 573
- Sulfide oxidation, 322
- Sulfite oxidation, 308
- Sulfolobus solfataricus*, 7, 87, 304, 456
- Sulfones, 322
- Sulfoxides, 322

- Sulfur
³⁴S, 303
 Superoxide, 38, 189, 211, 298
 ferric complex, *see* Iron(III)
 formation, 12, 216, 286, 325
 Superoxide dismutase, 298
 Surfactants, 145–148
 Synthases
 aldosterone, 61
 allene oxide, 7, 8
 cystathionine β-, 12, 307
 divinyl ether, 7
 isoflavone, 421
 prostaglandin H, 8, 39, 40
 prostacyclin, 299, 426, 571
 thymidylate, 87
 thromboxane, 7, 426, 571
 Synthesis of
 antibiotics, 286
 bio-, *see* Biosynthesis
 camalexin, 14
 nitric oxide, 290–293
- T**
- Tacrolimus, 606, 611
Takifugu rubripes (*see also Fugu*),
 111–115, 494
 Tamoxifen, 599
 Tanabe-Sugano diagram, 198
 Taxol, 467
 Temperature jump studies of
 P450s, 191, 192, 199
 Teratogens, 492
 Terfenadine, 565, 597, 610–612
 bioavailability, 608
 metabolism, *see* Metabolism
 toxicity, *see* Toxicity
 Terpenes, 481, 526, 527
 metabolism, *see* Metabolism
 oxidation, 450
 sesqui-, 450
 Testis (*see also* Gonads), 369, 379
 hormone biosynthesis, 370, 387–381
 regulation of hormones, 379, 380
 Testosterone, 72, 248, 278, 364, 409,
 456, 467, 527, 575, 600
 17-*O*-acetyl-, 404
 6β-, 278
 biosynthesis, *see* Biosynthesis
 hydroxylation, *see* Hydroxylation
 isotope labelling studies, 278
 metabolism, *see* Metabolism
 structure, 363, 410
 3,3',4,4'-Tetrachlorobiphenyl, 488, 492,
 497, 512
 oxidation, 491
 Tetradecanoic acid, 401
 Tetrahydrobiopterin, 82, 291
 3,3,5,5-Tetramethylcyclohexanone, 199,
 205, 210
Tetraodon nigroviridis, 494
 Theophylline, 483
 Therapeutic index, 574
Thermus thermophilus, 87
 Thioanisole, 171
 Thiocarbamates
 di-, *see* Dithiocarbamates
 diethyl-, 495
 Thiols (and thiolate groups) (*see also*
 individual names), 333–337
 as porphyrin ligands, 31–40, 128
 heme-, *see* Heme
 proximal, 136
 Thiosulfate
 oxidation, 308
 Threonine
 hydroxyl group, 331–333
 phosphorylation, 15
 role in P450 catalysis, 331–333
 Thromboxanes, 426–429
 A₂, 7
 biosynthesis, *see* Biosynthesis
 synthase, *see* Synthases
 Ticlopidine, 309
 Tienilic acid, 309
 as inhibitor, 573
 bioactivation, 580
 hepatotoxicity, 573, 580
 metabolism, *see* Metabolism
 structure, 580
 Tin
 tributyl, 104, 106, 111, 508, 511,
 522

- Tobacco, 505, 518, 520, 607
 procarcinogen, 484
 smoke, 597
- Tolbutamide
 hydroxylation, *see* Hydroxylation
- Tomato, 408, 423
- Toxicity (of)
 acetaminophen, 577
 geno-, *see* Genotoxicity
 hepato-, *see* Hepatotoxicity
 terfenadine, 578
 test systems, 487
- Toxins (*see also* individual names)
 afla-, *see* Aflatoxins
 algal, 100, 119
 myco-, 417
 phyto-, 505
 saxi-, 119
 xantho-, *see* Xanthotoxin
- Transferases
 glutathione-S-, 14, 118–120, 519
 glycosyl, 519
 uridine dinucleotide phosphate
 glucuronosyl, 571
- Tributyltin, 104, 106, 111, 508
 metabolism, *see* Metabolism
 structure, 522
- 1,3,5-Trichlorobenzene, 532
 oxidation, 449
 structure, 448
- Trypsin, 70
 chymo-, *see* Chymotrypsin
- Triazoles
 as P450 inhibitors, 288
- 1,1,1-Trichloro-2,2-bis(4-chlorophenyl)ethane, *see* DDT
- Trichosporon cutaneum*, 296
- Troleandomycin, 485
- Trout
 rainbow, 493, 495, 497
- Trypanosomes, 513
- Tryptophan
 radical, *see* Radicals
- Tulipa gesneriana*, 423
- Tuna, 100
- Turkey, 488, 490
- Turtles, 487, 490, 491
- Tylenol[®], *see* Acetaminophen
- Tyrosine
 nitration, 298, 299

U

- Ubiquitination of
 P450, 15
- Unio tumidus*, 105
- UV-Vis spectrophotometry of
 oxyferrous adducts, 349, 350
 P450s, 191, 192, 197, 245, 252

V

- Valencene, 450, 451, 453, 531
 structure, 448
- Vancomycin, 236
- Vasoconstriction, 426
- Vasodilation, 426
 nitric oxide, *see* Nitric oxide
- Verapamil, 534, 597, 599
- Vertebrates (*see also* individual names)
 non-mammalian, 487–498
 P450s, *see* P450s
- Vinclozolin, 489
- Vitamin A, 571
- Vitamin C, *see* Ascorbate
- Vitamin D, 384
 oxidation, 571
- Vitamin D₂
 hydroxylation, *see* Hydroxylation
 metabolism, *see* Metabolism
- Vitamin D₃, 400, 406
 oxidation, 417
 reactions, 406, 407
- Voltammetry (studies of)
 comparison of data, 150, 151
 cyclic, *see* Cyclic voltammetry
 P450s, 130, 131, 138–151, 166, 170
 surface-confined, 142–144, 146, 151
- Voriconazole, 302
 structure, 301

W

- Warfarin, 527, 597, 601, 602, 614
 hydroxylation, *see* Hydroxylation
 metabolism, *see* Metabolism
Western population, 573, 576
Whale, 100, 101
 P450 genes, 115, 116
Wires
 biphenyl-tethered, 179
 electron-tunneling, 171–180
 -mediated P450 oxidation, 179, 180
 -mediated P450 reduction, 178, 179
 metal-diimine, 171–174
 P450-wire conjugates, 174–178

X

- XAS, *see* X-ray absorption spectroscopy
Xanthotoxin, 504, 507
Xenobiotics, 14, 98, 99, 101, 116, 158,
 321, 344, 571
 bioactivation, 518
 biotransformation, 477–537
 catabolism, 17
 chemical defense against, 477–535
 decomposition, 530–534
 detoxification, *see* Detoxification
 effects of P450s, 102–108, 117

- excretion, 603
 hydrophobic, 330
 list of, 522, 523, 526
 metabolism, *see* Metabolism
 mineralization, 524
 receptor, 489
 resistance, 111, 118, 119
 structures, 522, 523, 526

Xenopus

- laevis*, 487, 491, 492
 tropicalis, 491, 492

- X-ray absorption spectroscopy of
 P450 models, 273

Y

- Yarrowia lipolytica*, 524
Yeast (*see also* individual names), 419,
 532
 alkane assimilation, 524, 525
 genome, 4
 P450, 4, 18, 373

Z

- Zebrafish (*see also* *Danio rerio*), 494,
 497
Zinc(II), 49, 50

