

Index

Note to the reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

Symbols and Numbers

. (current directory), 280
 .. (parent directory), 280
 10BaseT/100BaseT networks, twisted-pair
 cable for, 166
 802.11x standards (IEEE). *See* IEEE
 802.11x wireless protocols

A

abbreviations, 225
 absolute path, 280
 AC power, for laptop computers, 85, 269
 Accelerated Graphics Port (AGP), 12, 12,
 247, 248
 expansion slots, 34, 35
 installing components, 243
 power consumption estimate, 18
 access control, 198
 Access Control Lists (ACLs), 184, 357–358
 Accessories/System tools submenu, 101
 accidents, documenting, 212
 Account Lockout Policy, 367–368
 account policies, 367
 accountability, 226
 ACLs (Access Control Lists), 184, 357–358
 ACPI (Advanced Configuration Power
 Interface), 82, 255
 acronyms, 225, 390
 Action log, 302
 Active Desktop, 99
 Active Directory (AD), 354
 active heat sink, 20, 37, 246
 active listening, 391
 active matrix screen, 31, 32, 78, 268
 active termination for SCSI, 49
 AD (Active Directory), 354
 adapter cards (expansion cards), 34
 disposal, 217
 Properties dialog box, 300–301
 removing, 239–240, 240
 Add Network Place Wizard, 338
 Add Printer Wizard, 139, 315
 address bus, 11
 admin accounts, 358
 Adobe PostScript, 142
 Advanced Configuration Power Interface
 (ACPI), 82, 255
 Advanced Power Management (APM), 82
 adware, 182
 AFP (Apple File Protocol), 165
 AFS (Apple File Sharing), 361–362
 AGP. *See* Accelerated Graphics Port (AGP)
 All Programs submenu, of Start menu, 100
 allocation unit, 114
 AMD K6 processor, 26
 American National Standards Institute
 (ANSI), 49
 ammeter, 257, 322
 amps (current), 211, 376
 AMR (Audio Modem Riser), 13
 answer files, for unattended Windows
 install, 105
 antistatic bags, for electronic parts, 215
 antistatic mat, 215, 215, 257
 antistatic spray, 215
 antistatic wrist strap, 213, 214, 214, 239,
 257
 antivirus software, 197, 300
 APM (Advanced Power Management), 82
 Apple File Protocol (AFP), 165
 Apple File Sharing (AFS), 361–362
 Apple Macintosh, hardening, 357
 Apple Printer Utility, 165
 AppleTalk, 165, 361
 appliances, firewalls as, 183
 Application layer (OSI), 159, 160

applications

- file extension associations, 111
- macro virus, 180–181
- shut down of nonresponsive, 256
- troubleshooting failures, 110, 301
- updating, 205
- Archive (A) file attribute, 118, 280
- archive, vs. backup, 202
- The Art of Deception* (Mitnick), 371
- ASR (Automated System Recovery), 108, 190, 298
- asymmetric algorithms, 188
- AT attachment (ATA) number, 46–47
- AT commands, 62–64
- AT connectors, for keyboard, 33
- AT IDE, 46
- AT motherboard, 9, 10
 - interrupts, 251–252
 - power supply for, 241
 - removing, 241
- ATA Packet Interface (ATAPI), 46
- Athlon processor, 26
- atmospheric hazards, 379–381
- attended installation, of operating system, 105
- ATTRIB.EXE, 118, 279
 - in Recovery Console, 296
- ATX motherboard, 10, 10, 45
 - power supply for, 241
 - removing, 241, 242
- Audio Modem Riser (AMR), 13
- audio, troubleshooting sound cards, 65
- audit files, 358–359
- authentication issues, 180, 193–197, 363, 364
 - certificates, 195, 196
 - Kerberos, 196, 197
 - multifactor, 197
 - security tokens, 195, 196
 - username and password, 194, 194
- auto-restart errors, 300
- auto-switching power supplies, 79
- Automated System Recovery (ASR), 108, 190, 298

B

- baby AT motherboard, 45
- backdoor password, for BIOS, 193
- backlight, for laptop screen, 86, 269
- backups, 189–191
 - problems with, 204
 - of Registry, 120–121
 - tape devices for, 7
 - types, 190
- Balanced Technology Extended (BTX) motherboard, 10–11
- bank of RAM, 29, 248
- baseband, 158
- .bat file extension, 181
- BATCH command, in Recovery Console, 296
- battery
 - for CMOS, 45
 - disposal, 79, 217
 - for laptop computers, 79, 267
 - replacing, 83
 - troubleshooting, 269
- Bayonet-Neill Connector (BNC), 36
- beep code, 59
- behavior, appropriate job-related, 225–230
 - accountability, 226
 - confidentiality, 227
 - flexibility, 227
 - privacy, 228–229
 - punctuality, 226
 - respect, 227–228
- Bell La-Padula model, 198–199, 199
- bias voltage, 134
- Biba model, 199, 200
- bidirectional printer support, 317
- biometric devices, 179–180
 - problems, 203
- BIOS (Basic Input/Output System)
 - limits on hard drive, 248–249
 - security, 193
 - security issues, 203
 - troubleshooting issues, 66–67
 - upgrades to, 246
- BIOS Central, 59
- black pages, from laser printers, 147

blank pages, from laser printers,
146–147, 324

blank screen, troubleshooting, 32

blue screens, 109, 300

Bluetooth, 335

- for laptop computers, 266
- for networks, 171
- for printers, 138

BNC (Bayonet-Neill Connector), 36

body language, 391–392

boot sequence, 108–109

- in CMOS, 17
- problems, 110

booting

- from SCSI drive, 52–53
- troubleshooting, 301

BOOT.INI file, 103

bootstrap, 103

Bootstrap Protocol (BOOTP), 163

bribery, 371

broadband, 158, 335

browsers, 336–338

BTX (Balanced Technology Extended)

- motherboard, 10–11

bubble-jet printers, 128

buffer, 253

buses, 11–13

- characteristics, 248
- and device upgrades, 247–248

C

cable access methods, 170

cable network connection, 335

cable tester, 174

cables, 34–37

- for hard drives, 245
- labeling, 382
- for network, 157, 165–168
- preventative maintenance, 345–346
- parallel vs. serial, 35
- in problem solving, 56
- for SCSI device, 50–51, 51
- shielded vs. unshielded, 36–37
- transmission speed, 36
- troubleshooting, 60

cache on a stick (COAST), 14

cache, on-motherboard, 14

calibrating printers and scanners, 320–321

capacitors

- danger from, 210
- in power supplies, 18, 211, 376

CardBus standard, 80

carriage motor, in printers, 144

Carrier Sense Multiple Access with Collision Avoidance (CSMA/CA), 171

Carrier Sense Multiple Access with Collision Detection (CSMA/CD), 170

case for computer, 46

- closing, 243
- removing, 239, 239
- troubleshooting issues, 61

case sensitivity, of files/services, 162

cathode ray tube (CRT) technology, 30, 30

- disposal, 217
- safety practices, 54, 212

CD (Change Directory) command, 119, 280

- in Recovery Console, 296

CD-ROM drives, 6–7

- power consumption estimate, 18
- shared IDE interface and, 47
- troubleshooting, 65–66

Celeron processor, 24

cells, 27

cellular networks, 168, 335

- for laptop computers, 267

central processing unit (CPU). *See* CPU (central processing unit)

Centronics style connector, 35, 36

certificate authority (CA), 195

Certificate Practice Statement (CPS), 195

Certificate Revocation List (CRL), 195

certificates, 195, 196

Challenge Handshake Authentication Protocol (CHAP), 194, 195

charge corona, 130, 132

CHDIR command, in Recovery Console, 296

Check Disk (CHKDSK). *See* CHKDSK (Check Disk)

chip-creep problem, 57, 67, 380

chipsets, 15

CHKDSK (Check Disk), 113, 284

- in Recovery Console, 296

400 CHS (cylinders, heads, and sectors) – cooling systems

- CHS (cylinders, heads, and sectors), 17
- circuit boards. *See* expansion boards (adapter cards)
- Clark-Wilson model, 200, 200
- Class A IP address, 163
- Class B IP address, 164
- Class C IP address, 164
- cleaning
 - keyboard, 64
 - laptop computers, 87–88
 - mouse, 65
 - solutions for, 258, 323
 - disposal, 218
- cleaning pads for toner cartridges, 151
- client, 156
- client/server network, 157
- clock speed, 20
- CLS command, in Recovery Console, 297
- clusters in FAT, 114
- CMD command, 280
- Cmdcons folder, 298
- CMOS (Complementary Metallic Oxide Semiconductor) chips, 15–18
 - accessing setup, 15
 - battery for, 45
 - boot sequence, 17
 - electrostatic discharge (ESD) and, 213
 - exiting setup, 18
 - hard drive auto detection, 17
 - loading defaults, 15
 - memory speed/parity, 16
 - passwords, 17
 - ports and peripherals, 16
 - Power Management settings, 16
 - system date and time, 15
 - virus protection setting, 17
- CNR (Communications Network Riser), 13
- cold docking, 78
- collapsing folder, 117
- collision lights, 165
- color laser printer, 136
- color problems, on monitor,
 - troubleshooting, 32
- color profiles, for scanners, 151
- .com file extension, 181
- command-line utilities, 279–282
- command prompt, displaying, 111, 280
- Committed Bytes counter, 292
- Common Criteria (CC) standard, 353
- communication skills, 222–225, 389–392
- Communications Network Riser (CNR), 13
- CompactFlash card, 8, 8
- complaints, handling, 223
- Complementary Metallic Oxide Semiconductor (CMOS) chips. *See* CMOS (Complementary Metallic Oxide Semiconductor) chips
- Component connectors, 31
- compressed air, 380
- compression of files, and encryption, 284
- computer crime, laws on, 228
- Computer Fraud and Abuse Act, 228
- computer resources, 251–253
 - conflict, 255
 - determining available, 254–255
 - direct memory access (DMA)
 - channels, 253
 - input/output (I/O) addresses, 253
 - interrupt request (IRQ) lines, 250, 251–252
 - manually specifying assignment, 255–256
 - memory addresses, 252
- Computer Security Act of 1987, 228
- Computer Security Incident Response Team (CSIRT), 191
- Comsetup.log file, 301
- confidentiality, 227
- configuration settings, backup of, 190
- constant refresh, 27
- consumables, 150–151
- continuous feed printers, 127
- Control Panel, 97
 - Administrative Tools, Services console, 294, 295
 - Automatic Updates, 305, 305
 - Power Options, 81
 - Scanners and Cameras, 320
- controller in hard-disk system, 6
 - replacement decisions, 245
- CONVERT command, 114
- cooling systems, 37–38
 - heat sink for, 20
 - troubleshooting, 60–61
 - upgrades to, 246–247

COPY command, 118, 280
 in Recovery Console, 297

corona wire, damaged, 147

cost effectiveness, repair vs. replace, 64

CPS (Certificate Practice Statement), 195

CPU (central processing unit), 20–26
 bus, 21
 cache, 22
 cache memory, 21
 chip-creep problem, 57, 67, 380
 external speed, 20
 heat sink, 20, 38
 internal speed, 21
 manufacturers
 Intel clones, 26
 Intel processors, 22–26
 power consumption estimate, 18
 replacement decisions, 245–246
 sockets, 42–44
 speed, 22
 troubleshooting, 59–60
 upgrades to, 245–246, 249
 motherboard compatibility, 249
 voltage, 22

CRL (Certificate Revocation List), 195

crossover cable, 173

crosstalk, 165

CRT (cathode ray tube) technology, 30, 30
 disposal, 217
 safety practices, 54, 212

cryptographic algorithms, 188

CSIRT (Computer Security Incident Response Team), 191

CSMA/CA (Carrier Sense Multiple Access with Collision Avoidance), 171

CSMA/CD (Carrier Sense Multiple Access with Collision Detection), 170

current (amps), 211, 376

current directory (.), 280

Customer Respect Group, 392

customer satisfaction, 223. *See also*
 professionalism and communication

customers
 eliciting problem symptoms from, 224
 respect for, 392–394

Cyber Security Enhancement Act of 2002, 229

Cyberspace Electronic Security Act, 229

cylinders, heads, and sectors (CHS), 17

D

daisy-chaining, 50

data access, 198–202
 Bell La-Padula model, 198–199, 199
 Biba model, 199, 200
 Clark-Wilson model, 200, 200
 Information Flow model, 200–201, 201
 Noninterference model, 201, 201–202
 problems with, 203

Data Link layer (OSI), 158–159, 160

data migration, 202
 problems with, 204

data, protection during troubleshooting, 55

data transmission speed, of cable, 35

database exploitation, 180

daughterboards, 18

DB-15 connector, 31

DB-style connector, 35, 36

DC power, 86, 131

default gateway, 158, 163

DEFRAG utility, 285

Degauss feature, 32–33

degaussing, 179

DEL command, 119
 in Recovery Console, 297

deleting
 objects in Explorer, 117
 temporary files, 294

DELTREE command, in Recovery Console, 297

Depot Technician (220-604) exam
 laptop domain, 266
 objectives, 264–265
 and operating systems domain, 279
 personal computers domain, 237
 objectives, 235–236
 printers and scanners domain, 312
 objectives, 311
 and professionalism and communication domain, 389
 safety and environmental issues, 376
 objectives, 375
 security domain, 352
 objectives, 351

Desktop, 99

desktop case, 46

402 developing roller – dot pitch of monitor

- developing roller, 134
- device access, operating system and, 97
- device drivers, 106
 - for legacy devices, 247
 - for network interface card, 170
 - network problems from, 344
 - for printers, 137
 - troubleshooting, 142, 149, 299
- troubleshooting, 300–301
- Device Manager, 115, 257, 285, 285
 - Resources tab, 254, 254
 - yellow exclamation point, 255
- DHCP (Dynamic Host Configuration Protocol), 163
- dial-up networks, 168, 335
- differential backup, 190
- Digital Subscriber Line (DSL), 335
- digital video interface (DVI) connector,
 - 31, 31
- digital voltmeter, 174
- digitizer, 80
- DIMMs (dual inline memory modules), 28,
 - 29, 42
 - removing, 242
- DIN connector, 36
- DIP (dual inline package) memory, 28
- DIP switches
 - on motherboard, 45, 45
 - for SCSI termination, 51
- DIR command, 118, 280
 - in Recovery Console, 297
- direct memory access (DMA) channels,
 - 250, 253
- direct-sequence spread spectrum (DSSS), 184
- directories, 283. *See also* folders
- DISABLE command, in Recovery Console, 297
- disassembling
 - laptop computers, 83
 - personal computers, 238–242
 - case removal, 239, 239
 - disconnecting display device, 238
 - disconnecting input devices, 238–239
 - inspection, 242
 - removing expansion cards,
 - 239–240, 240
 - removing memory, 242
 - removing motherboard, 241–242, 242
 - removing storage devices, 241, 241
 - work area, 238
- Disk Administrator, 113
- disk and file management, operating system and, 95–97
- Disk Cleanup utility, 120, 294
- Disk Defragmenter, 112, 292–293, 293
- disk drives. *See also* CD-ROM drives; floppy drives (FDD); hard drives
 - in laptop computers, removing and replacing, 84
 - replacement decisions, 244–245
- Disk Management utility, 48, 113–114, 114
- disk mirroring, 53
- disk striping, 53
- disk wiping, 179
- DISKPART command, in Recovery Console, 297
- display devices, 30–33
 - attaching, 244
 - disconnecting from computer, 238
 - external monitor for laptop
 - connecting, 86
 - troubleshooting, 269
 - preventative maintenance for, 258
 - problems, 32–33
 - properties, 99
 - safety practices, 54, 212, 377, 381
 - upgrading, 53–54
 - video adapters for connecting, 247
- DMA (direct memory access) channels, 250
- DNS (Domain Name Services), 161, 333
 - problems with, 344
- .doc file extension, 181
- docking laptop computers, 84
- docking station, 78, 84
- Document submenu in Start menu, 101
- documentation
 - of accidents, 212
 - available for troubleshooting, 256–258
 - during computer disassembly, 240
- Domain Name Services (DNS), 161, 333
 - problems with, 344
- domains, 162
- dot-matrix printers, 128
 - troubleshooting, 143–144, 323–324
- dot pitch of monitor, 30

- Double data rate (DDR) SDRAM/DDR2, 27–28
 - DoubleSpace, and upgrade, 107
 - downloading device drivers, 106
 - downtime, estimating, 226
 - Dr. Watson, 256
 - DRAM (dynamic RAM), 27–28
 - drive bays, 46
 - drive-image tool, 245
 - drive interfaces, 45
 - drivers. *See* device drivers
 - DriveSpace, and upgrade, 107
 - drum in laser printer, 129, 129
 - DSL (Digital Subscriber Line), 335
 - DSSS (direct-sequence spread spectrum), 184
 - dual-booting, 103
 - dual-core processors, 24
 - dual inline memory modules (DIMMs), 28, 29, 42
 - removing, 242
 - dual inline package (DIP) memory, 28
 - dual pipelining, 23
 - dump files, 111, 302
 - duplexing, 156
 - Duron processor, 26
 - dust, 379–380, 380
 - DVD drives, 7
 - troubleshooting, 65–66
 - DVI (digital video interface) connector, 31, 31
 - dye sublimation printer, 137
 - Dynamic Disks, 114
 - Dynamic Host Configuration Protocol (DHCP), 163
 - dynamic processing, 23
 - dynamic RAM (DRAM), 27–28
-
- E**
- e-mail exploitation, 181
 - ECC (error correction code), 29
 - ECP (enhanced capabilities port), 16
 - eDirectory, 357
 - EDIT command, 118, 281
 - EDO (Extended data out) RAM, 27
 - EEPROM (electrically Erasable Programmable ROM), 246
 - EISA (enhanced ISA), 11
 - electrical fires, extinguishing, 210–211
 - electrical tripping, 378
 - electrically Erasable Programmable ROM (EEPROM), 246
 - electromagnetic interference (EMI)
 - in network, 165, 344
 - shielding against, 36
 - electron gun, 30
 - electronic parts, antistatic bags for, 215
 - electrophotographic (EP) printer, 129. *See also* laser printers
 - electrostatic discharge (ESD)
 - mats for, 215, 215
 - minimizing risk, 60, 213
 - Emergency Repair Disk (ERD), 109, 298–299
 - emptying Recycle Bin, 117
 - ENABLE command, in Recovery Console, 297
 - encryption, 188–189
 - and compression, 284
 - Enhanced BIOS Services for Disk Drives, 249
 - enhanced capabilities port (ECP), 16
 - enhanced ISA (EISA), 11
 - enhanced parallel port (EPP), 16
 - environment for computers, 67–68
 - issues, 210–213, 377–382
 - atmospheric hazards, 379–381
 - electrical tripping, 378
 - recent changes, 224
 - Environmental Protection Agency, 210, 212
 - EPP (enhanced parallel port), 16
 - ERD (Emergency Repair Disk), 109, 298–299
 - error correction code (ECC), 29
 - error correction, parity bit for, 29
 - error messages, 110–111, 301–302
 - errors, log files for, 256
 - Essentials exam, 312
 - laptop computers, objectives, 75–76
 - network domain, 333
 - objectives, 155
 - operating systems domain, 279
 - objectives, 91–93
 - personal computers, objectives, 1–4

404 Ethernet – flip chip (FC)

- printers and scanners, objectives, 125–126
 - professionalism and communication, 389
 - objectives, 221
 - safety practices, objectives, 209
 - security domain, 352
 - objectives, 177
 - Ethernet, for laptop computers, 267
 - ethics, 393–394
 - Evaluation Assurance Levels (EAL), 353
 - event logging, 363
 - Event Viewer, 110, 257, 285, 286, 354, 355
 - .exe file extension, 181
 - EXPAND command, 299
 - in Recovery Console, 297
 - expansion boards (adapter cards), 34
 - disposal, 217
 - Properties dialog box, 300–301
 - removing, 239–240, 240
 - expansion bus, 11
 - expansion slots
 - backplates, 60, 68
 - on riser card, 46
 - Explorer
 - Internet Explorer, 336
 - security settings, 337
 - multiple versions, 117
 - Windows Explorer, 96, 96, 116–117, 291
 - Extended data out (EDO) RAM, 27
 - Extended graphics array (XGA), 78
 - extended memory, 97
 - external cabling, for SCSI device, 50, 51
 - external data bus, 11
 - external hard drives, 9
 - external speed, 20
-
- F**
- fan, cleaning, 68
 - Fast page mode (FPM) RAM, 27
 - Fast SCSI-2, 50
 - FAT (File Allocation Table), 95, 114, 184
 - security, 360
 - FAT16, 114–115
 - FAT32 system, 95, 114, 184, 283, 360
 - FC (flip chip), 24
 - FDD (floppy drives), 6
 - Federal Emergency Management Agency, on
 - communication skills, 390–391
 - FHSS (frequency-hopping spread spectrum), 184
 - fiber-optic cabling, 167, 167, 168
 - File Allocation Table (FAT), 184
 - File and Printer Sharing for Microsoft
 - Networks client, 340
 - file extensions
 - associating with applications, 111
 - and security, 181
 - file management, operating system
 - and, 95–97
 - file Properties dialog box, Sharing tab, 340
 - File Transfer Protocol (FTP), 334
 - files, 279–280
 - attributes of, 118
 - copying, 280
 - creating, 284, 284
 - Recovery Console for working with, 296
 - filesystem, 95–96, 114
 - hardening, 360–362
 - security issues, 184, 203
 - in Unix, 356
 - fingerprint scanners, 180
 - fire extinguishers, 210–211
 - fire-rated containers, 189
 - Firefox, 336
 - security settings, 337
 - fireproof container, 189
 - firewalls, 183–184, 363
 - configuration problems, 344
 - software-only, 369
 - FireWire/IEEE 1394, 13, 13
 - for printers, 138
 - firmware, 18
 - for printers, 137, 139, 321
 - FIXBOOT command, in Recovery
 - Console, 297
 - fixed-input power supplies, 79
 - FIXMBR command, in Recovery
 - Console, 297
 - Flash BIOS replacement, 246
 - flash drives, 7–8
 - flexibility, 227
 - flicker, 30
 - flip chip (FC), 24

floppy disks

- capacities, 7
- formatting, 281–282
- for system recovery set, 298

 floppy drives (FDD), 6

- bootable, 17
- connectors, 45
- installing, 243
- power consumption estimate, 18
- troubleshooting, 65

 folders, 283

- CD command for changing, 280
- creating, 283
 - with MD command, 119, 282
- displaying contents, 118, 280
- expanding in Explorer, 117
- NTFS permissions, 341
- Properties dialog box, 283
 - Sharing tab, 340, 341
- RD for deleting, 119, 282

 form factor, for system board, 9
 FORMAT utility, 113–115, 281–282

- in Recovery Console, 297

 formatter board, and printing garbage, 150
 formatting drive, 48
 fox (tone generator), 173
 FPM (Fast page mode) RAM, 27
 FQDNs (Fully Qualified Domain Names), 161, 162
 frequency-hopping spread spectrum (FHSS), 184
 FTP (File Transfer Protocol), 334
 fuel cell, 79
 full backup, 190
 Full Control NTFS permission, 341
 full duplexing, 156
 Fully Qualified Domain Names (FQDNs), 161, 162
 Function (Fn) key, on laptop keyboard, 80–81
 fusing assembly, 131, 131

- troubleshooting, 149

G

gap in the WAP, 186
 garbage, printing, 142, 149–150, 324

gateway, 158

- configuration problems, 344
- in TCP/IP, 158
- WAP (Wireless Access Protocol), 186

 ghosting, 149
 grayware, 183
 Ground Fault Circuit Interrupter (GFCI)

- receptacle, 378

 Group Policy, 364, 365

- control limitations for mobile user, 365–366
- local policy creation, 366–369

 Group Policy Editor, 366
 groups, 358

- changing permission level for, 319

 guest accounts, 358

H

HAL.DLL (hardware abstraction layer), 103
 half duplexing, 156
 hand scanners, 180
 hard drives

- BIOS limitations, 248–249
- CMOS auto detection, 17
- external, 9
- formatting, 281–282
- fragmentation, 292–293
- installing, 243
- partitions, 114
- preventative maintenance, 259
- recycled, and security, 179
- removing, 241, 241
- replacement decisions, 244–245
- troubleshooting, 61

 hardware. *See also* display devices; personal computers

- disposal, 179, 216–218
- moving, 381–382

 hardware abstraction layer (HAL.DLL), 103
 hardware compatibility list (HCL), 105
 hardware loopback, 173
 hash total, 188
 hashing, 188
 Hayes command set, 62
 hazards, identifying, 213–216
 HCL.TXT file, 105

406 HDD (hard disk drive) – input devices

- HDD (hard disk drive), 6
 - HDMI (high definition multimedia interface), 31
 - heat sink, 20, 38
 - HELP command, 282
 - in Windows, 101
 - Hewlett-Packard Printer Control Language (PCL), 142
 - Hibernate, 82, 102
 - hidden directory, 283
 - Hidden (H) file attribute, 118, 280
 - high definition multimedia interface (HDMI), 31
 - high-voltage differential (HVD) SCSI, 50
 - high-voltage power supply (HVPS), 131
 - high-voltage probe, 212, 377
 - high voltage, safety practices, 381
 - .hlp file extension, 181
 - host adapter, in hard-disk system, 6
 - host names, 161
 - host on network, 157
 - HOSTS files, 161, 162, 333
 - hot docking, 79
 - hot-pluggable battery, in laptop computers, 83
 - hot-pluggable drives, 241
 - hotfixes, 362
 - hound (tone locator), 173
 - HTML (Hypertext Markup Language), 334
 - HTTP (Hypertext Transfer Protocol), 334
 - HTTPS (Hypertext Transfer Protocol over Secure Sockets Layer), 334
 - hub chipset, 15
 - hub, link lights on, 165
 - humidity, 215, 381
 - and paper jams, 146
 - HVD (high-voltage differential) SCSI, 50
 - HVPS (high-voltage power supply), 131
 - HyperTerminal, 62
 - Hypertext Markup Language (HTML), 334
 - Hypertext Transfer Protocol (HTTP), 334
 - Hypertext Transfer Protocol over Secure Sockets Layer (HTTPS), 334
 - hyperthreading, 24
-
- I/O ports, troubleshooting, 60
 - icons, in Explorer, 117
 - ID number, for SCSI device, 52
 - IDE (Integrated Drive Electronics) channels, 14, 46–48
 - connectors, 45
 - controller replacement, 245
 - installing drive, 47–48, 243
 - power consumption estimate, 19
 - Identification and Authentication, 193
 - IEEE 802.11a standard, 171
 - IEEE 802.11b standard, 171
 - IEEE 802.11x wireless protocols, 185–186
 - IEEE 1394/FireWire, 13, 13, 168
 - for printers, 138
 - IIS (Internet Information Services), 354
 - IMAP (Internet Message Access Protocol), 334
 - impact printers, 127
 - impersonation, 370
 - incident reporting, 191
 - incremental backup, 190
 - Industry Standard Architecture (ISA), 11, 247, 248
 - expansion slots, 34
 - installing components, 243
 - power consumption estimate, 18
 - Information Flow model, 200–201, 201
 - infrared interface, 335
 - for laptop computers, 267
 - for printers, 138
 - ink, 151
 - ink cartridge, 128
 - cleaning, 211
 - disposal, 217
 - and print quality, 144
 - ink-jet printers, 128
 - troubleshooting, 144–145, 324
 - input devices, 33
 - attaching, 243–244
 - disconnecting from computer, 238–239
 - for laptop computers, 80–81
 - preventative maintenance, 259
 - upgrading, 54

- input/output (I/O) addresses, 250, 253
 - input/output (I/O), operating system and, 98, 110
 - installing
 - hard drives, 243
 - IDE drive, 47–48
 - motherboards, 242–243
 - operating systems, 104–107
 - power supplies, 243
 - Recovery Console, 296
 - scanners, 320
 - SCSI device, 50–53
 - storage devices, 243
 - instruction set, 249
 - Integrated Drive Electronics (IDE) drives.
 - See* IDE (Integrated Drive Electronics) channels
 - Integrated Services Digital Network (ISDN), 159, 335
 - integrated system boards, 41
 - Intel clones, 26
 - Intel processors, 22–26
 - summary, 25–26
 - interfaces, for printers and scanners, 137–138
 - internal cabling, for SCSI device, 50, 51
 - internal expansion buses, 11
 - internal speed, 21
 - internal wireless card, for laptop computers, 86
 - International Standards Organization (ISO), 158
 - Internet connections, configuration, 338
 - Internet Explorer, 336
 - security settings, 337
 - Internet Information Services (IIS), 354
 - Internet Message Access Protocol (IMAP), 334
 - Internet printer, adding, 315
 - Internet Printing Protocol (IPP), 315
 - Internet Service Provider (ISP), 334
 - Internetwork Packet Exchange/Sequenced Packet Exchange (IPX/SPX), 160, 334
 - interrupt request (IRQ) lines, 250, 251–252
 - inverter, 86
 - Iomega Zip and Jaz drives, 7
 - IP addresses, 163
 - assignment problems, 345
 - IPCONFIG.EXE, 282, 343
 - IPP (Internet Printing Protocol), 315
 - IPX/SPX (Internetwork Packet Exchange/Sequenced Packet Exchange), 160, 334
 - network problems from, 344–345
 - ISA. *See* Industry Standard Architecture (ISA)
 - ISDN (Integrated Services Digital Network), 159, 335
 - ISO (International Standards Organization), 158
 - isolated ground receptacle, 378
 - isopropyl alcohol, 379
 - ISP (Internet Service Provider), 334
 - IT Technician (220-602) exam
 - laptop domain, 266
 - objectives, 263–264
 - networking domain, 333
 - objectives, 329–330
 - operating systems domain, 279
 - objectives, 273–275
 - personal computers domain, 237
 - objectives, 233–234
 - printers and scanners domain, 312
 - objectives, 309–310
 - professionalism and communication, 389
 - objectives, 387
 - safety and environmental issues, 376
 - objectives, 375
 - security domain, 352
 - objectives, 349
 - IT8 scanner target, 321
-
- J**
- jargon, 225
 - Jaz drives, 7
 - JFS (journaled file systems), 189
 - job-related behavior
 - accountability, 226
 - confidentiality, 227
 - flexibility, 227
 - privacy, 228–229
 - punctuality, 226
 - respect, 227–228

journaled file systems (JFS), 189

jumpers

- master/slave, 47, 48
- on motherboard, 45, 45
- for SCSI termination, 51

K

Kerberos, 196, 197

Key Distribution Center (KDC), 196

key fobs, 180, 364

keyboard

- attaching, 243–244
- connectors, 33
- disconnecting from computer, 238–239
- on laptop computers
 - Function (Fn) key, 80–81
 - troubleshooting, 86, 269
 - troubleshooting, 64–65
- keychain drives, 8–9, 9

L

labeling, 117

LAN (local area network), 157, 335

laptop computers, 77–82

- battery for, 79
 - replacing, 83
 - troubleshooting, 269
- communication connections, 266–267
- disassembling, 83
- disk drives, removing and replacing, 84
- docking and undocking, 84
- electrical issues, 267
 - AC power, 85
 - power management, 81, 82
 - troubleshooting, 269
- LCDs for, 31–32, 77–78, 267–268
- memory, adding, 84
- PCMCIA cards, 80
 - adding and removing, 83
- peripherals, 78–79
- pointing and input devices, 80–81
- ports, 80
- power supplies, 79

- preventative maintenance, 87–88
 - troubleshooting, 269–270
 - upgrading, 268
- laser printers, 129–136
- handling, 211
 - vs. ink-jet printers, 128
 - parts, 129–131, 130, 131
 - toner cartridge, 129
 - power consumption, 323
 - printing process, 132–136
 - cleaning step, 132, 132
 - conditioning step, 132–133, 133
 - developing step, 133–134, 134
 - fusing step, 135, 135
 - summary, 135–136, 136
 - transferring step, 134, 135
 - writing step, 133, 133
 - troubleshooting, 145–150, 324–325
 - black pages, 147
 - blank pages, 146–147
 - garbage, 149–150
 - ghosting, 149
 - image smudging, 149
 - repetitive marks, 147, 148
 - vertical black lines, 148
 - vertical white lines, 148–149
- Last Known Good Configuration, 303
- LBA (Logical Block Addressing), 249
- legacy devices
- device drivers for, 247
 - parallel port, 13, 138
 - serial port, 13, 138
- line printers, 127
- link lights on hub, 165
- Linux, 94
- hardening, 356–357
 - network connectivity, 338
 - sharing files and printers, 342, 342
- liquid-cooled systems, 37, 246
- liquid crystal display (LCD) technology, 30, 31–32
- for laptop computers, 77–78, 267–268
- liquids, and computers, 379
- List Folder Contents NTFS permission, 341
- List of files, in Explorer, 117
- listening, 223, 225
- LISTSVC command, in Recovery
- Console, 297

Lithium ion (Lion) batteries, 79
 LMHOSTS file, 161
 Local Area Connection Properties dialog box, 339
 local area network (LAN), 157, 335
 local policy, creating, 366–369
 Locate Your Printer dialog box, 315
 lockup of system, 110, 300
 log files
 during boot process, 301–302
 for security, 358–359
 Log Off option, in Windows, 102
 logic bomb, 359
 Logical Block Addressing (LBA), 249
 Logical Link Control (LLC), 159
 LOGON command, in Recovery Console, 297
 logon, username and password for, 194, 194
 loopback adapters/boards, 173
 loopback plugs, 257
 low-voltage differential (LVD) SCSI, 50
 LVD (low-voltage differential) SCSI, 50

M

MAC (Media Access Control), 159
 MAC address, 170
 filtering on wireless network, 186
 Macintosh systems, 95
 magnetic field, impact on display device, 32
 magnets, 323
 main motor, in printers, 144
 maintenance kits for printers, 325
 manual chip replacement for BIOS, 246
 MAP command, in Recovery Console, 297
 Master Boot Record, 103
 master/slave jumper, 47, 48
 Material Safety Data Sheets (MSDS), 210
 matrix in LCD, 78, 267–268
 mats for electrostatic discharge (ESD), 215, 215, 257
 MCA (Microchannel Architecture), 11
 MCA IDE, 46
 MD (Make Directory) command, 119, 282
 in Recovery Console, 297
 MDA (Message Digest Algorithm), 188
 Media Access Control (MAC), 159
 media access methods for networks, 170–171
 memory, 26–30
 banks and bit width, 29
 capacity and characteristics, 248
 chip-creep problem, 57, 67, 380
 chip package types, 28–29
 in laptop computers, adding, 84
 operating system and, 97
 parity and nonparity, 29
 and performance, 244
 physical, 27–28
 power consumption estimate, 19
 in printers, 137, 321
 troubleshooting, 142
 removing, 242
 speed/parity in CMOS setup, 16
 upgrades to, 248
 video RAM (VRAM), 30
 for video sharing, 268
 virtual, 97, 292
 settings, 293
 memory addresses, 252
 Message Digest Algorithm (MDA), 188
 Microchannel Architecture (MCA), 11
 MicroDIMM, 29
 Microsoft Windows. *See* Windows (Microsoft)
 mini PCI slot, 80
 mini-towers, 46
 Mitnick, Kevin, *The Art of Deception*, 371
 MKDIR command, in Recovery Console, 297
 MMDET.LOG file, 301
 mobile users, 365. *See also* laptop computers
 modems
 internal, 247
 troubleshooting, 61–64
 Modify NTFS permission, 341
 monitors. *See* display devices
 MORE command, in Recovery Console, 297
 motherboards, 9–18, 40, 40–45, 41. *See also*
 CPU (central processing unit)
 battery, 45
 buses, 11–13
 and case style, 46
 CPU sockets, 42–44

- floppy connectors, 45
- IDE connectors, 45
- installing, 242–243
- integrated, 41
- jumpers and DIP switches, 45, 45
- power connectors, 44, 44
- power consumption estimate, 18
- processor sockets, 14
- RAM slots, 14, 42
- removing, 241–242, 242
- system board form factors, 9–11, 10, 45
- troubleshooting, 59–60
- motors, in printers, 144
- mouse
 - attaching, 243–244
 - connector for, 33
 - disconnecting from computer, 238–239
 - troubleshooting, 64–65
- moving hardware, 381–382
- Mozilla Firefox, 336
 - security settings, 337
- MS-DOS applications, printing from, 319
- MS-DOS Editor utility, 281
- MS-DOS-style command prompt, 102
- MSCONFIG (System Configuration Editor), 116, 286, 286
 - for startup program configuration, 294
- MSDS (Material Safety Data Sheets), 210
- multi-meter, 257, 322
- multifactor authentication, 197
- multimedia devices
 - log files on, 302
 - upgrading, 54
- multipart forms, printing, 127
- multiple files, selecting in Explorer, 117
- multitasking, 97
- My Computer, 96
- My Documents folder, 96
- My Network Places, 97, 338

N

- NDS (NetWare Directory Services), 357
- near letter quality (NLQ), 128
- NetBIOS Enhanced User Interface (NetBEUI), 160, 334
- NETSETUP.LOG file, 301
- NetWare Directory Services (NDS), 357
- NetWare File System, 360
- NetWare (Novell), hardening, 357
- NetWare Link (NWLink), 161
- NetWare Loadable Modules (NLMs), 357
- Network Basic Input Output System (NetBIOS), 160, 334
- Network File System (NFS) in Unix, 361
- network interface cards (NIC), 158, 169–170, 338
 - disabling when on battery, 86
 - installing, 170
 - troubleshooting, 66, 345
 - upgrades, 247
- network interface, for printers, 138
- Network layer (OSI), 159, 160
- Network Neighborhood, 97
- network protocols, 160–165
 - AppleTalk, 165, 361
 - IPX/SPX, 160, 334
 - network problems from, 344–345
 - NetBEUI/NetBIOS, 160, 334
 - TCP/IP, 161–165, 335
 - gateway, 158
 - interfaces on network, 157
- Network Setup Wizard, 338, 338
- networks, 156–169
 - adding printer, 315
 - basics, 156–160
 - cables, 165–168
 - connectivity, 335–336, 338
 - diagnostic tools
 - IPCONFIG.EXE, 282, 343
 - NSLOOKUP.EXE, 343
 - PING.EXE, 173, 344
 - TRACERT.EXE, 344
 - hardening operating system, 353–357
 - media access methods, 170–171
 - preventative maintenance, 345–346
 - protocols and technologies, 333–335
 - sharing resources, 340–342
 - status indicators, 165
 - troubleshooting, 172–174, 344–345
 - common problems and tools, 173–174
 - systemic approach, 172–173
 - wireless, 174

- updating, 205
 - wireless, 171–172
 - working with browsers, 336–338
 - New Technology File System (NTFS), 184
 - NIC. *See* network interface cards (NIC)
 - nickel-cadmium (NiCad) batteries, 79
 - Nickel-metal hydride (NiMH) batteries, 79
 - NLMs (NetWare Loadable Modules), 357
 - NLQ (near letter quality), 128
 - NLX (New, Low profile eXtended)
 - motherboard, 11
 - nonimpact printers, 127
 - Noninterference model, 201, 201–202
 - nonparity memory, 29
 - nonverbal communication, 391–392
 - normative ethics, 393
 - north/south bridge chipset, 15
 - Norton Ghost, 245
 - notebook computers. *See* laptop computers
 - Notification Area, 100
 - Novell NetWare
 - hardening, 357
 - Storage Service, 360
 - NSLOOKUP.EXE, 343
 - NT File System (NTFS), 95
 - NTBACKUP, 112, 287–288
 - NTBOOTDD.SYS file, 103
 - NTDETECT.COM file, 103
 - NTFS (NT File System), 95, 184, 283
 - directory permissions, 341
 - security, 360
 - NTFS4 filesystem, 114
 - NTFS5 filesystem, 114
 - NTLDR file, 103
 - NTUSER.DAT file (user profile), 103
 - backup, 299
 - nuisance tripping, 378
 - null modem, 37
 - NWLink (NetWare Link), 161
-
- O**
- Occupational Safety and Health Administration, 212
 - OFDM (orthogonal frequency divisions multiplexing), 185
 - off board interfaces, 45
 - offsite storage, 190
 - ohmmeter, 257, 322
 - on-motherboard cache, 14
 - one-way hash, 188
 - onsite storage of backups, 189
 - open-systems approach, 356
 - Open Systems Interconnection (OSI) model, 158–159
 - operating system utilities, 94–104, 112–118, 279–282, 284–291
 - ATTRIB.EXE, 118, 279
 - CHKDSK (Check Disk), 113, 284
 - command prompt for, 111
 - DEFRAG utility, 285
 - Device Manager, 115, 257, 285, 285
 - Resources tab, 254, 254
 - yellow exclamation point, 255
 - Disk Defragmenter, 112, 292–293, 293
 - Event Viewer, 110, 257, 285, 286, 354, 355
 - FORMAT utility, 113–115, 281–282
 - MSCONFIG, 286, 286
 - NTBACKUP, 112, 287–288
 - in Recovery Console, 198, 296–298
 - REDEDIT32, 288–289
 - REGEDIT, 111, 121, 288–289
 - Remote Desktop, 288, 289–290
 - system-management tools, 115–116
 - System Restore, 108, 290
 - Task Manager, 115, 256, 290–291
 - Performance tab, for memory statistics, 292
 - Windows Explorer, 96, 96, 116–117, 291
 - operating systems, 111–119
 - device drivers, 106. *See also* device drivers
 - differences, 94–95
 - hardening, 353–357
 - installing and configuring, 104–107
 - common problems, 106
 - major components, 98–102
 - Desktop, 99
 - Start menu, 100–102
 - Taskbar, 100
 - major functions, 95–98
 - device access, 97

412 optical drives – peripheral ports and connectors

- disk and file management, 95–97, 283–284
 - input/output (I/O), 98
 - memory management, 97
 - optimizing, 291–294
 - hard drives, 292–293
 - services, 294, 295
 - startup, 294
 - temporary files, 294
 - virtual memory, 292, 293
 - preventative maintenance, 120–121, 304–305
 - troubleshooting, 108–119, 295–304
 - Automated System Recovery (ASR), 298
 - blue screens, 109
 - boot sequence, 108–109
 - diagnostic procedures for, 109
 - Emergency Repair Disk (ERD), 298–299
 - error messages, 110–111, 301–302
 - Recovery Console, 296–298
 - with Safe mode, 108, 302–303
 - System File Checker, 303–304
 - updating, 204, 362–363
 - upgrading, 106–107
 - optical drives, 7
 - optimizing performance, 244–249
 - orthogonal frequency divisions multiplexing (OFDM), 185
 - OS X (Apple), 362
 - OSI (Open Systems Interconnection) model, 158–159
 - overclocking, 23
 - overheating, 60
 - ozone filter, in laser printer, 324
-
- P**
- packet filter, firewall as, 183
 - page description language (PDL), 142
 - page printers, 127
 - Pages/Sec counter, 292
 - paging file, 97, 292
 - PAP (Password Authentication Protocol), 194
 - paper, 150
 - paper jams in printers, 143–144, 145–146
 - paper transport assembly, 130, 130
 - parallel ATA (PATA), 48
 - parallel cable, 35, 37
 - parallel port
 - legacy, 13, 138
 - settings, 16
 - parent directory (..), 280
 - parity memory, 29
 - partitions, 48
 - modifying information, 114
 - passive heat sink, 20, 38, 246
 - passive matrix screen, 31–32, 78, 268
 - passive terminator for SCSI, 49
 - Password Authentication Protocol (PAP), 194
 - passwords, 194, 194
 - in CMOS, 17
 - policy for, 367
 - PATA (parallel ATA), 48
 - patches, 363
 - PATRIOT Act of 2001, 229
 - PC cards. *See* PCMCIA cards
 - PCI. *See* Peripheral Component Interconnect (PCI)
 - PCI Express (PCIE), 13
 - expansion slots, 34
 - PCL (Hewlett-Packard Printer Control Language), 142
 - PCMCIA cards, 80
 - for laptop computers, adding and removing, 83
 - .pdf file extension, 181
 - PDL (page description language), 142
 - peer-to-peer network, 157
 - Pentium processors, 23–25
 - physical characteristics, 26
 - Performance Monitor, 354
 - performance, optimizing, 244–249
 - Performance utility, 292
 - Peripheral Component Interconnect (PCI), 11, 247, 248
 - bus connectors, 12
 - expansion slots, 34, 35
 - installing components, 243
 - power consumption estimate, 18
 - Peripheral Component Interconnect (PCI) Express bus, 80
 - peripheral ports and connectors, 33

- peripherals
 - enabling in CMOS, 16
 - for laptop computers, 78–79
 - disconnecting unneeded, 87, 269
 - ports and connectors for, 33, 33–34
- permissions
 - for groups, 319
 - troubleshooting, 345
- Personal Computer Memory Card
 - International Association, 80
- personal computers, 6, 38–39
 - adapter cards, 34
 - disposal, 217
 - Properties dialog box, 300–301
 - removing, 239–240, 240
 - antistatic bags for, 215
 - case, 46
 - closing, 243
 - removing, 239, 239
 - troubleshooting issues, 61
 - cooling systems, 37–38
 - heat sink for, 20
 - troubleshooting, 60–61
 - upgrades to, 246–247
 - CPUs/processor, 20–26. *See also* CPU (central processing unit)
 - display devices, 30–33. *See also* display devices
 - disposal, 216–218
 - input devices, 33
 - attaching, 243–244
 - disconnecting from computer, 238–239
 - for laptop computers, 80–81
 - preventative maintenance, 259
 - upgrading, 54
 - memory, 26–30. *See also* memory
 - motherboards, 9–18. *See also* motherboards
 - peripheral ports and connectors, 33, 33–34
 - ports and cables, 34–37
 - power supplies, 18–20, 19
 - connectors, 240
 - installing, 243
 - for laptop computers, 79
 - output capacity, 249
 - safety, 211, 376–377, 381
 - troubleshooting, 67
 - preventative maintenance for, 258–259
 - storage devices, 6–9. *See also* CD-ROM drives; floppy drives (FDD); hard drives
 - hard-disk systems, 6
 - installing, 243
 - preventative maintenance, 259
 - removing, 241, 241
 - upgrading, 53
 - upgrades, 237–249
 - to BIOS, 246
 - to cooling system, 246–247
 - to CPU, 245–246, 249
 - disassembling, 238–242
 - to memory, 248
 - optimizing, 244–245
 - part replacement and reassembly, 242–244
- PGA socket, 42, 43
- phantom directory listing, 65
- phone support, 223
- Physical layer (OSI), 158, 160
- physical memory, 27–28
- physical security, 187–192
- piezoelectric ink-jet printers, 128
- .pif file extension, 181
- pin grid array (PGA) for CPU, 20
- PING command, 173, 282, 344
- PIO (programmed input/output), 48
- Plenum/PVC cable, 168
- Plug and Play, 48
 - laptop support for, 78
- pointing devices on laptop computers, 80–81
 - troubleshooting, 86, 269
- policies, for security, 205
- polling, 171
- port addresses, 253
- port replicator, 78, 84
- port scan, 182
- portable computers. *See* laptop computers
- ports, 34–37
 - common assignments, 164–165
 - dust collection, 380, 381
 - enabling in CMOS, 16
 - on laptop computers, 80

414 POST (power-on self-test) – punctuality

- for printers, 315, 317
- troubleshooting, 60
- POST (power-on self-test), 15, 59
- POST card, 59
- power connectors, on motherboard, 44, 44
- power consumption, estimating, 18–19
- power cord for laptop, 85
- power devices, 258–259
- power management
 - for laptop computers, 81, 82
 - settings, 16
- power-on self-test (POST), 15, 59
- Power Options Properties dialog box, 81
- power supplies, 18–20, 19
 - connectors, 240
 - installing, 243
 - for laptop computers, 79
 - output capacity, 249
 - safety, 211, 376–377, 381
 - troubleshooting, 67
- Presentation layer (OSI), 159, 160
- preventative maintenance
 - for laptop computers, 87–88
 - for networks, 345–346
 - for operating systems, 120–121, 304–305
 - for personal computers, 258–259
 - for printers, 313, 325–326
 - laser printers, 324
 - for scanners, 325–326
- primary corona, 130, 132
- principal, authentication by Kerberos, 196
- print quality, and ink cartridge, 144
- Print Server Properties dialog box, 316
- printer controller, 129
- printer pooling, 317, 319
- printer port settings, 16
- printer priority, vs. print-job priority, 318
- printer Properties dialog box, 312–313, 313, 317–319
- printers, 127–138
 - calibration, 320–321
 - checking status, 312–313
 - components, 137
 - configuration, 139, 140, 316–319
 - dot-matrix, 128
 - environmental issues, 151
 - firmware updates, 139
 - ink-jet, 128
 - installing, 314, 315
 - interfaces, 137–138
 - laser, 129–136
 - parts, 129, 129–131, 130, 131
 - printing process, 132–136
 - LED printers, 136
 - from MS-DOS applications, 319
 - preventative maintenance, 313, 325–326
 - safety practices, 211
 - sharing, 340
 - troubleshooting, 141–151, 299–300, 322–325
 - device drivers, 142
 - memory, 142
 - paper jams, 143–144, 145–146
 - upgrading, 321
- priorities, 55
- privacy, 228–229
- private key, 188
- processor. *See* CPU (central processing unit)
- processor serial number (PSN), 24
- processor sockets, on motherboard, 14
- professionalism and communication
 - communication skills, 222–225, 389–392
 - job-related behavior, 225–230
 - accountability, 226
 - confidentiality, 227
 - flexibility, 227
 - privacy, 228–229
 - punctuality, 226
 - respect, 227–228
- programmed input/output (PIO), 48
- programs. *See* applications
- Programs submenu of Start menu, 100–101
- protocol, 160. *See also* network protocols
- protocol analyzer, 174
- proxy firewall, 184
- PS/2 connectors, 36
 - for keyboard, 33
- PSN (processor serial number), 24
- public key, 188
- punctuality, 226

Q

quad pipelining, 23

R

radio frequency signal, interception, 186
RAID (Redundant Array of Independent Disks), 53

RAM slots, on motherboard, 14

RAMBUS, 28

Rambus DRAM stick, 29

Rambus dynamic RAM (RDRAM), 42

Rambus inline memory modules (RIMMs), 28, 29, 42

RD (Remove Directory) command, 119, 282
in Recovery Console, 297

Read & Execute NTFS permission, 341

Read NTFS permission, 341

read-only directory, 283

Read Only (R) file attribute, 118, 280

reboot

auto-restart errors, 300

warm, 102

reconditioned toner cartridge, 146

Recovery CD, 257

Recovery Console, 108, 296–298

Recycle Bin, 117

recycled hardware, 216–217

and security, 179

REDED32, 288–289

Redundant Array of Independent Disks (RAID), 53

refilled toner cartridge, 146

refresh rate of monitor, 30

REGEDIT, 111, 121, 288–289

REGEDT32 program, 111

Registry Editor, 111

Registry in Windows 2000/XP, 103, 110–111

backup, 120–121, 298–299

saving, 121

relative humidity, 215, 381

relative path, 280

Remote Desktop, 288, 289–290

Remote Installation Services (RIS), 105

Remote Support Technician (220-603) exam
and laptop domain, 266

networking domain, 333

objectives, 331–332

operating systems domain, 279

objectives, 275–278

personal computers domain, 237

objectives, 234–235

printers and scanners domain, 312

objectives, 310

professionalism and communication, 389

objectives, 388

security domain, 352

objectives, 350

REN command, in Recovery Console, 297

RENAME command, in Recovery Console, 297

repair vs. replace, cost effectiveness, 64

repeaters, 174

Resolution Enhancement Technology (RET), 324

resolution of monitor, 31

resource conflict, 255

resources. *See* computer resources

respect, 227–228

for customer, 392–394

Restart option, in Windows, 102

restarting computer, during

troubleshooting, 57

Restore points, 108

RET (Resolution Enhancement Technology), 324

retinal scanners, 180

ribbon connector, 36

ribbon for printer, 151

RIMMs (Rambus inline memory modules), 28, 29, 42

RIS (Remote Installation Services), 105

riser board, 11, 46

RJ connector, 36

RMDIR command, in Recovery Console, 298

roaming users, 365

root of FAT drive, entry limit, 114

rootkits, 182

router, 158

RS-232 cable, 37

RS-232 port, 13, 138, 168

Run command, in Windows, 101

S

- S-Video connector, 31
- Safe mode for boot, 108, 302–303
- safety practices, 210–213, 376–382
 - hazards identification, 213–216
 - for power supplies, 211, 376–377
- SAINT (Security Administrator's Integrated Network Tool), 359
- SAM (Security Accounts Management)
 - database, 103
- Samba, 342
- SATA (Serial ATA), 48
- satellite network connection, 335
- saving, Registry to file, 121
- Scanner and Camera Installation Wizard, 140, 320, 320
- scanners, 127
 - calibration, 320–321
 - checking status, 314
 - color profiles, 151
 - configuration, 140–141
 - firmware updates, 139
 - fundamentals, 137
 - installing, 314, 320
 - interfaces, 137–138
 - preventative maintenance, 325–326
 - troubleshooting, 141–151, 325
- scope of IP addresses, 163
- .scr files, 181
- screwdrivers, 323
- SCSI (Small Computer System Interface), 14, 49–53
 - cables, 37
 - connectors, 49
 - IDs and termination, 49
 - installing and configuring, 50–53
 - power consumption estimate, 19
 - for printers, 138
 - types, 49–50
- SCSI-2, 50
- SCSI-3, 50
- SCSI address, 49
- SCSI bus, 49
- SD (SecureDigital) cards, 7–8, 8
- SDRAM (Synchronous DRAM), 27
- Seagate Power Quest Drive Image, 245
- Search submenu in Start menu, 101
- SECC (single edge contact cartridge) for CPU, 20, 43
- Secure Hash Algorithm (SHA), 188
- Secure Socket Layer (SSL), 334
- security
 - basics, 178–192, 352–359
 - general rules, 358, 363–364
 - problem issues, 203–204
 - BIOS (Basic Input/Output System), 193
 - data access, 198–202
 - Bell La-Padula model, 198–199, 199
 - Biba model, 199, 200
 - Clark-Wilson model, 200, 200
 - Information Flow model, 200–201, 201
 - Noninterference model, 201, 201–202
 - data and physical security, 187–192
 - backups, 189–191, 202
 - encryption, 188–189
 - incident reporting, 191
 - social engineering, 191–192
 - data migration, 202
 - hardening operating system, 353–357
 - hardware and software security, 179–184
 - authentication issues, 180, 193–197
 - biometric devices, 179–180
 - filesystem security, 184
 - firewalls, 183–184
 - key fobs, 180
 - smart cards, 179, 193
 - software exploitation, 180–183
 - logs, 358–359
 - preventative maintenance, 204–205, 370–371
 - printer settings, 318–319
 - share-level, 157
 - in Unix, 356
 - wireless, 184–187
 - IEEE 802.11x wireless protocols, 185–186
 - vulnerabilities, 186–187
 - Wired Equivalent Privacy (WEP), 186
 - Wireless Access Protocol (WAP), 186
 - Wireless Transport Layer Security (WTLS), 185

- Security Accounts Management (SAM) database, 103
- Security Administrator's Integrated Network Tool (SAINT), 359
- security baseline, 352–353
- security tokens, 195
- segments of LAN, 157
- selecting files, in Explorer, 117
- separator pages, for print jobs, 318
- Serial ATA (SATA), 48
- serial cable, 35
- serial port, legacy, 13, 138
- server, 156, 157
- server-based network, 157
- service packs, 107, 304–305, 363
- service-set identifiers (SSIDs), 184
- services, 294, 295
 - in Unix, 356
- Session layer (OSI), 159, 160
- Settings submenu in Start menu, 101
- Setup Manager, 105
- Setup Wizard, 107
- SETUPACT.LOG file, 301
- SETUPAPI.LOG file, 301
- SETUPERR.LOG file, 302
- SFC.EXE (System File Checker), 303–304
- SHA (Secure Hash Algorithm), 188
- shadow copies, 189
- share-level security, 157, 184
- sharing
 - network resources, 340–342
 - printers, 315
- sheet-fed printers, 127
- shelling out to DOS, 111
- shielded cable, 36–37
- shielded twisted-pair (STP) cable, 166, 168
 - types, 167
- shortcuts to programs, 100
- shoulder surfing, 371
- Shut Down command in Windows, 101–102
- shut down of nonresponsive application, 115
- SIMMs (single inline memory modules), 28, 42, 248
 - removing, 242
- Simple Mail Transfer Protocol (SMTP), 334
- single edge contact cartridge (SECC), for CPU, 20
- site survey, 187
- slave drive, 47
- sleep mode, 102
- slim-line case, 46
- Small Computer System Interface (SCSI). *See* SCSI (Small Computer System Interface)
- small outline DIMM (SoDIMM), 29
- smart cards, 179, 193, 364
 - problems, 203
- SMTP (Simple Mail Transfer Protocol), 334
- social engineering, 191–192, 370
- software. *See* applications
- software exploitation, 180–183
- software modems, 62
- sound cards, troubleshooting, 65
- spam, 183
- SPP (standard parallel port), 16
- spyware, 181–182
- SRAM (static RAM), 27
- SSIDs (service-set identifiers), 184
- SSL (Secure Socket Layer), 334
- Stand By option, in Windows, 102
- standard parallel port (SPP), 16
- standard SCSI, 50
- standby state, 82
- standoffs, 241
- Start menu, 100–102
- startup, 294
- stateful inspection, 184
- static eliminator strip, 146
- static RAM (SRAM), 27
- status indicators, 165
- stepper motor, in printers, 144
- storage devices. *See also* CD-ROM drives; floppy drives (FDD); hard drives
 - hard-disk systems, 6. *See also* hard drives
 - installing, 243
 - preventative maintenance, 259
 - removing, 241, 241
 - upgrading, 53
- stub cables, 51
- stylus on tablet computer, troubleshooting, 85, 269
- subnet mask, 163, 164
 - troubleshooting, 345
- subnetting network, 164
- Super extended graphics array (SXGA+), 78
- SuperIO chip, 15

418 superscalar architecture – troubleshooting

superscalar architecture, 23
 surge protectors, 378, 379
 power strip, reset button, 378
 suspend state, 82
 swap file, 97
 SXGA+ (Super extended graphics array), 78
 symmetric algorithms, 188
 system board. *See* motherboards
 system bus, 11
 System Configuration Editor (MSCONFIG),
 116, 286, 286
 for startup program configuration, 294
 system date and time, 15
 System (S) file attribute, 118, 280
 System File Checker (SFC.EXE), 303–304
 system files in Windows, 103
 System Information utility, 254, 255, 257
 system lockup, 110, 300
 System log, 110
 System Preparation tool, 105
 System Properties dialog box, General tab,
 for CPU speed, 20
 System Restore, 108, 290
 system tray, 100
 bar-graph icon, 292
 SYSTEMROOT command, in Recovery
 Console, 298

T

T-8 screwdriver, 83
 tablet PC, 80
 troubleshooting stylus malfunction, 85
 tailgating, 371
 tape backup devices, 7
 Task Manager, 115, 256, 290–291
 Performance tab, for memory statistics, 292
 Taskbar, 100
 TCP/IP, 161–165, 335
 gateway, 158
 interfaces on network, 157
 TCP wrappers, 356
 TCSEC (Trusted Computer Systems
 Evaluation Criteria), 353
 TechNet, 305, 354
 telephone support, 223
 Telnet, 335
 temperature control, 259
 temporary files, cleanup, 294
 terminator, 49, 51, 174
 TFT (thin-film transistor), 32
 theft of equipment, 187
 thermal compound, 38
 thermal cutoff switch, on laptop
 computers, 269
 thermal fuse, in laser printer, 324
 thermal ink-jet printers, 128
 thermal wax transfer printer, 136
 thermally sensitive devices, 259
 thin clients, 156
 thin-film transistor (TFT), 32
 Thinnest Ethernet cable, 37
 throttling, 23
 thumb drives, 8–9, 9
 time domain reflectometer (TDR), 174
 time estimates, for computer upgrade, 238
 token passing, 171
 tone generator (fox), 173
 tone locator (hound), 173
 toner, 151
 cleaning, 324
 toner cartridge, 129, 129, 324
 disposal, 217
 refilled or reconditioned, 146
 Toolbox program, 321, 321
 for HP LaserJet printers, 313, 314
 touchpads, 80
 tower case, 46
 TRACERT.EXE, 344
 track points, 80
 tractor-feed paper, perforated edges, 144
 transfer corona, 131, 131
 transformers, in power supplies, 18
 Transistor-Transistor Logic (TTL) chips,
 and ESD, 213
 Transmission Control Protocol/Internet
 Protocol. *See* TCP/IP
 transparencies, printing, 150–151
 Transport layer (OSI), 159, 160
 Trojan horses, 182
 troubleshooting
 basic aspects, 55
 basic techniques, 59–68
 BIOS issues, 66–67
 case issues, 61

- CD-ROM/DVD drives, 65–66
 - for cooling systems, 60–61
 - floppy drives (FDD), 65
 - hard drives, 61
 - for I/O ports and cables, 60
 - keyboard and mouse, 64–65
 - miscellaneous issues, 67–68
 - modems, 61–64
 - for motherboard and CPU, 59–60
 - network interface cards, 66
 - power supplies, 67
 - sound cards, 65
 - blank screen, 32
 - diagnostic procedures for, 55–58
 - customer reproduction of errors, 224
 - determining hardware- or software-related, 57
 - help from others, 58
 - problem definition, 56
 - restarting computer, 57
 - service manuals, 58
 - simple checks first, 56–57
 - user error, 57
 - information for, 256–258
 - laptop computers, 269–270
 - networks, 172–174, 344–345
 - common problems and tools, 173–174
 - systemic approach, 172–173
 - wireless, 174
 - operating systems, 108–119, 295–304
 - Automated System Recovery (ASR), 298
 - Emergency Repair Disk (ERD), 298–299
 - Recovery Console, 296–298
 - printers, 141–151
 - dot-matrix printers, 323–324
 - ink-jet printers, 324
 - laser printers, 324–325
 - recognizing and isolating issues, 59
 - scanners, 325
 - social side of, 57, 224–225
 - Trusted Computer Systems Evaluation Criteria (TCSEC), 353
 - TTL (Transistor-Transistor Logic) chips, and ESD, 213
 - twisted-pair wiring, 165
 - two-factor authentication system, 197, 198
 - two-way hash, 188
 - .txt file extension, 181
 - TYPE command, in Recovery Console, 298
-
- ## U
- UDFs (uniqueness database files), 105
 - UDP (User Datagram Protocol), 164
 - Ultra extended graphics array (UXGA), 78
 - Ultra SCSI, 50
 - UltraDMA, 47
 - unattended installation of operating system, 105
 - UNC (Universal Naming Convention), 319
 - undocking laptop computers, 84
 - uninterruptible power supplies (UPSs), 259
 - uniqueness database files (UDFs), 105
 - Uniting and Strengthening America by Providing Appropriate Tools Required to Intercept and Obstruct Terrorism (USA PATRIOT) Act of 2001, 229
 - Universal Naming Convention (UNC), 319
 - Universal Serial Bus (USB), 138, 247.
 - See also* USB ...
 - Unix
 - filesystem, 361, 361
 - hardening, 356–357
 - unshielded cable, 36–37
 - unshielded twisted-pair (UTP) cable, 37, 165, 168
 - updates
 - applications, 205
 - Automatic Updates, 305, 305
 - networks, 205
 - operating systems, 204, 362–363
 - of printer and scanner firmware, 139
 - upgrades, 237–249
 - to BIOS, 246
 - to cooling system, 246–247
 - to CPU, 245–246, 249
 - disassembling, 238–242
 - to display devices, 53–54
 - to input devices, 54
 - to memory, 248
 - to multimedia devices, 54

420 USB (Universal Serial Bus) – Windows Internet Naming Service (WINS)

to operating systems, 106–107
 optimizing, 244–245
 part replacement and reassembly, 242–244
 to storage devices, 53
 USB (Universal Serial Bus), 138, 247
 USB connectors, 35, 36
 for keyboard, 33
 USB flash drives, 8–9, 9
 USB port, 13
 dust collection, 380, 381
 for flash card reader, 8
 User Datagram Protocol (UDP), 164
 user-level security, 157, 184
 user profile (NTUSER.DAT), 103
 backup, 299
 users
 disconnecting or logging off, 116
 education on social engineering, 371
 logon, 157
 mobile, 365
 restrictions on operations, 365
 roaming, 365
 system access, 358
 UTP Ethernet cable, 37
 UXGA (Ultra extended graphics array), 78

V

V-chip, 365
 VER command, 118
 vertical hold (V-hold) settings of monitor, 31
 VGA connector, 31
 VGA extension cable, 37
 video. *See* display devices
 video adapters, upgrades, 247
 video cameras, for security, 187
 Video Electronics Standards Association
 Local Bus (VESA local bus), 11
 video RAM (VRAM), 30
 video sharing, with laptop computers, 268
 view types in Explorer, 117
 virtual machines, 97
 virtual memory, 97, 292
 settings, 293
 Virtual Private Networks (VPN), 168

virus, 182
 problems from, 203
 virus protection, 197–198, 300
 in CMOS, 17
 Voice-over IP (VoIP), 168, 336
 voltage, 211
 computer setting, 376–377, 377
 of CPU, 249
 transfer levels, 214
 voltmeter, 257, 322, 382
 VPN (Virtual Private Networks), 168
 VRAM (video RAM), 30
 vulnerability scanner, 359

W

WAN (wide area network), 157, 336
 WAP (wireless access point), 171
 WAP (Wireless Access Protocol), 186
 warm docking, 79
 warm reboot, 102
 wattage, hardware requirements for, 18
 web browsers, 336–338
 WEP (Wired Equivalent Privacy), 186
 wide area network (WAN), 157, 336
 Wide SCSI-2, 50
 Widescreen ultra extended graphics array (WUXGA), 78
 WiFi (802.11b standard), 185
 WIN.COM file, 103
 Windows (Microsoft), 94
 command-line interface, 102
 Professional and Home versions of XP, 102
 Registry in 2000/XP, 103, 110–111
 service packs, 107, 304–305
 system files, 103
 Windows 2000, 98
 hardening, 354
 minimum requirements, 104–105
 Windows Backup and Recovery tool, 109, 298
 Windows Explorer, 96, 96, 116–117, 291
 Windows Internet Naming Service (WINS), 161
 troubleshooting, 345

Windows Server 2003, hardening, 355–356
Windows Update, 305, 354
Windows XP, 99
 hardening, 355
 minimum requirements, 105
Winmodems, 62
WinMSD (System Information), 257
WINNT32.exe utility, 107
WINPRINT.DLL, 317–318
WINS (Windows Internet Naming Service), 161
 troubleshooting, 345
Wired Equivalent Privacy (WEP), 186
wireless access point (WAP), 171
Wireless Access Protocol (WAP), 186
wireless adapters, 80
 for printers, 138
Wireless Markup Language (WML), 186
wireless networks, 171–172
 security, 184–187, 363
 IEEE 802.11x wireless protocols,
 185–186
 vulnerabilities, 186–187
 troubleshooting, 174
 for laptop computers, 269
Wireless Transport Layer Security (WTLS), 185
wiring. *See* cables
WML (Wireless Markup Language), 186
WMLScript, 186
workgroups, sharing network resources in,
 340–342

working copy backups, 189
workstation, 157
worm, 182–183
wrap plugs, 257
wrappers, 356
wrist strap, 213, 214, 214, 239, 257
write-down, preventing, 199
Write NTFS permission, 341
WTLS (Wireless Transport Layer Security), 185
WUXGA (Widescreen ultra extended graphics array), 78

X

XCOPY command, 119, 282
XGA (Extended graphics array), 78
.xls file extension, 181
XT IDE, 46

Y

Y/C connectors, 31
YaST (Yet another Setup Tool), 338, 339

Z

Zip drives, 7
.zip file extension, 181