

Index

A

- <a> tag, 103–106
- absolute paths, 43–44
- absolute positioning, 216, 326
- abstraction class (proxy), 565
- accessibility
 - alternate image text, 85, 91–92
 - frame preferences, 406–407
 - site design, 34–36
 - table attributes, 144
- Accessibility
 - tags/attributes, 36
- actions, JavaScript, 336–337
- Actions menu, Behaviors panel, 341
- Active Server Pages (ASP)
 - block-by-block master-detail pages, 695–701
 - building master/detail pages, 692–695
 - command objects, 755–758
 - connection editing, 590–591
 - connection requirements, 583
 - connection strings, 584, 586–588
 - deleting database connections, 591
 - DSN (Data Source Name)
 - connection, 583, 585–586
 - dynamic pages, 584
 - Insert Record server behavior, 768–769
 - MapPath method, 589
 - OLE DB drivers, 584
 - remote database
 - connection, 588–589
 - search/results page
 - development, 709–715
 - stored procedures, 759–762
 - virtual path connections, 590
 - Web server configuration, 567
- ActiveX controls, 132–134
- Add Using WSDL dialog box, 682–683
- Administer Website dialog box, 549–550
- Adobe Illustrator, 38–39
- Adobe ImageReady, 40
- Adobe Photoshop, 38–40
- Advanced selectors, CSS (Cascading Style Sheets), 197–199
- Advanced Site Definition dialog box, 570–572
- aif (Audio Interchange File Format), 137
- alert windows, 365–366
- alignments
 - code formatting, 480
 - CSS Block category rules, 212
 - Flash movies, 118
 - images, 92–93
 - table captions, 144
 - table cells, 155–156
 - tables, 149
 - text formatting, 71
- All mode, 193, 205
- Alt text, images, 91–92
- alternate text, 85, 88, 91–92
- animated GIFs, 284
- animation path, 419–420
- anti-aliasing, Flash movies, 118
- Apache Jakarta Tomcat, 568
- Apache servers
 - localhost address, 565
 - pros/cons, 563–565
 - short username, 565
 - SSIs handling, 272
 - WebDAV protocol
 - support, 487, 492–494
- applets, Java, 131–132
- Application panel, 578–581
- architecture, site, 38–39
- ASP. *See* Active Server Pages (ASP)
- ASP.NET
 - connection editing, 600–601
 - connection requirements, 593
 - data link properties, 597–598
 - deleting connections, 601
- ASP.NET
 - detail page building, 705–706
 - detail page links, 703–705
 - dynamic page creation, 594–595
 - Insert Record server behavior, 767–768
 - master page development, 701–703
 - OLE DB connections, 593–598
 - search/results page
 - development, 716–721
 - SQL Server connections, 594, 599–600
 - stored procedures, 759–762
 - system requirements, 722
 - templates, 595–597
 - Web server configuration, 567–568

asp:TextBox dialog box, 717
 Assets panel
 image insertion, 86
 library items, 259–267
 templates application, 252–255
 attributes
 Flash movies, 118–119
 frameset, 402–403
 href, 103–108
 mailto:, 105–106
 media object parameters, 133
 placeholder images, 88
 repeating tables, 242
 searches, 77–81, 452–453
 tables, 143–144
 Target Browser Check report, 456–460
 uppercase/lowercase, 480
 audiences
 accessibility 34–36
 market research, 33
 site design, 32–33
 usability, 34
 Audio Interchange File
 Format (AIFF), 137
 authentication, SFTP (Secure FTP), 491

B

Back to Top links, 106–108
 background colors
 alternate template table rows, 243
 CSS Background category
 rules, 210
 Flash buttons, 121
 Flash movies, 119
 Flash Text, 123
 frames, 402
 layers, 327
 page properties, 61–62
 table cells, 156

table formatting, 149
 Background File Activity
 log, viewing, 508
 background file transfers, 503
 background images
 CSS Background category
 rules, 210–211
 layers, 327
 page properties, 61–62
 table cells, 156
 background properties, 209–211
 Behaviors panel
 access methods, 340
 action order
 modifications, 343
 action parameter editing, 343
 Actions menu, 341
 behavior attachments, 342–343
 behavior modifications, 343–344
 behaviors and event display, 340
 deleting behaviors, 343–344
 JavaScript, 335
 JavaScript insertion, 337–338
 Show Events For submenu, 341–342
 Show Pop-Up Menu, 377–381
 updating behaviors, 344
 behaviors. *See also*
 JavaScript behaviors
 Call JavaScript, 345–346
 Change Property, 346–347
 Check Browser, 347–350
 Check Plug-In, 350–351
 Control Shockwave or Flash, 351–353
 Drag Layer, 353–356
 Go to URL, 356–357

hotspots, 95–97
 Jump Menu/Go, 357–361
 layer controls, 331
 Open Browser Window, 361–364
 Play Sound, 364–365
 Popup Message, 365–366
 Preload Images, 367
 Set Nav Bar Image, 368–369
 Set Text of Frame, 369–371
 Set Text of Layer, 371–372
 Set Text of Status Bar, 372–373
 Set Text of Text Field, 373–374
 Show-Hide Layers, 375–377
 Show Region, 654–655
 Swap Image, 381–383
 Swap Image Restore, 383
 third-party, 384–386
 timeline associations, 418–419, 424–425
 Validate Form, 384
 Bindings panel
 building detail pages, 699–701
 form field/data source, 636–637
 inserting dynamic content, 646
 master/detail page building, 692–693
 recordset definitions, 642–643
 session variables, 640–641
 URL parameters, 637–639
 blank (new) document, 55–58
 block properties, CSS (Cascading Style Sheets), 211–213
 block snippets, 276–277
 block-level elements, 314–315
 <blockquote> tag, 73–74
 bold text, tag, 71

border colors, 156
border properties, CSS
 (Cascading Style Sheets), 214–215
borders
 CSS Border category
 rules, 214–215
 frames, 391, 406
 frameset properties, 404
 hotspots, 96
 images, 91
 table formatting, 149
 table thickness, 143
box properties, 213–214
Breadcrumbs, Macintosh
 Help system, 27
brightness adjustments,
 93–94
brochureware sites, 34–35
broken links, 460–462
browsers
 Check Browser behavior,
 347–350
 compatibility testing,
 446–449
 cross-browser
 compatibility, 15
 CSJS (client-side
 JavaScript) behaviors,
 336–337
 CSS (Cascading Style
 Sheets) support, 187
 delete page testing,
 752–753
 document previews, 16
 dynamic content, 664–665
 Flash button, 121
 FlashPaper toolbar, 124
 floating frame issues, 412
 font sets, 75
 Go to URL behavior,
 356–357
 link paths, 42–44
 link testing, 103
 master/detail page
 testing, 706–707

Open Browser Window
 behavior, 361–364
 optimization, 36–37
 page previewing, 449
 Preload Images behavior,
 367
 previewing a Web service,
 683–684
 previewing Flash movies,
 118
 previewing Flash Text, 123
 primary/secondary
 settings, 447–449
 record insert page testing,
 732–733
 search-results page
 testing, 721–722
 site design, 36–37
 supported file formats, 83
 Target Browser Check
 report, 456–460
 targets, 73
 update page testing,
 743–745
 usage statistics, 37
 Web-safe colors, 73
browser-safe fonts, 74
budgets, site design, 33–35
bulleted (unordered) lists,
 72, 76–77
buttons
 Flash, 119–121
 forms, 178–180

C

cache, managed sites, 49
Call JavaScript behavior,
 345–346
Callable (Stored Procedure)
 dialog box, 760–761
caption fields, tables, 144
cascade windows, 10
Category list, 56–57
cell padding, 143, 149
cell spacing, 144, 149

cells
 background colors, 156
 background images, 156
 border colors, 156
 headers, 156
 horizontal/vertical
 alignments, 155–156
 image insertion, 155
 merging/splitting, 152–153
 table formatting, 155–156
 text insertion, 155
 width/height, 156
center alignment, 71, 92
<center> tag, 480
CFCs (ColdFusion
 Components), reusable
 code, 675
<cfinvoke> tag, 677
CFML. *See* ColdFusion
 Markup Language
 (CFML)
CGI scripts, forms, 164–165
Change Link Sitewide dialog
 box, 111, 483–484
Change Object dialog box,
 430
Change Property behavior,
 346–347
check boxes
 dynamic forms, 669–671
 forms, 170–171
Check Browser behavior,
 347–350
Check In/Check Out
 document collaboration,
 520–522
 enabling/disabling,
 488, 521–522
 file transfers, 488, 501–502
 lock icon display, 522
 unlocking Contribute files,
 553
Check New User server
 behavior, 770
Check Plug-In behavior,
 350–351

- Check Spelling dialog box, 475–476
- classes, layer properties, 327
- Clean Up HTML/XHTML dialog box, 476–478
- Clean Up Word HTML dialog box, 473–474
- clients, 32, 37
- client-side JavaScript (CSJS) behaviors. *See* JavaScript behaviors
- clipping area, layers, 328
- cloaking
 - files/folders, 496–500
 - managed sites, 49–50
- clock scripts, 280
- code
 - ColdFusion Components (CFCs), 675–681
 - color preferences, 479
 - copy/paste, 470–472
 - diff tools, 512
 - doctype checking, 476–468
 - formatting, 478–482
 - grammar checking, 475–476
 - hand-coding links, 113–114
 - invisible element (yellow icon), 62–64, 282
 - jumping to errors, 459
 - Mark of the Web, 450
 - markup validation, 15
 - Paste Special command, 472
 - readability checking, 475–476
 - readability enhancement, 469–470
 - red-underlined error indicator, 460
 - server behaviors, 684–688
 - source formatting
 - application, 482–483
 - source formatting review, 478–482
 - spell checking, 475–476
 - validation, 453–456
 - viewing/fixing errors, 459–460
 - Word HTML cleanup, 473–474
- code blocks, conditional execution, 685
- code hints, 481
- code rewriting, 481–482
- code snippets. *See* snippets
- Code view
 - adding text, 67–68
 - cutting/pasting images, 87
 - Document toolbar
 - elements, 14–16
 - editing text, 68
 - e-mail address encryption, 106
 - hand-coding links, 113–114
 - red-underlined code error display, 460
 - viewing/fixing code errors, 459–460
 - Windows workspace layout, 9–10
- codecs, Flash videos, 130
- Coder view, 9–10
- Coding toolbar, 13
- ColdFusion Markup Language (CFML). *See also* Macromedia ColdFusion
 - Administrator database, 614–617
 - application debugging, 466–468
 - application types, 611
 - block-by-block master-detail pages, 695–701
 - building master/detail pages, 692–695
 - cfm file extension, 611
 - code validation, 453–454
 - connection editing, 618–620
 - database connection, 611–612
 - database document, 612–613
 - deleting database connections, 620
 - Insert Record server behavior, 767–768
 - JDBC (Java Database Connectivity) drivers, 612
 - RDS (Rapid Development Services), 494–495, 613–614
 - search/results page, 709–715
 - server debugging, 15
 - stored procedures, 759–762
 - version issues, 617–620
 - Web server configuration, 568
- ColdFusion Components (CFCs)
 - <cfinvoke> tag, 677
 - creating, 678–681
 - function selections, 677–678
 - Macromedia ColdFusion, 676
 - reusable code, 675
 - Web page development, 676–678
- collaboration
 - Check In/Check Out Files, 520–522
 - Design Notes, 515–520
 - File View Columns, 523–525
 - Site Map Layout mode, 525–530
- color palettes, 304

- colors
 - code formatting
 - preferences, 479
 - CSS Type category rules, 209
 - file formats, 83
 - Flash Text, 122
 - grids, 16
 - hexadecimal numbers, 73
 - image borders, 91
 - layer highlighting, 324
 - library items, 261
 - link states, 197–198
 - page properties, 61–62
 - placeholder images, 88
 - site maps, 526
 - table formatting, 149
 - Web-safe, 73
- columns
 - database table, 558
 - deleting, 155
 - File View Columns, 523–525
 - frameset properties, 404
 - merging/splitting, 150–152
 - Site Map Layout mode
 - display, 531
 - table addition, 154–155
 - table attributes, 143
 - table formatting, 148
- Command dialog box, ASP
 - command objects, 37
- command objects, ASP, 755–758
- commands
 - History panel playback, 290–292
 - History panel recording, 289–290
 - renaming/deleting, 292
- Commands menu, 291–292
- comment tags
 - <!--and-->, 191
- Fireworks table image
 - editing, 302
- templates, 225–226
- comp (mock-up), site
 - design, 39
- Components panel
 - ColdFusion component
 - creation, 679–681
 - Web page development, 676–678
 - Web service addition, 682–683
- compression, file
 - formats, 40
- Configure RDS Server
 - dialog box, 494–495
- confirmation pages, 745–750
- connection keys,
 - Contribute, 537
- Connection String Template
 - dialog box, 596
- container tags, 67–68
- containers, 314–315
- contents. *See also* dynamic
 - content
 - CSS Box category rules, 213–214
 - CSS Positioning category
 - rules, 217–218
 - Document window
 - selections, 18
 - folder organization
 - schemes, 37
 - gathering methods, 37
 - layer entry, 317
 - layer overflow properties, 327
 - library items, 257–268
 - <noframes> tag, 388, 409–411
 - site design, 37
 - snippet uses, 275–276
 - SSIs (server-side
 - includes), 257, 268–273
 - table uses, 141–142
- contrast adjustments, 93–94
- Contribute
 - best practice guidelines, 534–535
 - compatibility enabling, 50
 - connection keys, 537
 - connection restrictions, 542–543
 - connection trouble-
shooting, 545–546
 - content editing uses, 533–534
 - deleting files, 551–552
 - enabling site
 - compatibility, 536–537
 - file editing tasks, 551–552
 - file management tasks, 548–553
 - file transfers, 543
 - file/folder permissions, 544, 552–553
 - _mm folder
 - troubleshooting, 546
 - moving/renaming files, 551
 - rollback files, 549–551
 - site administrator
 - permissions, 533, 537–539
 - special files, 544–545
 - staging (production)
 - servers, 545
 - structure guidelines, 542
 - style sheets, 554
 - templates, 540–541, 552–554
 - unlocking checked out
 - files, 553
 - user permissions, 537–539
- Contribute Administer
 - Website dialog box, 538–539
- Control Shockwave or Flash
 - behavior, 351–353
- controls, ActiveX, 132–134

- Convert Layers to Table
 - dialog box, 332–333
- Convert Tables to Layers
 - dialog box, 334
- cookies, session variables, 639
- coordinates, layer
 - positioning, 326
- coordinates, X/Y, 16
- copyright notices
 - library item uses, 259
 - site design, 35
 - SSI (server-side include)
 - use, 270
 - text snippet creation, 278–279
- costs, site design, 33–34
- Create a New Code Block
 - dialog box, 686–687
- Create Component dialog
 - box, 679–681
- cropping, images, 93
- CSJS (client-side JavaScript) behaviors.
 - See JavaScript behaviors
- CSS (Cascading Style Sheets)
 - See also style sheets
 - adding styles to an existing style sheet, 199–202
 - Advanced selectors, 197–199
 - comment (<!--and-->) tags, 191
 - Contribute style sheets, 554
 - custom class styles, 204
 - custom styles, 196–197
 - declarations, 195
 - deleting, 206–207
 - Design Time Style Sheets, 221–222
 - external styles, 190–192
 - Flash movie attributes, 119
 - image alignments, 93
 - inline styles, 190, 192
 - internal style sheets, 189–191
 - layer styles, 328–330
 - link colors, 197–199
 - property addition, 206
 - renaming styles, 219–220
 - selectors, 195, 197–199
 - Style Rendering
 - toolbar, 13
 - style sheet to document attachments, 202–203
 - Styles panel, 192–195
 - supported browsers, 187
 - table formatting, 149
 - tag redefines, 197
 - text formatting, 187–188
 - Type B properties, 191
 - versus HTML, 188–189
- CSS panel, Properties inspector option, 71
- CSS Rule Definition dialog
 - box
 - background properties, 209–211
 - block properties, 211–213
 - border properties, 214–215
 - box properties, 213–214
 - extensions properties, 218–219
 - list properties, 215–216
 - positioning properties, 216–218
 - style definition, 201–202
 - type properties, 207–209
- CSS Style Sheets
 - category, 57
- CSS Styles panel
 - adding styles to an existing style sheet, 199–202
 - All mode, 193, 205
 - Current mode, 193–194, 205–206
 - custom class styles, 204
 - deleting styles, 206–207
 - internal style exporting, 220–221
 - listing views, 194–195
 - renaming styles, 219–220
 - style editing, 204–206
 - style property addition, 206
 - style sheet to document attachment, 202–203
 - tag redefines, 197
 - viewing/editing options, 194–195
- Current mode
 - CSS Styles panel view, 193–194
 - style editing, 205–206
- cursors, 218–219
- custom class styles, selections, 204
- Custom Connection String
 - dialog box, 586–588
- custom styles, 196–197
- CuteFTP, FTP client, 576–577
- Cyberduck, FTP client, 575–576

D

- Data Link Properties dialog
 - box, 597–598
- Data Source Name (DSN), 583, 585–586
- data sources, 633, 636–637
- databases
 - access troubleshooting, 622–625
 - ColdFusion/RDS login, 613–614
 - data organization application, 557–558
 - Databases panel viewing, 634–635
 - Dreamweaver 8, 559
 - error messages, 622, 627–629

- file permission
 - troubleshooting, 625–627
- login data table, 765, 772
- many-to-many
 - relationship, 558
- normalization rules, 558–559
- one-to-many relationship, 558
- one-to-one relationship, 558
- physical versus virtual paths, 588–589
- problem identification scenarios, 629–630
- recordsets, 641–644, 649–655
- remote server contact troubleshooting, 622
- stored procedures, 634–635
- table organization, 558
- tables, 634–635
- username/password validation
 - troubleshooting, 623–625
- views, 634–635
- Databases panel
 - ASP connection editing, 590–591
 - ASP.NET connection editing, 600–601
 - ASP.NET/OLE DB connection, 595–598
 - ASP/custom connection string, 586–588
 - ASP/DSN connection, 585–586
 - ColdFusion connections, 618–620
 - column views, 634–635
 - database structure viewing, 634–635
 - deleting ASP connections, 591
 - deleting ASP.NET connections, 601
 - JSP connections, 607–610
 - stored procedures, 634–635
 - table display, 634–635
 - tree structure, 634–635
- DataGrid dialog box
 - ASP.NET detail page links, 703
 - ASP.NET master pages, 702–703
 - ASP.NET search/results page development, 719–720
- DataSet dialog box
 - ASP.NET master pages, 702
 - ASP.NET search/results page development, 719
- datasets. *See* recordsets
- Date field, Design Notes, 519
- date/time stamps, JavaScript snippets, 280
- debugging
 - ColdFusion application, 466–468
 - ColdFusion servers, 15
- declarations, CSS (Cascading Style Sheets), 195
- delete pages
 - confirmation page building, 748–750
 - confirmation page links, 745–746
 - confirmation page URL parameters, 746–747
 - record deletion logic, 750–752
 - testing, 752–753
- Delete Record server behavior, delete pages, 750–752
- delimited text files
 - importing, 64–65
 - table importing, 157–158
- delivery time, site design consideration, 33–34
- dependent files
 - file transfers, 502
 - Site Map Layout mode display, 531
 - testing server uploads, 659–661
 - types, 659
- Dependent Files dialog box, remote server uploads, 506
- Design Notes
 - automatic creation method, 516
 - date display, 519
 - disabling/removing permanently, 517–518
 - document collaboration, 515–516
 - editing, 520
 - enabling, 296
 - enabling/disabling, 516–517
 - file attachments, 518–519
 - Fireworks graphic export process, 293
 - key/value pairs, 519
 - managed sites, 50
 - manual creation method, 516
 - Notes folder creation, 297
 - status display, 518
 - viewing, 520
- Design Time Style Sheets dialog box, multiple style sheets, 221–222
- Design view
 - adding text, 67–68
 - cutting/pasting images, 87
- Document toolbar elements, 14–16
- Document window refresh, 16

- Design view (*continued*)
 - editing text, 68
 - Flash button editing, 121
 - Flash button preview, 121
 - Flash movie display, 117
 - grids, 16–17
 - HTML form creation, 163–166
 - image links, 105
 - invisible element (yellow icon), 62–64, 282
 - moving images, 87
 - previewing Flash Text, 123
 - Designer view
 - Windows workspace layout, 9–10
 - workspace interface elements, 11–14
 - designers, accessibility options, 36
 - detail pages
 - ASP.NET, 703–706
 - block-by-block development, 695–701
 - building, 692–695, 699–701
 - Employee table listing, 691–692
 - filters, 700
 - links, 697–699
 - testing, 706–707
 - value testing, 700
 - diagrams, wireframe pages, 38–39
 - diff tools, file synchronization, 512
 - digital security certificates, forms, 162
 - disabled users
 - accessibility considerations, 34–36
 - alternate image text, 85, 91–92
 - table attributes, 144
 - display (element), CSS
 - Block category rules, 212–213
 - dither, Fireworks image optimization, 304
 - <div> tag
 - code formatting preferences, 480
 - layers, 315
 - divider bars, frames, 391
 - dividers, frames, 395
 - document categories, document type selections, 56–57
 - document links, managed sites, 48
 - Document Object Model (DOM), Help system, 28
 - Document toolbar, workspace interface element, 11–16
 - Document Type Definition (DTD) list, document type definitions, 57–58
 - Document window
 - adding text, 67–68
 - browser compatibility checking, 15
 - browser previewing, 16
 - building detail pages, 701
 - ColdFusion debugging, 15
 - copying/pasting text, 69–70
 - default font display, 15
 - Design view refreshing, 16
 - detail page links, 697
 - Document toolbar elements, 14–16
 - drawing layers, 316–317
 - dynamic text placeholder, 646
 - editing text, 68
 - enabling Table Visual Aids, 146–147
 - error checking, 15
 - file management tasks, 16
 - grids, 16–17
 - guides, 17
 - HTML hand-coding/editing, 15
 - HTML table repeating regions, 652–653
 - invoking a Web service, 683
 - JavaScript hand-coding/editing, 15
 - markup validation, 15
 - master/detail page building, 692–693
 - opening existing files, 60–61
 - opening pages from Site Map Layout mode, 529
 - placeholder image replacement, 299–301
 - record insert page form addition, 727–728
 - removing text, 69
 - resizing, 18
 - rollover images, 95
 - rulers, 16–17
 - saving files, 58–59
 - search page building, 710
 - server-side coding, 15
 - splitting views, 15
 - status bar elements, 17–18
 - Tag Selector, 17–18
 - text formatting, 70–74
 - title entry, 15
 - unsaved document indicator, 15
 - view options, 16–18
 - visual aids, 16
 - workspace interface element, 11–12, 14–17
 - WYSIWYG editor display, 15
- documentation, ColdFusion Components (CFCs) benefits, 675
 - document-relative paths site structure, 42–43, 48
 - SSIs (server-side includes), 273
 - switching to root-relative paths, 48

- documents
 - adding text, 67–68
 - block snippet insertion, 277
 - changing file extensions, 59
 - Check In/Check Out Files collaboration, 520–522
 - copying/pasting text, 69–70
 - creating from a template, 248–249
 - CSS Style Sheets category, 57
 - custom style application, 196–197
 - default file extensions, 58
 - Design Note collaboration, 515–520
 - detaching library items, 266–267
 - DTD (Document Type Definition) list, 57–58
 - editing text, 68
 - filenaming conventions, 58
 - Fireworks HTML code insertion, 306–309
 - Fireworks image insertion, 298
 - FlashPaper, 124
 - Framesets category, 57
 - html/htm file extension, 58–59
 - image placeholder replacement, 298–301
 - JavaScript snippet insertion, 281–282
 - library item insertion, 261–263
 - library item updates, 264–265
 - new (blank) creation, 55–58
 - new window display, 10
 - object insertion, 20
 - opening existing, 60–61
 - page properties, 61–62
 - preference settings, 57
 - removing text, 69
 - reverting to previous saved version, 60
 - saving, 58–60
 - SSIs (server-side includes) insertion, 271–273
 - Starter Pages category, 57
 - style sheet attachments, 202–203
 - supported file formats, 60
 - text formatting, 70–74
 - text snippet insertion, 279
 - unsaved document indicator, 15
 - updating Fireworks HTML, 309–310
 - wrap snippet insertion, 277, 284
- DOM (Document Object Model), Help system, 28
- double dot-forward slash (../) characters, document-relative paths, 42–43
- Drag Layer behavior
 - layer control, 331
 - layer interaction, 353–356
- drawing, layers, 316–317
- Dreamweaver 8
 - Fireworks optimization, 296–297
 - Help system, 25–27
 - JavaScript behaviors, 335
 - preference settings, 24–25
 - supported application server languages, 560
 - supported document file formats, 60
 - workspace interface elements, 11–14
- drivers, ASP connection requirement, 584
- DSN (Data Source Name), ASP connection, 583, 585–586
- DTD (Document Type Definition) list, document type definitions, 57–58
- Dual Screen Left, Windows PC dual monitor layout, 10
- Dual Screen Right, Windows PC dual monitor layout, 10
- Dual Screen, Macintosh dual monitor layout, 10
- dynamic ASP pages, creating, 584
- dynamic ASP.NET pages, creating, 594–595
- Dynamic CheckBox dialog box
 - check boxes, 669–671
 - dynamic content/form integration, 656
- dynamic content. *See also* contents
 - browser previews, 664–665
 - data sources, 633, 636–637
 - database recordsets, 649–655
 - form element integration, 656
 - form parameters, 635–637
 - formatting, 646–647
 - hiding/showing repeating regions, 654–655
 - HTML table repeating regions, 651–653
 - inserting, 646
 - placeholders, 663
 - recordset navigation bar, 654
 - recordsets, 641–644
 - repeating regions, 649–651
 - session variables, 639–641

dynamic content (*continued*)
 testing, 648–649
 URL parameters, 637–639
Dynamic Data dialog box
 text fields, 668–669
 update page parameters,
 737–738
dynamic forms. *See also*
 forms
 check boxes, 669–671
 list menus, 672–673
 radio buttons, 671–672
 text fields, 668–669
dynamic JSP pages, 606–607
Dynamic List/Menu dialog
 box, list menus,
 672–673
dynamic PHP pages,
 577–578
Dynamic Radio Group
 dialog box, radio
 buttons, 671–672
Dynamic Table dialog box
 block-by-block master
 pages, 696
 results display, 714–715
dynamic tables, results
 display, 714–715
Dynamic Text dialog box,
 dynamic text
 formatting, 647

E

Edit Administrator Settings
 dialog box, Contribute
 templates, 541
editable regions, templates,
 230–236
Editable Tag Attributes
 dialog box, templates,
 244–246
editable tag attributes,
 templates, 244–246
editors, media files,
 139–140

element display, CSS Block
 category rules, 212–213
 tag, italic text, 71
e-mail addresses,
 encrypting, 106
e-mail, inline styles, 192
Email Link dialog box,
 e-mail link insertion,
 105–106
e-mail links
 inserting, 105–106
 when to use, 102
embedded sounds, versus
 linking, 138–139
embedded videos, versus
 linking, 138
encryption
 e-mail addresses, 106
 SSL (Secure Sockets
 Layer), 161
error messages, database
 connection, 622, 627–629
errors
 editing Ignored Errors list,
 459
 navigating between, 459
 Target Browser Check
 report, 458
 viewing/fixing, 459–460
event handlers, library
 items, 258
events, JavaScript
 behaviors, 336
Expanded mode, table
 layout, 142
Export Site Without
 Template Markup
 dialog box, 236
extendibility, ColdFusion
 Components (CFCs),
 675
Extending Dreamweaver
 dialog box, DOM
 (Document Object
 Model) help, 28

eXtensible HyperText
 Markup Language
 (XHTML), benefits,
 433–434
eXtensible Markup
 Language (XML), object
 relationships, 433
Extension Manager, third-
 party behaviors,
 385–386
extensions properties, CSS
 (Cascading Style
 Sheets), 218–219
external editors, media
 files, 139–140
external links,
 checking/repairing
 broken links, 460–462
external style sheets
 .css file extension, 191
 exporting internal style to,
 220–221
 HTML links, 192
 multipage Web site
 advantages, 192
 naming conventions, 192
 .php file extension, 191
 separate/external file, 191

F

FAQ (Frequently Asked
 Question) lists, named
 anchor links, 106–108
Fetch, FTP client, 574–575
fields
 database table
 organization, 558
 file upload, 177–178
 form text, 166–168
 hidden form, 169–170
 image, 176–177
 Low Scr, 91
 Target, 90
<fieldset> tag, forms,
 181–183

- file extensions
 - cfm (ColdFusion), 611
 - changing, 59
 - documents, 58–59
 - dwt (template), 228
 - external media editors, 140
 - external style sheets, 191
 - Flash file formats, 115–116
 - lbi (library item), 260
 - lck (Check In/Check Out Files), 521
 - sound file formats, 137
 - SSIs (server-side includes), 269
 - supported document file formats, 60
- file formats
 - browser supported types, 83
 - colors, 83
 - compression issues, 40
 - Fireworks optimization, 304
 - Flash elements, 115–116
 - FLV (Flash video), 125
 - GIF (Graphics Interchange Format), 40, 83
 - JPEG (Joint Photographic Experts Group), 40, 83
 - PNG (Portable Network Graphics), 40, 294–296
 - site design planning, 39–40
 - sound files, 136–137
 - SWF (Flash), 115
- file paths
 - absolute, 43–44
 - document-relative, 42–43, 48
 - Flash movies, 118
 - local links, 42
 - root-level organization, 42–44
 - root-relative, 43, 48
- File Transfer Protocol (FTP)
 - Check In/Check Out Files, 521–522
 - remote access setup, 486, 488–491
- file transfers
 - Background File Activity log, 508
 - background transfers, 502–503
 - Check In/Check Out, 488, 501–502
 - Contribute, 543
 - dependent files, 502
 - disabling/removing
 - Design Notes, 517–518
 - Files panel, 504–506
 - FTP log, 466, 508–509
 - Get and Put commands, 503
 - local/remote site file updates, 509–512
 - remote access types, 486–496
 - remote server downloads, 507–508
 - remote server uploads, 506–507
- file upload fields, forms, 177–178
- File View Columns
 - file/folder details, 523–525
 - managed sites, 50
- files
 - Check In/Check Out
 - enabling, 488
 - cloaking/uncloaking, 49–50, 496–500
 - Contribute permissions, 544
 - Contribute rollback, 549–551
 - Design Note attachments, 518–519
 - diff tools synchronization, 512
 - Document window
 - management tasks, 16
 - Fireworks management
 - settings, 297
 - index.html, 388
 - local/remote site
 - updating, 509–512
 - naming conventions, 58
 - opening existing, 60–61
 - orphaned, 460–462
 - predefined frameset, 392–394
 - remote file list refreshing, 488
 - remote server downloads, 507–508
 - remote server uploads, 506–507
 - reverting to previous
 - saved version, 60
 - saving, 58–59
 - size/download testing, 446, 449–452
- files
 - source formatting
 - application, 482–483
 - tabular data, 64–65
- Files panel
 - Check In/Check Out Files, 520–522
 - checking in/out files, 505
 - cloaking/uncloaking files and folders, 496–497, 499–500
 - Contribute rollback files, 550–551
 - dependent file uploads, 660–661
 - expanding/collapsing views, 21, 505–506
 - file listing refresh, 505
 - file synchronization, 511–512
 - file transfers, 504–506
 - File View Columns, 523–525
 - file/folder management, 21–23
 - FTP log viewing, 505
 - home page setting, 525–526, 530
 - image insertion, 86–87
 - link editing, 111
 - local/remote site file updating, 510–512
 - multiple site viewing, 50
 - Options menu tasks, 23

- Files panel (*continued*)
 - putting/getting files, 503, 505
 - remote FTP site
 - connect/disconnect, 505
 - remote server downloads, 507–508
 - remote server uploads, 506–507
 - Site Management menu, 21–22, 504
 - Site View menu, 21–23, 504–505
 - sorting columns, 525
 - synchronizing files, 506
 - viewing/editing Design Notes, 520
 - workspace interface
 - element, 11–12, 14, 21–23
- filters
 - ASP.NET search/results
 - page development, 718–719
 - detail pages, 700
 - results page, 712–713
- Find and Replace
 - dialog box
 - attribute searches, 77–80
 - ignoring white space in a search, 79
 - lowercase text search, 79
 - navigation, 79–80
 - regular expression search, 79, 82
 - saving/reusing searches, 81–82
 - specific text/tag search, 80–81
 - tag searches, 77–80
 - uppercase text search, 79
 - whole word search, 79
 - firewalls, Passive FTP
 - setup, 490
- Fireworks
 - automatic Design Note
 - creation, 516
 - color palettes, 304
 - copy/paste HTML code, 308–309
 - Design Notes, 293, 296
 - Dreamweaver 8
 - optimization settings, 296–297
 - exported image insertion, 298
 - file/folder management
 - settings, 297
 - HTML code insertion, 306–308
 - image file export folder
 - settings, 297
 - image optimization, 93, 293–294, 303–305
 - image placeholder
 - replacement, 298–301
 - interactive images, 100
 - launch-and-edit
 - preferences, 294–296
 - Notes folder creation, 297
 - pop-up menus, 302–303, 305–306
 - roundtrip editing, 293–294
 - table image editing, 302–303
 - table optimization
 - program, 160
 - updating document
 - HTML, 309–310
- Fireworks Preferences
 - dialog box, launch-and-edit preferences, 295–296
- first normal form, database
 - organization, 558
- Flash buttons, inserting/
 - editing, 119–121
- Flash movies. *See also* movies
 - alignments, 118
 - anti-aliasing, 118
 - attribute settings, 118–119
 - automatic Design Note
 - creation, 516
 - background colors, 119
 - Control Shockwave or Flash behavior, 351–353
 - CSS attributes, 119
 - file extensions, 115–116
 - file formats, 115–116
 - file paths, 118
 - horizontal/vertical white space, 118
 - inserting, 116–119
 - looping, 118
 - previewing, 118
 - scale settings, 118
 - sizing, 118
 - starting/stopping
 - playback, 119
- Flash Text objects,
 - inserting, 121–123
- Flash videos. *See also* videos
 - FLV file format, 125
 - inserting, 125–130
 - progressive downloads, 125–127
 - streaming video, 125, 128–130
 - supported file formats, 125
- FlashPaper, inserting, 124
- floating (inline) frames,
 - Web page addition, 411–415
- floating windows,
 - Macintosh document layout, 10
- flowcharts, wireframe
 - pages, 38–39
- folder paths, managed
 - sites, 48
- folders
 - cloaking/uncloaking, 49–50, 496–500
 - content organization
 - schemes, 37

- Contribute permissions, 544
- Design Note attachments, 518–519
- Fireworks management settings, 297
- local (local root), 41–42
- managed site definition, 22
- remote, 42, 49, 486–487
- root (top level) paths, 42–44
- root-level organization, 42–44
- site structure, 41–42
- snippet preset categories, 276–277
- Templates, 228
- testing server, 42, 49
- font sets, text formatting, 75
- fonts
 - 9-pt Courier, 15
 - browser-safe suggestions, 74
 - color selections, 72
 - CSS Type category rules, 207–209
 - Flash Text, 122
 - page properties, 61–62
 - size settings, 72
 - style selections, 72
- footers
 - library item uses, 259
 - SSI (server-side include) use, 270
- <form> tag, HTML form creation, 163–166
- Form Variable dialog box, data source/form field addition, 636–637
- Format Table dialog box, custom tables, 149–150
- Format, Properties inspector option, 71
- forms. *See also* dynamic forms
 - buttons, 178–180
 - CGI scripts, 164–165
 - check boxes, 170–171
 - data organization, 162–163
 - data source addition, 636–637
 - digital security certificates, 161
 - dynamic content integration, 656
 - dynamic content parameters, 635–637
 - <fieldset> tag, 181–183
 - file selections, 164–165
 - file upload fields, 177–178
 - <form> tag, 163–166
 - hidden fields, 169–170
 - HTML creation, 163–166
 - image fields, 176–177
 - JavaScript validation, 183–184
 - jump menus, 176
 - <label> tag, 180–181
 - list objects, 174–175
 - login pages, 772
 - menu objects, 174–175
 - MIME encoding, 165
 - multi line text fields, 167
 - naming conventions, 164
 - password fields, 167
 - processing scripts, 163
 - radio buttons, 171–174
 - registration pages, 765–766
 - script selections, 164–165
 - server transmission methods, 165
 - Set Text of Text Field behavior, 373–374
 - single line text fields, 167
 - target browser location, 165
 - text area objects, 168
 - text fields, 166–168
 - update pages, 740–743
 - URL parameters, 637–639
 - Validate Form behavior, 384
 - XForms, 161
- forward slash (/) character graphic snippets, 285–286
- root-relative paths, 43
- <frame> tag, HTML frame creation, 388
- frames
 - accessibility preferences, 406–407
 - background colors, 402
 - borders, 391, 406
 - browser window dividers, 387–390
 - divider bars, 391, 395
 - floating, 411–415
 - <frame> tag, 388
 - HTML 4.0 doctype, 391
 - links, 407–409
 - margins, 406
 - naming conventions, 405
 - noframes content, 388, 409–411
 - opening pages in, 397–399
 - property settings, 402–403, 405–406
 - pros/cons, 389–390
 - removing, 395–396
 - resizing, 396
 - saving, 399–401
 - scroll bars, 406
- Frames panel
 - frame/frameset creation, 390–395
 - saving framesets, 400–401
- <frameset> tag, framesets, 388
- framesets
 - attributes, 402–403
 - building guidelines, 392
 - custom, 394
 - floating (inline) frames, 411–415
 - frame division definitions, 387–390
 - <frameset> tag, 388
 - index.html file conventions, 388

framesets (*continued*)
 Jump Menu/Go behavior, 357–361
 nested, 396–397
 predefined, 392–394
 property settings, 403–406
 pros/cons, 389–390
 saving, 399–401
 Set Text of Frame behavior, 369–371
 titles, 401
Framesets category, document type selection, 57
Frequently Asked Question (FAQ) lists, named anchor links, 106–108
FTP (File Transfer Protocol)
 Check In/Check Out Files, 521–522
 remote access setup, 486, 488–491
FTP logs
 file transfer activity, 466
 viewing, 508–509
functions
 Call JavaScript behavior, 345–346
 ColdFusion Components (CFCs), 677–678

G

game scripts, JavaScript snippets, 280
GET method
 forms, 635–637
 search page building, 710
Get and Put commands, file transfers, 503
Get More Content link, New Document window, 57
Go to URL behavior, new browser window display, 356–357

grammar, code readability checking, 475–476
Graphics Interchange Format (GIF) file format
 256 colors, 83
 browser supported type, 83
 pros/cons, 40
graphics. *See also* images
 Fireworks as default image editor, 296–297
 image attributes, 88–94
 image insertion, 84–87
 interactive images, 94–100
 optimizing/slicing, 39–40
 placeholder images, 87–88
 roundtrip editing, 293–294
 saving a site map as, 531–532
 72 pixels per inch resolution, 83
 snippet uses, 284–286
 supported file formats, 83
grids
 colors, 16
 Document window display, 16–17
 hiding/displaying, 16
 Snap to Grids, 16
 Snap to Guides, 17
 spacing, 16
guides, Document window display, 17

H

Hand tool
 page view repositioning, 18
 status bar interface element, 18
<head> tag
 external style sheets, 192
 internal style sheets, 191
headers
 table cells, 156
 tables, 144

height/width images, 89
 layer settings, 326
 table cell adjustments, 156
 table formatting, 148–149, 153
Help system
 Dreamweaver Support Center, 28–29
 Macintosh, 26–27
 Reference panel, 27–28
 Windows PC, 25–26
hexadecimal numbers, Web-safe colors, 73
hidden fields, forms, 169–170
History panel
 accessing, 288
 clearing, 289
 command creation, 275
 command naming conventions, 289
 command playback, 290–292
 command recording, 289–290
 deleting commands, 292
 renaming commands, 292
home page, setting, 525–526, 530
horizontal alignment, table cells, 155–156
horizontal guides, Document window display, 17
horizontal navigation bars, interactive images, 98–99
horizontal padding, images, 90
host directory, FTP setup, 489
host names, FTP setup, 488
hotspots, image maps, 95–97

- href attribute
 - e-mail link creation, 105–106
 - named anchor links, 108
 - text link creation, 103–104
 - HTML 4.0 doctype, frames, 391
 - HTML pages, template conversion, 226–228
 - HTML reports, generating, 463–465
 - HTML (HyperText Markup Language)
 - adding/editing text, 67–68
 - browser-safe fonts, 74
 - copy/paste Fireworks code, 308–309
 - doctype checking, 476–478
 - external style sheet links, 192
 - Fireworks insertion, 306–308
 - Fireworks interactive images, 100
 - form creation, 163–166
 - hand-coding links, 113–114
 - html/htm file extension, 58–59
 - JavaScript behavior insertion, 337–338
 - login page forms, 772
 - <noframes> tag, 388, 409–411
 - record insert page form addition, 727–729
 - registration page forms, 765–766
 - repeating region tables, 651–653
 - special characters, 75–76
 - Tag Chooser, 111–113
 - Target Browser Check report, 456–460
 - Type A properties, 190
 - versus CSS (Cascading Style Sheets), 188–189
 - wireframe pages, 38–39
 - html/htm, document file extension, 58–59
 - HTTP, managed site address entry, 49
 - http:// characters, absolute paths, 43–44
 - Hyperlink Column dialog box, ASP.NET detail page links, 703–705
 - Hyperlink dialog box, text link creation, 103–104
 - hyperlinks. *See also* links
 - adding to a page, 71–72, 102–103
 - browser testing, 103
 - deleting, 111
 - editing, 110–111
 - e-mail links, 102, 105–106
 - hand-coding, 113–114
 - image links, 104–105
 - link targets, 110
 - named anchor links, 102
 - named anchors, 106–108
 - null links, 102, 109
 - regular links, 101
 - script links, 102, 109
 - temporary links, 102, 109
 - text link creation, 103–104
 - types, 101–102
-
- I
- IBM Universal Database, username/password troubleshooting, 624–625
 - icon labels, Site Map Layout mode, 531
 - icons, yellow (invisible element), 62–64, 282
 - id attribute values, layers, 315, 325
 - IDs, table formatting, 148
 - <iframe> tag, floating (inline) frames, 413–415
 - IIS (Microsoft Internet Information Server)
 - configuration, 562
 - file permission troubleshooting, 625–627
 - pros/cons, 561–563
 - SSI handling, 272
 - version determinations, 561–562
 - Web root folder, 562
 - WebDAV protocol support, 487, 492–494
 - image editors
 - Fireworks and default, 296–297
 - launching from Properties inspector, 93
 - image effect scripts, JavaScript snippets, 280
 - image fields, forms, 176–177
 - image maps, interactive images, 95–97
 - Image Placeholder dialog box, placeholder images, 87–88
 - image source, timelines, 425–426
 - Image Tag Accessibility Attribute dialog box
 - image insertion, 85
 - alternate image text, 92
 - ImageReady, table optimization program, 160
 - images. *See also* graphics; interactive images
 - alignments, 92–93
 - alternate text, 85, 91–92
 - attribute settings, 88–94

- images. *(continued)*
 - borders, 91
 - brightness/contrast adjustments, 93–94
 - cropping, 93
 - cutting/pasting, 87
 - deleting, 87
 - editing, 87
 - Fireworks graphic replacement, 298–301
 - Fireworks insertion, 298
 - Fireworks optimization, 93, 293–294, 303–305
 - Fireworks table editing, 302–303
 - height/width settings, 89
 - links, 90
 - low resolution display, 91
 - moving, 87
 - naming conventions, 89
 - page properties, 61–62
 - placeholders, 87–88
 - Preload Images behavior, 367
 - resampling, 93
 - resetting/resizing, 90
 - sharpening, 94
 - Swap Image Restore behavior, 383
 - table cell insertion, 155
 - table formatting, 149
 - target fields, 90
 - vertical/horizontal padding, 90
 - Web page insertion, 84–87
 - Import File dialog box, importing Word/Excel files, 65–66
 - Import Tabular Data dialog box
 - table data, 158
 - tabular data files, 65
 - Import Word Document dialog box, 65–66
 - Inconsistent Region Names dialog box
 - renaming editable regions, 235
 - template application, 252–253
 - indents
 - code formatting preferences, 480
 - CSS Block category rules, 212
 - text formatting, 73–74
 - `index.html` file, framesets, 388
 - Indexes, named anchor links, 106–108
 - informational messages, Target Browser Check report, 458
 - inline (floating) frames, Web page addition, 411–415
 - inline styles, HTML e-mail uses, 192
 - Input Tag Accessibility Attributes dialog box
 - record insert page form, 728
 - search page building, 710
 - Insert bar
 - drawing layers, 316–317
 - expanding/collapsing, 20
 - image insertion, 84–85
 - layout mode switching, 142
 - named anchor links, 107
 - navigation bars, 98
 - Options menu tasks, 20
 - placeholder images, 87–88
 - rollover images, 95
 - table layout modes, 142
 - text link creation, 103
 - workspace interface element, 12, 20
- Insert Fireworks HTML dialog box, interactive images, 100
 - Insert Flash Button dialog box, 119–121
 - Insert Flash Text dialog box, 122–123
 - Insert Flash Video dialog box
 - progressive downloads, 125–127
 - streaming videos, 128–130
 - Insert FlashPaper dialog box, 124
 - Insert Master-Detail Page Set dialog box, building pages, 693–695
 - Insert menu, image insertion, 86
 - Insert Navigation Bar dialog box, interactive images, 98–99
 - Insert Other Character dialog box, special characters, 75–76
 - Insert Parameters in Code Block dialog box, server behaviors, 687–688
 - Insert Record dialog box, record insert pages, 730–731
 - Insert Record server behavior
 - record insert pages, 729–731
 - registration pages, 767–769
 - Insert Repeating Table dialog box, template repeating tables, 241–242
 - Insert Rollover Image dialog box, rollover images, 95
 - Insert Rows or Columns dialog box, 154–155
 - instance tags, templates, 226

- interactive images. *See also* images
 Fireworks HTML, 100
 image maps, 95–97
 navigation bars, 98–99
 rollovers, 94–95
- internal style sheets
 <!--and--> comment tags, 191
 <style> tag, 191
- internal styles, exporting to an external style sheet, 220–221
- Internet Explorer
 ActiveX control support, 133
 browser preview issues, 450
- invisible elements, yellow icon, 62–64, 282
- italic text, tag, 71
-
- J**
-
- Java applets, inserting, 131–132
- Java Database Connectivity (JDBC) drivers, JSP connections, 605–606
- Java Runtime Environment (JRE), JSP requirement, 605
- Java Server Pages (JSP), Web server configuration, 568
- JavaScript
 ASP connection string, 590
 e-mail address encryption, 106
 form validation, 183–184
 null links, 109
 script links, 109
 snippet creation, 280–282
- JavaScript behaviors. *See also* behaviors
 actions, 336–337
 CJS (core JavaScript), 336
 CSJS (client-side JavaScript), 336
 events, 336
 layer controls, 331
 library item handling, 258
 SSJS (server-side JavaScript), 336
 Web page insertion, 337–338
- JavaServer Pages (JSP)
 block-by-block master-detail pages, 695–701
 building master/detail pages, 692–695
 code validation, 453–454
 connection requirements, 603
 connection
 troubleshooting, 629
 database browsing, 609
 database connections, 607–609
 deleting database connections, 610
 dynamic pages, 606–607
 editing database connections, 609–610
 Insert Record server behavior, 768–769
 JDBC (Java Database Connectivity) drivers, 604–606
 JRE (Java Runtime Environment) requirement, 605
 prepared statements, 758–759
 search/results page development, 709–715
- stored procedures, 759–762
- Web server configuration, 568
- JDBC (Java Database Connectivity) drivers
 ColdFusion database connections, 612
 JSP connections, 605–606
- Joint Photographic Experts Group (JPEG) format
 browser supported type, 83
 millions of colors, 83
 pros/cons, 40
- JRE (Java Runtime Environment), JSP requirement, 605
- JSP (Java Server Pages)
 block-by-block master-detail pages, 695–701
 building master/detail pages, 692–695
 code validation, 453–454
 connection requirements, 603
 connection
 troubleshooting, 629
 database browsing, 609
 database connections, 607–609
 deleting database connections, 610
 dynamic pages, 606–607
 editing database connections, 609–610
 Insert Record server behavior, 768–769
 JDBC (Java Database Connectivity) drivers, 604–606
 JRE (Java Runtime Environment) requirement, 605

JSP (Java Server Pages)

(continued)

prepared statements,
758–759

search/results page
development, 709–715
stored procedures,
759–762

Web server configuration,
568

Jump Menu/Go behavior,
framesets, 357–361

jump menus

forms, 176

SSI (server-side include)
use, 270

jumps, named anchor links,
106–108

justify align, text
formatting, 71

K

key field, table queries, 691
key/value pairs, Design

Notes, 519

Keyboard Shortcut Editor,
snippet shortcuts, 285

L

<label> tag, forms,
180–181

layers. *See also* Layers
panel

background colors, 327

background images, 327

block-level element,
314–315

classes, 327

clipping area, 328

content entry, 317

content overflow

properties, 327

CSS (Cascading Style
Sheet) styles, 328–330

CSS Positioning category
rules, 216–218

<div> tag, 315

Drag Layer behavior,
353–356

drag-and-drop addition,
316

drawing, 316–317

hiding/displaying, 322–323

highlighting color, 324

HTML page element
containers, 313–315

id attribute values,
315, 325

inserting, 316

JavaScript behaviors, 331

moving, 324–325

nested, 317–318

preference settings,
318–320

property settings, 325–328

resizing, 324–325

selections, 323–324

Set Text of Layer behavior,
371–372

Show-Hide Layers

behavior, 375–377

table conversion, 331–334

timeline sizing, 426–427

versus table-based page
layouts, 314

visibility settings, 327

width/height settings, 326

Layers panel. *See also*

layers

layer overlap prevention,
321–322

renaming layers, 322

visibility settings, 322–323

z-index (stacking order),
320–322, 326

Layout mode

table drawing, 144–146

table layout, 142

layouts

cascaded windows, 10

Code view, 9–10

custom workspace, 23–24

Design view, 9–10

dual monitor, 10

floating windows, 10

Macintosh workspace, 10

site design planning,
38–39

switching between, 10

tabbed windows, 10

tables, 142

Windows PC workspace,
9–10

leading (line height), CSS
Type category rules,
208

left alignment

images, 92

text formatting, 71

legal issues, copyrights, 35

letter spacing, CSS Block
category rules, 212

library items

color alterations, 261

converting to editable
text, 266–267

copyright notices, 259

deleting, 266

detaching, 266–267

document insertion,
261–263

document updates,
264–265

duplicating, 267

editing techniques,
263–264

empty item creation,
260–261

event handlers, 258

footers, 259

guidelines, 258–259

highlighting preferences,
261

JavaScript behavior
handling, 258

lbi file extension, 260

master page elements, 258

naming conventions, 260

- navigation elements, 259
 - re-creating, 267–268
 - renaming, 265
 - reusable assets, 257
 - rubber stamp analogy, 258
 - selection-based, 259–260
 - supported document elements, 259
 - uses, 259
 - line breaks, code
 - formatting preferences, 480
 - line height (leading), CSS
 - Type category rules, 208
 - Link field, Properties inspector, 102
 - link states, style sheets, 198
 - link styles, page properties, 61–62
 - link targets, settings, 110
 - <link> tag, frames, 407
 - linked sounds, versus embedding, 138–139
 - linked videos, versus embedding, 138
 - links. *See also* hyperlinks
 - absolute paths, 43–44
 - adding, 71–72
 - ASP.NET detail pages, 703–705
 - checking/repairing
 - broken, 460–462
 - color modifications, 197–198
 - delete/confirmation page, 745–746
 - detail pages, 697–699
 - document-relative paths, 42–43, 48
 - external style sheet/HTML pages, 192
 - Flash buttons, 120
 - Flash Text, 123
 - frames, 407–409
 - images, 90
 - local file paths, 42
 - managed sites, 49
 - path editing, 48
 - root-level organization paths, 42–44
 - root-relative paths, 43, 48
 - site maps, 526–528
 - site testing, 446
 - sitewide editing, 483–484
 - targets, 73
 - update pages, 736–737
 - wireframe pages, 38–39
 - list items, text formatting, 74
 - list menus, dynamic forms, 672–673
 - list objects, forms, 174–175
 - list properties, CSS (Cascading Style Sheets), 215–216
 - lists
 - CSS List category rules, 215–216
 - dynamic forms, 672–673
 - ordered (numbered), 72, 76–77
 - unordered (bulleted), 72, 76–77
 - Live Data mode
 - dependent files, 659–661
 - dynamic content testing, 648–649
 - HTML table repeating
 - regions, 653
 - refreshing, 658
 - repeating regions, 651
 - task types, 657–659
 - troubleshooting, 662–663
 - user input parameters, 661–662
 - Live Data Settings dialog
 - box, user input parameters, 661–662
 - Live Data Settings window, dynamic content testing, 648–649
 - LiveDocs, Macintosh Help system, 27
 - local (local root) folder, site structure, 41–42
 - local links, file paths, 42
 - local sites, file structure views, 22
 - Local view
 - Files panel, 504
 - local/remote site file structure, 22
 - local/network access, remote access setup, 487, 492
 - Log In User server
 - behavior, login pages, 772–774
 - login data table, registration pages, 765
 - login pages
 - database tables, 772
 - HTML forms, 772
 - Log In User server
 - behavior, 772–774
 - site access control, 771–774
 - templates, 771
 - logins
 - ColdFusion/RDS (Remote Development Services), 613–614
 - FTP setup, 489
 - WebDAV setup, 493
 - logs, FTP, 466
 - loops, Flash movies, 118
 - loss, Fireworks image optimization, 304
 - Low Scr field, images, 91
 - lowercase text, searches, 79
-
- ## M
-
- Mac OS X
 - Apache Web server, 563–565
 - PHP configuration, 567

- Macintosh
 - ActiveX control non-support, 133
 - Apache Web server, 563–565
 - docking/undocking panel groups, 10
 - document windows, 10
 - Dreamweaver Support Center, 28–29
 - dual monitor layout, 10
 - external editors, 140
 - file naming conventions, 58
 - Fireworks launch-and-edit preferences, 295–296
 - Help system, 26–27
 - Online Registration, 29
 - opening existing files, 61
 - page properties, 61–62
 - panel arrangements, 19
 - PHP configuration, 567
 - preference settings, 24–25
 - Print Registration, 29
 - switching between layout views, 10
 - workspace interface elements, 12–14
 - workspace layouts, 10
- Macromedia ColdFusion, 676. *See also* ColdFusion
- Macromedia Contribute. *See* Contribute
- Macromedia Exchange, third-party behaviors, 384–385
- Magnification menu, zoom percentage settings, 18
- mailto: attribute, e-mail links, 105–106
- Manage Sites dialog box
 - Check In/Check Out enabling, 521–522
 - duplicating sites, 51
 - enabling Contribute compatibility, 536–537
 - enabling/disabling cloaking, 497–498
 - enabling/disabling Design Notes, 516–517
 - link path editing, 48
 - multiple site management, 51
 - remote folder setup, 486–487
 - removing sites, 52
- Manage Sites Wizard, managed site setup, 44–46
- managed sites
 - cache enabling, 49
 - case-sensitive links, 49
 - cloaking/uncloaking files and folders, 496–500
 - Contribute
 - compatibility, 50
 - creating from Site Management menu, 22
 - Design Notes, 50
 - document links, 48
 - duplicating, 51
 - exporting/importing sites, 51–52
 - File View Columns, 50
 - file/folder cloaking, 49–50
 - folder paths, 48
 - HTTP address entry, 49
 - Manage Sites Wizard setup, 44–46
 - manual setup, 46–50
 - multiple site views, 50–51
 - naming conventions, 48
 - remote folder setup, 486–487
 - remote info, 49
 - removing sites, 52
 - site map layout, 50
 - sitewide link editing, 483–484
 - template creation, 228
 - testing server, 49
- many-to-many relationship, databases, 558
- Map view, site’s graphical display, 23
- MapPath method, ASP, 589
- margins
 - frames, 406
 - page properties, 61–62
- Mark of the Web code, active content viewing, 450
- market research, audience expectations, 33
- markups, code validation, 15
- master pages
 - ASP.NET, 701–703
 - block-by-block development, 695–697
 - building, 692–695
 - DataGrid objects, 702–703
 - Employee table listing, 691–692
 - testing, 706–707
- measurement units
 - listing, 72
 - tables, 156–157
- media files, external editors, 139–140
- media objects, parameter settings, 133
- menu objects
 - dynamic forms, 672–673
 - forms, 174–175
- messages, Target Browser Check report, 458
- methods
 - GET, 635–637, 710
 - POST, 635–637, 710
- Microsoft Access
 - database application, 559
 - username/password validation trouble-shooting, 623
- Microsoft Excel, importing files, 65–66

- Microsoft Internet Information Server (IIS)
 - configuration, 562
 - file permission
 - troubleshooting, 625–627
 - pros/cons, 561–563
 - SSI handling, 272
 - version determinations, 561–562
 - Web root folder, 562
 - WebDAV protocol
 - support, 487, 492–494
 - Microsoft SQL Server Express Edition, database application, 559
 - Microsoft SQL Server, database application, 559
 - Microsoft Visual SourceSafe, remote access setup, 487, 495–496
 - Microsoft Word
 - copy/paste preferences, 470–472
 - HTML code cleanup, 473–474
 - importing files, 65–66
 - opening existing files, 60–61
 - MIDI (Musical Instrument Digital Interface), 137
 - MIME encoding, forms, 165
 - mission statements, client expectations, 32
 - mock-up (comp), site design, 39
 - monitors
 - dual monitor workspace layouts, 10
 - resolutions, 35
 - Motion Picture Experts Group Audio (mp3), 137
 - mouse, rollover images, 94–95
 - movies. *See also* Flash movies
 - inserting, 116–119
 - Shockwave, 130–131
 - mp3 (Motion Picture Experts Group Audio), 137
 - MPEG-Audio Layer-3 (mp3), 137
 - multi line text fields, forms, 167
 - Musical Instrument Digital Interface (MIDI), 137
 - MySQL
 - database application, 559
 - dynamic page creation, 577–578
 - PHP connection requirements, 573–574
 - PHP database connections, 578–581
 - username/password validation
 - troubleshooting, 623
 - MySQL Connection dialog box, PHP connection, 578–581
-
- N
- Named Anchor dialog box, named anchor links, 106–108
 - named anchor links
 - creating, 106–108
 - when to use, 102
 - navigation bars
 - Fireworks table image editing, 302–303
 - interactive images, 98–99
 - recordsets, 654
 - Set Nav Bar Image behavior, 368–369
 - navigation elements
 - library item uses, 259
 - SSI (server-side include) use, 270
 - nested framesets, creating, 396–397
 - nested layers, creating, 317–318
 - nested templates, building, 246–248
 - Netscape Navigator
 - ActiveX control non-support, 133
 - plug-in properties, 135–136
 - network folders, remote connection setup, 492
 - networks, snippet sharing, 286–287
 - new (blank) document, creating, 55–58
 - New CSS Rule dialog box, adding styles to existing style sheet, 199–201
 - New Document window
 - Category list selections, 57
 - ColdFusion database document, 612–613
 - document preference settings, 57
 - DTD (Document Type Definition) list, 57–58
 - dynamic JSP pages, 606–607
 - Get More Content link, 57
 - new (blank) documents, 56–58
 - template creation, 229–230
 - New Editable Region dialog box, templates, 232
 - New Optional Region dialog box, template optional regions, 237–239

New Repeating Region dialog box, template repeating regions, 241
New Server Behavior dialog box, creating server behaviors, 685–686
<noframes> tag, HTML content, 388, 409–411
null links
 behavior attachment, 342
 creating, 109
 when to use, 102
number symbol (#)
 named anchor links, 108
 temporary links, 109
numbered (ordered) lists,
 text formatting, 72,
 76–77

O

objects
 Accessibility tags/attributes, 36
 Change Property behavior, 346–347
 CSS Box category rules, 213–214
 Flash Text, 121–123
 form input fields, 166
 form lists, 174–175
 form menus, 174–175
 horizontal/vertical guides, 17
 Insert bar options, 20
 media object parameters, 133
 Properties inspector information display, 20–21
 Snap to Grids, 16
OLE controls. *See* ActiveX controls
OLE DB drivers
 ASP connection, 584

 ASP.NET connections, 593–598
 one-to-many relationship, databases, 558
 one-to-one relationship, databases, 558
 online help, Dreamweaver Support Center, 28–29
Open Browser Window behavior, new browser window display, 361–364
Open dialog box, opening existing files, 60–61
Open Microsoft Visual SourceSafe dialog box, configuration, 495–496
operating systems, usage statistics, 37
optional editable regions, templates, 238–239
optional regions, templates, 237–239
Options menu
 Files panel-specific tasks, 23
 Insert bar-specific tasks, 20
 panel-specific tasks, 19, 23
Oracle
 tnsnames file, 624
 tnsping command, 624
 username/password validation troubleshooting, 623–624
ordered (numbered) lists,
 text formatting, 72,
 76–77
orphaned files,
 checking/repairing broken links, 460–462
outdents, text formatting, 73–74
Oval Hotspot tool,
 interactive images, 96–97

P

padding
 table cells, 143
 vertical/horizontal, 90
page breaks, CSS
 Extensions category rules, 218–219
Page Properties dialog box
 accessing from Properties inspector, 74
 page settings, 61–62
page-based wireframes, Site Map Layout mode, 38–39
panel groups
 docking/undocking, 9–10, 23
 expanding/collapsing, 23
 renaming, 23
 tab navigation, 23
 workspace interface element, 11–12, 14
panels
 docking/undocking, 19
 expanding/collapsing, 19
 Files, 21–23
 Options menu tasks, 19, 23
 Properties inspector, 20–21
 Reference, 27–28
 repositioning, 19
 resizing, 19
 workspace interface elements, 18–19
Parameters dialog box
 confirmation page, 746–747
 detail page links, 698
 update page parameters, 737
Passive FTP, firewalls, 490
password fields, forms, 167

- password-protection
 - scripts, JavaScript snippets, 280
- passwords
 - ColdFusion/RDS (Remote Development Services) login, 613–614
 - Contribute connection keys, 537
 - database validation
 - troubleshooting, 623–625
 - FTP setup, 489–490
 - WebDAV setup, 493
- Paste Special dialog box
 - copying/pasting text, 69–70
 - preferences, 472
- paths
 - absolute, 43–44
 - document-relative, 42–43, 48
 - root-level organization, 42–44
 - root-relative, 43, 48
- PHP (PHP: Hypertext Preprocessor)
 - block-by-block master-detail pages, 695–701
 - building master/detail pages, 692–695
 - database connections, 577–581
 - dynamic page creation, 577–578
 - FTP clients, 574–577
 - Insert Record server behavior, 767–768
 - MySQL database requirements, 573–574
 - search/results page development, 709–715
 - Web server configuration, 566
- physical paths, remote
 - database connections, 588–589
- ping command, remote
 - server contact troubleshooting, 622
- placeholders
 - dynamic content, 646, 663
 - Fireworks graphic replacement, 298–301
 - images, 87–88
- Play Sound behavior,
 - playback, 364–365
- plug-ins
 - Check Plug-in behavior, 350–351
 - Netscape Navigator, 135–136
- PNG (Portable Network Graphics) format
 - Fireworks, 294–296
 - pros/cons, 40
- Pointer Hotspot tool,
 - interactive images, 96–97
- pointer styles, CSS
 - Extensions category rules, 218–219
- Polygon Hotspot tool,
 - interactive images, 96–97
- pop-up menus
 - Fireworks table image editing, 302–303, 305–306
 - Show Pop-Up Menu behavior, 377–381
- Popup Message behavior,
 - alert windows, 365–366
- Portable Network Graphics (PNG) format
 - Fireworks, 294–296
 - pros/cons, 40
- positioning properties, CSS (Cascading Style Sheets), 216–218
- POST method
 - forms, 635–637
 - search page building, 710
- Preferences dialog box
 - Dreamweaver 8
 - preference settings, 24–25
 - invisible elements, 62–63, 282
- Preload Images behavior,
 - browser image preloading, 367
- Prepared (Insert, Update, Delete) dialog box, JSP, 758–759
- prepared statements, JSP, 758–759
- primary browser
 - page previewing, 449
 - settings, 447–449
- production (staging)
 - servers, Contribute, 545

- progressive downloads,
 - Flash videos, 125–127
- projects, managed site
 - definition, 22
- proofreading, code
 - readability checking, 475–476
- Properties inspector
 - ActiveX controls, 133–134
 - alternate image text, 91–92
 - brightness/contrast
 - adjustments, 93–94
 - button properties, 179–180
 - check box properties, 171
 - CSS properties, 71
 - custom styles, 71
 - detaching library items, 266–267
 - detail page links, 697
 - dynamic form check
 - boxes, 669–671
 - dynamic form list menus, 672–673
 - dynamic form radio
 - buttons, 671–672
 - dynamic form text fields, 668–669
 - editing images, 87
 - editing/deleting links, 110–111
 - file selections, 102
 - file upload fields, 178
 - Flash movie attributes, 118–119
 - Flash video modifications, 127
 - FlashPaper toolbar
 - preview, 124
 - folder selections, 102
 - font size settings, 72
 - font styles, 72
 - form list properties, 174–175
 - form menu properties, 174–175
 - form naming, 164
 - frame/frameset
 - properties, 402–406
 - hidden field properties, 169–170
 - hotspots, 96–97
 - image alignments, 92–93
 - image attributes, 88–94
 - image borders, 91
 - image editor settings, 93
 - image field properties, 176–177
 - image height/width
 - settings, 89
 - image links, 90, 104–105
 - image naming, 89
 - image-editing commands, 93–94
 - Java applet properties, 131–132
 - layer properties, 326
 - link addition, 102–103
 - Link field, 102
 - link targets, 110
 - links, 71–72
 - list items, 74
 - low resolution image
 - display, 91
 - media object parameters, 133
 - named anchor links, 108
 - Netscape Navigator plug-ins, 135–136
 - null links, 109
 - ordered lists, 72
 - outdents/indents, 73–74
 - page properties, 62
 - paragraph styles, 71
 - preview Flash movies, 118
 - radio button properties, 171–173
 - record insert page form
 - addition, 727–729
 - re-creating library items, 267–268
 - resampling images, 93
 - resetting/resizing
 - images, 90
 - script links, 109
 - search page building, 710–711
 - sharpening images, 94
 - table cell formatting, 155–156
 - table formatting, 147–149
 - table measurement
 - conversions, 157
 - target fields, 90, 102
 - targets, 73
 - text colors, 72
 - text field properties, 166–168
 - text properties, 70–74
 - Type A (HTML)
 - properties, 190
 - Type B (CSS) properties, 191
 - unordered lists, 72
 - vertical/horizontal
 - padding, 90
 - Web-safe colors, 73
 - workspace interface
 - element, 11–12, 14, 20–21

proxy (abstraction class),
Web servers, 565

Put and Get commands, file
transfers, 503

Q

 - qt/qtmm/mov (QuickTime), 137
 - quality
 - Fireworks image
 - optimization, 304
 - Flash movies, 118
 - queries
 - key field, 691
 - recordsets, 641–644

Quick Tag Editor, renaming
 editable regions,
 234–235
 QuickTime (qt/qtmm/mov),
 137
 quote marks (") characters,
 templates, 225–226

R

-
- ra/ram/rpm (Real Audio),
 137
 radio buttons
 dynamic forms, 671–672
 forms, 171–174
 Radio Group dialog box,
 form radio buttons,
 173–174
 Rapid Development
 Services (RDS), remote
 access setup, 487,
 494–495
 RDS (Remote Development
 services, ColdFusion
 logins, 613–614
 Real Audio (ra/ram/rpm),
 137
 record insert pages
 component requirements,
 723
 HTML form addition,
 727–729
 Insert Record server
 behavior, 729–731
 Record Insertion Form
 Wizard, 724–727
 testing, 732–733
 Record Insertion Form
 Wizard, record insert
 pages, 724–727
 Record Update Form
 Wizard, update pages,
 741–742
 records
 deleting, 745–752
 key field, 691
 Recordset dialog box
 building detail pages,
 699–700
 dynamic content, 643
 results page building,
 712–714
 update pages, 739–740
 Recordset Navigation Bar
 dialog box, dynamic
 content, 654
 recordsets
 block-by-block master
 pages, 696–697
 hiding/showing regions,
 654–655
 HTML table repeating
 regions, 651–653
 master/detail page
 building, 692–693
 navigation bars, 654
 repeating regions, 649–651
 results page building,
 712–714
 update pages, 739–740
 Rectangular Hotspot tool,
 interactive images,
 96–97
 red-underlined code,
 viewing/fixing code
 errors, 460
 registration pages
 Check New User server
 behavior, 770
 HTML forms, 765–766
 Insert Record server
 behavior, 767–769
 login data database table,
 765
 site access control, 763–770
 templates, 764
 regular expressions,
 searches, 79, 82
 regular links, when to use,
 101
 relationships
 databases, 558
 Web service, 560
 relative positioning, CSS
 rules, 216
 remote connections
 Contribute, 542–544
 FTP (File Transfer
 Protocol), 486, 488–491
 local/network access,
 487, 492
 Microsoft Visual
 SourceSafe, 487,
 495–491
 RDS (Rapid Development
 Services), 487, 494–495
 remote access type,
 486–496
 remote folder setup,
 486–487
 WebDAV (Web-based
 Distributed Authoring
 and Versioning),
 487, 492–494
 remote databases, ASP
 connections, 588–589
 Remote Development
 Services (RDS),
 ColdFusion logins,
 613–614
 remote folders
 managed sites, 49
 remote connection setup,
 486–487
 site structure, 42
 remote servers
 contact troubleshooting,
 622
 file downloads, 507–508
 file uploads, 506–507
 Get and Put commands,
 503
 remote sites
 Design Note file
 attachments, 518
 file structure views, 22
 file updates, 509–512
 Remote view
 Files panel, 504
 remote site file
 structure, 22

- Rename Style dialog box, renaming CSS styles, 219–220
 - Repeat Region server, database recordsets, 649–651
 - repeating regions, templates, 240–243
 - repeating tables, templates, 240–242
 - reports
 - FTP logs, 466
 - HTML, 463–466
 - launching, 463–465
 - Results panel, 452–468
 - saving, 459
 - saving as XML files, 465–466
 - site testing tool, 446
 - Target Browser Check, 456–460
 - Workflow, 463–466
 - Reports dialog box, report selections, 463–465
 - resolutions
 - file format compression issues, 40
 - file format issues, 83
 - site design, 35
 - Restrict Access to Page server behavior, site access control, 774–775
 - results pages
 - ASP.NET, 716–721
 - building, 711–715
 - testing, 721–722
 - update page links, 736–737
 - Results panel
 - broken link checking/repairing, 460–462
 - code validation, 453–456
 - ColdFusion application debug, 466–468
 - error display, 15
 - FTP logs, 466
 - HTML tag validation, 453–454
 - long error message viewing, 459
 - report types, 452
 - tag/attribute searches, 452–453
 - Target Browser Check report, 456–460
 - validator preferences, 455–456
 - reusable elements, graphics snippet use, 284
 - right alignment
 - images, 92
 - text formatting, 71
 - Roll Back Page dialog box, Contribute rollback files, 550–551
 - rollback files, Contribute, 549–551
 - rollover buttons, Swap Image behavior, 381–383
 - rollovers, interactive images, 94–95
 - root (top level) folder, link paths, 42–44
 - root-relative paths
 - site structure, 43, 48
 - SSLs (server-side includes), 273
 - switching to document-relative paths, 48
 - roundtrip editing, Fireworks/Dreamweaver integration, 293–294
 - rows
 - database table organization, 558
 - deleting, 155
 - frameset properties, 404
 - merging/splitting, 150–152
 - table addition, 154–155
 - table attributes, 143
 - table formatting, 148
 - rulers
 - Document window display, 16–17
 - X/Y coordinates, 16
-
- ## S
-
- sample designs
 - accessibility features, 36
 - document category selections, 57
 - Save All command, saving multiple documents, 60
 - Save As dialog box
 - documents, 58–59
 - frames/framesets, 399–400
 - multiple documents, 60
 - reports as XML files, 465–466
 - Save As Template dialog box, HTML page conversion, 227–228
 - scale, Flash movie settings, 118
 - scope, site design consideration, 33–34
 - screen readers
 - alternate image text, 85
 - enabling/disabling, 36
 - table attributes, 144
 - script links
 - creating, 109
 - when to use, 102
 - scripts
 - date and time, 338–339
 - form processing, 163
 - JavaScript snippet uses, 280
 - scroll bars
 - CSS Positioning category rules, 217–218
 - frames, 406
 - search forms, ASP.NET, 716–718

- search pages
 - ASP.NET, 716–721
 - building, 709–711
 - testing, 721–722
- searches
 - attributes, 77–81, 452–453
 - case matching, 79
 - Find and Replace, 77–82
 - ignoring white space, 79
 - regular expression, 79, 82
 - saving/reusing, 81–82
 - specific text/tag, 80–81
 - tags, 77–80, 452–453
 - whole word match, 79
- second normal form,
 - database organization, 559
- secondary browser
 - page previewing, 449
 - settings, 447–449
- Secure FTP (SFTP),
 - authentication, 491
- Secure Sockets Layer (SSL),
 - digital security certificates, 161
- security, ColdFusion
 - Components (CFCs) benefits, 675
- Select Database dialog box,
 - PHP connection, 579
- Select File dialog box
 - detail page links, 697–698
 - Flash movie insertion, 116–117
 - update page parameters, 738
- Select Image Source dialog box, image insertion, 84–85
- Select Template dialog box,
 - template application, 252
- Select tool, status bar
 - interface element, 18
- selection-based library
 - item, creating, 259–260
- selections
 - custom class styles, 204
 - document type, 56–57
 - Document window contents, 18
 - layers, 323–324
 - removing text, 69
 - Site Map Layout mode, 529
 - source formatting application, 483
 - text editing, 68
 - text link creation, 103–104
- selectors
 - Advanced, 197–199
 - CSS (Cascading Style Sheets), 195, 197–199
- Server Behavior Builder,
 - creating server behaviors, 684–688
- Server Behaviors panel
 - dynamic content formatting, 647
 - repeating regions, 650–651
- server scripts, templates, 227
- servers
 - automatic uploads, 488
 - ColdFusion application debugging, 466–468
 - debugging, 15
 - form transmission methods, 164
 - staging (production), 545
- server-side includes (SSIs)
 - copying/pasting, 271
 - copyright notices, 270
 - creating, 270–271
 - document insertion, 271–273
 - document versus root-relative links, 273
 - editing techniques, 273
 - file extensions, 269
 - footers, 270
 - guidelines, 268–270
 - jump menus, 270
 - navigation elements, 270
 - parsing, 268
 - reusable assets, 257
 - supported document elements, 268
- servlets, JSP (Java Server Pages), 568
- Session Variable dialog box,
 - dynamic content, 640–641
- Set Magnification menu,
 - status bar interface element, 18
- Set Nav Bar Image behavior,
 - navigation bars, 368–369
- Set Text of Frame behavior,
 - framesets, 369–371
- Set Text of Layer behavior
 - HTML content, 371–372
 - layer control, 331
- Set Text of Status Bar behavior, text messages, 372–373
- Set Text of Text Field behavior, form text content, 373–374
- SFTP (Secure FTP),
 - authentication, 491
- Sharpening dialog box,
 - image sharpening, 94
- Shockwave, Control
 - Shockwave or Flash behavior, 351–353
- Shockwave movies,
 - inserting, 130–131
- Show Events For submenu,
 - Behaviors panel, 341–342
- Show Pop-Up Menu
 - behavior, pop-up menu creation/editing, 377–381

- Show Region server
 - behaviors,
 - hiding/showing regions, 654–655
 - Show-Hide Layers behavior
 - layer control, 331
 - layer visibility settings, 375–377
 - single line text fields, forms, 167
 - Site Definition dialog box
 - Check In/Check Out
 - enabling, 521–522
 - cloaking/uncloaking files and folders, 496–500
 - disabling/removing Design Notes, 517–518
 - enabling/disabling Design Notes, 516–517
 - File View Columns, 523–525
 - managed site setup, 47–50
 - remote access setup, 488–494
 - remote folder setup, 486–487
 - user permissions, 537–538
- site design
- accessibility considerations, 34–36
 - audience expectations, 33
 - audience identification, 32–33
 - brochureware sites, 34
 - browser optimization, 36–37
 - budget considerations, 35
 - client expectations, 32
 - comp (mock-up), 39
 - competitor's site viewing, 33
 - content considerations, 37
 - content organization schemes, 37
 - copyright issues, 35
 - costs, 33–34
 - delivery time, 33–34
 - duplicating sites, 51
 - exporting/importing sites, 51–52
 - file formats, 39–40
 - graphics optimizing/slicing, 39–40
 - layout planning, 38–39
 - login pages, 771–774
 - monitor resolutions, 35
 - registration pages, 763–770
- Restrict Access to Page server behavior, 774–775
- scope, 33–34
 - technical considerations, 35
 - usability considerations, 34
 - visual display considerations, 34
 - wireframe pages, 38–39
 - workflow stages, 31–32
- Site Management menu
- Files panel interface element, 21–22, 504
 - managed sites, 22
- Site Map Layout mode
- column display, 531
 - dependent file display, 531
 - file links, 527–528
 - filename editing, 528
 - hiding/displaying hidden files, 530, 531
 - home page settings, 525–526, 530
 - icon labels, 531
 - linking/adding site pages, 526–527
 - managed sites, 50
 - marking/unmarking hidden files, 529–530
 - multiple page selections, 529
 - saving as a graphic file, 531–532
 - site map refreshing, 529
 - title editing, 528
 - wireframe page design, 38–39
- Site Map view, Files panel, 505
- site structure
- absolute paths, 43–44
 - document-relative paths, 42–43, 48
 - folders, 41–42
 - local (local root) folder, 41–42
 - managed sites, 44–50
 - remote folder, 42
 - root-level organization, 42–44
 - root-relative paths, 43, 48
 - testing server folder, 42
- site testing
- browser compatibility, 446–449
 - file size/download testing, 446, 449–452
 - guidelines, 446
- Site View menu, Files panel interface element, 21–23
- sliced images, Fireworks table image editing, 302–303
- slide show scripts, JavaScript snippets, 280
- SmartFTP, FTP client, 574–575
- smoothing, Fireworks image optimization, 304
- Snap to Grids, Document window, 16
- Snap to Guides, Document window, 17
- Snippet dialog box, text snippet creation, 278–279
- snippets
- block, 276
 - deleting, 287

- editing techniques, 287
- folder management, 287–288
- graphic uses, 284–286
- JavaScript snippet
 - creation, 280–282
- keyboard shortcut
 - creation, 285
- macro similarities, 275
- naming conventions, 278
- preset categories, 276–277
- sharing, 286–287
- supported content types, 276
- text snippet creation, 278–279
- uses, 275–276
- wrap, 276, 282–284
- Snippets panel
 - deleting snippets, 287
 - editing snippets, 287
 - graphic snippet creation, 284–286
 - JavaScript snippet
 - creation, 280–282
 - preset snippet categories, 276–277
 - snippet folder
 - management, 287–288
 - text snippets, 278–279
 - wrap snippet creation, 282–284
- Sort Table dialog box, 158–159
- sorts
 - Files panel columns, 525
 - layer z-index (stacking order), 320–322, 326
 - table information, 158–159
- sound files
 - file formats, 136–137
 - linking versus embedding, 138–139
 - Play Sound behavior, 364–365
- source code, tag/attribute searches, 78–79
- spacing
 - CSS Block category rules, 212
 - grids, 16
 - table cells, 144
- tag, inline styles, 192
- special characters
 - code formatting
 - preferences, 482
 - text formatting, 75–76
- special files, Contribute, 544–545
- special symbols, graphic snippet use, 284
- spelling, code readability
 - checking, 475–476
- Split Cell dialog box,
 - splitting table cells, 152–153
- Split view, viewing/fixing
 - code errors, 459–460
- SQL (Structured Query Language), recordset queries, 641–644
- SQL Server
 - ASP.NET connections, 599–600
 - username/password validation
 - troubleshooting, 623
- SQL Server Connection dialog box, ASP.NET connections, 599–600
- sqlplus, Oracle validation
 - troubleshooting, 623–624
- SSIs (server-side includes)
 - copying/pasting, 271
 - copyright notices, 270
 - creating, 270–271
 - document insertion, 271–273
- document versus root-
 - relative links, 273
- editing techniques, 273
- file extensions, 269
- footers, 270
- guidelines, 268–270
- jump menus, 270
- navigation elements, 270
- parsing, 268
- reusable assets, 257
- supported document
 - elements, 268
- SSL (Secure Sockets Layer), digital security
 - certificates, 161
- staging (production)
 - servers, Contribute, 545
- Standard mode, table layout, 142
- Standard toolbar,
 - workspace interface element, 13
- Start Page
 - enabling/disabling, 56
 - hiding/displaying, 12
 - new (blank) document, 55–58
 - workspace interface element, 11–13
- Starter Pages category,
 - document type selection, 57
- static positioning, CSS rules, 217
- status bar
 - Document window
 - interface elements, 17–18
 - file size/download
 - preferences, 451–452
 - JavaScript snippets, 280
 - Set Text of Status Bar
 - behavior, 372–373
- Status field, Design Notes, 518

- Stored Procedure dialog
 - box, adding stored procedures, 760–762
 - stored procedures
 - adding, 760–762
 - database object type, 634
 - uses, 759
 - streaming video, Flash
 - videos, 125, 128–130
 - strings
 - ASP connection, 584, 586–588
 - ASP.NET/OLE DB
 - connection, 597
 - tag, bold text, 71
 - structure, site layout, 38–39
 - Structured Query Language (SQL), recordset queries, 641–644
 - Style Rendering toolbar, workspace interface element, 13–14
 - style sheets. *See also* CSS (Cascading Style Sheets)
 - adding a style to an existing style sheet, 199–202
 - comment (<!--and-->) tags, 191
 - Contribute, 554
 - document attachments, 202–203
 - external styles, 190–192
 - inline styles, 190, 192
 - internal styles, 189–191
 - link state colors, 198
 - <style> tag, 191
 - <style> tag, internal style sheets, 191
 - styles
 - adding to an existing style sheet, 199–202
 - Flash buttons, 120
 - Properties inspector, 71
 - subfolders, content
 - organization schemes, 37
 - summary fields, tables, 144
 - Swap Image behavior, rollover button script, 381–383
 - Swap Image Restore
 - behavior, swapped image restore, 383
 - SWF (Flash) file format, Flash movies, 115–116
 - symbols
 - graphic snippet use, 284
 - special characters, 75–76
 - Synchronization Files
 - dialog box, local/remote files, 511–512
 - synchronization
 - diff tools, 512
 - local/remote site file updating, 509–512
 - remote/local files, 488
-
- T**
- tabbed windows, Macintosh document layout, 10
 - Table dialog box, table insertion, 143–144
 - Table of Contents, named anchor links, 106–108
 - Table Visual Aids, enabling, 146–147
 - tables
 - accessibility fields, 144
 - alignments, 149
 - background colors, 149
 - background images, 149
 - border colors, 149
 - border thickness, 143
 - borders, 149
 - cell formatting, 155–156
 - cell merges, 152
 - cell padding, 143, 149
 - cell spacing, 144, 149
 - cell text insertion, 155
 - content formatting uses, 141–142
 - creating, 141–146
 - CSS styles, 149
 - database organization, 558
 - deleting rows/columns, 155
 - drawing in Layout mode, 144–146
 - Employee table listing, 691–692
 - external optimization programs, 159–160
 - Fireworks image editing, 302–303
 - form data organization, 162–163
 - headers, 144
 - IDs, 148
 - image insertion, 155
 - information sorting, 158–159
 - inserting, 143–144
 - layer conversion, 331–334
 - layout modes, 142
 - login data, 765
 - login pages, 772
 - measurement units, 156–157
 - merging rows/columns, 150–152
 - preformatted designs, 149–150
 - Properties inspector
 - formatting, 147–149
 - repeating regions, 651–653
 - repeating template regions, 240–241
 - row/column addition, 154–155
 - row/column attributes, 143

- row/column formatting, 148
- splitting cells, 152–153
- splitting rows/columns, 150–152
- tabular data importing, 157–158
- visual aids, 146–147
- width/height, 148–149, 153
- tabs
 - code formatting
 - preferences, 480
 - panel group navigation, 23
- tabular data files, importing, 64–65
- tabular data, table
 - importing, 157–158
- Tag Chooser dialog box
 - floating (inline) frames, 411–412
 - inserting tags, 111–113
- Tag Editor, frame
 - accessibility settings, 407
- Tag Editor-iframe dialog box, floating (inline) frames, 412–414
- tag redefines, CSS (Cascading Style Sheets), 197
- Tag Selector
 - status bar interface
 - element, 17–18
 - workspace interface
 - element, 14
- tags
 - `<!--fw--table-->`, 302
 - `<a>`, 103–106
 - adding/editing text, 67–68
 - `<blockquote>`, 73–74
 - `<center>`, 480
 - `<cfinvoke>`, 677
 - comment (`<!--and-->`), 191
 - CSS Positioning category rules, 216–218
 - `<div>`, 315, 480
 - ``, 71
 - `<fieldset>`, 181–183
 - `<form>`, 163–166
 - `<frame>`, 388
 - `<frameset>`, 388
 - `<head>`, 191–192
 - `<iframe>`, 413–415
 - `<label>`, 180–181
 - `<link>`, 407
 - `<noframes>`, 388
 - searches, 77–80, 452–453
 - ``, 192
 - specific text search, 80–81
 - ``, 71
- tags
 - Tag Chooser, 111–113
 - Target Browser Check report, 456–460
 - templates, 225–226
 - uppercase/lowercase preferences, 480
 - validating, 446
 - validation, 453–454
- Target Browser Check report, Web page testing, 456–460
- Target field
 - images, 90
 - link targets, 110
 - Properties inspector, 102
- targets
 - Flash buttons, 120
 - Flash Text, 123
 - linked pages, 73
- Template Properties dialog box, editable tag attributes, 245–246
- templates
 - alternate table row background colors, 243
 - ASP.NET/OLE DB connection, 595–597
 - comment tags, 225–226
 - Contribute, 540–541, 552–554
 - creating from scratch, 229–230
 - deleting, 255
 - descriptions, 228
 - Design Note attachments, 518–519
 - detaching, 253–254
 - dwt file extension, 228
 - editable areas, 223, 228, 230
 - editable regions, 230–236
 - editable tag attributes, 244–246
 - exporting files without template markup, 236
 - Flash buttons, 119–121
 - HTML page conversion, 226–228
 - instance tags, 226
 - login page, 771
 - naming conventions, 228
 - nested, 246–248
 - new document creation, 248–249
 - optional editable regions, 238–239
 - optional regions, 237–239
 - quote marks (")
 - characters, 225–226
 - removing editable regions, 233–234
 - renaming, 254–255
 - renaming editable regions, 234–236
 - repeating regions, 240–243
 - repeating tables, 240–242
 - server scripts, 227
 - site registration page, 764
 - uneditable areas, 223–224
 - Web page application, 252–253
 - Web page updating, 249–252
- temporary command, recording/playback, 291

- temporary links
 - creating, 109
 - when to use, 102
- Test SQL Statement
 - window, recordset
 - testing, 643–644
- Test Value dialog box
 - detail pages, 700
 - results pages, 713–714
- testing server folder
 - managed sites, 49
 - site structure, 42
- testing server
 - dependent file uploads, 659–661
 - Web servers, 570–572
- Testing Server view, Files
 - panel, 505
- Testing view, local/testing server directory
 - listing, 22
- text alignments, Properties inspector, 71
- text area objects, forms, 168
- text blocks, image alignments, 92
- text decorations, CSS Type category rules, 208–209
- text editing
 - adding text, 67–68
 - copying/pasting text, 69–70
 - Find and Replace tool, 77–82
 - removing text, 69
 - selecting/editing text, 68
- text effect scripts, JavaScript snippets, 280
- text fields
 - dynamic forms, 668–669
 - forms, 166–168
- text formatting
 - browser-safe fonts, 74
 - copy/paste preferences, 470–472
 - Flash buttons, 120
 - Flash Text, 122–123
 - font sets, 75
 - ordered (numbered) lists, 72, 76–77
 - page properties, 61–62
 - property settings, 70–74
 - special characters, 75–76
 - unordered (bulleted) lists, 72, 76–77
- text snippets, creating, 278–279
- text, searches, 78–81
- third normal form, database organization, 559
- time/date stamps, JavaScript snippets, 280
- Timelines panel
 - adjustments, 428–429
 - animation effects, 417
 - animation path, 419–420
 - behavior associations, 418–419, 424–425
 - complex path timeline animation, 423–424
 - copying/pasting timeline animations, 429–430
 - image source
 - modifications, 425–426
 - layer sizing, 426–427
 - layer timeline animation, 421–423
 - multiple timelines, 430–431
 - performance guidelines, 420
 - playback options, 418
 - timeline display list, 417
 - z-index (stacking order), 427–428
- titles
 - Document window
 - entry, 15
 - framesets, 401
 - page properties, 61–62
 - Site Map Layout mode
 - editing, 528
 - tnsnames file, Oracle, 624
 - tnsping command, Oracle
 - configuration trouble-shooting, 624
- toolbars
 - Document, 11–16
 - hiding/displaying, 13
 - workspace interface element, 11–14
- top level (root) folder, link paths, 42–44
- Transfer Status dialog box, remote server uploads, 507
- transparency, Fireworks image optimization, 304
- troubleshooting
 - Contribute connections, 545–546
 - Contribute _mm folder, 546
 - database access
 - problems, 622–625
 - database error messages, 622, 627–629
 - database file permissions, 625–627
 - database
 - username/password validation, 623–625
 - JSP database connections, 629
 - Live Data mode, 662–663
 - remote server contact, 622
 - Type A (HTML) properties, internal style sheets, 190
 - Type B (CSS) properties, internal style sheets, 191
 - type properties, CSS (Cascading Style Sheets), 207–209

U

unicode symbols
 e-mail address encryption, 106
 special characters, 75–76
 Uniform Resource Locator (URL)
 absolute paths, 43–44
 parameter definitions, 637–639
 Web page address, 42
 units of measurements, listing, 72
 units, frameset properties, 404
 unordered (bulleted) lists, text formatting, 72, 76–77
 update pages
 forms, 740–743
 links, 736–737
 recordsets, 739–740
 testing, 743–745
 URL parameters, 737–738
 workflow process, 736
 Update Pages dialog box, library item updates, 264–265
 Update Template Files dialog box, renaming editable regions, 235
 uppercase text, searches, 79
 URL (Uniform Resource Locator)
 absolute paths, 43–44
 parameter definitions, 637–639
 Web page address, 42
 URL Variable dialog box, URL parameter definitions, 638–639
 usability, site design considerations, 34
 user input, dynamic page parameters, 661–662

usernames
 database validation troubleshooting, 623–625
 FTP setup, 489
 users, restricted access uses, 774–775

V

Validate Form behavior, form validation, 384
 Validate Form dialog box, form validation, 183–184
 validation
 code, 453–456
 code markups, 15
 database troubleshooting, 623–625
 forms, 183–184
 HTML tags, 453–454
 tags, 446
 Validate Form behavior, 384
 XHTML, 442
 validators, preference settings, 455–456
 value/key pairs, Design Notes, 519
 VBScript, ASP connection string, 590
 vertical alignment, table cells, 155–156
 vertical guides, Document window display, 17
 vertical navigation bars, interactive images, 98–99
 vertical padding, 90
 videos, 138. *See also* Flash video
 views
 CSS Styles panel, 193–195
 Files panel, 504–505

Site View menu, 22–23
 splitting, 15
 virtual paths, 588–590
 visitors, site layout, 38–39
 visitors. *See* audiences
 Visual Aids menu, 16
 visual aids
 divider bars, 391, 395
 frame borders, 391
 tables, 146–147
 visual effects, CSS
 Extensions category rules, 218–219
 Visual Web Developer 2005 Express Edition, ASP.NET, 567–568
 visually impaired users, 85

W

warnings, Target Browser Check report, 458
 Waveform Extension (wav), 137
 Web application platforms. *See* Web servers
 Web pages
 accessibility sample design, 36
 adding/linking, 526–528
 ColdFusion Components (CFCs), 676–678
 detaching templates, 253–254
 e-mail links, 105–106
 image insertion, 84–87
 inline (floating) frames, 411–415
 inserting dynamic content, 646
 interactive images, 94–100
 JavaScript behavior insertion, 337–338
 link addition, 102–103
 opening in a frame, 397–399

- Web pages (*continued*)
 - placeholder images, 87–88
 - previewing in multiple browsers, 449
 - Restrict Access to Page server behavior, 774–775
 - table insertion, 143–144
 - template application, 252–253
 - template updating, 249–252
 - URL (Uniform Resource Locator) address, 42
 - Web service addition, 681–684
- Web root folder, 569
- Web servers
 - Apache, 563–565
 - ASP (Active Server Pages), 567
 - ASP.NET, 567–568
 - ColdFusion, 568
 - configuration, 565–568
 - consumer/publisher relationship, 560
 - Dreamweaver 8, 559–565
 - IIS (Internet Information Services), 561–563
 - JSP (Java Server Pages), 568
 - Mac OS X, 563–565
 - PHP (PHP: Hypertext Preprocessor), 566–567
 - proxy (abstraction class), 565
 - supported languages, 560
 - Testing Server, 570–572
 - Web root folder/base URL listing, 569
- Web Services Description Language (WSDL), 682–683
- Web services, 681–684
- Web sites
 - About.com CSS types article, 196
 - Ad-Aware, 561
 - Adobe Macromedia, 385
 - Advanced selector resources, 199
 - Apache for Windows, 563
 - ASP.NET, 561
 - author resources, 6
 - Boxtop, 40
 - browser-safe fonts, 74
 - Catalyst Group Design (Screen Size Matters), 35
 - ColdFusion Components (CFCs), 675
 - compression programs, 40
 - CSS resources, 6
 - CuteFTP, 576
 - Cyberduck, 575
 - Danilo Celic's snippet blog, 286–287
 - Dreamweaver .NET components, 722
 - Dreamweaver 8 Keyboard Shortcut Quick Reference, 285
 - Dreamweaver Developer Center, 29
 - Dreamweaver discussion forums, 447
 - Dreamweaver Documentation Resource Center, 29
 - Dreamweaver Exchange, 29
 - Dreamweaver extensions, 6
 - Dreamweaver resources, 6
 - Dreamweaver Support Center, 29, 41
 - DTD definitions, 436
 - email address encryptors, 106
 - Email Riddler, 106
 - Equilibrium's Debabelizer, 40
 - events by browser listing, 341
 - Federal Rehabilitation Act (Section 508), 36
 - Fetch, 574
 - file comparison tools, 512
 - Fireworks, 40
 - Flash video, 125
 - Flash video codecs, 139
 - Flash Video Developer Center, 130
 - FlashPaper, 124
 - FTP clients, 574–575
 - GeoTrust, 161
 - guidelines, 6
 - hosting services, 486
 - HTMLSource, 198
 - initiatives, 6
 - Jakarta Tomcat, 568
 - JavaScript resources, 6
 - JavaScript snippets, 280
 - JDBC (Java Database Connectivity) drivers, 606
 - Jen deHaan's Flash Video w/Dreamweaver 8 tutorial, 139
 - Jim Stiles date and time script, 338–339
 - JRE (Java Runtime Environment), 605
 - Mac OS X/PHP support, 567
 - Macromedia Exchange, 384–385
 - Macromedia Fireworks manual, 298
 - Macromedia Online Forums, 29

- Macromedia resources, 6
- Macromedia TeachNote
 - 19578, 450
- Macromedia Training, 29
- Manage Extensions, 29
- Massimo Foti's Snippets
 - Import/Export 1.0 Extension, 287
- Matt Beach's SitePoint article, 38
- MDAC, 722
- Microsoft Access, 559
- Microsoft SQL Server, 559
- Microsoft SQL Server Express Edition, 559
- MySQL, 559
- .NET Framework, 722
- OLD DB drivers, 584
- Oracle DB drivers, 584
- PHP (PHP: Hypertext Preprocessor), 566
- regular expressions, 82
- Ross Shannon's Advanced Selectors article, 198
- server behaviors, 684
- SmartFTP, 574
- snippets, 277
- Spinwave, 40
- SpyBot S&D, 561
- standards, 6
- Thawte, 161
- Tim William's e-mail harvesters/countermeasures, 106
- unicode symbols, 76
- VeriSign, 161
- Visual Web Developer
 - 2005 Express Edition, 568
- W3 Schools, 37
- W3C (World Wide Web Consortium), 14, 36
- w3schools.com browser usage trends, 457
- Web developer resources, 6
- Web-safe colors, 73
- XForms, 161
- XHTML 1.0 specifications, 436
- XHTML tools, 436
- Web-based Distributed Authoring and Versioning (WebDAV), 487, 492–494
- Web-safe colors, 73
- What You See Is What You Get (WYSIWYG), coding interface, 1
- white space, 118, 212
- width/height
 - images, 89
 - layer settings, 326
 - table cells, 156
 - table formatting, 148–149
 - table settings, 153
- Window Size menu, 18
- windows
 - cascade view, 10
 - document display, 10
 - floating layout view, 10
 - Open Browser Window behavior, 361–364
 - tabbed layout view, 10
- Windows PC
 - ColdFusion application debugging, 466–468
 - docking/undocking panel groups, 9
 - Dreamweaver Support Center, 28–29
 - dual monitors, 10
 - external editors, 140
 - file naming, 58
 - Fireworks preferences, 295–296
 - Help system, 25–26
 - IIS version, 561–562
 - importing files, 65–66
 - opening existing files, 61
 - page properties, 61–62
 - PHP configuration, 566
 - preference settings, 24–25
 - switching between layout views, 10
 - Windows XP Service Pack 2, 450
 - workspace interface, 11–14
 - workspace layouts, 9–10
- Windows XP, 450
- wireframe pages, 38–39
- Wireless Markup Language (WML), 453–454
- wizards
 - Manage Sites, 44–46
 - Record Insertion Form, 724–727
 - Record Update Form, 741–742
- word processors, 470–472
- word spacing, CSS Block category rules, 212
- Workflow reports, 463–465
- workflow stages, 31–32
- workspaces
 - Coder view layout, 9–10
 - custom layouts, 23–24
 - deleting custom layouts, 24
 - Designer view layout, 9–10
 - docking/undocking panel groups, 9–10
 - dual monitor layouts, 10
 - Files panel, 21–23
 - Insert bar, 20
 - interface elements, 11–14
 - Macintosh layouts, 10
 - opening custom layouts, 24
 - panel interface, 18–19
 - Properties inspector, 20–21
 - renaming custom layouts, 24
 - saving custom layouts, 24

workspaces (*continued*)
switching between, 10
Windows PC, 9–10
wrap elements, 92, 156
wrap snippets, 276–277,
282–284
wrapping, formatting, 480
WSDL (Web Services
Description Language),
Web service addition,
682–683

X

X/Y coordinates, rulers, 16
XHTML (eXtensible
HyperText Markup
Language)
benefits, 433–434
code validation, 453–454
code compliance tools,
436–439

doctype checking,
476–478
document creation,
439–441
document type definition,
57–58
HTML document code
transformation,
440–441
strict rules, 434–435
transitional rules, 435–436
validation, 442
XML (eXtensible Markup
Language)
code validation, 453–454
object relationships, 433
saving reports, 465–466
XForms, 161
XML files
exporting/importing sites,
51–52
file extensions, 59

Y

yellow icons, 62–64, 282

Z

z-index
CSS Positioning category
rules, 216
layer stacking order,
320–321, 322, 326
timelines, 427–428
Zoom tool, status bar, 18
zooms, percentages, 18