
Index

- A-10, 6
- A-12, 52, 64, 67, 351
- A300, 56
- A310, 56
- A330, 45, 56
- A429 data bus and encoding format, 57
- A429 data word format, 58
- A429 topology, 57
- AA/AAQ-13, 126, 219, 221
- AAA, 228, 241, 275, 370
- ABL, 208, 209
- ACARS, 257, 258, 321
- ACE, 351
- ACES
- ACLS/PCSB, 89
- ACM, 351
- ACMI
- ACT, 15, 21, 37, 167, 207, 282, 287, 318, 347, 363, 384, 395
- Active Control Technology, 347
- Active Electronically Scanned Array, 81, 82, 131, 150, 247, 334, 337, 351
- Active ESA, 153, 154, 156, 157
- Active Matrix Liquid Crystal Display, 182, 288, 409, 449, 454
- Active noise reduction, 430
- Actual Navigation Performance, 289, 290, 322, 323
- Actuator Control Electronics, 93
- Ada, 51, 76, 91, 248, 337
- ADC, 306
- ADF, 278–280, 290, 296, 297
- ADI, 411
- ADIRU, 308, 309
- ADM, 313
- ADS, 263, 266, 327, 335
- ADS-A, 263, 266, 327
- ADS-B, 266, 327
- Advanced antenna, 150
- Advanced IFF, 266
- Advanced Medium Range Air to Air Missile, 373, 374
- Advanced Tactical Aircraft, 52, 64, 351
- Advanced Tactical Fighter, 52, 64, 167, 351, 410
- Advisory Circular, 273, 274, 279, 281, 285, 293, 295, 297, 298, 300, 324, 327
- Aero-C, 266
- Aero-H, 260
- Aero-I, 260
- Aero-M, 266
- AESA, 81, 82, 85, 91, 150, 154, 156–158, 175, 242, 247, 337, 346, 351, 362
- AEU, 92
- AEW, 21, 22, 38, 93
- AFDC, 62
- AFSAT
- AGC, 114, 239
- Agile Eye, 437
- AGM-45, 333, 371
- AGM-65, 333
- AGM-88, 333, 370, 371
- AH-64, 47, 68, 80, 93, 94, 182, 214, 219, 329, 339–341, 372, 411, 412, 436
- AHARS, 307

- AIM-120, 356, 364, 367–369
 AIM-132, 367, 369
 AIM-28, 343
 AIM-9, 196, 222, 343, 356, 364, 367–369, 372
 Aiming reticle, 406, 437
 Air Cycle Machine, 357
 Air Data & Inertial Reference Unit, 129, 313, 360
 Air Data Computer, 306
 Air Data Modules, 307
 Air electronics officer, 3
 Air Launched Anti-Radar Missile, 370
 Air Sea Rescue, 297
 Air superiority, 2–5, 20, 30, 223, 330, 343
 Air Targetting Mode, 345
 Air to Air refuelling, 16, 19, 21, 26, 29, 30, 33
 Air Traffic Control, 44, 230, 253, 258, 261, 262, 274, 281, 293, 294, 320, 321
 Air Transport Management, 74, 257, 258, 265, 276, 292, 319
 Air Transport Racking
 Air-air track-while-scan, 99, 107, 109, 128, 240, 341, 352
 Airborne Early Warning, 10, 20–23, 93, 267
 Airborne Early Warning and Command System, 16, 26, 51, 99
 Airborne Intercept, 81, 93, 267
 Airborne Interception, 93
 Airborne Laser, 179, 208, 210
 Airborne radar frequency coverage, 95
 Aircraft Communications and Reporting System, 369
 Aircraft Motion Sensing Unit, 385
 Aircraft Station Interface, 364
 Aircraft Survivability Equipment, 239, 341
 Airframe Mounted Accessory Gearbox, 392
 Airline Operational Centre, 320
 Air-to-air, 54, 100–105, 109, 120, 137, 138, 179, 185, 196, 199, 200, 262, 271, 294, 299, 330, 331, 335, 343, 360, 367–369, 405, 425, 427, 428
 Air-to-air search, 101, 102
 Air-to-air tracking, 101–103
 Air-to-ground, 164, 200, 206, 262, 330, 331, 333, 346, 369, 370, 405
 Airway navigation, 292
 ALARM, 114, 239, 370, 371
 ALE-47, 247, 333
 Aligned platform axes, 314
 Alphajet, 39
 ALQ-119, 333
 Altitude safety buffer, 120
 Aluminium Gallium Arsenide, 189, 190
 AMAD, 392
 AMLCD, 182, 243, 288, 347, 354, 405, 408, 410, 412, 435, 444–446, 449–454, 456, 460, 470, 471
 AMLCD Cell, 188, 249, 294, 411, 417, 451, 453, 456, 472
 AMLCD MFD principle of operation
 AMLCD Sourcing, 453
 AMP, 76, 77
 amplitude comparison, 126, 127
 AMRAAM, 333, 336, 364, 367, 368
 AMS, 76
 AMSU, 385
 AN/AAQ-11, 219, 339
 AN/AAQ-14, 214, 215
 AN/AAQ-24, 341
 AN/AAQ-32, 337
 AN/AAR-57, 340
 AN/ALQ131, 343
 AN/ALQ-136, 342
 AN/ALQ-144, 341, 342
 AN/APG-66, 335
 AN/APG-68, 333
 AN/APG-78, 339, 342
 AN/APG-80, 242, 337
 AN/APG-81, 362
 AN/APR-39, 341
 AN/APR-48, 340, 342
 AN/APX-113, 266, 267, 335
 AN/ASQ-132
 AN/ASQ-170, 182, 219, 339
 AN/AVR-2, 341
 Analytical platform, 309
 Angle of Arrival, 243, 244
 Angle of Attack, 309, 425
 Angle track breaking, 239
 Angle tracking, 103, 122–124, 144, 239
 Anonymous Subscriber Messaging, 69
 ANP, 289, 290, 323, 324
 Antenna directional properties, 105
 Antenna edge diffraction, 172
 Antenna Electronic Unit, 87, 89, 104
 Antenna gain, 99, 106, 113, 116, 117, 174, 235, 236, 238, 240
 Antenna mode reflections, 172
 Antenna noise, 110
 Anti-Aircraft Artillery, 228, 241, 275, 370
 Anti-Radar Missile, Anti-Radiation Missile, 376
 Anti-Submarine Warfare, 11, 40, 214, 360

- Anti-Surface Unit Warfare, 10, 11
AOC, 320
APG-77, 175, 351–353
APG-80, 242, 334, 337
APGS, 355
API, 75
Application Programming Interface, 75
Application Specific Integrated Circuits, 381
APU, 359, 391, 392, 397
Arbitrated loop, 70, 72
Area navigation, 292, 293, 322–324, 327
Area search, 14
ARI, 243
ARINC, 43, 45–48, 54, 56, 57, 75, 77, 91, 256,
257, 309, 357, 359, 381, 453, 455
ARM, 88, 367, 371
ASE, 239, 341
ASI, 364
ASIC, 353, 387
ASR, 23
ASUW, 10, 11, 307, 360
ASW, 10, 11, 214, 360
Asynchronous Transfer Mode, 53, 69
ATC, 44, 253, 261–263, 265, 266, 294, 321, 326,
327
ATC Mode A, 268, 270
ATC Mode C, 268, 270
ATC Mode S, 261–263, 265, 266, 294,
321, 327
ATC procedures, 50
ATC transponder, 261, 262
ATF, 52, 67, 167, 351, 410
Atmospheric absorption, 96, 97, 117
ATR, 316
Attack Display, 411
Attitude and Heading Reference System, 123, 307
Attitude Direction Indicator, 416
Automatic Dependent Surveillance, 261, 263,
266, 327
Automatic Directon Finding, 302, 303
Automatic Gain Control, 114, 237, 239
Auto-pilot Flight Director Computer, 61, 293
Auxiliary Power Generation System, 355
Auxiliary Power Unit, 359, 391, 397
Average power, 109, 113, 129
Avionics Display Set, 335
Avionics Environment, 69, 273
Avionics Management System, 76
Avionics Modification Programme, 82
AWACS, 45, 46, 94, 142, 170, 209, 235,
267, 272
Azimuth, 100, 101, 103, 105, 122–124, 126–128,
151, 158–163, 165, 174, 182, 207, 212, 262,
299, 301, 303, 304, 348, 353, 434
Azimuth resolution, 159–163
B-1, 61, 153, 212
B-2, 10, 153, 165, 167–169, 172, 173, 384
B-52, 9, 173, 212, 214
B707, 36, 50
B737, 50, 51, 52, 62, 363
B757, 56
B767, 56
B777, 281, 307, 308
BAC1-11, 44
Back azimuth, 303, 304
Backlight, 440, 442, 449, 451, 452, 454,
462, 471
Bandpass radome, 169
Barometric-inertial navigation, 276
Barrage jamming, 237
Basic Area Navigation in RNP, 330
Basic navigation, 276, 277
Battlefield surveillance, 18–20, 234
BCD, 64
Beacon Illuminating Laser, 214
Beam Steering Computer, 154, 155
Beyond Visual Range, 2
BFoV, 415
BILL, 208
Binocular Field of View, 421, 443
BIT, 58, 59, 61, 63, 66, 67, 214, 248, 256, 262,
263, 321, 340, 366, 399, 400
BIU, 66, 67
Black body radiation, 186
Black level uniformity, 453
Blip-scan ratio, 108, 240
Bombfall line, 427
Boresighting, 210–212, 267, 342, 413, 423,
433, 441
Boundary location, 199
Box scan, 120
British Aerospace, 381, 415, 416
BRNAV, 323
BROACH, 371
BSC, 154
Buccaneer, 213
Built in Test, 340, 386
Burn-through, 237, 238
Bus Controller, 47, 53, 58, 60–62, 335
Bus Interface Unit, 66
BVR, 331

- C, 30, 34, 35, 47, 52, 62, 68, 76, 77, 93, 94, 98, 106, 123, 125, 128, 129, 169, 182, 186, 187, 216, 219, 246, 258, 262, 264, 276, 279, 285, 286, 293, 299, 300, 324, 327, 329, 331, 333, 335, 337–339, 341, 351, 366, 404, 432, 435, 438, 453, 474
- C++, 30, 34, 35, 47, 52, 62, 68, 76, 77, 93, 94, 98, 106, 123, 125, 128, 129, 169, 182, 186, 187, 216, 219, 246, 258, 262, 264, 276, 279, 285, 286, 293, 299, 300, 324, 327, 329, 331, 333, 335, 337–339, 341, 351, 366, 404, 432, 435, 438, 453, 474
- C130, 40, 82, 347
- C3, 371
- Cadmium Mercury Telluride (CdHgTe), 197
- CAP, 2, 30, 223
- Care free handling, 8, 9
- Carriage Store Interface, 364
- Carriage Store Station Interface, 364
- CAS, 5
- Cascaded secondary emission, 183
- Cathode Ray Tube, 288, 405, 422, 431, 436, 444
- Cats Eye, 473
- CBIT, 399
- CCD, 28, 180–183, 189, 190, 192, 210, 212, 215, 216, 360, 432
- CCDTV, 215, 219
- CCIP, 407, 427
- CCRP, 407
- CDROM, 408
- CDU, 266, 288–290, 306, 323
- CEC, 271
- Centre of Gravity, 373, 375, 384, 396
- Centre of Pressure, 384
- Centroid tracking, 199
- CEP, 376
- CFAR, 239
- CFIT, 294, 295
- Chaff, 23, 24, 103, 242, 244, 245, 249, 333, 348
- Chaff & Flare, 248, 250, 251, 354, 366
- Chain Home, 93
- Challenger, 76
- Change 7, 265, 266
- Charge Coupled Device, 180
- Charge Coupled Device TeleVision, 186
- CHBDL, 85, 90, 271
- Chemical Oxygen Iodine Laser, 209
- Chirp, 129, 165
- Chromaticity
- CIE, 445
- CIP, 65, 334, 351
- Circular Error Probability, 376
- CLA, 14
- Close Air Support, 5, 10, 369
- Clover leaf search, 13
- Clutter, 5, 12, 100, 102, 107, 110, 112, 116, 117, 134–138, 144, 146, 148, 188, 238, 239
- Clutter cancellation, 148
- Clutter rejection, 112, 144, 146
- CMD, 242
- CMT, 191
- CNI, 65, 82, 83, 85, 86, 90, 91, 94, 172, 210, 251–254, 351, 354, 361–363, 411
- CNS, 74, 263, 320
- CNS/ATM, 74, 263
- Coherent transmission, 131, 143, 205
- COIL, 209
- Collimating head up display, 413, 414, 418, 419, 421, 422, 423, 427
- Collimating lens, 413, 414, 416, 422
- Collimation, 407, 460
- Colour gamut, 445, 446
- Colour group pixel structures, 451
- Colour purity, 447
- Combat Air Patrol, 2, 30, 223
- Combiner, 413–419, 421, 422, 431, 435, 440, 468, 471, 472
- COMINT, 36, 227, 230–232
- Command & Control, 277
- Command response protocol
- Command, Control & Communication, 352
- Commercial Off The Shelf, 47, 448
- Common High Band Data Link, 85, 271
- Common Missile Warning System, 340
- Communications, 2, 10–14, 23–25, 36, 40, 50, 65, 74, 77–79, 85, 91, 94, 223–225, 227, 230–232, 236, 240, 251–258, 260, 261, 266–268, 270, 271, 273, 274, 282, 287, 291, 297, 320, 321, 335, 341, 346, 352, 354, 357, 359, 360, 363, 364, 389, 393, 404, 410, 430, 441
- Communications control system, 253, 287
- Communications Intelligence, 36, 227, 230, 231
- Communications, Navigation and Surveillance, 320
- Communications, Navigation, Identification, 251
- Communications, Navigation, Surveillance/Air Traffic Management, 299, 325, 327
- Conformal symbology, 413
- Conical scan, 123–126
- Conscan, 123–126, 197, 239
- Constant False Alarm Rate, 239
- Contact analogue, 413, 425

- Continuously Computed Impact Point, 430
Continuous Built in Test, 220, 346, 405
Continuous Wave, 98, 117, 120, 131, 234
Continuous wave transmission, 98
Continuously Computed Release Point
Control and Display Unit, 287, 289, 306, 357
Controlled Flight Into Terrain, 294
Controller to Pilot Data Link Communications, 321
Convergence, 447, 449, 474
Co-operative Engagement Capability, 271
Co-Pilot Gunner, 341
Core Integrated Processor, 71, 87, 340, 357, 368
COTS, 41, 43, 52–54, 68, 72, 75, 76, 91, 214, 337, 357, 362, 386, 403, 444, 455, 460
COTS buses, 357
Counter Measures Dispenser, 247
Counter measures dispenser, 247
Course/Acquisition, 318
Creeping Line Ahead, 14
CRT, 182, 243, 288, 405–408, 410, 412, 414, 415, 417–419, 421–423, 434–436, 439, 441, 442, 444–449, 451–453, 456, 461, 471, 472, 474
Cruciform array, 190
Cruciform detector array, 196
CSI, 364
CsLEOS, 76
CSSI, 364
Cursive, 407, 409, 417, 421, 422, 442, 446
Customs and Excise, 11, 15
CW, 120, 121, 203, 206, 209, 234, 245
CW illuminator, 121
CWMS, 340
2-D array, 81, 82, 85, 131, 150–154, 160–162, 180, 190, 193, 198, 247, 271, 334, 337, 351, 352, 459
3-D navigation, 40, 78, 79, 253, 278, 279, 284, 286, 289–291, 293, 322, 323, 326, 327, 335, 340, 357
4-D navigation, 40, 78, 79, 253, 278, 279, 284, 286, 289–291, 293, 322, 323, 326, 327, 335, 340, 357
DA, 293
DAPS, 269
DAS, 221, 363
DASS, 241, 347, 357, 360
Data Access Protocol System, 269
Data bus transmission rates, 54, 55
Data Link, 36, 43, 47, 85, 90, 209, 223, 224, 230, 251, 254–256, 258, 263, 266–268, 271, 273, 282, 320, 321, 354, 359, 363, 382, 400, 429
Data Processing Set, 335
DBS, 105, 134, 164, 335
DC-9, 44
Dead reckoning, 282
Deception jamming, 23, 235, 238
Decision Altitude, 291, 293, 327
Def Stan, 91, 381
DefAids
Defence Display, 411
Defence Standard
Defensive Aids Sub System, 247, 353, 363
Desert Storm, 67, 207, 208, 214, 370, 371
DF, 14, 83, 242
DGPS, 282, 293, 319, 322, 325, 326
DHA, 454
DHUD, DOHUD, 419
Differential GPS, 282, 319, 322, 325
Diffractive Optics HUD, 413
Digital Light Projector, 458
Digital Micro mirror Devices, 412, 458, 461, 464
Digital mirror
Digital Signal Processor, 143, 144, 335
Diode pumped laser, 204, 216
DIRCM, 341, 361
Direct Current
Direct Infra Red Countermeasures, 347, 367
Direct vision optics, 219, 339
Direct Voice Input, 346, 410
Direction Finding, 14, 24, 278, 279, 296, 297, 353, 434
Display Head Assembly, 449, 454
Distance Measuring Equipment, 278, 296–298, 327
Distributed analogue architecture, 42, 43
Distributed Aperture System, 221, 363
Distributed digital architecture, 42, 44, 45, 50
DLP, 458, 460
DMD, 455–460
DME, 253, 257, 261, 268, 278–281, 286, 289, 293, 296–299, 302–304, 306, 322, 324, 327
DoD, 51, 175, 316, 469, 472
Domestic en-route, 285, 316
Doppler ambiguity, 139, 141
Doppler Beam Sharpening, 105, 134, 164, 335
Doppler effect, 98, 99, 117
Doppler frequency shift, 117
Doppler navigator, 117, 134

- Doppler radar, 55, 79, 112, 117, 118, 134, 135, 137, 139, 143, 144, 146, 279, 280, 307, 346
- Doppler shift, 116–118, 130, 134–136, 141, 162, 164
- Doppler spectrum, 135, 136, 139
- DPS, 335
- DRVSM, 326
- DSP, 335
- Dual combiner, 416, 417
- DVI, 410
- DVO, 339
- Dynamic simulator, 37
- E-2C, 94
- E-3, 22, 44, 93, 94, 249
- E-4, 44, 247, 267, 268, 333
- E-6, 44, 267
- EAL, 77
- EAP, 344, 347, 359, 381, 384–386, 397, 399
- Early gate, 122, 123
- Earth datum set, 277
- Earth related coordinates, 282
- EBR, 61
- ECAM, 45
- ECCM, 23
- ECL, 411
- ECM, 23, 40, 90, 153, 235, 269, 337, 338, 353
- Economic Exclusion Zone, 15
- ECS, 337, 351, 359, 397–399
- EDP, 392
- EEZ, 15
- EFA bus, 70
- EFAB, 347
- EFIS, 45, 287, 288, 290, 297, 306, 327
- EGI, 340
- EGNOS, 332
- EGPWS, 294–296
- EICAS, 45
- EIS, 330
- Ejection, 14, 383, 388, 391, 417, 419, 421, 427, 431, 436, 439
- Electro-luminescent, 435
- Electro-Magnetic Pulse
- Electro-magnetic spectrum, 177, 178
- Electronic Check List, 416
- Electronic Checkout And Maintenance System, 51
- Electronic Counter Counter Measures, 29, 159, 241
- Electronic Counter Measures, 126, 153, 247, 248
- Electronic Flight Instrument System, 45, 287, 297, 306
- Electronic Intelligence, 24, 25, 56, 227, 228
- Electronic Order of Battle, 232, 235, 352
- Electronic Support measures, 11, 12, 23–25, 65, 232, 234, 351, 352
- Electronic Warfare, 23–27, 37, 40, 53, 65, 77, 78, 82, 134, 224, 226, 227, 230, 231, 250, 338, 351, 352
- Electronically Steered Array, 150, 154
- Electro-optic sensors, 177, 179, 357
- Electro-Optic Targetting System, 369
- Elevation, 100, 101, 103, 105, 120, 122–124, 126–128, 150, 182, 207, 212, 303, 304, 353, 417, 420, 466, 467
- ELINT, 25, 56, 227–229, 235
- ELM, 263
- EMB-312, 39
- EMB-326, 45
- EMB-339, 45
- EMCON, 174, 251, 371
- EMD, 82, 351
- Emergency Power Unit, 392
- Emission Control, 12, 174, 371
- Emissivity coefficients, 186, 187
- EMP
- Engine Driven Pump, 392, 394
- Engine Indication & Crew Alerting System, 51
- Engineering Manufacturing and Development, 357
- Enhanced Bit Rate, 61
- Enhanced Ground Proximity Warning System, 300
- Entry Into Service, 47, 330
- Environmental Control System, 341, 351, 355, 359, 389, 397, 398
- EO sensor fields of view, 211
- EOB, EoB, 238, 241, 358
- EOTS, 220, 221, 363
- EPU, 392
- ESA, 150–154, 156, 157, 172, 175, 326
- ESM, 23–25, 65, 232–235, 270, 351, 352, 354, 357, 360, 362
- Estimated Time of Arrival, 288
- ETA, 281, 288, 293
- EU, 326
- EUROCAE, 73
- Eurocontrol, 326
- Eurofighter HMD, 442
- European Community, 316

- European Geo-stationary Navigation Overlay System, 326
- European Organisation for Civil Aviation Equipment, 73
- European Organisation for the Safety of Air Navigation, 326
- European Space Agency, 326
- Evaluation Assurance Level, 77
- Evolution of avionics architecture, 41, 42
- EW, 24, 25, 27, 39, 40, 53, 65, 77, 82, 85, 87, 88, 91, 134, 172, 226, 227, 235, 239, 240, 247, 249, 268, 270, 338, 340, 351, 352, 354, 357, 362
- EW apertures, 85, 87
- EWMS, 338
- Expanding square search, 14
- Expansion port, 70
- Experimental Aircraft Programme, 344, 359, 381
- Extended Forward Avionics Bay, 347
- Extended Length Messages, 263
- F/A-18, 80, 215, 216, 247, 369, 371, 392, 393, 404, 407, 408, 430, 447, 448
- F-117, 165, 167, 169, 170, 172, 173, 218, 384, 393
- F-15, 5, 81, 120, 121, 158, 214–216, 267, 392, 421
- F-16, 5, 47, 80, 81, 120, 157, 158, 207, 214–216, 240, 266, 267, 329–338, 341, 351, 371, 372, 397, 419, 420
- F-16 weapons stations, 336
- F-22, 52, 65, 67, 68, 77, 81, 82, 85–87, 121, 165, 167, 169, 173, 175, 242, 271, 329, 334, 351, 356, 372, 393, 395, 410, 474
- F-22 CNI apertures, 86
- F-35, 61, 71, 72, 81, 88, 167, 169–171, 173, 193, 218, 220, 221, 243, 351, 360–364, 367, 393
- F-35 avionics, 361
- F-4, 5, 191, 198, 240, 243, 333, 371, 430
- F-86, 78, 367
- F-89, 78
- F-94, 78
- FAA, 73, 263, 285, 294, 295, 316, 325, 327
- Fabric port, 70
- Faceting, 167, 170
- FADEC, 359
- Failure severities, 73
- Falcon Edge, 338
- False target generation, 238
- Fan beam, 105, 302
- FANS, 254, 260, 261, 263, 265, 276, 284, 286, 292, 294, 320, 327
- Fast Fourier Transform, 105, 146, 163
- Fast Switched Ethernet, 357
- FBW, 169, 331, 346, 347
- FCC, 385
- FCR, 339, 341
- FCS
- FD, 306
- FDDS, 357
- FDX, 357
- Federal Aviation Authority, 325, 327
- Federated digital architecture, 42, 46, 50
- FFAR, 343
- FFT, 105, 134, 146, 163, 165
- Fibre channel, 54, 67–71, 273, 337, 361
- Fibre channel topology, 59, 73, 74, 75, 343, 367
- Fibre Optic, 61, 62, 65, 88, 273, 364, 367, 379, 381
- Field of regard, 199, 443
- Field Of View, 182, 197, 303, 415–417, 428, 438, 439, 467
- Fighter radar ranges, 157
- Figure of eight scan, 126
- Figure of merit, 112
- Fill factor, 192
- Fire Control Radar, 339, 341, 342, 370
- Firing solution, 427
- Fishery protection, 11, 15
- Flash lamp spectral characteristics, 204
- Flight Control Computer, 347, 385
- Flight Control System, 3, 73, 76, 338, 347, 384, 386, 394, 397, 404
- Flight Deck Display System, 45, 357
- Flight Director, 55, 286, 287, 290, 306
- Flight Information Services, 321
- Flight Level, 324, 325
- Flight Management System, 44, 74, 253, 284, 286, 287, 306, 327, 357
- Flight Technical Error, 286, 322
- Flight Test Display, 411
- FLIR, 29, 177, 192, 199, 200, 210–216, 219, 220, 337, 339, 342, 346, 360, 406, 408, 412, 417, 423, 424, 434
- Fly By Wire, 175, 337, 350
- FMS, 74, 266, 284, 286–294, 306, 320, 323, 357, 359
- Focal Plane Array, 192
- Folding Fin Aerial Rocket, 343
- Force control layer, 272
- Force coordination layer, 272

- Force multiplier, 207, 271, 429
- Forward Looking Infra Red, 412, 423
- Fourier series, 134
- Fourier Transform, 105, 134, 146, 163
- FOV/FoV, 188, 189, 216, 414
- FPA, 190, 192, 193, 196, 216, 219–221, 368
- Frame transfer CCD, 182
- Frequency domain, 109
- Frequency modulation, 118, 119, 197, 254
- Frequency modulation ranging, 118, 119
- Frequency Shift Key, 304
- FSK, 304
- FTD, 411
- FTE, 322
- Full Authority Digital Engine Control, 347, 391
- Full authority flight control system, 3
- Full frame CCD, 181
- Full performance based navigation, 293
- Fused situational awareness, 410
- Fusion of air data and inertial sensors, 307
- Future Air Navigation System, 258, 260, 265, 276, 284, 292, 320
- Gallium Arsenide, 183, 184, 463
- GATM, 44, 74, 257, 258, 261, 265, 276, 292, 319, 320, 327
- GBU-10, 333
- GBU-12, 339
- GBU-15, 333
- GBU-24, 333
- Generic JIAWG avionics architecture, 64
- Generic JIAWG integrated cabinet, 65
- Geo Stationary Earth Orbit, 288
- Geometric cross section, 167
- Get-U-Home, 410
- Glide slope antenna, 301
- Global Air Traffic Management, 56, 80, 263, 264, 271, 282, 325
- Global Express, 46, 56
- Global Navigation Satellite System, 251, 276, 281, 316, 317
- Global Positioning System, 77, 118, 281, 298, 315, 327, 340
- GLONASS, 281, 316, 317, 326
- GMR, 55
- GMTI, 346
- GNSS, 276, 281, 287, 316, 326
- GOPS, 362
- GPS, 54, 77, 85, 118, 211, 214, 253, 266, 281, 282, 284–287, 290, 293, 298, 300, 303, 306, 315–320, 322, 324–326, 340, 346, 354, 357, 367, 370, 371
- GPS overlay, 285, 286
- GPWS, 294–296
- Great circle navigation to body axes, 319
- Green Hills, 76, 362
- Greenwich meridian axes to geographic, 312
- Greyscale, 450, 453
- Gripen, 5, 47, 80, 421
- Ground attack mission profile, 5
- Ground Mapping, 26, 55, 78, 81, 93, 100, 101, 104, 105, 122, 164, 165, 234, 335
- Ground mapping modes, 165, 335
- Ground Mapping Radar, 55, 93, 165
- Ground Moving Target Indicator
- Ground Proximity Warning System, 294
- Ground return, 107, 116, 117, 119, 135
- Ground Targeting Mode, 340
- GTM, 340
- Guard channel, 137
- Guard horn, 136, 137
- Guard receiver channel, 136
- Gyro stabilised platform, 309, 310
- Gyrocompass alignment, 313, 314
- Hands On Throttle And Stick, 346, 403
- HARM, 333, 370, 371
- HARM Targetting System, 339
- Have Blue, 167
- HDD, 200, 406, 462, 466, 467, 470
- Head Down Display, 200, 347, 354, 405, 406, 444, 449
- Head tracker, 431, 432, 438
- Head Up Display, 28, 54, 56, 200, 334, 412
- Head Up Display/Weapon Aiming Computer, 61, 447
- Heinrich Hertz, 93
- Helicopter Integrated Defensive Aids System, 340
- Hellfire, 94, 341–343
- Helmet Mounted Cueing System, 411, 430, 437
- Helmet Mounted Display, 185, 200, 334, 367, 410, 411, 428, 438, 440, 441, 462, 474
- Helmet Mounted Sight, 198, 347, 367, 436
- Helmet Mounted Symbology System, 416, 428, 447, 448
- HF communications signal propagation, 255
- HF data link ground stations, 256
- HFDL, 256, 266, 271, 320
- HIDAS, 340
- High definition TV imaging, 199

- High Frequency Data Link, 320
High intensity light sources
High Order Language, 76
High Power Amplifier, 155
High speed data bus, 54, 65, 66, 384, 385
Historical development of inertial platforms, 315
HMCS, 416, 433, 441
HMD, 200, 334, 335, 347, 367, 405, 409, 411, 429–433, 435, 436, 438, 440–443, 457, 462, 463, 468, 474
HMD accuracy, 432, 433
HMD optical configuration, 433
HMD system components, 441
HMS, 198, 436, 437
HMSS, 347
HOJ, 238
HOL, 51
Holographic optical coating, 419
Home On Jam, 244
Horizontal coverage, 221, 242
HOTAS, 335, 354, 363, 403, 404
HPA, 155
HSDB, 65–68
HTS, 333
Hubbed loop, 70
HUD, 28, 55, 56, 200, 334, 335, 338, 347, 354, 363, 405–417, 419–428, 430, 432, 433, 442, 443, 467, 468, 471, 472, 474, 475
HUD/WAC, 55
Hydra 70, 343
Hyperbolic navigation, 299, 300, 304
- IAS, 276
IBIT, 399
ICAO, 296, 297
ICNIA, 52
IDECM, 247, 248
Identification Friend or Foe, 77, 253, 262, 266, 268, 335
IDG, 399
IDM, 335
IDU, 458
IEEE, 54, 67, 69, 71, 72, 96, 363, 381
IFDL, 271
IFE, 71
IFF, 77, 85, 90, 200, 253, 261, 262, 266–269, 335, 340, 341, 346, 354
IFoV, 415–418
IFPC, 379
IFR, 285, 293, 316, 324, 327
IFTS, 337
IFU, 56
IHADS, 436
ILS, 77, 83, 85, 281, 284, 288–290, 294, 297, 298, 301–303, 322, 354
ILS approach markers, 303
ILS glide slope and localiser, 301
ILS guidance display, 302
Image intensification, 184, 471
Image tracking, 198
Imaging Intelligence, 42, 233
IMINT, 26, 36, 227
Improved Data Modem, 335
In Flight Data Link, 277, 360
In Flight Entertainment, 77
Indicated Air Speed, 282
Indium Antimonide, 197
Inertial Navigation, 45, 55, 79, 118, 150, 211, 276, 279, 280, 284, 304, 305, 327, 335, 340, 370
Inertial Navigation System, 45, 55, 79, 118, 150, 279, 280, 304, 305, 327, 340
Inertial Navigation Unit, 211, 335
Inertial Reference Set, 354
INEWS, 78
Infra-Red, 15, 24, 28, 35, 94, 177, 179, 199, 213, 222, 243, 246, 333, 346, 408, 419, 427
Infra-red missiles, 183
Infra-Red Search & Track, 205, 352
Infra-Red Search, Track & Scan, 183, 202
Initial Operational Capability, 208, 316, 362
Initial space reference axes set, 316
Initiated Built in Test, 405
INMARSAT, 258, 259, 321
INMARSAT satellite coverage, 259
Inner marker, 302
INS, 45, 55, 79, 118, 150, 212, 214, 279–281, 285, 286, 290, 293, 304–308, 313, 316, 324, 340, 346, 370
Instantaneous Field of View, 197
Instrument Flight Rules, 285, 316, 324, 327
Instrument Landing System, 297, 301
Integrated Circuit, 43, 52, 156, 381, 450
Integrated Communication, Navigation & Identification Architecture, 58, 71, 84, 88, 357, 416
Integrated Defensive Electronic Counter Measures, 247, 248
Integrated Display Unit, 453–455
Integrated Drive Generator, 393
Integrated Electronic Warfare Suite, 78
Integrated Flight & Propulsion Control, 385

- Integrated FLIR and Targetting System, 220, 343
 Integrated Helmet and Display Sight System, 412, 436
 Integrated modular architecture, 42, 48, 49
 Integrated navigation, 284, 286
 Integrated Sensor System, 88, 183, 361
 Integrity and security partitioning, 41
 Intelligence collection, 10
 International Civil Aviation Organisation, 296, 297
 International Telecommunications Union, 96
 INU, 211, 335
 Inverse noise gain jamming, 237
 Inverse Synthetic Aperture Radar, 105
 IOC, 316
 IR imaging system, 189, 198
 IR tracking, 101–103, 177, 190, 196
 IRS, 123, 286, 322, 354
 IRST, 346
 IRSTS, 196, 199
 ISAR, 105, 156, 164, 360
 ISS, 88, 183, 361
 ITO, 453
 ITU, 96
 IVSC, 355
- Jaguar, 6, 28, 29, 46, 191, 200, 215, 416, 436, 437
 Jamming, 11, 23–25, 27, 85, 111, 137, 235–240, 248, 254, 333, 341
 JASM
 JAST, 81, 88, 172, 361
 JDAM, 211, 333, 356, 363, 370, 371
 Jet routes, 292
 JHMCS, 411, 430, 437, 438
 JIAWG, 41, 48, 52, 54, 64, 65, 67, 68, 80–84, 88, 172, 334, 351, 361
 JIAWG apertures, 83
 JIAWG RF aperture architecture, 84
 Joint Advanced Strike Technology, 81, 91
 Joint Air to Surface Stand-off Missile, 370
 Joint Direct Attack Munition, 333, 363, 370
 Joint Helmet Mounted Cueing System, 411, 430, 437
 Joint Industrial Avionics Working Group, 47
 Joint Stand-off Weapon, 333
 Joint Strike Fighter, 71, 81, 167, 329, 361, 405, 409, 440, 461, 462
 Joint Strike Fighter HMD, 440
 Joint Tactical Information Distribution System, 77, 268
 Joint Tactical Radio System, 77
- JOVIAL, 51, 337
 JSF, 42, 61, 81, 167, 329, 393, 430, 440, 461–463
 JSOW, 333, 363
 JTIDS, 77, 90, 268–271, 354
 JTIDS frequency band, 269
 JTIDS integration, 270
- Kalman filter, 290, 307
 KC-135, 44
 Krypton lamp, 203
- LAAS, 282–284, 319, 322, 325
 Lambda configuration, 117
 LANTIRN, 120, 213, 215, 333, 335, 337, 419, 420
 Laser, 5, 24, 55, 94, 200–210, 212–216, 219, 242, 243, 245, 308, 315, 333, 341, 343, 346, 348, 360, 361, 370, 435, 464
 Laser designation, 206
 Laser Guided Bomb, 5, 200, 205, 370
 Laser Rate Gyro, 308, 346
 Late gate, 122, 123, 146
 Lateral Navigation, 291
 Lateral track errors, 280
 Lead Silicide, 199
 Lead Sulphide, 197
 Lead Tin Telluride, 199
 LED, 1, 10, 35, 41, 44–47, 51, 68, 76, 184, 296, 334, 376, 391, 405, 409, 421, 435, 440, 442, 462, 463
 Legibility and readability, 465, 469
 LGB, 206, 207
 Light Weight Fighter, 336
 Lightweight Protocol, 69
 Limited instruction set processor, 51
 Line of sight, 211, 214, 257, 285, 414, 435
 Line of sight range, 129
 Line Replaceable Module, 334
 Line Replaceable Unit, 47, 51, 342, 441
 Linear array, 85, 160, 189, 190, 354
 Linear Token Passing Bus, 66
 Linear token passing topology, 66
 Linescan, 190, 191
 Link 11, 77, 85, 90, 268, 272, 354, 359
 Link 16, 268, 272, 359
 Liquid Crystal, 182, 288, 405, 406, 408, 409, 412, 449, 454, 456, 457, 464
 Liquid Crystal on Silicon, 406, 456
 Liquid Oxygen, 333, 389
 Litening, 193, 212, 213, 215, 338, 360
 LLTV, 180, 183

- LNA, 85, 111, 155, 157
- LNAV, 291–293
- Local Area Augmentation System, 282, 283, 303, 319
- Localiser, 85, 90, 301, 302, 354
- Localiser antenna, 301
- Lock-on, 103, 234
- Log Periodic, 353
- Log periodic antenna, 353
- Long Range Navigation, 285, 299, 305
- Long Wave Infra Red, 184, 185
- Longbow Apache avionics architecture, 99, 188, 335, 345, 416
- Longbow fire control radar, 339
- Loop port, 70
- LORAN, 276, 279–281, 285, 293, 296, 299, 300, 324, 327
- Loran-C chain, 300
- Low Altitude Navigation & Targetting Infra-Red for Night, 219, 339, 425
- Low Light TeleVision, 183
- Low Noise Amplifier, 85, 111, 144, 155
- Low Observability, 113, 117, 164, 165, 210, 240, 275
- Low Probability of Intercept, 174, 240, 254
- LOX, 333, 389
- LP Cock
- LPI, 174, 175, 240, 242, 247, 254
- LRG, 315, 316, 354
- LRM, 334, 351
- LRU, 75, 281, 342
- LTPB, 66
- LTT, 193
- LWF, 330
- LWIR, 185, 187, 188, 193, 199, 210, 214, 219, 221, 346, 360
- Lynx Works Lynx, 82

- M320, 349
- MAC, 67
- MAD, 357
- Magnetic Anomaly Detector, 12, 357
- Magnetron, 93
- Main lobe clutter, 134, 135
- Maritime patrol, 10, 12, 13, 16–18, 24
- Maritime Patrol Aircraft, 10, 13, 16–18, 24
- Maritime Reconnaissance and Attack, 278
- Marked Target Receiver, 55
- Marker beacon, 90, 302
- Martel, 177
- Maverick, 333

- MAW, 348
- McDonnell Douglas Helicopter Company, 339
- MCDU, 357
- MCOS, 362
- MCU
- MDA, 293
- MDC, 391
- MDE, 411
- MDHC, 339
- Mean Noise power, 112
- Mean Sea Level, 292
- Mean Time Between Failures
- Media Access Control, 67
- Medium Field of View, 420
- Memory Management Unit, 77
- MFD, 444, 447, 448, 453, 454
- MFOV, 211, 215, 216, 219
- MHDD, 444
- Micro display technology, 458
- Microkernel, 77
- Microwave Landing System, 85, 297, 303, 304, 322, 354
- Microwave landing system coverage, 304
- Mid Wave Infra Red
- Middle marker, 302
- Mig-21, 5
- Mig-23, 5
- Mig-29, 205
- MILS, 77
- MIL-STD-1553 data bus word format, 49, 52, 59, 60, 64, 248, 273, 276, 353, 354, 363
- MIL-STD-1553 typical data transactions
- Miniature CRT, 434, 435, 442
- Miniature Detonating Cord, 391
- Miniature Munitions/Store Interface, 61
- Minimum Decision Attitude, 299
- Minimum detectable signal, 116, 117
- Minimum luminance difference, 469
- Minimum Navigation Performance Specifications, 279, 327
- Minimum Operational Performance, 257, 274
- Minimum range resolution, 129
- Mirage 2000, 5, 216
- Missile Approach Warning, 354
- Missile sight line, 427
- Missile Warning System, 243, 244, 340
- Mission Data Entry, 416
- MLC, 134–136, 138, 146
- MLS, 85, 284, 297, 303, 304, 322, 354
- MM/SI, 61
- MMA, 291

- MMC, 333–335, 351
 MMIC, 162
 MMR, 287
 MMU, 83
 MMW, 339
 MNPS, 279
 Mode A, 119, 200, 209, 262, 264, 379, 417, 421, 422
 Mode C, 198, 262, 264, 346
 Mode S, 43, 57, 234, 253, 261–266, 273, 274, 294, 306, 320, 321, 326, 327, 346
 Modular architectures, 48, 52
 Modular Mission Computer, 333, 334, 351
 Monolithic Microwave Integrated Circuits, 162, 202
 Monopulse, 123, 126–128, 144, 207
 MOPS, 65, 257, 274
 MOTS, 51
 MPA, 10–12, 14–17, 38, 235, 297
 MPD, 408, 447, 448
 MPD, 444, 454
 MRA, 22, 274, 361
 MTL, 91
 MTR, 55
 MTT, 200
 Multiplex
 Multi Function Display, 341, 360, 411
 Multi Function Head Down Display, 206, 353, 412, 414, 448
 Multi Mode Receiver, 287
 Multi Purpose CRT Display, 414
 Multi Purpose Display, 448
 Multi Role Maritime Aircraft, 297
 Multi-Arm Spiral Array, 88
 Multi-Computing Operating System, 362
 Multi-function Control & Display Unit, 292, 363
 Multi-mode Millimetric Wave, 345
 Multi-path effects, 302
 Multiple Independent Levels of Security, 77
 Multiple sensor navigation, 276
 Multiple Target Tracking, 199, 200
 Multi-Turn Loop, 88
 Multi-mode radar, 47, 87, 99, 113
 Multiple spot jamming, 243
 MWIR, 185, 186, 188, 193, 199, 214–216, 219–221, 346, 360
 MWS, 243

 Narrow Field of View
 NAS, 285, 327
 NAT, 279

 National Airspace System, 293, 327
 National Imagery Interpretability Rating Scale, 183
 National TV Standards Committee
 NATO, 47, 330, 334, 343, 346, 368, 465
 Nav aids, 261, 321
 Naval Tactical Data Link
 Navigation, 2, 13, 33, 40, 45, 50, 52, 55, 56, 65, 74, 77–79, 82, 94, 118, 120, 128, 150, 200, 211, 213, 215, 251–253, 257, 258, 260, 261, 265, 275–281, 284–293, 296–300, 304, 305, 307, 308, 310, 312, 313, 315–320, 322–324, 326, 327, 333, 335, 337, 340, 341, 346, 352, 357, 363, 370, 375, 393, 399, 406, 407, 411, 412, 419, 425, 426
 Navigation aids, 77, 79, 253, 257, 276, 278, 285, 286, 289, 290, 296, 298, 322
 Navigation Display, 56, 265, 287, 288, 290, 296, 357
 Navigation principles, 275
 Navigation symbology, 425, 426
 NBC, 431, 439
 NDB, 278–280, 285, 286, 292, 297
 NEMP
 Neodimium Ytrium Gallium Arsenide
 Network centric, 76, 254, 271, 273
 NFOV, 211, 215, 216, 219, 220
 Night Vision Devices, 183–185
 Night Vision Equipment, 190
 Night Vision Goggles, 177, 183, 185, 408, 420, 434, 469, 471, 472
 Night Vision Imaging Systems, 412, 468, 474
 Nighthunter, 360
 NIIRS, 183, 191, 192
 Nimrod MR2, 14, 16, 46, 214, 233
 Nimrod MRA4, 45, 268, 355, 357
 Nimrod MRA4 avionics, 274, 361
 Node port, 70
 Noise figure, 112, 157, 165, 175
 Noise jamming, 23, 235, 237, 238, 240
 Non Directional Beacon, 297
 Non-coherent transmission, 131
 NTSC, 192, 193
 Nuclear Electro-Magnetic Pulse
 Nuclear, Biological, Chemical
 NVD, 190
 NVE, 440
 NVG, 177, 185, 342, 354, 410, 455
 NVIS, 455, 471–475

- Oblique camera, 27
- OBOGS, 333, 347, 389, 391, 404
- Obsolescence, 67, 68, 75, 80, 351, 402, 403, 460
- Oceanic crossings, 261, 266, 279, 323
- Oceanic en-route, 285
- OCU, 37
- Off-axis, 415, 418–421, 452, 463, 469
- Off-boresight, 100, 109, 125, 126, 150, 405, 409, 427, 429, 433, 436, 437, 443
- OLED, 435, 464
- On Board Oxygen Generation System, 377, 389
- Open ocean search, 10, 12
- Operating System, 41, 72, 76, 362
- Operational Conversion Unit, 37
- Option Select Button, 416
- Orange book, 76
- Organic light emitting diode, 463
- Orthogonal aircraft axis set, 278
- Outer marker, 302
- Over The Horizon, 10, 11, 268
- Over the horizon targetting, 16, 17, 263, 274

- P3I, 375
- PAL, 192, 193
- Parabolic reflector, 98, 99, 150, 151, 160
- Part task trainer, 38
- Passive ESA, 152–154, 156, 157, 175
- Passive Infra-Red Airborne Tracking Equipment, 199
- Pattern matching, 199
- Pave Pace, 42, 88–90
- PAVE PACE aperture, 90
- PAVE PACE integrated RF architecture, 89
- Pave Pillar, 48, 52, 64, 88
- Paveway, 333, 364
- PBIT, 399
- PC-9, 39
- P-DME, 304
- PDU, 412, 413, 415, 416
- Peak power, 109, 110, 113, 117, 129, 165, 174, 187, 205, 209, 240
- Pencil beam, 105
- Perceived Just Noticeable Differences, 470
- Personal Computer
- Personal Locator Beacon, 14, 297
- PFD, 302, 357, 411
- PFR, 443
- Phase Alternating Line (TV standard)
- Phase shifting, 151, 152
- Photographic reconnaissance, 26, 28–30
- PI-Bus, 73
- Pilots Display Unit, 415
- Pilot's Night Vision Sight, 345
- Piper Alpha, 14
- PIRATE, 199, 200, 346
- PIU, 342
- PJND, 470
- Plan Position Indicator, 243
- Planar array, 99, 150–152
- Planar array antenna, 150
- Platform alignment, 311, 313
- Platform levelling, 313, 314
- PLB, 14
- PMFD, 411
- PNVS, 211, 219, 339, 341–343, 411, 436
- POA, 351
- Polar path compass, 280
- Pollution detection, 11
- PolyAlphaOlefin
- Power Distribution Center, 384
- Power dividers, 152
- Power Set, 335
- Power-up Built In Test
- PPI, 243
- PPS, 319
- Precise Positioning Service, 319
- Precision direction finding, 353
- Precision DME, 304
- Precision Navigation, 323
- Pre-Programmed Product Improvement, 369
- Pre-Signal Processor, 105
- Pressure Reducing Shut-Off Valve, 398
- PRF, 101–103, 109, 116, 124, 131, 132, 134, 136–139, 141–143, 146, 150, 165, 174, 234, 243
- Primary flight data, 413, 425, 434, 442
- Primary Flight Display, 302, 357, 411, 421, 444
- Primary flight instrument, 405, 409, 430, 442
- Primary Flight Reference, 443
- Primary Multi Function Display, 360, 416
- Primary Surveillance Radar, 261
- Principle of GPS satellite navigation, 83, 124, 282, 287, 292, 325, 326
- Principle of inertial navigation, 286, 310, 311
- Principle of operation of a Hyperbolic navigation system, 299
- Principle of operation of EGPWS, 300
- Principle of radar, 99
- Principle of transponder operation, 261
- PRNAV, 323, 324
- Probe and drogue, 31
- PRSOV, 404
- PSP, 105

- PSR, 261, 262
 Pulse compression, 109, 129–131, 159, 160, 165, 234
 Pulse Doppler, 78, 79, 93, 131, 134, 135, 139, 346, 348
 Pulse modulation, 108, 112
 Pulse Repetition Frequency, 101, 109, 131, 132, 234
 Pulse train, 131–134, 138, 139
 Pulse width, 101, 102, 108–110, 113, 116, 131, 132, 144, 158–160, 174, 205, 452
 Pulsed radar architecture, 106, 107
 Pulsed radar transmissions, 112
 Pupil forming, 417, 419, 422
 Pylon Interface Unit, 342, 343

 Quantum Well Infrared Detector, 199
 QWIP, 193

 Rad Alt
 Radar absorbent material, 169
 Radar Altimeter, 94, 119, 120, 224, 251, 295, 335, 363
 Radar bands, 96, 228
 Radar boresight, 123, 158, 367
 Radar cross section, 167, 236
 Radar data processor, 105, 143, 148
 Radar Intelligence, 31
 Radar Processor, 104, 335
 Radar range equation, 116, 167
 Radar Warning Receiver, 24, 102, 174, 235, 240, 242, 247, 340, 348, 352, 360
 Radiating slot, 151, 152
 RADINT, 25
 Radio Frequency Interferometer, 340
 Radio Frequency Unit, 258, 260
 Radio Magnetic Indicator, 297
 Radio navigation, 251, 276, 278, 285, 296, 316
 Radio Technical Committee Association, 73, 79
 Rafale, 5, 64, 80, 216, 421
 RAH-66, 52, 64, 67, 68, 219, 351
 RAIM, 285, 286, 318, 319
 RAM, 165, 169–173, 392
 Ram Air Turbine, 392
 Raman shift, 209, 244
 Random scattering, 172, 173
 Range ambiguities, 137
 Range bin, 144, 159, 161, 162, 165
 Range finder, 55, 200, 205, 210, 212, 214–216, 219, 360
 range gate, 23, 103, 122, 146, 239
 Range gate stealing, 239
 Range gate tracking, 128
 Range of electro-magnetic applications
 Range resolution, 109, 112, 129, 130, 158–160, 198, 206
 Range sweep, 114, 124, 137, 161, 239
 Range tracking, 122
 RAT, 392
 RCS, 169, 170, 172–174
 RCS values, 173, 174
 RDMA, 69
 RDP, 105, 143, 144, 148, 150, 154, 155
 Real Time Operating System, 41, 72
 Rear projection, 406, 460, 461
 Receiver Autonomous Integrity Monitor, 285, 318
 Receiver characteristics, 110
 Receiver threshold setting, 115
 Red Top, 177
 Reduced Vertical Separation Minima, 265, 322
 Reflective LCD projector, 457, 458
 Reflectivity, 113, 118, 167, 457
 Refuelling, 16, 19, 21, 26, 29–31, 33, 36, 185, 271, 299, 307, 396, 397
 Remote Direct Memory Access, 69
 Remote Input Output, 388, 408
 Remote Terminal, 47, 53, 58, 62
 Remotely Piloted Vehicle, 39
 Required Navigation Performance, 289, 322, 323
 Required Time of Arrival, 321
 Resolution Advisory, 270
 Resolution cells, 158, 180
 Reticle tracker, 197
 Return To Zero, 58
 RF propagation, 253
 RF spectrum, 243, 252
 RFI, 340, 341
 RFU, 258, 260
 Ring Laser Gyro
 RIO, 382, 402
 RLG, 321
 RMI, 297
 RNAV, 285, 286, 292, 293, 322–324
 RNP, 289, 322–324
 RoE, 272
 Rotating scanner, 190, 191
 RPV, 39
 RSS, 322
 RTA, 321
 RTCA, 73, 91, 274
 RTOS, 41, 72, 73, 75–77, 362

- RTZ, 58
- Ruby laser, 203
- Rules of Engagement, 76, 199, 251, 272
- RVSM, 265, 322, 324–327
- RWR, 24, 79, 83, 90, 102, 174, 175, 235, 240, 242, 243, 247, 248, 340, 348, 353

- S-3, 17, 216, 350
- S-92, 76
- SAARU, 308
- SAC, 14
- SAE, 66–68
- Safe-pass height marker, 427
- SAHRS, 55, 123
- SAM, 196, 214, 241, 275
- SAR, 11–14, 29, 105, 131, 134, 156, 159–161, 164, 346, 360
- SatCom, 77, 85, 252, 253, 258–260, 266, 271, 320, 321, 354, 359
- SatCom principles of operation, 259
- Satellite Communications, 230, 252, 258
- Satellite Data Unit, 260
- Satellite navigation, 276, 281, 317, 326
- Satellite Tactical Data Link J, 274
- Saturation, 114, 199, 237, 245
- SAW, 136
- Scalable Coherent Interface, 53
- Scene of Action Commander, 11, 14
- SCI, 59
- SCSI, 69
- SD, 411
- SD-S, 411
- SDU, 260
- Sea Harrier, 46, 54
- SEAD, 333
- SEAM, 198, 367
- Search And Rescue, 11, 12
- Secondary Attitude & Heading Reference System, 61, 129, 313
- Secondary Attitude Air Data Reference Unit, 308
- Secondary Multi Function Display, 361
- Secondary Power System, 392
- Secondary Surveillance Radar, 262
- Security, 15, 24, 41, 53, 73, 76, 77, 228, 230, 319
- Seeker heads, 196, 197, 205
- Sensitivity Time Control, 114
- Sensor fusion, 192, 198, 201, 210, 211, 219, 290, 307
- Sensor/shooter information grid, 273
- Sensors and shooters, 267
- Sequential lobing, 123–126

- SFG, 411
- Shadow mask, 405, 409, 444
- Shared apertures, 81, 172, 361
- SHF, 10, 13, 15, 23, 26, 33, 38
- Short Wave Infra Red, 185
- Shrike, 333, 371
- Shut-Off Valve, 398
- SIAP, 285
- SID, 294
- Side lobe clutter, 141, 142
- Sidelobes, 100, 107, 109, 111, 116, 130, 132, 134–137, 150, 152, 165, 172, 174, 175, 239, 240, 267
- Sidelobes, 100, 107, 109, 111, 116, 130, 132, 134–137, 150, 152, 165, 172, 174, 175, 239, 240, 267
- Sideways Looking Airborne Radar, 159
- Sidewinder, 177, 196, 198, 222, 343, 364, 367–369, 372
- Sidewinder Expanded Acquisition Mode, 198, 367
- Sightline axis
- SIGINT, 23, 24, 26, 36, 227
- Signal processor, 81, 105, 143, 144, 146, 150, 154, 196, 243, 335, 351, 352
- Signals intelligence, 23, 24, 36, 227
- Simultaneous multi-mode operation, 121
- SINCGARS, 90
- Single Channel Ground and Airborne Radar System
- Single Side Band
- Single Target Tracking & Identification, 206
- Single Target Tracking, 206
- Situation Display, 411
- Situation Display - Secondary, 416
- Situational Awareness, 85, 221, 262, 294–296, 353, 405, 410
- Situational awareness, 85, 221, 262, 294–296, 353, 405, 410
- Ski toe profile, 126
- Sky Guardian, 340
- Sky wave, 255, 257, 297, 300
- SLAR, 15
- SLC, 135, 136, 141
- Small Computer System Interface, 69
- SMD, 411
- SMFD, 360, 416
- SMS, 55, 335
- Smuggling, 10, 11
- Sniper, 216, 221, 337
- Software certification level, 73

- Software languages, 48, 50, 76
 SOV, 404
 Space axes to Greenwich meridian, 316
 SPD, 411
 Spot beam mode, 260
 Spotlight mode, 164
 SPS, 319
 SR-71, 166, 168
 SSB, 255
 SSR, 262, 263
 Stable Local Oscillator, 131
 S-TADILJ
 STALO, 131, 143
 STANAG 3910 architecture, 61
 STANAG 3910 data structure, 63
 STANAG 3910 HS word formats, 63
 STANAG 3910 RT to BC data transaction, 62
 Standard Instrument Approach Procedure, 285
 Standard Instrument Departure, 285, 294
 Standard Positioning Service (a GPS service), 325
 Standard Terminal Arrival Routes, 285
 Standby Flight Group, 411
 STAR, 61, 294
 Staring arrays, 188
 Starstreak, 343
 STC, 114, 165
 Stealth, 1, 7, 82, 113, 153, 165–167, 172, 173, 175, 177, 240, 250, 275, 352, 354, 384
 Stirling cycle, 194
 Stores Management Display, 411
 Stores Management System, 50, 55, 335, 347
 Strap down, 218, 315, 319
 Strategic bomber, 6, 8, 9
 STT, 200
 STTI, 200
 Su-24, 6
 Su-27, 163
 Superheterodyne, 107
 Suppression of Enemy Air Defences, 333
 Surface Acoustic Wave, 130
 Surface Position Display, 411
 Surface to Air Missile, 24, 27, 207, 241, 275, 370
 Swept spot jamming, 237
 SWIR, 179, 185, 210
 Switched fabric, 70–72
 Switched fabric topology, 70, 71
 Synchronous video detector, 146
 Synthetic Aperture, 28, 93, 105, 122, 131, 134, 156, 158–160, 164, 346, 360
 Synthetic aperture imaging, 164
 Synthetic Aperture Radar, 28, 105, 131, 134, 156, 158, 159, 346, 360
 T-38, 39
 T-46, 39
 TA, 110, 111, 119, 264
 TAB, 451
 TACAN, 77, 85, 90, 253, 261, 268, 279–281, 285, 286, 290, 296–299, 304, 327, 354
 Tactical Air Navigation, 261, 296, 327
 Tactical Data Link, 274
 TADS, 182, 211, 219, 339, 341–343, 411, 436
 Tape Automated Bonding, 451
 Target Acquisition & Designation Sight, 30, 123, 188, 217, 345, 417, 440
 Target ambiguity, 109, 110
 Target cross-sectional area, 116, 117
 Target designator, 200, 427, 434
 Target echo, 107, 113, 114, 123, 129–132, 135, 136, 146, 148, 151, 152, 175
 Target Illuminating Laser, 214
 Target tracking, 122, 199, 200, 228, 233, 343
 TAS, 265, 276
 TAT, 315
 TAWS, 294, 295, 327, 346
 TBD, 326
 TCAS, 90, 253, 261, 263–266, 273, 274, 294, 326, 327
 TCAS architecture, 265
 TCP/IP, 69
 TDMA, 321
 Terminal, 47, 53, 62, 66, 258, 269, 270, 285, 292, 294, 316, 319, 323, 327, 371
 TERPROM, 335, 346
 Terrain Awareness and Warning System, 327
 Terrain Following Radar, 55, 119, 120, 213, 215
 Terrain Profile Matching, 335, 371
 Terrain Profiling Mode, 340
 TFoV, 415–417, 421
 TFR, 55, 119, 120, 213, 215
 TFT, 450
 Thermal Imaging and Laser Designation
 Thermal management, 453
 Thin Film Transistor, 453
 Third party designation, 207
 Threat warning, 24, 333
 TIALD, 221
 Tile, 154
 TILL, 208
 Time division Multiple Access, 321
 Time domain, 109

- T-LCD, 456, 462, 463
- TM-Bus, 68
- Tornado, 5, 6, 28, 29, 43, 45–47, 54–56, 118, 191, 200, 207, 215, 267, 307, 348, 371, 392, 409
- Tornado serial data link, 43, 47
- Total Air Temperature, 309
- Total Field of View, 418, 420, 426, 444
- Towed decoy, 242, 246–248, 360
- TPM, 340
- Track line, 427
- Track While Scan, 99, 107, 109, 110, 128, 240, 341, 352
- Tracking configuration, 125–127
- Tracking gate, 123
- Traffic advisory, 264
- Traffic Collision Avoidance System, 261
- Training, 35, 37, 38, 44, 209, 232, 299, 344
- Transmission characteristics of Infra-red, 179
- Transmission line noise, 117
- Transmissive LCD, 406, 440, 456, 457, 460
- Transport, 33–35, 44, 69, 74, 76, 173, 196, 245, 257, 258, 265, 269, 276, 285, 286, 292, 299, 306, 307, 319, 384, 406
- Transport Control Protocol/Internet Protocol, 69
- Travelling Wave Tube, 85, 165, 248
- Triple INS, 305, 306
- True Air Speed, 282
- True North axes to great circle route, 312
- TU-126, 22
- TU-20, 17
- TU-22, 10
- TWS, 93, 101, 104, 122, 199, 234, 346
- TWT, 85, 165, 248
- Typhoon avionics architecture, 345
- Typhoon weapon carriage options, 348
- Typhoon weapon stations, 354
- Typical aircraft CNI antenna, 254
- Typical data link users, 267, 268

- U-2, 6, 10, 17, 27, 166, 333, 393
- UAV, 36, 182, 216
- UCAV, 42
- UFD, 361
- ULP, 75
- UMS, 344
- Unambiguous doppler, 140–142
- Unfocussed array
- Unmanned Air Vehicle, Uninhabited Air Vehicle, 41, 222
- Unmanned air vehicles, 35, 37, 216

- Unmanned Combat Air Vehicle, 36
- Up Front Display, 411
- Upper Level Protocol, 69
- Utilities Management System, 344

- Variable Speed Constant Frequency, 393
- VC10, 30, 44
- VDL, 263, 321
- Vehicle Management System, 72, 351, 355, 362, 363, 375, 381, 385, 389, 396, 397, 401, 403
- Velocity gate, 23, 146, 148, 239
- Velocity gate stealing, 23, 239
- Versa Module Europe
- Vertical coverage, 220
- Vertical Navigation, 293, 327
- Vertical Situation Indicator
- Very High Frequency Data Link, 230, 258, 262, 302, 303, 333
- VGA, 192, 193
- VHF/DL, 258
- Video Graphics Adaptor, 450
- Viewing angle, 444, 452, 453
- VIGIL, 191
- Virtual Retinal Display, 464, 465
- Virtual retinal display, 464, 465
- Visual Meteorological Conditions, 263
- VMC, 417
- VME, 67
- VMS, 72, 351, 355, 362, 363, 378, 379, 382, 393, 403
- VNAV, 293, 327
- VORTAC, 279, 296, 299
- VRD, 464, 465
- VSCF, 393, 394
- VSI, 265, 440

- WAAS, 282–284, 293, 303, 319, 322, 325
- Walleye, 177
- WATRS, 332
- WBSA, 96, 97
- WCMD, 363, 370
- Weapon aiming, 2, 45, 50, 55, 150, 206, 210, 412, 425–427
- Weapons control layer, 272
- West Atlantic Route System, 326
- WGS-84, 316
- Wide Area Augmentation System, 282, 283, 303, 319
- Wide area Master System, 189, 197, 234, 236, 288, 309, 325

- Wide area Reference System, 288, 289
- Wide Band Synthetic Array, 91
- Wien's Law, 186–188
- Wild Weasel, 24–26, 240, 333, 371
- Wind Corrected Munitions Dispenser, 363
- Wind River Systems, 76
- WMS, 289
- World Geodetic System, 316
- WRS, 289
- X Video Graphics Adaptor, 454
- Xenon, 203, 460
- XVGA, 192, 450, 455
- YAG, 179, 203, 209
- YAL-1, 208
- YF-22, 167, 169, 351
- YF-23, 167–169, 351
- Yttrium Aluminium Garnett, 185, 209