

TOPIC INDEX

- acceptance rate, 150
- Akaike's information criterion, 123–124, 209, 260
 - definition, 123
- ANOVA, 154
- approximate MLE, 119
- AR-ARCH, 138, 144
- ARCH, 125, 139, 144
- ARCH(∞), 115, 120, 125–126, 131, 177
- ARFIMA, 23, 33, 43–44, 46–51, 55, 58–62, 67–70, 72, 76, 81, 92, 94–97, 105–111, 116–123, 131, 138, 147–148, 151–152, 155, 158, 160, 162, 170, 172, 180, 182, 201, 209–210, 222–224, 226, 232–233, 239, 243, 251
 - ARFIMA-GARCH, 119–120, 125–128, 141, 175, 177, 184–185
 - ARFIMA-GARCH, 115, 117–119
- ARMA, xiii, 23, 33, 59, 67, 72, 86, 94, 106, 116, 118, 123, 131, 167, 180–182, 184, 239, 241
 - ARMA-FIEGARCH, 123–124
- asymptotic normality, 97
- autocovariance, 4
- Bayes estimator, 148
- Bayes theorem, 148
- Bayesian imputation, 234–235
- Bayesian methods, xiv, 126, 147, 149, 162, 216, 234, 236–237, 239
- best linear interpolator, 229, 241–242
- best linear unbiased estimator (BLUE), 187–189, 194–196, 198, 200–201
- Brownian motion, 12
- Cauchy-Schwartz inequality, 212
- Cauchy sequence, 2
- causality, 1, 7
 - causal process, 7
- Cayley-Hamilton theorem, 24
- characteristic function, 111–112, 189, 210–211
- Cholesky decomposition, 66
- complete space, 2
- completeness, 1

- conjugate prior, 149
- consistency, 97
- controllability, 23, 33
- controllable, 23
- CPU time, 68, 257
- cumulant, 11–12, 81, 102, 194, 204
- cyclical behavior, 245
- data gaps, 215
- data
 - air pollution, 207–208, 211
 - copper price, 115–116, 123
 - Internet traffic, 258, 260
 - Nile River, 13, 158, 216, 221, 239, 245, 260
 - White Mountains tree ring, 84
- deterministic, 5
- detrended fluctuation analysis, 65, 87
- Dirac functional operator, 199
- discrete wavelet transform, 91
- Durbin-Levinson algorithm, 8, 66, 95, 168, 172, 234, 254, 257
- efficiency, 97, 195
- EGARCH, 125, 131, 142
- endomorphism, 17
- equicontinuity, 100
- equicontinuous, 102, 109
- ergodicity, 9–10
 - ergodic process, 9
- Euclidean inner product, 3
- Euclidean norm, 262
- Euler's constant, 62
- expectation maximization (EM), 239
- exponential convergence, 223
- exponential random variable, 4
- exponentially stable, 22
- fast Fourier transform, 78
- FIEGARCH, 121, 123, 125, 129, 176
- FIGARCH, 4, 120–121, 125–126, 142
- Fisher information, 151, 153, 155
- Fisherian paradigm, 180
- flexible ARFISMA, 245
- Fourier coefficients, 17
- fractional Brownian motion, 12–13, 18, 56
- fractional Gaussian noise, 12, 39, 56, 58
- fractional noise, 47, 49–50, 67, 72, 86, 89, 92, 94–95, 104, 106, 109, 169–170, 182, 184–185, 197, 201, 203, 216, 222, 226–227, 231, 235, 240, 243, 261
- full data, 217
- GARCH, 116–119, 125, 131, 139, 142
- GARMA, 245–246, 260
- generalized gamma function, 164
- Gibbs sampler, 150, 234
- Grenander conditions, 188, 199, 213–214
- Hölder's inequality, 3, 11
- Hankel operator, 21–22, 24–25, 33, 36
- harmonic regression, 205, 211
- Haslett-Raftery estimate, 65, 72–73, 92–93, 95
- Hermite polynomials, 132
- Hessian matrix, 151
- heteroskedastic, 115, 131, 175
- Hilbert space, 2–3, 16, 44, 168, 229
- Hurst exponent, 13
- hyper text transfer protocol (HTTP), 258
- hyperbolic convergence, 223
- hyperbolic decay, 40
- hypergeometric function, 48
- improper prior, 148
- imputation, 221
- indicator function, 15
- inner product, 2–3
- innovation sequence, 8
- integer part function, 4
- intermediate memory, 119
- interpolation error variance, 229–231
- invariant, 9
- invertible, 7
- Kalman filter, xiv, 21, 28–29, 32–34, 65–66, 69–70, 75, 78, 179, 216, 219–223, 234, 239–240, 254, 257
- Kalman gain, 27
- Kalman prediction equations, 28
- Kalman recursive equations, 26
- kurtosis, 135
- Laurent series, 44–45
- least squares estimator (LSE), 187–189, 191–198, 200, 203–206, 208, 211–213
- Lebesgue measure, 4
- leverage, 123–124
 - leverage effect, 121, 123–124
- linear filter, 6
- linear regression model, 11, xiv, 65, 82, 84, 87–89, 187, 195, 198, 202, 204, 207–208, 210–213
- Ljung-Box statistic, 125–126

- LMGARCH, 125, 142
 locally bounded variation, 58
 locally integrable, 57
 long-memory (definition), 40
 long-memory filter, 134
 long-memory input, 136
 long-memory stochastic volatility model (LMSV), 115, 121–123, 126, 175
 loss function, 148
 Lyapunov exponent, 118, 127–128
 Markov chain, 149, 153, 164–165
 Markov chain Monte Carlo (MCMC), 147, 149–153, 155, 162
 Markovian processes, 39
 martingale, 11–12, 15
 martingale difference, 12, 120, 134
 maximum-likelihood estimate (MLE), 71, 73, 76, 80, 92–94, 97, 104, 106, 119, 151–152, 178, 216, 245, 249, 254, 257–258, 262
 Metropolis-Hastings algorithm, 149–150, 234, 236
 missing values, xiv, 21, 28, 32–33, 70, 75, 215–226, 229, 234–235, 237, 239–240
 mixing process, 17
 MSPE, 181, 240–241
 Nile River data, 147
 norm, 2
 observability, 23
 observability operator, 23
 observable, 23
 orthonormal basis, 16, 19
 overdispersed distributions, 152
 parallelogram law, 2, 16
 partial autocorrelation coefficients, 169
 perfectly predictable, 5
 periodogram, 79, 95, 207, 257
 polynomial regression, 202
 posterior distribution, 148–149, 154, 164, 236
 posterior mean, 148
 prediction, 167
 prediction error variance, 168
 predictive distribution, 234, 237
 prior distribution, 148
 projection theorem, 2, 229–230
 proposal distribution, 149, 151
 psi function, 92
 purely nondeterministic, 5
 quadratic form, 99, 102, 109, 111–112
 quadratic loss, 148
 quasi-maximum-likelihood estimate (QMLE), 71–73, 93, 121, 123
 quasi-monotone, 58
 rational approximation, 167
 reachability, 33
 regular process, 5, 7, 23
 relative efficiency, 196, 200–201, 204
 rescaled range statistic (R/S), 83
 reversibility condition, 165
 Riemann zeta function, 92
 right-continuous orthogonal-increments process, 5
 SARFIMA, 97, 245–247, 250–252, 254, 258, 260–262
 scaling exponent, 13
 seasonal long-memory processes, 246
 seasonality, 245
 second-order stationary process, 4
 self-similar process, 13
 semiparametric estimate, 65, 81, 93–94
 short-memory filter, 134
 short-memory input, 136
 singular process, 5
 slowly varying function, 40–42, 57–59, 119, 173–174
 spectral density, 4, 230
 spectral distribution, 4
 spectral representation theorem, 5
 splitting method, 67
 Splus, 68, 88, 92–93
 standardized two-side innovation, 241
 state space system, xiv, 21–27, 29, 32–36, 39, 65, 69–70, 74, 76–77, 94–95, 115, 126, 179, 219, 239, 257, 262
 exponentially stable, 22
 extended, 32
 minimal, 24, 33
 minimality, 24
 observation equation, 22
 observation matrix, 22
 state prediction error variance, 29
 state predictor, 30
 state smoother, 27–28
 state smoother error variance, 27
 strongly stable, 22

- weakly stable, 22
- state space systems, 23
- stationary distribution, 149, 153, 165
- stationary increments, 18
- Stirling' approximation, 59
- stochastic volatility, 125–126, 142
- stochastic volatility model (SV), 121
- Stone-Weierstrass theorem, 42, 55
- strict stationarity, 4, 10
- strict white noise, 4
- strictly stationary process, 4
- strong consistency, 192
- strong law of large numbers, 10
- Student distribution, 151–154
- stylized facts, 115–116
- subspace, 3
- Szegö-Kolmogorov formula, 9, 15, 80
- Toeplitz structure, 66, 70, 234
- transition matrix, 164
- trend break regression, 213
- uniform prior, 148
- variance plot, 86, 208
- volatility, 116
- Volterra expansion, 120, 175
- wavelet, 13–14
 - Daubechies wavelets, 15–16
 - discrete wavelet transform (DWT), 14
 - Haar wavelet system, 14
 - Littlewood-Paley decomposition, 19
 - multiresolution analysis, 15
 - scaling function, 15
- weak convergence, 189, 191, 202, 211
- weakly stable, 22
- weakly stationary process, 4, 7
- Whittle estimate, 65, 78–81, 92–94, 245, 254, 257–258, 262
- Wishart distribution, 164
- Wold expansion, 5, 11, 17, 21–22, 24–25, 29, 39–41, 61, 75, 80, 115, 131, 134, 137, 146, 168, 180, 193, 241