

# Index

- Actuators, 299–300
- Adiabatic efficiencies, 7, 23, 163, 322–326
- Adiabatic process, 36, 319, 321
- Adverse pressure gradient, 350
- Affinity laws, 29
- Air, thermodynamic properties of, 360
- Air-cooled condensers, 130
- Aircraft, 145, 216, 249, 332–333
- Air duct system, 133
- Airfoils, 38, 110–116, 350–355
- Air Movement and Control Association (AMCA), 127
- American Society of Heating and Air Conditioning Engineers (ASHRAE), 132
- Anemometer-type turbine, 303
- Angle(s):
  - of attack, 112, 120
  - blade, 61
  - deflection, 112, 116
  - deviation, 112
  - divergent, 37, 123
  - flow, 48, 111, 120, 125
  - incidence, 112, 116
  - stagger, 112, 116, 118, 120–121
- Angular momentum, 42
- Aspect ratio, 116
- Automotive gas turbine engine, 5, 251–254
- Axial-flow cascade, 116–118
- Axial-flow compressors, 14, 191–212
  - and compressibility/shock waves, 205–207
  - efficiency determination, 204–205
  - performance of, 207–209
  - preliminary design of, 200–204
  - stages of, 192
  - surge/stall in, 209–212
  - theory of, 193–199
- Axial-flow impulse turbines, 51–52
- Axial-flow machines, 9, 15, 45–47
- Axial-flow pumps and fans, 109–146
  - airfoil, flow over isolated, 110–116
  - cascade, 116–118
  - fan application, 129–132
  - fan selection, 137–145
  - fans in duct systems, 133–137
  - fan test, 127–130
  - preliminary design of, 118–124
  - propellers, 145–146
  - radial equilibrium requirement, 124–127
- Axial-flow reaction turbines, 52
- Axial-flow steam turbines, 262–264, 268
- Axial-flow turbines, 51–52, 227–232, 278, 281, 282
- Axial force, 145
- Axial thrust, 39
- Backward-curved fans, 165
- Balancing drum, 152
- Bends, flow through, 37
- Bernoulli's equation, 18, 40
- Blade cooling, 243–245
- Blade profiles:
  - for axial-flow machines, 45, 48, 52
  - for centrifugal devices, 168–169

- Blade profiles: (*continued*)
  - for centrifugal pumps, 80, 81
  - for mixed-/radial-flow machines, 48, 49
  - for radial-inflow turbines, 238
- Blade solidity, 110
- Blowers, 12, 149
- Boiler feed pumps, 99
- Bottom-cycle system, 270, 271
- Boundary layer, 36–38
  - laminar, 350, 351
  - separation, 36–37, 51
  - turbulent, 350, 351
- Brake horsepower, 62
- Branca, Giovanni de, 14, 15
- Brayton cycle, 326, 327
- Buckingham pi theorem, 19–24
- Bulb turbines, 278, 282
  
- Camber, 111, 113
- Cantilever impellers, 237
- Carbon dioxide, 360
- Carnot cycle, 326
- Cascade, axial-flow, 116–118
- Casings, 59, 61, 123–124, 264
- Casing loss, 83
- Cavitation, 7, 65, 68–74, 77
- Cavitation erosion, 66
- Cavitation parameter, 69, 116, 118
- Cavitation test, 89
- Center of pressure, 352
- Centrifugal blowers, 14, 150–152, 154
- Centrifugal compressors, 3, 5, 171–188
  - advantages/disadvantages of, 183
  - applications of, 179–184
  - axial-flow vs., 192
  - with Francis type impeller, 172
  - gas conditions in, 153
  - preliminary design of, 171–178
  - selection of, 184–188
- Centrifugal devices, 149–165
  - change of performance in, 158–162
  - classification of, 149–153
  - performance parameters/characteristics of, 150–157
  - polytropic efficiency in, 162–165
- Centrifugal fans, 151, 165–171
- Centrifugal pumps, 14, 59–105
  - applications of, 97–100
  - cavitation in, 66, 68–72
  - construction/classification of, 59–62
  - discharge pressure of, 21–22
  - performance characteristics of, 65–68
  - performance modifications to, 72–77
  - performance tests for, 87–92
  - preliminary design of, 77–87
  - and pumping systems, 92–97
  - selection of, 100–105
  - working principles of, 60–65
- Centrifuging, 51
- Centripetal impellers, 237
- Change of performance, 158–162
- Channels, 37, 336–341
- Check valves, 94
- Choking, 7, 150, 210, 211
- Chord, 110–112, 118–120, 351
- Circular-arc fans, 165, 168
- Clearance, 83
- Closed-impeller machines, 3
- Closed-loop test setup, 87–89
- Closed system, 320
- Cogeneration, 216, 258, 259, 270–273, 330, 331
- Combined cycle plants, 16, 270–273
- Combined heat and power (CHP), 216, 330
- Combined impulse and reaction in multistage turbines, 263
- Combustors, 246–247
- Compressed-air energy storage (CAES), 251, 252, 313, 314
- Compressibility, 22, 205–207, 257
- Compressible flow, 336–341
- Compressible flow analysis, 15
- Compressible fluid machines, 23
- Compression, 318–321
- Compressors, 3–5, 12, 43, 149, 232–236, 323, 324.
  - See also* Specific compressors, e.g.: Axial-flow compressors
- Compressor stage, 207–209
- Computational fluid dynamics (CFD), 9, 356
- Concentric casings, 59, 61
- Condensing steam turbines, 263
- Conical diffusers, 82
- Conservation of energy, 36
- Conservation of mass, 35
- Conservation of momentum, 35
- Constants, 359
- Constant rotating speed, 6, 7
- Contaminant generation rate (CGR), 132
- Continuity equation, 35
- Continuously variable transmission (CVT), 254
- Control surfaces, 35
- Control volume, 34, 35
- Convergent-divergent nozzle, 340–341
- Convergent nozzle, 339–340
- Conversion factors, 359
- Cooling towers, 130
- Cordier diagram, 26, 27
- Counterflow forced draft towers, 130
- Cross-compound steam turbines, 264
- Cross-flow fans, 169–170
- Crude-oil production, 179
- Curtis stage, 258–261

- Darrieus wind turbine, 303
- Deflection angle, 112, 116
- Degree of reaction, 50–56, 194, 217, 219–223
- Density at STP, 360
- Deriaz turbine, 278, 281
- Design and flow analysis, 356–357
- Deviation angle, 112
- Diagonal-flow turbine. *See* Deriaz turbine
- Diameter, 158. *See also* Specific diameter(s)
- Diffusers, 51, 81, 82, 149, 176, 206, 323
- Diffusion, 51
- Diffusion casing, 123–124
- Dimensional analysis, 9, 17–31
  - and Buckingham pi theorem, 19–24
  - defined, 17
  - dimensions/dimensional homogeneity in, 17–19
  - and similarity laws, 27–32
  - of specific diameter, 25–27
  - of specific speed, 25, 26
- Dimensional homogeneity, 18
- Direct-connected steam turbines, 264
- Discharge pressure, 21–22
- Disk-flow impeller pumps, 72, 73
- Disk friction loss, 83, 84
- Divergent angle, 37, 123
- Double-suction pumps, 4, 83, 84
- Drag, 20–21, 38, 110, 111, 351
- Drag coefficient, 22
- Drivers, 104, 139, 184
- Drum, balancing, 152
- Dynamic pressure, 18, 19
  
- Efficiency, static, 109
- Elbows, 135, 137
- Electricity-generating power plants, 258
- Element system effects, 133, 135–137
- Emission pollutants, control of, 247–249
- Energy, conservation of, 36
- Energy losses, 265
- Energy transfer, 34–56
  - and axial-flow machines, 45–47
  - as degree of reaction, 50–56
  - and Euler equation, 40–45
  - and flowing fluids, 39–40
  - and fluid mechanics, 34–39
  - and mixed-/radial-flow machines, 47–50
- Energy transfer equation, 9
- English system, 18
- Entropy, 36, 319
- Equations of state, 317
- Euler equation, 9, 40–45
- Expansion, 318–321
- External flow, 9, 34, 38
  
- Fan(s), 127–145. *See also* Specific fans, e.g.
  - Axial-flow fans
    - applications for, 129–132
    - classification of, 138
    - defined, 149
    - in duct systems, 133–137
    - selection of, 137–145
    - testing, 127–130
- Fan laws, 132, 150
- Fan test, 127–130
- 50% reaction stage, 194
- First law of thermodynamics, 36–39
- Flow:
  - around rotating disks, 38, 39
  - leakage, 39
  - over objects, 37, 38, 350–351
  - secondary, 38
  - through bends, 37
  - through channels, 37
  - types of, 2, 3, 15
- Flow analysis, 8–12, 109
- Flow angles, 48, 111, 120, 125
- Flow capacity inlet volumetric flow rate, 184
- Flow coefficient, 21, 22, 24
- Flow control, 180, 181
- Flow field, 36
- Flowing fluids, 39–40
- Flow passage areas, 47–48
- Flow processes, 3, 9
- Flow resistance, 92–94
- Flow surge, 94
- Flow velocity, 40, 322
- Fluid mechanics, 34–39
- Forced-vortex flow, 125
- Forward-curved fans, 165, 166
- Four-vane impeller with concentric casing, 74
- Francis impellers, 59, 60, 62
- Francis machines, 2, 3
- Francis turbines, 14, 290–294
- Free-vortex condition, 200
- Free-vortex flow, 125
- Full-admission steam turbines, 263
  
- Gas conditions, 153
- Gas constant, 360
- Gaseous bubbles, 73, 76
- Gas equation, ideal, 18
- Gas-handling devices, 2
- Gas turbine (engines), 3, 5, 215–254
  - advantages of, 327
  - in aircraft propulsion, 332–333
  - applications of, 249–254
  - axial-flow turbine performance, 227–232
  - blade cooling in, 243–245
  - closed-cycle, 329–331
  - in cogeneration, 330, 331

- Gas turbine (engines), (*continued*)  
 combustion chamber in, 246–247  
 compressor and turbine matching, 232–236  
 degree of reaction in, 219–223  
 efficiency determination, 226–227  
 emission pollutants control in, 247–249  
 Euler equation for, 43  
 history of, 12–14  
 modifications to, 329  
 net power of, 327–329  
 open-cycle, 329, 330  
 preliminary design of, 223–226  
 radial-inflow, 237–239  
 thermodynamic cycles of, 327–335  
 thermodynamics in axial-flow, 218–219  
 thermodynamics in radial-inflow, 239–243
- Geared steam turbines, 264
- Geometric similarity, 28
- Gravitation, 94
- Greek letters (symbols), xiv–xv
- Grid-intertie system, 313
- Head, 22
- Head coefficient, 21, 24
- Head rise, 6, 16, 61, 62
- Heating, ventilation, and air-conditioning (HVAC) systems, 5, 6, 100, 129–132
- Heat rate (HR), 265
- Heat recovery steam generator (HRSG), 258
- Hero of Greece, 14, 15
- High-pressure (HP) turbines, 265
- Horizontal-axis turbine, 279
- Horizontal-axis wind turbines, 301–302, 306
- Horizontal steam turbines, 264
- H-rotor turbine, 303, 304
- Hub–tip ratio, 119, 120
- Hybrid power system, 313
- Hydraulic systems, 92
- Hydraulic turbines, 275–294  
 applications of, 275–277  
 Euler equation for, 43  
 Francis/Kaplan, 290–294  
 history of, 14  
 output shaft power of, 23–24  
 Pelton, 288–289  
 performance characteristics of, 285–287  
 selection of, 278, 280, 282–284  
 types of, 276–282
- Hydrocarbon liquids, 74, 77
- Hydropower, 275–277
- Hyperbolic cooling towers, 130
- Ideal gas equation, 18
- Impellers:  
 in centrifugal devices, 149  
 in centrifugal pumps, 78  
 discharge configurations for  
 centrifugal-compressor, 173–176  
 efficiency of, 25, 26  
 Francis-type, 172  
 geometries/flow velocities around, 41  
 inlet configurations for centrifugal-compressor,  
 173, 174  
 and leakage flow, 39  
 multivane, 166  
 types of, 2, 3, 59, 60
- Impulse turbines, 14, 51–52, 263
- Incidence angle, 112, 116
- Incidence loss, 241
- Inducers, 68, 69
- Inlet blade angle. *See* Stagger angle
- Inlet condition changes, 159–160
- Inlet configuration, 78–79
- Inlet flow arrangements, 3
- Inlet guide vanes (IGVs), 181, 211
- Integrated gasification combined cycle (IGCC),  
 250
- Intercooling, 182–183
- Intermediate-pressure (IP) turbines, 265
- Internal diameter of standard schedule 40 pipe, 361
- Internal efficiency, 265
- Internal flow, 9, 34, 35
- International Standard (SI), 18
- Irrigation, 98, 99, 313
- Isentropic process, 319–321
- Isothermal process, 321
- Jets, 145
- Jet engines, 15
- Kaplan turbines, 278, 281, 290–294
- Kinematic similarity, 28
- Kinetic energy, 36, 51
- Labyrinth seals, 152
- Lambda. *See* Work done factor
- Laminar boundary layer, 350, 351
- Laminar flow, 36
- Leading edge (L.E.), 351
- Leakage flow, 39
- Lift, 20–21, 38, 110, 111, 351
- Liquid droplets, 257
- Ljungstrom turbines. *See* Radial-outflow steam turbines
- Local flow velocity, 322
- Low-pressure (LP) turbines, 265
- Mach number, 22, 23, 205–206
- Mass flow rate, 6

- Matching, 232–236
- Maximum allowable concentration (MAC), 132
- Mean camber line, 351
- Mean radius, 45, 48, 224
- Mechanical arrangement, 3
- Mechanical energy, 1, 36
- Mechanical loss, 83
- Microturbines, 250, 251
- Mixed-flow machines, 2, 3, 9, 15, 47–50
- Mixed-flow turbines, 277, 278, 280, 281
- Moisture content, 257
- Molecular weight, 360
- Mollier diagrams, 196, 218, 221, 318–319
- Momentum equation, 9, 35, 42
- Momentum thrust, 333
- Moving shock waves, 345
- Multistage axial-flow gas turbines, 3
- Multistage axial-flow reaction turbines, 15
- Multistage axial-flow steam turbines, 15
- Multistage compressors, 152, 182–183
- Multistage horizontal compressors, 4
- Multi-stage steam turbines, 263, 264
- Multivane fans, 165, 166
  
- NACA 0012 airfoil data, 353
- NACA 2412 airfoil data, 354
- NACA 21012 airfoil data, 355
- NACA airfoil specifications, 352–355
- NACA *mpqxy*, 352
- NACA *mpxy*, 352
- National Advisory Commission on Aeronautics (NACA), 111
- Net positive suction head (NPSH), 68–70
- Net positive suction head required to prevent cavitation (NPSHR), 65, 69–72, 78
- Net positive suction pressure (NPSP), 68–70, 73
- Net positive suction pressure available (NPSPA), 70, 72
- Noise, 132, 297
- Noncavitation test, 89
- Noncondensing steam turbines, 263
- Nonequilibrium process, 257
- Nozzles, 127, 128, 323, 324, 339–341
  
- Objects, flow over, 37, 38
- Oblique shock waves, 341, 345–347
- One-dimensional flow analysis, 45
- Open-impeller machines, 3
- Open-loop test setup, 89
- Open system, 320–321
- Outlet configuration, 79–81
- Output hydraulic power, 7
- Output-power-to-input-shaft-power ratio, 7
- Output pressure, 6
- Output shaft power, 23–24
- Overall efficiency, 6, 7, 265
- Overexpanded waves, 341
  
- Paddle-type water wheels, 14
- Parallel connections, 94, 95
- Partial-admission steam turbines, 263, 267
- Part-load operation, 267–268
- Pelton turbines, 276–279, 288–289
- Pitch, 110
- Pitch/chord ratio, 116, 118
- Pitot tube traverse, 127, 128
- Polytropic efficiency, 162–165, 177
- Polytropic process, 321
- Positive-displacement machines, 1, 184
- Potential energy, 36
- Potential flow, 36
- Power coefficient, 22, 24, 28
- Power-generating systems, 3, 5
- Preliminary analysis, 9
- Pressure rise, 6
- Pressure thrust, 333
- Primary dimensions, 17, 19
- Priming system, 89
- Process plants, 258
- Propeller machines, 3
- Propellers, 145–146
- Pumps, 3, 4, 43. *See also* Specific pumps, e.g. Centrifugal pumps
- Pumped storage plants, 275–277
- Pumping devices, 2
- Pumping systems, 92–97, 313
- Pure impulse turbines, 14
  
- Quality factor (QF), 265
- Quasi three-dimensional flow analysis, 9
  
- Radial equilibrium condition, 124–127
- Radial fans, 165
- Radial-flow machines, 2, 3, 9, 15, 47–50
- Radial-flow reaction turbine, 52
- Radial impellers, 26, 59, 60
- Radial-inflow gas turbines, 237–243
- Radial-inflow steam turbines, 15, 262
- Radial-inflow turbines, 14
- Radial-outflow machines, 14
- Radial-outflow turbines, 262
- Ramjet, 249
- Rankine cycle, 326, 327, 335–336
- Rankine-Hugoniot relations, 343
- Reaction, degree of. *See* Degree of reaction
- Reaction turbine impellers, 277, 278
- Reaction turbines, 263
- Reciprocating compressors, 183
- Recirculation flow, 66, 68, 83

- Reentry stage, 258, 259  
 Refining plants, 98, 99  
 Refrigeration, 183–184, 335–336  
 Refrigeration cycles, 326  
 Relative flow velocity, 41, 45  
 Repeating parameters, 20  
 Resistance, 92–94  
 Reynolds number, 21  
 Reynolds number effect, 21, 22, 27  
 Rim generator turbines, 278, 282  
 Rotary compressors, 183  
 Rotating disk, 38, 39  
 Rotating speed, 6–8, 28, 141, 142, 158–160  
 Rotating stall, 210  
 Rotors, 192–195, 197, 217, 301, 302–303
- Savonius (S) rotor, 303  
 Saybolt Universal Unit (SSU), 101  
 Schedule 40 pipe, 361  
 Screw compressors, 183  
 Scroll compressors, 183  
 Seals, 39, 152  
 Secondary (derived) dimensions, 17  
 Secondary flow, 38  
 Second law of thermodynamics, 36–39  
 Semiopen-impeller machines, 3  
 Separation boundary layer, 36–37, 51  
 Series connections, 94, 95  
 Shaft orientation, 264  
 Shaft power, 25, 40, 63–64, 83–84, 142, 301  
 Shape number, 25  
 Shear force, 36, 37  
 Shock waves, 205–207, 322, 341–347  
 SI (International Standard), 18  
 Similarity laws, 27–32, 132  
 Single-shaft gas turbines, 233–235  
 Single-stage, single-suction blower, 4  
 Single-stage centrifugal compressor, 152  
 Single-stage pumps, 102  
 Single-stage radial-inflow turbines, 15  
 Single-stage steam turbines, 263  
 Sirocco fans, 165  
 6-stage centrifugal compressors, 15  
 Slug, 18  
 Slurry pumps, 72, 74, 75  
 Solar energy, 276, 296  
 Solidity, 80, 81, 301  
 Solid particles, 72, 74, 75  
 Specific diameters, 25–27, 66, 150–153, 283  
 Specific heat, 360  
 Specific speeds, 25, 26, 68, 118, 150–153, 177, 283  
 Speed of sound, 322  
 Sprinklers, 52  
 Stability, of pumping systems, 94, 96  
 Stage (as subscript), 51  
 Stage efficiency, 121–123, 204–205  
 Stage stacking, 207, 208  
 Stagger angle, 112, 116, 118, 120–121  
 Stagnation state, 321–322  
 Stall, 209–212  
 Stalling point, 116  
 State, equations of, 317  
 Static efficiency, 109  
 Stationary normal shock waves, 342–345  
 Stators, 1, 51, 122, 192–195, 197, 217  
 Steady-state flow, 34  
 Steam rate (SR), 265  
 Steam turbine(s), 3, 257–273  
   characteristics of, 257–258  
   classification of, 262–265  
   in cogeneration/combined-cycle plants, 270–273  
   Euler equation for, 43  
   history of, 12–14  
   parameter/performance of, 265–270  
   velocity-compounded stage of, 258–262  
 Stodola's formula, 63  
 Stokes flow, 39  
 Straightening vanes, 89  
 Straight fans, 168  
 Subscripts (symbols), xv  
 Subsonic flow, 322, 338  
 Suction specific speed, 69, 70  
 Superheated steam, 360  
 Supersaturation, 257  
 Supersonic flight, 15  
 Supersonic flow, 205, 322, 338, 341  
 Surge, 7, 94, 150, 209–212  
 Symbols, xiii–xv  
 System effect factor (SEF), 133, 135  
 System resistance, 92
- Tandem-compound steam turbines, 264  
 Tangential-flow steam turbines, 263  
 Tangential velocity, 40, 41  
 Tank, 89  
 Thermal cavitation effect, 74  
 Thermal efficiency, 15–16, 271, 326  
 Thermal energy, 36  
 Thermal power plants, 99  
 Thermal/pressure energy, 1  
 Thermodynamics, 317–347  
   and adiabatic efficiencies of flow components, 322–326  
   of axial-flow turbine, 218–219  
   compressible flow through channel, 336–341  
   cycles of, 326–327  
   first law of, 36–39  
   gas turbine engines, thermodynamic cycles of, 327–335  
   and local flow velocity, 322

- normal shock waves, 341–345
- oblique shock waves, 345–347
- processes of, 318–321
- properties of, 317–318
- Rankine cycles with vapor, 335–336
- second law of, 36–39
- and speed of sound, 322
- stagnation/flowing states of, 321–322
- Thermodynamic cycles, 326–335
- Thermodynamic processes, 318–321
- Thermodynamic properties, 317–318, 360
- Thomas parameter, 69
- Three-stage centrifugal compressors, 14
- Throttle valve, 92
- Throttling, 267
- Thrust, 146, 333
- Thrust bearings, 39
- Tip speed ratio, 303–307
- Topping-cycle system, 270, 271
- Topping steam turbines, 263
- Torque, 145
- Tower shadow, 302
- Trailing edge (T. E.), 351
- Transonic flow, 205, 206
- Tubular turbines, 278, 282
- Turbines, 2, 323, 324
- Turbine blade cooling, 243–245
- Turbine inlet pressure, 15
- Turbine pumps, 14
- Turbine stage efficiency, 226–227
- Turbofans, 249, 332, 333
- Turbojets, 332–333
- Turbomachines, 1–15
  - applications of, 3, 5–6
  - classification of, 2, 3, 14–15
  - define, 1
  - historical evolution of, 12–14
  - methods of flow analysis for, 8–12
  - performance characteristics of, 6–8
  - types of, 1–4
- Turboprops, 249, 332, 333
- Turbulent boundary layer, 350, 351
- Turbulent flow, 36
- 25-stage centrifugal compressors, 15
- Twin-spool compressors, 211
- 2-stage axial-flow turbines, 15
- Underexpanded waves, 341
- Unit of measure, 18
- Utilization factor, 229–231
- Vanes, 37, 181
- Vaned diffusers, 14, 82, 176
- Vaneless radial diffusers, 14
- Vane thickness, 111, 113
- Variable-geometry compressors, 211, 212
- Variable-speed pumps, 100, 104
- Velocity, 40, 322
- Velocity-compounded stage, 258–262
- Velocity diagrams, 41, 42, 48, 50, 52
- Ventilation systems, 131–132
- Vertical-axis turbine, 279
- Vertical-axis wind turbines, 302–303, 308
- Vertical pumps, 4, 102, 103
- Vertical steam turbines, 264
- Viscosity, 72, 73
- Viscous force, 36, 37, 92
- Viscous friction, 351
- Volumetric flow rate, 6, 7, 41
- Volutes, 14, 81–83, 176
- Vortex pump, 72, 74
- Waste heat boiler (WHB), 258
- Water, thermodynamic properties of, 360
- Water head, 7
- Water pumps, 12
- Water supply, 97
- Water wheels, 14
- Wind farms, 297, 299
- Windmills, 14
- Wind power, 296–299
- Wind turbines, 296–314
  - and actuator theory, 299–301
  - applications of, 312–314
  - characteristics /preliminary design analysis of, 304–310
  - history of, 14
  - output shaft power of, 24
  - types of, 301–304
  - variable-speed performance of, 311–312
  - and wind power, 294–299
- Work done factor, 193

