

Index

Note: page numbers in *italics* refer to figures and tables

- absorption
 - kinetics 94–5, 96
 - profile 94–5
 - see also* percutaneous absorption
- acetyl coenzyme A 41
- N-acetyltransferases 41–2
- acid mantle 6, 8, 347
- acitretin 242
- acne
 - occupational 274
 - see also* chloracne
- acoustic wave propagation 203, 204–5
- actinic dermatitis 246
 - hydration effects 213
- acute toxicity studies 342
- adherens junctions 18
- adverse drug reactions (ADRs) 237–8, 347
 - photosensitisation 252, 253
 - topical therapy 242
 - toxic epidermal necrolysis 240
- adverse event reporting system (US FDA) 237
- age, skin barrier function 76–7
- ageing of skin 56
- airborne exposure, occupational 287
- alcohol dehydrogenase 36–8, 347
 - activity 37, 38
- aldehyde dehydrogenase 36–8, 347
 - activity 37, 38
- allergens
 - patch testing 232
 - sensitisation 236
 - see also* contact allergens
- allergic contact dermatitis 151–2, 236, 347
 - clinical features 155
 - occupational 262–3
 - photoallergy 251
- allergy/allergic skin reactions 163–4
 - cosmetics 319
 - topical therapy 242
- anaphylaxis/anaphylactoid reactions 237
- angio-oedema 237, 238
- animal studies
 - analyses 119
 - animal care/management 116, 117
 - ban for cosmetics 324–5, 336–7
 - corrosion 342–4
 - data analysis/reporting 119
 - exposure duration 118
 - fluorescent techniques 124
 - guinea pig sensitisation 155–7
 - irritation 342–4
 - local lymph node assay 158–60
 - microdialysis 120–2
 - photoallergenicity assays 253
 - phototoxicity assays 248, 249
 - physiological responses 125–6
 - punch biopsy 124–5
 - radiometric techniques 124
 - sampling 118, 119
 - sensitisation assays 158–60, 341, 344
 - short-term dermal toxicity 341–4
 - skin absorption measurement 111, 112–14, 115–19, 120–6
 - skin membrane 136
 - spectroscopic techniques 124

- tape-stripping 122–3
- terminal procedures 119
- test substance 116
 - application to skin 117–18
 - tissue sectioning 124–5
 - see also* guinea pig(s); local lymph node assay
- Animals (Scientific Procedures) Act (1986) 115
- anions, penetration 88
- anthralin 61–2
- anticancer drugs 61–2
- antioxidants 59
- apoptosis 61–3, 348
 - mitochondrial role 61–2
- Approved Code of Practice for COSHH (AcoP) 300–3, 305, 347
- arsenic, inorganic 274
- atopic dermatitis 19, 260
- atopy 225, 348
 - patch testing 233
- automated procedures 286
 - cleaning 287
- azathioprine 242

- bacterial infections, occupational 274
- barrier creams 294
- barrier function, age effects 76–7
- basal cell carcinoma 57
- bases 88
- bergapton 248
- biobarriers 190
- biological agents 243
- biomechanical properties of skin 203, 204–5
- biophysical skin analysis 201
- biopsy techniques 228–30
- bleeding, occupational dermatitis 265–6
- blood flow measurement 203, 215–16
- bulk transport pathways 10

- cancer *see* skin cancer
- cancer cells
 - DNA damage 62
 - mitochondria 62
 - ROS stress 59, 62
- capacitance 203, 210
- capillary microscopy 216
- carbon dioxide (dry ice) cleaning process 286
- carboxyl esterases 34–5
- carcinogenicity studies
 - pharmaceuticals 337
 - repeat dose dermal toxicity 339
- carcinogens, mutagens or toxic to reproduction (CMR) 317
- Carprofen 176–7
- cations, penetration 88
- CellSystems® 191
- ceramides 17, 19–21, 22
 - acyl chains 22
 - formulae 20
 - nomenclature 21
 - stratum corneum extracellular lipid matrix 12, 72
- CES family 34–5
- chamber test 234
- charged molecules 86–8
- chemical detection system (CDS) 190–1
- chemical hazard limitation 285–6
- chemicals
 - acute toxicity studies 342
 - carcinogens, mutagens or toxic to reproduction 317
 - concentration control 287–8
 - dermal toxicity 338
 - dilution control 287–8
 - EU policy 317–18
 - exposure limitation 289
 - handling equipment 288
 - industrial 336, 338
 - irritants 260–1, 282
 - monitoring 289
 - skin exposure reduction 288
 - use conditions 308–9
 - see also* Registration, Evaluation, Authorisation of Chemicals (REACH)
- Chemicals (Hazard Information and Packaging for Supply) Regulations (2002) 304, 348
- chimney sweeps, scrotal cancer 274, 275
- chloracne 236–7, 274
- chlorinated hydrocarbons 236–7, 274
- chlorobiphenyls 236
- chloronaphthalenes 236
- chlorophenols 237
- chlorpromazine
 - human 3-D skin models 178, 179, 180
 - neutral red uptake phototoxicity test 173–4
- cholesterol
 - free 21
 - regional distribution 75
 - stratum corneum extracellular lipid matrix 12, 72
- cholesterol esters 21
- CIELAB colour scale 214, 348
- cleaning, automatic 287

- cocoaamidopropyl betaine (CAPB) 161–2
- collagen, photoageing 56
- conductance 203, 210
- confocal Raman spectroscopy 203, 212
- contact allergens 38, 151–2
- patch testing 232
 - sensitisation 236
- contact allergy 225
- occupational 262–3
 - topical therapy 242
- contact dermatitis 236
- irritant 234–5, 236
 - occupational 260–1, 262, 281
 - see also* allergic contact dermatitis
- Control of Substances Hazardous to Health (COSHH), Regulations (UK) 283, 300–3, 305, 348
- corneocyte envelope 17–18, 72
- proteins 19
- corneocytes 9, 10, 11, 12, 17–18, 348
- cell–cell adhesion 23
 - stratum corneum structure 71–2
- corneodesmosomes 18, 23–4, 348
- corrosion 185–6, 348
- animal studies 342–4
 - scoring system 343–4
 - in vitro* assays 186–94
- Corrositex™ test 186, 187–8, 190–1
- corrosivity prediction 190, 192, 193
- corticosteroids, systemic/topical 242
- Cosmetic, Toiletry and Perfumery Association (COLIPA) 316, 348
- cosmetics 311–31
- adverse effects 318–20, 329
 - allergy 319
 - ancient use 319
 - animal testing ban 324–5, 336–7
 - anti-oxidants 321–2
 - aromatherapy-based 320
 - colouring agents 314–15, 316
 - definitions 313
 - environmental impact 318
 - exposure levels 324, 327, 328
 - flavours 325
 - fragrances 319, 325
 - impurities 321
 - information dossier 323, 330
 - ingredients
 - dossier for submission 323
 - identity 320–2
 - information sources 325–6
 - listing 319, 321
 - nomenclature 322
 - restrictions 324–5
 - testing requirements 324–5
 - toxicity 320–2
 - toxicological profile 322–4
- irritation 319
- labelling 317, 318, 321, 322, 330
- marketing 318
- monitoring 329
- 'natural' products 320, 321
- packaging 317, 318
- permitted ingredients 317
- plant extracts 320, 321
- preservatives 315, 316, 318, 321–2
- product categories 312
- quality 322
- regulation 334–5
- restricted ingredients 317
- safety assessment 326–8
- safety assessor 326
- suppliers 313–14
- obligations 330–1
- UV absorbers 315, 316
- see also* European Union Cosmetics Directive 76/768/EC
- Cosmetics Ingredient Review (CIR, US) 316
- cosmetovigilance 329, 348
- curettage 229, 230
- cyclosporin 242
- cytochrome P450 isoenzymes 25–6, 27–9, 30–2, 33–4, 348
- activity 28–9
 - regulation 33–4
- expression 28
- regulation 33–4
- immunochemical detection 29
- localisation 29, 33
- molecular biological techniques 29, 30–2
- percutaneous absorption effects 33
- selective probe substrates 28–9
- toxicity effects 33
- Declaration of Helsinki 111
- delayed-type hypersensitivity reactions *see* hypersensitivity reactions, Type IV
- depigmentation, occupational vitiligo 276
- dermal exposure management, occupational 284–9
- dermal toxicity
 - exposure 338–9
 - factors 338–9

- formulations 338
- product groups 336–8
- repeat dose 339, 340, 341
- short-term studies 341–4
- study designs 339, 340, 341
- dermatitis, occupational 260–3
 - actions after assessment 271–2
 - clinical assessment 267–8
 - development 263–4
 - diagnosis 267
 - follow up 272–3
 - identification 266–7
 - incidence 265
 - mitigation 271, 272
 - investigations 267–73
 - outlook 266
 - patch testing 267
 - patterns 264–5
 - psychological impact 266
 - treatment 264
 - work impact 265–6
 - workplace assessment 269–71
- dermatoglyphs 4, 6, 348
- dermatology 223–43
- dermatomed 349
- dermatoscopy 226–7
- dermis 13, 14, 349
- dermo-epidermal junction 13
- desmosomes 9, 10, 349
- desquamation 18, 23–4, 349
 - measurement 205
- detector pads 293
- diascopy 226
- diffusion
 - concepts 97
 - up a gradient 99
 - see also* Fick's laws of diffusion
- diffusion cells 349
 - classification 131
 - penetrant application 140–1
 - in vitro* skin absorption measurement 140–1
 - choice for 131, 132, 133–6
- diffusion coefficient (D) 94, 101, 102–5
 - hydrogen bonding 102–5
 - phenols 104–5
- diffusivity 102–5
- 3-(4,5-dimethyl thiazol-2-yl)-2,5-diphenyl-tetrazolium bromide *see* MTT
- dioxins 237
- DNA damage
 - cancer development 62
 - ultraviolet radiation 55, 56–7, 58
- drug reactions
 - erythema multiforme 239
 - fixed eruptions 240
 - photosensitisation 245–6, 252, 253
 - phototoxic 240, 241, 248
 - rashes 237–8
 - toxic epidermal necrolysis 240
 - see also* adverse drug reactions (ADRs)
- EC3 values 160–1, 162, 349
- efaluzimab 243
- electron microscopy 231
- elicitation, allergic contact dermatitis 236
- elimination studies 120, 121
- elliptical surgical biopsy 230
- employers, occupational skin exposure 303–4
- EpiDerm™
 - corrosion assays 187, 188, 191, 192–3
 - irritation assays 194, 195, 196, 197
 - phototoxicity assays 178, 179
- epidermis 8–13, 14, 17, 349
 - apical migration 9–10
 - cells 9
 - differentiation 18–19
 - function 8–9
 - layers 9
 - lipid synthesis 19–20
 - protein synthesis 18–19
 - thickness 5, 7
- epiluminescence microscopy 226–7
- Episkin™
 - corrosion assays 187, 188, 191, 192, 193
 - irritation assays 194, 195, 196
- epoxy resin exposure, allergic contact dermatitis 263
- equipment design, workplace 285
- erythema multiforme 239
- ester pro-drug delivery 36
- esterases 34–6
 - activity 35–6
- esters, hydrolysis 35–6
- Etanercept 243
- ethics, *in vivo* measurements of skin absorption 110–11, 115
- eumelanin 52, 53
 - synthesis 53, 54
- European Centre on Validation of Alternative Methods (EVCAM) 324, 325, 349

- European Federation for Cosmetic Ingredients (EFFCI) 322, 349
- European Union Cosmetics Directive 76/768/EC 312–16
- animal testing ban 324–5, 336–7
 - ingredient listing 319
 - requirements 315–16
 - safety assessment 326–8
 - safety assessors 326
 - scientific advice 316
 - structure 314
- European Union Dangerous Substances Directive (67/548/EC) 317, 323
- European Union Regulation on Registration, Evaluation, Assessment and Restriction of Chemicals (REACH) 299
- examination of skin 226–34
- exanthematous reactions 237
- pustulosis 238
- excision biopsy 229
- exudate, occupational dermatitis 265–6
- Fick's laws of diffusion 79, 97–8
- partitioning 101
- filaggrin 9, 18, 76
- finite dose
- conditions 95, 96
 - percutaneous absorption study 143–5
- Fitzpatrick skin colour scale 52
- fixed drug eruptions 240
- FLG (filaggrin) gene 18
- flow-through diffusion cells 131, 133, 134–6, 350
- fluorescence microscopy, vascular perfusion measurement 216
- fluorescent techniques 123–4
- fluorochrome dyes 230–1
- flux (J) 94, 95, 350, 351
- Food and Drug Administration (FDA, US) 237, 350
- formaldehyde 305–6
- formulations 338
- Fourier transformed infrared (FTIR) spectroscopy 124
- fragrances 319, 325
- free fatty acids 23
- function in stratum corneum 23
 - stratum corneum extracellular lipid matrix 12, 72
- fugacity 98–9, 350
- furocoumarins, phototoxicity 248
- gangrene, peripheral 238
- Gaucher disease, type 2 19
- genodermatosis 225, 350
- Germany, legislation 300, 301–2
- gloves 289–93
- damaged 290
 - degradation 290
 - detector pads 293
 - disposal 290, 293
 - guidance for use 309–10
 - hand contamination 290, 291
 - misuse 290
 - performance 293
 - permeation 292–3
 - selection 289–90
 - skin exposure reduction 288
 - storage 290
- glucocerebrosidase 19
- glucosyl ceramides 19–20, 21
- glucuronyl transferase 40
- glutathione transferase 39–40
- Good Laboratory Practice (GLP) 323, 350
- Good Manufacturing Practice (GMP) 322, 350
- Göttingen minipig 14
- guinea pig(s)
- short-term dermal toxicity 341
 - skin sensitising chemicals testing 155–7, 160
- guinea pig maximisation test 155, 156, 350
- test results 160
- hair dyes 319
- hair follicles 4, 6, 11–12
- percutaneous absorption 77–9
- hand washing, occupational skin disorders 306
- handling equipment 288
- hCEs 34–5
- Health and Safety at Work etc Act (1974) 300, 305
- healthcare workers, rubber latex allergy 274
- henna 319
- histidine, photo-oxidation 175–6
- hives 273–4
- human 3-D skin models 170–1, 177–8, 179, 180
- corrosivity assay 186, 187, 191–4
 - irritation assays 194–5, 196, 197
 - methods 178
 - neutral red uptake phototoxicity test comparison 180
- human repeated insult patch test (HRIPT) 161, 162, 350

- human serum albumin (HSA), photobinding assays 175–7
- human skin model corrosivity test 188
- human studies
- fluorescent techniques 124
 - microdialysis 120–2
 - photoallergenicity assays 253–5
 - phototoxicity assays 249–51
 - physiological responses 125–6
 - punch biopsy 125
 - radiometric techniques 124
 - skin absorption measurement 111, 120–2
 - skin membrane 136
 - spectroscopic techniques 124
 - tape-stripping 122–3
 - tissue sectioning 124–5
- hydration of skin
- dermal toxicity relationship 213
 - electrical methods 203, 210–11
 - measurement 203, 209–12
 - guidance 212
 - stratum corneum 213
- hydrogen bonding 88–9, 102–5
- position of groups 103–4
- hydroquinone 276
- 6-hydroxysphingosine 20, 21
- hypersensitivity reactions
- classification 153
 - Type I (immediate) 233, 247, 252
 - Type IV (delayed) 174, 240, 247, 251
 - allergic contact dermatitis 262
 - patch testing 232
 - photoallergy 174
- ichthyosis
- lamellar 23
 - vulgaris 18
 - X-linked 24
- immune response 152
- immunoenzyme (immunoperoxidase) methods 231
- immunofluorescence techniques 230–1
- immunologic contact urticaria 163–4
- immunopathology 230–1
- impedance 203, 210–11
- in vitro* mouse skin integrity function test (SIFT) 194
- indentometry 203, 204
- infection
- occupational skin disorders 274–5
 - secondary in occupational dermatitis 265
- infinite dose
- conditions 95, 351
 - percutaneous absorption study 142, 143, 144
- infinite sink condition 95
- inflammation, skin sensitisation elicitation phase 155
- infliximab 243
- inhalation exposure 302–3
- instruments for skin toxicity measurement 201–17
- International Conference on Harmonisation of Technical Requirements for Registration of Pharmaceuticals for Human Use (ICH) 334, 349
- International Nomenclature Cosmetic Ingredient (INCI) 322, 351
- involucrin 19
- ionising radiation 274
- irritant(s)
- chemical 260–1, 282
 - occupational exposure 281–2
- irritant contact dermatitis 234–5, 236, 351
- occupational 260–1, 262, 280
- irritation 185–6, 355
- animal studies 342–4
 - cosmetics 319
 - hydration effects 213
 - prediction 195, 196
 - scoring system 343–4
 - topical therapy 242
 - in vitro* assays 194–5, 196, 197
- itch 225
- Japan, definition of cosmetics 313
- keratinocyte transglutaminase 1 gene 19
- keratinocytes 10, 351
- differentiation 28–9
 - photoageing 56
 - response to skin sensitisers 153
- lamellar bodies 9, 17, 19–20
- Langerhans cells 10, 352
- response to skin sensitisers 153–4
- Langer's lines 4, 6, 351
- laser Doppler velocimetry/flowmetry 203, 215–16, 352
- latex allergy 274
- LD₅₀ 342, 352

- legislation
 occupational exposure 299–310
 United Kingdom legislation 300–3
in vivo measurements of skin absorption
 110–11, 112–14, 115
- levarometry 203, 204
- lipids 17
 stratum corneum 23
 synthing during epidermal differentiation
 19–20
- lipophilicity 85–6, 352
- livedo reticularis 238
- local lymph node assay 158–60, 341, 344, 352
 EC3 values 160–1, 162
 relative potency assessment 160, 161, 163
- Log P 85, 86, 87, 352
 diffusion up a gradient 99
- loricrin 19
- machining operations 288
- maculopapular reactions 237
- malignant melanoma 53, 56–8
 occupational 274
- Management of Health and Safety at Work
 Regulations (UK) 306–7
- Margin of Safety (MOS) 327, 352
- material safety data sheets 282–3, 352
 hazard identification 304, 306
 personal protective equipment
 recommendations 289–90
- medical conditions with cutaneous features
 225
- medical devices 335–6
 dermal toxicity 337–8
- melanin 352
 photoprotective role 53
 skin colour 52
- melanocortin 1 receptor (MC1R) gene 63
- melanocytes 10, 53, 352
 photoageing 56
- melanogenesis 51, 53, 54, 55, 352
- melanosomes 53
 transfer 55
- metalworking fluids 287–8, 305–6
- metamerism 214
- methacrylate allergy 309
- methotrexate 242
- micro-autoradiography 146, 147, 352
- microdialysis 120–2, 352
- mitochondria
 apoptosis 61–2
 cancer cells 62
 drug damage 62–3
 function modulation as drug treatment
 62–3
 toxicity 63
- mitochondrial DNA (mtDNA)
 mutations in human cancers 62
 photodamage 60–1
 rearrangements 59
 sun exposure biomarker 60–1
- molecular weight 85, 86
- monolayer cultures 172–4
- MTT 352
 corrosion assays 191, 192–4
 irritation assays 195, 196, 197
 phototoxicity assays 177, 178, 179
- N-acetyltransferases 41–2
- NAD(P)H quinone reductase 38–9
- nails
 occupational disorders 275
 photo-onycholysis 240
- nanoparticles 77, 79–80
- natural moisturising factor (NMF) 9, 18, 213
- neutral red uptake phototoxicity test (NRU PT)
 170, 353
 human 3-D skin model comparison 180
 monolayer cultures 172–4
 protocol 173
- Nikolsky's sign 239
- no effect level (NOEL) 162
- no observed adverse effect levels (NOAEL)
 323, 324, 327, 353
- non-melanoma skin cancer 57
 mtDNA biomarker 60–1
- non-perfused pig ear model 194
- non-steroidal anti-inflammatory drugs
 (NSAIDs) 353
 phototoxicity 248, 253
- Nuremberg Code 111
- occluded patch test 155
- occlusion 140, 353
 dermal toxicity studies 341
 percutaneous absorption 90
 topical therapy absorption 242
- occupational health practitioners 270–1
- occupational health service 267, 268
- occupational skin disorders 259–76
 acne 274
 airborne exposure 287

- barrier creams 294
- chain of responsibility 283–4
- chemical hazard limitation 285–6
- contact urticaria 273–4
- definition 280–2
- dermal exposure management 284–9
- dermatitis 260–3, 281
 - development 263–4
 - diagnosis 267
 - identification 266–7
 - incidence 265
 - investigations 267–73
 - outlook 266
 - patch testing 267
 - patterns 264–5
 - psychological impact 266
 - treatment 264
 - work impact 265–6
- education 294
- engineering controls 286–8
- exposure elimination 285
- infections 274–5
- legislation 299–310
- material safety data sheets 282–3, 289–90
- nails 275
- prevention 279–94
- process controls 286–8
- safe working practices 288–9
- skin cancer 274, 275
- skin care 280
- skin management 280
- training 294
- vitiligo 276
- water exposure 280–1, 282, 306
 - see also* chemicals; gloves; personal protective equipment
- occupational skin exposure
 - adequately controlled 302–3
 - employers 303–4
 - hazard identification 304–6
 - individual susceptibility 303, 304
 - legal aspects 299–310
 - production workers 336
 - threshold level 303
 - UK legislation 300–3
- octanol–water partition coefficient (Log P)
 - 85, 86, 87, 352
 - diffusion up a gradient 99
- oils
 - acne 274
 - see also* metalworking fluids
- optothermal transient emission radiometry (OTTER) 203, 211–12, 353
- Organisation for Economic and Co-operative Development (OECD) 353
 - Guideline 404 185–6
 - Guideline 427 115–19
 - Guideline 428 129, 130, 157
 - Guideline 429 158
 - Guideline 431 188, 191
 - Guideline 432 173
- oxidative stress 58
- paints, solvent-/water-based 286
- panniculus carnosus 14
- Paracelsus 83, 84
- parasitic skin disease, occupational 275
- partitioning 101, 353
- patch testing 232–4, 353
 - occupational dermatitis 267
 - see also* human repeated insult patch test (HRIPT)
- pelage 353
 - density 13–14
- penetrants 353
 - in vitro* skin absorption measurement 140–1
- penetration 94–5, 96, 353
 - maximum rate (J_{max}) 95, 96
 - profile 95, 96
 - rate 95
- percutaneous absorption
 - age effects 76–7
 - alcohol dehydrogenase activity 37
 - aldehyde dehydrogenase activity 37
 - animal studies 111, 112–14, 115–19, 120–2
 - data 105–6
 - elimination studies 120, 121
 - esterase activity 35–6
 - exposure 89–91
 - fluorescent techniques 123–4
 - hair follicles 77–9
 - human studies 111, 120–2
 - intra-/inter-individual variation 75–6
 - microdialysis 120–2
 - molecular weight 85
 - occlusion 90
 - partitioning 101
 - passive process 83–4
 - penetration prediction 146
 - physicochemical factors 83–91

- percutaneous absorption (*continued*)
 physiological responses 125–6
 punch biopsy 124–5
 radiometric techniques 123–4
 in silico models 109, 110
 skin appendages 77–80, 87
 skin treatment 90–1
 species differences 75
 spectroscopic techniques 123–4
 tissue sectioning 124–5
 vehicles 89–90
 in vitro measurement 129–47
 data assessment 138
 diffusion cell choice 131, 132, 133–6
 finite dose study 143–5
 infinite dose study 142, 143, 144
 mass balance 141
 micro-autoradiography 146, 147
 models 109, 110
 principle 131
 radiolabelling of test compound 139
 receptor fluid 138–9
 regulatory guidelines 129, 130, 131
 sampling 138–9
 skin application 140–2
 skin integrity measurement 137–8
 skin membrane 136
 tape-stripping 141
 vehicles 140
 in vivo measurements 109–26
 alternative methods 119–26
 ethics 110–11, 115
 legislation 110–11, 112–14, 115
 OECD Guideline 427 method 115–19
 volatility 90
 percutaneous toxicity 83
 permeability coefficient (Kp) 94, 351
 permeability of skin 6
 regional/species variations 74–5
 permeation breakthrough time (BTT) 292
 personal protective equipment 288, 289–93, 354
 guidance for use 309–10
 selection 289–90
 pesticides 336
 petroleum derivatives 274
 pharmaceuticals 335
 acute toxicity studies 342
 dermal toxicity 337
 veterinary 336
 see also adverse drug reactions (ADRs); drug reactions
 Phase I metabolism 24, 27
 detoxification enzymes 27–39
 Phase II metabolism 27
 enzymes 39–42
 phenols
 diffusion coefficients 104–5
 planes of symmetry 105
 P-phenylenediamine (PPD) 319
 finite dose study 143–5
 pheomelanin 52, 53
 synthesis 53, 54
 photoageing 56
 photoallergenicity assays
 in vitro 174–7
 in vivo 253–5
 photoallergens 251–3
 discrimination from photoirritants 175–6
 neutral red uptake phototoxicity test 170
 photoallergy 174, 246, 251–3, 353
 grading 255
 sunscreens 240–1
 photobinding assays 175–7
 photobiology of skin 51–65
 photocontact sensitisers 252
 photodamage, mtDNA 60–1
 photodermatoses, idiopathic 246
 photogenotoxins, neutral red uptake
 phototoxicity test 170
 photoirritants
 discrimination from photoallergens 175–6
 neutral red uptake phototoxicity test 170
 photobinding to protein 175
 photoirritation 246, 353
 human tests 249–51
 reactions 247–8
 photoirritation factor (PIF) 172, 173, 174, 353
 photomaximisation test 253–5
 photo-onycholysis 240
 photopatch testing 232–3
 photoplethysmography (PPG) 216
 photoprotection 51–3, 54, 55
 melanin role 53
 skin cancer 63, 64
 photosensitisation, drug reactions 245–6
 photosensitive reactions 251–3
 phototherapy, safety 61
 phototoxic drug reactions 240, 241, 248
 phototoxicity assays, *in vitro* 169–81
 human 3-D skin models 177–8, 179, 180
 monolayer culture use 172–4
 strategies 169–71

- phototoxicity assays, *in vivo* 248, 249–51
 animal models 248, 249
- phototoxicity reactions 247–8
 agents 248
 grading system 251
- physical agents, irritant dermatitis 261
- physiological response measurement 125–6
- phytophotodermatitis 248
- phytosphingosine 20, 21
- pig ear model, non-perfused 194
- plant extracts, cosmetics 320, 321
- plant protection products 336
- platysma muscle 14
- polychlorinated biphenyls (PCBs) 237
- polycyclic hydrocarbons 274
- polymorphic light reaction 246
- potassium hydroxide (KOH) preparation of
 skin scrapings 228
- Potts, Sir Percival 275
- Potts and Guy equation 85, 86
- Prediskin™ 194
- preservatives, cosmetics 315, 316, 318, 321–2
- prick testing 233–4
 contact urticaria 273
- Primary Irritation Index (PII) 343–4, 354
- process controls 286–8
- product groups 335–6
 dermal toxicity 336–8
 factors 338–9
 repeat dose 339, 340, 341
 formulation 338
- Product Information Package, cosmetics 330
- production worker exposure 336
- profilaggrin 9, 18
- protective creams 294
- protein synthesis, epidermal 18–19
- proteins, photobinding assays 175–6
- pruritis 225
- psoralens 252
 phototoxicity 248
- psoriasis 354
 hydration effects 213
 impact 226
 mitochondrial apoptosis induction 61–2
- psychological impact, occupational dermatitis 266
- punch biopsy 124–5, 229, 230
- pustulosis, exanthematous 238
- PUVA phototherapy 252, 354
- quinones 38–9
- radiolabelling of test compound 139
- radiometric techniques 123–4
- Raman spectroscopy 203, 212
- random molecular motions 98
- rapid alert system for dangerous non-food
 products (RAPEX) 314
- rash 225
 drug 237–8
- rat skin transcutaneous electrical resistance
 (TER) test 186, 187, 188–91
- reactive nitrogen species (RNS) 58
- reactive oxygen species (ROS) 58, 354
 cancer cell stress 59, 62
- receptor solution 138–9
- refractometer 288
- Registration, Evaluation, Authorisation of
 Chemicals (REACH) 299, 317–18, 323,
 325, 334, 354
 exposures 336
 regulation 334–5
- repeated open application test (ROAT) 233,
 354
- respiratory uptake 302–3
- resveratrol 59
- retinoids 242
- risk assessment
 chemical exposure management system 280
 chemicals 307–9
 COSHH Regulations 283–4
 in vitro phototoxicity assays 170, 180
 local lymph node assay 160–1, 162
 occupational skin exposure 272, 306–9
 percutaneous absorption 105–6
 RISKOFDERM 354
 sensitisation 160–4
 sensitisation assays 160–4
 skin absorption 109, 123
 skin membrane considerations 136
 vehicle and penetrant considerations 140
- risk phrases 306, 354
- rubber latex allergy 274
- rule of 500 12, 85
- safe working practices 288–9
- safety data sheets 282–3, 352
 hazard identification 304, 306
 personal protective equipment
 recommendations 289–90
- sarcoidosis 226
- Scientific Committee on Consumer Products
 (SCCP, EU) 316, 323, 355

- scintillation counting 355
 dual label 137–8
- scrotal cancer, chimney sweeps 274, 275
- sebaceous glands 4, 8, 355
- sebum 6, 7, 355
 measurement 203, 205
- sensitisation 151–64, 355
 allergic contact dermatitis 236
 elicitation phase 155
 photocontact 252
 risk 152
 quantitative 163
- sensitisation assays
 animal studies 158–60, 341, 344
 false positive/negative 159
 murine 158–60
see also guinea pig(s); local lymph node assay
- sensitisers 151
 epidermal bioavailability 153
 identification 155–60
 keratinocyte response 153
 Langerhans cells response 153–4
 reactive chemistry 153
 T cell response 153–4
- shave biopsy 229, 230
- shunt transport pathways 10, 11–12, 79, 355
- Sk notation 302
- skin
 anatomical regional differences 4
 anatomy 3–15
 bioengineering 201
 biopsy 228–30
 biotransformations 24, 25–6, 27–9, 30–2, 33–42
 care in occupational skin disorders 280
 characteristics 4, 5
 cleavage lines 4, 6
 entry route 71–80
 glabrous 4, 350
 muscle layer 14
 non-glabrous 4
 phototypes 247
 physicochemical properties 84–9
 species differences 13–14
 structure 8
 regional/species variation 72, 73, 74
 surface features 3–4, 5, 6, 7, 8
 thickness measurement 203, 205
see also percutaneous absorption
- skin appendages 348
 percutaneous absorption 77–80, 87
- skin cancer 56–8, 274, 275, 348
 early warning 61
 non-melanoma 57
 mtDNA biomarker 60–1
- sun protection 63, 64
see also malignant melanoma
- skin colour 52
 CIELAB colour scale 214, 348
 measurement 203, 213–15
 guidelines 215
- skin disorders 223–43
 clinical assessment 224–34
 cracks in occupational dermatitis 265
 drug history 225
 examination of skin 226–34
 familial 225
 family history 225
 history taking 225–6
 management 224
 occupational 259–76
 management 280
 occupational history 225
 treatment 224, 241–3
- skin integrity
 measurement 137–8
 receptor fluid 139
in vitro mouse function test 194
- skin membrane, *in vitro* skin absorption
 measurement 136
- 3-D skin model *see* human 3-D skin models
- skin prick testing 233–4
 contact urticaria 273
- skin reflectance colorimetry 213–14
- skin reflectance spectroscopy (SRS) 213–14
- skin sandwich *in vitro* model 78–9
- skin scrapings 227–8
- skin surface
 contours 205
 pH 202, 203
- skin surface water loss (SSWL) 206, 353
- skin treatment, percutaneous absorption 90–1
- SkinEthic™ 191
- solar actinosis 246
 hydration effects 213
- solar urticaria 246
 photoallergy 252
- solubility 85, 87
- solute concentration
 stratum corneum penetration 101
 thermodynamic activity 100
- solvents
 occupational skin exposure 303

- reclaimed 286
- skin exposure reduction 288
- spectrophotometry 203, 213–14
- spectroscopic techniques 123–4
- sphingolipids, regional distribution 75
- sphingosine 20, 21
- squamous cell carcinoma 57
- static diffusion cells 131, 132, 133–4, 355
- steady state 93, 95, 356
- Stevens–Johnson syndrome 239
- stratum corneum 9, 10–11, 355
 - adhesion 23–4
 - anatomy 71–2
 - brick and mortar model 10, 71–2
 - concentration profile of penetrant 101
 - desquamation 18, 23–4, 349
 - measurement 205
 - extracellular lipid matrix 12, 72
 - guinea pig 14
 - hydration 213
 - hydrogen bonding groups 88–9
 - ion absorption 86–7
 - lamellae 23
 - lipid lamellae 12
 - lipids 20–1, 22, 23
 - molecule size penetration 12–13
 - pH 88
 - renewal 18
 - routes for chemical passage 72
 - structure 17–18
 - tape-stripping 122–3
 - thickness 72, 74, 79
 - kinetic parameters 106
 - TEWL effects 209
 - turnover 23–4
- stratum corneum chymotryptic enzyme (SCCE) 24
- stratum corneum tryptic enzyme (SCTE) 24
- stratum granulosum 9, 17, 356
- stratum spinosum 9, 356
- structure activity relationship (SAR) evaluation 186, 354
- sucrose, dual label scintillation counting 137–8
- suction of skin 203, 204
- sulphotransferases 41
- sun exposure
 - mtDNA biomarker 60–1
 - see also solar entries*
- sun protection 63–4
- sun protection factor (SPF) 63–4, 355
- sunscreens 63–4, 356
 - photoallergy 240–1
- surface area, whole body 105–6
- sweat glands 4, 8
 - TEWL effects 209
- sweating, hydration measurement effects 212
- Systemic Exposure Dosage (SED) 327, 355
- systemic lupus erythematosus (SLE) 225
 - UVR exposure 246
- systemic therapies 242–3
- systemic toxicity 186
- T cells, skin sensitiser response 153–4
- tanning, delayed/immediate 55
- tape-stripping 122–3, 141, 356
 - in vitro* skin absorption measurement 145, 146
- tar derivatives 274
- test compound 125–6
 - application to skin 140–2
 - buffering capacity 186
 - corrosive 190
 - elimination studies 120, 121
 - fluorescent techniques 123–4
 - microdialysis 120–2
 - non-corrosive 190
 - OECD Guideline 427 115–19
 - pH 186
 - physiological responses 125–6
 - punch biopsy 124–5
 - radiolabelling 139
 - radiometric techniques 123–4
 - receptor fluid 138–9
 - spectroscopic techniques 123–4
 - tape-stripping 122–3
 - tissue sectioning 124–5
 - vehicles 140
- tetraglycidyl methylene dianiline (TGMDA) 309
- thermodynamic activity 98–9, 356
 - different vehicles 100
 - maximum 99
- thermodynamic gradient 93
- thermodynamics 93–106
- thermopile 250–1
- Threshold of Toxicological Concern (TTC) 324, 357
- tight junctions 18
- tissue sectioning 124–5
- topical therapy 241–2
- toxic epidermal necrolysis 239–40

- toxicity, percutaneous 83
 transcutaneous electrical resistance test, rat skin
 186, 187, 188–91
 transdermal drug delivery 90, 336
 transepidermal electrical resistance (TER)
 137, 356
 transepidermal water loss (TEWL) 74, 137,
 356
 applications 203, 206–8
 closed chamber method
 vapour accumulation 203, 206, 207
 ventilated 203, 207–8
 condenser chamber 203, 208, 209
 measurement 203, 206–8, 210
 guidance 208–9
 non-perfused pig ear model 194
 open chamber method 203, 206, 207
 in vitro mouse skin integrity test 194
 transferases 39–42
 transglutaminases 19
 transmissible spongiform encephalopathy (TSE)
 risk materials 316
 triglycerides 23
 tri-stimulus 203, 213
 tritiated water permeability 137
 twistometry 203, 204
 tyrosinase 53, 54, 55
 tyrosine 53, 54, 55
- ubiquinone 59
 UDP-glucuronyl transferase 40
 ultraviolet radiation (UVR) 52, 53, 55–9, 357
 ageing of skin 56
 cutaneous reactions 245–56
 DNA damage 55, 56–7, 58
 environmental exposure 55–9
 exposure 55
 oxidative stress 58
 pathological effects 55–9
 skin cancer 56–8, 274
 skin reactions 247
 sunscreens 63–4
 see also UVA; UVB
 United Kingdom legislation 300–3
 urinary excretion, test compound 120, 121
 urticaria 357
 acute 238
 contact 273–4
 drug-induced 237, 238
 immunologic contact 163–4
 solar 246, 252
- UVA 55
 measurement 171
 oxidative stress 58
 photoageing 56
 photoallergenicity assays 253
 phototoxicity 248
 assays 249, 250
 skin damage 63
 sunscreens 64
 UVB 55
 measurement 171
 oxidative stress 58
 photoallergenicity assays 253
 skin damage 63
 sun exposure 247
 sunscreens 64
 UV/visible absorption spectrum
 measurement 169–70
 pre-screen for phototoxicity 171
- vascular perfusion measurement 203, 215–16
 vasculitis 238
 vehicles 357
 absorption of substance from 99–100
 dermal toxicity studies 341
 percutaneous absorption 89–90, 140
 topical therapy 242
 in vitro skin absorption studies 140
 ventilation, local exhaust 287
 veterinary pharmaceuticals 336
 viral infections, occupational 274
 vitamin E, delivery 6
 vitamin E acetate 76
 vitiligo, occupational 276
 volatility, percutaneous absorption 90
- water exposure, occupational skin disorders
 280–1, 282, 306
 weak acids 88
 white blood cells, classification 152
 whole body surface area 105–6
 Wood's light examination 227, 228
 workplace design 285
 workplace exposure limits (WELs) 302–3, 357
- xenobiotic metabolism 24, 25–6, 27, 357
- yeast infections, occupational 275
 Yellow Card system (UK) 237–8
- zwitterions 88