

Index

- Acidizing, 549–551
- Acoustic emission technique, 142–144
- Aircraft structures
- failure modes, 469–473
 - flap control unit bolt, 472–473
 - landing gear steel pin, 515–516
 - turning tube, 470–471
 - wing panel, 471–472
- Alloys, oxidation of, 59–63
- Aluminum and aluminum alloys, 227–236
- corrosion behavior, 228–236, 383, 465–469, 480–483
 - in freshwater, 232
 - in seawater, 232
 - in soils, 232–233
- Anodic protection, 106
- Atmospheric corrosion testing, 117–119
- Austenitic iron *See* Iron
- Austenitic steel, 219
- Barrier coatings *See* Coatings, protective
- Bridges, Suspension, 473–476
- Carbon steel *See* Steel
- Cast iron *See* Iron
- Cathodic protection, 100–105, 461–465, 478–480
- Cavitation *See* Corrosion; Mechanically assisted corrosion
- Cells, electrochemical *See* Electrochemical cells
- Ceramics, 297–300
- corrosion testing of, 122
 - failure analysis, 172–173
- Chiller tubes, 486–489
- Cleaning processes, 95
- Coatings, protective, 90–100
- barrier, 91–92
 - inhibitive primers, 94
 - organic zinc-rich primers, 93–94
 - sacrificial, 92–93
- Cobalt alloys, 259–263
- Compressed air cylinders, 465–469
- Concentration polarization *See* Polarization, concentration
- Condensers, 509–515
- Cooling water system, 483–485
- Copper and copper alloys, 236–244
- corrosion, 237–244
 - atmospheric, 237–238
 - biofouling, 242
 - dealloying, 241
 - flow-induced, 243
 - in aqueous media, 238–240
 - in chemical environments, 242
 - in piping, 501–504
 - pitting, 241
 - soil, 238
 - stress-corrosion cracking, 242–243
- Corrosion
- anaerobic, 387
 - behavior, 333–336
 - causes, early accounts, 3
 - cavitation, 402–403
 - computer applications, 319–326
 - costs, 12–14
 - design factors, 67–75
 - detection and monitoring, 125–150
 - economics, 311–317
 - fatigue, 395, 411–423

- Corrosion (*continued*)
- forms, 331–459
 - fretting *See* Mechanically assisted corrosion
 - galvanic *See* Galvanic corrosion
 - general, 340–343
 - graphitic, 373–374
 - high temperature, 54–59, 373, 489–492
 - history, 3–12
 - impact, 12–17
 - in drilling and well stimulation, 549–551
 - inhibitors *See* Inhibitors
 - inspection methods *See* Inspection methods
 - localized *See* Localized corrosion
 - management, 317–319
 - mechanically assisted *See* Mechanically assisted corrosion
 - media, 332–333
 - aqueous, 332
 - atmospheric, 332
 - process, 332–333
 - underground, 332
 - microbiologically influenced *See*
 - Microbiologically influenced corrosion
 - morphology, 338–339
 - oxidation, 54–59
 - prediction, 320
 - published data, 339
 - radiographic detection, 129–134
 - rates, 33–45
 - reactions, 20–22, 331–333
 - replication microscopy assessment, 129
 - stress corrosion cracking *See* Stress corrosion cracking
 - testing, 109–125, 134–16
 - finite element analysis, 145–149
 - liquid penetrant method, 134
 - magnetic particle testing, 135–136
 - other nondestructive methods, 145–150
 - ultrasonic inspection method, 137–139
 - visual examination, 127, 154–155
 - types and modes, 337–338
 - underground, 547–549
- Cracking *See* Copper and copper alloys;
 Environmentally induced cracking;
 Hydrogen induced cracking; Stress
 corrosion cracking; Weldments
- Cracking failure case studies, 492–500
- Crankshaft failure, 492–495
- Crevice corrosion *See* Corrosion
- Cupronickel, 486–489
- Curtain wall, 480–483
- Daniel cell, 22–23
- Dhar (Delhi) pillar, 3, 10
- Depreciation, 313–317
- Discounted cash flow, 311–313
- Drilling operations, 549–551
- Drive shaft failure, 495–497, 499–500
- Duplex stainless steels *See* Steel
- Dynamic electrochemical processes, 33–45
- EAC *See* Environmentally induced cracking
- ECORR, 325
- Eddy current inspection method, 136–137
- Electrochemical cells, 22–28
- Electrochemical impedance spectroscopy, 369
- Electrochemical noise technologies, 369
- Electrochemical processes
 - dynamic, 33–46
- Electrochemical potential noise, 53
- Electrode potentials, 23–28
- Embrittlement
 - hydrogen embrittlement, 433, 442–445
 - liquid and solid metal-induced, 525–528
- Environmentally induced cracking, 423–452
 - testing for, 111–117
- Erosion-corrosion *See also* Mechanically assisted corrosion
 - prevention, 401–402
- Failure analysis, 150–173, 318–319, 505–509
 - fracture mechanics in, 159–161
- Fatigue 395, 411–423
 - crack initiation and propagation, 416–419
 - failure, 492–497
 - prevention, 420
 - testing, 420–423
- Finite element analysis, 145–149
- Fracture, 505–509
- Fretting corrosion *See* Mechanically assisted corrosion
- Fuel storage tanks, 391
- Galvanic corrosion, 344–354, 543–547
 - prevention, 352–354
 - testing, 119–120
- Galvanic series in seawater, 28
- Generators, Steam, 529–532
- Hazard analysis
 - checklist, 189–190
- Hazard identification, 181–182
- High temperature corrosion *See* Corrosion
- HSAB principle, 87–88
- Hydrogen induced cracking, 437–438, 516–525
- Hygiene plan, 193–194
- Impressed current protection, 105–106
- Inhibitive primers *See* Coatings, protective

- Inhibitors, 80–90
 - anodic, 82
 - cathodic, 81
 - hard, 87–88
 - selection of, 88
 - soft, 87–88
 - testing, 122–125
 - types, 88–90
- Inspection methods
 - Eddy current, 136–137
 - laser, 128
 - microfractography, 159
 - metallographic examination, 156–158
 - non-destructive examination, 126–127
 - thermal, 149–150
 - ultrasonic, 137–139
 - visual, 127, 154–155
- Iron
 - austenitic, 202
 - ductile, 202
 - gray cast, 201–202
 - high-silicon cast, 202
 - nickel cast, 202
 - white cast, 201
- Landing gear steel pin, 515–516
- Lead and lead alloys, 263–270
 - uses, 270
- Liquid penetrant testing method, 134
- Localized corrosion, 355–370, 545–547
 - crevice, 360–361
 - filiform, 361–362
 - galvanostatic methods, 366
 - pitting, 355–359, 362–366
 - potentiostatic methods, 366
 - poultice, 359
 - prevention, 366–367
 - testing and evaluating, 367–370
- Low-alloy steels *See* Steel
- Macroscopic examination *See* Visual examination
- Magnesium and magnesium alloys, 270–281
 - corrosion, 271–281
- Magnetic particle testing, 135–136
- Marine environments, 207–208
- Martensitic stainless steels *See* Steel
- Materials, 201–309
 - life prediction analysis of, 75–79
- Mechanical properties, 162–164
- Mechanically assisted corrosion, 393–423
 - wear, 393–410
 - abrasive, 394–395
 - adhesive, 395
 - cavitation, 402–405
 - chemical, 396–397
 - electric-arc-induced, 398
 - erosion-corrosion, 398–400
 - erosive, 395–396
 - fatigue wear and corrosion, 395, 411–423
 - fretting, 405–410
 - galling stress, 410
 - galvanic effect, 400–401
 - impact, 395–396
 - impacting bubbles, 403–404
 - oxidative, 397–398
 - percussive, 396
 - prevention, 405, 489–492
 - turbulence, 400
 - water droplet impingement erosion, 401
- Metallographic examination, 156–158
- Metallurgically influenced corrosion, 370–384
 - aluminum alloys, 383
 - aqueous media, 371
 - dealloying, 373–376
 - dealuminification, 374
 - dezincification, 373
 - defects and inclusions, 372
 - exfoliation, 377–378
 - grain boundaries, 371–372
 - intergranular, 376–382
 - nickel-based alloys, 383–384
 - passivation, 372–373
 - pitting, 372–373, 381 *See also* Pitting
 - weldment corrosion, 378–383
- Microbiologically influenced corrosion, 384–393
 - anaerobic corrosion, 387
 - biofilms, 388
 - corrosion mechanisms, 388–390
 - environments, 384–385
 - freshwater environments, 385
 - gases and corrosive processes, 390
 - growth and metabolism, 384
 - Hormoconis resiniae*, 391
 - industries affected, 385
 - marine environments, 385
 - microbiological impacts and testing, 391–392
 - materials, 390–391
 - organic and inorganic acids, 390
 - prevention, 392–393
 - sulfate-reducing bacteria, 386–387
 - sulfides, 390
 - Thiobacillus*, 387–388, 391
- Microfractography, 159
- Nernst equation, 21
- Nickel and nickel alloys, 244–255
 - corrosion resistance, 383–384

- Oil and gas wells, 549–551
- Oil storage tank, 536–541
- Organic zinc-rich primers *See* Coatings, Protective
- Paint types, 96–99
- Pipe clamp joint connector failure, 497–499
- Pipe, Copper, 501–504
- Pipe, Welded, 519–523
- Pipes, Water, 547–549
- Pitting, 355–359, 362–366, 486–489, 538–541 *See also* Corrosion
 - electrochemical studies, 364–366
 - cyclic potentiodynamic polarization method, 364–366
- Polarization
 - concentration, 46–53
- Polymeric materials, 300–305
 - failure analysis of, 169–171
 - in corrosion control, 302–305
 - testing of, 120–121
- Pourbaix diagrams, 28–33
- Poultice corrosion *See* Corrosion
- Pressure vessels, 177–179
- Primers, inhibitive *See* Coatings, protective
- Protection
 - Anodic, *See* Anodic protection
 - Impressed current *See* Impressed current protection
- Protective coatings *See* Coatings, protective
- Radiographic methods, 129
- Refractories, Corrosion testing of, 122
- Refractories and ceramics, 297–300
- Regulations and specifications, 177–180
- Replication microscopy, 129–134
- Residual stress
 - x-ray diffraction, 161–162
- Risk assessment, 191–192
- Rock bolts, 504–509
- Rust
 - electrochemical process involved in, 26–27
- Sacrificial coatings *See* Coatings, protective
- Safety, 181–198
 - at design stage, 197–198
 - audits, 183–188
 - in corrosion laboratory, 192
 - in field plant inspection, 198
 - in storage and transport, 198
 - nonionizing radiation sources, 196–197
 - radiation sources, 194–196
- Scanning reference electrode technique, 369–370
- Software programs, 323–325
- Soils, 210–214
- Sprinkler systems, 501–504
- Stainless steel *See* Steel
- Standard potential series, 25
- Standards, 177–180
- Steel, 202–227
 - carbon, 202–213, 529–532, 541–547
 - corrosion in fresh waters, 204–207
 - corrosion in seawater, 207–210
 - corrosion in soils, 210–214
 - in concrete, 478–480, 533–536
 - low-alloy, 202–213
 - pin, 515–516
 - stainless, 214–227, 380–383
 - austenitic, 219
 - biological corrosion, 382
 - composition, 215
 - corrosion in boiling acids, 217–218
 - corrosion rates of Fe-Cr alloys, 216
 - duplex, 219–224
 - knife-line attack, 382
 - martensitic, 224–227
 - rebar, 533–536
 - tubing corrosion, 509–515
- Stress corrosion cracking, 424–452
 - accelerating ions, 434
 - active-passive behavior, 430
 - alloy/liquid interface, 432–433
 - carbon steel, 529–532
 - electrode potential and crack growth, 431
 - environmentally induced cracking, 439–445
 - hydrides, 433
 - hydrogen embrittlement, 433, 442–445
 - hydrogen induced blistering, 435–437
 - inhibitors, 431
 - key factors, 425–428
 - material parameters, 428
 - mechanisms, 442
 - morphology, 425
 - nitrate, 529–532
 - potential-pH diagram, 428–430
 - prevention, 449–452
 - environmental considerations, 449–450
 - metallurgical considerations, 450
 - hydrogen damage, 450–451
 - surface treatments, 450
 - propagation models, 445–449
 - sulfide stress cracking, 435
 - testing, 451–452
- Sulphate-reducing bacteria *See* Microbiologically influenced corrosion
- Surface preparation, 95 *See also* Cleaning processes

- Tanks, 536–547
 - oil storage, 536–541
 - carbon steel, 541–547
- Testing *See* Corrosion
- Thermal methods of inspection *See* Inspection methods
- Thermodynamics, 18–20
- Tie rods (Bridge), 473–476
- Tin and tin plate, 292–297
 - aqueous corrosion, 293
 - corrosion of tin plate, 296–297
- Titanium and titanium alloys, 255–259
 - galvanic corrosion, 259
 - resistance to chemical environments, 257–258
 - resistance to waters, 257
- Ultrasonic inspection method, 137–139
- Visual examination, 127, 154–155
- Water
 - electrochemical reactions involved in, 29–30
- Water systems corrosion, 476–478, 483–485, 486–489
- Water mains, 461–465, 547–549
- Wear *See* Mechanically assisted corrosion
- Wear-related failures, 164–169
- Weldments, 378–383
 - aluminum alloys, 383
 - carbon steels, 378–379
 - corrosion prevention, 383
 - filler metal, 380
 - grooving, 379
 - knife-line attack, 382
 - pitting, 381
 - sensitization, 380–382
 - stainless steels, 380–382
 - biological corrosion, 382
 - stress-corrosion cracking, 379–381
 - unmixed zones, 380
 - weld metal overlay, 489–492
- X-ray diffraction, 161–162
- Zinc and zinc alloys, 282–290
 - corrosion, atmospheric, 282–285, 289
 - corrosion in aqueous media, 285–287
 - corrosion in concrete, 288–289
 - corrosion in soils, 287
 - corrosion of painted materials, 287–288
- Zirconium and zirconium alloys, 291–292
 - corrosion in acids and alkalis, 292, 295

