

# Index

- acceptable risk 6, 9, 10  
acceptance sampling 51–3, 58–63  
acute gastrointestinal illness (AGI) 102  
aggregates of organisms 156–7  
alternative hypothesis 51, 58–63  
ASTM 57, 58  
attributable risk (AR) 100, 102, 110, 154, 158, 175  
attribute compliance sampling 59–61, 66
- bacterial pathogens 20, 24–7  
bathing beaches 1, 7, 27, 122  
bathing water standards 1, 4  
Bayesian kriging 226–8  
BEACH Act of 2000 45, 46, 92  
Belle Isle 114, 116, 119–21, 125–6, 131–2  
beta-Poisson dose-response 95–6  
bias 16, 71  
binary outcome models 200  
    *see also* categorical tree regression;  
    logistic regression; logit  
binomial distribution 140, 159–60
- case studies 2, 113–34, 188–204  
categorical tree regression 188, 200, 201–3  
Christchurch City QMRA 142, 144–6  
Clean Water Act of 1977 46, 52, 92, 100
- cohort susceptibility, differences in 162–4  
components of variation 131–3  
composite sampling 81–3  
concentration-response 155, 167–9  
consumer's risk 59, 60, 61, 64  
control charts 49–50, 55–8  
Crump, K.S. 92, 96, 98, 99, 108  
Cryptosporidium 21–3, 25–6, 28, 30, 33, 143, 147, 160, 162–4, 167
- data quality objectives (DQO) 51, 55, 57, 66  
design-based sampling 74–5, 77–86  
discriminant analysis 187, 188, 190, 200, 201  
dose-response 27–9, 95, 96, 98, 109, 142, 144–7, 155, 165  
    *Cryptosporidium* 28, 162–5  
    echovirus 28  
    *Giardia lamblia* 163–4  
    rotavirus 28, 166  
    *Salmonella* 28  
    *Shigella flexneri* 166  
    *see also* exposure-response
- E. coli* (EC) 4, 6–9, 20–2, 24, 26–7, 30, 33–6, 47, 50, 76, 100, 102, 114, 117, 119, 129, 138–9, 142, 157, 161, 169, 170, 174, 181, 182, 185, 188, 190–3, 199–201, 204

- ecologic data 98–9
- effective number of observations 72–3
- EMPACT study 113–34
- enteric bacteria 21
- enteric viruses 21, 24, 27, 30, 34, 35
- enterococci (ENT) 6–9, 20, 30–2,  
34–5, 46–7, 50, 55–8, 63, 97–8,  
100–4, 117, 119, 129, 138–41,  
157, 161, 169, 170, 172–4,  
181, 183, 185–6, 189–92, 194–8,  
200–4
- Environmental Protection Agency, U.S.  
(EPA) 6–10, 20, 24, 45–58, 60–4, 66,  
71, 92, 95, 100–2, 105, 113, 117, 121,  
134, 138, 147, 179
- epidemiological studies 6–8, 14,  
34–5, 100–5, 136–41, 145–7, 154,  
157–8
- European Council Directives 121
- European Union 134
- exponential dose–response model  
95–6
- exposure, ecologic vs. individual-specific  
101
- exposure assessment 142
- exposure–response 94, 98, 100–1, 109
- fecal indicator bacteria (FIB) *see*  
indicators
- fecal indicator organism (FIO) *see*  
indicators
- fecal streptococci 30, 32, 34–5, 154, 169,  
171, 173–5  
*see also* enterococci
- Fisher's  $D^2$  118–20
- gamma distribution 119
- gastroenteritis (GE) 5, 6, 20, 22, 24,  
25–7, 47, 101, 142–3, 154, 164,  
167–9, 170–5
- generalized estimating equations 124,  
126–8
- generalized likelihood uncertainty  
estimation 224–6
- generalized linear model 123–9, 140, 223
- geometric mean 2–3, 6, 8, 10, 20, 46, 49,  
91–110, 117
- geometric mean, sampling properties of  
94–5, 97–8
- Giardia* 21, 25, 26, 30, 143, 147, 160,  
162–4, 167
- Haas, C.N. 92, 95–6, 98, 99, 108
- hazard identification 142–3
- helminthic parasites 25
- highly credible gastrointestinal illness  
(HCGI) 100, 102
- Huntington State Beach 181, 184, 189–92,  
194–9, 200–4
- immunosuppression 164–5
- Imperial Beach 114, 116, 119–21, 125,  
127, 132
- impurity (in categorical tree regression)  
201
- indicator concentration, factors affecting  
biological factors 181, 185–6  
rainfall 50, 134, 181–3, 188, 190, 197,  
198, 202  
sunlight 29–30, 50, 131, 157, 181–2,  
188, 191–2, 197, 199–201  
temperature 29, 50, 157, 181, 185,  
187–9, 195, 197–8, 203, 205  
tides 50, 114, 134, 183, 186, 189,  
196–8, 202, 203, 205  
waves 183–4, 186, 188–9, 191–2,  
196–7, 199–201, 205  
wind 180, 182, 184–6, 188, 190–2,  
199–201, 205
- indicators 5, 8, 14–15, 19–37, 46, 50,  
69–70, 113–34, 138, 140–1, 155–7  
exposure–response relationship 94, 98,  
100, 109  
fate and transport 21, 97, 181–7, 204  
spatial variability 122–31  
temporal variability 122–31
- individual infection risk (IIR) 144–6
- infection 1, 3, 20, 21, 22, 23–5, 27–9, 96,  
139, 142–3, 144, 146, 147, 155, 156,  
157, 159–63, 164–6
- Landwehr, J.M. 94, 97, 109
- Latin hypercube sampling 221–2
- likelihood ratio test 125
- linear regression 46, 140, 187, 199, 222

- log mean 5, 71, 93–4, 99, 107, 199, 201  
log-transformed data 62, 93–4  
logistic regression 102–4, 200  
logit 140  
lognormal distribution 48, 55, 75–7,  
92, 94–5, 97–8, 101, 121–2
- maximum likelihood 77, 85, 124,  
133, 216  
measurement error 74–5, 213  
method of moments 82, 85, 133  
Miami Beach Park 114, 116, 119–21,  
125–7, 131–2  
minimum variance unbiased estimate 103  
misclassification bias 157  
model-based sampling 75, 86–7  
model calibration and validation 224–6  
molecular methods 15, 36
- National Technical Advisory Committee  
(NTAC) 5, 8, 9  
natural variability 74  
NEEAR study 102, 131  
negative binomial distribution 75–7,  
118–23  
New Zealand 138–41  
no observed adverse effect level (NOAEL)  
154, 157  
non-parametric  
estimation 82  
models 187, 199  
tolerance limits 53, 54, 55, 58, 61  
non-point source(s) 21, 25, 26, 33  
normal distribution 3, 75–7, 92  
null hypothesis 51, 52, 59, 61–3, 188
- ocean observing systems 205  
odds ratio 103, 140  
overdispersion, test for 120–1
- Parkhurst, D.F. 92, 96–7, 99–100, 105,  
109  
partial least squares 187, 188  
pathogens 3, 20–3, 141–3, 146–7  
categories 23–5  
dose–response curves 27–9, 95–6  
enteric 3, 21  
identified with outbreaks 25–6  
of primary health concern in U.S. 26–7  
relationship to indicators 30–3, 98,  
155–6, 162–4, 166  
PCR *see* quantitative polymerase chain  
reaction  
percentiles 2, 7, 47–8, 53–4, 62, 76, 121,  
146  
point source(s) 21, 33, 184  
Poisson distribution 75–7, 117–18, 119  
Poisson plus added zeros 76  
pollution 4, 71, 97, 98, 109, 138, 154–8,  
184, 185, 187, 198, 212  
polymerase chain reaction *see* quantitative  
polymerase chain reaction  
power (statistical) 54  
precision 13, 72, 75, 79, 83, 105, 221  
predictive model(s) 180–1, 205  
probability mass function 117–22  
producer’s risk 59, 61, 64  
protozoan parasites 20, 21, 23, 25, 27, 28,  
30, 160, 162, 168
- QPCR *see* quantitative polymerase chain  
reaction  
quantitative microbial risk assessment  
136, 141–7  
quantitative polymerase chain reaction  
(QPCR) 20, 31, 102–4, 109–10, 131
- randomized controlled trials 169–75  
ranked set sampling 83–6  
recreational water criteria 1–10, 36, 45–9,  
100, 105, 121, 137–8, 146  
recreational water standards 97, 145, 175  
regression tree 187, 188, 199–202  
relative efficiency  
estimators of arithmetic and geometric  
means 105–7  
estimators of log means 107–8  
relative risk 35, 101–2, 140–1, 175  
risk 2–7, 9, 10, 19–23, 26–9, 34–6,  
50, 70, 92, 96, 99–103, 107,  
109–10, 113, 135, 139–47, 153,  
155, 158, 159, 167–9, 171–5, 190,  
215, 217  
*see also* attributable risk(AR); relative  
risk  
risk characterization 142, 144

- root mean square error (RMSE) 187–8
- root mean square error of prediction (RMSEP) 188
- rotavirus dose-response 166
  
- sampling variability 74
- sensitivity analysis 211–28
  - exploratory 219–20
  - geostatistical 226–8
  - global 217–19
  - model-based 222–4
  - Monte Carlo 220–2
  - variance-based 217–18
- serial correlation 72–3
- sewage 14, 15, 21, 23, 32, 33, 91, 109, 137, 142–3, 145, 156, 181, 183, 187, 200, 205
- simple random sampling 78–9, 220
- 63rd Street Beach 181–182, 188–193, 199–201, 204
- stratified sampling 70, 79–83, 131, 221
- swimming-related risk model 103–4, 153–60, 169–75
- systematic sampling 80–1, 220
  
- target population 51, 55, 58–64, 70–1
- tolerance limits 53–4
  
- training data 187, 192–4, 197, 199–201, 204, 205
- tree analysis *see* regression tree
- trend assessments 16
- Type I / Type II error 14, 51–2, 57, 59, 61, 188
  
- upper tolerance limit (UTL) 53–4
  
- validation data set 188, 194, 204, 205
- variable importance on projection (VIP) 194–8
- variables acceptance sampling plan 58, 61–5
- variance components *see* components of variation
- viral pathogens 23–4, 26, 27, 36
- Visual Sample Plan (VSP) 55, 63–4
  
- water quality criteria 2, 3, 5, 7, 8, 9, 46–7, 49, 91, 110, 137, 138, 141, 200
- West Beach 114, 116, 119–21, 125–6, 132–3
- WHO *see* World Health Organization
- Wollaston Beach 114, 116, 119–21, 125, 127, 132–3
- World Health Organization 26, 27, 34, 138, 154, 154, 156, 157, 161

## STATISTICS IN PRACTICE

### *Human and Biological Sciences*

- Berger – Selection Bias and Covariate Imbalances in Randomized Clinical Trials  
Brown and Prescott - Applied Mixed Models in Medicine, Second Edition  
Chevret (Ed) – Statistical Methods for Dose Finding Experiments  
Ellenberg, Fleming and DeMets – Data Monitoring Committees in Clinical Trials: A Practical Perspective  
Hauschke, Steinijans and Pigeot – Bioequivalence Studies in Drug Development: Methods and Applications  
Lawson, Browne and Vidal Rodeiro – Disease Mapping with WinBUGS and MLwiN  
Lui – Statistical Estimation of Epidemiological Risk  
\*Marubini and Valsecchi - Analysing Survival Data from Clinical Trials and Observation Studies  
Molenberghs and Kenward – Missing Data in Clinical Studies  
O’Hagan – Uncertain Judgements: Eliciting Experts’ Probabilities  
Parmigiani – Modeling in Medical Decision Making: A Bayesian Approach  
Pintilie – Competing Risks: A Practical Perspective  
Senn – Cross-over Trials in Clinical Research, Second Edition  
Senn – Statistical Issues in Drug Development, Second Edition  
Spiegelhalter, Abrams and Myles – Bayesian Approaches to Clinical Trials and Health-Care Evaluation  
Whitehead - Design and Analysis of Sequential Clinical Trials, Revised Second Edition  
Whitehead – Meta-Analysis of Controlled Clinical Trials  
Willan – Statistical Analysis of Cost-effectiveness Data  
Winkel and Zhang – Statistical Development of Quality in Medicine

### *Earth and Environmental Sciences*

- Buck, Cavanagh and Litton – Bayesian Approach to Interpreting Archaeological Data  
Glasbey and Horgan – Image Analysis in the Biological Sciences  
Helsel – Nondetects and Data Analysis: Statistics for Censored Environmental Data  
McBride – Using Statistical Methods for Water Quality Management  
Webster and Oliver – Geostatistics for Environmental Scientists, 2nd Edition  
Wymer – Statistical Framework for Recreational Water Quality Criteria and Monitoring

### *Industry, Commerce and Finance*

- Aitken - Statistics and the Evaluation of Evidence for Forensic Scientists, Second Edition  
Balding - Weight-of-evidence for Forensic DNA Profiles  
Lehtonen and Pahkinen - Practical Methods for Design and Analysis of Complex Surveys, Second Edition  
Ohser and Mücklich - Statistical Analysis of Microstructures in Materials Science  
Taroni, Aitken, Garbolino and Biedermann - Bayesian Networks and Probabilistic Inference in Forensic Science

\*Now available in paperback

