

Index

• *Symbols & Numerics* •

ϕ spherical coordinate, 318
 f symbol, 17
 θ spherical coordinate, 318
 Σ symbol, 24, 51–52
! symbol, 38
3-D coordinate, 314–319
3-D problems
 meat-slicer method
 overview, 220
 pyramids, 222–224
 rotating solids, 225–226
 solids between two surfaces, 230–234
 solids of revolution, 227–228
 solids with congruent cross sections, 220–221
 solids with similar cross sections, 221–222
 weird solids, 224–225
 overview, 219–220
 shell method
 overview, 234
 peeling and measuring can of soup, 235–236
 use of, 236–238
 surface of revolution, 229–230
 tips for solving, 238–239

• *A* •

absolute convergence, 280–281
adding vector, 313–314
advanced math
 differential equations, 34
 Fourier analysis, 34
 multivariable calculus, 33
 numerical analysis, 34–35
 real analysis, 35
algebraic function, DI-agonal Method, 145–148
algebraic times cosine function, 139
algebraic times exponential function, 139
algebraic times sine function, 139
algorithm, 35
alternating series
 absolute convergence, 280–281
 based on convergent positive series, 277
 conditional convergence, 280–281
 defined, 257
 divergence, 348
 making new series from old, 276
 overview, 261, 275
 sequence of partial sums, 248
 testing, 277–279, 281–282
 two forms of basic, 276
alternative 3-D coordinate system, 316–319
alternative indeterminate forms of limits, 68–72
altitude, 318
analytic geometry, 12–14
angle, measuring, 3
angular distance, 50
anti-derivative, 28, 73
anti-differentiation
 defined, 4
 indefinite integrals, 96–97
 in integration, 94, 346
approximate integration
 overview, 74
 with rectangles, 74–77
 Simpson’s Rule, 80–83
 slack factor, 78
 Trapezoid Rule, 79–80
approximating
 area problem, 25–27
 definite integrals, 23
 functions in Taylor series, 300–301
 in numerical analysis, 35
arc notation, 58
arccos x function, 138, 143
arccot x function, 138, 143
Archimedes, 13
arc-length formula, 5, 215–217, 229
arcsin x function, 138, 143

arctan x function, 138, 143
 area function, 92–94
 area problems. *See also* approximate integration; definite integral; indefinite integral
 advanced math
 differential equations, 34
 Fourier analysis, 34
 multivariable calculus, 33
 numerical analysis, 34–35
 real analysis, 35
 building formula
 height, 25
 limiting margin of error, 23–24
 other ways of approximating, 25–27
 overview, 22–23
 sigma notation, 24–25
 width, 24
 calculating arc length, 215–217
 classical versus analytic geometry, 12–14
 generalizing, 15–16
 improper integral
 horizontally infinite, 199–201
 overview, 199
 vertically infinite, 201–204
 infinite series
 convergent versus divergent, 32–33
 distinguishing sequences from, 31
 evaluating, 32
 Mean Value Theorem for Integrals, 213–215
 overview, 11–12, 197
 rule for, 198–199
 slicing space into rectangles, 19–22
 solving with integration
 finding area between curves, 29
 measuring curve lengths, 29–30
 overview, 28–29, 343
 solid of revolution, 30–31
 solving with more than one function
 finding area between two functions, 206–209
 finding area under functions, 205–206
 measuring unsigned areas, 211–213
 overview, 204–205
 signed areas, 209–211
 solving without Riemann sum formula, 97–99
 asymptote, 47, 202

autonomous equation, 333
 axe
 in Cartesian coordinate system, 314
 in cylindrical coordinate systems, 316
 x
 area problems, 15
 Cartesian coordinates, 314
 definite integrals, 12
 signed areas, 209

• B •

Barrow, Isaac, 91
 basic anti-derivative, 106–107
 basic integral
 basic anti-derivatives, 106–107
 integration rules, 107–110
 overview, 106
 benchmark series, 264, 267
 boldfaced text, 3
 braces in notations, 244
 breathing exercise, 349

• C •

Calculus I
 derivatives
 limit formula for, 56
 notation for, 56–57
 overview, 55–56
 differentiation
 Chain Rule, 62–64
 Constant Multiple Rule, 59
 memorizing key derivatives, 57–59
 overview, 57
 Power Rule, 60
 Product Rule, 61
 Quotient Rule, 61–62
 Sum Rule, 59
 limits, 53–55
 overview, 37, 53
 Calculus II
 definite integrals, 345
 indefinite integrals, 346
 infinite series
 convergence or divergence, 348
 related sequences, 347

- integration
 - as fancy addition, 344
 - finding area, 343
 - as inverse differentiation, 346–347
 - signed areas, 344
 - slack factor, 345
 - slices, 344–345
 - overview, 1–8, 343
- Calculus III. *See also* vector
 - dimension
 - 3-D Cartesian coordinates, 314–315
 - alternative 3-D coordinate systems, 316–319
 - functions of several variables, 319–321
 - multiple integrals
 - evaluating, 324–326
 - measuring volume under surface, 323–324
 - overview, 323
 - overview, 33, 307
 - partial derivatives
 - evaluating, 322–323
 - measuring slope in three dimensions, 321–322
 - overview, 321
- Cartesian coordinate
 - 3-D, 314–315
 - analytic geometry, 13
 - versus polar coordinates, 50–51
 - vector basics, 308
- case, trig substitution
 - distinguishing, 162–163
 - secant, 169–171
 - sine, 164–166
 - tangent, 166–169
- Chain Rule
 - differentiating functions, 62–64, 106
 - finding derivative of functions, 115
 - finding integrals
 - of nested functions, 120
 - of products, 121
- checking test answer, 351–352
- circle
 - area problems, 12
 - as cross sections, 227, 239
- circumference of circle formula, 229
- classical geometry, 12–14
- coefficient, 310
- comma, 252
- comparison test
 - direct, 265–267
 - limit, 267–270
 - overview, 264–265
- composition of function
 - Chain Rule, 62–63
 - finding integrals of, 118–120
 - integrating function multiplied by set of, 121–122
 - variable substitution
 - integrating with, 123–125
 - overview, 117
 - shortcut for, 125–128
- computing integrals, 114
- conceptual understanding, 352
- conditional convergence, 280–281
- congruent cross section, volume of solids
 - with, 220–221
- conic section, 11
- Constant Multiple Rule
 - differentiation, 59
 - finding integrals of nested functions, 119
 - finding values using roots, 182
 - integration
 - overview, 108
 - polynomials, 110
 - power series, 287
 - moving denominator, 154
 - to separate integrals, 153
 - for series, 250–251
- constant of integration C , 97, 99
- constant, 310
- continuity, 115
- continuous function, 19, 47–48
- convergence
 - absolute, 280–281
 - conditional, 280–281
 - intervals of in power series, 288–290
 - sequences, 245–246
 - series, 32–33, 52, 277
 - Taylor series, 298–300
- tests of
 - integral, 270–272
 - n th-term, 263
 - one-way, 263–264
 - overview, 261
 - ratio, 273–274

- convergence, tests of (*continued*)
 - root, 274–275
 - starting, 262
 - two-way, 264
 - coordinate
 - alternative 3-D, 316–319
 - Cartesian
 - 3-D, 314–315
 - analytic geometry, 13
 - vector basics, 308
 - cylindrical, 316–317
 - polar, 50–51, 314
 - spherical, 317–319
 - cos x function, 293
 - coscant, 159–161
 - cosine
 - double-angle identities for, 50
 - integrating powers of, 152–155
 - cosine function, 46, 148
 - cosine times exponential function, 139
 - cotangent, 159–161
 - counting numbers, summation formula for, 83–84
 - cross section
 - circular, 227, 239
 - horizontal, 238
 - meat-slicer method
 - area between curves, 231–233
 - congruent, 220–221
 - rotating solids, 225–226
 - similar, 221–222
 - solids of revolution, 228
 - volume of pyramids, 223
 - weird solids, 224–225
 - vertical, 238
 - cubic number, summation formula for, 84–85
 - curve
 - finding area between, 29
 - measuring lengths, 29–30
 - measuring unsigned area between, 211–213
 - solid of revolution, 30
 - cylinder, 220
 - cylindrical coordinate, 316–317
- D •
- DE (differential equation)
 - building versus solving, 331–332
 - checking solutions, 332–333
 - defined, 6
 - integrals, 330–331
 - linear, 329–330
 - order of, 329
 - ordinary and partial, 328–329
 - overview, 34, 327–328
 - solving
 - initial-value problems, 334–336
 - separable equations, 333–334
 - using integrating factor, 336–339
 - defining sequence, 252–253, 347
 - definite integral
 - approximate integration
 - overview, 74
 - with rectangles, 74–77
 - Simpson’s Rule, 80–83
 - slack factor, 78
 - Trapezoid Rule, 79–80
 - approximating, 23
 - area problem, 12, 16–19
 - in Calculus II, 345
 - defined, 4
 - Fundamental Theorem of Calculus
 - additional part of, 95
 - area function, 92–94
 - connecting slope and area, 94
 - overview, 89–91
 - slope, 92
 - indefinite integral
 - anti-differentiation, 96–97
 - versus definite, 101–102
 - overview, 95–96
 - signed areas, 99–101
 - solving without Riemann sum formula, 97–99
 - Mean Value Theorem for Integrals, 214
 - overview, 73
 - Riemann sum formula
 - defined, 4
 - evaluating limit, 89
 - expressing function as sum, 86–87

- limits of integration, 86
 - overview, 23–27, 85–86
 - solving problem, 88
 - signed areas, 344
 - summation formulas, 83–85
 - unsigned areas, 210
 - variable substitution to evaluate, 132–133
 - degree, 42, 187
 - denominators in partial fraction, 181
 - derivative. *See also* differentiation
 - defined, 33
 - limit formula for, 56
 - memorizing, 57–59, 106
 - notation for, 56–57
 - overview, 55–56
 - partial
 - evaluating, 322–323
 - measuring slope in three dimensions, 321–322
 - in multivariable calculus, 33
 - overview, 321
 - of trig functions, 58
 - determinate form of limit, 65–66
 - DI-agonal Method
 - algebraic functions, 145–148
 - inverse trig functions, 143–145
 - logarithmic functions, 141–143
 - overview, 140–141
 - trig functions, 148–150
 - Difference Rule, 59, 108
 - differentiability of polynomial, 285
 - differential equation (DE)
 - building versus solving, 331–332
 - checking solutions, 332–333
 - defined, 6
 - integrals, 330–331
 - linear, 329–330
 - order of, 329
 - ordinary and partial, 328–329
 - overview, 34, 327–328
 - solving
 - initial-value problems, 334–336
 - separable equations, 333–334
 - using integrating factor, 336–339
 - differentiation
 - Chain Rule, 62–64
 - Constant Multiple Rule, 59
 - formulas for inverse trig functions, 163
 - memorizing key derivatives, 57–59
 - overview, 57
 - Power Rule, 60
 - Product Rule, 61
 - Quotient Rule, 61–62
 - Sum Rule, 59
 - dimension in multivariable calculus
 - 3-D Cartesian coordinates, 314–315
 - alternative 3-D coordinate systems, 316–319
 - discontinuous function, 115
 - discontinuous integrand, 203–204
 - distinct linear factor, 177–178
 - distinct quadratic factor, 178
 - divergence
 - sequences, 245–246
 - series, 32–33, 52
 - Taylor series, 298–300
 - tests of
 - integral, 270–272
 - nth-term, 263
 - one-way, 263–264
 - overview, 261
 - ratio, 273–274
 - root, 274–275
 - starting, 262
 - two-way, 264
 - division, polynomial, 188–191
 - does not exist (DNE), limit
 - common functions, 65
 - defined, 54
 - improper integral, 201
 - sequence, 246
 - double integral 323–325
 - double-angle identities, 50
 - dx constant, 350
- **E** ●
- elementary functions
 - advantages of polynomials, 285
 - drawbacks of, 284–285
 - overview, 284
 - representing
 - integrals as, 114–115
 - as polynomials, 285
 - as series, 285–286
 - ellipse, 13–14

- equation. *See also* differential equation (DE)
- autonomous, 333
 - heat, 34
 - Laplace, 34
 - separable, 333–334
 - systems of, 182–183
- error bound for Taylor series, 301–303
- even power integration
- cosines, 154–155
 - secants
 - with tangents, 155
 - without tangents, 157
 - sines, 154–155
 - tangents
 - with odd powers of secants, 158–159
 - without secants, 156–157
- exam-taking tips, 349–352
- exercise, breathing, 349
- expanded notation, 247, 249–250
- exponent
- integrating
 - cotangents and cosecants, 159–160
 - sines and cosines, 152–155
 - tangents and secants, 155–159
 - negative, 40, 109, 160
 - Power Rule, 60
 - in Pre-Calculus, 39–41
- exponential curve, 14, 224
- exponential function, 44–45
- expressing functions, 300–301
- expression
- of form $f(x) \cdot g(x)$, 129–130
 - of form $f(x) \cdot h(g(x))$, 130–132
- **F** ●
- factorial, 38–39, 273
- first-degree polynomial, 268
- formula. *See also* Riemann sum formula
- arc-length, 5, 215–217, 229
 - building for area problems
 - approximating definite integral, 23
 - height, 25
 - limiting margin of error, 23–24
 - other ways of approximating, 25–27
 - overview, 22–23
 - sigma notation, 24–25
 - width, 24
 - circumference of circle, 229
 - for finding surface of revolution, 229–230
 - half-angle, 228
 - for inverse trig functions, 163
 - limit, for derivatives, 56
 - summation, 83–85
- Fourier analysis, 34
- fourth-order ODE, 329
- fractional coefficient, 190
- fractional exponent, 60
- fraction, 38–39. *See also* partial fraction
- FTC (Fundamental Theorem of Calculus)
- additional part of, 95
 - anti-derivatives, 106–107
 - area function, 92–94
 - connecting slope and area, 94
 - indefinite integrals, 73
 - overview, 28, 89–91
 - slope, 92
- functions. *See also individual functions by type*; nested function
- area, in Fundamental Theorem of Calculus, 92–94
 - DI-agonal Method
 - algebraic, 145–148
 - inverse trig, 143–145
 - logarithmic, 141–143
 - differentiating, 63–64
 - elementary
 - advantage of polynomials, 285
 - drawbacks of, 284–285
 - overview, 284
 - representing as polynomials, 285
 - representing as series, 285–286
 - expressing as series
 - cos x , 293
 - overview, 291
 - sin x , 291–292
 - graphing common
 - exponential, 44–45
 - linear and polynomial, 43–44
 - logarithmic, 45
 - trigonometric, 46–47

horizontal transformations, 48
 indefinite integrals, 28
 integrating, multiplied by set of nested,
 121–122
 limits, 53–54, 65
 Maclaurin series, 293–296
 multiplied by functions, 123
 overview, 283–284
 power series
 integrating, 287–288
 interval of convergence, 288–290
 overview, 286–287
 related area functions, 94
 representing integrals as, 114–115
 Riemann sum formula, 86–87
 of several variables, 319–321
 solving area problems with more
 than one
 finding area between two, 206–209
 finding area under, 205–206
 measuring unsigned area, 211–213
 overview, 204–205
 signed areas, 209–211
 substitution when one part differentiates
 to another, 129–132
 Taylor series
 calculating error bounds for, 301–303
 computing with, 297–298
 constructing, 303–304
 convergent and divergent, 298–300
 expressing versus approximating,
 300–301
 overview, 296–297
 transforming continuous, 47–48
 trigonometric
 derivatives of, 58–59
 DI-agonal Method, 148–150
 integrating combinations of, 160–161
 vertical transformations, 48
 Fundamental Theorem of Calculus (FTC)
 additional part of, 95
 anti-derivatives, 106–107
 area function, 92–94
 connecting slope and area, 94
 indefinite integrals, 73
 overview, 28, 89–91
 slope, 92

• G •

Gauss, Karl Friedrich, 84
 general expression, 87
 general form of power series, 295
 general solution, 334
 generalizing area problem, 15–16
 geometric series, 258, 286
 geometry, 12–14
 graphing common function
 exponential and logarithmic, 44–45
 linear and polynomial, 43–44
 logarithmic, 45
 trigonometric, 46–47

• H •

half-angle identities, 50, 154, 228
 harmonic series
 defined, 32
 divergence of, 258–259
 making new from old, 276
 sequence of partial sums, 254
 heat equation, 34
 height
 area problem, 25
 of rectangles, 22
 horizontal axes in polar coordinate
 system, 316
 horizontal cross section, 238
 horizontal transformations of function, 48
 horizontally infinite improper integral,
 199–201
 hyperbola, 14

• I •

identities
 integration of trig functions using, 112–113
 trig
 even powers of sines and cosines, 156
 half-angle, 154
 important, 48–50
 using to integrate trig functions, 112–113
 using to tweak functions, 160–161

- improper integral
 - defined, 5
 - horizontally infinite, 199–201
 - overview, 199
 - vertically infinite, 201–204
- improper polynomial fraction, 191
- improper rational function
 - integrating
 - distinguishing from proper, 187
 - overview, 187
 - polynomial division, 188–191
 - overview, 173
- incorrect test answer, 352
- indefinite integral. *See also* integration by
 - parts; partial fraction; variable substitution
 - anti-differentiation, 96–97
 - area problem, 27–28
 - in Calculus II, 346
 - versus definite integrals, 101–102
 - limits of integration, 17
 - overview, 4–5, 95–96
 - signed areas, 99–101
 - solving without Riemann sum formula, 97–99
- indeterminate forms of limit
 - alternative, 68–72
 - L'Hospital's Rule, 66–68
 - overview, 55, 65–66
- infinite improper integral
 - horizontally, 199–201
 - vertically, 201–204
- infinite sequence
 - convergent, 245–246
 - converting into infinite series, 31
 - divergent, 245–246
 - notation for, 244–245
 - overview, 244
- infinite series. *See also* functions; test
 - alternating
 - absolute convergence, 280–281
 - based on convergent positive series, 277
 - conditional convergence, 280–281
 - defined, 257
 - divergence, 348
 - making new series from old, 276
 - overview, 275
 - sequence of partial sums, 248
 - testing, 277–279, 281–282
 - two forms of basic, 276
 - basics, 247–249
 - in Calculus II
 - convergence or divergence, 348
 - related sequences, 347
 - connecting with related sequences, 252–254
 - convergent versus divergent, 32–33
 - defined, 2
 - distinguishing from sequences, 31
 - evaluating, 32
 - expressing functions as
 - versus approximating, 300
 - cos x , 293
 - overview, 291
 - sin x , 291–292
 - geometric, 255–257
 - harmonic, 258
 - infinite sequences
 - convergent, 245–246
 - divergent, 245–246
 - notation for, 244–245
 - overview, 244
 - overview, 5–6, 243
 - power series
 - differentiating from other series, 295
 - integrating, 287–288
 - interval of convergence, 288–290
 - overview, 286–287
 - p-series, 257–259
 - representing elementary functions as, 285–286
 - sigma notation
 - Constant Multiple Rule, 250–251
 - overview, 249
 - Sum Rule, 251–252
 - ways to use, 250
 - writing in expanded form, 249–250
 - Sum Rule, 286
- initial-value problem, 334–336
- inner function, 63, 125–128
- input values to indefinite integral, 346
- integrability, 113–116

- integral. *See also* definite integral;
 indefinite integral; partial fraction
 computing, 114
 Constant Multiple Rule, 119, 153
 differential equations, 330–331
 evaluating basic
 anti-derivatives, 106–107
 integration rules, 107–110
 overview, 106
 improper
 horizontally infinite, 199–201
 overview, 199
 vertically infinite, 201–204
 Mean Value Theorem for Integrals,
 197, 213–215
 multiple
 evaluating, 324–326
 measuring volume under surface,
 323–324
 in multivariable calculus, 33
 overview, 323
 Power Rule, 153
 representing as functions, 114–115
 Sum Rule, 136, 153
 variable substitution
 to evaluate definite, 132–133
 of nested functions, 118–120
 of product, 120–121
 well defined, 115
 integral test, 270–272
 integrands, discontinuous, 203–204
 integrating factor, 336–339
 integration. *See also* 3-D problems; area
 problems; definite integral; partial
 fraction; trig substitution; variable
 substitution
 approximate
 overview, 74
 with rectangles, 74–77
 Simpson's Rule, 80–83
 slack factor, 78
 Trapezoid Rule, 79–80
 asymptotic limits of, 202
 in Calculus II
 as fancy addition, 344
 finding area, 343
 as inverse differentiation, 346–347
 signed areas, 344
 slack factor, 345
 slices, 344–345
 defined, 2
 evaluating basic integrals
 17 basic anti-derivatives, 106–107
 integration rules, 107–110
 overview, 106
 integrability, 113–116
 overview, 4–5, 11, 105
 polynomials, 110–111
 power series, 287–288
 rational expressions, 111
 solving problems with
 finding area between curves, 29
 measuring curve lengths, 29–30
 overview, 28–29
 solid of revolution, 30–31
 of trig functions using identities, 112–113
 integration by parts
 DI-agonal Method
 algebraic functions, 145–148
 inverse trig functions, 143–145
 logarithmic functions, 141–143
 overview, 140–141
 trig functions, 148–150
 overview, 135
 reversing Product Rule, 136–137
 use of, 137–139
 intervals of convergence, 288–290
 inverse identities, 49
 inverse trig function
 derivatives of, 58–59
 DI-agonal Method, 143–145
 integration by parts, 139
 inverses of function, 225
 italicized text, 3
- *L* •
- Laplace equation, 34
 latitude, 318
 left rectangle, 25, 74–75
 left-hand limits of integration, 74
 Leibniz, Gottfried, 57, 91
 Leibniz notation, 56–57

- length
 - calculating arc, 215–217
 - measuring curve, 29–30
 - L'Hospital's Rule
 - alternative indeterminate forms, 68–72
 - determinate form of limits, 65–66
 - indeterminate form of limits, 65–66
 - limit comparison tests, 269
 - overview, 64–65
 - use of, 66–68
 - limit
 - alternative indeterminate, 68–72
 - asymptotic, of integration, 202
 - in Calculus I, 53–55
 - determinate form of, 65–66
 - does not exist
 - common functions, 65
 - defined, 54
 - improper integral, 201
 - sequence, 246
 - formulas for derivatives, 56
 - indeterminate form of, 65–66
 - of integration, 12, 15
 - Riemann sum formula, 86, 89
 - linear differential equation, 329–330
 - linear factor
 - distinct, 177–178
 - integrating partial fractions, 184
 - repeated, 178–179
 - linear function, 43–44
 - log composed with algebraic function, 139
 - log function, 139
 - log rolling, 71
 - log times algebraic function, 139
 - logarithmic curve, 14
 - logarithmic function
 - DI-agonal Method, 141–143
 - integration by parts, 138
 - overview, 45
 - longitude, 318
- *M* •
- Maclaurin, Colin, 295
 - Maclaurin series, 291, 293–297
 - magnitude, vector, 310–311
 - margin of error, 23–24
 - Mean Value Theorem for Integrals, 197, 213–215
 - meat-slicer method
 - overview, 220
 - pyramids, 222–224
 - solids
 - with congruent cross sections, 220–221
 - of revolution, 227–228
 - rotating, 225–226
 - with similar cross sections, 221–222
 - between two different surfaces, 230–234
 - weird, 224–225
 - memorizing derivatives, 57–59, 106
 - method of exhaustion, 13
 - midpoint rectangle, 26
 - Midpoint Rule, 74, 76–77
 - minus sign, 56
 - monofont text, 3
 - multiple integral
 - evaluating, 324–326
 - measuring volume under surface, 323–324
 - in multivariable calculus, 33
 - overview, 323
 - multiplication, scalar, 311–312
 - multivariable calculus. *See also* vector dimension
 - 3-D Cartesian coordinates, 314–315
 - alternative 3-D coordinate systems, 316–319
 - functions of several variables, 319–321
 - multiple integrals
 - evaluating, 324–326
 - measuring volume under surface, 323–324
 - overview, 323
 - overview, 33, 307
 - partial derivatives
 - evaluating, 322–323
 - measuring slope in three dimensions, 321–322
 - overview, 321
- *N* •
- natural log function
 - DI-agonal Method, 141–143
 - integration by parts, 138
 - overview, 45

negative area, 99, 344
 negative power
 cotangents and cosecants, 160
 overview, 40
 Power Rule, 60, 109
 nested function
 Chain Rule, 62–63
 finding integrals of, 118–120
 integrating function multiplied by set of,
 121–122
 variable substitution
 integrating with, 123–125
 overview, 117
 shortcut for, 125–128
 Newton, Isaac, 57, 91
 nonnegative integer exponent, 40
 notation. *See also* sigma notation
 arc, 58
 braces in, 244
 defined, 4
 for derivatives, 56–57
 expanded, 247, 249–250
 for infinite sequences, 244–245
 Leibniz, 56–57
 trig, 41–42
 with and without braces, 244
 nth-term test, 256, 263, 279
 numerators in partial fraction, 181
 numerical analysis, 34–35

• 0 •

octant, 314
 odd power integration
 secants
 with even powers of tangents, 158–159
 without tangents, 157–158
 sines and cosines, 152–153
 tangents, 156
 ODE (ordinary differential equation),
 328–329
 one-way test, 261, 263–264
 ordinary differential equation (ODE),
 328–329
 outer function, 63, 125–128

• p •

pairing trig function, 160–161
 parabola, 14
 partial derivative
 evaluating, 322–323
 measuring slope in three dimensions,
 321–322
 in multivariable calculus, 33
 overview, 321
 partial differential equation (PDE),
 34, 328–329
 partial fraction
 example, 191–193
 integrating improper rationals
 overview, 187
 polynomial division, 188–191
 versus proper rational expressions, 187
 overview, 173–174
 with rational expressions, 175–176
 solving integrals by using
 distinct linear factors, 177–178
 distinct quadratic factors, 178
 finding unknowns, 181–183
 integrating, 184–186
 overview, 176
 repeated linear factors, 178–179
 repeated quadratic factors, 179–180
 setting up, 180–181
 partial sum, sequences of, 253–254
 past material. *See* Calculus I; L'Hospital's
 Rule; Pre-Calculus
 PDE (partial differential equation),
 34, 328–329
 phi, 317
 plotting cylindrical coordinate, 316
 plus sign, 252
 polar coordinate, 50–51, 314
 polynomial
 advantage of, 285
 benchmark series, 268
 converting from functions, 153
 division, 188–191
 elementary functions, 285
 graphing common functions, 43–44
 integration, 110–111

- polynomial (*continued*)
 overview, 39
 representing elementary functions as, 285
 Taylor, 301–303
- positive integer exponent, 40
- positive series, 275, 277
- power
 integrating
 cotangents and cosecants, 159–160
 sines and cosines, 152–155
 tangents and secants, 155–159
 negative, 40, 109, 160
 Power Rule, 60
 in Pre-Calculus, 39–41
- Power Rule
 differentiation, 60
 evaluating integrals, 153
 integrating
 overview, 109
 polynomials, 110–111
 power series, 287–288
- power series
 differentiating from other series, 295
 integrating, 287–288
 interval of convergence, 288–290
 overview, 286–287
- practice problem, 2
- Pre-Calculus
 asymptotes, 47
 exponents, 39–41
 factorials, 38–39
 graphing common functions
 exponential, 44–45
 linear and polynomial, 43–44
 logarithmic, 45
 trigonometric, 46–47
 important trig identities, 48–50
 overview, 37–38
 polar coordinates, 50–51
 polynomials, 39
 radians, 42–43
 sigma notation, 51–52
 transforming continuous functions, 47–48
 trig notation, 41–42
- precision, 35
- prism, 220
- product, integral of, 120–121
- Product Rule
 differentiation, 61, 106, 114
 integration by parts, 135
 linear first-order DEs, 338
 reversing, 136–137, 339
- proper rational expression, 173, 187
- pyramid, volume of, 222–224
- *Q* •
- quadratic factor
 distinct, 178
 of form $(ax^2 + bx + c)$, 185–186
 of form $(ax^2 + c)$, 184–185
 repeated, 179–180
- quadrature method, 13
- Quotient Rule, 61–62, 106
- *R* •
- r spherical coordinate, 318
- radian, 3, 42–43
- ratio test, 273–274
- rational expression
 integration, 111
 limit comparison tests, 268
 partial fractions with, 174–176
- rational power, 109
- reading through exam, 350
- real analysis, 7, 35
- rectangle
 approximate integration with, 74–77
 approximating area with
 left, 25
 midpoint, 26
 right, 26
 in classical geometry, 12
 finding height of, 22
 slicing space into to calculate area, 19–22
- rectangular coordinate, 3-D, 314–315
- remainder
 polynomial division with, 189–191
 polynomial division without, 188–189
 remainder term, Taylor, 283–284, 301–303

- repeated linear factor, 178–179
repeated quadratic factor, 179–180
reviews of past material. *See* Calculus I;
L'Hospital's Rule; Pre-Calculus
revolution
solids of
meat-slicer method, 227–228
overview, 30–31
surfaces of, 229–230
Riemann, Bernhard, 91
Riemann sum, 12, 78
Riemann sum formula
calculating definite integral
calculating sum, 88
evaluating limit, 89
expressing function as sum, 86–87
limits of integration, 86
overview, 85–86
solving problem, 88
defined, 4
overview, 23–27
right rectangle, 26, 75–76
right-hand limit of integration, 75
root, 181–182
root test, 274–275
rotating problems, meat-slicer method,
225–226
rule. *See also* Constant Multiple Rule;
Power Rule; Sum Rule
for area problems, 198–199
Chain Rule
differentiating functions, 106
differentiation, 62–64
finding derivative of functions, 115
finding integral of nested functions, 120
finding integral of products, 121
Difference Rule, 59, 108
integration, 107–110
L'Hospital's Rule
alternative indeterminate forms, 68–72
determinate form of limits, 65–66
indeterminate form of limits, 65–66
limit comparison tests, 269
overview, 64–65
use of, 66–68
Midpoint Rule, 74, 76–77
Product Rule
differentiation, 61, 106, 114
integration by parts, 135
linear first-order DEs, 338
reversing, 136–137, 339
Quotient Rule, 61–62, 106
Simpson's Rule, 74, 80–83
Trapezoid Rule, 74, 79–80
Rumsey, Deborah, 37
Ryan, Mark, 37, 53
- S ●
- scalar, 308, 310
scalar multiplication, 311–312
scribbling during exam, 351
secant, integrating powers of, 155–159
secant case, trig substitution, 163–164,
169–171
second-degree polynomial, 268
second-order ODE, 329
separable equation, 333–334
sequence
connecting series with related, 252–254
infinite
convergent and divergent, 245–246
notations for, 244–245
overview, 244
overview, 31
of partial sums, 32, 248, 347
series. *See* infinite series
shell method
overview, 234
peeling and measuring can of soup,
235–236
use of, 236–238
shortcut
for intergrating nested functions, 128
for variable substitution of nested
functions, 125–128
sigma notation
area problem, 24–25
overview, 51–52, 247

sigma notation (*continued*)

- series
 - Constant Multiple Rule, 250–251
 - overview, 249–252
 - Sum Rule, 251–252
 - use of, 250
 - writing in expanded form, 249–250
- signed area, 99–101, 209–211
- similar cross sections, volume of solid
 - with, 221–222
- Simpson's Rule, 74, 80–83
- sine
 - double-angle identities for, 50
 - expressing as series, 291–292
 - half-angle formulas for, 228
 - integrating powers of, 152–155
 - pairing with cosines, 161
- sine case, trig substitution, 163–166
- sine curve, 14
- sine function, 46, 148
- sine times exponential function, 139
- slack factor, approximate integration, 78
- slope
 - Fundamental Theorem of Calculus, 92, 94
 - measuring in three dimensions, 321–322
- solid
 - meat-slicer method to find volume of
 - with congruent cross sections, 220–221
 - with similar cross sections, 221–222
 - between two different surfaces, 230–234
 - weird, 224–225
 - overview, 219
- solids of revolution
 - meat-slicer method, 227–228
 - overview, 30–31
- specific form of power series, 295
- spherical coordinate, 317–319
- square identities, 49
- square number, summation formula for, 84
- straight-line distance, 215
- study tip, 2
- substitution. *See* trig substitution; variable substitution
- subtracting vector, 313–314
- sum formula. *See* Riemann sum formula

Sum Rule

- differentiation, 59
- even powers of tangents with secants, 159
- finding values using roots, 182
- infinite series, 251–252, 286
- integrating
 - overview, 108
 - polynomials, 110
 - power series, 287
- to separate integrals, 153
- solving rational expressions, 175–176
- split integrals, 136
- splitting functions, 154

summation formula, 83–85

surface, measuring under volume, 323–324

surface of revolution, 229–230

system of equation, 182–183

• T •

tangent

- double-angle identities for, 50
- integrating powers of, 155–159
- pairing with secants, 161

tangent case, trig substitution, 163–164, 166–169

Taylor polynomial, 301

Taylor series

- calculating error bounds for, 301–303
- computing with, 297–298
- constructing, 303–304
- convergent, 298–300
- divergent, 298–300
- expressing versus approximating functions, 300–301
- versus other series, 295
- overview, 296–297
- remainder term, 283–284, 301–303

term, 244

test

- alternating series, 277–279, 281–282
- comparison
 - direct, 265–267
 - limit, 267–270
 - overview, 264–265

- of convergence and divergence
 - integral, 270–272
 - n*th-term, 263
 - one-way, 263–264
 - overview, 261
 - ratio, 273–274
 - root, 274–275
 - starting, 262
 - two-way, 264
 - failing, 264
 - passing, 264
 - of *p*-series, 258–259
 - tips for taking math, 349–352
 - theta, 317
 - third-order ODE, 329
 - three-dimensional coordinate, 314–319
 - three-dimensional problem
 - meat-slicer method
 - overview, 220
 - pyramids, 222–224
 - rotating solids, 225–226
 - solids between two surfaces, 230–234
 - solids of revolution, 227–228
 - solids with congruent cross sections, 220–221
 - solids with similar cross sections, 221–222
 - weird solids, 224–225
 - overview, 219–220
 - shell method
 - overview, 234
 - peeling and measuring can of soup, 235–236
 - use of, 236–238
 - surface of revolution, 229–230
 - tips for solving, 238–239
 - tip
 - for studying, 2
 - for test-taking, 349–352
 - top-and-bottom trick, 212–213
 - tractability, 35
 - transforming continuous functions, 47–48
 - Trapezoid Rule, 74, 79–80
 - triangle
 - area problems, 12
 - as trapezoids, 80
 - trig substitution
 - calculating arc length, 217
 - distinguishing cases for, 162–163
 - integration
 - combinations of trig functions, 160–161
 - overview, 163–164
 - powers of cotangents and cosecants, 159–160
 - powers of sines and cosines, 152–155
 - powers of tangents and secants, 155–159
 - secant case, 169–171
 - sine case, 164–166
 - tangent case, 166–169
 - trig functions, 151–152
 - overview, 151
 - when to avoid, 171
 - trigonometry
 - functions
 - derivatives of, 58–59
 - DI-agonal Method, 148–150
 - graphing common, 46–47
 - integrating, 151–152, 160–161
 - identities
 - even powers of sines and cosines, 156
 - half-angle, 154
 - important, 48–50
 - using to integrate functions, 112–113
 - notation, 41–42
 - triple integral, 325–326
 - two-way test
 - defined, 261
 - integrals, 270–272
 - overview, 264
 - ratio, 273–274
 - root, 274–275
- *u* •
- unary operator, 56
 - understanding, conceptual, 352
 - unit vector, 312–313
 - unknowns, 176, 181–183
 - unsigned area, 209, 211–213, 344

• U •

variable

functions of several, 319–321
Fundamental Theorem of Calculus, 95

variable substitution

anti-differentiation, 4
integrating rational function, 193
linear factor cases, 184–185
overview, 117
versus trig substitution, 161–162
use of

to evaluate definite integrals, 132–133
finding integral of nested functions,
118–120

finding integral of product, 120–121

integrating function multiplied by set of
nested functions, 121–122

overview, 118

when to use

integrating nested functions, 123–125
overview, 123

shortcut for nested functions, 125–128

when one part of function differentiates
to another, 129–132

vector

basics, 308–309

calculating with

adding and subtracting, 313–314

finding unit vector, 312–313

magnitude, 310–311

overview, 310

scalar multiplication, 311–312

overview, 308

versus scalars, 310

vertical asymptote, 201

vertical cross section, 238

vertical transformations of function, 48

vertical z-axes in cylindrical coordinate system, 316

vertical-line test, 319–320

vertically infinite improper integral, 199, 201–204

volume

measuring under surface, 323–324

meat-slicer method to find

overview, 220

pyramids, 222–224

rotating solids, 225–226

solids between different surfaces,
230–234

solids of revolution, 227–228

solids with congruent cross sections,
220–221

solids with similar cross sections,
221–222

weird solids, 224–225

shell method

overview, 234

peeling and measuring can of soup,
235–236

use of, 236–238

• W •

well defined integral, 115

width, 24

• X •

x-axis

area problems, 15

Cartesian coordinates, 314

definite integrals, 12

signed areas, 209

• Y •

y-axis in Cartesian coordinate system, 314

• Z •

z-axis in Cartesian coordinate system, 314