

# Subject Index

- ACOV matrix, *see* Covariance matrix of parameter estimates, asymptotic
- ADF, *see* Arbitrary distribution function
- AIC, *see* Model fit index, Akaike information criterion
- Akaike information criterion, *see* Model fit index, Akaike information criterion
- ALT model, *see* Autoregressive latent trajectory model
- Antisocial behavior in children, 155–160
- AR model, *see* Autoregressive model
- Arbitrary distribution function (ADF), 239n
- ARCL model, *see* Autoregressive model, cross-lagged
- Aristotle, 10
- Assumptions
- of autoregressive models, 209
  - of autoregressive latent trajectory models, 212–213, 227
  - of conditional latent curve model, 127, 129, 193, 244
  - of latent curve models, 20, 22, 90, 127, 129, 163, 193
  - of maximum likelihood, 39, 55–56, 136–137
  - of missing data, 60–62, 73
  - of ordinary least squares, 17–18, 26, 28, 39, 135n
  - of unconditional latent curve model, 20, 22, 90, 163, 193
  - multiple group analysis, 175, 179–182
  - violated by using ordinal or dichotomous data, 230–232, 239–240
- Asymptotic
- covariance matrix, *see* Covariance matrix of parameter estimates, asymptotic
  - distribution of test statistic, 44
  - efficiency, 41–42, 65
  - equivalence, 87
  - normality, 41, 65
  - robustness, 56
  - standard errors, 48, 56, 65, 67, 70, 96, 119, 137, 143–148, 167, 206
- Autoregressive latent trajectory model, 188, 208–220, 223–228, 247
- assumptions of, 212–213
  - conditional bivariate, 214–217
  - conditional multivariate, 224–225
  - empirical example, 215–217
  - general notation for, 218–220, 223–225
  - identification, 225–227
  - unconditional univariate, 213–214
- Autoregressive (AR) model, 2, 208–220, 223–228
- assumptions of, 209
  - cross-lagged (ARCL), 209–210
  - general notation for, 218–220
- Auxiliary threshold model, 232–236
- empirical example, 233–236, 240–244
  - identification, 233, 236
- Bartlett scores, *see* Factor scores
- Baseline fit indices, *see* Model fit index, baseline indices
- Bayesian information criterion, *see* Model fit index, Bayesian information criterion
- Bayesian methods, 67
- Best linear unbiased estimator (BLUE), 26
- Bias, 27, 55, 62–63, 211, 213
- BIC, *see* Model fit index, Bayesian information criterion
- BLUE, *see* Best linear unbiased estimator

- Bootstrapping procedures, 56, 137, 231
- Case-by-case approach, 25–34, 48–53, 132–133, 135n, 137n, 166  
 advantages of, 33  
 and multiple groups, 166, 184–187  
 application of, 25–29  
 conditional latent curve model, 132–133, 135n  
 limitations of, 33–34, 133  
 model fit, 29–33, 48–53  
 unconditional latent curve model, 25–34, 48–53
- Categorical data, 245. *See also* Dichotomous data; Ordinal data
- CFI, *see* Model fit index, comparative fit index
- Chi-square difference test, *see* Likelihood ratio test
- Chi-square distribution, noncentral, 57
- Chi-square test statistic, *see* Model fit index, chi-square
- Child weight, 94–97
- Chronological age, *see* Time, chronological age
- Cluster analysis, 33, 180, 183–187
- Cohort, 77–78, 81, 84
- Cohort-sequential approach, 84
- Combined model, 21, 22, 74, 90, 127–129, 174
- Comparative fit index, *see* Model fit index, comparative fit index
- Complete case analysis, *see* Missing data, complete case analysis
- Completely latent (trajectory) model, *see* Nonlinear trajectory, freed-loading model
- Component fit, *see* Model fit; Model fit index
- Conditional latent curve model, 7, 9, 126–161, 202–204, 258–259  
 and indirect effects, *see* Indirect effects and interaction effects, *see* Interaction effects and multiple groups, 163–169  
 assumptions of, 127, 129, 193, 244  
 autoregressive latent curve model, *see* Autoregressive latent curve model, conditional  
 defined, 127  
 empirical example, 155–160  
 equation, 126–128  
 estimation of, 136–137  
 interpretation of effects in, 139–160, 197  
 latent covariates, 259–262  
 matrix expression, 133–135, 173–175, 189–190, 221–222, 224–225  
 mixture model, 182  
 with ordinal repeated measures, 243–244
- Conditional trajectory model, *see* Conditional latent curve model
- Confidence bands, 147n, 149–150, 158–160
- Confidence intervals  
 for parameter estimates, 27, 150  
 for slopes, *see* Confidence bands  
 for RMSEA, 47
- Confirmatory factor analysis, *see* Factor analysis
- Constrained covariance scores, *see* Factor scores
- Cosine, *see* Nonlinear trajectory, cyclical trajectory
- Count data, 245
- Covariance matrix  
 model-implied, 37, 39–41, 64–65, 92, 121–122, 124, 135, 174–175, 190, 225, 231  
 of equation errors, 38, 92, 194, 200  
 of growth factors, 38  
 of parameter estimates, asymptotic (ACOV), 42, 136, 239  
 of residuals, 38, 123, 125, 200  
 sample, 40–41, 69
- Covariance structure  
 equation, 40  
 model-implied, 40–41, 92, 121, 124, 133–136, 174–175, 189–190, 225, 231
- Covariates, *see* Conditional latent curve model
- Crime rates, 3–8, 16–20, 25, 27–33, 42–43, 48–54, 111–112, 166–169, 176–180, 182–183, 185–186
- Cross-lagged effect, 209–210
- Cross-sectional data, 1
- Cubic curve, *see* Nonlinear trajectory
- Cyclical trajectory, *see* Nonlinear trajectory, cyclical trajectory
- Data augmentation, 67
- Decomposition of effects, *see* Indirect effects
- Degrees of freedom (df), 25, 44, 68, 176
- Definition variables, 81–82
- Diagonally weighted least squares (DWLS), 240
- Dichotomous data, 229–245, 257–258, 236. *See also* Ordinal data  
 assumptions violated by, 230–232
- Direct maximum likelihood, *see* Maximum likelihood, direct
- Dummy variable approach, 163–170  
 in conditional latent curve models, 137, 139–140  
 covariates, 168–169  
 empirical example, 166–169, 185  
 identification, 165  
 level 2 models, 165  
 missing data, 63, 73  
 multiple-group analysis, 171, 180, 185  
 parameter estimation, 166
- DWLS, *see* Diagonally weighted least squares

- EM algorithm, 181
- Empirical examples
- antisocial behavior in children, 155–160
  - child weight, 94–97
  - crime rates, 3–8, 16–20, 25, 27–33, 42–43, 48–54, 111–112, 166–169, 176–180, 182–183, 185–186
  - involving multiple groups, 166–169, 176–180, 182–183, 185–186
  - labor force, 215–217
  - liberal democracy, 251–254, 257–258
- National Longitudinal Survey of Youth (NLSY), 59–62, 65–72, 83–87, 94–97, 100–103, 155–160, 191–192, 197–198, 204–207, 215–217, 233–236, 238–244
- neighborhood satisfaction, 233–236, 238–244
  - of autoregressive latent trajectory model, 215–217
  - of auxiliary threshold model, 233–236, 240–244
  - of conditional latent curve model, 155–160
  - of dummy variable approach, 166–169, 185
  - of interaction effect, 155–160
  - of invariance testing, 176–180, 257–258
  - of maximum likelihood, 42–43, 48–54, 69–71, 83–86, 176–179
  - of missing data, 59–62, 65–72, 83–87, 251–254
  - of multiple imputation, 71–73
  - of multiple indicators, 251–254
  - of multivariate latent curve model, 204–207
  - of nonlinear trajectory, 94–97, 100–103, 111–112
  - of ordinal data, 233–236, 238, 240–244
  - of ordinary least squares, 5–6, 16–34, 53–54
  - of time-invariant covariate, 191–192, 197–198, 204–207
  - of time-varying covariate, 197–198
  - reading and math achievement, 59–62, 65–72, 83–87, 100–103, 191–192, 197–198, 204–207
- Equality constraints, *see* Parameter(s), constrained to equality
- Estimator, *see* Diagonally weighted least squares; Maximum likelihood; Ordinary least squares; Weighted least squares
- Exploratory factor analysis, *see* Factor analysis, exploratory
- Exponential trajectory, *see* Nonlinear trajectory, exponential trajectory
- Factor analysis, 12–13, 34–37, 52–53
- exploratory, 12–13, 34
  - model, 121, 248–249
- Factor loading, 35
- and invariance testing, 255–257
  - estimated, 98–103
  - in multiple-indicator model, 252–257
  - in piecewise linear trajectory models, 105
  - in quadratic trajectory models, 89–90
  - in unconditional univariate autoregressive latent trajectory models, 213
  - matrix, 38, 76, 80, 91, 97, 99, 105, 108, 115–119, 173
- Factor regression scores, *see* Factor scores
- Factor scores, 52–54
- indeterminacy, 53
- Factorial invariance, *see* Invariance
- Finite mixture model, *see* Groups, mixture modeling approach
- Fit, *see* Model fit
- Fit index, *see* Model fit index
- Fixed-effects components, 8, 21, 90, 128
- Freed-loading model, *see* Nonlinear trajectory, freed-loading model
- Full information maximum likelihood, *see* Maximum likelihood
- Group-level trajectory, *see* Latent trajectory, mean
- Groups
- analyzing data from, 162–187
  - cluster analysis, 186–187
  - dummy variable approach, 162–169, 171, 179, 185
  - empirical example involving, 166–169, 176–180, 182–183, 185–186
  - interpretation of models involving, 164
  - invariance, *see* Invariance
  - mixture modeling approach, 180–184
  - multiple groups analysis, 162–163, 170–180, 185–186
  - unknown, 180–184, 186–187
- Growth curve, *see* Latent trajectory
- Growth curve models, *see* Latent curve models
- Growth factor, *see* Latent variable
- Growth mixture model, *see* Groups, mixture modeling approach
- Heteroscedasticity, 21, 26n
- Heywood case, 70, 156n
- Hierarchical linear model, *see* Multilevel models
- History of latent curve models, *see* Latent curve models, history of
- Identification, 21–25, 25n, 93–94, 99–100, 106, 112, 121–125, 128–132, 172, 225–227, 233, 236, 251

- Identification (*continued*)  
 algebraic conditions, 23–24  
 defined, 21  
 null beta rule, 132  
 overidentification, 25, 41, 225–226  
*t*-rule for, 23n  
 two-step rule, 130–132, 251  
 underidentification, 21, 25, 225
- IFI, *see* Model fit index, incremental fit index
- Implied moment matrices, *see* Covariance structure, model-implied; Covariance matrix, model-implied; Mean structure, model-implied
- Importance resampling, 67
- Improper solution, 48–49
- Imputation, *see* Missing data, multiple imputation
- Incremental fit index, *see* Model fit index, incremental fit index
- Indirect effects, 141, 155, 204, 250
- Infinite regress, 211
- Interaction effects  
 among exogenous predictors, 140–141, 168–169  
 among exogenous predictors and time, 142–154  
 and multiple groups, 165  
 confidence bands, 147n, 149–150, 158–160  
 empirical example, 155–160  
 higher-order, 150–154  
 nonlinear, 153–154  
 probing, 142–154, 157–160  
 regions of significance, 147–149, 147n, 158–160
- Intercept equation, 20, 22, 25, 89, 97–98, 104, 107, 109, 127, 129, 139–140, 142, 147, 151, 153–154, 163–167, 170–172, 180, 189, 193, 196, 198–199, 203, 211, 214, 243, 248
- Invariance, 249, 254–259  
 empirical examples, 176–180, 257–258
- Kurtosis  
 correcting, 3, 16, 137, 216  
 excess, 44–45, 55–56, 136, 231, 252  
 multivariate, 42, 55, 136, 231
- Labor force, 215–217
- Lagrangian multiplier, 49
- Latent covariates  
 time-invariant, *see* Time-invariant covariate  
 time-varying, *see* Time-varying covariate
- Latent curve models (LCM), *see* book  
 assumptions, 20, 22, 90, 127  
 extensions of, 229–262  
 general notation for, 218–225  
 history of, 9–14  
 matrix expression for, 36–38, 133–135, 173–175, 181, 189–190, 193–194, 197, 203–204  
 multivariate, *see* Multivariate latent curve model  
 nonlinear, *see* Nonlinear latent curve model  
 unconditional, *see* Unconditional latent curve model
- Latent difference score (LDS) model, 208
- Latent factor, *see* Latent variable
- Latent trajectory, 34–35  
 defined, 2, 34  
 equation, 19, 22, 25, 89, 97–98, 104  
 historical conceptualizations, 10–14  
 individual differences in, 8, 12  
 mean, 8–9, 10–11  
 model-implied, 17, 19, 24  
 nonlinear, *see* Nonlinear trajectory  
 predictors of, 9, 12  
 variability in, 8
- Latent variables, 12–13, 34–37, 52  
 change in, 245–262
- LCM, *see* Latent curve models
- Liberal democracy, 251–254, 257–258
- Likelihood ratio test, 49, 51
- Linear latent curve model, *see* Latent curve model
- Linear transformation, *see* Transformation
- LISREL, 108, 227n, 240, 242n
- Listwise deletion, *see* Missing data, complete case analysis
- Loading, *see* Factor loading
- Logistic regression, 243
- Longitudinal data, 1
- MANOVA, *see* Multivariate analysis of variance
- Maximum likelihood (ML), 39–42  
 advantages of, 65  
 assumptions of, 39, 55–56, 136–137  
 direct, 63–66, 70–73, 136–137, 175–176, 181, 238–239, 245  
 empirical examples, 42–43, 48–54, 69–71, 83–86, 176–179  
 estimation of polychoric correlations, 237–239  
 fitting function, 41, 136  
 full information approach, 52  
 limitations of, 87  
 properties of estimates, 41–42  
 robustness of, 55–56, 73
- Mean structure  
 equation, 39, 92–93  
 model-implied, 39–41, 64–65, 92–93, 121, 124, 133–136, 174–175, 189–190, 225, 231

- Measurement model, 130, 245–262
- Mediation, *see* Indirect effects
- Missing at random, *see* Missing data, missing at random
- Missing completely at random, *see* Missing data, missing completely at random
- Missing data, 7n, 58–87, 94n  
and alternative metrics of time, 73–82  
and polychoric correlations and covariances, 238–239, 245  
complete case analysis, 62, 69–72  
direct maximum likelihood, 63–66, 70–73, 137  
empirical examples, 59–62, 65–72, 83–87, 251–254  
listwise deletion, *see* Missing data, complete case analysis  
missing at random (MAR), 58, 61–63, 65, 72–73, 83  
missing completely at random (MCAR), 58–63, 65, 72  
missing indicator approach, 63  
missing not at random (MNAR), 58, 61–63, 65  
multiple imputation, 63, 66–68, 71–73, 86n, 245  
pairwise deletion, 63  
treatment of, 62–73  
typology of, 58–62
- Missing not at random, *see* Missing data, missing not at random
- Mixture model, 180–184
- Model comparison, 171, 216–217, 254–257
- Model fit  
component, 48–54, 138–139  
in case-by-case approach, 29–33, 48–51  
indices, *see* Model fit index  
overall, 44–48, 137–138, 262  
significance tests for component fit, 51–52
- Model fit index. *See also* Empirical examples  
Akaike information criterion (AIC), 47  
baseline indices, 45–46  
Bayesian information criterion (BIC), 47  
chi-square ( $T_{ML}$ ), 44, 56–57, 64–65, 68, 138  
comparative fit index (CFI), 46  
incremental fit index (IFI), 46, 138  
 $R^2$ , 31, 49–50, 138  
relative noncentrality index (RNI), 46, 138  
residual moments, 50–51  
root-mean-square error of approximation (RMSEA), 47, 57, 138  
stand-alone indices, 47  
 $T_{MI}$ , 68  
Tucker-Lewis index (TLI), 45–46, 138
- Model identification, *see* Identification
- Moments, 22–23, 23n
- Mplus, 183n, 252n
- Multilevel models, 54–55, 155n, 245, 262
- Multiple groups, *see* Groups
- Multiple imputation, 63, 66–68, 86n, 245  
empirical example, 71–73
- Multiple indicators, 246–262  
advantages of using, 246–247  
and ordinal data, 257–258  
correlated disturbances, 249–250  
empirical example, 251–254  
model identification, 251
- Multivariate kurtosis, *see* Kurtosis, multivariate
- Multivariate analysis of variance, 12
- Multivariate latent curve models, 188–228  
empirical example, 204–207
- Mx, 64n, 245
- Multivariate skewness, 55
- National Longitudinal Survey of Youth (NLSY), 59–62, 65–72, 83–87, 94–97, 100–103, 155–160, 191–192, 197–198, 204–207, 215–217, 233–236, 238–244
- Negative error variance, 70, 156n
- Nested models, 51
- Nominal data, 245
- Noncentral chi-square, 57
- Nonconvergence, 49
- Nonlinear effects  
of exogenous predictors, 153  
of time, *see* Nonlinear trajectory
- Nonlinear latent curve model, 88–125  
assumptions of, 90  
completely latent model, *see* Nonlinear trajectory, freed-loading model  
structured latent curve models, 109
- Nonlinear trajectory, 88–125  
and interactions, *see* Interaction effects, nonlinear  
cubic trajectory, 97–98  
cyclical trajectory, 109–112  
empirical examples, 94–97, 100–103, 111–112  
estimated factor loadings, *see* Nonlinear trajectory, freed-loading model  
exponential trajectory, 107  
freed-loading model, 98–103, 155  
historical applications, 12  
interpretation of, 94, 97–98, 102–103, 106  
piecewise linear trajectory, 103–106, 124–125  
polynomial trajectory, 89–98, 119  
quadratic trajectory, 89–97, 119–123, 154  
requirements, 7

- Nonnormality  
 adjustments for, 56  
 robustness of methods to, 42, 55–56
- Null beta rule, 132
- Null hypothesis, 44, 48, 51, 56, 60, 68, 150, 185, 258
- OLS, *see* Ordinary least squares
- Ordinal data, 229–245, 257–258  
 assumptions violated by, 230–232, 239–240  
 auxiliary threshold model for, 232–236  
 corrective procedures, 232–240  
 empirical example, 233–236, 238, 240–244
- Ordinary least squares (OLS)  
 advantages of, 53–54  
 assumptions of, 17–18, 26, 28, 39, 135n  
 bias and, 27, 55  
 empirical example, 5–6, 16–34, 53–54  
 intercept estimate, 26  
 limitations of, 28, 33–34, 43  
 precision of, 28–29  
 slope estimate, 26
- Outliers, 31, 49, 262
- Overidentification, *see* Identification
- Pairwise deletion, *see* Missing data, pairwise deletion
- Parameter(s)  
 confidence interval for, 27  
 constrained to equality, 23n, 51–52, 156, 156n, 167, 171–172, 177–179, 213, 250, 255  
 estimation, 25. *See also* Maximum likelihood;  
 Ordinary least squares  
 identification, *see* Identification  
 known, 22, 93, 129–130  
 number of, 23  
 precision of, 28–29  
 standard errors for, 27  
 unknown, 22, 93, 129–130
- Path diagram  
 defined, 35  
 examples of, 35, 69, 81, 86, 91, 101, 105, 128, 131, 132, 157, 164, 173, 195, 196, 199, 202, 205, 209, 210, 212, 214, 215, 249, 251, 260, 261
- Peabody Individual Achievement Test (PIAT), 59–62, 65–72, 83–87, 100–103, 191–192, 197–198, 204–207. *See also* National Longitudinal Survey of Youth
- PIAT, *see* Peabody Individual Achievement Test
- Piecewise linear trajectory, *see* Nonlinear trajectory, piecewise linear trajectory
- Polychoric correlation matrix, 237–240, 244
- Polychoric covariance matrix, 237–240
- Polynomial trajectories, *see* Nonlinear trajectory
- Polyserial covariances, 245
- Power, 44–45, 56–57, 262
- PRELIS, 235n, 240, 242n
- Principal components analysis, 13
- Probit regression, 243–244
- Quadratic curve, *see* Nonlinear trajectory
- $R^2$ , *see* Model fit index,  $R^2$
- Random-effects components, 9, 21, 90, 128
- Raw difference scores, 2
- Reduced-form equation, *see* Combined model
- Regions of significance, 147–149, 147n, 158–160
- Regression, *see* Ordinary least squares
- Relative noncentrality index, *see* Model fit index, relative noncentrality index
- Repeated measures  
 Dichotomous, *see* Dichotomous data  
 latent, 245–262  
 minimum number of, 7, 93  
 ordinal, *see* Ordinal data  
 modeling overview, 16–19
- Resampling procedures, 56, 137, 231
- Residual  
 covariation, 200  
 mean vector, 50  
 moments, 50
- Residualized change model, 210
- Residualized change scores, 2
- RMSEA, *see* Model fit index, root-mean-square error of approximation
- RNI, *see* Model fit index, relative noncentrality index
- Robustness  
 asymptotic, 56  
 to violations of normality assumption, 42  
 to violations of distributional assumptions, 232
- Root-mean-square error of approximation, *see* Model fit index, root-mean-square error of approximation
- Sample size, 45, 57, 63
- SAS, 108n, 186, 227n
- Saturated model, 64, 137, 155
- Scaling  
 latent variables with multiple indicators, 255  
 time metrics, 118–119
- SEM, *see* Structural equation modeling
- Sine, *see* Nonlinear trajectory, cyclical trajectory

- Skewness, 32  
   correcting, 3, 16, 216  
   multivariate, 55
- Slope equation, 20, 22, 25, 89, 97–98, 104, 107,  
 109, 127, 129, 139–140, 142, 147, 151,  
 153–154, 163–167, 170–172, 180, 189,  
 193, 197–199, 203, 211, 214, 243, 248
- Software  
 LISREL, 108, 227n, 240, 242n  
 Mplus, 183n, 252n  
 Mx, 64n, 245  
 PRELIS, 235n, 240, 242n  
 SAS, 108n, 186, 227n
- Specific error, 246
- Specific variance, 246
- Spline, *see* Nonlinear latent curve model
- State-trait-error model, 208
- Statistical power, *see* Power
- Structural equation modeling (SEM)  
 advantages of, 36, 43, 54  
 approach to estimating trajectories, 34–54,  
 90–93, 132–139  
 perspective, 16
- Structured latent curve models, 109
- t*-rule, 23n
- TIC, *see* Time-invariant covariate
- Time  
 and piecewise trajectories, 103–106  
 chronological age, 74–83, 87  
 fully balanced data structure, 75  
 individually varying values of, 81–82  
 metrics of, 35–36, 73–87, 114–120  
 transforming metric of, 112–120  
 wave of assessment, 35–36, 74–79, 82–85, 87
- Time-invariant covariate (TIC), 188–192,  
 195–198, 201–207  
 defined, 190  
 empirical example, 191–192, 197–198,  
 204–207  
 latent, 259–262
- Time-varying covariate (TVC), 188, 190n,  
 191–198, 207–210, 218–220, 222–223  
 defined, 34  
 empirical example, 197–198  
 general notation for, 218–220, 222–223  
 latent, 261–262  
 unconditional TVC model, 193–194
- TLI, *see* Model fit index, Tucker-Lewis index
- $T_{MI}$ , *see* Model fit index,  $T_{MI}$
- Trajectory, *see* Latent trajectory
- Transformation  
 of repeated measures, 112–113  
 of time metric, 112–120
- Tucker-Lewis index, *see* Model fit index,  
 Tucker-Lewis index
- TVC, *see* Time-varying covariate
- Two-step rule, 130–132, 251
- Unconditional latent curve model, 7, 16–57,  
 188–189, 193, 201–202  
 and multiple groups, 170–172  
 and time-varying covariates, 193  
 assumptions of, 20, 22, 90, 163, 193  
 case-by-case approach, 25–34  
 defined, 16, 21  
 estimation of, 39–42  
 equation, 19, 73–74  
 identification of, 21–25  
 matrix expression, 38, 189, 193–194, 197,  
 220–221, 223–224
- Unconditional trajectory model, *see*  
 Unconditional latent curve model
- Underidentification, *see* Identification
- Uniform Crime Reports (UCR), 3–6, 111,  
 166n
- Unique variance, 246
- Wald test, 49
- Wave of assessment, *see* Time, metrics of
- Weighted least squares (WLS) estimator, 26n,  
 239–240