

# Index

- ABB Lummus Global Inc., 170, 174, 175, 178, 211, 220, 225, 230, 248, 249, 251, 265, 266, 277, 278, 283, 287, 288, 289, 297, 318, 319, 323
- Acetic acid, 271
- Acorn methane wash, 178
- Acorn partial condensation, 179
- Acoustic resonance, 90
- Acoustic velocity ( $C_s$ ) MAKE ITAL C SUB S, 97, 98
- Acrylonitrile, 271
- ADAPT (gas dehydration and hydrocarbon dewpointing), 159
- ADIP, 161
- ADIP-X, 162
- Adjustable diffuser vanes, 105, 109
- Adjustable guide vanes, 54
- Advantica Technologies Ltd., 159, 163
- Aeroderivative gas turbines, 118
- Air compressors, 115
- Air Products and Chemicals, Inc., 179, 184, 186, 204
- Aker Kvaerner, 254
- Akzo Nobel Catalysts B.V., 243, 250
- Alcoa Inc., Alcoa World Chemicals, 168
- Alignment, 75
- Alkylolation, 211, 212, 213, 214  
  feed preparation, 214
- Alkylbenzene, linear, 272
- Alpha olefins, linear, 272
- Amine Guard FS, 162
- Aminex, 187
- Ammogen, 202
- Ammonia, 273, 274
- Ammonia, KBR purifier, 275
- Ammonia synthesis, 124, 125
- AMOCO, 194, 195, 201
- Aniline, 275
- Antisurge, 101
- Antisurge control, 106  
  controller, 105  
  system, 103
- valve, 109
- API Standard 614, 27, 28, 65, 66, 127
- API Standard 617, 62, 84, 111, 127
- API Standard 618, 3, 5, 8
- API Standard 619, 21, 25, 32
- API Standard 671, 75
- API valve velocity, 7
- Aquisulf, 193
- Aromatics extraction, 215, 276
- Aromatics, extractive distillation, 215, 276
- Aromatics, recovery, 216
- ASME PTC 10, 111, 113
- Asphaltene dispersants, 38
- Asphaltenes, 35
- Asset management system, 88
- Automatic flow-control system, 19
- Automatic surge controls, 107
- Auxiliary bearing, 82, 84
- Auxiliary bearing clearance, 83
- Auxiliary lube pump, 5
- Auxiliary support systems, 39
- Auxiliary systems, 31
- Availability and plant throughput, 67
- Axens, 164, 172, 211, 214, 216, 218, 228, 235, 236, 239, 260, 261, 262, 272, 278, 281, 284, 293, 301, 302, 305, 319, 327
- Axens NA, 214, 216, 218, 228, 229, 235, 236, 239, 250, 260, 261, 272, 281, 284, 293, 301, 302, 305, 319, 327
- Axial air compressors, 143
- Axial air machine, 126
- Axial float, 76
- Axial turbocompressors, 39, 40
- Axial-centrifugal turbocompressor, 41
- Axial-flow compressor, 151
- Axially grooved bearings, 59
- Babbitt, 61
- Babbitt lining, 61
- Backpressure steam turbine, 16

- Backward lean, 49
- Badger Tech., 223, 243, 258
- Balance drums, 63
- Balance pistons, 63, 66
- BARCO, 217
- Barrel construction, 42
- Barrel-type compressor, 52
- Barrier-water system, 30
- Barrier-water, floating-ring seals, 30
- Barring the crankshaft, 4
- Basell Polyolefins, 309, 313, 314
- BASF AG, 307, 268
- Bearing covers, 3
- Bearing environment, 30
- Bearing geometries, 59
- Bearing temperature, 61
- Bearings, 30
- Beavon 202
- Bechtel Corp., 221, 227, 256
- Belco Technologies Corp., 255, 263, 267, 268
- Bender, 187
- Bending moment, 75
- Benfield, 163
- Bently Pressurized Bearings, 86
- Benzene, 277
- Benzene reduction, 216
- BioDeNO<sub>x</sub>, 206
- BioStar B.V., 206
- Bisphenol-A, 277
- Black & Veatch Pritchard Inc., 177, 255, 264
- Blast furnace and coke oven gas, 124
- BOC Gases, 195, 201
- BOC Group, Inc., 255
- Borealis A/S, 310, 315
- BP, 310, 316
- BP Chemicals, 281, 318
- Broken rods, 10
- BTX aromatics, 278, 279
- Buffer gas, 63, 71, 73
  - conditioning, 74
  - filter, 72
- Built-in Volume Governor, 31
- Bull gear, 49
- Bushing seal, 63
- Butadiene extraction, 280
- Butanediol, 1,4-, 280, 281
- Butene-1, 281
- Butyraldehyde, n and i, 282
- Bypass, 31
  
- Cansolv Technologies Inc., 268
- Capacity, 21
  - of multistage centrifugal compressors, 115
- Capacity control slide valve, 25
- Caprolactam, 282
- Cascade arrangement, 116
- Casing layouts, 47, 53
- Cast iron casings, 40
- Catalytic cracking, 217
- Catalytic dewaxing, 218, 219
- Catalytic reforming, 219
- Catalytic SO<sub>x</sub> removal, 220
- Cavity volume, 21
- CDTECH, 229, 245, 252, 254, 283, 287
- Centered pivots, 61
- Centrifugal compressor performance curve, 47
- Centrifugal force, 14
- Chevron Lummus Global LLC, 236, 237
- Chevron Phillips Chemical Co., LP, 311
- Chicago Bridge & Iron Co., 228, 246
- Chisso Corp., 316, 322, 326
- Chiyoda Corp., 271
- Chlorides, 14
- Chlorine gas, 126
- Choking condition, 98
- Circulating (force-feed) lube oil system, 27
- Circulating seal oil system, 28
- Circumferential barrier seal, 62
- Circumferential speed of male rotor, 29
- Claus, high ratio (HCR), 194
- Claus, modified, 194
- Claus, oxygen-enriched, 195
- Clauspol, 203
- Clinsulf-SDP, 203
- Closed impellers, 47
- Closed-impeller construction, 49
- Closed-loop bearing-oil circuit, 30
- Coalescer cartridges, 33
- Coalescer elements, 32
- Coalescer vessels, 34
- Coalescing filter cartridge, 37
- CO<sub>2</sub> recovery, 170
- CO<sub>2</sub> recovery and purification, 170
- CO<sub>2</sub> removal
  - LRS 10, 163
  - molecular gate, 164
- Coke gas service, 21
- Coking, 220, 221
- Cold Bed Adsorption (CBA), 195
- Combined lube-and-seal-oil systems, 65
- Composite gas, 14
- Compression heat, 23
- Compression ratio, 21, 29
- Compression ratios, 40
- Compression rings, 10
- Compressor
  - characteristic, 105
  - crankcase, 12
  - discharge scrubber, 33
  - flow options, 66
  - main shaft seals, 30
  - operating parameters, 102
  - packing, 11
  - performance and surge limits, 104
  - seals, 65
  - sleeve bearing, 60
  - stage, definition, 24
  - testing, 111, 113
  - upgrading, 114
  - valves, 7
- Condensation of aerosols, 73
- Connecting rod, 4

- Connelly-GPM, Inc., 195
- Conoco Inc., 212
- Conoco Gas Solutions, a division of Conoco Inc., 192
- ConocoPhillips Co., Fuels Technology Division, 227, 234, 252
- Constant discharge pressure, 16
- Contoured diaphragm couplings, 75
- Control loop, 81
- Control strategies, 108
- Control systems, 100
- Coolant circulation, 7
- COPE, 204
- Coping studies, 39
- Costain Oil, Gas & Process Ltd., 170, 173, 176, 184
- Coupling resonances, 78
- Coupling selection, 79
- Coverage chart, 43
- Cracked gas compressor string, 149
- Crankcase, 3
- Crankshaft, 4
  - speeds, 3
- CRG processes, prereforming, derichment, methanation, 189
- Critical speed, 61
- Criterion Catalyst and Technologies Co., 248
- Crosshead, 4, 5, 13
- Crude distillation, 222, 223
- Cryogenic expanders, 133
- Cryogenic turboexpander, 134
- Cryomax DCP (dual-column propane recovery), 172
- Cryomax MRE (multiple reflux ethane recovery), 171
- Cryo-Flex, 171
- CrystaSulf, 196
- CrystaTech, 196
- Cumene, 283, 284
- Cyclohexane, 284
- Cycle gas compressor data, 85
- Cylinder
  - cooling, 6
  - corrosion, 7
  - materials, 5
  - sizing, 5
  - support, 13
  - temperatures, 5
- Data acquisition, 89
- Data loggers, 88
- Data-acquisition system, 90
- Davy Process Technology, 189, 192, 261, 280, 282, 285, 286, 287, 297
- DCS system, 88
- Dearomatization, middle distillate, 223
- Deasphalting, 224
- Deep catalytic cracking, 225
- Deep thermal conversion, 225
- Deflocculating agents, 34
- Desulfurization, 226
- Dewaxing/wax deoiling, 227
- D'Gaass, 196
- Diaphragm cooling, 95
- Diaphragm couplings, 75
- Diesel desulfurization, 227
- Diesel hydrotreatment, 228
- Diffuser vanes, 105
- Diffusers, 52
- Dimethyl terephthalate, 285
- Dimethylformamide, 285
- Disc couplings, 76
- Disc pack coupling, 78
- Discharge pressure control, 110
- Discharge pressures, 3
- Discharge scrubber, 33
- Disengagement clutch, 125
- Distance piece, 11, 13
- Distributive control systems, 88, 106
- Double helical screw compressors, 23
- Dow Chemical Co., 282, 293, 295, 317
- Drigas, 159
- Drizo gas dehydration, 160
- Dry compression, 23
- Dry gas seal (DGS), 61, 66
  - failures, 72
  - operating and maintenance costs, 67
  - retrofit, 74
- Dry screw compressors, 23, 29
- Dry-screw machines, 29
- Dual-circuit oil-flooded machines, 29
- Dynamic compressor, 39
- Dynamic stability, 49
- Ecoteg, 160
- EDC via oxygen lean oxychlorination, 286
- Efficiency, 14, 15
- Efficiency versus flow coefficient, 97
- Electric power generator., 136
- Electrical desalting, 228
- End covers, 51
- Engelhard Corp., 164, 165, 223
- Entrained vapors, 14
- Entrainment of liquids, 13
- Ethanolamines, 286
- Ethers, 229
- Ethers-MTBE, 230
- Ethyl acetate, 287
- Ethylbenzene, 287, 288
- Ethylene, 289, 290, 291, 292
- Ethylene feed pretreatment, mercury, arsenic, and lead removal, 293
- Ethylene glycol, 7, 293, 294
- Ethylene oxide, 295, 296
- Expander rings, 10
- Expansion turbine, 133
- Externally pressurized bearing system, 87
- ExxonMobil Chemical Co., 301, 305, 311, 327
- ExxonMobil Research and Engineering Co., 197, 211, 217, 231., 233, 242, 257, 258
- Fabricated (rolled plate, welded) construction, 45
- Female rotor, 23
- Fertilizer plants, 120, 121
- Field testing, 88
- Fields of application for oil-free machines, 29
- Filter-separator, 34, 35, 37
- Filtration, of sealing gas, 73

- Fina Research S.A., 250  
 Fina Technology Co., 324  
 Flame arrestor, 72  
 Flexible-element diaphragm coupling, 77  
 Flexsorb solvents, 197  
 Floating rings and mechanical seals, 30  
 Flooded screw compressor, 24  
 Flow booster, 19  
 Flow coefficient ( $\phi$ ), 49, 96  
 Fluid catalytic cracking, 230, 231, 232, 233  
 Force feed lube oil system, 27  
 Forged steel casing, 44  
 Formaldehyde, 296  
 Fortum Oil and Gas OY, 253  
 Foster Wheeler, 183, 221, 222, 224, 244, 267  
 Freon gases, 99  
 Full-load tests, 112  
 Full-load/idling-speed governor, 31
- Gas**  
   analysis, 13, 38  
   conditioning units, 73  
   contaminants removal, multibed, 164  
   discharge temperature, 5  
   lift, 117  
   pipeline, 107  
   processing, 134  
   purge, 26  
   reinjection services, 117  
   testing, 37  
   transportation, 117  
   velocity, 3  
 Gas treating, H<sub>2</sub>S removal, 233  
 Gasification, 234  
 Gaskets, 12  
 Gasoline desulfurization, 234  
 Gasoline desulfurization, ultra-deep, 235  
 Gas Technology Products LLC, 197  
 Gas-to-liquids (GTL), 192, 193  
 Gear couplings, 79  
 Gear-type couplings, 75  
 Goar, Allison & Associates, Inc., 196, 199, 204  
 Grooved piston, 16  
 GTC Technology Inc., 216, 278, 285, 323  
 Guarantee point, 111  
 Guide rails, 44  
 Guidelines for applying magnetic bearings, 80
- H<sub>2</sub>S, 30, 33, 66, 69, 118  
   tolerance, 29  
 H<sub>2</sub>S and SWS gas conversion, 235  
 Haldor Topsøe A/S, 181, 185, 190, 191, 212, 218, 220, 226, 235,  
   240, 240, 241, 246, 263, 273, 296, 299, 300  
 Head coefficient ( $\psi$ ), 96  
 Head developed by a given impeller, 108  
 Head versus flow characteristics, 108  
 Heat exchanger, 7  
 Helical screw compressors, 21  
 HERA, 202  
 Hermetically sealed motor compressor, 86
- High-exponent gas, 15  
 High-frequency oil whip, 56  
 High-pressure centrifugal compressors, 117  
 High-pressure geared centrifugal compressor, 118  
 High-speed compressors, 115  
 Honeycomb designs, 56  
 Horizontally split compressors, 42, 44, 49  
   size comparisons, 44  
 Horizontally split construction, 40  
 Howe-Baker Engineers, Ltd., 182, 190, 228, 246  
 Hydraulic efficiency, 95  
 Hydro, 303  
 Hydrocracker compressor, 37  
   problems, 37  
 Hydrocracker machines, 34  
 Hydrocracker units, 33  
 Hydrocracking, 236, 237, 238  
 Hydrocracking, residue, 239  
 Hydrocracking/hydrotreating, VGO, 239  
 Hydrocracking (mild)/VGO hydrotreating, 240  
 Hydrodearomatization, 240, 242  
 Hydrodesulfurization, 241  
   ultra-low-sulfur diesel, 241  
   pretreatment, 243  
   UDHDS, 243  
 Hydrodynamic bearings, 56  
 Hydrofinishing/hydrotreating, 244  
 Hydrogen, 179, 180, 244  
 Hydrogen, HTCR-based, 181  
 Hydrogen (Polybed PSA), 181  
 Hydrogen (Polysep membrane), 182  
 Hydrogen (steam reform), 182, 183  
 Hydrogen and liquid hydrocarbon recovery, cryogenics, 184  
 Hydrogen recovery (cryogenic), 184  
 Hydrogen, steam methane reform (SMR), 185  
 Hydrogen-methanol decomposition, 185  
 Hydrogen, prism membrane, 186  
 Hydrogen, prism PSA, 186  
 Hydrogenation, 245  
 Hydrotreating, 245, 246, 247, 248, 249  
   aromatic saturation, 249  
   catalytic dewaxing, 250  
   resid, 250  
 Hydrogen-rich service, 44
- Ifpexol, 161  
 IFP Group Technologies, 232  
 Impeller characteristic, 100  
 Impeller-eye labyrinths, 55  
 Impeller-tip speed, 107  
 Impingement separators, 34  
 Inducer-type impeller, 49  
 Inlet guide vane angle, 54  
 Inlet guide vanes, 105, 137  
 Inlet Mach number, 99  
 Inlet temperature, 16  
 Inner bundle, 52  
 Intake volume and mass flows, 117  
 Integral gear expander/generator, 138, 139, 140  
 Integrally geared high-speed packaged centrifugal air  
   compressors, 39

- Integrally geared multistage process gas compressor, 58  
 Integrally geared turbocompressor, 156  
 Intercooling, 95  
 Internal seals, 30  
 Interstage cooling, 25  
 Intregally geared, high-speed "packaged" air compressor, 42  
 Inventa-Fischer, 308, 309, 325  
 Iron Sponge, 165  
 Iron sulfide, 34, 35, 37  
 Isomerization, 251, 252, 253  
 Isooctane, 253  
 Isooctane/isooctene, 254  
 Isooctene/Isooctane/ETBE, 254  
 Isothermal compression, 95  
 Isothermal compressor, 96
- JGC, 247,  
 Journal bearings, 30
- Kellogg Brown & Root, Inc., 224, 231, 253, 271, 274, 275, 280, 289,, 304, 320  
 King Tool Company, 34  
 KTC retrofit experience, 37
- Labyrinths, 55  
   clearances, 61  
   materials, 55  
   piston compressor, 16, 17, 18  
   seals, 62, 63, 64, 139  
 Laminated tangential links, 76  
 Lead Babbitt, 61  
 Leakage gas, 26  
 Leakage line to flare, 69  
 Le Gaz Integral, 171, 200  
 Life cycle cost comparison of dry gas versus wet sealing systems, 67  
 Limiting rod loads, 6  
 Linde AG, 167, 179, 203, 273, 290  
 Linde BOC Process Plants, LLC, 247, 260  
 Linde Process Plants, Inc., 171  
 Linkage elements, 60  
 Liquefied natural gas (LNG), 116  
 Liquid carryover, 34  
 Liquid disengagement vessel, 37  
 Liquid film or contact seals, 62, 63  
 Liquid injection, 29  
 Liquid removal, 23  
 Liquid-buffered bushing seal, 62  
 Liquid-injected machine, 24  
 Liquefin, 172  
 LNG end flash MLP (maxi LNG production), 173  
 LNG plants, 173  
 LNG-Pro, 174  
 Lobe-type bearings, 59  
 LO-CAT, 197  
 Lock-up of gear teeth, 75  
 Lonza S.p.A., 297  
 Loss of coating, 23  
 Low parameters, 47  
 Lower explosive limit, 71  
 Low-exponent gas, 15
- Low-moment configurations, 78  
 Low-temperature NO<sub>x</sub> reduction, 255  
 LPG recovery, 255  
 LTGT (Lurgi tail-gas treatment process), 204  
 Lube and seal oil systems, 31  
 Lube hydroprocessing, 256  
 Lube-oil tank explosion, 67  
 Lube pump, 5  
 Lube treating, 256, 257, 258  
 Lubrication problems, 16  
 Lurgi Oel Gas Chemie GmbH, 166, 167, 183, 189, 193, 198, 204, 206, 281, 298, 307, 320, 321, 324, 325  
 Lyondell Chemical Co., 252, 254
- Mach number (Ma), 97, 98, 99  
 Machine-protective controls, 109  
 Magnetic bearings, 85, 135  
   arrangement, 80  
   compressor, 85  
   control systems, 83, 84  
   expander/compressor, 137  
   hardware, 81  
   load capacity, 82  
   system, 81  
   technology, 79  
 Magnetic poles, 81  
 Magnetic thrust bearing, 79, 82  
 Magnetic thrust stator, 83  
 Main bearings, 3, 5  
 Maintenance cost reductions, with KTCs, 38  
 Maleic anhydride, 297  
 Male rotor, 23  
 Marine coupling, 78  
 Materials for rotating seal faces, 68  
 Maximum allowable compression ratio, 29  
 Mechanical contact seal, 26  
 Mechanical seals, 30  
 Mericat II, 188  
 Merichem Chemicals & Refinery Services LLC, 187, 188, 265  
 Merox, 198  
 Methanol, 297, 298, 299, 300  
 Methylamines, 300  
 Methyl chloride, 14  
 Misalignment, 76  
 Mitsubishi Chemical Corp., 277  
 Mitsui Chemicals, Inc., 312, 317  
 Mixed refrigerant cycle (MRC), 116  
 Mixed xylenes, 301  
 Molecular weight, 14  
 Monsanto Envirochem Systems, Inc., 207  
 MTBR (mean time between repair), 34  
 Multiple diaphragm couplings, 76  
 Multipurpose gasification, 189  
 Multiservice composite centrifugal compressors, 115  
 Multistage (multicasing) arrangements, 25  
 Multistage barrel compressors, 44  
 Multistage, direct-driven process gas compressor, 119
- N<sub>2</sub> rejection, molecular gate , 165  
 Natural gas storage compressor data, 85  
 Natural-gas-based fertilizers, 120

- NGL recovery, 174  
 NGL-Pro, 175  
 Niro Process Technology B.V., 306, 326  
 Nitrogen rejection, 175  
 Nitrogen removal (reject), 176  
 NO<sub>x</sub> abatement, 258  
 Nodular iron, 5  
 Nomenclature, centrifugal compressors, 46  
 Noncontacting eddy current displacement or velocity probes, 88  
 Nonlubricated cylinder, 3  
 Nonsparking environment, 126  
 Novolen Technology Holdings C.V., 314
- Octenes, 302  
 Offshore module, 123  
 Offshore services, 117  
 Oil carryover, 32  
 Oil-flooded construction, 29  
 Oil-flooded machines, 21  
 Oil-flooded twin-screw compressors, 29  
 Oil-free equipment train, 79  
 Oil-free rotary compressors, 21  
 Oil-injected (oil-flooded) compressors, 23  
 Oil purification, 33  
 Oil purifier, 33  
 Oil scraper rings, 5  
 Oil Separation, 32  
 Oil-trap float failure, 67  
 Olefins, 259, 303, 304  
   recovery, 260  
 Oligomerization of C<sub>3</sub>C<sub>4</sub> cuts, 260  
 Oligomerization—polynaphtha, 261  
 On-line condition-monitoring, 88  
 On-stream cleaning, 24  
 On-stream gas analysis, 37  
 On-stream testing, 114  
 OPC Drizo, Inc., 160  
 Open impellers, 47  
 Operating envelope for dry gas seals, 70  
 Orbiting frequency, 56  
 O-ring seal, 15  
 O-rings, 12  
 Outdoor compressor installation, 123  
 Overcooling of the cylinder, 7  
 Overhung design, 47  
 Overhung impeller, 85  
 Overspeed spin testing, 49  
 OxyClaus, 198  
 Oxygen compressors, 126
- Packaged compressors, 115  
 Packaged high-speed compressors, 115  
 Packing area, 14  
 PAG (polyalkylene glycol) lubricants, 34  
 Paques Bio System B.V., 207, 208  
 Paraffin, normal, 304  
 Parallel operation, 16  
 Parallel-wall diffusers, 52  
 Paraxylene, 305, 306  
 Parsons Energy & Chemicals Group, Inc., 195, 201, 202  
 Payback, for reverse-flow mist coalescers, 37
- PDVSA-INTEVEP, 241  
 PEEK high-performance plastic, 34  
 Penalties for missed performance, 114  
 Performance data, 135  
 Performance deterioration, 114  
 Performance tests, 111  
 Petreco International Inc., 187  
 PetroFlux, 176  
 Phenol, 307  
 Phthalic anhydride, 307  
 Piezoresistive pressure transducers, 89  
 Pipeline barrel compressor, 120  
 Pipeline booster compressors, 116  
 Pipeline centrifugal compressor, 121  
 Pipeline compressor, 122  
 Piston rod, 10  
 Piston speeds, 3  
 Pistons, 10  
 Plate valve, 11  
 Plug unloaders, 15  
 Polyalkylene terephthalates, PET, PBT, PTT, PEN, 308  
 Polycapraamide, 308  
 Polyesters (polyethylene terephthalate), 309  
 Polyethylene, 309, 310, 311, 312  
 Polyethylene, HDPE, 313  
 Polyethylene, LDPE, 313  
 Polypropylene, 314, 315, 316, 317  
 Polystyrene, 318  
 Polytropic analysis, 95  
 Polytropic efficiency ( $\eta_p$ ), 95  
 Polytropic exponent, 14  
 Poppet valve, 10  
 Portable data gathering, 88  
 Position sensors, 81, 82  
 Prereforming with feed ultrapurification, 261  
 Pressure coefficient ( $\psi$ ), 95  
 Pressure controller, 31  
 Pressure differential (discharge pressure minus inlet pressure), 25  
 Pressure rise and specific compression work, 117  
 Pressure-dam sleeve bearings, 56  
 Pressurized bearings, 87  
 Pressurized water lubrication, 29  
 Prico (LNG), 177  
 Primary and secondary separators, 31, 32  
 Primary separator, 33  
 Principles of sealing, 26  
 Pritchard Corp, 198  
 Process control, 106  
 Process control scheme, 110  
 Process controls, 108  
 Process Dynamics, 247  
 Process refrigeration, 116  
 Propylene, 319, 320, 321  
 Propylene, methanol for propylene (MTP), 321  
 Prosernat IFP Group Technologies, 160, 161, 200, 203  
 Protective controls, 108, 109  
 Puraspec, 166  
 Purge gas, 26  
 Purisol, 166  
 PVC (suspension), 322  
 P-V card client, 93

- Quantity relationships, 48
- Radial bearing stator, 82
- Radial magnetic bearing, 82
- Rain-seal drum, 31
- Randall Gas Technologies, 174, 175, 178
- Rectisol, 167
- Recycle valves, 101
- Reduced moment geometries, 78
- Refinery processing, 118
- Refrigeration load capability, 120
- Reinjected gas, 117
- Relative gas velocity, 97, 99
- Relative Mach number, 99
- Research Institute of Petroleum Processing, 225, 304
- Resid catalytic cracking, 262
- Residue hydroprocessing, 262
- Restrictive carbon ring seal, 63
- Result, 205
- Retrofit parts, 131
- Retrofitting dry gas seals, 72
- Revamp implementation, 114
- Reverse-flow filter-coalescer, 36
- Reverse-flow mist coalescers, 34
- Rider rings, 10
- Rod load, 5, 6
- Rolling-element bearings, 30, 33
- Room-temperature vulcanizing compounds (RTVs), 42
- Rotary piston blowers, 29
- Rotor dynamics, 73
  - analysis, 72, 78, 79
- Rotor laminations, 81
- Rotors retrofitted with dry gas seals, 74
- Rotors with synthetic coatings, 23
  
- Scientific Design Co., Inc., 294, 295
- SCOT, 205
- Screw compressors, 29
  - applications, 29
- Seal blowout, 67
- Seal damage, 69
- Seal face configurations, 68
- Seal failures, 72
- Seal gas, 71
  - pressure intensifier, 73
  - temperature, 71
- Seal leakage, 72
- Seal liquid, 26
- Seal oil, 26
- Seal oil system, 28
- Seal support panel, 72
- Seal support system, 70
- Seal tip speed, 68
- Seal types, 30
- Seal-leakage rate, 68
- Secondary sealing rings, 69
- Secondary separator, 33
- Sections, 47
- Selectox, 199
- Selexol, 167
- Selexsorb, 168
- Self-acting gas seals, 30
- Self-cleaning, reverse-flow coalescer/slug catcher vessels, 37
- Self-cleaning, reverse-flow coalescers, 38
- Semi-open and closed impeller designs, 54
- Separation gas, 71
- Separator cartridges, 32
- Separex membrane systems, 177
- Series system, 16
- Settling-out pressure, 70, 72
- Shaft orbit, 94
- Shaft sealing, 26
- Shear rings, 51
- Shell Global Solutions International B.V., 161, 162, 169, 199, 200, 205, 207, 222, 225, 232, 234, 237, 249, 256, 262, 265, 266
- Shell International Chemicals B.V., 294, 296
- Shell International Oil Products B.V., 207, 208
- Shell-Paques/Thiopaq process, 207
- Shell-Thiopaq DeSO<sub>x</sub>, 207
- Shop testing, 39, 112
- SIIRTEC NIGI, 159, 160, 194, 195, 202
- Single contoured-diaphragm couplings, 75
- Single-stage, overhung compressor, 55
- SK Corp., 243, 248
- Skid-mounted machine, 136
- Sleeve bearings, 30
- Slide valves, 31
- Sliding bearings, 30
- Slug interceptors, 34
- SNAICO Engineering S.p.A., 282
- Snamprogetti SpA, 228, 254
- SNIA BPD S.p.A., 282
- SO<sub>2</sub> removal, 263
- Solid particles, 14
- Solids carryover, 35
- Sonic velocity, 97, 98
- Sour crude refining services, 37
- Sour gas treatment, 263
- Sour seal oil, 63
- Specific heat ratio, 29
- Specific load capacity, 81
- Spent acid recovery, 264
- Split sidestream compressor, 56
- Spray-lubricated tilting pads, 61
- SRU, .199
- Stage of compression, 24, 47
- Stage unloading, 15
- Stages., 47
- Steam turbine drivers, 16
- Steam turbine start-ups, 110
- Step-up gear, 16
- Stonewall or choke limit, 107
- Stone & Webster Inc., 225, 232, 262, 290, 304
- Stratco, Inc., 213
- Styrene, 323, 324
- Subsynchronous oil whirl, 56
- Subsynchronous vibration, 118
- Suction pressure, 16
  - increased, 16
- Suction scrubber, 31, 33
- Suction throttle control, 31
- Suction valve throttling, 109

- Suction valve unloader, 15
- SulfaClean-HC, liquid sweetening, 168
- SulfaTreat, gas or air H<sub>2</sub>S removal, 169, 169
- Sulfinol, 169
- SulFerox, 200
- SulfintHP, 200
- Sulfreen, 206
- Sulfur compounds, 14
- Sulfur degassing, 201, 264
- Super Hy-Pro, 178
- Supervisory control and data acquisition (SCADA), 88
- Sure, 201
- Surge, 99
  - surge conditions, 106
  - control, 101
  - control line, 106
  - definition of, 99
  - performance, 101
  - process, 99
- Sweet gas, 86
- Sweet or uncontaminated oil, 63
- Synetix, 166, 261, 297
- Syngas (ATR), 190
- Syngas (autothermal), 190
- Syngas, advanced SMR, 191
- Syngas, steam reforming, 1091
- Syntroleum Corp., 193
  
- Tail rods, 11
- Tandem dry gas seal, 70
- Technip, 171, 180
- Technip-Coflexip, 172, 173, 223, 291, 292
- Temperature, 14
  - inlet, 16
  - limit, of cylinders, 5
  - low, 16
- Terephthalic acid, 324, 325
- Test stand guarantees, 101
- Test stands, 113
- Testing, of dry gas seals, 72
- Thermal gasoil process, 265
- Thermosiphon cooling, 7
- Thermostat, 7
- Thioflex/Regen, 188
- Thiopaq, H<sub>2</sub>S Removal, 208
- Three-dimensional geometries, 51
- Three-dimensional impeller, 49
- Thrust bearings, 52, 61
- Thrust disc, 82
- Tightness checks, 42
- Tilting-pad bearings, 59, 61
- Tilting-shoe (tilting-pad) bearings, 56, 59
- Time-domain signals, 93
- Tin-based Babbitt, 61
- Titan SNC Lavalin, 161
- Torqued bolts, 3
- Total Fina ELF, 223
- TPAHowe-Baker.Ltd., 205
- Train arrangements, 57
- Treating, 265
  
- Trend plots, 88
- Trim balancing, 74
- Turboexpanders, 133, 135
- Twin-screw rotary compressors, 21
- Two-dimensional impeller, 49
  
- Udhe Edeleanu GmbH, 230, 257, 266, 268
- Uhde GmbH, 180, 191, 215, 244, 259, 274, 276, 286, 298, 302, 303, 322
- Uninterrupted run lengths, 16
- Union Carbide Corp., 293, 295
- UniPureCorp., 226
- Univation Technologies, 312
- UOP LLC, 162, 163, 167, 177, 181, 182, 198, 199, 202, 206, 207, 208, 213, 214, 217, 221, 224, 233, 238,, 241, 248, 249, 253, 272, 279, 283, 288, 292, 303, 306, 321
- Upstream scrubbers, 31
- Urea-formaldehyde, 325
  
- Vacuum brazing, 47
- Vacuum distillation, 266
- Valve
  - area, 10
  - breakage, 10
  - flutter, 7
  - placement, 10
  - plate, 7
  - velocity, 7, 10
- Vaned diffuser, 54
- Vaneless diffuser, 54
- Vane-type separator, 35
- Variable frequency drive motor, 114
- Variable guide vanes, 54
- Variable inlet guide vanes, 109
- Variable speed applications, 112
- Variable speed drive, 110
- Variable speed electric motor drivers, 109
- Variable speed gas turbines, 116
- Variable suction pressure, 16
- Variable-inlet guide vanes, 60
- Variable-volume clearance pockets, 16
- VCM removal, 326
- VEBAOELGmbH, 238
- Velocity triangles, 99, 114
- Vertically split (“barrel”) compressor casings, 50
- Vertically split casing configurations, 40
- Vertically split compressors, 45
  - size comparisons, 45
- Vertically split construction, 42
- Vin Tec GmbH, 286, 322
- Visbreaking, 266, 267
- Visbreaking units, 34
- Volume chambers, 15
- Volume control for dry-running and oil-injection-type screw compressors, 30
- Volume–displacement relationships, 21
- Volumetric efficiency, 15
- Volute casings, 54
- Volutes, 52
- Voting logic, 109
- V-ring sets, 12

- Wash fluid, 14
- Washington Group International, 223, 258, 284, 288, 306, 324, 326
- Water, 30
  - tolerance, 29
  - wash units, 37
- Wet-chemistry NO<sub>x</sub> reduction, 268
- Wet-screw (flooded) compressor, 25
- Wet-screw (oil-flooded) machines, 33
- Wet-screw compressors, 23, 32
- Wet scrubbing system, 267
- White oil and wax hydrotreating, 268
- Wind-back feature, 56
- Wrist pin, 4, 5
- m-Xylene, 326
- Xylene isomerization, 327

