

INDEX

- Abbot Laboratories 33
arachidonic acid 261
A-form DNA 185,199, 200, 290, 291, 292, 296, 301
Amikacin 8, 126, 120, 135, 159,161, 162, 164, 165, 166, 256, 261
(copper II) 244, 250, 251
aminoacylated tRNA 182, 225
aminoglycoside antibiotics (AGA) 4.7, 8, 9, 128, 175, 256, 269, 277
antibacterials 5
application of 4
aptamer complex 200
biosynthetic gene cluster 18, 19, 20
biosynthetic pathway 28
copper II 239
design 157
efflux mediated resistance systems 125
guanidinoaminoglycosides 173, 174, 175
heterocyclic substituted 174, 175
iron (III/II) 249
metallo- 250
mimetics 201
mode of action 5
modification 142
modifying enzymes 129
N-acetyltransferases (AACs) 126, 130
o-nucleotidyltransferases (ANTs) 126, 131
o-Phosphotransferases (APHs) 126, 132
resistance 121, 129, 134, 135, 192
structural relationships 3
zinc II 248
aminocyclitol see streptidine
aminotransferase 39, 52
secondary 30
acinoplanes 51
antagonism 259
anthrax 310
antibiotic resistance 6, chapter 3
anticancer agents 2
apoptosis 7
apoptosome 262
apramycin 87, 88, 219, 215, 220
biosynthetic pathway 90
proteins encoded in 91, 92
arbekacin 3, 158, 257
A-site 122, 187, 188, 191, 192, 199, 201, 202, 203, 210, 215, 200, 221, 225, 230, 269, 270, 282
16S rRNA 17, 36, 184, 289, 290
30S subunit 6, 17, 121, 183, 216, 226
prokaryotic 210
prokaryotic "on" state 212
prokaryotic 16 S "off" state 216
eukaryotic 16 S "on" state 215
asymmetrical internal loop 194

- Bacillaceae* 43
Bacillus circulans 8, 39, 51, 52, 53
 proteins encoded in 46
 bacterial resistance 192
 mutation of targets 121
 bactericidal 7
 bacteriostasis 7
 base flipping 227
 beta-lactam antibiotic 8, 9
 B-form DNA 292, 293, 295, 296, 301
 B to A transition 293
 bluensomycin 3
 BQQ-neomycin 299, 300
 Bristol-Myers 11
 Brownian dynamics 228
 BTR biosynthesis 53
 biosynthetic pathway 54
Burkholderia 124
 butirosin 8, 135, 160, 161
- Carboxydotherrmus hydrogenoformans* 32
 cardiovascular agents 2
 circular dichroism spectroscopy 238, 241, 247, 274
 Cephalosporins 256
 chemotherapy 262
Chlamydomona 4
 codon-anticodon 226
 complex 194
 decoding site 123
 minihelix 211
 cognate
 tRNA-mRNA 213
 cryoprobe technique 183
 cystic fibrosis 6
 cytokines 251
- Dactylosporangium matsuzakiense* 76
 2-deoxystreptamine 2, 236, 49, 52, 53, 182
 4,6-disubstituted 57
 6-deoxyhexose see streptose
 decoding 182
 dibekacin 3
 dihydrostreptomycin 257
 3', 4'- dideoxygenation 157
 DNA triplex 297, 299
- Eli Lilly 11
Enterobacteriaceae 124, 125
Enterococcus faecium 128, 130, 135
 enzyme catalyzed target modification 124
 EPR 238, 241, 247
- erdos 5
Escherichia coli 20, 30, 122, 124, 149, 161, 166, 185, 194, 216, 227
 eukaryotic 209
 cells 5, 9
 gene cloning 5
 EXAFS 238
 export mechanism 124
- Fleming, A. 2
 fortimicin 75
 gene clusters 83
 biosynthetic pathway 84, 85
- Ganglion 259
 genetic markers 3
 gentamycin (*gen*) 3, 6, 7, 8, 65, 87, 189, 191, 238, 256
 pathway 68, 72, 73, 74
 production of 65
 genetics of 65
 gentamycin (copper II) 246, 248, 251
 gentamycin (iron III) 249
 GEN-C1 pathway 71
 genteticin (copper II) 5, 245, 248, 251
 glycodiversification strategy 151
 Gram positive 2
 guanidinoaminoglycosides 173
 guanidinylation 279
- H-DNA 298
 hemophilia 6
 highly active antiretroviral therapy (HAART) 268
 HIV 202, 267, 268
 NMR 198
 Hoechst 33258 296, 297
 hybrid (DNA:RNA)
 duplex 301, 302
 triplex 304
 4-hydroxy-2-aminobutyric acid (HABA) 8
 hydroxystreptomycin 3
 hygromycin 5, 94, 105
 biosynthetic pathway 95
 proteins encoded in 96
 biosynthetic pathway 97
- immuno-modulatory agents 2
 import mechanism 124
 inhibition of aminoglycoside resistance enzyme 134
 interferon (INF) 251
 interleukin-10 (IL-10) 251
 isepamicin 3, 120

- istamycin 77
 - biosynthetic pathway 84, 85
 - isotopic-labeling 183
- kanamycin 3, 5, 7, 8, 57, 120, 142, 143, 158, 159, 161, 201, 236, 237, 242, 256
 - analogs 151
 - biosynthetic pathways 61, 62
 - derivatives 151, 164
 - kanamycin-kanamycin dimer 168, 171
 - kanamycin A (copper II) 240, 250, 251
 - kanamycin B (copper II) 241, 251
 - ketokanamycin 172
 - modification 150
 - 2'-nitrokanamycin 172, 173
 - resistance 4
- kasugamycins 23, 36, 104
 - producers of 36
 - biosynthesis 36
 - genetics 36
- Klebsiella pneumoniae* 124
- Lactamase inhibitor 9
- Leishmaniasis 3
- lividomycin 3, 40, 231
- Magnetospirillum magnetotactium* 32
- Mendelian inheritance 4
- Mei, H. 273
- Micromonosporaceae* 43
- Micromonospora echinospora* 75
 - proteins encoded in 69
- Micromonospora olivasterospora* 76, 77, 78
- Micromonospora sagamiensis* 75
- Michaelis-Menten 251
- Micromonospora* 8
- Micromonospora purpurea* 124
- Micromonospora olivastreospora* 20, 75
 - proteins encoded in 69
- minor groove of DNA 210
- minimum inhibitory concentrations (MICs) 230, 172
 - MIC of amikacin and butirosin analogs 165
 - MIC of 3', 4' dideoxyaminoglycosides 160
 - MIC of fluoro substituted amikacin 163
 - MIC of kanamycin with different side chains at N-1 165, 168
 - MIC of neamine derivatives 149
 - MIC of neomycin derivatives 154
 - MIC of paromomycin with O-2'' side chains 176
 - MIC of pyranamycin and kanamycin analogs 167
 - MIC of neamine dimers 169
 - MIC of neamine dimers 170
- mistranslation 6
- multimerization 275
- mutation of targets in drug resistance 121
- Mycobacterium tuberculosis* 5, 29, 123, 130
- myo-Inositol 27, 37, 39
 - pathway 27
- N-1 modification of aminoglycosides 159
- Nebramycin 63, 64
 - biosynthetic pathway 63
- N-methtransferase 32, 35
- N-Methyl-L-glucosamine (NMLGA) 31
 - biosynthesis of 31
- neamine 3, 144, 237
 - (copper II) 239
 - derivatives 144, 148, 149, 154, 161, 171
 - formation 51
 - mimics 150
 - modification 145, 146, 147, 148, 149, 150
 - neamine-neamine dimer 168
 - preparation 144
- neomycin B 3, 39, 41, 53, 143, 142, 153, 158, 159, 199, 200, 236, 256, 295, 302
 - carbohydrate 305
 - (copper II) 242, 251
 - DNA-neomycin conjugates 305, 306, 309
 - genetics 39
 - biosynthesis 39
 - biosynthetic clusters 47
 - biosynthetic pathway 50
 - Hoechst 33258-neomycin conjugates 296, 297
 - methidium-neomycin conjugate 302, 303
 - modification 153
 - neomycin-neomycin dimer 168, 171, 296
 - phosphotransferase gene 5
 - PNA-neomycin conjugates 307
- neomycin D 40
- neomycin E 40
- neomycin F 40
- nephrotoxicity of aminoglycosides 8, 256, 257, 260
- netilmicin 3
- neurotrophin 263
- Nuclear Magnetic Resonance (NMR) 201, 204
 - aminoglycosides 183, 239
 - COSY 186
 - NOESY 185, 186
 - STD 203
 - TOCSY 186

- Odakura, Y. 77, 80
 Ototoxicity of aminoglycosides 9, 257,259
- paramomycin 3, 176, 187, 189, 191, 195, 196, 228, 236, 237
 paramomycin I 40
 paramomycin II 40
 paromamine 3, 39, 40, 41, 43, 46, 49, 58, 61, 62, 67, 68, 108, 229
 pathway 48
 formation 51
 penicillin 1
 phoP-phoQ 124
 pKa 238
 aminoglycosides 238
 polypeptide synthesis 10
 polyphosphoinositides 259
 prokaryotic 209
 specificity 194
Pseudomonas 124
Pseudomonas aeruginosa 7, 124, 125, 161, 164, 166
 pyranamycin 135, 150, 155, 159, 166, 174
- recombinant DNA 4
 RDC's 197
 renal toxicity 9
 resistance
 altered transport 124
 nodulation division (RND) 124
 enzymatic modification 126
 reverse transcriptase in HIV 271, 272
 Rev protein 275
 ribostamycin 3, 8, 39, 50, 154, 155, 156, 160, 189, 191, 199
 ribosome 182
 riboswitches 10
 RND efflux pump system 126
 501D
 159
 rRNA 121, 182
 RT501 159
- Saccharopolyspora hirsuta* 76
Salmonella enterica 130
Salmonella typhimurium 123
 sanamycin 76
 SARs 282
scyllo-inosose 77, 80
scyllo-inosamine 27, 77
 pathway 27
Serraria marcescens 124, 130
- Simonsen, K. 229
 sisomicin 3, 66
 spectinomycin 3, 6, 7, 27, 29, 30, 32
 aminocyclitol spectinomycin 7
 producers of 33
 genetics 33
 biosynthesis 33
 gene clusters 33
 sporamycin 78
 STR see streptomycin
Stenotrophomonas 124
 streptidine 3, 27, 29, 32
 biosynthesis of 30
 streptomycetes 8, 20, 36, 40, 65, 87, 124
 tob cluster 61
 streptomycetaceae 43
Streptomyces avermitilis 20, 29
Streptomyces coeliclor 20, 29, 67
Streptomyces fradiae 242
Streptomyces fradiae 39, 40, 41, 51, 53
 proteins encoded in 42
Streptomyces flavopersicus see *Streptomyces netropsis*
Streptomyces gilvospiralis 33
Streptomyces glaucescens 23, 31
 proteins encoded in 26
Streptomyces griseus 21, 23, 31, 32
 proteins encoded in 24
Streptomyces hirsuta 76
Streptomyces hygrosopicus 40, 96, 98
Streptomyces kanamyceticus 59, 63
 biosynthetic gene clusters 60
Streptomyces kasugaensis 23, 37
Streptomyces lividans 51
Streptomyces lividus 45
 proteins encoded in 45
Streptomyces netropsis 23, 33, 35
 proteins encoded in 34
Streptomyces ribosidificus 39, 49
 proteins encoded in 43
Streptomyces rimosus 41, 51, 53
 proteins encoded in 44
Streptomyces sannanensis 76, 80
Streptomyces spectabilis 33
Streptomyces tenebrarius 124
Streptomyces tenjimariensis 76
 proteins encoded in 81
streptomycetes 20
 streptomycin 1, 2, 3, 4, 5, 6, 7, 8, 9, 51, 121, 122, 189, 226, 255, 256
 dihydro 3
 producers of 22
 genetics 22

- biosynthesis 22
- gene clusters 25
- Streptomyces bluensis* 27
 - proteins encoded in 27
- streptose 27, 31, 32
 - biosynthesis of (dihydro-)streptose moiety 30
- TAR RNA 198, 199, 201, 230, 270, 273
- TAT-TAR interaction 199
- trichloroacetimidate 156
 - TC005 156
 - TC006 156
 - TC010 156
- Thermus thermophilus* 123, 186, 10, 216
- tobramycin 3,8, 58, 87, 120, 124, 134, 157, 166, 167, 200, 201, 237, 256, 257, 276, 279
 - tobramycin (copper II) 243
 - biosynthetic pathway 63
- triplex forming oligonucleotide (TFO) 296, 297
- tuberculosis 1, 2, 7
- tumor necrosis factor (TNF) 251
- Umezawa, H. 120
- Upjohn company 11, 33
- UV-vis spectroscopy 238, 241, 242, 244, 247
- Waksman, S 2, 40, 290
- XAS 238
- X-ray crystallography 186, 195, 196

