

# INDEX

Page numbers in **boldface** indicate extended discussion of drug.

- AA. *See* Alcoholics Anonymous
- abdominal pain, as side effect, 296
- Abilify, 153
- acamprosate, 102, 153, **158**
- acetaminophen, 148
- acetylation, 45
- acne, as side effect, 297
- acupuncture, 21
- acute depression, 91, 92
- acute psychosis, 127
- Adderall, 153
- addiction. *See* drug dependence
- ADHD. *See* attention deficit/hyperactivity disorder
- adjunctive treatment, 93
- adolescents, 13–14, 37, 38, 53, 83, 106, 107, 140
- suicidal thoughts and, 312
- adrenaline, 58, 62, 90, 111, 126
- affect, 119, 123–24, 127
- African Americans, 45
- age, 20, 26. *See also* adolescents; children; elderly people
- agitation, as side effect, 297
- agoraphobia, 65
- agranulocytosis, 113, 126, 297, 304
- akathisia, 126, 297
- akinesia, 126, 298, 310
- Akineton, 153
- albuterol, 110
- alcohol, 45, 68, 142–43, 290
- anxiety and, 27, 58, 64–66
- dependence on, 100–103
- depression and, 87
- insomnia and, 110, 111
- psychosis and, 120, 128
- Alcoholics Anonymous, 27, 51, 94, 100, 101
- alogia, 119, 127
- alprazolam, 112, 145, 153, **158–60**
- alternate decision makers, 121
- alternative remedies, 21, 289–95
- alphabetical profiles, 292–95
- for anxiety, 63
- for depression, 89, 90–91
- drug interactions, 141, 292
- for insomnia, 114
- use considerations, 289–92
- Alupent, 110
- Alzheimer's disease, 15, 83, 91, 131–36
- amantadine, 153, **160–61**
- Ambien, 112, 153
- American Psychiatric Association, 25
- amitriptyline, 90, 112, 113, 114, 115, 145, 148, 153, **161–63**
- amoxapine, 153, **163–64**
- amoxicillin, 148
- amphetamines, 15, 64, 72, 100, 110, 127, 143
- bipolar disorder and, 78, 83
- Anafranil, 153
- analgesics. *See* pain relievers
- anemia, 83, 91
- anhedonia, 77, 86
- anorexia nervosa, 107–8
- Antabuse, 153
- antianxiety drugs, 38, 59–63
- antiasthmatic medications, 27
- antibiotics, 11, 148

- antidepressants, 14, 27, 45, 88–94,  
145–47  
alcohol interactions, 142  
for Alzheimer's disease, 136  
anxiety and, 60  
attention deficit/hyperactivity disorder  
and, 71, 72, 74  
bipolar disorder and, 72, 81–84  
blood levels and, 148  
discontinuing use of, 43, 150  
drug interactions, 94, 141, 152  
for eating disorders, 107, 108  
for insomnia, 112–15  
pregnant women and, 41, 42, 43  
schizoaffective disorder and, 130  
sexual dysfunction and, 88, 90, 92, 93,  
147, 150  
side effects from, 297, 298, 299  
for smoking cessation, 104  
sobriety maintenance and, 103
- antihistamines, 60, 62, 65, 112, 113, 126,  
144–45  
side effects from, 297, 299
- antihypertensives, 27, 71, 73, 91, 97, 99,  
105, 141
- anti-inflammatory drugs, 141
- antiparkinsonian agents, 126, 144–45
- antipsychotics, 42, 146, 148  
for Alzheimer's disease, 133, 134–36  
for anorexia, 108  
anxiety and, 60–63, 65, 66  
attention deficit/hyperactivity disorder  
and, 71, 73, 74  
bipolar disorder and, 78–80, 83, 84  
for depression, 93  
developmental disorders and, 96–98  
for insomnia, 112, 113, 115–16  
for psychosis, 122, 123–27, 129  
antiseizure drugs, 72
- anxiety, 3, 14, 57–66, 68, 141–43  
Alzheimer's disease and, 136  
cognition and, 50  
diet and, 48, 58, 64–66  
herbal remedies, 61, 63  
insomnia and, 110, 111, 115  
physical problems and, 27  
relaxation techniques, 26, 27, 32,  
58–59, 64–66  
as side effect, 298  
substance use and, 27, 58, 65, 66  
symptoms, 57–58  
syndromes and treatments, 63–66  
treatment options, 58–63  
women's incidence, 40, 41, 57  
*See also* panic disorder
- aplastic anemia, 298, 299, 300, 304
- appetite changes, as side effect, 298
- Aricept, 153
- aripiprazole, 98, 125, 129, 135, 153,  
**165–66**
- Artane, 153
- Asendin, 153
- Asperger's disorder, 95
- aspirin, 148
- associated symptoms, 23–25
- asthma, 63, 99, 110, 111, 115
- ataque de nervios* (syndrome), 21
- Atarax, 153
- ataraxia, 298–99
- Ativan, 4, 112, 142, 153
- atomoxetine, 71, 72, 73–74, 153, **166–67**
- attention deficit/hyperactivity disorder, 3,  
26, 54, 67–74  
diagnosis, 9–10, 37, 68–69  
medication, 35, 38, 67, 69–74, 150  
treatments, 69–74, 147
- augmentation, 94
- autistic disorder, 95, 96
- Aventyl, 153
- avolition, 119, 127
- barbiturates, 59, 111
- Beck, Aaron, 50
- bedwetting, as side effect, 299
- behavioral therapy, 32, 37, 49–50, 65, 66,  
120
- behavior modification, 10, 11, 69–70, 96,  
104, 147
- Benadryl, 112, 153
- benzodiazepines, 4, 14, 45, 144–45, 146  
alcohol detoxification, 101, 102–3  
alcohol interactions, 142  
for Alzheimer's disease, 133, 136  
anxiety and, 59–60, 61, 64–66  
bipolar disorder and, 79, 80, 81, 83, 84  
birth defects and, 42

- for depression, 93
- discontinuing use of, 150
- drug interactions, 151–52
- for insomnia, 112–16
- panic disorder and, 9
- for psychosis, 126
- sobriety maintenance and, 102–3
- women's use of, 40, 43
- benztropine, 153, **167–68**
- beta-blockers, 60, 62, 65, 97, 99, 126, 145
- binge eating, 106–7
- binge-eating disorder, 108
- biofeedback, 59
- biological factors
  - anxiety, 57, 63–64
  - attention deficit/hyperactivity disorder, 10, 67
  - bipolar disorder, 83
  - chemical imbalance theory, 14–16
  - developmental disorders, 96
  - obsessive-compulsive disorder, 11
  - panic disorder, 9
  - schizophrenia, 12
- Biological Model, 14–15
- Biopsychosocial Model, 16
- biperiden, 153, **168–69**
- bipolar disorder, 3, 75–84, 127, 140, 141
  - alcohol use and, 103
  - antidepressants and, 72, 81–84
  - depression and, 75, 77–78, 81–84, 91, 92, 93
  - diagnosis, 13–14, 24–25, 68, 84
  - insomnia and, 77, 110, 115
  - lithium and, 13, 14, 78, 80, 81
  - medication side effects, 78, 80, 81
  - onset, 37–38, 75
  - pregnant women and, 41
  - symptoms, 76–78, 146
  - syndromes and treatment, 82–84
  - treatment options, 13, 78–82
- Bipolar I, 83
- Bipolar II, 84
- birth defects, 41, 42, 151
- bleeding, as side effect, 299
- blood levels, 148
- blood pressure changes, as side effect, 44, 92, 299, 302, 306, 309, 313
- blood sugar. *See* glucose
- blurry vision, as side effect, 299, 315
- Bowen, Murray, 11
- brain, 8, 12, 14–15, 37, 42, 43, 132
- biology and chemistry of, 317–22
- brand name/generic drugs, list of, 152–57
- breast feeding, 43, 141, 151
- breathing
  - drug side effects, 300
  - relaxation technique, 50, 59
- Breggin, Peter, 11–12
- Brethine, 110
- brief reactive psychosis, 127
- bromide, 59
- bruising, as side effect, 300
- bulimia nervosa, 106–7, 108
- Buprenex, 153
- buprenorphine, 105, 153, **169–70**
- bupropion, 153, **171–72**
  - for attention deficit/hyperactivity disorder, 72
  - bulimia and, 107
  - for depression, 92
  - for smoking cessation, 104
- Buspar, 153
- buspiron, 153, **172–73**
  - for Alzheimer's disease, 136
  - anxiety and, 63, 65, 66
  - for developmental disorders, 99
- caffeine, 290, 292
  - anxiety and, 26, 58, 63–66
  - attention deficit/hyperactivity disorder and, 68
  - bipolar disorder and, 78, 83
  - depression and, 87
  - general precautions, 141–42
  - insomnia and, 110, 111, 141
  - psychosis and, 120, 128
- calcium, 292
- Campral, 153
- cancer, 27, 42, 83, 91, 103
- carbamazepine, 145–46, 153, **173–74**
  - for bipolar disorder, 78, 80, 81
  - for developmental disorders, 99
  - for schizoaffective disorder, 130

- caregivers, for Alzheimer's patients, 132
- case management, 120, 129
- Catapres, 105, 153
- cataracts, as side effect, 300, 315
- catatonic behavior, 119
- catecholamine hypothesis, 14, 15
- Celexa, 153
- chamomile, 292, **293**
- chemical imbalance theory, 14–16
- chief complaints, 23
- childhood disintegrative disorder, 95
- childhood trauma, 9, 28–29, 84
- children, 34–39
  - bipolar disorder, 13–14
  - developmental disorders, 95–99
  - diagnosis, 9–10, 35–36
  - dosage, 38, 39, 152
  - drug holidays, 39, 70, 150
  - night terrors, 110
  - obsessive-compulsive disorder, 11
  - panic disorder, 9
  - residential treatment, 53
  - schizophrenia, 11
  - treatment, 25, 37–39
  - See also* adolescents; attention deficit/hyperactivity disorder
- Chiles, Lawton, 3
- chloral hydrate, 59, 111
- chloridiazepoxide, 112, 153, **174–76**
- chlorpromazine, 15, 112, 116, 153, **176–77**
  - for Alzheimer's disease, 134, 135
  - for bipolar disorder, 80
  - for developmental disorders, 98
  - for psychosis, 123, 124
- choking, as side effect, 300
- cholesterol levels
  - antipsychotics and, 124–25, 135
  - drug side effects, 300
- chronic depression, 90–91
- Cialis, 153
- citalopram, 88, 153, **177–78**
- clomipramine, 66, 153, **179–80**
- clonazepam, 45, 80, 111–12, 115, 153, **180–82**
- clonidine, 73, 74, 99, 105, 153, **182–83**
- clorazepate, 154, **183–84**
- clozapine, 3, 38, 112, 154, **184–86**
  - for bipolar disorder, 80, 81
  - for psychosis, 53, 125–26, 129, 130
- Clozaril, 4, 154
- cocaine, 72, 78, 83, 100, 143
  - avoidance of, 64, 68, 110, 120, 127
- codeine, 104, 143, 290
- Cogentin, 154
- Cognex, 3, 154
- cognition, 131, 134, 300–301
- cognitive-behavioral therapy, 15, 106–7, 108
- cognitive therapy, 50
- colera* (syndrome), 45
- Concerta, 154
- confusion, as side effect, 301
- constipation, as side effect, 44, 301
- Copeland, Mary Ellen, 51–52
- coping skills, 26–27
- Corgard, 154
- crack cocaine, 143
- cramps, as side effect, 308
- crises, anxiety and, 64
- crisis beds, 121, 129
- crisis plans, 51–52, 120, 129
- cultural heritage, 21
- curare, 290
- Cushing's disease, 63, 83
- cyclothymia, 84
- Cylert, 154
- Cymbalta, 154
- cyproheptadine, 108, 154, **187–88**
  
- Dalmane, 112, 154
- Darvocet, 143
- Darvon, 104, 143
- day treatment, 121, 129
- decongestants, 63, 111, 115
- delusional disorder, 11, 130
- delusions, 15, 118, 123
  - Alzheimer's disease, 134
  - bipolar disorder, 13, 77–78
  - depression, 86, 93
  - schizophrenia, 11, 14, 127
- dementia, 127, 131, 132, 135, 136

- Demerol, 104, 143
- Depade, 154
- Depakene, 154
- Depakote, 32, 154
- depression, 3, 26, 50, 85–94, 127, 140–43
- Alzheimer's disease and, 136
  - bipolar disorder and, 75, 77–78, 81–84, 91, 92, 93
  - B vitamins and, 47
  - catecholamine hypothesis, 14, 15
  - ethnic minorities and, 45
  - insomnia and, 86, 92, 110, 111, 115
  - medical conditions and, 27, 83, 91
  - schizoaffective disorder and, 130
  - as side effect, 301
  - substance use and, 27, 83, 87, 91, 103
  - suicidal thoughts and, 86, 87–88, 94
  - symptoms, 85–86, 146
  - syndromes and treatment, 91–94
  - treatment options, 86–91
  - women's incidence, 40, 41, 85
- desipramine, 38, 72, 74, 90, 154, **188–89**
- Desoxyn Gradumet, 154
- Desyrel, 112, 154
- detoxification, 101, 104–5
- developmental disorders, 95–99
- Dexedrine, 154
- dextroamphetamine, 70, 154, **189–91**
- diabetes, 48, 81, 98, 99, 124–25, 135, 301–2
- diagnosis, 5–16, 23–25, 29–31, 35–36
- diarrhea, as side effect, 302
- diazepam, 112, 154, **191–92**
- diet, 16, 47–48
- Alzheimer's disease and, 132
  - antipsychotics and, 125, 135
  - anxiety and, 48, 58, 64–66
  - appetite changes, 298
  - bipolar disorder and, 76, 77, 82
  - depression and, 86, 87
  - eating disorders, 106–8
  - monamine oxidase inhibitor
    - precautions, 62, 90
  - psychosis and, 119
  - dietary supplements, 141, 289
  - diethylstilbestrol, 42
  - diphenhydramine, 112, 113, 154, **192–93**
  - disorganized thinking, 118, 123, 127
  - disulfiram, 100–101, 154, **193–94**
  - dizziness, as side effect, 302
  - docosahexanoic acid, 80
  - doctors, 4, 15, 292
    - children's diagnosis, 35–36
    - consultation with, 19–33, 150, 152
    - therapeutic alliance, 37, 141
  - Dolophine, 154
  - donepezil, 134, 154, **194–95**
  - Dopa, 15
  - dopamine, 14, 15, 98, 124, 134
  - Doral, 112, 154
  - Doriden, 59, 111
  - dosage
    - alternative remedies, 291–92
    - antidepressant effectiveness, 93
    - antipsychotics, 98, 124, 125, 134, 135–36
    - attention deficit/hyperactivity disorder, 73
    - for children, 38, 39, 152
    - drug metabolism and, 144–46
    - for elderly people, 44, 152
    - for ethnic minorities, 45, 46
    - for pregnant women, 41
    - regimen determination, 146, 148
  - doxepin, 154, **195–96**
  - driving, precautions concerning, 141
  - drooling, as side effect, 302
  - drug dependence, 4, 27, 53, 100–105.
    - See also* substance use
  - drug holidays, 39, 70, 150
  - drug interactions
    - alternative remedies, 141, 292
    - antidepressants, 94, 141, 152
    - elderly person concerns, 44
    - general precautions, 141, 151–52
    - monamine oxidase inhibitors, 62, 90, 94
    - selective serotonin reuptake inhibitors, 94

- drugs, 139–288  
 alphabetical profiles, 158–288  
 brand and generic names, 152–57  
 cost, 32  
 myths about, 3–16  
 patents, 289  
 precautions, 38–39, 137–43, 151  
 pregnancy and, 41–43, 141, 151  
 pretreatment considerations, 19–33,  
 143–47  
 research, 34, 39, 40, 41, 45  
 risk groups, 34–46  
 use monitoring and cessation, 147–50,  
 152  
*See also* dosage; side effects; *specific conditions and drugs*
- dry mouth, as side effect, 303
- Duke, Patty, 3
- duloxetine, 63, 154, **197–98**
- dysthymia, 91
- dystonia, 126, 303, 308, 313
- ear ringing. *See* tinnitus
- eating disorders, 106–8
- Effexor, 32, 154
- eicosapentanoic acid, 80
- Elavil, 14, 32, 112, 154
- Eldepryl, 154
- elderly people, 43–44  
 Alzheimer's disease, 83, 91, 131–36  
 antidepressants and, 92  
 dosage, 44, 152  
 hospitalization, 53  
 tardive dyskinesia, 124, 135
- electroconvulsive therapy, 12, 78, 88
- emotional blunting, as side effect,  
 303–4
- employment, 21, 26
- eosinophilia-myalgia syndrome, 114,  
 290
- Epstein-Barr virus, 83, 91
- Equanil, 3–4
- escitalopram, 88, 154, **198–99**
- Eskalith, 154
- estazolam, 112, 154, **199–200**
- estrogen, 292
- eszopiclone, 112, 113, 154, **200–201**
- ethchlorvynol, 59, 111
- ethical issues  
 pregnant woman drug use, 41  
 children's treatment, 35
- ethinamate, 111
- ethnic minorities, 21, 44–46
- etiology, 6–8, 29–30
- Ettore, Elizabeth, 40
- euphoria, as side effect, 303
- euthymia, 75
- Exelon, 154
- exercise, 16, 44, 48, 82, 87, 111, 120,  
 125, 132, 135  
 anxiety and, 26, 58, 64–66
- fainting, as side effect, 304
- falls, as side effect, 44, 304
- family history. *See* genetics/family history
- fatigue, as side effect, 304
- Fazaclor, 125, 154
- fetal health, 42–43
- fever, as side effect, 304
- Fioricet, 143
- 5-hydroxyindoleacetic acid, 15
- flight of ideas, 76
- flooding, 49
- fluoxetine, 73, 88, 144, 147–49, 154,  
**201–2**
- fluphenazine, 124, 125, 129, 135, 154,  
**203–4**
- flurazepam, 112, 113, 145, 154, **204–6**
- flushing, as side effect, 304
- fluvoxamine, 66, 88, 148, 154, **206–7**
- Focalin, 154
- Food and Drug Administration, 39, 41,  
 126, 144, 152, 289, 291
- Freud, Sigmund, 8
- Frontline* (TV show), 3
- gabapentin, 63, 80–81, 99, 154, **207–8**
- gait unsteadiness, as side effect, 304
- galactorrhea, 305, 308
- galantamine, 134, 154, **208–9**
- gender, 20. *See also* women
- generalized anxiety disorder, 66, 115
- generic/brand name drugs, list of, 152–57
- genetics/family history, 29  
 alcohol use, 101  
 Alzheimer's disease, 15, 131–32

- anxiety, 57  
 attention deficit/hyperactivity disorder,  
     10, 67  
 bipolar disorder, 13, 75–76  
 depression, 85  
 eating disorders, 106, 107  
 panic disorder, 9  
 schizophrenia, 11, 12, 127–28  
 Geodon, 155  
 ghost sickness (syndrome), 21  
 ginkgo, 90, **293**  
 glucose, 58  
 glutethimide, 59, 111  
 green tea, 292  
 group therapy, 26, 29, 51, 87, 100,  
     107–8, 120, 129  
 guanfacine, 73, 74, 99, 155, **209–10**  
 guardians, 121  
  
 hair loss, as side effect, 81, 99, 305  
 Halcion, 112, 155  
 Haldol, 155  
 half-life, drug, 145, 152  
 hallucinations, 15, 118, 123  
     Alzheimer's disease, 134  
     bipolar disorder, 13, 77  
     depression, 86, 93  
     schizophrenia, 11, 14, 127, 128  
     as side effect, 305  
 hallucinogens, 64, 100, 120, 127, 143  
 haloperidol, 80, 124, 125, 129, 135,  
     155, **210–12**  
 haloperidol decanoate, 145  
 headaches, as side effect, 305  
 heart rate changes, as side effect, 305  
 herbal remedies. *See* alternative  
     remedies  
 heroin, 72, 104, 105, 120, 143, 290  
 heterocyclic antidepressants, 89, 90  
 Hispanics, 21, 45  
 hives, as side effect, 305  
 HMOs, 3, 15, 49  
 homework (treatment technique), 50  
 hops, 114, **293**  
 hormone replacement therapy, 40  
 hormones, 40, 41, 290  
 hospitalization, 52–53  
     for anorexia, 108  
     for bipolar disorder, 13, 14, 78  
     for depression, 87–88  
     for drug dependence, 101, 102, 104  
     for psychosis, 15, 117, 121, 127, 129  
 hydrocodone, 104  
 hydroxyzine, 155, **212–213**  
 hyperactivity, as side effect, 306. *See also*  
     attention deficit/hyperactivity  
     disorder  
 hypertensive crises, as side effect, 306,  
     309  
 hyperthyroidism, 83, 99, 110, 114  
 hypnosis, 104  
 hypnotics, miscellaneous, 112, 113–16  
 hypoglycemia, 63  
 hyponatremia, 306  
  
 ibuprofen, 141  
 ideas of reference, 118  
 imipramine, 9, 144, 148, 149, 155,  
     **213–14**  
 impaired insight/judgment, 119, 127  
 incontinence, as side effect, 314  
 Inderal, 155  
 indigestion, as side effect, 306  
 influenza, 128  
 insomnia, 109–16, 141  
     bipolar disorder and, 77, 110, 115  
     depression and, 86, 92, 110, 111, 115  
     as side effect, 111, 113, 306–7  
     substance use and, 27, 110, 111, 142  
     treatment options, 110–16  
 institutionalization, 12, 117  
 insulin shock therapy, 12, 117  
 insurance companies, 15, 48–49  
 interpersonal therapy, 50  
 isocarboxazid, 155, **214–16**  
  
 jaundice, as side effect, 296, 307, 315  
  
 kava, 63, **294**  
 Kemadrin, 155  
 kidney function, 38, 44, 81, 99, 151,  
     307  
 kidney stones, 292  
 Klerman, Gerald, 50  
 Klonopin, 4, 43, 112, 142, 155  
 koro (syndrome), 21

- laboratory tests, 36
- lactate, 9
- Lamictal, 155
- lamotrigine, 80–81, 99, 155, **216–17**
- language therapy, 96
- latah* (syndrome), 45
- laxatives, 106, 107
- learning disabilities, 68
- lemon balm, **294**
- Levitra, 155
- Lexapro, 155
- Librium, 4, 112, 155
- light-headedness, as side effect, 307
- light therapy, 87
- lithium, 3, 43, 94, 155, **217–19**
  - bipolar disorder, 13, 14, 78, 80, 81
  - birth defects and, 42
  - children's use of, 38
  - developmental disorders, 99
  - drug interactions, 141
  - eating disorders, 107
  - schizoaffective disorder, 130
  - use considerations, 32, 144, 146, 148
- Lithobid, 155
- Lithonate, 155
- liver function, 43, 44, 63, 72, 81, 151
- lobotomy, 12, 117
- loose associations, 118
- lorazepam, 80, 112, 144, 145, 147, 155, **219–20**
- loxapine, 155, **220–22**
- Loxitane, 155
- LSD, 143
- Ludiomil, 155
- Lunesta, 112, 155
- Luvox, 11, 38, 155
  
- machine operation, precautions
  - concerning, 141
- managed-care organizations, 3, 15
- manic-depression. *See* bipolar disorder
- MAOIs. *See* monamine oxidase inhibitors
- maprotiline, 92, 155, **222–23**
- marijuana, 28, 100, 143, 290
  - avoidance of, 68, 110, 120, 127, 128
- Marplan, 155
- media, 3, 4, 25
  
- Medicaid, 117, 123
- medical conditions, 27, 96
  - depression and, 27, 83, 91
  - elderly people and, 44, 53
  - insomnia and, 110, 111, 114
  - psychotic symptoms and, 127
- Medicare, 117
- meditation, 50, 59
- melatonin, 114
- Mellaril, 155
- memory impairment, as side effect, 307
- menstrual cycle, 40–41, 106, 107, 307
- mental status changes, as side effect, 307–8
- meperidine, 104
- meprobamate, 59
- mescaline, 143
- mesoridazine, 155, **223–25**
- Metadate, 155
- metaproterenol, 110
- methadone, 105, 155, **225–26**
- methamphetamine, 155, **226–27**
- methaqualone, 59
- methedrine (speed), 143
- methylphenidate, 38, 90, 144, 145, 155, **228–29**
  - attention deficit/hyperactivity disorder, 70, 73, 149, 150
- milk leakage. *See* galactorrhea
- Miltown, 3–4, 59
- minerals, 47, 290, 292
- mirtazapine, 92, 112, 113, 155, **229–30**
- Moban, 155
- molindone, 155, **230–31**
- monamine oxidase inhibitors, 60, 62, 65, 66, 89, 90, 92, 94
- mood stabilizers, 145
  - bipolar disorder, 78–84, 146
  - developmental disorders, 97, 99
  - schizoaffective disorder, 130
  - side effects, 78, 81, 99
  - sobriety maintenance, 103
- mood swings, 13–14
  - bipolar disorder vs., 84
- morphine, 104, 290
- multiple sclerosis, 83, 127
- muscle problems, as side effect, 303, 308, 310, 313

- muscle relaxation exercises, 50, 59  
myocarditis, as side effect, 308
- nadolol, 155, **231–32**
- naltrexone, 99, 102, 105, 107, 155,  
**232–33**
- narcotic painkillers. *See* opiates
- Narcotics Anonymous, 100, 104
- Nardil, 9, 155
- nasal congestion, as side effect, 308
- National Alliance for the Mentally Ill,  
25, 120
- nausea, as side effect, 308–9
- Navane, 155
- N-desalkylflurazepam, 145
- neck stiffness, as side effect, 309
- nefazodone, 92, 155, **233–35**
- Nembutal, 111
- neuroleptic malignant syndrome, 304,  
307–8, 309, 312
- neuroleptics. *See* antipsychotics
- Neurontin, 155
- nicotine, 58, 64, 87, 100, 103–4, 120,  
145, 290
- night terrors, 110
- nonarteritic anterior ischemic optic  
neuropathy, 309
- norepinephrine, 14, 15, 63
- Norpramin, 155
- nortriptyline, 90, 92, 145, 156,  
**235–36**
- obsessive-compulsive disorder, 11, 66,  
108, 115
- occupational therapy, 96
- olanzapine, 32, 88, 156, **236–38**  
for Alzheimer's disease, 136  
for bipolar disorder, 78–80, 81  
for developmental disorders, 98  
for psychosis, 125, 127, 129
- omega 3 fatty acids, 80, **294**
- opiates, 100, 104–5, 143
- opium, 104, 290
- Orap, 156
- oxazepam, 112, 156, **239–41**
- oxcarbazepine, 78, 99, 156,  
**238–39**
- oxycodone, 104
- pain relievers, 114, 120, 143. *See also*  
opiates
- palpitations, as side effect, 309
- Pamelor, 145, 156
- pancreatitis, as side effect, 309
- panic disorder, 8–9, 15, 64–65,  
115
- paraldehyde, 59
- paranoia, 11, 119, 127
- Parkinson's disease, 15, 27, 83, 91
- Parnate, 156
- paroxetine, 88, 92, 156, **241–42**  
use issues, 144, 147, 148
- passion flower, **294**
- patents, 289
- pathogenesis, 6–8, 29–30
- Paxil, 14, 38, 43, 156
- PCP, 127, 143
- pemoline, 70, 156, **242–43**
- penicillin, 290, 291
- pentobarbital, 111
- Percocet, 143
- Percodan, 104
- Periactin, 156
- periodic limb movements, 110
- perphenazine, 156, **243–45**
- personal history, 28–29
- personality, 22, 38–39
- pervasive developmental disorder not  
otherwise specified, 95
- pharmaceutical companies, 3, 14, 15,  
144, 152, 289
- pharmacodynamics, 45
- pharmacokinetics, 45
- phenelzine, 45, 156, **245–47**
- phenobarbital, 59
- phenothiazines, 296, 300, 305, 307,  
312, 315
- phenylephrine, 63, 111
- phenylpropranolamine, 111
- pheochromocytoma, 63
- phobias, 15, 65
- physical exams, 36, 63, 83, 110, 111,  
128, 132
- pibloqtoq* (syndrome), 45
- pimozide, 156, **247–48**
- Placidyl, 59, 111
- polypharmacy, 146–47

- posttraumatic stress disorder, 3, 28,  
     65–66, 68, 115, 127  
 pregnancy, 12, 36, 41–43, 128, 141, 151  
 priapism, 309  
 primary sleep disorders, 110, 111, 114  
 procyclidine, 156, **249**  
 progressive muscular relaxation, 50  
 Prolixin, 156  
 propoxyphene, 104  
 propranolol, 156, **250–51**  
 Prosom, 112, 156  
 protriptyline, 156, **251–52**  
 Proventyl, 110  
 Prozac, 3, 4, 11, 14, 38, 43, 156  
 pseudoephedrine, 63, 110, 111  
 pseudoparkinsonism, 126, 298, 302, 308,  
     310, 314  
 psychoanalysis, 8–9, 11  
 psychodynamic psychotherapy, 50, 107  
 psychosis, 72, 117–30, 141  
     bipolar disorder and, 13, 77–78, 127  
     depression and, 86, 127  
     as side effect, 310  
     symptoms, 118–19  
     syndromes and treatments, 127–30  
     treatment options, 119–27  
     *See also* schizophrenia  
 psychosocial rehabilitation, 53–54,  
     121–23  
 psychotherapy, 15, 16, 32, 44, 48–51  
     for anxiety, 59, 64–66  
     children and, 37  
     for depression, 87  
     for drug dependence, 100  
     for eating disorders, 107–8  
     for panic disorder, 9  
 psychodynamic, 50, 107  
     for psychosis, 12, 120, 129  
     for stressful events, 26  
     for substance use, 27  
 PTSD. *See* posttraumatic stress  
     disorder  
 pulmonary embolism, as side effect,  
     300, 310  
 purging, 106–7  
  
 QTc prolongation, 98, 124, 125, 135–36,  
     310  
  
 Quaalude, 59  
 quazepam, 112, 156, **252–53**  
 quetiapine, 156, **253–55**  
     for Alzheimer's disease, 136  
     for bipolar disorder, 78, 80  
     for developmental disorders, 98  
     for insomnia, 112, 116  
     for psychosis, 125, 129  
  
 ramelteon, 112, 113–14, 156, **255–56**  
 rash, as side effect, 310  
 relationship status, 20, 26, 147–48  
 relaxation tapes, 49–50, 59  
 relaxation techniques, 15, 44, 49–50  
     anxiety and, 26, 27, 32, 58–59,  
         64–66  
 religion, 22  
 Remeron, 112, 156  
 Remynil, 156  
 residential treatment, 53, 96, 100, 102,  
     129  
 respiratory infection, as side effect,  
     310  
 restless legs syndrome, 110  
 Restoril, 112, 156  
 Rett's disorder, 95  
 ReVia, 156  
 rigidity, as side effect, 126  
 Risperdal (Consta and M-tabs), 125,  
     156  
 risperidone, 145, 156, **256–57**  
     for Alzheimer's disease, 136  
     for bipolar disorder, 78–80, 81  
     for developmental disorders, 98  
     for psychosis, 125, 127, 129  
 Ritalin, 3, 4, 35, 144, 156  
 rivastigmine, 134, 156, **258–59**  
 rootwork (syndrome), 45  
 Rozerem, 112, 156  
  
 safe havens, 120–21, 128  
 St. John's wort, 90, 141, 289–92, **295**  
 SAME (S-adenosylmethionine), 90–91,  
     **292–93**  
 schizoaffective disorder, 11, 30,  
     129–30  
 schizophrenia, 3, 91, 127–29  
     antidepressants and, 72

- bipolar disorder vs., 13
- diagnosis, 11–12, 128
- dopamine hypothesis, 14, 15
- drug treatments, 14, 124, 129, 140, 146
- hospitalization, 15, 53, 129
- insomnia and, 110, 115–16
- marijuana use and, 28, 128
- onset, 37–38, 127
- pregnant women and, 12, 41, 128
- residential treatment, 53, 129
- schizophreniform disorder, 127
- seasonal affective disorder, 87
- secobarbital, 111
- Seconal, 111
- sedation, as side effect, 310–11
- seizure disorders, 72
- seizures, as side effect, 311
- selective serotonin reuptake inhibitors
  - anxiety and, 60, 62, 64–66
  - depression and, 88–90, 92, 94
  - for developmental disorders, 97, 99
  - drug interactions, 94, 292
  - for eating disorders, 107, 108
  - sexual function and, 38, 88, 92, 93
- selegiline, 62, 90, 156, **259–60**
- self-esteem, 76, 106, 107
- self-help groups, 51, 100
- self-hypnosis, 50, 59
- self-injurious behavior, 95–96, 99
- Serax, 112, 156
- Serentil, 156
- Seroquel, 112, 156
- serotonin, 15
- serotonin syndrome, 94, 292, 307–8, 311, 312
- sertraline, 88, 145, 147, 156, **261–62**
- Serzone, 156
- sexual abuse, 3, 9, 28, 29, 39, 84
- sexual function
  - bipolar disorder and, 76
  - dysfunction as side effect, 20, 38, 62, 73, 88, 90, 92, 93, 98, 147, 150, 311
- Sheehan, David, 9
- side effects, 21, 144, 152
  - alternative remedies, 291–95
  - in children, 38–39
  - in elderly people, 44
  - in ethnic minorities, 45, 46
  - in fetuses, 42
  - monitoring of, 148–49
    - as treatment consideration, 32, 149
  - types and management of, 296–315
- sildenafil, 147, 156, **262–63**
- Sinequan, 156
- Sixty Minutes* (TV show), 3
- sleep apnea, 110
- sleep disorders. *See* insomnia
- sleepwalking, 110
- smoking. *See* nicotine
- sobriety, 100, 101–103, 142
- social phobia, 65
- Sonata, 112, 156
- speech therapy, 96
- speed. *See* amphetamines
- SSRIs. *See* selective serotonin reuptake inhibitors
- Stelazine, 156
- steroids, 83, 127
- stimulants, 127
  - for attention deficit/hyperactivity disorder, 70–74
  - bipolar disorder and, 83
  - for depression, 89, 90, 92
  - for developmental disorders, 97, 99
  - as insomnia cause, 110
  - side effects, 70, 72
- Strattera, 71, 156
- streptococcus bacteria, 11
- stress, 42
  - acute psychosis and, 127
  - attention deficit/hyperactivity disorder and, 10, 67
  - bipolar disorder and, 76, 83
  - children and, 36
  - insomnia and, 110, 111, 114
  - panic disorder and, 9
  - schizophrenia and, 11, 12, 128
  - as syndrome factor, 26
- stuttering, as side effect, 311
- Styron, William, 3
- Suboxone, 105, 157

- substance use
  - anxiety and, 27, 58, 65, 66
  - attention deficit/hyperactivity disorder and, 68
  - bipolar disorder and, 78, 83
  - dependence, 4, 53, 100–105
  - depression and, 27, 83, 87, 91, 103
  - general precautions, 142–43
  - insomnia and, 27, 110, 111, 142
  - parental, 36
  - psychosis and, 120, 127, 128
  - stimulants and, 70, 72
  - as syndrome factor, 27–28
- Subutex, 105, 157
- Sudafed, 63, 110, 111
- sugar, 58, 87, 111
- suicide, 15, 75, 78, 86, 87–88, 94, 142, 311–12
- sulfonal, 59
- sunburn, as side effect, 312
- Surmontil, 157
- sweating, as side effect, 312
- Symbyax, 88, 157
- Symmetrel, 157
- symptoms
  - Alzheimer's disease, 131
  - anxiety, 57–58, 63–66
  - attention deficit/hyperactivity disorder, 68–69
  - bipolar disorder, 76–78, 146
  - in children, 35–37
  - depression, 85–86, 146
  - diagnosis and, 6–8
  - diet and, 48
  - psychosis, 118–19
  - rating scales, 36–37
  - schizophrenia, 127
  - syndrome identification and, 23–25
  - target, 37, 96, 146, 147
  - triggers, 52
- syndromes
  - anxiety-related, 63–66
  - cultural differences, 21
  - depression-related, 91–94
  - diagnosis, 6–8, 22–25
  - diagnosis and treatment, 29–33
  - factors impacting, 26–29
  - as insomnia cause, 110, 115
  - multiple occurrences, 30
  - systematic desensitization, 49
- tacrine, 134, 157, **263–64**
- tadalafil, 157, **264–65**
- Talwin, 143
- tardive dyskinesia, 45, 312, 314
  - antipsychotics and, 63, 73, 81, 98, 113, 124, 126, 134–35
- target symptoms, 37, 96, 146, 147
- TCAs. *See* tricyclic antidepressants
- teenagers. *See* adolescents
- Tegretol, 157
- temazepam, 112, 157, **265–66**
- Tenex, 157
- teratogenesis. *See* birth defects
- terbutaline, 110
- thalidomide, 41
- theophylline, 63
- therapeutic alliance, 37, 141
- thioridazine, 80, 112, 116, 124, 135, 157, **266–68**
- thiothixene, 129, 157, **268–70**
- thirst changes, as side effect, 312–13
- Thorazine, 14, 32, 112, 157
- thought broadcasting/insertion, 118
- throat constriction, as side effect, 313
- thrombocytopenia, 299, 300, 313
- thyroid disorders, 63, 81, 83, 91, 99, 127, 313
- thyroid supplements, 94
- tics, as side effect, 70, 313
- tingling, as side effect, 314
- tinnitus, as side effect, 303, 314
- tobacco, 58, 64, 103, 111, 120, 128
- Tofranil, 14, 43, 157
- Topamax, 157
- topiramate, 80, 108, 157, **270–71**
- Tourette's disorder, 70
- tranquilizers, 3–4
- Tranxene, 112, 157
- tranylcypromine, 157, **271–72**
- trazodone, 63, 65, 66, 92, 112, 113, 114, 115, 157, **273–74**
- tremors, as side effect, 126, 310, 314
- Trexan, 157
- triazolam, 112, 157, **274–75**

- tricyclic antidepressants, 41, 42, 45  
 for anxiety, 60, 62, 64–66  
 for attention deficit/hyperactivity disorder, 72  
 for depression, 89, 90, 92, 93–94  
 for eating disorders, 108  
 MAO inhibitor interaction, 94  
 side effects, 72, 90, 92, 93
- trifluoperazine, 129, 157, **275–77**
- trihexyphenidyl, 157, **277–78**
- Trilafon, 157
- Trileptal, 157
- trimipramine, 157, **278–79**
- tryptophan, 114, 290
- twitching, as side effect, 308
- urethane, 59
- urinary problems, as side effect, 314–15
- valerian, 63, 114, **295**
- Valium, 4, 9, 14, 112, 142, 157
- Valmid, 111
- valproate, 38, 148, 157, **280–81**  
 for bipolar disorder, 78, 80, 81  
 for developmental disorders, 99  
 for schizoaffective disorder, 130
- vardenafil, 157, **281–82**
- venlafaxine, 63, 92, 157, **282–83**
- Ventolin, 110
- Viagra, 147, 157
- Vicodin, 104, 143
- viral infections, 12
- vision changes, as side effect, 299, 300, 309, 315
- Vistaril, 157
- vitamin A, 292
- vitamin B complex, 47, 292
- vitamin C, 290, 292
- vitamin E, 98, 124, 126, 134, 135, 289, **295**
- vitamins, 47, 141, 289, 290, 292
- Vivactil, 157
- vocational training, 53–54, 121–23
- Wallace, Mike, 3
- weight changes  
 antipsychotics and, 124–25, 135  
 as side effect, 315
- Wellbutrin, 104, 157
- wellness recovery action plan (WRAP), 51–52, 120, 129
- withdrawal effects  
 alcohol, 101, 102–3  
 benzodiazepines, 61, 66, 103  
 caffeine, 142  
 medication, 150  
 on newborns, 42  
 nicotine, 102–3  
 opiates, 105
- word salad, 118
- women, 39–43, 85  
 anxiety and, 40, 41, 57  
 eating disorders, 106–8  
 galactorrhea, 305, 308  
 Rett's disorder, 95  
 tardive dyskinesia, 124, 135  
*See also* menstrual cycle; pregnancy
- Xanax, 3, 4, 9, 14, 43, 112, 142, 157
- Yocon, 157
- yohimbine, 93, 157, **283–84**, 295
- zaleplon, 112, 113, 157, **284–85**
- zar (syndrome), 21
- zinc, 289, 290, 292
- ziprasidone, 98, 125, 129, 135–36, 157, **285–87**
- Zoloft, 14, 38, 43, 157
- zolpidem, 112, 113, 157, **287–88**
- Zyban, 104, 157
- Zyprexa (Zydis), 125, 157

