

Index

Numbers

13231 mnemonic, 267

33333 mnemonic, 265–266

• A •

absolute convergence, 253–254

absolute extrema, 98–101

acceleration, 131–134

algebra

review

problems, 9–11

solutions, 15–18

solving limit problems, 39–43

alternating series, 253–254

antiderivatives. *See also* integration

area function, 177–179

definition, 179

finding, 183–187

Fundamental Theorem of

Calculus,

179–182, 274

guess and check method,

183–184

negative area, 177–179, 275

problems, 178–187

solutions, 188–191

substitution method, 185–187

approximating

area under curves, 159–161,

168–170

linear approximation, 138–139,

271

arc length, 227–228

area, calculating. *See* integration

area function, 177–179

average velocity, 132–134

• C •

calculator, solving limit problems, 44–45

Calculus For Dummies, 61

canceling method, 40–43

chain rule, 75–77

change, calculating speed of. *See*

derivatives

chunking integration areas, 275

comparison tests, 247–250

concavity

curves, 102–105

second derivative test, 270

conditional convergence,

253–254

conjugate multiplication method,

40–43

constants, derivatives of, 69

continuity

13231 mnemonic, 267

33333 mnemonic, 265–266

definition, 31–32

problems, 33–36

solutions, 37–38

convergence/divergence, testing

for, 245–254

curves. *See also* derivatives; dif-

ference

quotient

approximating area under,

159–161, 168–170

definite integral, 166–167

exact areas, 166

graphs of

identifying as a function, 19

review, 20–21

vertical line test, 19

index of summation, 162

integrands, 166

irregular shapes, 159–161

long sums, shorthand for,

162–166

problems, 160–170

rectangles, 159–161

Reimann sums, 162–166

shape analysis

absolute extrema, 98–101

concavity, 102–105

first derivative test, 91–94, 269

highest/lowest points, 98–101

hills and valleys, 91–97

inflections points, 102–105

local extrema, 91–97

Mean Value Theorem, 105–107

problems, 92–107

rate, calculating average,
105–107

second derivative test, 95–97,
102

slope, calculating average,
105–107

smiles and frowns, 102–105

solutions, 108–121

sigma notation, 162–166

Simpson's rule, 168–170

solutions, 171–176

Trapezoid rule, 168–170

cylindrical shell method, 222–226

• D •

definite integral, 166–167, 274

degree/radian conversions, 23

derivative-of-a-constant rule, 69

derivatives. *See also* curves;

functions; rates; slope

absolute extrema, 98–101

compositions of functions,

75–77

concavity of curves, 102–105

of constants, 69

definition, 59

of derivatives, 80–81

difference quotient

definition, 61, 269

problems, 62–63

solutions, 64–67

first derivative test

curves, shape analysis, 269

local extrema, 91–94, 270

rates, 269

sign changes, 270

slopes, 269

highest/lowest points in curves,

98–101

hills and valleys in curves,

91–97

inflections points in curves,

102–105

local extrema, 91–97

Mean Value Theorem, 105–107

problems, 59–61, 92–107

product of two functions, 72–74

quotient of two functions, 72–74

rate, calculating average, 105–107

rules for

- chain, 75–77. *See also* implicit differentiation
- derivative of a constant, 69
- high order derivatives, 80–81
- implicit differentiation, 78–79. *See also* chain rule
- power, 69
- problems, 70–81
- product, 72–74
- quotient, 72–74, 270–271
- solutions, 82–89

second derivative test

- concavity, 102, 270
- inflection points, 102, 270
- local extrema, 95–97

slope, calculating average, 105–107

smiles and frowns, curve shape, 102–105

solutions, 64–67, 108–121

symbol for, 7

unable to solve for y , 78–79

of variables raised to a power, 69

difference quotient

- definition, 61, 269
- problems, 62–63
- solutions, 64–67

differentiation. *See also* antiderivatives

- acceleration, 131–134
- average velocity, 132–134
- displacement, 131
- distance, 131–134
- linear approximation, 138–139
- lines, 134–137
- negative displacement, 131–134
- negative velocity, 131–134
- normals, 134–137
- optimization, 124–126
- position, 131–134
- problems, 124–139
- related rates, 127–130

rules for

- chain, 75–77. *See also* implicit differentiation
- derivative of a constant, 69
- high order derivatives, 80–81
- implicit differentiation, 78–79. *See also* chain rule
- power, 69

- problems, 70–81
- product, 72–74
- quotient, 72–74
- solutions, 82–89
- solutions, 140–156
- speed, 132–134
- speed and distance traveled, 131–134
- tangents, 134–137
- velocity, 131–134

direct comparison test, 247–250

disk/washer method, 222–226

displacement, 131

distance, 131–134

divergence/convergence, testing for, 245–254

• E •

estimation

- area under curves, 159–161, 168–170
- linear approximation, 138–139, 271

exact areas, 166

expressions with trigonometric functions, 196–198

• F •

factoring method, 40–43

first derivative test

- curves, shape analysis, 269
- local extrema, 91–94, 270
- rates, 269
- sign changes, 270
- slopes, 269

FOILing method, 40–43

fractions

- difference quotient, 7
- partial, 201–204
- review
- problems, 7–8
- solutions, 15–18

frowns and smiles, curve shapes, 102–105

functions. *See also* derivatives; graphs

- average value of, 219–220
- compositions of, 75–77
- continuity
- definition, 31–32
- problems, 33–36
- solutions, 37–38

- definition, 19
- identifying, 19
- length along, 227–228
- limits
- definition, 31–32
- problems, 33–36
- solutions, 37–38
- product of two, 72–74
- quotient of two, 72–74
- review
- problems, 20–21
- solutions, 25–28
- selecting, 193–196
- vertical line test, 19

Fundamental Theorem of Calculus, 179–182, 274

• G •

geometric series, convergence/divergence testing, 245–246

geometry review

- problems, 12–14
- solutions, 15–18

graphs. *See also* functions

- continuity
- definition, 31–32
- problems, 33–36
- solutions, 37–38

of curves

- identifying as a function, 19
- review, 20–21
- vertical line test, 19

limits

- definition, 31–32
- problems, 33–36
- solutions, 37–38

guess and check method, 183–184

• H •

- highest/lowest points, curves, 98–101
- high-order-derivatives rule, 80–81
- hills and valleys, curves, 91–97
- horizontal asymptote, 47
- hypotenuse, length calculation, 12

• I •

- implicit differentiation rule, 78–79
- improper integrals, 231–233
- indefinite integrals, 179–182, 274
- index of summation, 162
- infinite limits of integration, 231–233
- infinite series
- 13231 mnemonic, 267
 - 33333 mnemonic, 265–266
 - absolute convergence, 253–254
 - alternating series, 253–254
 - comparison tests, 247–250
 - conditional convergence, 253–254
 - definition, 243
 - direct comparison test, 247–250
 - geometric series, 245–246
 - integral comparison test, 247–250
 - limit comparison test, 247–250
 - problems, 244–254
 - p -series, 245–246
 - ratio test, 251–254
 - root test, 251–254
 - sequences, 243
 - solutions, 255–261
 - telescoping series, 245–246
 - testing for divergence/convergence, 245–254
- inflection points
- curves, 102–105
 - second derivative test, 270
- integral comparison test, 247–250
- integrals
- arc length, 227–228
 - area calculation, 227–228
 - areas between curves, 220–221, 274
 - average value of functions, 219–220
 - cylindrical shell method, 222–226
 - definite, 166–167, 274
 - disk/washer method, 222–226
 - improper, 231–233
 - indefinite, 179–182, 274
 - infinite limit of, 231–233
 - irregular solids, 222–226
 - length along a function, 227–228
 - meat slicer method, 222–226
 - problems, 220–233
 - solutions, 234–242
 - surface of revolution, 227–228
 - volume calculation, 222–226
- integrands, 166
- integration
- arc length, 227–228
 - areas. *See also* antiderivatives
 - approximating, 159–161, 168–170
 - below the x -axis, 275
 - chunking, 275
 - under a curve, 159–161, 168–170, 274–275 - definite integral, 166–167
 - exact areas, 166
 - index of summation, 162
 - infinite limits of, 231–233
 - integrands, 166
 - irregular shapes, 159–161
 - length along a function, 227–228
 - long sums, shorthand for, 162–166
 - midpoint rule, 273
 - problems, 160–170, 220–233
 - rectangles, 159–161
 - Reimann sums, 162–166
 - sigma notation, 162–166
 - Simpson's rule, 168–170, 273–274
 - solutions, 171–176, 234–242
 - surface of revolution, 227–228
 - Trapezoid rule, 168–170, 273
 - triangles, 12
- between curves, 220–221, 274
- cylindrical shell method, 222–226
- disk/washer method, 222–226
- functions, average value of, 219–220
- irregular solids, 222–226
- meat slicer method, 222–226
- by parts. *See also* product rule
- definition, 193
 - expressions with trigonometric functions, 196–198
 - LIATE mnemonic, 193
 - partial fractions, 201–204
 - problems, 194–204
 - Pythagorean Theorem, 198–201
 - selecting a function, 193–196
- SohCahToa right triangle, 198–201
- solutions, 205–216
- trigonometric substitution, 198–201
- problems, 220–233
- solutions, 234–242
- volumes, 222–226

• K •

Kasube, Herbert, 193

• L •

least-common-denominator method, 40–43

L'Hôpital's rule, 229–231

LIATE mnemonic, 193

limit comparison test, 247–250

limit problems

- horizontal asymptote, 47

- limits at infinity, 47–49

- rational functions, 47

- solutions, 50–56

solving with

- algebra, 39–43

- calculator, 44–45

- canceling method, 40–43

- conjugate multiplication method, 40–43

- factoring method, 40–43

- FOILing method, 40–43

- least common denominator method, 40–43

- L'Hôpital's rule, 229–231

- sandwich method, 46–47

- simplification method, 40–43

- squeeze method, 46–47

- types of expressions, 48–49

limits

- 13231 mnemonic, 267

- 33333 mnemonic, 265–266

- definition, 31–32

- problems, 33–36

- solutions, 37–38

linear approximation, 138–139, 271

lines, 134–137

local extrema, 91–97, 270

long sums, shorthand for,

162–166
lowest/highest points, curves,
98–101

• M •

Mean Value Theorem, 106–107
meat slicer method, 222–226
midpoint rule, 273
mnemonics
13231, 267
33333, 265–266
continuity, 265–267
derivatives of trigonometry
functions, 271
infinite series, 265–267
limits, 265–267
PSST, 271

• N •

negative area, 177–179, 275
negative displacement, 131–134
negative velocity, 131–134
normals, 134–137

• O •

13231 mnemonic, 267
optimization, 124–126

• P •

parallelogram, area calculation,
13
partial fractions, 201–204
position, 131–134
power rule, 69
product rule, 72–74, 270. *See also*
integration, by parts
 p -series, convergence/divergence
testing, 245–246
PSST mnemonic, 271
Pythagorean Theorem, 198–201

• Q •

quotient rule, 72–74, 270–271

• R •

radian/degree conversions, 23
rates. *See also* derivatives
calculating average, 105–107
first derivative test, 269
related, 127–130
ratio test, 251–254
rational functions, 47
rectangles, area under a curve,
159–161, 274–275
Reimann sums, 162–166
related rates, 127–130
reverse differentiation. *See* anti-
derivatives
right triangles, 198–201
root test, 251–254
rules
for derivatives
chain, 75–77. *See also* implicit
differentiation
derivative of a constant, 69
high order derivatives, 80–81
implicit differentiation, 78–79.
See also chain rule
power, 69
problems, 70–81
product, 72–74
quotient, 72–74, 270–271
solutions, 82–89
for differentiation
chain, 75–77. *See also* implicit
differentiation
derivative of a constant, 69
high order derivatives, 80–81
implicit differentiation, 78–79.
See also chain rule
power, 69
problems, 70–81
product, 72–74
quotient, 72–74
solutions, 82–89
L'Hôpital's, 229–231
Simpson's, 168–170, 273–274
Trapezoid, 168–170, 273

• S •

sandwich method, 46–47
second derivative test
concavity, 102, 270
inflection points, 102, 270
local extrema, 95–97

sequences, definition, 243
sigma notation, 162–166
sign changes, first derivative test,
270
simplification method, 40–43
Simpson's rule, 168–170, 273–274
slope. *See also* derivatives; differ-
ence quotient
calculating, 13–14
calculating average, 105–107
first derivative test, 269
smiles and frowns, curve shapes,
102–105
SohCahToa right triangle,
198–201
speed, 132–134
speed of change, calculating. *See*
derivatives
squeeze method, 46–47
substitution method, 185–187
surface of revolution, 227–228

• T •

tangents, 134–137
telescoping series, conver-
gence/divergence testing,
245–246
33333 mnemonic, 265–266
Trapezoid rule, 168–170, 273
triangles
area, 12
geometry review, 12–14
hypotenuse, 12
Pythagorean Theorem, 198–201
right, 198–201
trigonometric functions, in
expressions, 196–198
trigonometric substitution,
198–201
trigonometry review
problems, 22–24
solutions, 25–28

• U •

valleys and hills, curves, 91–97
velocity, 131–134
vertical tangents, 270
volume, calculating. *See* integra-
tion