

Index

Note to the Reader: Throughout this index **boldfaced** page numbers indicate primary discussions of a topic. *Italicized* page numbers indicate illustrations.

A

- abs() method, 549
- abstract buttons
 - icons for, **331–335**, 332, 334
 - mnemonics for, **335–336**, 335
 - text for, **333–335**, 334
 - tool tips for, **337–338**, 337
- abstract classes, 845
- abstract methods, 39, 79, 845
- abstract modifier, **64**
- Abstract Window Toolkit (AWT), 269–270, 845
- AbstractAction class, 419–420
- AbstractButton class, 324, 331, 826
- AbstractCellEditor class, 478–479
- abstraction
 - in classes, **36, 39–40**, 39
 - defined, 845
- AbstractListModel class, 455
- AbstractSelectableChannel class, 743
- AbstractTableModel class, 468
- accept() method
 - in ExtensionFilter, 448–449
 - in ServerSocket, 749–750
- accessibility modifiers, **68–70**, 69, 83
- AccessibleContext class, 366
- accessing array elements, 92
- accessories, 450
- Account class, 147
- Acrobat files, 732
- Act interface, 81
- action events, **380–383**, 383
- Action interface, 419–420
- action listeners, abstracting, **419–422**, 420
- ActionEvent class, 380–381
- ActionListener interface, 85, 377, 380
- ActionMap class, 423
- actionPerformed() method
 - in ActionListener, 85
 - in AncestorTest, 386
 - in ClipText, 499
 - in KeyPanel, 567–569, 572
 - in ListSelectionModel, 473–474
 - in MessageActionListener, 452
 - in MyAction, 421
 - in MyActionListener, 377, 423
 - in PersisTest, 651
- ActionTest class, 381–383
- ActionTester class, 421
- active windows, 427
- activeCount() method, 135
- activeGroupCount() method, 135
- ActiveX technologies, 845
- Actor1 class, 81
- Actor2 class, 81
- actors for threads, **139–140**
- acyclic gradient fills, 231
- adapters
 - defined, 845
 - purpose of, **415–416**
- add() method
 - in BorderLayout, 279
 - in box1, 287
 - in box2, 287
 - in Calendar, 558
 - in CardLayout, 282
 - in Container, 274–275
 - in ContentPane, 275, 286–287
 - in GridBagConstraints, 299–300
 - in GridBagLayout, 297
 - in JButton, 325
 - in JCheckBox, 344
 - in JMenu, 368
 - in JTextField, 355
 - in KeyPanel, 571
 - in ListIterator, 542
 - in Vector, 516, 518
- addActionListener() method
 - in ActionListener, 85, 377
 - in MyBean, 690
 - in TrafficLight, 706–707
 - in Vector, 688–689
- addChoosableFileFilter() method, 446
- addColorPanel() method, 441
- addDigit() method, 573–577
- addElement() method
 - in DefaultListModel, 456
 - in Vector, 516
- addFirst() method, 539
- addition, 56

- additive colors, 845
- addLast() method, 539
- addLayoutComponent() method, 301–303
- addNodeChangeListener() method, 529
- addNotify() method, 318
- addPreferenceChangeListener() method, 530
- addPropertyChangeListener() method, 691
- addRenderingHints() method, 236
- addresses
 - Internet, 717–719
 - in IP packets, 714, 714
 - URL, 735
- addSeparator() method, 368–369
- addTab() method, 283
- addVetoableChangeListener() method, 692
- adjustment events, 383–385
- AdjustmentEvent class, 383
- AdjustmentListener interface, 383
- AdjustmentTest class, 384–385
- affine transforms, 845
- AffineTransform class, 225, 243
- AffineTransformOp class, 256
- after() method, 557
- aggregation, 41–42, 41
- algorithms, proprietary, 786
- Aliased class, 237
- alignment
 - in BorderLayout, 290–292, 290–292
 - in FlowLayout, 277
 - of labels, 340–341
- AlignX class, 290
- AlignY class, 292
- allClear() method, 571
- allocate() method, 657
- alpha setting, 845
- AlphaComposite class, 246–247
- ampersands (&) for AND operator
 - bitwise, 59, 61
 - Boolean, 58
- ancestor event types, 385–387
- AncestorEvent class, 385
- AncestorListener interface, 385–386
- ancestorMoved() method, 386
- ancestorRemoved() method, 386
- AncestorTest class, 386–387
- AND operator
 - bitwise, 59, 60, 61
 - Boolean, 58
- Andresen, Marc, 4
- Animate class, 211–212
- animation, 203. *See also* graphics
 - buffering for, 212–215
 - doing, 210–212, 211
 - images for, 203–210
 - speeding up, 221
- anonymous classes, 85
- AnOvalIcon class, 447
- antialiased rendering, 234–237, 237
- APIs (Application Programming Interfaces), 845
- Appearance tab, 675, 675
- Applet class, 787
- APPLET tag, 28–29
- applets
 - vs. applications, 12–13
 - compiling, 28
 - creating, 26–28
 - debugging, 31
 - defined, 845
 - deploying, 586–587
 - Java Plug-in for, 587–589, 588
 - Java Web Start for, 589–596, 589–595
 - documenting, 30, 30
 - GUI-driven. *See* calculator
 - HTML loaders for, 28–29
 - optimizing, 596–599, 599
 - running, 29–30, 29–30
 - tags for, 823–824
- appletviewer tool, 14, 15, 29–31, 29
 - defined, 845
 - options for, 837
- Application layer in JDBC, 770–772
- Application Manager, 590–591, 590–591
- Application Programming Interfaces (APIs), 845
- applications
 - vs. applets, 12–13
 - compiling, 20–21
 - creating, 19–20
 - debugging, 25
 - documenting, 23–24, 24
 - integrating with C/C++, 24–25
 - MIME types for, 732
 - running, 21–23, 21
- applyComponentOrientation() method, 315
- Arc2D class, 226–227, 238
- architectural neutrality, 7–8
- archives, 845
- arcs
 - drawing, 190–191, 191
 - Graphics2D for, 226–227, 226, 228
- Arcs class, 190
- ArgLength class, 92

- arguments
 - for applets, 29
 - defined, 845
 - in main, 20
 - arithmetic
 - with dates, 558
 - operators for, 55–56
 - ArithmeticException class, 119
 - arraycopy() method, 96–97
 - ArrayEnumerationFactory class, 521
 - ArrayIndexOutOfBoundsException class, 92, 691
 - ArrayList class, 539
 - arrays, 91–92
 - accessing elements in, 92
 - converting collections to, 535
 - copying and cloning, 95–98, 96–97
 - creating and initializing, 93–94
 - declaring, 92–93
 - defined, 845
 - as enumerations, 521–522
 - memory for, 94–97, 94–97
 - multidimensional, 99–100, 100, 854
 - searching and sorting, 98–99
 - Arrays class, 98, 547–548
 - asList() method, 548–549
 - assert keyword, 124–125
 - AssertionError class, 124
 - assertions, 124–125
 - defined, 845
 - enabling, 125–126
 - AssertTest class, 124–125
 - assignment
 - with arrays, 95–96, 96
 - operators for, 54, 61–62
 - assistive technologies, 366
 - association in classes, 40–41, 40
 - associativity, 55
 - asterisks (*)
 - for comments, 23, 43
 - for multiplication, 56
 - atomic code, 846
 - Attr class, 606–607
 - attributes, 35
 - file, 606–607
 - printing, 676–680
 - AttributeSet class, 680
 - audio
 - MIME types for, 732
 - playing, 219–221
 - AudioClip interface, 219
 - AuthDemo class, 740–741
 - authentication, 738–740
 - Authenticator class, 738–740
 - @author tag, 44
 - AWT (Abstract Window Toolkit), 269–270, 845
 - AWTEvent class, 379, 379
 - AWTEventMulticaster class, 418, 689
- ## B
- \b escape sequence, 51
 - background color, 198
 - backslashes (\), escape sequence for, 51
 - backspaces, escape sequence for, 51
 - BandCombineOp class, 256
 - Bar class, 45–47
 - bars (|)
 - for OR operator
 - bitwise, 59, 61
 - Boolean, 58
 - for pipe operations, 621
 - base classes, 846
 - base64 encoding, 738
 - baselines, 846
 - basic MIME types, 732
 - BasicButtonUI delegates, 452
 - BasicStroke class, 228–229
 - BDK (Beans Development Kit), 695–696. *See also* JavaBeans
 - BeanBox application in, 697–702, 697–698
 - for creating beans, 702–711
 - defined, 846
 - installing, 696
 - BeanBox application, 697–698, 697–698
 - connecting Beans in, 699–701, 700–701
 - inserting Beans in, 709, 709
 - sample Beans in, 698–699
 - beanbox directory, 696
 - BeanBuilder tool, 294, 294
 - BeanInfo interface, 694–695, 846
 - Beans Development Kit (BDK), 695–696. *See also* JavaBeans
 - BeanBox application in, 697–702, 697–698
 - for creating beans, 702–711
 - defined, 846
 - installing, 696
 - before() method, 557
 - behavior modifiers, 63–68
 - behaviors in OOP, 33
 - BevelBorder class, 329
 - Bezier curves, 239
 - big-endian order, 640, 846
 - BigDec class, 553–554
 - BigDecFormat class, 556
 - BigDecimal class, 552–554

- BigInt class, 552
 - BigInteger class, 551–552
 - binary streams, 640
 - binarySearch() method, 98, 549
 - bits, 59, 59
 - BitSet class, 531–533
 - bitwise operators, 59–61, 60
 - blending constants, 246
 - blitting, 846
 - blocked threads, 132–133
 - blocks of code, 53, 846
 - blockTicker() method, 152
 - BlueButton Bean, 699
 - blurring effects, 258
 - BMTesting class, 452
 - bodies
 - in for statements, 104–105, 105
 - in while loops, 105–106
 - Booch, Grady, 34
 - boolean datatype
 - default array fill values for, 93
 - initial values of, 52
 - literals in, 50
 - size of, 49
 - variables for, 846
 - Boolean operators, 58
 - Border interface, 328–331
 - BorderFactory class, 330
 - BorderLayout manager, 277–280, 278–280
 - BorderLayoutTest class, 278
 - borders for buttons, 328–331, 329–330
 - bound properties, 691–692
 - bounding rectangles, 189, 846
 - Box class, 287–289, 288–289, 826
 - boxes around text, 201–202
 - BoxLayout manager, 287–292, 288–292
 - braces ({})
 - in array initialization, 93
 - for blocks, 53
 - defined, 846
 - brackets ([])
 - for array declarations, 92
 - in regular expressions, 659
 - branching statements. *See* flow-breaking statements
 - break statements, 108, 846
 - BridgeTester Bean, 699
 - brighter() method, 197
 - brightness in color, 197
 - Buffer class, 656–658
 - BufferedAnimate class, 214–215
 - BufferedDiff class, 639–640
 - BufferedImage class, 213, 254–256
 - BufferedImageFilter class, 256
 - BufferedImageOp interface, 256–257
 - BufferedInputStream class, 627–628
 - BufferedOutputStream class, 639–640
 - BufferedReader class, 627–628
 - BufferedWriter class, 639–640
 - buffers, 603
 - for animation, 212–215
 - with BufferedInputStream and BufferedReader, 627–628
 - with BufferedOutputStream, 639–640
 - defined, 846
 - in New I/O package, 656–658
 - for performance, 613, 639–640
 - BufferStrategy class, 263–264
 - ButtonBorderTest class, 330
 - ButtonGroup class, 344–345
 - ButtonIconTest class, 326
 - ButtonImageTest class, 328
 - ButtonMnemonicTest class, 336
 - ButtonModel interface, 451–452
 - buttons
 - abstract. *See* abstract buttons
 - adding, 323–325, 324
 - borders for, 328–331, 329–330
 - delegates for, 452–453
 - images on, 326–328, 326, 328
 - ButtonTest class, 325, 328
 - ButtonTipTest class, 337
 - ButtonUI delegates, 452
 - byte datatype
 - casting, 72
 - default array fill values for, 93
 - initial values of, 52
 - range of, 50
 - size of, 49
 - ByteArrayInputStream class, 619–620
 - ByteArrayOutputStream class, 637–639
 - ByteBuffer class, 657
 - bytecode verifier, 7, 847, 859
 - bytecodes, 847
 - BytesMessage messages, 801
- ## C
- C/C++ language and code
 - integrating applications with, 24–25
 - MIME type for, 732
 - C# language, 9
 - caches, 738
 - CalcStack class, 576–578, 600

- calculator, **563–565**, *564*
 - CalcStack for, **576–578**
 - display for, **572–576**
 - KeyPanel for, **566–572**
 - seven-segment digits subsystem for, **579–586**, *584–585*
 - StackCalculator, **565–566**
- Calendar class, **95**, **557–558**
- CallableStatement class, **770**
- cancel() method
 - in Timer, **138**
 - in TimerTask, **138**
- canImport() method
 - in ImageSelection, **506**
 - in TransferHandler, **504**
- CAP_ constants, **229**
- CardBank class, **780–781**
- cardinality, **40–41**, *40*
- CardLayout manager, **281–282**, *281–282*
- CardLayoutTest class, **281–282**
- carets (^)
 - in regular expressions, **659**
 - for XOR operator
 - bitwise, **59**, **61**
 - Boolean, **58**
- carriage returns, escape sequences for, **51**
- Cascading Style Sheet (CSS) file, **24**
- case clause, **847**
- casting, **71–72**
 - defined, **847**
 - operator for, **62–63**
 - between primitive types, **72–73**
 - between reference types, **73**
- catch clause, **847**
- CellEditor interface, **478**
- CellEditorListener interface, **478**
- certification, **180**, **847**
- chaining exceptions, **120–121**
- changeBackground() method, **411**
- changeColor() method, **480**
- ChangeEvent class, **473**
- ChangeReporter Bean, **699**
- changeSign() method, **569**
- ChangingButtonIconTest class, **332–333**
- Channel interface, **741**
- channels
 - in New I/O package, **657–658**
 - in RMI, **774**
 - socket
 - nonblocking reads in, **743–748**
 - nonblocking servers in, **753–755**
 - reading from, **741–743**
- ChannelServer class, **754–755**
- char datatype
 - casting, **72**
 - initial values of, **52**
 - literals in, **51**
 - size of, **49**
 - for tokens, **635**
- character sets in New I/O package, **658–659**
- CharArrayReader class, **620**
- CharArrayWriter class, **637–639**
- CharBuffer class, **657**
- charge port, **716**
- CharSet class, **658**
- checkboxes, **343–344**, *343*
- CheckBoxTest class, **344**
- checkEmailAddress() method, **727**
- Cipher class, **765**
- CipherOutputStream class, **764**
- class files, **789**, **847**
- class libraries, **6**, **847**
- class loader, **7**, **847**
- class members, **847**
- class name resolution, **87**
- ClassCastException class, **73**, **518**
- classes
 - abstraction in, **36**, **39–40**, *39*
 - aggregation in, **41–42**, *41*
 - association in, **40–41**, *40*
 - defined, **847**
 - diagrams of, **35–37**, *35–36*
 - disassembling, **25–26**
 - encapsulation in, **37**
 - factory, **755–756**, *757*, **850**
 - fields and methods in, **35–36**, *35–36*
 - generalization in, **37–39**, *38*
 - information hiding in, **37**, *37*
 - naming conventions for, **89**
 - for objects, **34**
 - in optimizing applets, **597**
- ClassLoader class, **126**
- ClassNotFoundException class, **115**
- CLASSPATH environment variable, **18–19**, **87–88**, **847**
- classpath option in java, **22**
- classTicker() method, **152**
- clean() method, **583**
- CLEAR blending constant, **246**
- clear() method, **530**
- clearAssertionStatus() method, **126**
- clearRect() method, **186**
- clearStack() method, **577**, **600–601**
- clickClunk() method, **623**, **625**

- ClickPanel class, 651–652
- Client class, 752–753
- client/server model
 - in TCP, 724–725
 - working with, 753
- client-side RRL component, 773
- clients
 - properties for, 490–491, 491
 - in RMI, 783–784
- ClientTest class, 752–753
- Clip class, 194–195
- clip() method, 225
- Clipboard, 493
 - for images, 502–508, 502
 - for text, 497–502, 498
- Clipboard class, 497
- ClipboardOwner interface, 496–497
- ClipImage class, 250–251, 507–508
- Clipped class, 231
- clipping in graphics, 194–195, 195
- clipRect() method, 194
- ClipText class, 497–499
- clone() method, 97, 185, 300
- Cloneable interface, 97, 300
- cloning
 - arrays, 95–98, 96–97
 - defined, 847
- close() method
 - finally statements in, 614
 - in XMLEncoder, 655
- CODE attribute, 29
- code obfuscation, 598–599, 599
- CODEBASE attribute, 203
- codebases, 847
- Collection interface, 533–535, 533
- Collections class, 545–546, 549
- Collections Framework, 175, 513–514
 - bitsets in, 531–533
 - dictionaries in, 522–523, 523
 - enumerations in, 520–522
 - hash tables in, 523–526
 - hierarchy in, 533–536, 533–534
 - lists in, 538–542
 - maps in, 542–544
 - preferences in, 528–531
 - properties in, 526–528
 - sets in, 537–538
 - sorting in, 547–549
 - stacks in, 519–520
 - synchronization in, 545–546
 - vectors in, 514–518
- colons (:)
 - for CLASSPATH, 18
 - in conditional operator, 57, 102
- color
 - in graphics, 196–198
 - in JavaBeans, 691
 - rotating, 211–212
- color choosers, 438–441, 440
- Color class, 196–197, 231
- color table, 813–818
- ColorConvertOp class, 256
- ColorModel class, 260
- ColorTester class, 441
- combo boxes
 - adding, 346–347, 346
 - models for, 454–462, 460
- ComboBoxModel class, 454–457
- ComboTest class, 347
- Comet class, 518
- command-line options, 835–838
- commas (,)
 - in array initialization, 93
 - in for statements, 105
- comments, 43–47, 47
 - for applications, 23–24, 24
 - defined, 847
- Common Object Request Broker Architecture (CORBA), 772
- communications
 - interthread, 153–160
 - in JavaBeans model, 686
- Comparable interface, 98, 547–548
- Comparator interface, 547–548
- compare() method, 547
- compareTo() method, 57
 - in Comparable, 547
 - in Date, 557
- comparing
 - files, 612–614
 - objects, 56
- compartmentalizing objects, 37
- compilers, 847
- compiling
 - applets, 28
 - applications, 20–21
 - JavaBeans, 708–709
 - packages, 88–89
- Component class, 270–271
 - composition of, 305–311, 306
 - methods in
 - event-handling, 311–313
 - focus management, 315

- graphics and rendering, 314
- image-related, 317
- input method, 317
- layout manager, 314–315
- moving and resizing, 313
- painting, 315–316
- peer communication, 317–318
- pop-up menu, 317
- position and geometry querying, 313–314
- state, 316
- componentAdded() method, 390
- ComponentEvent class, 387–388
- ComponentListener interface, 387
- componentMoved() method, 388
- componentRemoved() method, 390–391
- componentResized() method, 388
- components. *See also* Component class
 - defined, 847
 - events for, 387–389
- componentShown() method, 388
- ComponentTest class, 388–389
- Composite interface, 225
- CompositeIt class, 247–249
- compositing
 - in 2D API, 246–249, 247
 - defined, 847
- CompoundBorder class, 329
- compressing files, 632–634, 643–644
- CompressIt class, 643–644
- concatenating
 - streams, 620–621
 - strings, 61
- concatenation operator, 61
- concrete property, 847
- conditional operator, 57, 102
- conditional statements, 100
 - defined, 847
 - if, 100–102
 - switch, 102–104
- conditions
 - in for statements, 104, 105
 - in while loops, 105–106
- configuration files, 640
- configureBlocking() method, 743
- confirmation dialogs, 435–436, 436
- Connection interface, 768–770
- connection-oriented protocols, 714
- connectionless protocols, 714
- connections
 - in RMI, 774
 - to SMTP servers, 725–729
 - Socket for, 723–724
 - to Web servers, 729–732
- constantE() method, 570
- constantPI() method, 570
- constants
 - common, 809
 - final modifier for, 52, 67–68
 - naming conventions for, 90
- constrained properties, 692–693
- Constraints class, 292–294
- constructor references, 74–75
- constructors, 848
- Consumer class, 159–160
- Container class, 270–276
- ContainerEvent class, 389–390
- ContainerListener interface, 389
- ContainerOrderFocusTraversalPolicy class, 428
- containers, events for, 389–391
- ContainerTest class, 390–391
- content encoding in HTTP, 738
- content type in HTTP, 738
- ContentHandler class, 756
- ContentHandlerFactory interface, 756, 757
- ContentPane class, 275
- contentsLost() method, 255, 264
- continue statements, 109, 848
- Controllers in MVC architecture, 450–451
- conversions
 - casting. *See* casting
 - collections to arrays, 535
 - list of, 811–813
- convolve operations, 257–258, 848
- ConvolveIt class, 257–258
- ConvolveOp class, 256
- coordinate system translations, 193–194, 243
- copying arrays, 95–98, 96–97
- CORBA (Common Object Request Broker Architecture), 772
- Core Java API, 848
- cosine() method, 569, 572
- count() method, 618–619
- cp option in java, 22
- createBufferStrategy() method, 263
- createGlue() method, 289
- createGraphics() method, 255
- createHorizontalBox() method, 287
- createHorizontalGlue() method, 289
- createHorizontalStrut() method, 288
- createImage() method, 218
- createPrintJob() method, 669
- createRigidArea() method, 288

createTempFile() method, 608
 createTransferable() method
 in ImageSelection, 506
 in TransferHandler, 504
 createVerticalBox() method, 287
 createVerticalGlue() method, 289
 createVerticalStrut() method, 288
 CreditCard interface, 775
 CreditCardImpl class, 775–778
 CreditLineExceededException class, 776
 CreditManager interface, 775–776
 CreditManagerImpl class, 775, 778–779
 critical sections, 848
 Crop class, 218–219
 CropImageFilter class, 218
 cropping images, 218–219, 219
 CSS (Cascading Style Sheet) file, 24
 Cubic class, 241–242
 cubic curves, 238–242
 CubicCurve2D class, 238–240
 curly braces ({})
 in array initialization, 93
 for blocks, 53
 defined, 846
 currentThread() method, 130
 currentTimeMillis() method, 65–66, 557
 curves, 238–243, 240–242
 curveTo() method, 238, 242
 customization in JavaBeans model, 686
 cyclic gradient fills, 231

D

-D option in java, 22
 -d option in javac, 88
 -da option in javac, 125
 daemon threads, 163–164, 725, 848
 DaemonTest class, 163–164
 daisy chaining, 848
 darker() method, 197
 data field
 in IP packets, 714, 714
 in TCP packets, 715, 715
 data hiding, 848
 DataBuffer class, 255
 DataFlavor class, 494–496
 datagram protocol, 713–714, 714
 DatagramPacket class, 720–722
 datagrams, 722
 DatagramSocket class, 720–722
 DataInput interface, 610–611
 DataInputStream class, 628–630
 DataOutputStream interface, 610–611, 646
 DataOutputStream class, 640
 datatypes, 35, 49–50
 casting. *See* casting
 defined, 848
 summary, 808
 Date class, 556–557
 DateFormat class, 558–559
 dates
 formatting, 558–560, 823
 retrieving on networks, 722, 737
 DateTimeSyntax class, 677
 daytime port, 716
 dead threads, 133
 deadlocks, 149, 848
 -debug option, 31
 debuggers, 848
 debugging
 applets, 31
 applications, 25
 decimal() method
 in KeyPanel, 570
 in LCDDigitDisplay, 574
 declaring arrays, 92–93
 decompiling, 599–602
 decoupling, 848
 decrement operator, 55
 decryption, 764–765
 deep array copies, 97
 default access, 68–69, 69
 default case, 103
 default clause, 848
 default constructors, 848
 DefaultButtonModel class, 452
 DefaultCellEditor class, 478
 DefaultEditor class, 500–502
 DefaultEditorKit class, 499–500
 DefaultFocusTraversalPolicy class, 428
 DefaultListModel class, 455–456
 DefaultMutableTreeNode class, 483–485
 DefaultTableColumnModel class, 471–472
 DefaultTableModel class, 468–469
 DefaultTreeModel class, 481–482
 defining
 interfaces, 79–80
 syntax tables for streams, 635
 DeflaterOutputStream class, 643–644
 delDigit() method, 569
 delegates
 for buttons, 452–453
 in event handling, 375–378, 376
 in MVC architecture, 451

- deleteOnExit() method, 608
- demo directory, 696
- deploying applets, 586–587
 - Java Plug-in for, 587–589, 588
 - Java Web Start for, 589–596, 589–595
- Deposit class, 147, 150
- DepositThread class, 148
- deprecated elements, 848
- @deprecated tag, 44
- DES encryption, 765
- deserialization, 641
 - defined, 848
 - process of, 646–648
- design patterns
 - defined, 849
 - in network programming, 755–756, 757
- DESKeySpec class, 765
- desktop background color, 198
- destination addresses in packets, 714, 714
- destination ports in packets, 715
- destroy() method, 27, 787
- destructors, 849
- device drivers, 603
- diagrams, class, 35–37, 35–36
- dialogs, user. *See* user dialogs
- DiameterMap class, 543–544
- diamond symbols, 41
- dictionaries, 522–523, 523
- Dictionary class, 522–523
- Diff class, 612–614
- digitImage() method, 581
- Dir class, 607–608
- direct buffers, 657
- DirectColorModel class, 255
- directives in JSP, 795
- directories
 - for Beans Development Kit, 696
 - listing, 607–608
 - manipulating, 607–608
 - in packages, 87–88
- DIRECTORY.XSL page, 761
- disabling components, 316
- disassemblers, 849
- disassembling classes, 25–26
- discard port, 716
- display lists, 649
- display modes, 261–262
- DisplayInfo class, 262
- DisplayMode class, 261–262, 264–265
- displayValues() method, 161–162
- dispose() method, 668
- distributed computing libraries, 178–180
- distributed objects, 6
- divide() method, 571
- division, 56
- DNS (Domain Name System), 718, 849
- DNSLookup class, 718–719
- do-while statements, 107–108, 107, 849
- doc directory, 696
- Doc interface, 670–671
- DocAttributeSet interface, 673, 676
- DocFlavor class, 671–672
- DocPrintJob interface, 670
- Document Object Model (DOM), 762–764
- documentation
 - for applets, 30, 30
 - for applications, 23–24, 24
 - comments, 43–47, 47, 849
 - SDK, 19
- DocumentBuilder class, 764
- DocumentBuilderFactory class, 764
- doLayout() method, 315
- dollar sign characters (\$) in identifiers, 48
- DOM (Document Object Model), 762–764
- Domain Name System (DNS), 718, 849
- domain names, 718
- double-buffering
 - for animation, 212–215
 - defined, 849
- double datatype
 - casting, 72
 - default array fill values for, 93
 - initial values of, 52
 - literals in, 51
 - range of, 50
 - size of, 49
- double quotes (“”), escape sequence for, 51
- DoubleBuffer class, 657
- downloading
 - SDK, 16
 - Web pages, 730–732
- drag-and-drop operations, 493, 508–511
- DragImage class, 510–511
- Draw 4 demo, 592, 593
- draw() method, 225, 238
- drawArc() method, 190
- drawBytes() method, 191
- drawChars() method, 191
- drawHLine() method, 202
- drawImage() method, 204
- drawing areas, 234
- drawing color, 196–198

drawing images, 204–207, 206
 drawing mode, 198
 drawLine() method, 186
 drawNumber() method
 in LCDDigitDisplay, 576
 in SevenSegmentDigits, 581–586
 drawOval() method, 189
 drawPolygon() method, 187
 drawPolyline() method, 187
 drawRect() method, 186
 drawString() method
 in Graphics, 191
 in LCDDigitDisplay, 576
 drawVLine() method, 202
 Driver interface, 768–770
 Driver layer, 768–770
 DriverManager class, 768–770
 drivers
 I/O device, 603
 in JDBC, 768–770, 768–769
 drop() method, 577–578, 601
 DST blending constants, 246
 Duff, Tom, 247
 Duke mascot, 849
 dump() method, 388
 dumpInfo() method
 in AdjustmentTest, 384–385
 in AncestorTest, 387
 in FocusTest, 392
 in KeyTest, 403
 in MenuTest, 405
 in SelfInternalFrame, 397
 dumping thread state, 138–139
 dumpStack() method, 130
 DumpTimerTask class, 140
 DuplicateAccountException class, 776
 dynamic languages, 8–9

E

e-mail
 JavaMail for, 796–799
 server connections for, 725–729
 -ea option in javac, 124–125
 echo port, 716
 Edit menu in BeanBox, 698
 editor kits, 499–502
 EditorKit class, 497, 499
 editors
 selecting, 19
 for TrafficLight class property, 707–708
 EJB (Enterprise JavaBeans), 802

elements() method
 in Hashtable, 525
 in Stack, 520
 in Vector, 620
 Ellipse2D class, 238
 else clause, 101, 849
 EmptyBorder class, 329
 -enableassertions option, 124
 -enablesystemassertions option, 125
 enabling assertion checking, 125–126
 encapsulation
 in classes, 37
 defined, 849
 encode() method, 738
 encoding
 2D API images, 258–259
 defined, 849
 encryption, 764–767
 end method(), 668
 endianness, 640, 846
 endpoints in RMI, 774
 EnhancedFileTester class, 447–450
 enter() method, 569
 enterDigit() method, 569, 572
 entering() method, 664
 Enterprise JavaBeans (EJB), 802
 entity beans, 802
 entries() method, 632
 Entry interface, 83
 entrySet() method, 525
 enumerate() method, 135
 Enumeration interface, 520, 620
 enumeration() method, 549
 enumerations, 520–522
 EnumSyntax class, 677
 EOF class, 629–630
 EOFException class, 115, 628
 ephemeral ports, 725, 749
 equal signs (=)
 for assignment, 54, 61–62
 for equality, 56
 in inequality operator, 57
 equals() method, 57
 in Arrays, 99
 in Date, 557
 in Hashtable, 524–525
 in Insets, 185
 in Set, 537
 in StackTraceElement, 121
 Error class, 114, 114
 error classes, 175

- esa option in javac, 125
 - escape sequences, 51, 810
 - EtchedBorder class, 329
 - even/odd winding rule, 227, 228
 - event-driven programming, 849
 - EventListener interface, 376, 689
 - EventListenerList class, 418–419, 689
 - EventMonitor Bean, 699
 - EventObject class, 378–379
 - EventQueue class, 430
 - events and event handling, 375
 - abstract action listeners for, 419–422, 420
 - Component methods for, 311–313
 - defined, 849
 - delegation-based, 375–378, 376
 - for JavaBeans, 687–690, 687
 - listener lists for, 417–419
 - types, 378–379, 379–380
 - action, 380–383, 383
 - adjustments, 383–385
 - ancestor, 385–387
 - component, 387–389
 - container, 389–391
 - focus, 391–393, 424–429, 427–428
 - hyperlink, 393–395
 - internal frame, 395–397
 - item, 397–399, 399
 - key, 400–404
 - keyboard, 422–424
 - menu, 404–405
 - mouse, 406–409, 409
 - mouse wheel, 409–411
 - for multiple threads, 429–430
 - pop-up menu, 411–413
 - window, 413–415
 - EventTargetDialog pop-up window, 700, 701
 - EventType class, 394
 - Exception class, 114–115, 114
 - exception handling, 113
 - chaining exceptions, 120–121
 - classes for, 175
 - constructs for, 113–114
 - customized classes for, 119–120
 - example, 115–117, 116
 - Exception class hierarchy in, 114–115, 114
 - finally clause in, 122–124
 - methods for, 118–119
 - stack dumps in, 121–122
 - throwing, 119
 - @exception tag, 44
 - exceptions, 849
 - exclamation points (!) in inequality operator, 57
 - execute() method, 771
 - executeQuery() method, 771
 - executeUpdate() method, 771
 - execution contexts, 127
 - exit() method, 111
 - ExitableJFrame class, 184, 271
 - exiting() method, 664
 - ExplicitButton Bean, 698–701, 700
 - expressions, 53–54
 - defined, 849
 - regular, 659–662
 - extcheck utility, 16
 - extends keyword, 39, 80
 - Extensible Markup Language (XML), 179, 759–760
 - defined, 860
 - encoding and decoding in, 653–656
 - SAX for, 762–764
 - transforming, 760–762, 762
 - Extensible Style Language for Transformation (XSLT), 760–762, 762
 - extension libraries
 - COMM, 802–805
 - J2EE, 785–786
 - EJB, 802
 - JavaMail, 796–799
 - JMS, 800–801, 800
 - JNDI, 799
 - JSP, 794–796
 - servlets, 786–793, 790
 - J2SE, 759
 - JDBC, 768–772, 769
 - JNI, 785
 - RMI, 772–785, 773
 - for security, 764–767
 - XML, 759–764
 - ExtensionFilter class, 446, 448–449
 - Externalizable interface, 645
- ## F
- \f escape sequence, 51
 - factory classes, 755–756, 757, 850
 - FAQs (Frequently Asked Questions), 840
 - fields
 - in classes, 35–36, 35–36
 - defined, 850
 - FieldSave class, 653
 - file choosers, 441–450, 446–447
 - File class, 604–608
 - File menu in BeanBox, 698, 701–702
 - file systems, 604–605

- File Transfer Protocol (FTP)
 - port for, 715–716
 - specifications for, 725
 - in URLs, 756
- FileChannel class, 658, 741
- FileFilter class, 446
- FileInputStream class, 616–619
- filenames, 605–606
- FileNotFoundException class, 115, 118
- FileReader class, 616–619
- files
 - accessing, 608–614
 - attributes for, 606–607
 - comparing, 612–614
 - compressing, 632–634, 643–644
 - I/O for. *See* input/output; streams
 - listing, 607–608
 - naming, 605–606
- FileView class, 446
- fill() method
 - in Arrays, 99
 - in Graphics2D, 225, 231, 238
 - in PanelTest, 338
- fillArc() method, 190
- fillOval() method, 189
- fillPolygon() method, 187
- fillRect() method, 186
- fills, gradient and textured, 231–234, 232–233
- FillUp class, 232–233
- filter() method, 256
- FilteredImageSource class, 218
- FilterInputStream class, 627
 - BufferedInputStream in, 627–628
 - DataInputStream in, 628–630
 - PushbackInputStream in, 631
- FilterOutputStream class, 21, 639
 - BufferedOutputStream in, 639–640
 - DataOutputStream in, 640
 - ObjectOutputStream in, 641
 - PrintStream in, 641–642
- FilterReader class, 627
 - BufferedReader in, 627–628
 - LineNumberReader in, 630–631
 - PushbackReader in, 631
- FilterWriter class, 639
- final modifier
 - for constants, 52, 67–68
 - defined, 850
 - for local classes, 84
- finalizer methods, 850
- finally clause, 122–124, 614, 850
- FinallyTest class, 123–124
- find() method, 660
- findCreditAccount() method
 - in CreditCardImpl, 779
 - in CreditManager, 776
- findThread() method, 624–626
- finger port, 716
- fireAction() method, 707
- fireActionPerformed() method
 - in EventListenerList, 419
 - in MyApp, 690
- fireContentsChanged() method, 456
- firePropertyChange() method, 692
- First2D class, 227
- FirstThread class, 130
- fiveSeconds() method, 118
- flavors
 - in printing, 671–673
 - in transferable objects, 494–496
- flip() method, 657
- float datatype
 - casting, 72
 - default array fill values for, 93
 - initial values of, 52
 - literals in, 51, 53
 - range of, 50
 - size of, 49
- FloatBuffer class, 657
- flow-breaking statements, 108
 - break, 108
 - continue, 109
 - defined, 850
 - labels, 109
 - return, 110–111
- flow-control statements, 100
 - conditional, 100–104
 - defined, 850
 - loop control, 104–108, 105–107
- FlowingButtons class, 276
- FlowLayout manager, 276–277, 276
- FlowLayoutTest class, 270–271
- flushing, 850
- focus
 - Component methods for, 315
 - events for, 391–393, 424–429, 427–428
 - traversing, 427–429, 427–428
- focus cycle, 427
- focusCycleRoot property, 427
- focused windows, 427
- FocusEvent class, 391–392
- focusGained() method, 392
- FocusListener interface, 391
- focusLost() method, 392

FocusTest class, 392
 FocusTraversalPolicy class, 427–428
 Font class, 198
 FontMetrics class, 200
 fonts

- in 2D API text processing, 249–250
- in graphics, 198–202, 200–201
- for seven-segment digits, 584

 Fonts class, 199, 200
 for statements, 104–105, 105, 850
 form feeds, escape sequence for, 51
 FormattedText class, 361
 formatting

- 2D API images, 254–255
- dates, 558–560, 823
- numbers, 554–556, 555
- text fields, 360–361

 forName() method, 658
 forums, 841
 404: Not Found error message, 732
 Frame class, 183, 272
 frame headers, 714, 714, 850
 frame rate, 850
 frameInit() method, 184
 frames, 714

- defined, 850
- for graphics, 183–186, 183
- internal
 - events for, 395–397
 - working with, 363–364, 363

 frameworks, 850
 frequency() method, 619
 Frequently Asked Questions (FAQs), 840
 friendly protection, 850
 FTP (File Transfer Protocol)

- port for, 715–716
- specifications for, 725
- in URLs, 756

 FULL date format, 559
 full screen rendering, 262–266, 266
 FullScreen class, 264–266
 fully qualified class names, 87
 functions, 35

G

Gage, John, 4
 garbage collection, 6, 78, 850
 general resources, 843–844
 General tab, 674, 674
 generalization, 37–39, 38
 GeneralPath class, 238, 242–243, 242

Generic Security Service (GSS-API), 764
 generics, 5
 GenericServlet class, 788, 791
 geometry querying methods, 313–314
 get() method

- in Calendar, 557–558
- in Hashtable, 525–526
- in HTTP, 730–731
- in Monitor, 158
- in NoWaitMonitor, 154
- in Preferences, 529
- in Vector, 516

 GET requests in HTTP, 729
 getAccumulator() method

- in CalcStack, 577–578, 601
- in KeyPanel, 572

 getAddress() method, 719
 getAlignmentX() method, 315
 getAlignmentY() method, 315
 getAllByName() method, 717
 getAllFonts() method, 249
 getAppletInfo() method, 565–566
 getAudioClip() method, 220
 getAvailableFontFamilyNames() method, 249
 getBackgroundColor() method, 691
 getBalance() method, 147
 getBorderInsets() method, 329
 getBounds() method, 314
 getByAddress() method, 717
 getName() method, 717
 getCellEditorValue() method, 479
 getChannel() method, 611
 getChild() method, 303, 531
 getClassLoader() method, 126
 getClassName() method, 121
 getClip() method, 194
 getClipBounds() method, 194
 getCodeBase() method, 203
 getColor() method, 196
 getComponent() method, 302
 getComponentCount() method, 302
 getComponentOrientation() method, 315
 getConnection() method, 770
 getConstraint() method, 293
 GetContent class, 733
 getContent() method

- in URL, 735
- in URLConnection, 756

 getContentEncoding() method, 737
 getContentLength() method, 737
 getContentPane() method, 271

- getContents() method, 499
- getContentType() method, 737
- getCreditLine() method
 - in CreditCard, 775
 - in CreditCardImpl, 777
- getCurrencyInstance() method, 554
- getCurrentKeyboardFocusManager() method, 425
- getCurrentLightState() method, 704
- getData() method, 722
- getDate class, 722
- getDate() method, 737
- getDateInstance() method, 559
- getTimeInstance() method, 559
- getDays() method, 104
- getDefaultLightState() method, 704–705
- getDefaultScreenDevice() method, 262
- getDefaultUseCaches() method, 738
- getDescription() method
 - in ExtensionFilter, 449
 - in IconView, 448
- getDisabledIcon() method, 341
- getDisplayModes() method, 262
- getDocumentBase() method, 203
- getElement() method, 516
- getEventType() method, 394
- getExpiration() method, 737
- getFD() method, 611
- getFile() method, 735
- getFileName() method, 121
- getFilePointer() method, 611
- getFont() method, 198
- getFontMetrics() method, 200
- getGraphics() method, 255, 668
- getHeader() method, 792
- getHost() method, 735
- getHostAddress() method, 719
- getHumanPresentableName() method, 496
- getIcon() method, 341, 448
- getIconHeight() method
 - in AnOvalIcon, 447
 - in PieIcon, 326–327, 334, 336
 - in RedOvalIcon, 422
 - in TriangleIcon, 342
- getIconWidth() method
 - in AnOvalIcon, 447
 - in PieIcon, 326–327, 334, 336
 - in RedOvalIcon, 422
 - in TriangleIcon, 332, 342
- getImage() method
 - in ConvolveIt, 257–258
 - in Image, 203
- getImageTexture() method, 234
- getInputMap() method, 423
- getInputStream() method
 - in ServletRequest, 791, 793
 - in Socket, 728
 - in URLConnection, 738
 - in ZipEntry, 633
- getInsets() method, 185
- getInstance() method, 557
- getKey() method, 531
- getKeyStroke() method, 422
- getLabel() method, 691
- getLastModified() method, 737
- getLength() method, 654
- getLineNumber() method
 - in LineNumberReader, 630
 - in StackTraceElement, 121
- getListCellRendererComponent() method
 - in ListCellRenderer, 458
 - in MyLabelRenderer, 458, 461
- getLocalGraphicsEnvironment() method, 249, 262
- getLocalHost() method, 717
- getLocalizedMessage() method, 117
- getLocation() method, 314
- getMaximumSize() method, 296, 303, 314
- getMaxPriority() method, 135
- getMessage() method, 117
- getMessageExample class, 798–799
- getMethod() method, 792
- getMethodName() method, 121
- getMimeType() method, 680
- getMinimumSize() method, 296, 303, 314, 341
- getModifiers() method, 381
- getMoonCount() method, 517, 540
- getMoreResults() method, 771
- getName() method
 - in Comet, 518
 - in IconView, 448
 - in JFileChooser, 451
 - in Planet, 517, 540
 - in Thread, 135
 - in ThreadGroup, 135
- getNames() method, 654
- getNewValue() method, 531
- getNext() method, 165–166
- getNode() method, 531
- getOutline() method, 250
- getOutputStream() method
 - in ServletResponse, 791
 - in Socket, 728
 - in URLConnection, 738

- getParameterInfo() method, 566
- getParent() method
 - in NodeChangeEvent, 531
 - in ThreadGroup, 135
- getPasswordAuthentication() method, 738–740
- getPathTranslated() method, 792–793
- getPercentInstance() method, 555
- getPoint() method, 654
- getPort() method, 735
- getPreferredSize() method
 - in BorderLayoutTest, 278
 - in Component, 296, 314
- getPrintJob() method, 667
- getPriority() method, 135
- getProperties() method, 528
- getProperty() method, 527
- getPropertyChangeListener() method, 691
- getProtocol() method, 735
- getQueryString() method, 792–793
- getRaster() method, 255
- getReader() method, 791
- getReaderFormatName() method, 258
- getRef() method, 735
- getResultSet() method, 771
- getRotateInstance() method, 244
- getScaledInstance() method, 215–216
- getScaleInstance() method, 244
- getScreenSize() method
 - in IconLoadDraw, 210
 - in MediaLoadDraw, 209
- getSelectedFile() method, 451
- getSelectedIndex() method, 347
- getSelectedIndices() method, 350
- getSelectedItem() method
 - in JComboBox, 347
 - in PartsListModel, 457, 460
- getSelectedObjects() method, 347
- getSelectedValues() method, 350
- getSelectionMode() method, 350
- getSignature() method, 777
- getSize() method
 - in Component, 314
 - for JavaBeans, 692
- getSourceActions() method
 - in ImageSelection, 505
 - in TransferHandler, 503
- getStack() method, 574
- getStackElement() method, 577, 601
- getStackTrace() method, 121
- getSystemClipboard() method, 497
- getTableCellEditorComponent() method, 480
- getTableCellRenderer() method, 476
- getTableCellRendererComponent() method
 - in MyTableCellRenderer, 475
 - in TableCellRenderer, 474
- getTags() method, 707–708
- getText() method, 325
- getTextPlainUnicodeFlavor() method, 496
- getThreadGroup() method, 135
- getTime() method, 557
- getTransferData() method, 499, 507
- getTransferDataFlavors() method, 496, 507
- getTranslateInstance() method, 243
- getTreeCellRendererComponent
 - in MyCellRenderer, 488–489
 - in TreeCellRenderer, 488
- getTypeDescription() method, 448
- getUpdateCount() method, 771
- getUseCaches() method, 738
- getValue() method, 420
- getVetoableChangeListener() method, 692
- GetWebPage class, 730–732
- GetWebPage2 class, 741–743
- GetWebPage3 class, 746–748
- getWriter() method, 791–792
- getWriterFormatName() method, 258
- ghosting components, 316
- GIF (Graphics Interchange Format)
 - defined, 851
 - MIME types for, 732
- global methods, 427
- go() method
 - in Animate, 212
 - in BufferedAnimate, 215
 - in Scale, 216–217
- Gosling, James, 4
- gradient fills, 231–234, 232–233
- GradientPaint class, 231
- grammar, 850
- graphical user interfaces (GUIs), 851
- graphics, 181–183
 - 2D. *See* 2D API
 - animation. *See* animation
 - arcs, 190–191, 191
 - clipping in, 194–195, 195
 - coordinate system translations for, 193–194
 - drawing color in, 196–198
 - drawing mode in, 198
 - font metrics in, 200–202, 201
 - frames for, 183–186, 183
 - lines and rectangles, 186, 187
 - methods for, 314

- ovals, 189, 190
- polygons, 187–188
- text, 191–192, 192, 198–200, 200
- graphics contexts, 183
- Graphics Interchange Format (GIF)
 - defined, 851
 - MIME types for, 732
- Graphics2D class
 - drawing in, 224–226
 - gradient and textured fills in, 231–234, 232–233
 - for rectangles and arcs, 226–227, 226, 228
 - stroking patterns in, 228–231, 229–230
- GraphicsConfiguration class, 260
- GraphicsDevice class, 260, 262
- GraphicsEnvironment class, 249, 260–262
- GraphicsInfo class, 260–261
- graphs of objects, 644
- GraphicsConfiguration class, 255
- graying out components, 316
- greater than signs (>)
 - as relational operator, 57
 - in shift operators, 59–60
- Green project, 4
- GregorianCalendar class, 557
- GridBagConstraints class, 296–301, 298, 300
- GridBagLayout manager, 296–301, 298, 300
- GridBagTest class, 298–299
- GridLayout manager, 285–287, 286
- GridLayoutTest class, 286
- group() method, 660
- groups, thread, 133–134
- GSS-API (Generic Security Service), 764
- guessContentTypeFromName() method, 738
- guessContentTypeFromStream() method, 738
- GUI-driven applets. *See* calculator
- GUI layout management, 269–270
 - BorderLayout manager in, 277–280, 278–280
 - BoxLayout manager in, 287–292, 288–291
 - CardLayout manager in, 281–282, 281–282
 - Component in, 270–271
 - Container in, 270–276
 - FlowLayout manager in, 276–277, 276
 - GridBagLayout manager in, 296–301, 298, 300
 - GridLayout manager in, 285–287, 286
 - JFrame in, 271–272, 272
 - JSplitPane in, 284–285, 285
 - JTabbedPane in, 282–283, 283–284
 - LayoutManager in, 301–303
 - SpringLayout manager in, 292–296, 294–295
- GUIs (graphical user interfaces), 851
- GZipInputStream class, 632
- GZipOutputStream class, 643

H

- Handler class, 664
- handlers, factory classes for, 756
- handles for classes, 183
- hash tables, 523–526
- hashCode() method, 61
 - in HashSet, 537
 - in Hashtable, 524–525
 - in Insets, 185
 - in Object, 642
 - in StackTraceElement, 121
- HashDocAttributeSet class, 673, 676
- HashMap class, 543
- HashPrintJobAttributeSet class, 677
- HashPrintRequestAttributeSet class, 670, 676
- HashPrintServiceAttributeSet class, 677
- HashSet class, 537
- Hashtable class, 523–526
- hasMoreElements() method, 520, 620
- haveOilProcessed() method, 624
- Hawkins, Trip, 4
- headers
 - in HTTP, 729
 - in IP packets, 714, 714
 - request, 729
 - response, 729
- headMap() method, 543
- heap memory, 76–79, 77–78
 - for arrays, 94–97, 94–97, 100, 100
 - defined, 851
- HEIGHT attribute, 29
- Hejlsberg, Anders, 9
- HelloServlet class, 788–791
- HelloWorldApplet class, 26–28
- hiding password fields, 355–356
- hints
 - rendering, 234–236, 237
 - scaling, 216
- history, 3–4
- hitClip() method, 194
- HORIZONTAL_SCROLLBAR_ constants, 348
- horizontal tab, escape sequence for, 51
- HorizontalBoxTest class, 289
- hosts in URL addresses, 735
- hotspot option in java, 22
- HotSpot tool, 8
- HSB (hue, saturation, and brightness) color values, 197
- HTML (Hypertext Markup Language)
 - defined, 851
 - displaying, 357–358, 358
 - MIME types for, 733

- HTML loaders, **28–29**
 - HTMLConverter tool, 587
 - HTMLTest class, 358
 - HTTP (Hypertext Transfer Protocol), 713
 - controlling links in, **735–738**
 - defined, 851
 - operation of, **729**
 - port for, 716
 - specifications for, 725
 - HTTP class, 730–732
 - HTTPS (Secure Hypertext Transfer Protocol), 767, 857
 - HttpServlet class, 788, 791
 - HttpServletRequest interface, 788, 790–791
 - HttpServletResponse interface, 788, 790–791
 - hue, saturation, and brightness (HSB) color values, 197
 - hyperlink events, **393–395**
 - HyperlinkEvent class, 393–394
 - HyperlinkListener interface, 393
 - HyperlinkTest class, 394
 - Hypertext Markup Language (HTML)
 - defined, 851
 - displaying, **357–358, 358**
 - MIME types for, 733
 - Hypertext Transfer Protocol (HTTP), 713
 - controlling links in, **735–738**
 - defined, 851
 - operation of, **729**
 - port for, 716
 - specifications for, 725
- I**
- I18N abbreviation, 851
 - IANA (Internet Assigned Numbers Authority), 749
 - Icon interface, 326
 - IconLoadDraw class, 210
 - icons, **331–335, 332, 334**
 - IconView class, 447–448
 - IDE (Integrated Development Environment), 852
 - identifiers, 48, 851
 - IDL (Interface Description Language), 772
 - idlj utility, 16
 - if statements, **100–102, 851**
 - IFF files, MIME type for, 732
 - IIOP (Internet Inter-ORB Protocol), 179
 - IllegalArgumentException class, 119
 - IllegalMonitorStateException class, 154
 - Image buffers, 213
 - ImageIcon class, 209–210, 327–328
 - ImageIO class, 258–259
 - ImageObserver interface, **204–206, 311**
 - images and image processing. *See also* graphics
 - in 2D API
 - encoding, **258–259**
 - formatting, **254–255**
 - operations for, **256–258, 257**
 - buffering, **212–215**
 - on buttons, **326–328, 326, 328**
 - Component methods for, 317
 - cropping, **218–219, 219**
 - drawing, **204–207, 206**
 - filtering, 851
 - ImageObserver for, **204–206**
 - loading, **203, 205–207**
 - MediaTracker for, **207–210**
 - MIME types for, 732–733
 - plug-ins for, 756
 - scaling, **215–217**
 - for seven-segment digits, **584–585, 585**
 - transferring, **502–508, 502**
 - ImageSelection class, 503, **505–507**
 - imageUpdate() method, 205–206, 311
 - IMAP (Internet Message Access Protocol), 797
 - immutable property, 851
 - implements clause, **80–81**
 - implicit objects in JSP, 796
 - import statement
 - for AWT classes, 325
 - for packages, **86**
 - importData() method
 - in ImageSelection, 506
 - in TransferHandler, **504–505**
 - increment operator, 55
 - IndexColorModel class, 255
 - indexed properties, **691, 694**
 - indexes of array elements, 92
 - IndexOutOfBoundsException class, 119
 - inequality operator, 57
 - InetAddress class, **717–719**
 - InetSocketAddress class, 741, 754
 - infinity literals, 53
 - InflaterInputStream class, **632–634**
 - information hiding, **37, 37**
 - InheritableThreadLocal class, 161
 - inheritance, **37–39, 38**
 - defined, 851
 - multiple, 79, 854
 - init() method
 - in Applet, 27, 787
 - in HelloServlet, 788
 - in HelloWorldApplet, 27
 - in StackCalculator, 565–566

- initialization step in for statements, 104–105, 105
- initializing
 - arrays, 93–94
 - variables, 52–53
- initialValue() method, 161
- initiate() method, 710
- inner classes, 82–83
 - anonymous, 85
 - defined, 851
 - local, 84
 - member, 83–84
- input dialogs, 436–437, 437
- input method methods, 317
- input/output, 603
 - File for, 604–608
 - JTextArea for, 356–357, 356
 - TextField for, 353–355
 - logging, 662–664
 - new. *See* New I/O package
 - RandomAccessFile for, 608–614
 - serialization in. *See* serialization
 - streams for. *See* streams
 - XML, 652–656
- InputEvent class, 401–402
- InputMap class, 423
- InputMethodEvent class, 416
- InputStream class, 614–616, 615
 - BufferedInputStream in, 627–628
 - ByteArrayInputStream in, 619–620
 - DataInputStream in, 628–630
 - FileInputStream in, 616–619
 - FilterInputStream in, 627
 - ObjectInputStream in, 626–627
 - PipedInputStream in, 621–626, 626
 - PushbackInputStream in, 631
 - SequenceInputStream in, 620–621
- InputStreamReader class, 627
- InsensitiveComp class, 548
- Insets class, 185
- installing
 - Beans Development Kit, 696
 - SDK, 16–19
- instance variables, 852
- instanceof operator, 63, 518
- instances
 - of classes, 34
 - defined, 851
- instantiations
 - defined, 852
 - factory design patterns for, 755
- int datatype
 - casting, 72
 - default array fill values for, 93
 - initial values of, 52
 - literals in, 50
 - range of, 50
 - size of, 49
- IntBuffer class, 657
- IntegerSyntax class, 677
- Integrated Development Environment (IDE), 852
- integrating applications with C/C++, 24–25
- Interface Description Language (IDL), 772
- interface keyword, 79
- interfaces, 6, 79
 - defined, 852
 - defining, 79–80
 - implements clause for, 80–81
 - and inner classes, 82–85
 - naming conventions for, 89
 - for RMI remote classes, 775–776
- internal frames
 - events for, 395–397
 - working with, 363–364, 363
- internalFrameActivated() method, 396
- internalFrameClosed() method, 396
- internalFrameClosing() method, 396
- internalFrameDeactivated() method, 396
- internalFrameDeiconified() method, 396
- InternalFrameEvent class, 395
- internalFrameIconified() method, 396
- InternalFrameListener interface, 395
- internalFrameOpened() method, 396
- InternalFrameTest class, 396
- InternalTest class, 364
- internationalization, 852
- Internet, 713
 - addressing in, 717–719
 - IP packets in, 713–714, 714
 - standards for, 725
 - TCP/IP in, 713–719
 - TCP packets in, 714–716, 715
- Internet Assigned Numbers Authority (IANA), 749
- Internet Inter-ORB Protocol (IIOP), 179
- Internet Message Access Protocol (IMAP), 797
- Internet Options tab, 587, 588
- Internet Protocol (IP), 725, 852
- interpreted programs, 6
- interpreters, 852
- interrupt() method, 129, 133
- InterruptedException class, 118
- InterruptedException class, 750

interthread communications, 153–160

introspection

defined, 852

of JavaBeans, 686, 693–695

invalidate components, 316

InvalidClassException class, 648

InvalidMoneyException class, 776

InvalidObjectException class, 648

InvalidSignatureException class, 776

inverse() method, 570

invokeAndWait() method, 430

invokeLater() method, 430

invokers, 370

IOException class, 118, 259, 611

IP (Internet Protocol), 725, 852

IP packets, 713–714, 714

IPv6 (Internet Protocol version 6), 714

isAlive() method, 135

isBorderOpaque() method, 329

isCellEditable() method

in MyColorChooser, 479–480

in MyTableModel, 476

isDaemon() method, 135

isDataFlavorSupported() method, 496, 499, 507

isDebug() method, 704–705

isDisplayChangeSupported() method, 262

isEmpty() method, 525

isErrorAny() method, 208

isInterrupted() method, 135

isJavaIdentifierPart() method, 49

isJavaIdentifierStart() method, 49

isLoggable() method, 664

isNativeMethod() method, 121

isPopupTrigger() method, 406

isTraversable() method, 448

ItemEvent class, 397–398

ItemListener interface, 397

items, events for, 397–399, 399

itemStateChanged() method, 398

ItemTest class, 398–399

Iterator interface, 533, 533, 536

iterators, 536

J

J2EE (Java 2 Enterprise Edition)

defined, 852

extension libraries, 785–786

EJB, 802

JavaMail, 796–799

JMS, 800–801, 800

JNDI, 799

JSP, 794–796

servlets, 786–793, 790

J2ME (Java 2 Micro Edition), 852

J2SE (Java 2 Standard Edition), 759

defined, 852

extension libraries

JDBC, 768–772, 769

JNI, 785

RMI, 772–785, 773

for security, 764–767

XML, 759–764

JAAPI (Java Accessibility API), 178

JAAS (Java Authentication and Authorization Service), 176, 764

Jacobson, Ivar, 34

jaggies, 234

JApplet class, 586, 826

JAR (Java archive) files

defined, 852

for JavaBeans, 693

in optimizing applets, 597–598

jar utility, 14, 837–838

JarInputStream class, 632

JarOutputStream class, 643

jars directory, 696

jarsigner utility, 16

Java 2 Enterprise Edition. *See* J2EE (Java 2 Enterprise Edition)

Java 2 Micro Edition (J2ME), 852

Java 2 Standard Edition. *See* J2SE (Java 2 Standard Edition)

Java Accessibility API (JAAPI), 178

Java archive (JAR) files

defined, 852

for JavaBeans, 693

in optimizing applets, 597–598

Java Authentication and Authorization Service (JAAS), 176, 764

java.awt package, 177

java.awt.datatransfer package, 493

java.awt.dnd package, 493

java.awt.event package, 379

java.awt.image package, 254

java.awt.print package, 178, 665

java.beans package, 176

Java Certificate Path API, 764

Java Communications API, 802–805

Java Cryptographic Extension (JCE), 176, 764

Java Database Connectivity (JDBC), 179, 767–768, 768

API components in, 768–769, 769

Application layer in, 770–772

defined, 852

drivers in, 768–770

- Java Development Kit (JDK), 852
- .java files, MIME type for, 733
- JAVA_FONTS environment variable, 250
- Java Foundation Component (JFC), 269–270, 852
- Java GSS-API (Generic Security Service), 764
- java.io package, 175, 603
- java.lang package, 174–175
- java.lang.math class, 549–551
- java.lang.ref package, 175
- java.lang.reflect package, 175
- java.math package, 175, 551–556, 555
- Java Message Service (JMS), 800–801, 800
- Java Naming and Directory Interface (JNDI), 179–180, 799
- Java Native Interface (JNI), 785
- java.net package, 178–179, 713, 755
- Java Network Launching Protocol (JNLP), 589, 594–596, 595, 852
- java.nio package, 175, 656
- java.nio.channels package, 657
- java.nio.charset package, 658
- Java Platform, 13, 852
- Java Plug-in
 - defined, 853
 - obtaining and installing, 587–589, 588
- Java Print Service API, 668
- Java Remote Method Protocol (JRMP), 179
- java.rmi package, 179, 772
- java.rmi.server package, 772
- Java Runtime Environment (JRE), 6, 12
- Java Secure Socket Extension (JSSE), 176, 764, 767
- java.security package, 176
- Java Serialization, 695
- java.sql package, 179
- java.sun.com site, 726
- java.swing package. *See* Swing components
- java.text package, 175–176
- Java Transaction API (JTA), 179
- java.util package, 175, 513
- java.util.prefs package, 528
- java.util.regex package, 659
- java.util.zip package, 632
- java utility, 14, 15, 21, 835–837
- Java Virtual Machine (JVM), 6, 21, 853
- Java Web Start, 589–596, 589–595, 853
- java.xml package, 179
- JavaBeans, 176, 685
 - architecture of, 687, 687
 - Beans Development Kit for, 695–696
 - BeanBox application in, 697–702, 697–698
 - for creating beans, 702–711
 - defined, 846
 - installing, 696
 - compiling, 708–709
 - defined, 846
 - events for, 687–690
 - inserting into BeanBox, 709, 709
 - introspection of, 693–695
 - methods for, 693
 - model for, 686–687, 687
 - persistence of, 686, 695
 - properties for, 690–694
 - storing, 693
 - testing, 709–711, 710
- JavaBeans Activation Framework, 796
- JavaBeans API, 853
- javac utility, 14, 15
 - for applets, 28
 - for applications, 20
 - options for, 835
- javadoc utility, 14, 15, 23, 30, 30
 - comment tags for, 838
 - example, 45–47, 47
 - tags in, 44
- javah utility, 14, 15, 25
- JavaMail, 726, 796–799
- javap utility, 14, 15, 25–26
- JavaScript language, 853
- javaSerializedObjectMimeType class, 496
- JavaServer Pages (JSP), 794–796
- JavaSoft division, 853
- javaw utility, 16
- javax.crypto package, 176
- javax.imageio package, 254
- javax.naming package, 179–180
- javax.net package, 176
- javax.print package, 668
- javax.print.attribute package, 668, 676–677
- javax.print.attribute.standard package, 668, 677
- javax.print.event package, 668, 670
- javax.rmi package, 179
- javax.sound package, 178, 221
- javax.sql package, 179
- javax.swing.border package, 328–329, 329
- javax.swing.event package, 379, 380
- javax.swing.table package, 462
- JButton class, 324–328, 324, 328, 330–331, 451, 826
- JCE (Java Cryptographic Extension), 176, 764
- JCheckBox class, 343–344, 343, 826
- JCheckBoxMenuItem class, 826
- JColorChooser class, 438–441, 440, 479–480, 826
- JComboBox class, 346–347, 346, 454, 826
- JComponent class, 318–323, 827
- jdb utility, 14, 15, 25, 31

JDBC (Java Database Connectivity), 179, **767–768**, 768
 API components in, **768–769**, 769
 Application layer in, **770–772**
 defined, 852
 drivers in, **768–770**

JDBC-ODBC bridge drivers, 769

JDBC Select Bean, 699

JDesktopPane class, 827

JDialog class, 827

JDK (Java Development Kit), 852

JEditorPane class, **357–358**, 358, 827

JellyBean Bean, **699–701**, 700–701

JFC (Java Foundation Component), 269–270, 852

JFileChooser class, 441–447, 446–447, 828

JFormattedTextField class, **360–361**, 828

JFrame class, 184, **271–272**, 272, 828

JGL Libraries, 536

JInternalFrame class, **363–364**, 363, 828

JIT (Just-In-Time) compilers, 8, 853

JLabel class, **339–341**, 340, 829

JLayeredPane class, 829

JList class, **349–351**, 349, 351, 454, 829

JMenu class, **368–369**, 829

JMenuBar class, **368**, 829

JMenuItem class, 369, 829

JMS (Java Message Service), **800–801**, 800

JNDI (Java Naming and Directory Interface), 179–180, **799**

JNI (Java Native Interface), **785**

JNLP (Java Network Launching Protocol), 589, 594–596, 595, 852

JNLPTest class, 595, 595

JOIN_ constants, 229

join() method, 129–130, 133, 153

joining streams, **620–621**

Joint Photography Engineering Group (JPEG) files
 defined, 853
 MIME type for, 732

JOptionPane class, 431–433, 830

Joy, Bill, 5

JPanel class, **338–339**, 339, 830

JPasswordField class, **355–356**, 830

JPEG (Joint Photography Engineering Group) files
 defined, 853
 MIME type for, 732

JPopupMenu class, **370**, 830

JProgressBar class, 830

JRadioButton class, **344–346**, 346, 830

JRadioButtonMenuItem class, 830

JRE (Java Runtime Environment), 6, **12**

JRMP (Java Remote Method Protocol), 179

JRootPane class, 830

JScrollBar class, 831

JScrollPane class, **348**, 349, 831

JSeparator class, 831

JSlider class, **351–353**, 351–352, 831

JSP (JavaServer Pages), **794–796**

JSpinner class, **359–360**, 359, 831

JSplitPane class, **284–285**, 285, 832

JSSE (Java Secure Socket Extension), 176, 764, 767

JTA (Java Transaction API), 179

JTabbedPane class, **282–283**, 283–284, 832

JTable class, **364–365**, 365, **462–467**, 832

JTextArea class, **356–357**, 356, 833

JTextComponent class, 833

JTextField class, **353–355**, 833

JTextPane class, 496, 833

JToggleButton class, **341–343**, 341, 833

JToolBar class, **361–363**, 362, 833

JToolTip class, 337, 833

JTree class, 480–481, 834

Juggler Bean, 699

JupiterMoons class, 519–520

Just-In-Time (JIT) compilers, 8, 853

JViewport class, 834

JVM (Java Virtual Machine), 6, 21, 853

JWindow class, 834

K

Kerberos V5 support, 176

Kernighan, Brian, 614

KEY_ANTIALIASING keys, 236

key-value pairs
 in dictionaries, 522
 in hash tables, 524

keyboard events
 handling, **400–404**
 registering, **422–424**

KeyboardFocusManager class, **425–427**

KeyEvent class, 400–401

keyLabel() method, 572

KeyListener interface, 400, 422

KeyPanel class, **566–572**

keyPressed() method
 in KeyListener, 400
 in KeyTest, 403

keyReleased() method
 in KeyListener, 400
 in KeyTest, 403

keys() method
 in Hashtable, 525
 in Preferences, 530

keySet() method, 525

KeyStroke class, 422
 KeyTest class, 402–404
 KeyTester class, 423–424
 keytool utility, 16
 keyTyped() method
 in KeyListener, 400
 in KeyTest, 403
 keywords, 48, 853
 known objects table, 647

L

L&F (look and feel)
 defined, 854
 in MVC architecture, 453–454
 labels, 109, 339–341, 340
 LabelTest class, 340
 lawsuits, 3, 9
 layout and layout managers
 in 2D API text processing, 250–254, 250, 252
 Component methods for, 314–315
 defined, 853
 GUI. *See* GUI layout management
 layoutContainer() method
 in BorderLayout, 303–304
 in LayoutManager, 301–302
 LayoutFocusTraversalPolicy class, 429
 LayoutManager interface, 301–303
 LayoutManager2 interface, 302
 LCDDigitDisplay class, 572–576
 left-associativity, 55
 length
 of filenames, 604
 of vectors, 516
 length() method
 in BitSet, 533
 in String, 73
 less than signs (<)
 as relational operator, 57
 in shift operators, 59–60
 letters in Java, 48
 lib directory, 696
 libraries
 class, 6, 847
 distributed computing, 178–180
 extension. *See* extension libraries
 graphics. *See* graphics
 multimedia, 176–178, 178
 utilitarian, 174–176
 life-cycle methods, 27, 853
 life cycle of threads, 131–132, 131
 lifetime modifiers, 63–68
 lightChange() method, 706–707, 710
 LightColorEditor class, 708
 lightweight components, 316
 lightweight processes, 127
 LineBorder class, 329
 LineBreakMeasurer class, 252
 linefeeds, escape sequence for, 51
 LineMetrics class, 202
 Lineno class, 630–631
 LineNumberReader class, 630–631
 lines, drawing, 186, 187
 @link tag, 44
 LinkedHashMap class, 526, 543
 LinkedHashSet class, 537
 LinkedList class, 165, 539
 Linux
 ScheduleTester for, 142–144
 SDK installation on, 17
 List interface, 533–534, 533, 538–540
 list() method, 607
 ListCellRenderer interface, 458
 ListDataEvent class, 457
 ListDataListener interface, 457
 listener lists, 417–419
 listeners, 379
 abstracting, 419–422, 420
 defined, 853
 listening sockets, 748–753
 listFiles() method, 607
 listing directories, 607–608
 ListIt class, 460–461
 ListIterator interface, 540–542
 ListModel interface, 451, 454
 listPath() method, 607–608
 ListPorts class, 803–804
 ListProps class, 491
 lists
 adding, 349–351, 349, 351
 in Collections, 538–542
 listener, 417–419
 models for, 454–462, 460
 ListSelectionEvent class, 459
 ListSelectionListener interface, 459
 ListSelectionModel interface, 451, 454, 458–462, 460, 473–474
 ListTest class, 350
 literals, 50–51
 defined, 853
 initializing variables with, 52–53
 special floating-point, 53
 summary, 809

- little-endian order, 640, 853
 - `ln()` method, 570
 - `load()` method, 527
 - `LoadDraw` class, 205–206
 - loaders, 7
 - for applets, 28–29
 - defined, 847
 - `loadImage()` method, 208–209
 - loading images, 203, 205–207
 - local classes, 84
 - local variables, 53
 - defined, 853
 - for threads, 161–163
 - `Locale` class, 555
 - `LocalLF` class, 453–454
 - `location()` method, 403
 - `log()` method
 - in `KeyPanel`, 569–570
 - in `Logger`, 662
 - `Logger` class, 662–664
 - logging, 662–664
 - logical operators, 58
 - long datatype
 - casting, 72
 - default array fill values for, 93
 - initial values of, 52
 - literals in, 51
 - range of, 50
 - size of, 49
 - LONG date format, 559
 - long filenames, 604
 - `LongBuffer` class, 657
 - look and feel (L&F)
 - defined, 854
 - in MVC architecture, 453–454
 - `lookupMethod()`, 783
 - `lookupMultiDocPrintServices()` method, 669
 - `LookupOp` class, 256
 - `lookupPrintServices()` method, 669, 671
 - `lookupStreamPrintServiceFactories()` method, 682
 - loop control statements, 104
 - defined, 854
 - do-while, 107–108, 107
 - for, 104–105, 105
 - while, 105–106, 106
 - `loop()` method, 219
 - low-level communications, UDP for, 720–722
- M**
- mail server connections, 725–729
 - `MailExample` class, 797–798
 - mailing lists, 841
 - `main()` method, 20, 854
 - `makeEnumeration()` method, 521
 - `makeIndentationString()` method, 139
 - `makeIt()` method, 290
 - `makeLabel()` method, 291
 - `makePurchase()` method
 - in `CreditCard`, 775
 - in `CreditCardImpl`, 778
 - `MalformedURLException` class, 115
 - manifest files
 - defined, 854
 - in JAR files, 693
 - mantissas, 564
 - `Map` interface, 83, 533–534, 533, 542–544
 - `Map.Entry` interface, 543
 - `MapMessage` messages, 801
 - `MappedByteBuffer` class, 657
 - `mark()` method, 615
 - `markSupported()` method, 615
 - marshal streams, 773
 - `Matcher` class, 659–660
 - `Math` class, 549–551
 - math library, 174, 549
 - `java.lang.math`, 549–551
 - `java.math`, 551–556, 555
 - matrices, 854
 - `MatteBorder` class, 329–330
 - `max()` method, 549
 - MAX_PRIORITY value, 135
 - maximum transmission units (MTUs), 597
 - maximum values of collections, 549
 - `maximumLayoutSize()` method, 303
 - `MediaLoadDraw` class, 208–209
 - `MediaTracker` class, 207–210
 - MEDIUM date format, 559
 - member classes, 83–84
 - member functions, 854
 - member references, 75–76
 - member variables, 854
 - `MemberClass` class, 84
 - members, 854
 - memory for arrays, 94–97, 94–97
 - memory model, 76–79, 77–78
 - `MemoryImageSource` class, 219
 - menu bars
 - adding, 368
 - constructing, 370–371, 371
 - menu items, 369
 - `menuCanceled()` method, 404
 - `menuDeselected()` method, 404

- MenuItem class, 404
- MouseListener interface, 404
- menus
 - adding, 368–369
 - events for, 404–405
 - menu bars, 368, 370–371, 371
 - menu items, 369
 - pop-up, 370
 - Component methods for, 317
 - events for, 411–413
- menuSelected() method, 404–405
- MenuTest class, 370–371, 404–405
- message dialogs, 431–435, 434–435
 - confirmation, 435–436, 436
 - input, 436–437, 437
 - option, 437–438, 438
- message-driven beans, 802
- MessageActionListener class, 452
- MessageFormat class, 176
- MessageListener interface, 801
- messages, 801, 854
- methods
 - in classes, 35–36, 35–36
 - defined, 854
 - for JavaBeans, 687, 687, 693
 - naming conventions for, 89
- MethodTest class, 130
- methodTicker() method, 152
- metrics, font, 200–202, 201
- Metrics class, 201–202
- Microsoft, 9
- middleware, 768, 769
- midlets, 854
- MilitaryGame demo, 593, 593
- MIME (Multipurpose Internet Mail Extensions) format
 - common types, 732–733
 - defined, 854
 - for JavaMail, 797
- MimeType class, 496
- min() method, 549
- MIN_PRIORITY value, 135
- minimum values of collections, 549
- minimumLayoutSize() method, 303
- minus signs (-)
 - in class diagrams, 37, 37
 - for decrement operator, 55
 - for subtraction, 56
- mit.edu site, 725
- mnemonics for abstract buttons, 335–336, 335
- modal dialog boxes, 430
- modal windows, 854
- Model/View/Controller (MVC) architecture, 450–451
 - button delegates in, 452–453
 - ButtonModel in, 451–452
 - Pluggable Look and Feel in, 453–454
- modifiers, 63–64
 - abstract, 64
 - accessibility, 68–70, 69, 83
 - defined, 854
 - final, 67–68
 - native, 67
 - static, 64–66
 - strictfp, 68
 - summary, 811
 - synchronized, 66–67
 - transient, 67
 - volatile, 67
- modulo operation, 56
- Molecule Bean, 699
- Monitor class, 158–159
- monitor model, 149–151
- MonthPrompt class, 107–108
- MoonSet class, 537–538
- mouse events, 406–409, 409
- mouse wheel events, 409–411
- mouseClicked() method, 407–408
- mouseDragged() method, 408
- mouseEntered() method, 407–408
- MouseEvent class, 406–407
- mouseExited() method, 408
- MouseListener interface, 406
- MouseMotionListener interface, 406
- mouseMoved() method, 408
- mousePressed() method
 - in MouseListener, 509
 - in MouseTest, 408
 - in PersisTest, 652
- mouseReleased() method
 - in MouseTest, 408
 - in PersisTest, 652
- MouseTest class, 407–409
- MouseWheelEvent class, 410
- MouseWheelListener interface, 409
- mouseWheelMoved() method, 411
- MouseWheelTest class, 410–411
- .mov files, MIME type for, 733
- moving methods, 313
- MovingIconTest class, 334–335
- MovingPlanets class, 541–542
- mpeg MIME types, 733
- MTUs (maximum transmission units), 597
- multicast events, 688

multidimensional arrays, 99–100, 100, 854
 Multiline class, 253–254
 multiline text, 253–254
 multimedia libraries, 176–178, 178
 multiple inheritance, 79, 854
 multiple threads, events for, 429–430
 multiplication, 56
 Multipurpose Internet Mail Extensions (MIME) format
 common types, 732–733
 defined, 854
 for JavaMail, 797
 multitasking, 127
 multithreading, 8, 127–128. *See also* threads
 defined, 854
 support classes for, 174
 mutable property, 854
 MutableTreeNode interface, 483
 MVC (Model/View/Controller) architecture, 450–451
 button delegates in, 452–453
 ButtonModel in, 451–452
 Pluggable Look and Feel in, 453–454
 MyAction class, 421
 MyActionListener class, 377, 423–424
 MyAuthenticator class, 740
 MyBean class, 690
 MyCellRenderer class, 488–489
 MyColorChooser class, 479–480
 MyComponent class, 666, 682
 MyException class, 120–121
 MyLabelRenderer class, 458, 461
 MyRunnable class, 128–129
 MyTableCellRenderer class, 475–476
 MyTableModel class, 469–470, 476
 MyThread class, 128
 MyThreadLocal class, 161

N

\n escape sequence, 51
 NAME attribute, 29
 name() method, 398–399
 name resolution, 87
 NameLister class, 763–764
 names
 domain, 718
 file, 605–606
 naming conventions, 89–90
 NaN (Not-a-Number), 53, 854
 native methods, 854
 native modifier, 67
 native2ascii utility, 16
 negative infinity, 53

nesting comments, 44
 Network News Transfer Protocol (NNTP), 713, 756
 network programming, 713
 DatagramPacket for, 720–722
 factories for, 755–756, 757
 InetAddress for, 717–719
 IP packets in, 713–714, 714
 password authentication in, 738–740
 SMTP server connections, 725–729
 socket channels in
 nonblocking reads in, 743–748
 nonblocking servers in, 753–755
 reading from, 741–743
 Socket for, 723–724
 TCP/IP in, 713–719
 TCP packets in, 714–716, 715
 for URL operations, 733–735
 URLConnection for, 735–738
 Web server connections, 729–732
 New I/O package, 656
 buffers in, 656–658
 channels in, 657–658
 character sets in, 658–659
 logging in, 662–664
 regular expressions in, 659–662
 new operator, 63
 for arrays, 94
 for threads, 132
 newAudioClip() method, 219
 newCreditAccount() method
 in CreditCardImpl, 778–779
 in CreditManager, 776
 newNumber() method, 573
 newsgroups, 841–843
 next() method
 in CardLayout, 282
 in ListIterator, 542
 in ResultSet, 771
 nextElement() method, 520, 620
 nextInt() method, 162
 nextToken() method, 619
 NNTP (Network News Transfer Protocol), 713, 756
 nntp port, 716
 NodeChangeEvent class, 531
 NodeChangeListener interface, 530–531
 nonblocking reads, 743–748
 nonblocking servers, 753–755
 nondirect buffers, 657
 nonglobal methods, 427
 nonzero winding rule, 227, 228
 NORM_PRIORITY value, 135

- NoSuchElementException class, 542
 - Not-a-Number (NaN), 53, 854
 - NOT operator, 59–60
 - NotActiveException class, 648
 - Notepad
 - as text editor, 19
 - with Web Start, 592, 592
 - notify() method
 - in Object, 154–160
 - in Thread, 130, 133
 - notifyAll() method
 - in Object, 154–160
 - in Thread, 133
 - NotSerializableException class, 648
 - NoWaitConsumer class, 155
 - NoWaitMonitor class, 154–155
 - NoWaitPanic class, 154
 - NoWaitProducer class, 155
 - null values
 - defined, 854
 - in equality tests, 56
 - literals, 51
 - NullPointerException class, 119
 - NumberFormat class, 554–556, 555
 - NumberFormatException class, 115–116
 - numbers
 - datatypes, 35, 49–50, 808
 - formatting, 554–556, 555, 822
 - numeric addresses for Internet, 719
- O**
- Oak language, 3–4
 - Obfuscate option, 598, 599
 - obfuscation
 - defined, 855
 - in optimizing applets, 598–599, 599
 - Object class, 153
 - Object Management Group, 34
 - object memory model, 76–79, 77–78
 - object-oriented programming (OOP), 33, 34
 - defined, 855
 - in Java, 5–6
 - ObjectInputStream interface, 626–627, 646–647
 - ObjectMessage messages, 801
 - ObjectOutput interface, 645–646
 - ObjectOutputStream class, 641, 646, 764
 - objects, 33
 - classes for, 34
 - comparing, 56
 - default array fill values for, 93
 - defined, 855
 - distributed, 6
 - input/output streams for, 626–627, 641
 - ObjectStreamException class, 648
 - ObjectStreamField class, 653
 - Observer pattern, 375–376, 376
 - Observers
 - in Observer pattern, 375–376, 376
 - registering, 376–378
 - octal digits, escape sequence for, 51
 - octet-stream MIME types, 732
 - ODBC drivers, 769
 - OilRefinery class, 622–623, 625–626
 - one-touch expandable option, 284
 - OneFourDialog class, 675–676
 - online resources, 839–844
 - onMessage() method, 801
 - OOP (object-oriented programming), 33, 34
 - defined, 855
 - in Java, 5–6
 - opaque components, 316
 - Open Directory Project, 839
 - open() method
 - in Selector, 743
 - in SocketChannel, 741
 - openStream() method, 738
 - operands, 54
 - operators, 54–55
 - arithmetic, 55–56
 - assignment, 61–62
 - bitwise, 59–61, 60
 - Boolean, 58
 - casting, 62–63
 - defined, 855
 - instanceof, 63
 - new, 63
 - precedence of, 55, 810, 855
 - relational, 56–57
 - string, 61
 - OptimizeIt Thread Debugger tool, 149
 - optimizing applets, 596–599, 599
 - option dialogs, 437–438, 438
 - optional packages, 855
 - OptionalDataException class, 648
 - options field in IP packets, 714
 - OR operator
 - bitwise, 59, 60, 61
 - Boolean, 58
 - OrangeButton Bean, 699
 - orbd utility, 16
 - org.ietf.jgss package, 176
 - org.omg package, 179

org.w3c.dom package, 179
 org.xml.sax package, 179
 OurButton Bean, 698
 out variable, 21
 OutputStream class, 635–636, 637

- BufferedOutputStream in, 639–640
- ByteArrayOutputStream in, 637–639
- DataOutputStream in, 640
- FilterOutputStream in, 639
- PrintStream in, 641
- PrintWriter in, 641–642

 ovals, 189, 190
 Ovals class, 189
 OverlayPanelLayout class, 276
 overloaded methods, 855
 overridden methods, 855

P

p2p (point-to-point) model, 800, 800
 package statement, 86, 88
 packages, 86, 173–174. *See also* libraries

- class name resolution for, 87
- compiling and running, 88–89
- defined, 855
- directories in, 87–88
- import statement for, 86
- naming conventions for, 89
- package statement for, 88

 packets

- defined, 855
- IP, 713–714, 714
- TCP, 714–716, 715

 Page Setup tab, 675, 675
 Paint interface, 231
 paint() method, 193–194

- in Aliased, 237
- in Animate, 211–212
- in Applet, 27–28, 787
- in Arcs, 190
- in BufferedAnimate, 214–215
- in Clip, 195
- in ClipImage, 250
- in Clipped, 231
- in Component, 316
- in CompositeIt, 248
- in ConvolveIt, 258
- in Crop, 218–219
- in Cubic, 241–242
- in ExitableJFrame, 184–185
- in FillUp, 232–233
- in First2D, 227

- in Fonts, 199
- in GraphicsInfo, 260–261
- in IconLoadDraw, 210
- in LoadDraw, 206
- in MediaLoadDraw, 208
- in Metrics, 201–202
- in MouseTest, 409
- in Multiline, 253–254
- in MyComponent, 666, 682–683
- in Ovals, 189
- in PathCurves, 242–243
- in Picasso, 186, 187
- in Polys, 187–188
- in printing, 668
- in QuadEll, 240
- in Scale, 216
- in Stroked, 230
- in Text, 191–192
- in TextureIt, 234
- in Transform, 244–245

 paintBorder() method

- in Border, 329
- in Component, 316

 paintComponent() method, 186

- in ClickPanel, 652
- in Component, 316
- in LCDDigitDisplay, 574–575
- overriding, 366
- in RedBlueBox, 367
- in TrafficLight, 703–704, 707

 PaintEvent class, 416
 paintIcon() method

- in AnOvalIcon, 447
- in Icon, 331
- in PieIcon, 326–327, 334, 336
- in RedOvalIcon, 421
- in TriangleIcon, 332, 342

 painting methods in Component, 315–316
 PandC class, 158–160
 panels, 338–339, 339
 PanelTest class, 338–339
 <PARAM> tag, 29
 @param tag, 44
 parameterized types, 5, 518, 855
 parameters

- for applets, 29
- defined, 855
- in main(), 20

 parentheses ()

- for casting, 62–63
- defined, 855

- in if statements, 101
- for operator precedence, 55
- parse() method, 559
- parseInt() method, 115–116
- parsing query parameters, 793
- PartsListModel class, 457, 460
- PasswordAuthentication class, 738–740
- passwords
 - fields for, 355–356
 - in network programming, 738–740
- PasswordTest class, 355–356
- PATH variable, 16–19
- PathCurves class, 242–243
- Pattern class, 659–660
- PatternSyntaxException class, 659
- payTowardsBalance() method
 - in CreditCard, 775
 - in CreditCardImpl, 777
- pdf MIME types, 732
- PDU(s) (protocol data units), 726
- peers
 - Component communication methods for, 317–318
 - defined, 855
- percent symbols (%)
 - in queries, 790
 - for remainder, 56
- performance
 - buffers for, 613, 639–640
 - features for, 8
- periodic tasks, threads for, 136–138
- periods (.)
 - in method calls, 54
 - in package lists, 88
- persistence
 - defined, 855
 - of JavaBeans, 686, 695
- PersisTest class, 649–652, 652
- PHONEBOOK.XML page, 760
- Picasso class, 186, 187
- PielCon class, 326–327, 334, 336
- PipedInputStream class, 621–626, 626
- PipedOutputStream class, 621
- PipedReader class, 621–626, 626
- PipedWriter class, 621
- pipes, 855
- PipeTest class, 622–626, 626
- PixelGrabber class, 219
- pixels, 855
- PLAF (pluggable look and feel) architecture, 270, 453–454
- plain MIME types, 733
- Planet class, 516–518, 540
- PlanetDiameters class, 525–526
- PlanetPrefs class, 530
- PlanetProperties class, 527–528
- PlanetsAndMoonsList class, 540
- PlanetSet class, 535
- Play class, 220
- play() method
 - in Applet, 220
 - in AudioClip, 219
- plug-ins, 756
- pluggable look and feel (PLAF) architecture, 270, 453–454
- plus signs (+)
 - for addition, 56
 - in class diagrams, 37, 37
 - for increment operator, 55
 - in queries, 790
 - for string concatenation, 61
- PNG (Portable Network Graphics) format, 856
- Point class, 649
- point-to-point (p2p) model, 800, 800
- pointers, 6
- policytool utility, 16
- polygons, 187–188, 188
- polymorphism, 856
- Polys class, 187–188
- pooling threads, 164–168
- POP (Post Office Protocol), 797
- pop-up menus, 370
 - Component methods for, 317
 - events for, 411–413
- pop3 port, 716
- popping stacks, 519
- popupMenuCanceled() method, 412
- PopupMenuEvent class, 412
- PopupMenuListener interface, 411–412
- popupMenuWillBecomeInvisible() method, 412
- popupMenuWillBecomeVisible() method, 412
- PopupTest class, 412–413
- port numbers, well-known, 714–716, 724
- portability, 8
- Portable Network Graphics (PNG) format, 856
- Porter, Thomas, 247
- Porter-Duff rules, 247
- ports, 603
 - on servers, 749
 - in TCP packets, 714–716, 715
 - in URL addresses, 735
- position methods, 313–314
- positive infinity, 53
- Post Office Protocol (POP), 797
- postscript MIME types, 732

- power() method, 570
- precedence of operators, 55, **810**, 855
- precision in BigDecimal, 553–554
- Preference class, 528
- PreferenceChangeEvent class, 531
- PreferenceChangeListener interface, 530–531
- Preferences API, **528–531**
- preferredLayoutSize() method, 303
- PreparedStatement class, 770
- previous() methods, 542
- primitive types, 49
 - casting between, **72–73**
 - defined, 856
- Print class, 642
- Print dialog, 667, 667
- print() method
 - in DocPrintJob, 670
 - in MyComponent, 683
 - in PrintStream, 641–642
 - in PrintWriter, 642
- Printable interface, 682
- printAll() method, 138
- printDataTransferCompleted() method, 673
- printDialog() method, 674
- PrinterJob class, 665
- PrintFile class, 804–805
- printGroup() method, 138–139
- printing, **665**
 - attributes for, **676–680**
 - dialog for, **674–676**, *674–675*
 - example, **673–674**
 - history of, **665–668**, *667*
 - overview, **668–673**
 - screens, **682–684**
 - StreamPrintService for, **680–682**
- PrintingOneFour class, 673–674
- PrintingOneOne class, 666
- PrintingOneTwoFour class, 682
- PrintJob class, 665, 667–668
- PrintJobAdapter class, 670
- PrintJobAttribute interface, 677
- PrintJobAttributeSet interface, 676
- PrintJobListener interface, 670, 673
- println() method, 641–642
- printModelType() method, 260
- PrintRequestAttribute interface, 677
- PrintRequestAttributeSet interface, 670, 676
- PrintService interface, 669, 680
- PrintServiceAttributeSet interface, 676
- PrintServiceLookup class, 669
- printStackTrace() method, 117, 121
- PrintStream class, 21, **640–642**
- printThread() method, 139
- PrintWriter class, **641–642**
- priorities for threads, **135**
- PriorityThread class, 140
- private modifier, 63, 68–69, 69
- privileged access for servlets, 786
- procedures, 35
- Producer class, 159
- product support, **844**
- promoting datatypes, 72
- properties
 - in Collections Framework, **526–528**
 - defined, 856
 - with JavaBeans, 686–687, *687*, **690–694**
 - system, **818–820**
- Properties class, 526–527
- Properties window, 697, *697–698*
- property change listeners, **312–313**
- propertyChange() method, 450, 692
- PropertyChangeListener interface, 450, 691
- PropertyEditorSupport class, 708
- propertyNames() method, 527
- proprietary algorithms, 786
- protected modifier, 64, 68–69, 69
- protocol data units (PDUs), 726
- protocol state machines, **753**
- protocol suites, 713
- protocols
 - defined, 856
 - specifications for, 725
- pseudo-abstract classes, 627
- public modifier, 64, 68–69, 69
- publish() method, 801
- publish-subscribe model, 800, 800
- pull-down lists, **346–347**, *346*
- PushbackInputStream class, **631**
- PushbackReader class, **631**
- pushing stacks, 519
- pushValue() method, 577, 600
- put() method
 - in Hashtable, 525
 - in Preferences, 529
- putClientProperty() method, 491
- putConstraint() method, 293–295
- putValue() method, 420

Q

- qotd port, 716
- QuadCurve2D class, 238–239
- QuadEll class, 240–241

quadTo() method, 238, 242
 query strings in servlets, 790
 question marks (?)
 in conditional operator, 57, 102
 in java, 21
 quicksort algorithm, 856
 QuoteMonitor Bean, 699

R

\r escape sequence, 51
 radio buttons, 344–346, 346
 RadioTest class, 345–346
 Random class, 86, 162
 random() method, 162
 random numbers, 162
 RandomAccessFile class, 608–614
 range of datatypes, 50
 Raster class, 255
 rasters, 255, 856
 read() method
 in ImageIO, 258–259
 in InputStream, 615
 Readable interface, 80
 Reader class, 616, 617
 BufferedReader in, 627–628
 CharArrayReader and StringReader in, 620
 FileReader in, 616–619
 FilterReader in, 627
 InputStreamReader in, 627
 LineNumberReader in, 630–631
 PipedReader in, 621–626, 626
 PushbackReader in, 631
 readers, 856
 readExternal() method, 645, 647
 readFully() method, 613
 reading
 buffers for, 627–628
 files, 613, 616–619
 from socket channels, 741–743
 undoing, 631
 readLine() method, 611
 readObject() method, 644, 647, 649
 readStreamHeader() method, 647
 readUnsignedByte() method, 611
 readUnsignedShort() method, 611
 ReadWritable interface, 80
 ready threads, 132
 ReadZip class, 634
 rebind() method, 782
 receive() method, 722
 Rectangle2D class, 239
 rectangles
 drawing, 186, 187
 Graphics2D for, 226–227, 226, 228
 RectangularShape class, 238–239
 recursive methods, 607–608, 856
 RedBlueBox class, 366–367
 RedOvalIcon class, 421–422
 redrawStack() method, 574–575
 references, 6, 49
 casting between, 73
 constructor, 74–75
 defined, 856
 initial values of, 52
 to JavaBean storage, 695
 literals in, 51
 member, 75–76
 reflection, 856
 Reflection API, 693
 refreshStack() method, 576
 register() method, 743–744, 754
 registering
 keyboard events, 422–424
 Observers, 375–378, 376
 Registry, RMI, 782–783
 RegOne class, 660
 regular expressions, 659–662, 856
 relational operators, 56–57
 relationships
 aggregation, 41, 41
 association, 40, 40
 remainder operation, 56
 rememberUndo() method, 574, 576
 Remote interface, 772
 Remote Method Invocation. *See* RMI (Remote Method Invocation)
 Remote Reference Layer (RRL), 773
 RemoteException class, 775
 remove() method
 in Hashtable, 525
 in Iterator, 536
 in ListIterator, 542
 in Preferences, 530
 removeActionListener() method
 in MyBean, 690
 in TrafficLight, 706
 in Vector, 688
 removeDigit() method, 574–576
 removeFirst() method, 539
 removeLast() method, 539
 removeLayoutComponent() method, 302
 removeNode() method, 530
 removeNotify() method, 318

- removePropertyChangeListener() method, 691
 - removeVetoableChangeListener() method, 692
 - renderDigit() method, 580, 585–586
 - RenderHints class, 234–236
 - rendering
 - antialiased, 234–237, 237
 - Component methods for, 314
 - defined, 856
 - hints for, 234–236, 237
 - renderSegment() method, 581, 586
 - repaint() method, 211, 316
 - request headers, 729, 856
 - requestFocus() method, 429
 - requestFocusInWindow() method, 429
 - Requests for Comments (RFCs), 725
 - RescaleOp class, 256
 - reserved words, 808
 - reset() method, 615
 - resizing methods in Component, 313
 - ResolutionSyntax class, 677
 - resources, online, 839–844
 - response headers, 729, 856
 - rest() method, 217
 - restoring
 - application beans, 701–702
 - objects, 644, 646–649
 - ResultSet interface, 768–771
 - resume() method
 - in Thread, 129
 - in ThreadGroup, 134
 - retainAll() method, 535
 - return statements, 110–111, 856
 - @return tag, 44
 - Reverse Polish Notation (RPN) calculators, 564
 - RFCs (Requests for Comments), 725
 - RGB color values, 197
 - Rich Text Format files, MIME type for, 732
 - right-associativity, 55
 - Ritchie, Dennis, 614
 - RMI (Remote Method Invocation), 772–773, 773
 - client program in, 783–784
 - CreditManagerImpl for, 778–779
 - example, 774
 - implementation classes for, 776–778
 - interfaces for, 775–776
 - Remote Reference Layer in, 773
 - server application in, 780–783
 - stubs and skeletons in, 773, 779–780
 - testing program in, 785
 - transport layer in, 774
 - rmic utility, 16, 772, 780
 - rmid utility, 16
 - rmiregistry utility, 16, 782
 - robustness of Java, 6
 - roll() method, 558
 - rolldown() method
 - in CalcStack, 577, 600
 - in KeyPanel, 570
 - rollup() method
 - in CalcStack, 577, 600
 - in KeyPanel, 570
 - root classes, 856
 - root nodes, 528
 - rotating colors, 211–212
 - rotation transformations, 244
 - rounding constants, 552–553
 - RoundRectangle2D class, 239
 - RPN (Reverse Polish Notation) calculators, 564
 - RRL (Remote Reference Layer), 773
 - rtf MIME types, 732
 - Rumbaugh, Jim, 34
 - run() method
 - in Consumer, 159–160
 - in DepositThread, 148
 - in DumpTimerTask, 140
 - in FirstThread, 130
 - in NoWaitConsumer, 155
 - in NoWaitProducer, 155
 - in PriorityThread, 140
 - in Producer, 159
 - in SecondRunnable, 130–131
 - in SyncTestRunner, 151
 - in TaskThreads, 165
 - in Thread, 128–129
 - in ThreadPool, 166
 - in TimerTask, 136
 - Runnable interface
 - implementing, 128–129
 - methods in, 79–80
 - runnable threads, 132
 - running
 - applets, 29–30, 29–30
 - applications, 21–23, 21
 - packages, 88–89
 - threads, 128–129, 132
 - runtime assertion checking, 125–126
 - runtime environment, 857
 - RuntimeException class, 114–115, 114
- ## S
- sandbox, 7, 13, 857
 - SaveIt class, 259
 - SaveMe class, 654–656

- saving Beans, 701–702
- SAX (Simple API for XML), 762–764
- SAXParserFactory class, 764
- scalable fonts, 584
- SCALE_ hints, 216
- Scale class, 216
- scaling
 - images, 204, 215–217
 - transformations, 244
- schedule() method, 136–137
- scheduleAtFixedRate() method, 136–137
- ScheduleTester class
 - actors in, 139–140
 - dumping thread state in, 138–139
 - for Linux, 142–144
 - main routine in, 141
 - for Solaris, 144–145
 - timer task in, 140
 - for Windows, 141–142
- scheduling threads, 134–135
- scientific notation, 564
- SCJP (Sun Certified Programmer for Java 2 Platform), 180
- scope, 857
- screens, printing, 682–684
- scroll bars, 323
- scroll panes, 348, 349
- ScrollPaneConstants interface, 348
- ScrollPaneLayout class, 276
- ScrollTest class, 348
- SDK (Software Development Kit), 11–12
 - applets vs. applications, 12–13
 - defined, 857
 - downloading, 16
 - installing, 16–19
 - tools in, 14–16, 15
 - working with, 13–14
- searching
 - arrays, 98–99
 - with Collections Framework, 547–549
- SecondRunnable class, 130
- Secure Hypertext Transfer Protocol (HTTPS), 767, 857
- Secure Sockets Layer (SSL), 787, 857
- security, 7
 - features for, 764–767
 - for serialization, 647
- security managers, 7, 781
- security packages, 176
- SecurityException class, 119
- SecurityManager class, 176, 857
- @see tag, 44
- seek() method, 611
- Select Browsers dialog box, 587, 588
- select() method, 745
- selectedKeys() method, 745
- SelectionKey class, 744–745
- Selector class, 743–744
- SelfInternalFrame class, 364, 396
- semicolons (;)
 - for CLASSPATH, 18
 - for statements, 53
- send() method
 - in DatagramSocket, 722
 - in SMTP, 727–728
- separator lines in menus
 - adding, 368
 - defined, 857
- sequence numbers and sequence acknowledgment numbers, 715, 715
- SequenceInputStream class, 620–621
- @serial tag, 44
- @serialData tag, 44
- @serialField tag, 44
- Serializable interface, 644–645
- serialization, 641, 644
 - criteria for, 644–645
 - defined, 857
 - example, 649–652, 652
 - exceptions for, 648
 - ObjectInputStream for, 626–627
 - security for, 647
 - streams for, 645–649
 - XML for, 652–656
- Serialization API, 693
- serialver utility, 16
- Server class, 751
- server option in java, 22
- servers
 - connections to, 723–724
 - DNS, 718
 - nonblocking, 753–755
 - in RMI, 780–783
 - in RRL, 773
 - SMTP, 725–729
 - for sockets, 748–753
 - Web, 729–732, 859
- ServerSocket class, 748–753
- ServerSocketChannel class, 754
- ServerTest class, 750–751
- servertool utility, 16
- service() method, 787
 - in Generic Servlet, 791–792
 - in HelloServlet, 788

- services file, 716
- ServiceUI class, 674–675
- Servlet interface, 788
- ServletConfig interface, 787
- ServletRequest interface, 787–788, 791
- ServletResponse interface, 787–788, 791
- servlets, **786–787**
 - API, **787–788**
 - defined, 857
 - example, **788–793**, 790
- session beans, 802
- sessions, 857
- Set interface, 533–534, 533, 537
- set() method
 - in Calendar, 558
 - in ListIterator, 542
 - in Monitor, 159
 - in NoWaitMonitor, 154
 - in Vector, 516
- setAccessibleDescription() method, 366
- setAccessory() method, 450
- setAccumulator() method
 - in CalcStack, 577, 601
 - in KeyPanel, 572
- setAction() method, 420
- setBackground-color() method, 691
- setBalance() method, 147
- setBounds() method, 303
- setCellSelectionEnabled() method, 473
- setClassAssertionStatus() method, 126
- setClip() method, 194
- setColor() method, 196, 231
- setColumnSelectionAllowed() method, 473
- setComponentOrientation() method, 315
- setConstraints() method, 300
- setContents() method, 499
- setContent-type() method, 791
- setCurrentLightState() method, 704
- setDaemon() method, 163
- setDebug() method, 704
- setDefault() method, 739–740
- setDefaultAssertionStatus() method, 126
- setDefaultCloseOperation() method, 184
- setDefaultLightState() method, 704
- setDefaultUseCaches() method, 738
- setDisabledIcon() method, 341
- setDisplayMnemonic() method, 339
- setDisplayMode() method, 262
- setDividerLocation() method, 284
- setDragEnabled() method, 509
- setElementAt() method, 516
- setFileView() method, 446
- setFocusable() method, 428
- setFont() method, 192, 198
- setFrame() methods, 239
- setFullScreenWindow() method, 262
- setHorizontalAlignment() method, 334
- setHorizontalTextPosition() method, 334
- setIcon() method, 331, 341
- setIconText() method, 341
- setInvoker() method, 370
- setJMenuBar() method, 371
- setLabel() method, 691
- setLabelFor() method, 339
- setLayout() method, 277
 - in CardLayout, 282
 - in Container, 272, 274
 - in ContentPane, 279
- setLayoutOrientation() method, 350
- setLength() method
 - in RandomAccessFile, 611
 - in SaveMe, 654
- setLineNumber() method, 630
- setMaximumSize() method, 296
- setMinimumSize() method, 296
- setNames() method, 654
- SetOfIntegerSyntax class, 677
- setOneTouchExpandable() method, 284
- setPackageAssertionStatus() method, 126
- setPaint() method, 231
- setPaintMode() method, 198
- setPoint() method, 654
- setPreferredSize() method, 296
- setPressedIcon() method, 331
- setPreviewPanel() method, 441
- setPriority() method, 135
- setProperty() method, 527
- setRenderingHint() method, 236–237
- setRolloverEnabled() method, 331
- setRolloverIcon() method, 331
- setRowSelectionAllowed() method, 473
- sets, **537–538**
- setScale() method, 553
- setSecurityManager() method, 781
- setSelectedIndex() method, 347
- setSelectedItem() method
 - in JComboBox, 347
 - in PartsListModel, 457, 460–461
- setSelectionMode() method, 350
- setSignature() method, 775
- setSize() method
 - for JavaBeans, 693
 - for layouts, 303
- setSoTimeout() method, 749

- setStatus() method, 791
- setStroke() method, 228
- setTabbedPlacement() method, 283
- setTabLayoutPolicy() method, 283
- setText() method, 325
- setToolTipText() method, 337
- setUseCaches() method, 738
- setValue() method, 360
- setVerticalAlignment() method, 334
- setVerticalTextPosition() method, 334
- setXAlignment() method, 290
- setXORMode() method, 198
- setYAlignment() method, 290
- SevenSegmentDigits class, 579–586, 584–585
- shallow array copies, 97
- Shape interface, 224
- sharedInstance() method, 337
- shearing transformations, 244
- shifting operations, 59–60, 60
- Shopper class, 783–785
- short circuiting, 58, 857
- short datatype
 - casting, 72
 - default array fill values for, 93
 - initial values of, 52
 - range of, 50
 - size of, 49
- SHORT date format, 559
- ShortBuffer class, 657
- shouldSelectCell() method, 480
- show() method
 - in BufferStrategy, 263
 - in JPopupMenu, 370
- showConfirmDialog() method, 435–436
- showDialog() method, 438
- showInputDialog() method, 436
- showMessageDialog() method, 434–435
- showOptionDialog() method, 437
- showPopup() method, 408
- showversion option in java, 22
- shuffle() method, 547
- sign bits, 59, 59
- signatures, 857
- signed classes, 857
- Simple API for XML (SAX), 762–764
- Simple Mail Transfer Protocol (SMTP), 713, 796
 - connections in, 725–729
 - specifications for, 725
- SimpleDateFormat class, 558–560
- SimpleDoc class, 671, 673
- simplicity in Java, 5
- @since tag, 44
- sine() method, 569
- single inheritance, 857
- single quotes ('), escape sequence for, 51
- single-threaded programs, 127
- sinks, 614, 857
- size
 - of datatypes, 49
 - in optimizing applets, 596–597
- size() method
 - in BitSet, 533
 - in Hashtable, 525
 - in Vector, 516
- Size2DSyntax class, 677
- skeletons in RMI, 773, 779–780
- skipBytes() method, 611
- slashes (/)
 - for comments, 23, 43
 - for division, 56
- sleep() method, 117–118, 130, 132
- SleepUtil class, 118
- sliders, 351–353, 351–352
- SliderTest class, 352
- SliderTest2 class, 352
- SMTP (Simple Mail Transfer Protocol), 713, 796
 - connections in, 725–729
 - specifications for, 725
- SMTP class, 727–729
- smtp port, 716
- SMTPDemo class, 726–729
- socket channels
 - nonblocking reads in, 743–748
 - nonblocking servers in, 753–755
 - reading from, 741–743
- Socket class, 723–724
 - for HTTP links, 735–738
 - for server systems, 748–753
 - for SMTP server connections, 725–729
 - for URL operations, 733–735
 - for Web server connections, 729–732
- SocketChannel class, 741
- sockets
 - defined, 857
 - servers for, 748–753
 - in TCP, 715–716, 715
- SoftBevelBorder class, 329
- Software Development Kit. *See* SDK (Software Development Kit)
- Solaris
 - ScheduleTester class for, 144–145
 - SDK installation on, 17–18
- sort() method, 98, 548–549

- SortedMap interface, 544
- SortedSet interface, 537
- SorterBean, 699
- sorting
 - arrays, 98–99
 - with Collections Framework, 547–549
- SortingFocusTraversalPolicy class, 429
- SortingPlanets class, 548
- sound
 - MIME types for, 732
 - playing, 219–221
- Sound Ring, 220
- source 1.4 option in javac, 124–125
- source addresses in IP packets, 714, 714
- source files
 - compiling
 - applet, 28
 - application, 20–21
 - defined, 858
- source ports, 715, 715
- sources
 - for JavaBeans events, 688–690
 - for streams, 614
- special floating-point literals, 53
- specifications for protocols, 725
- SpinnerDateModel, 359
- SpinnerListModel, 359
- SpinnerNumberModel, 359
- spinners, 359–360, 359
- SpinnerTest class, 360
- SplitPaneTest class, 285
- SpringFormTest class, 295–296
- SpringLayout manager, 292–296, 294–295
- square brackets ([])
 - for array declarations, 92
 - in regular expressions, 659
- square() method, 569
- squareRoot() method, 569
- SRC blending constants, 246
- SSL (Secure Sockets Layer), 787, 857
- SSLSocket class, 787
- stack-based calculator. *See* calculator
- Stack class, 519
- stack dumps, reading, 121–122
- stack memory
 - for arrays, 94–97, 94–97, 100, 100
 - in memory model, 76–78, 77–78
- stack traces, 117
- StackCalculator class, 565–566
- stacks
 - defined, 858
 - pushing and popping, 519–520
- StackTraceElement class, 121
- standard extensions, 174
- Standard Template Library (STL), 536
- standards for Internet, 725
- start() method
 - in Applet, 27, 787
 - in JellyBean Bean, 699
 - in Thread, 129
- startCycle() method, 705
- startJuggling() method, 700–701
- State class, 332–333, 341–342
- state machines, 753
- state management in graphics, 192–193
 - clipping in, 194–195, 195
 - coordinate system translations, 193–194
 - drawing color in, 196–198
 - drawing mode in, 198
 - font metrics in, 200–202, 201
 - text font in, 198–200, 200
- stateful session beans, 802
- stateless session beans, 802
- Statement interface, 768–770
- statements, 53–54, 858
- states
 - Component methods for, 316
 - defined, 858
 - of JavaBeans, 695
 - in OOP, 33
- static elements, 858
- static initializers, 858
- static modifiers, 64–66
- status bars, 323
- statusAll() method, 208
- statusID() method, 208
- STL (Standard Template Library), 536
- stop() method
 - in Applet, 27, 787
 - in AudioClip, 219
 - in JellyBean Bean, 699
 - in Thread, 129
 - in ThreadGroup, 134
- stopJuggling() method, 700–701
- stopping periodic tasks, 138
- storage modifiers, 63–68
- store() method, 527
- storing JavaBeans, 693
- StreamCorruptedException class, 647–648
- streaming, 858
- StreamMessage messages, 801
- StreamOneFour class, 681
- StreamPrintService class, 680–682
- StreamPrintServiceFactory class, 680

- streams, 603, 614
 - BufferedInputStream for, 627–628
 - BufferedOutputStream for, 639–640
 - ByteArrayInputStream for, 619–620
 - ByteArrayOutputStream for, 637–639
 - concatenating, 620–621
 - DataInputStream for, 628–630
 - DataOutputStream for, 640
 - defined, 858
 - DeflaterOutputStream for, 643–644
 - FileInputStream for, 616–619
 - FilterInputStream for, 627
 - FilterOutputStream for, 639
 - InflaterInputStream for, 632–634
 - InputStream for, 614–616, 615
 - ObjectInputStream for, 626–627
 - ObjectOutputStream for, 641
 - OutputStream for, 635–636, 637
 - PipedInputStream for, 621–626, 626
 - PrintStream for, 641–642
 - PushbackInputStream for, 631
 - SequenceInputStream for, 620–621
 - for serialization, 645–649
 - StreamTokenizer for, 635
- StreamTokenizer class, 619, 635
- strictfp modifier, 68
- StrictMath class, 174
- String class, 28, 50
- String datatype and strings, 50
 - character-oriented classes for, 620
 - literals in, 51
 - operators for, 61
 - streams from, 619
 - support classes for, 174
- StringBuffer class, 61
- StringBufferInputStream class, 619
- StringReader class, 620
- StringSelection class, 496
- Stroke interface, 228
- Stroked class, 230
- stroking patterns, configurable, 228–231, 229–230
- structured programming, 33
- stubs
 - defined, 858
 - in RMI, 773, 779–780
- subclasses, 37, 858
- Subjects in Observer pattern, 375, 376
- subMap() method, 543
- subtract() method, 571
- subtraction, 56
- suites, protocol, 713
- Sum class, 116
- Sun Certified Programmer for Java 2 Platform (SCJP), 180
- super keyword
 - for constructor references, 74–75
 - for member references, 75–76
- superclasses, 37, 858
- SuperTanker class, 623–626
- suspend() method
 - in Thread, 129
 - in ThreadGroup, 134
- swap() method
 - in CalcStack, 600
 - in KeyPanel, 570–571
- Swing components, 177–178, 178, 305, 323
 - for assistive technologies, 366
 - buttons
 - adding, 323–325, 324
 - borders for, 328–331, 329–330
 - icons for, 331–335, 332, 334
 - images on, 326–328, 326, 328
 - mnemonics for, 335–336, 335
 - radio, 344–346, 346
 - text for, 333–335, 334
 - toggle, 341–343, 341
 - tool tips for, 337–338, 337
 - checkboxes, 343–344, 343
 - clients, 490–491, 491
 - combo boxes, 346–347, 346, 454–462, 460
 - defined, 858
 - event handling. *See* events and event handling
 - formatted text fields, 360–361
 - HTML, 357–358, 358
 - internal frames, 363–364, 363
 - labels, 339–341, 340
 - lists, 349–351, 349, 351, 454–462, 460
 - menus
 - adding, 368–369
 - menu bars, 368, 370–371, 371
 - menu items, 369
 - pop-up, 370
 - Model/View/Controller architecture, 450–454, 453
 - overview, 825–834
 - panels, 338–339, 339
 - password fields, 355–356
 - scroll panes, 348, 349
 - sliders, 351–353, 351–352
 - spinners, 359–360, 359
 - subclasses, 366–367
 - summary, 371–373
 - tables, 364–365, 365, 462–480, 475
 - text areas, 356–357, 356

- text fields, 353–355
- toolbars, 361–363, 362
- trees, 480–490, 488
- user dialogs. *See* user dialogs
- SwingConstants interface, 333
- switch statements, 102–104, 858
- synchronization
 - in Collections Framework, 545–546
 - for threads, 146–148
 - monitor model for, 149–151
 - techniques for, 151–153
- synchronized modifier, 66–67
 - defined, 858
 - for threads, 149
- SyncTest class, 151
- SyncTestRunner class, 151
- SyncToken class, 151–152
- syntax tables for streams, 635
- system access classes, 174
- System class, 21
 - in compiling, 28
 - methods and variables in, 65–66
- system clipboard, 493
- system properties, 818–820
- SystemColor class, 198
- systemNodeForPackage() method, 528

T

- \t escape sequence, 51
- TabbedPaneTest class, 283
- TableCellEditor interface, 478–480
- TableCellRenderer interface, 474–478, 475
- TableColumnModel interface, 470–473
- TableColumnModelEvent class, 473
- TableColumnModelListener interface, 472–473
- TableIt class, 476–478
- TableModel interface, 467–470
- TableModelEvent class, 470
- tables, 364–365, 365, 462–480, 475
- TableTest class, 365
- tags
 - for applets, 823–824
 - in XML, 759–760
- tailMap() method, 543
- tan() method, 569
- target 1.1 option in javac, 28
- targets for JavaBeans events, 688–690
- TaskThread class, 165
- TCP (Transmission Control Protocol)
 - defined, 859
 - packets in, 714–716, 715
 - Socket for, 723–724
 - specifications for, 725
- TCP/IP (Transmission Control Protocol/Internet Protocol), 713–719
- Telnet, 753
- telnet port, 716
- templates, 5, 858
- temporary files, 608
- tertiary operators, 57, 102
- TestCipher class, 765–767
- testing JavaBeans, 709–711, 710
- text
 - in 2D API
 - font support in, 249–250
 - layout in, 250–254, 250, 252
 - for abstract buttons, 333–335, 334
 - boxes around, 201–202
 - drawing, 191–192, 192
 - in graphics, 198–200, 200
 - transferring, 497–502, 498
- text areas, 356–357, 356
- Text class, 191–192
- text fields
 - adding, 353–355
 - formatting, 360–361
- TextAction class, 500
- TextAreaTest class, 356–357
- TextComponent class, 75
- TextEvent class, 416
- TextField class, 74–76
- TextFieldTest class, 354
- TextLayout class, 250–252
- TextMessage messages, 801
- TextSyntax class, 677
- textual addresses for Internet, 718–719
- texture painting, 233
- textured fills, 231–234, 232–233
- TextureIt class, 233–234
- TexturePaint class, 231
- ThePlanets class, 516–517
- ThePlanetsAndMoons class, 517–518
- this keyword
 - for constructor references, 74–75
 - defined, 858
 - for member references, 75–76
- Thread class, 128–129
- ThreadDeath class, 133
- ThreadGroup class, 133–135
- ThreadLocal class, 161
- ThreadLocalTest class, 161–163
- ThreadPool class, 165

- threads, 8
 - blocked, 132–133
 - creating and running, 128–129
 - daemon, 163–164, 725, 848
 - dead, 133
 - defined, 859
 - dumping state of, 138–139
 - events for, 429–430
 - groups, 133–134
 - information for, 135
 - interthread communications, 153–160
 - life cycle of, 131–132, 131
 - local variables for, 161–163
 - methods for, 129–131
 - for periodic tasks, 136–138
 - pooling, 164–168
 - priorities for, 135
 - scheduling, 134–135. *See also* ScheduleTester class
 - synchronizing, 146–148
 - monitor model for, 149–151
 - techniques for, 151–153
- Throwable class, 114, 114, 118
- throwing exceptions, 119
- throwing() method, 664
- throws clause, 117
- @throws tag, 44
- Tick Tock Bean, 699
- ticker() method, 151–152
- tif MIME types, 733
- tildes (~) for NOT operator, 59–60
- TileObserver class, 255
- tiles, 255
- time() method, 639
- time slicing, 134
- timeouts for server sockets, 749
- Timer class, 136, 138
- timer task, 140
- TimerTask class, 136, 138
- times() method, 571
- timestamped datagrams, 722
- TimeZone class, 558
- TitledBorder class, 329
- tlight directory, 702
- tnameserv utility, 16
- toArray() method, 535–536
- toByteArray() method, 638
- toCharArray() method, 638
- toggle buttons, 341–343, 341
- ToggleTest class, 341
- tokenizing
 - defined, 859
 - input streams, 619, 635
- tool tips
 - for abstract buttons, 337–338, 337
 - defined, 859
- toolbars, 323, 361–363, 362
- ToolBarTest class, 362–363
- ToolBox palette, 697, 698
- tools in SDK, 14–16, 15
- ToolTipManager class, 337
- TooManyListenersException class, 689
- top-level classes, 82–83
- toRadians() method, 244, 550
- toString() method, 61
 - in Comet, 518
 - in Date, 557
 - in InetAddress, 719
 - in Insets, 185
 - in Planet, 516–517, 540
 - for PrintStream, 642
 - in StackTraceElement, 121
- TrafficLight class
 - compiling, 708–709
 - creating, 702–707
 - inserting into BeanBox, 709, 709
 - property editor for, 707–708
 - testing, 709–711, 710
- TrafficLightBeanInfo class, 708
- transactions, 770
- Transferable interface, 493
- transferable objects, 493
 - with Clipboard, 498–499
 - data flavors in, 494–496
 - with drag and drop, 508–511
 - images, 502–508, 502
 - StringSelection for, 496
 - text, 497–502, 498
- TransferHandler class, 503
- Transform class, 244–246, 762
- TRANSFORM.JAVA page, 761–762
- transforms in 2D API, 243–246, 244
- transient modifier, 67, 644, 647, 653
- transient references to JavaBean storage, 695
- TransitionalBean, 699
- translate() method, 193
- translations, coordinate system, 193–194, 243
- Transmission Control Protocol (TCP)
 - defined, 859
 - packets in, 714–716, 715

- Socket for, 723–724
- specifications for, 725
- transparency of color, 197
- transport layer in RMI, 774
- traversal, focus, 427–429, 427–428
- TreeCellRenderer interface, 487–490, 488
- TreeExample class, 177
- TreeIt class, 489–490
- TreeMap class, 543–544, 619
- TreeModel interface, 481–482
- TreeModelEvent class, 482
- TreeModelListener interface, 482
- TreeNode interface, 483–485
- TreePath class, 486–487
- trees, 480–490, 488
- TreeSelection interface, 486
- TreeSelectionEvent class, 486
- TreeSelectionListener interface, 486–487
- TreeSet class, 537
- TriangleIcon class, 332, 341–342
- try-catch blocks, 113–115, 117, 859
- TryOut class, 81
- 2D API, 223
 - antialiased rendering in, 234–237, 237
 - compositing in, 246–249, 247
 - curves in, 238–243, 240–242
 - graphics device hookups for, 259
 - configuring, 260–261
 - display modes for, 261–262
 - full screen rendering, 262–266, 266
 - Graphics2D for
 - drawing in, 224–226
 - gradient and textured fills in, 231–234, 232–233
 - for rectangles and arcs, 226–227, 226, 228
 - stroking patterns in, 228–231, 229–230
 - images in
 - encoding, 258–259
 - formatting, 254–255
 - operations for, 256–258, 257
 - text processing in, 250–254, 250, 252
 - transforms in, 243–246, 244
- two-dimensional arrays, 93
- TwoBitPlanets class, 532–533
- TYPE_ constants, 255
- type wrapper classes, 174

U

- UDP (User Datagram Protocol), 716
 - defined, 859
 - for low-level communications, 720–722
 - specifications for, 725
- UI objects, 451
- UIManager, 490–491
- UML (Unified Modeling Language), 33–34
 - for abstraction, 39, 39
 - for aggregation, 41, 41
 - for association, 40, 40
 - for classes, 35–36, 35–36
 - defined, 859
 - for inheritance, 38, 38
 - for interfaces, 82, 82
 - for modifiers, 37, 37
- unary operators, 56
- Unbuffered class, 627–628
- underscore characters (`_`) in identifiers, 48
- undo() method, 574, 576
- UndoableEditEvent class, 416
- undoing file reads, 631
- unicast events, 689
- Unicode characters
 - defined, 859
 - escape sequence for, 51
 - in identifiers, 48–49
 - with InputStreamReader, 627
 - with StringBufferInputStream, 619
- Unicode Transfer Format (UTF) encoding, 648
- Unified Modeling Language. *See* UML (Unified Modeling Language)
- Unified Printing API, 668
- Uniform Resource Locators (URLs)
 - defined, 859
 - in HTTP requests, 729
 - for servlets, 790
- UninstallerData directory, 696
- UnknownHostException class, 718
- unread() method, 631
- unregbean utility, 16
- UnsupportedOperationException class, 536, 546
- untrusted applets, 859
- update blocks in for statements, 104–105, 105
- update() method, 316
- URISyntax class, 677
- URL class, 733–735
- URLConnection class, 735–738
- URLs (Uniform Resource Locators)
 - defined, 859
 - in HTTP requests, 729
 - for servlets, 790
- User Datagram Protocol (UDP), 716
 - defined, 859
 - for low-level communications, 720–722
 - specifications for, 725

user dialogs, **430**
 color choosers, **438–441**, 440
 file choosers, **441–450**, 446–447
 message, **431–435**, 434–435
 confirmation, **435–436**, 436
 input, **436–437**, 437
 option, **437–438**, 438
 user groups, **844**
`userNodeForPackage()` method, 528
 UTF (Unicode Transfer Format) encoding, 648
 utilitarian libraries, **174–176**
`UtilTimerTest` class, 137
`UUEncoding`, 738

V

`validate()` method
 in `Component`, 315
 in `ContentPane`, 277
`validateObject()` method, 648
`VALUE_ANTI_ALIAS_` values, 236
`VALUE` attribute, 29
`valueChanged()` method
 in `ListSelectionListener`, 459
 in `TreeSelectionListener`, 487
 variables, **48–49**
 defined, 859
 initializing, **52–53**
 naming conventions for, **89**
 vector-based characters, **584**, 584
`Vector` class, 514–516
 vectors, **514–518**
 -verbose option
 in java, 22
 in javac, 20
 verifier, 7, 847, 859
 -version option in java, 22
 @version tag, 44
 vertical bars (|)
 for OR operator
 bitwise, 59, 61
 Boolean, 58
 for pipe operations, 621
`VERTICAL_SCROLLBAR_` constants, 348
`VerticalBoxTest` class, 288
`VetoableChangeListener` interface, 429, 692
 video, MIME types for, 733
`ViewportPanelLayout` class, 276
 Views in MVC architecture, 450–451
 visibility indicators, 37, 37

VM (Virtual Machine), 6, 21, 853
 volatile modifier, 67
`VolatileImage` class, 213, 254–255
 Voter Bean, 699

W

`wait()` method
 in `Object`, **154–160**
 in `Thread`, 130, 132
`waitForAll()` method, 208
`waitForID()` method, 208
`WC` class, 618–619
`WeakHashMap` class, 543
 Web (WWW)
 defined, 860
 URL for, **733–735**
 web browsers, 859
 web pages, downloading, **730–732**
 web servers, **729–732**, 859
`WebRunner` browser, 4
 websites, 859
 well-known port numbers, **714–716**, 724
 while statements, **105–106**, 106, 860
 white space, 54, 635
 widgets, 860
`WIDTH` attribute, 29
`WIND_EVEN_ODD` option, 227
`WIND_NON_ZERO` option, 227
 winding rules, 227, 228
`windowActivated()` method, 414
`WindowAdapter` class, 415–416
`WindowAdapterTest` class, 415
`windowClosed()` method, 414
`windowClosing()` method
 in `WindowAdapterTest`, 415
 in `WindowTest`, 414
`windowDeactivated()` method, 415
`windowDeiconified()` method, 415
`WindowEvent` class, 413–414
`WindowFocusListener` interface, 413
`windowIconified()` method, 415
`WindowListener` interface, 413, 415
`windowOpened()` method, 415
 windows, events for, **413–415**
 Windows operating system
 ScheduleTester class for, **141–142**
 SDK installation on, **16–17**
`WindowStateListener` interface, 413
`WindowTest` class, 414–415

WORA (Write Once, Run Anywhere) programs, 8, 14, 860

word frequencies, counting, 618–619, 661–662

WordCount class, 661–662

words, tokenizing, 619, 635

World Wide Web (WWW)
 defined, 860
 URL for, 733–735

wrap() method, 657

write() method
 in ByteArrayOutputStream, 637
 in CharArrayWriter, 637
 in ImageIO, 258–259
 in OutputStream, 635
 in PrintWriter, 641
 in Writer, 636

Write Once, Run Anywhere (WORA) programs, 8, 14, 860

Writeable interface, 80

WriteAbortedException class, 648

writeBytes() method, 611

writeExternal() method, 645, 647

writeObject() method, 644–646, 655

Writer class, 635–636, 637
 BufferedWriter in, 639–640
 CharArrayWriter in, 637–639
 FilterWriter in, 639

writers, 860

writeStreamHeader() method, 646

WWW (World Wide Web)
 defined, 860
 URL for, 733–735

X

x-aiff MIME types, 732

-X options in java, 22–23

x-wav MIME types, 732

x-xbitmap MIME types, 733

XML (Extensible Markup Language), 179, 759–760
 defined, 860
 encoding and decoding in, 653–656
 SAX for, 762–764
 transforming, 760–762, 762

XMLDecoder class, 654

XMLEncoder class, 654–655

XOR blending constant, 246

XOR mode, 198

XOR operator
 bitwise, 59, 60, 61
 Boolean, 58

XSLT (Extensible Style Language for Transformation),
 760–762, 762

Y

yield() method, 130, 132, 134, 138

Z

ZIP files, 860

ZipEntry class, 633

ZipFile class, 632–633

ZipInputStream class, 632

ZipOutputStream class, 643