

Index

a

- A/D converter 65
- AAS with diode laser 169
- Abel coefficient 29
- Abel inversion 28
- ablation rate 137, 140, 151, 158
- abnormal characteristic 268
- abnormal glow discharge 150
- absorbance 14, 160
- absorbance-time profile 186
- absorption 13, 16
- absorption bend 160
- absorption coefficient 14
- absorption of radiation 333
- absorption profile 160, 192
- AC arc spectrometry 228
- AC longitudinal field 195
- accuracy 216, 352
- acid concentration matching 200
- aerosol droplet 103
- aerosol transport efficiency 93
- afterglow 229
- Al₂O₃ powder 327
- AlGaAs laser diode 168
- alkali flux 347
- alternating polarization system 196
- amalgamation 119
- ambipolar diffusion 227
- amplification 64
- amplitude noise spectra 44
- analysis 1
 - chemical 1
 - qualitative 1
 - quantitative 1
 - trace 1
- analyte introduction efficiency 113
- analytical error 38
- analytical evaluation function 35, 212
- analytical feature 287
- analytical glow discharge 155, 266
- angular dispersion 57, 222
- anodic evaporation 226
- anomalous Zeeman effect 194
- arc 30
 - arc ablation 136, 138
 - arc AES 225
 - arc characteristic 225
 - arc emission spectrometry 225
 - argon metastable 315
 - argon metastable level 236
 - array detection mass spectrometer 83
 - atlas 208, 217
 - atmospheric particulate matter 327
 - atom line 22
 - atom number density 265
 - atom removal 180
 - atom reservoir 31, 34, 45, 159, 341
 - atom supply 180
 - atomic absorption 2, 32
 - graphite furnace 2
 - atomic absorption spectrometry 25, 159 ff
 - atomic emission 31
 - atomic emission spectrometer 217 ff
 - atomic emission spectrometry 207
 - atomic fluorescence 33
 - atomic fluorescence spectrometry 332 ff
 - atomic vapor production 33
 - atomization efficiency 176, 342
 - atomization temperature 179
 - atomizer 178 ff
 - cup 178
 - filament 178
 - graphite tube furnace 178
 - automated electron microprobe analysis 134
 - avoidance of interference 120
 - axial viewing 240, 243
 - axially viewed ICP 240

b

Babington nebulizer 101, 132
 Babington-type nebulizer 237
 background 46
 background correction 91, 162, 193 f
 – with the D₂-lamp 193
 – Zeeman effect 194
 background correction procedure 192
 background noise 45
 background signal 47
 Balmer, Paschen and Pfund series 4
 band emission 26
 band emission spectra 217
 band spectra 24
 barrier-layer discharge 322
 beam-stop 77
 bioavailability 305
 biological and medical sample 305
 biomolecule 307
 black-body radiation 17
 blackening 62 f, 215
 blank contribution 47, 215 f
 blank sample 32
 blaze angle 56 f
 blood analysis 305
 blooming 67
 Boltzmann equation 19, 25
 Boltzmann's law 9
 Bragg equation 56
 brass-coated steel 328
 Bremsstrahlung 18
 broadening 15 ff
 – Doppler 15 f
 – line 16
 – Lorentzian 15 f
 – natural 15 f
 – pressure 15 f
 – resonance 15
 – Stark 15
 – temperature 16
 burner 172
 burn-in time 269
 burning crater 154, 269
 burning gas 174
 burning spot 138 f
 burning voltage 136

c

calibration 34
 – by standard addition 37, 39, 90
 calibration constant 213
 calibration curve 89
 calibration function 34, 89, 90, 212
 capacitively coupled microplasma 252

capacitively coupled microwave plasma 254 ff
 carbide 121, 123
 carbon-rich flame 177
 carbon-rod atomizer 123
 carrier-gas flow 94
 catalyst 203
 cathode dark space 149
 cathode layer 226
 cathodic sputtering 94, 147, 152, 190, 268
 – combined with AAS 190
 CCD 70
 CCD array 72
 CCD spectrometer 241
 cement 203
 ceramic 203
 CFS atomic spectrometry 199
 – sensitivity 199
 characteristic 148, 267
 – abnormal part 148
 – normal 148
 characteristic concentration 175 f
 characteristic mass 184
 charge coupled device 66, 68 f, 87
 charge injection device 66, 68
 charge transfer 148, 236, 269
 charge transfer device (CTD) 67
 chemical interference 176, 185
 chemical modifier 187
 chlorinated compound 312
 chromatographic resolution 312
 clinical analysis 199, 202, 248
 cluster ion 23, 288, 311, 315, 351
 CN band 24
 CN radical 24
 coherent forward scattering (CFS) 197
 coherent forward scattering (CFS) atomic spectrometry 198
 cold plasma condition 294
 cold-vapor technique for Hg 188
 collimator 53
 collision- and reaction-induced dissociation 296
 collision of the first kind 10, 149
 collision of the second kind 10, 149
 collision type 151
 collisional decay 340
 combustion technique 348
 compact metallic sample, direct analysis by AAS 189
 compact non-conductive sample 328
 π -component 194
 σ -component 194
 compromise condition 293
 Compton effect 64

- concentric glass nebulizer 98, 237
 - concentric nebulizer 97 ff
 - concomitant 183
 - concomitant concentration 341
 - confidence line 49
 - continuous dynode electron multiplier 81
 - continuous flow hydride generation 276
 - continuous mode 335
 - continuous sample aspiration 174
 - continuous source-AAS 164
 - continuum on 18
 - continuum radiation 32
 - continuum source 192
 - continuum-source atomic absorption spectrometry 165
 - cooled hollow cathode 267
 - Corona equation 20, 30
 - correction for background absorption 192 ff
 - with the deuterium lamp 192
 - Crater profile 156 f
 - critically damped spark 230
 - cross excitation 231, 273, 280
 - cross section 8
 - collision 8
 - crossed-dispersion mode 59, 221
 - cross-flow nebulizer 100 ff, 233, 237, 243
 - current-voltage characteristic 148
 - cyclonic spray chamber 112 f
 - cytosol 308
 - Czerny-Turner 161
 - Czerny-Turner monochromator 218
 - Czerny-Turner mounting 58, 70
- d**
- Daly multiplier 316
 - dark current 64, 66, 215
 - DC 30, 155
 - DC arc discharge 136
 - DC arc spectrography 228
 - DC arc spectrometry 226
 - DC glow discharge 155
 - with a flat cathode 268 ff
 - DC microsecond-pulsed GD 318
 - DC plasma jet 232 ff
 - Debye length 87
 - Debye path length 21
 - decay 180
 - degree of dissociation 173
 - degree of ionization 19 f
 - densitometer slit 63
 - density profile 280
 - depth profile 279, 328
 - depth profile analysis 270
 - depth resolution 158
 - derivatized mercury species 258
 - desolvation 110
 - detection 2
 - photographic 2
 - detection limit 47, 182, 214 ff, 233, 239, 294, 320, 337 f
 - AFS 337
 - for ICP-MS 293
 - in flame AAS 182
 - laser atomic fluorescence spectrometry 338
 - detector 14, 45 f
 - continuously measuring 45 f
 - in gas chromatography 278
 - noise 14, 215, 237
 - synchronously pulsed 46
 - deuterium lamp 335
 - diffraction slit width 55
 - digestion 201
 - microwave-assisted 201
 - resistance heating 201
 - Dihen 104
 - Dihen nebulizer 113
 - diode 66
 - diode array 70
 - diode array MCP 70
 - diode laser 160, 166 f
 - diode laser atomic absorption spectrometry 191, 278
 - diode laser atomic spectrometry 322
 - direct compact sample analysis 345
 - direct injection high-efficiency nebulizer 106
 - direct injection nebulizer 102
 - direct powder sampling 126
 - direct reaction cell ICP-MS 296 ff
 - direct sample insertion ICP-AES 245
 - direct solid sampling 128 ff, 189, 246
 - direct solid sampling with electrothermal evaporation 126
 - discharge 2
 - electrical 2
 - discharge circuit 229
 - discharge under reduced pressure 147 ff
 - discharge with a flat cathode according to Grimm 154
 - discrete sampling 174
 - disk nebulizer 244
 - dispersive element 56
 - dissector tube 70
 - dissociation 23 ff, 93, 173
 - dissociation energy 173
 - diatomic molecule 173
 - dissociation equation 26
 - dissolution speed 200

- distribution 9, 16
 – Druyvenstein 9
 – Gaussian 16
 – Maxwell 9
 divergence 145
 Doppler broadening 171, 183
 Doppler free isotopically selective analysis 168
 Doppler free spectroscopy 171
 Doppler width 168
 double arc 120
 double focussing instrument 78
 double focussing sector field mass spectrometer 75
 doubly charged analyte ion 288
 doubly charged ion 315
 droplet 96
 droplet size distribution 108
 drying stage 125
 dual-beam system 162
 dual-channel mass spectrometer 287
 dual-echelle monochromator 164
 dye laser 341
 dynode 64 f
- e**
- Eagle mounting 61
 easily ionized element 239, 293
 Ebert 161
 Ebert monochromator 218
 Ebert mounting 58
 echelle emission spectrometer 260
 echelle grating 222, 224
 echelle monochromator 233
 echelle mounting 60
 echelle spectrograph 222
 echelle spectrometer 70, 72, 221, 224
 echelle system 72
 effective measurement slit 213
 Einstein coefficient 11
 – spontaneous emission 11
 Einzel lens 88
 elastic collision 147
 electrical dipole moment 25
 electrical discharge 136
 electrodeless discharge lamp 163, 332
 electrolytic hydride generation 116
 electromagnet 196
 electron 6 f
 – valence 6 f
 electron impact 236
 electron microprobe 155
 electron multiplier 85
 electron number density 10, 21, 235
 electron pressure 20, 33
 electron probe micrograph 133
 electron temperature 269
 electrothermal AAS 177, 182
 electrothermal atomic absorption 177
 electrothermal device 122
 electrothermal evaporation 121, 245
 – from a tungsten filament 250
 electrothermal vaporization 120 ff, 300
 element specific detection 171, 252
 – in chromatography 322
 – in gas chromatography 170
 – in liquid chromatography 275 f
 elemental mass spectrometry 284
 emission 16, 18
 – background continuum 18
 – intensity 93
 emission source 31
 emission spectrum 23
 empirical formulae 275
 emulsion 64
 energy 9
 – excitation 9
 energy focussing 78
 energy level 5, 23
 – electronic 23
 energy 18
 – of ionization 18
 energy transfer 8
 entrance collimator 52, 55, 211
 environmental analysis 201, 204
 environmental monitoring 235
 environmental work 305
 environmentally-relevant sample 248
 error of the first kind 47
 error of the second kind 47
 ETV-ICP-AES 245
 evaporation stage 126
 excimer gas laser 281
 excimer laser 335
 excitation by metastable 269
 excitation temperature 12 f, 27, 235
 exit collimator 56
- f**
- Faraday collector 86
 Faraday cup 84
 Faraday dark space 149
 Faraday effect 198
 Fastie-Ebert mounting 59
 figure of merit of 34
 filament plasma 256
 filler gas 154, 315
 film 59

- flame 1, 30, 172
 - air-acetylene 172
 - hydrogen-air 172
 - nitrous oxide-acetylene 172
 - propane-air 172
 - flame AAS 161
 - flame atomic absorption 171 ff
 - flame atomic emission spectrometry 225
 - flame emission 225
 - flame laser-enhanced ionization spectrometry 341
 - flicker noise 140
 - floating restrictor 317
 - flow cell hydride generation 249, 261
 - flow injection 174, 238
 - flow injection analysis 105, 190, 348
 - flow injection system 191
 - fluid model 279
 - fluorescence transition 334
 - fluorination 348
 - flux 211
 - focal length 52 f
 - food analysis 199
 - formation function 121
 - Fourier analyzer 181
 - Fourier transform 75
 - Fourier transform spectrometer 73 ff
 - Fourier transform spectrometry 270
 - fractionated volatilization 147
 - free atom concentration 177
 - free sample aspiration 108
 - freon 130
 - frequency doubling 144
 - fritted-disk nebulizer 102
 - fs-laser 281
 - full-widths at half maximum 16
 - function 17
 - profile 17
 - furnace atomic non-resonance emission spectrometry 267
 - furnace atomic plasma emission source 311
 - furnace emission spectrometry 267
 - fusion 347
- g**
- gas analysis 252
 - gas chromatography 246
 - gas jet 154
 - gas-liquid phase separation 120
 - gas-liquid separator 116
 - gas sampling GD 319
 - gas sampling glow discharge 275
 - gas sampling helium glow discharge 320
 - gas temperature 15, 27, 133
 - Gaussian function 36
 - GC-MIP-MS 309
 - GD-MS 323, 325
 - topical applicaton 323
 - geological sample 247
 - glass 203
 - glass and ceramic sample 328
 - gliding spark 142
 - glow discharge 149, 314, 317
 - glow discharge AES 265 ff, 270
 - glow discharge mass spectrometry 285, 314
 - glow discharge mass spectrum at high resolution 324
 - glow discharge source 44, 268 ff
 - glow discharge with flat cathode 266
 - graphical signal display 92
 - graphite furnace AAS 161
 - graphite furnace atomization laser AFS 336
 - graphite furnace evaporation 125
 - graphite tube furnace 122 f
 - grating 56, 58 f
 - concave 56, 59
 - echelle 59
 - plane 56, 58
 - Grimm lamp 268
 - Grimm-type discharge 329
 - Grimm-type flow discharge 155
 - Grimm-type glow discharge 158
 - Grimm-type source 316
 - grinding 135, 345
- h**
- Hadamard transformation spetrometer 73
 - halfwidth 15, 218
 - halogenated compound 313
 - hard line 238
 - hard sphere 151
 - heating stage 126
 - helium ICP 311
 - helium microwave 312
 - helium MIP 257
 - hexapole system 296
 - high efficiency nebulizer 98, 237, 243
 - high efficiency, direct-injection nebulizer 103
 - high energy pre-burn 152, 269
 - high explosive substance 319
 - high frequency 30
 - high frequency spark 138
 - high power nitrogen discharge 311
 - high pressure nebulization 109, 244, 299
 - high purity and alloyed Al 325
 - high purity chemical 201
 - high purity substance 204
 - high purity Ti 326

- high resolution echelle spectrometer 165
 - high resolution ICP mass spectra 291
 - high resolution ICP mass spectrometer 290
 - high temperature superconductor 241
 - high voltage spark 140, 230
 - Hittorf dark space 149
 - hollow cathode 266, 319, 329
 - hollow cathode (HC) discharge 318
 - ion source 318
 - hollow cathode glow discharge 267
 - hollow cathode lamp 14, 159, 163, 192, 332
 - hot flame 177
 - hot hollow cathode 266
 - hot-trapping 119, 188
 - HPLC 310
 - hydraulic high-pressure nebulization 107
 - hydride generation 114 ff, 246, 330
 - electrochemical 116
 - electrolytic 115
 - flow-cell 115
 - hydride generation coupled to N₂-MIP-MS 310
 - hydride technique 187 f
 - AAS 188
 - interference 188
- i**
- ICP 87
 - ICP-AES 243
 - organic solution 243
 - ICP generator 236
 - ICP mass spectra 287 ff
 - ICP mass spectrometry 285
 - ICP-MS 307
 - gas chromatography 307
 - ICP-time-of-flight mass spectrometer 80
 - ICP time-of-flight mass spectrometry 301 ff
 - ICP-TOF-MS 302 ff
 - capillary electrophoresis 302
 - electrochemical hydride generation 304
 - electrothermal evaporation 302
 - flow injection 302
 - gas chromatography 302
 - single laser ablation pulse 303
 - size-exclusion chromatography 302
 - ICP-optical emission spectrometer 235
 - image dissector tube 67
 - image system 91
 - imaging spectrometry 29
 - impulse momentum 6
 - impulse theory 154
 - in situ thermal destruction of the matrix 130
 - inductively coupled plasma 232, 234
 - inductively coupled plasma AES 234 ff
 - integrator 65
 - intensity of a spectral line 211
 - intensity of polyatomic 296
 - intercalation compound 186
 - intercalated Pd 187
 - interference 90, 127, 173, 176, 183, 239, 295
 - additive 90, 239
 - chemical 176
 - in furnace AAS 183
 - multiplicative 90
 - physical 176
 - spectral 176
 - interferogram 74
 - intermediate image 53 f
 - intermediate stage 286
 - intermetallic compound 127
 - internal standard 241, 295
 - internal standardization 137
 - ion counting 85
 - ion cyclotron resonance analyzer 81
 - ion cyclotron resonance mass spectrometry 82
 - ion energy 289
 - ion guide hexapole collision cell 301
 - ion lens 77
 - ion line 22
 - ion optic 88 ff
 - ion sampling location 292
 - ion trajectory 88, 286
 - ion trap 79
 - ion trap detector 81
 - ionization 18 ff, 339
 - energy 20 ff
 - interference 21
 - level 21
 - temperature 20, 27
 - ion-trap system 298
 - iron meteorite 327
 - isobaric interference 295, 298, 306, 315
 - isotope ratio 299
 - isotope ratio precision 301
 - TOF-ICP-MS 301
 - isotopic abundance 288, 298
 - isotopic dilution analysis 298 ff
- j**
- jet assisted 155
 - jet enhanced sputtering 273
 - jet expansion 88
 - jet impact nebulization 109
- k**
- kinetically controlled reaction 128

I

lab-on-a-chip 250
 Lambert-Beer law 14, 160
 laminar burner 172
 Landé factor 194
 Langmuir probe 150, 272
 laser 2, 30, 300
 laser ablation 142 f, 246
 – combined with AAS 190
 laser beam 145
 laser enhanced ionization 30
 laser enhanced ionization spectrometry 339 ff
 laser excited AFS 337
 – at a laser plume 337
 – hollow cathode discharge 337
 laser induced argon-spark ablation 281
 laser induced breakdown spectrometer 281
 laser plasma 282
 laser plume 280
 laser produced plasma 336
 laser radiation 339
 laser source 143 ff, 279 ff
 laser vapor cloud 145
 leaching 349
 least-square linear regression 35
 LEI 343
 lens 52 f
 level 5, 7, 23, 25
 – Bohr energy 5
 – excited 7, 25
 – rotational 23
 – vibration 23
 life science 201, 204
 lifetime 11
 light pipe 55
 limit of detection 46, 269, 342
 – cw and pulsed laser LEI 342
 limit of determination 49 ff
 limit of guarantee of purity 50
 LINA spark 146, 281
 line 15, 18 f, 21, 23, 25
 – atom 18, 21
 – hard 23
 – ion 18 f, 21
 – rotational 25
 – soft 23
 – spectral 15
 line doublet 213
 line pair 241
 line profile 17
 line scan 155
 line to background intensity ratio 237
 line wing 217

linear dynamic range 37
 liquid chromatography 246
 local thermal equilibrium 20 f, 27, 235
 low power high-frequency plasma 249
 low power microwave discharge 116
 low power MIP 308
 low pressure DC discharge molecular emission 278
 low pressure discharge 11, 30, 147
 low pressure ICPs 322
 low pressure MIPs 322
 low resolution ICP-MS 287

m

MacSimion 89, 286
 magnetic mass analyzer 77
 magnetron 253
 magnetron RF-GD 316
 magnification 54
 marge Mattauch-Herzog system 83
 mass resolution 79
 mass spectra 288
 mass spectrometer 75 ff, 88
 – double-focussing instrument 78
 mass spectrometry 3, 31, 84, 311, 317
 – inductively coupled plasma 3
 – plasma 3
 mass spectrum 78
 material volatilization 269
 Mathieu equation 76
 matrix destruction 125
 matrix effect 90
 matrix interference 27, 230
 matrix modification 126
 matrix modifiers 127, 185
 Mattauch-Herzog geometry 82, 84
 maximum dissolved solid nebulizer 243
 Maxwell equation 28
 mean droplet size 102
 mean energy 9
 medium voltage spark 140
 medium-voltage spark OES 271
 Meinhard nebulizer 98
 melting with alkali 201
 memory effect 113, 294
 mercury cold vapor generation device 263
 mercury cold vapor technique 119
 metal analysis 248
 metal chelate 260
 metal industry 201
 metal oxide (XY) 26
 metal sample 202
 metastable 11
 metastable argon 256

- metastable level 235
 - metastable state 169
 - methylmercury 259
 - Michelson interferometer 73
 - micro total analysis system 264
 - microchannel plate 66
 - microchannel plate detector 86
 - microconcentric nebulizer 98, 100
 - microdistributional analysis 145
 - microfabricated inductively coupled plasma-on-a-chip 251
 - microplasma 2, 250, 252
 - microplasma jet source 252
 - microsample 129, 238
 - microstrip line 262
 - microstrip microwave-induced plasma 264
 - microstructured resonant cavity 262
 - microwave assisted digestion 200
 - microwave assisted glow discharge 273
 - microwave assisted method 348
 - microwave discharge 232
 - microwave induced plasma 255
 - microwave plasma 253
 - microwave plasma discharge at reduced atmospheric pressure 30
 - microwave plasma mass spectrometry 308 ff
 - microwave plasma torch 308, 311
 - time-of-flight mass spectrometry 311
 - mill 135
 - miniature GD source 336
 - miniaturized high-frequency discharge 250 ff
 - miniaturized spark chamber 139
 - miniaturized spectrometer 70 ff
 - MIP 87
 - MIT table 216
 - model 315
 - modeling 262
 - modeling work 265
 - modified point-blast model 281
 - momentum 8
 - monochromator 57, 59
 - Monte Carlo simulation 279
 - multi-capillary gas chromatography 307
 - multichannel detector 66
 - charge-coupled device 66
 - charge injection device 66
 - multichannel detector 92
 - multi-collector system 299
 - multi-element capacity 234, 243
 - multi-line calibration 219
 - multimicrospray nebulizer 100
 - multiple-collector magnetic mass analyzer 83
 - multiplicity 7
 - multivariate regression 35
- n**
- N₂⁺ molecular ion 24
 - Nafion 110
 - Nafion membrane 115, 117, 299
 - Nafion membrane desolvation 111
 - Nd:YAG laser 146, 280
 - nebulization chamber 96, 111 ff
 - nebulization effect 108, 239
 - nebulization efficiency 93, 109
 - nebulization system 174
 - nebulizer 174
 - nebulizer gas flow 292
 - negative glow 267
 - negative space charge 149
 - noble metal 202
 - noise 39 ff, 176, 294
 - 1/f 41 f, 169
 - excess 40
 - flicker 40, 44
 - frequency-dependent 41 ff
 - fundamental 39
 - interference 40
 - non-fundamental 40
 - random 39
 - source of 43
 - white 41 f
 - noise band 41
 - noise level 50
 - noise power spectra 41 ff
 - noise power spectra commonly 40
 - non-element-specific absorption 181, 185
 - non-LTE plasma 29, 265
 - non-resonant AFS 335
 - non-resonant transition 340
 - norm temperature 22, 30
 - normal Zeeman effect 194
 - nucleation 127
 - nucleopore 134
 - nucleopore filter 140
 - nucleus 5
 - atomic 5
 - Nukuyama-Tanasawa equation 107
 - number density 18
 - electron 18
- o**
- observation 237, 239
 - axial 239
 - end-on 237
 - radial 239
 - side-on 237

- octapole collision cell 296
 - oil analysis 231
 - Okamoto cavity 308 f
 - mass spectrometry 308
 - on-line pre-enrichment 110
 - open air type electrolyte-as-cathode glow discharge 277
 - open atomizer 180
 - opening angle of 55
 - optical aberration 213
 - optical conductance 51, 59
 - optical emission intensity 279
 - optical fiber 70
 - optical spectrometer 58, 89
 - optical transmittance 211
 - optimization 291
 - of ICP-MS 291
 - optogalvanic effect 339
 - order 222
 - organoarsenicals 310
 - organolead 205, 257, 307
 - organometallic 257, 313
 - compound 313
 - organoselenium 260
 - oscillating capillary nebulizer 106
 - oscillating nebulizer 105, 237
 - oscillating spark 230
 - oscillator strength 14
 - overcritically damped spark 230
- p**
- paint analysis 204
 - parallel dispersion mode 221
 - particle size distribution 109, 133
 - partition function 9, 20, 26
 - Paschen curve 268
 - Paschen-Runge mounting 59
 - Paschen-Runge spectrometer 61
 - peak area 127
 - peak height measurement 127
 - pellet approach 326
 - peltier cooler 84
 - peltier element 110
 - penetration rate 150
 - Penning effect 236
 - Penning ionization 149, 266, 314
 - permanently modified platform 187
 - pharmaceutical 203
 - photocathode 64 f
 - photocurrent 65
 - photodiode array 87
 - photodiode array detector 67
 - photoelectric detection 61
 - photoelectric measurement 47, 215
 - photographic detection 61 ff
 - photographic emulsion 61 f
 - photographic measurement 215
 - photographic plate 84
 - photomultiplier 59, 61, 64 ff
 - solar-blind 59
 - photon noise 215
 - photon stop 88
 - photoplate 59
 - physical interference 177, 183
 - physical line width 160
 - physical width 213
 - pin-form cathode 323
 - pin-shaped electrode 330
 - pin-shaped sample 316
 - pixel 67
 - pixel area 223
 - plasma 2, 8 ff, 13
 - high-frequency inductively coupled 2
 - microwave 2
 - spatially inhomogeneous 13
 - steady-state 9
 - plasma jet 31, 232
 - current-carrying 232
 - current-free 232
 - plasma mass spectrometry 284 ff
 - plasma source 16, 232
 - atmospheric pressure 16
 - plasma spectrometry 94
 - plasma temperature 22, 295
 - platform technique 124
 - pneumatic nebulization 96 ff
 - pneumatic nebulizer 96, 174
 - Poisson distribution 45
 - Poisson statistic 44
 - polyatomic species 296
 - polychromator 57, 59
 - polymer coating 328
 - population inversion 143
 - power 292
 - of detection 46 ff, 94, 127, 182, 238, 291, 293, 350 ff
 - practical resolution 213
 - practical resolving power 164
 - praphite platform 178
 - pre-burn 323
 - pre-sparking 230
 - precision 35 f, 176, 240, 242, 294
 - predisper 56
 - primary radiation source 163 ff
 - primary source 32, 51, 159
 - probability 17
 - absorption transition 17
 - profile 16

- absorption 16
 - Voigt 16
 - propagation of error 36 f
 - P*-transformation 62
 - pulse differential height analysis 231
 - pulsed GD source 318
 - pulsed glow discharge 320
 - pulsed glow discharge time-of-flight mass analyzer 321
 - pulsed mode 144, 335
 - pumping efficiency 144
 - purge-and-trap 259
 - pyrolytic graphite 122
 - pyrolytic graphite coated graphite tube 182
 - pyrolytically coated graphite 185
- q**
- Q-switched mode 144
 - quadrupole ICP-MS 286
 - quadrupole mass spectrometer 75 ff, 285
 - qualitative analysis 208
 - quantitative analysis 92
 - quantitative atomic emission spectrometry 209
 - quantum efficiency 64 ff
 - quantum number 5 f, 23
 - magnetic 6
 - main 5
 - orbital 5
 - spin 6
 - quartz crucible 201
 - quartz fiber optic 54
 - quaternary ammonium salt 181
- r**
- radial viewing 240, 243
 - radiant density 334
 - radiant flux 51, 161
 - radiant intensity 64
 - radiation 9, 18
 - absorption 9
 - continuum 18
 - emission 9
 - radiation detector 61, 93
 - radiation source 17, 23, 26, 51, 207
 - radiation trapping 236
 - radiative decay 266
 - radiative recombination 236
 - radiotracer 182
 - rare earth element 325
 - read-out noise 72, 223
 - reciprocal linear dispersion 57
 - recombination continuum 18
 - recombination process 121
 - reference element 242
 - reflection grating 56
 - reflectivity 211
 - refractive indices 53
 - refractory carbide-forming element 130
 - refractory sample 201
 - refractory substance 137
 - relative sensitivity factor 323
 - relative standard deviation 176
 - remote sampling 136, 282
 - residence time 108
 - residual gas impurity 315
 - resolution 72
 - resolving power 290
 - resonant transition 340
 - resonator 144
 - restricted discharge 148
 - reversed Nier-Johnson geometry 316
 - RF discharge 149
 - RF-GD-TOF mass spectrometer 318
 - RF glow discharge 155, 272 ff
 - electrical characteristic and plasma parameter 272
 - RF-powered glow discharge 317
 - RF spark 87
 - robustness 240
 - rotation temperature 235
 - rotation-vibration band spectra 225
 - rotational constant 25
 - rotational energy 25
 - rotational temperature 27
 - Rowland circle 59 f
 - Russell and Saunders coupling 7
 - Rydberg constant 4
 - Rydberg state 340, 343
- s**
- S & E test 49
 - Saha-Eggert equation 287
 - Saha equation 19 f, 22
 - Saha function 19
 - sample inhomogeneity 189
 - sample introduction 94 f
 - sample introduction device 94
 - sample introduction technique 134
 - sample volatilization 94, 152
 - sampler 88, 285
 - saturation 169, 333
 - Sauter diameter 107
 - scanning electron micrograph 141
 - scanning electron microscopy 319
 - scattered radiation 197
 - scheme 7
 - term 7

- Scott-type chamber 97
- secondary electron emission 147
- Seidel function 63
- selective volatilization 141
- selectivity 33
- selenium 116
- self (DC) biasing 150
- self reversal 17, 197, 269
- self sputtering 151
- self-absorption 17, 31, 334
- semiconductor-grade material 325
- sensitivity 182
- Seya-Namioka mounting 61
- SiC sample 326
- sieving 345
- sifter 137
- signal generation 33, 94
- signal-to-background ratio 94
- signal-to-noise ratio 44, 69 f
- Silsbee focusing 152
- simplex optimization 238
- simultaneous background correction 242
- single-beam system 162
- single-electrode discharge 254
- single-element optimum condition 293
- SIT vidicon 219
- skewedness 47, 49
- skimmer 77, 88, 285, 318
- slurry 101, 132
- slurry analysis 135
- slurry atomization 131, 189
 - flame AAS 189
- slurry nebulization 101, 133, 189
 - furnace AAS 189
- slurry sampling 300
- Smith-Hieftje technique 197
- soft line 238
- soil 327
- solar-blind photomultiplier 225
- solid ablation 279
- solid phase extraction 175
- solid phase microextraction 259, 307
- solid state detector 66 ff, 221
- solid state device 61
- solid state laser 144
- solvent/particle evaporation 93
- sonic-spray nebulizer 100
- source 45 f
 - continuous 45
 - pulsed 46
- space charge effect 88
- spark 30, 138, 140, 228 ff
- spark ablation 94, 136, 140, 246
 - spark ablation ICP-OES 142
 - spark AES 225
 - spark channel 228
 - spark emission spectrometry 228
 - spark source 30, 84
 - spark source mass spectrometry 284
 - spark stand 231
 - sparking chamber 138 f
 - spatially isothermal graphite furnace 178
 - spatially-resolved line intensity measurement 54
 - speciation 170, 248, 257, 259, 299, 305, 330
 - speciation with ICP-MS 306
 - anion-exchange 306
 - reversed-phase chromatography 306
 - speciation work 185, 205
 - spectra 1, 4, 8, 19,
 - atomic 8
 - ionic 19
 - line 1
 - optical line emission 4
 - spectra line 12
 - emitted 12
 - spectral apparatus 55
 - dispersive 55
 - non-dispersive 55
 - spectral background 32, 214
 - intensity measurement 218
 - spectral bandwidth 217
 - spectral dispersion 34, 57
 - spectral interference 51, 176, 217, 220, 288, 292
 - spectral line table 208
 - spectral profile 334
 - spectral radiation density 342
 - spectral resolution 219
 - spectral slit width 213
 - spectrochemical analysis 207
 - spectrochemical buffer 254
 - spectrometer 2, 34 ff, 51, 55 ff, 59, 73, 218
 - dispersive 34
 - echelle 59
 - multichannel 2
 - non-dispersive 34, 73
 - non-dispersive multiplex 73
 - sequential 218
 - simultaneous 218
 - spectrometry 1 ff
 - atomic absorption 1 f
 - elemental mass 3
 - emission 1
 - flame atomic absorption 2
 - laser-enhanced ionization 3
 - optical atomic 4

- optical emission 3
 - plasma 3
 - spark emission 2
 - spark source mass 3
 - spectroscope 207
 - spectroscopy 1
 - atomic 1
 - speed of analysis 96
 - spin momentum 6
 - spontaneous drift mode 301
 - spontaneous emission 10
 - spray chamber 42, 96 f
 - sputtering 314
 - sputtering equilibrium 269
 - sputtering experiment 151
 - sputtering rate 150, 279
 - sputtering yield 150 f
 - stabilized capacitively coupled plasma 249
 - stabilized DC arc 227
 - stack gas 254
 - standard deviation 36, 46, 64, 214
 - of the regression 36
 - stark broadening 21
 - state 8
 - excited 8
 - ground 8
 - statistical error 89
 - statistical weight 19, 25
 - steel 305
 - stigmatic spectral apparatus 57
 - stimulated emission 10 f
 - stoichiometry 249
 - stray radiation 33, 162, 217, 336
 - structure 4 ff
 - atomic 4 ff
 - Student table 37
 - superconductor material 203
 - supercritical-fluid chromatography 260
 - supersonic beam 285
 - surface-active substance 135
 - surfactant 183
 - synthetic calibration sample 38
- t**
- tandem source concept 94
 - temperature 18, 25
 - electron 18
 - rotational 25
 - temperature profile 128, 183
 - temperature program 127, 182
 - temperature programming 125
 - temperature tuning 168
 - term 5 ff
 - atomic 6
 - spectral 5 ff
 - term symbol 6
 - χ^2 test 47, 49
 - theoretical resolving power 56 f
 - thermal equilibrium 9
 - thermal evaporation 94, 120
 - thermal volatilization 95
 - thermionic diode 342
 - thermionic emission 148
 - thermochemical aid 226
 - thermochemical behavior 129
 - thermochemical calculation 132
 - thermochemical modifiers 131
 - thermochemical property 270
 - thermochemical reagent 245
 - thermochemistry 181
 - thermospray 244
 - thimble frit nebulizer 105
 - Thomson scattering 236
 - three-electrode plasma jet 233
 - throughput of sample 353
 - time-of-flight ICP-MS 286
 - time-of-flight mass spectrometer 75, 79
 - time-of-flight mass spectrometry 320, 351
 - gas chromatography 320
 - time-resolved absorption spectrum 167
 - TM₀₁₀ resonator 256
 - TOF-ICP-MS 299 f, 302, 311
 - capillary zone electrophoresis 311
 - laser ablation 302
 - torch 234
 - total reflection X-ray fluorescence 352
 - trace element in steel 202
 - traceability 92
 - trace-matrix separation 134, 347 f
 - trace-O-mat 348
 - tracer experiment 299
 - trance-matric separation 299
 - transferred plasma 232
 - transient nature 127
 - transient signal 191
 - transition 15
 - allowed 15
 - transition probability 12 f, 25
 - transitional hollow cathode 267
 - transmission 77
 - transmittance 51, 166
 - transport phenomena 129
 - transversally-heated furnace 178
 - trapping of hydride 119
 - trapping of the analyte vapor 188
 - true value 50
 - tuned laser 332

tungsten 179
tungsten atomizer 124
tungsten filament atomizer 179
tungsten furnace 178
tungsten lamp halide 335
two-level system 332
two-line method 21
two-photon spectroscopy 343
two-stage procedure 128

u

ultrasonic nebulization 113 f, 244, 299

v

velocity distribution 8, 10
– Maxwell 10
vesicle mediation 120
vidicon 70
vidicon detector 67
Voigt effect 198
volatile compound 185
volatile hydride-forming element 261
volatile species formation 119
volatile species generation 114
volatilization process 27
– sputtering 27
– thermal evaporation 27
voltage-to-frequency converter 86
VUV atomic emission line 224

w

wall-stabilization 227
wash-out time 96
waste incineration 254
water analysis 204
water-jacketed spray chamber 301
wavelength modulation laser AAS 170
wavenumber 5, 23
weighing error 38
wet chemical method 347
wetting agent 132
width 15 f
– Doppler 15
– natural 15 f
wire loop 124
working coil 234

x

xenon arc lamp 164
xenon lamp 332

z

Zeeman AAS 194
Zeeman atomic absorption 195 f
– set-up 196
Zeeman atomic absorption spectrometry 197
Zeeman effect 6, 91, 165
Zeeman effect background correction atomic
absorption 171
Zeeman splitting 194