

INDEX

- Active Living Every Day program, 131–32
- activity partners, 104, 128–29
- adiponectin, 29
- Aerobics* (Cooper), 7, 143
- aerobic training, 143–46, 171
- benefits of, 58, 143
 - in exercise programs, 141–50, 198
 - in Move Yourself plans, 157–62, 199
- agility, improvements in, 96
- aging
- adjusting exercise for, 151–52, 169
 - benefits of exercise in, 95–96, 143–44, 171
 - effects of, 26, 30, 73, 91–92, 147
 - effects on fitness, 8, 77, 143–44
- allergies, 79
- Alzheimer's patients, 73
- American Diabetes Association, 42
- American Heart Association, 34–35, 42
- Andel, Ross, 95
- anxiety, 6, 68, 70, 78
- appearance, 4, 24
- improved by exercise, 37, 41, 147, 191
- appetite, 29, 45, 72, 80
- arterial disease, 28, 54–56
- arteries
- blockage of, 59
 - damage to, 45
- arthritis, 185
- effects of, 91–92
 - exercise and, 90–91, 151, 155, 169
- Ashmore, Jay, 99–100
- avascular necrosis, 90
- back, 65–66, 168, 174
- back extension, 168
- back pain, 4, 82
- reduced by exercise, 14–15, 67, 91–92
 - surgery for, 152–53
- back stretch, 174
- balance, improving, 66, 96, 147

- balance, in exercise programs, 141–42, 152
- balance, in healthy eating, 178
- bed rest, 86, 91
- belly fat. *See* visceral fat
- Blair, Steven, 34, 55–56, 110, 113
- blindness, 49
- blood, 45
 - thinned by exercise, 55, 58
- blood flow, increased
 - benefits of, 82, 84, 90
 - by exercise, 12, 55, 143
- blood pressure, high, 9–11, 185
 - in metabolic syndrome, 38–39, 41–43, 46
 - as risk factor, 35–36, 41, 54
- blood pressure, reduced by exercise, 8, 57, 191
- bloodstream, visceral fat secretions in, 39
- blood sugar, elevated, 28, 39–45
- blood sugar, metabolism of, 51, 185
- blood sugar, reduction in, 10, 12–13, 31, 47, 58
- body composition, 26–27
- body fat, 8, 27–31
- body mass, 62
- body mass index (BMI), 26–27, 29
- bone mass, 65–67, 91
 - See also* osteoporosis
- bones, 65, 90, 101–2
- benefits of exercise to, 13, 64, 66
- Booth, Frank, 6
- Bortz, Walter M., II, 83
- brain, 12, 75
 - See also* cognitive function
- bread and grains
 - in reduced-calorie diets, 205–6
- breakfast, in healthy eating, 180–82, 196, 202
- bursitis, 53–54, 89, 152
- busy, *vs.* active, 104–6, 114–16
- caffeine, 64
- calcium, 64
- calf-bent-knee stretch, 173
- cancer
 - metabolic syndrome and, 39, 41–42
 - prevention of, 13, 60–62, 143
 - relation of exercise to, 13, 34, 59–60, 62–63, 143
 - treatment of, 62–63
- cancer, breast, 30, 62–63
- cancer, colon, 6, 62, 84
- cancer, colorectal, 30
- cancer, lung, 62
- cancer, ovarian, 62
- cancer, prostate, 66
- cancer, rectal, 62
- carbohydrates, in healthy eating, 179
- cardiovascular deconditioning, 77, 82
- cardiovascular disease, 56–57
 - diabetes and, 49, 51
 - inactivity as risk factor for, 22, 34–35, 54
 - inflammation in, 54–55
- cardio workouts. *See* aerobic training
- Carpenter, Ruth Ann, 138
- Centers for Disease Control and Prevention, 233
- cervical disk disease, 54
- cheese, in reduced-calorie diets, 204
- chest pain, exercise with, 101
- children, 104–6
 - diseases of, 42, 49
 - increasing activity with, 119–20
 - modeling healthy lifestyle for, 76, 100
- Choi, Bernard, 233–34
- cholesterol, 31, 39, 179
 - as health risk factor, 35–36, 54, 87
 - in metabolic syndrome, 42–43
 - reduced by exercise, 58, 191
 - See also* HDL cholesterol

- chronic fatigue syndrome, 77
- Church, Tim, 5, 116–17
- circulatory system, 185
See also blood flow;
 cardiovascular disease
- clothing fit, 13, 30, 41, 133, 195
- cognitive function, 30, 73–75
See also memory
- computer use, 40, 43
- constipation, 85–86
- Cooper, Kenneth, 7, 143
- Cooper Aerobics Center, 7, 138
 physical activity programs of,
 100–101, 141–48
See also fitness database
- coordination, improvements in, 96
- coronary artery disease, 48, 80
 metabolic syndrome and, 39, 42
See also arterial disease
- CRP (C-reactive protein), 54–55
- crunches, in strength training,
 167–68
- cycling, in cardio programs, 199
- daily routines, physical activity in,
 4–5, 40, 112, 117–21, 128
- death rates
 from cancer, 60–62
 exercise and, 35, 60–62
 from high blood pressure, 56
- deaths, 66
 depression and, 69
 from diabetes, 49
 from diseases of comfort, 7, 29,
 233–34
 inactivity increasing risk of, 6,
 8–9, 22–23, 34, 233
 metabolic syndrome and, 42
 reducing risks for, 36, 57
- dementia, 30, 73
- depression, 185
 causes of, 6, 68, 192
 effects of, 69, 78
- postpartum, 120
 reduced by exercise, 13–14, 40,
 67–72, 120, 128–29
 treatments for, 69–72
- diabetes
 effects of, 6, 50–51
 effects of exercise on patients
 with, 51–52
 incidence of, 49, 233
 metabolic syndrome and, 39,
 41–42, 45
 prevention of, 47–50
 relation to inactivity, 12–13, 34
 as risk factor for heart disease, 22,
 54
 symptoms of, 47–49
 visceral fat and, 28–29
- Diabetes Prevention Program, 49–50
- Diamond, Merle, 94
- diet, 184
 assessing, 136–38
 benefits of improving, 38–40, 50
 case studies of changes in, 189–93
 fad, 195
 healthy eating vs., 18, 178
 in Kostas's reduced-calorie diets,
 201, 204–31
 limiting unhealthy elements in,
 192–93
 logging consumption in, 196,
 201–2
 in Move Yourself Plan A, 135–38
 in Move Yourself Plan B, 177–87
 in Move Yourself Plan C,
 187–206, 201
 physical activity and, 36, 133, 135
 redistributing calories in, 202–4
 reduced-calorie meal plans,
 204–31
 risk factors of, 58–59, 86
 in weight loss, 191, 195–96
- digestion. *See* GI tract
- dining out, 183–84, 191, 193

disability, from depression, 69
 disease, inactivity causing, 5, 7,
 233

diseases of comfort, 233–34

dizziness, exercise with, 101

doctors

clearance for exercise from,
 101–4, 153–54, 163–64

dumbbells, 163

Duran-Thal, Kathy, 177

Earnest, Conrad, 177

endorphins, and mood, 68

endothelial function, 55

energy, 186

exercise increasing, 4–5, 11, 14,
 37, 75–77, 128, 132–33,
 190–91

fat as storage of, 29, 87

low, 3, 37, 128

environment, and longevity, 36

enzymes, liver, 88

erectile dysfunction, 48, 81

ethnic groups, 49, 57

exercise

attitudes toward, 104, 130–31,
 151

benefits from even low doses of,
 6–11, 30, 103

effects of, 45, 58, 61, 186

effects of aging on, 151–52

excuses for avoiding, 3, 39, 48,
 104, 128–31

health and, 35, 234

incorporating into daily routines,
 4, 107, 117–21, 128

in lifestyle changes, 135

motives for, 14–15, 37, 76,
 99–100, 109–10, 117–18

for performance vs. health, 103

physical activity vs., 8, 18

resistance to, 58–59, 76, 89

in weight control, 3–4, 195–96

See also fitness; health benefits, of
 physical activity; inactivity;
 physical activity

exercise prescriptions

for chronic fatigue syndrome, 77

for depression, 70–71

for diabetics, 50, 52

low doses, 11, 64, 95–96

low intensity, 93

for metabolic syndrome, 38–39

for 150 minutes/week, 10, 22

for mood disorders, 68–69

for osteoporosis, 64

physical activity programs as,
 100–101, 103

to prevent dementia, 73

exercise programs, 80

beginning, 35, 101–4, 113–14,
 192

case studies of, 131–34, 145–46,
 189–93

choices in, 142, 199–200

consistency in, 58, 64, 67,
 152–53

FIT principles in, 148–50,
 152–55, 198

gradually increasing time of,
 69–70

keeping interesting, 129

measuring in, 112–14, 119

Move Yourself Plan A, 107,
 117–21, 130–31

Move Yourself Plan B, 139,
 141–45, 147–55, 157–75

Move Yourself Plan C, 198–200

need for balance in, 65–67,
 141–48

pain caused by, 154–55

faintness, exercise with, 101

falling, reducing risk of, 65–66

family, and physical activity, 104–6,
 119–20, 131

- family history. *See* genetics/family history
- fat, 26
 evening calories as, 202–3
 locations of, 27–31
 loss of visceral *vs.* overall, 30–31
See also visceral fat
- fatigue, 63, 128, 180–81
 exercise reducing, 63, 75–77, 128, 132–33, 190
 in fibromyalgia, 92–93
 not indicator of physical activity, 104–5
- fats
 in healthy eating, 179–80
 omega-6 *vs.* omega-3, 185
 in reduced-calorie diets, 205
See also triglycerides
- fatty liver disease, 87–88
- fibromyalgia, 92–93
- Finley, Carrie, 138
- fish oil supplement, 185
- fitness
 bone density and, 66–67
 constipation not related to, 85–86
 death rates and, 8–9, 56–57, 60
 declining with age, 8
 effects of increasing, 8–11, 40, 96, 134
 fatigue and, 76–77
 heartburn and, 84
 lack of, 22, 42
 levels of, 100, 157
 maintaining, 152–53
 mood disorders and, 68
 overweight and, 94–95
 pain and, 89–91, 94
 as protective against diseases, 46–47, 56–57
 relation to health, 24–25, 34, 63–64
 sexuality and, 81–83
 snoring and, 79
 societal need for, 234–35
 types of, 143–44, 146
 ways to increase, 107, 148–51, 192–93
See also exercise; physical activity
- fitness database, Cooper Clinic's, 5, 7, 14, 22–23
- fitness trainers, 104, 150, 154, 168–69
- FIT principles, 152–55, 157–62, 198
- flexibility, improvements in, 96
- flexibility training, 141–48
- frailty, 41–42
- frequency, of exercise, 148–49, 197–98
- fruits and juices, 205, 234
- gallstones, 86–87
- gastritis, 37–38
See also GI tract
- gender, 30
 in attitudes toward exercise, 104, 142, 147
 in disease rates, 42, 65–66, 69, 93–94
 in fitness and premature deaths, 57, 61
- genes, for physical activity, 6
- genetics/family history, 36–37, 47, 53–54, 64
- GI tract, exercise and, 79, 83–86
- glucocorticoids, 90
- hamstring flex, 166–67
- HDL cholesterol
 increased by exercise, 46, 58
 metabolic syndrome and, 38–39, 41, 45
- headaches, reduced by exercise, 14, 37–38, 93–94, 132–33
- healing mechanisms, 13

- health
- exercise and, 22–23, 35, 103
 - fat and, 28
 - fitness and, 34, 63–64
 - maintenance of, 49, 192, 234
 - measures of, 23–24
 - patients' responsibility for, 47–49, 58–59, 235
 - Plan A to improve, 100–101
 - risks of inactivity to, 22, 33, 35–36
 - stress hormones and, 68
 - weight and, 21–24, 44
- health benefits, of physical activity,
- 12–13, 26, 194
 - of aerobic exercise, 143–46
 - in better sleep, 78–80
 - in bones, 66
 - in digestion and elimination, 83–86
 - disease prevention, 43, 47–50, 54, 60–62, 64–67, 86–87, 90
 - in disease treatment, 53–54, 62–63
 - on energy levels, 75–77
 - even for fit people, 134, 194–95
 - improved fitness and, 9–11
 - improved posture, 91–92
 - increased walking, 4–5
 - logging, 100, 121
 - low doses of, 6–11
 - on moods, 69–71
 - in PMS, 72
 - reducing fat, 87–88
 - reducing pain, 88–93, 91–92, 93–94
 - speed of, 13–14, 47, 51–52, 66, 77
 - of strength training, 147
 - of stretching, 147, 171
 - See also* exercise; fitness; physical activity
- health care, costs of inactivity in, 6
- Healthy Eating Every Day* (Carpenter and Finley), 138
- heart, health of, 8, 12, 55, 138
- heart attacks, 102
- inactivity increasing risk of, 13, 33–34
 - metabolic syndrome and, 39, 43
 - prevention of, 54, 58
 - responses to, 53–54, 58–59
 - risk factors for, 28, 58–59, 69
 - risks of, 8, 13, 29
- heartburn, 14–15, 84–85
- heart disease, 45, 59
- genetic influence on, 36–37, 53
 - inactivity and, 6, 54
 - metabolic syndrome and, 39, 41–42
- heart failure, and belly fat, 29
- heart problems, exercise with, 101
- heart-rate variability, improvements in, 10, 57–58, 69
- hip adductor, 173
- hip flexor, 172
- hip replacements, 90
- hips, 82, 90, 96
- atraumatic fractures of, 64–65
- hormones, 8, 29, 65, 82
- stress, 57, 68
- hospitals, physical activity while visiting, 129
- Hunter, David, 233–34
- immune system, 45, 48, 61, 186
- cancer and, 61, 63
 - exercise and, 63, 79, 84
- impotence, 81
- inactivity, 8–11, 114
- causing chronic disease, 5, 38–39
 - effects of, 6, 64
 - as epidemic, 6, 233
 - as health risk, 7, 22–23, 33–36
 - pain from, 4

- inflammation, 61, 90, 185
 in cardiovascular disease, 54–55
 causes of, 45, 90, 179
 visceral fat producing, 28, 87, 194
- injuries, 89
 acute vs. repetitive, 151–52
- injury prevention
 planning exercise programs for, 149, 151–52
 by starting exercise gradually, 102–3, 118, 187
 in strength training, 168–69
 stretching in, 147, 171
- insulin, 29, 57
 excess, 61
 resistance to, 29, 45, 51
- intensity, of exercise, 148–50, 161, 198
- interleukin-6, 28, 54–55, 65
- intestines, 84, 86
- jogging, 159–60, 192, 199–200
- joints, 90–91
 benefits of exercise to, 13, 53–54, 90
 inactivity as risk factor for pain in, 89
 pain from exercise in, 145–46, 164
 pain reduced by exercise, 14, 67
 protection for, 90, 101–2, 151–52, 200
- Kampert, James, 61
- knees, pain in, 145–46, 155
- Kostas, Georgia, 201
 diets by, 204–31
- Landers, Michael, 70
- LDL cholesterol, 39
- learning, effects of aging on, 74–75
- Lee, I-Min, 62
- leptin, 29, 80
- life span, 5, 8–9, 36, 83
- lifestyle, 36–37, 118, 234
 changes in, 71–72, 135, 189–93, 196
- ligaments, 89, 169
 exercise and, 90–91
- liposuction, 31
- liver
 fat around, 13, 87–88
 fat secretions and, 28, 39
- longevity. *See* life span
- lower-body muscles, exercises for, 165–67
- macrophage migration inhibitory factor (MIF), 62
- massage, for back pain, 92
- McKenzie press-up, 174–75
- meats, in reduced-calorie diets, 204
- media, appearance and weight in, 24
- medical test results, 94–95, 133–34
- medications, 37, 43, 234
 for depression and anxiety, 67, 69–72
 effects of steroidal anti-inflammatory, 90
 exercise reducing need for, 15, 37–38, 49, 52, 191
 fear of, 48, 64
 for GI problems, 79, 85
 for migraines, 94
 for osteoporosis, 66
 for pain, 90
 for sleep problems, 78
- memory, 14, 73–75
See also cognitive function
- men
 14-day diet for, 218–31
See also gender
- menopause, 30, 63–65
See also postmenopausal women

- metabolic syndrome
 causes of, 38–39, 41, 43, 61, 194
 effects of, 42–43, 47
 exercise reducing risks of, 13,
 46–47, 55, 194–95
 in kids, 42
 symptoms of, 42–46
- metabolism, 29–30
 benefits of exercise in, 12–13,
 147, 197
- metformin, in diabetes prevention, 50
- Meyers, Casey, 155
- migraines. *See* headaches
- milk, in reduced-calorie diets, 204
- Mitchell, Tedd, 5, 53, 71, 115–16,
 169
- mood disorders, 68, 70–71
See also anxiety; depression
- mood swings, 37, 72
- Morris, Jeremy, 33
- Move Yourself Plan A, 187
 exercise programs in, 107–34
 nutrition in, 135–38
 transitioning to Plan B from, 149,
 153–54
- Move Yourself Plan B
 cardio programs in, 157–62
 need to move through to Plan C,
 158, 187, 197
 nutrition, 177–86, 177–96
 strengthening in, 163–69
 stretching in, 171–75
 transitioning from Plan A to, 149,
 153–54
 transitioning to Plan C from, 177
- Move Yourself Plan C, 187
 benefits of, 194–95
 case studies of, 189–93
 eating plans, 201, 204–31
 exercise program in, 189–200,
 199
 need to move through Plan B to,
 158, 177, 197
- muscle loss, 39
 in aging, 26, 30
 effects of, 30, 65
 from inactivity, 64, 89, 91
- muscles, 92, 186
 aging effects on, 26, 30, 147
 avoiding injuries to, 103, 152
 deconditioning, 77, 153
 effects of exercise on, 13, 31,
 89
 imbalance in, 152
 metabolism in, 29, 45, 51
 pain in, 14, 118
 strains, 169
 strengthening, 90, 147, 163
 strengthening to prevent pain, 92,
 145–46
 stretching, 145–46, 171
 toning, 66, 82, 147
- musculoskeletal system, 89
- musculoskeletal system, pain of,
 92–93
- National Heart, Lung, and Blood
 Institute, 42
- natural killer (NK) cells, 61
- neck rotation, 174
- nervous system
 damage to, 45, 49
 effects of exercise on, 12, 69,
 74–75, 84
- neurotransmitters, 75
- nitric oxide, 55
- nonalcoholic steatohepatitis
 (NASH), 87–88
- nutrition. *See* diet
- obesity, 41, 44, 113
 belly fat vs., 29
 BMI determination of, 26–27
 inactivity and, 22, 233
See also overweight
- Old Order Amish, 112–13

- osteoporosis, 6, 63–66
- outer hip abductor stretch, 173
- overhead press, 165
- overweight
- effects of, 7, 85, 192
 - as health risk, 7, 35–36
 - in kids, 42
 - in metabolic syndrome, 40, 43
 - of postmenopausal women, 9–11
 - relation to fitness, 94–95
 - relation to health, 44
- See also* obesity
- oxygen flow, 12, 75
- Paffenbarger, Ralph, 22
- pain
- causes of, 92–93, 192
 - from exercise, 89, 90, 118, 147, 151, 154–55, 164, 200
 - exercise reducing, 4–5, 88–93
- pancreas, 45, 50–51
- pectoral stretch, 174
- pedometers, 157
- physical activity
- aging and, 95–96
 - effects of, 11, 12–13, 31, 44–46, 46, 57–58, 68, 90
 - exercise *vs.*, 8, 18
 - improving quality of life, 36–38
 - levels of, 15–17, 22, 105–6, 112–13
 - logging, 111–12, 118–19, 121–25, 127, 196, 202
 - logging feelings about, 121, 129, 195
 - metabolic syndrome and, 40–41, 44–46
 - obstacles to, 128–30
 - quality of life improved by increasing, 13–15, 194
 - relation to health, 22–23, 59–60
 - research in, 235
- See also* exercise; fitness; health benefits, of physical activity; inactivity
- physical therapy, for pain in knees, 145–46
- postmenopausal women, 114
- effects of improved fitness on, 9–11, 190
 - health risks of, 8, 58
 - increasing exercise time for, 69–70
- posture, improved by exercise, 91–92
- power-walking, 200
- premenstrual syndrome (PMS), 72
- “Project Active,” 7–8
- protein, 180, 186
- public health, 11, 233–34
- push-ups, 164
- quadriceps, exercises for, 165–66
- quality of life
- constipation in, 85–86
 - exercise improving, 13–15, 36–38, 63, 75–78, 96, 100–101, 192–93, 194
 - improving fitness and, 9, 13–15
 - mood disorders in, 68
 - pain in, 84–85, 89, 91, 94
 - sexuality in, 81–83
 - weight loss adding to, 193
- recovery, supplements benefiting, 186
- relaxation, 93
- running, 91, 192–93
- Sainsbury, Peter, 233–34
- Schmitz, Kathryn, 105
- sedentary death syndrome, 6
- self-image, 192
- effects of fitness on, 11, 82
 - fat and, 27–28, 30–31

- seniors, exercise and, 103–4
See also aging
- sexuality, 14, 81–83
- shopping, 206
- shoulder abduction (“the butterfly”), 165
- side-crossed leg rotational, 175
- side effects, of medications, 48, 78
- Simons, Robert, 95
- sleep, improved by exercise, 14, 37, 78–80
- smoking, 7, 234
 importance of quitting, 36, 64
 as risk factor, 35–36, 54, 61
- snacking, healthy, 182–83
- snoring, 14–15, 79
- spine, aging and, 91–92
- spleen, 13
- Stampfer, Meir J., 95
- standing quadriceps stretch, 172
- stationary bikes, 161–62
- Stein, Rob, 95
- step counters, 8, 40
 in assessing levels of physical activity, 15–17, 114–21, 129, 134
 correct use of, 110–11
 to find starting levels, 109–10, 113–14, 133
 logging activity with, 121–25, 127
 as motivational, 115–18, 129–32
 pedometers *vs.*, 157
 targets for, 112–13, 117–18, 127, 131–32, 134
- Steps to Better Health*, 110
- stomach muscles, exercises for, 167–68
- straight leg raise, 167
- straight leg standing hamstring stretch, 172
- strength, improvements in, 96
- strength training, 147, 152
 in balanced exercise programs, 141–50
 benefits of, 63, 65–67, 95–96, 103
 low-dose, 64, 67
 in Plan B exercise program, 163–69
- stress
 effects of, 37, 56–57, 59–60, 67, 69, 72
 reduced ability to handle, 39
 reduced by physical activity, 13, 69, 131
- stress test, fallibility of, 58–59
- stretching
 benefits of, 145–47, 171
 in Plan B exercise program, 171–75
See also flexibility training
- strokes, 39
 exercise reducing risk of, 13, 54, 57
 risk factors for, 6, 8, 34, 69
- supplements, nutritional, 177, 184–86, 231
- surgery, 86, 234
 for backs, 152–53
 for knees, 145–46
- sweets, moderation in, 184, 191
- swimming, in cardio programs, 160–61, 199
- television, 75, 180
 combining exercise with, 4, 119
 dangers of excessive watching, 38, 43, 86–87
 substituting activity for, 75, 131
- tendonitis, 89, 152, 169
- tendons, 89–91, 147
- thyroid/parathyroid problems, 64
- time, in FIT principles, 148–49, 198

- Tornelli-Mitchell, Janet, 24–25, 48, 71–72
- toxins, from visceral fat, 28–30, 39, 65, 87, 194
- traveling, 120–21, 128
- triglycerides
 in metabolic syndrome and, 38–41, 45–46
 reduced from exercise, 13, 47, 58
- Tsou, Walter, 233–34
- tumor necrosis factor, 28
- upper-body muscles, exercises for, 164–65
- urination, nighttime, 14, 79
- Van Praag, Henriette, 74
- vegetables, 205–6, 234
- vegetarians, 186, 205
- vertebrae, 65
- visceral fat
 danger of, 28–31, 54–55, 85
 gender differences in, 30
 loss of, 10, 194
 metabolic syndrome and, 39, 44, 194
 reduced by exercise, 10, 13, 47, 101
 toxic secretions from, 28–30, 39, 65, 87, 194
 waist size in assessing, 31–32
- Vitamin D, 64
- waist size
 in assessment of health risks, 29, 31–32, 41, 194
 measurement of, 32
 reduction of, 40, 64, 101, 158, 190, 194–95, 197
- walking
 assessing fitness level in, 157–58
 beginning exercise with, 192
 benefits of, 65, 72, 73–74, 92–93, 95–96
 in cardio programs, 157–59, 199
 in daily routines, 4, 40
 tips for increasing, 4–5, 119, 128–34
- Walking: A Complete Guide to the Complete Exercise* (Meyers), 155
- water, 185, 204
- weight
 consistency of, 94–95
 distribution, 11, 13
 expectations of, 21, 24–26
 fitness vs., 24–25, 46
 as health measure, 23–25, 88, 94–95
 relation of health to, 21–23
- weight gain, 3–4, 45
- weight loss, 231
 diabetes and, 48, 52
 doctors recommending, 23–24, 52
 health benefits from, 26, 48, 53–54, 85, 194
 low doses of exercise for, 10, 64, 190
 10 percent as goal, 194, 198
 through exercise, 4, 26, 31–32, 197
 through Plan C, 101, 158, 194–95
 tips for, 4, 202–4
- weight management, 234
 eating and, 178, 201–2
 exercise in, 147, 151
 logging in, 196, 201–2
 long-term, 195, 200
 necessary steps in, 195–96
 step counters in, 110, 114

weight training. *See* strength training
Weuve, Jennifer, 74

women

14-day diet for, 206–18

depression in, 71–72

inactivity of, 104–6, 115

See also gender; postmenopausal
women

World Health Organization (WHO),
49

Zucker, Martin, 117