

Index

A

- AboveAverage **object**, **636–638, 753**
- AboveBelow **property**, AboveAverage **object**, **637**
- Abs **function**, **156**
- absolute recording**, **7–8**
- Accept **property**, CalloutFormat **object**, **680**
- AcceptAllChanges **method**, Workbook **object**, **944**
- Access, and ADO**
 - connecting to Access, **448–449**
 - inserting, updating, and deleting records with plain text SQL, **452–454**
 - overview, **419–423**
 - retrieving data using plain text queries, **449–450**
 - retrieving data using stored queries, **451–452**
- Action **object**, **638–639**
- ActionControl **property**, CommandBars **collection**, **999**
- Actions **collection**, **638–639**
- Activate **event**
 - Chart **object**, **694**
 - Workbook **object**, **951**
 - Worksheet **object**, **962**
- Activate **method**
 - Chart **object**, **690**
 - overview, **93–94**
 - Range **object**, **858**
 - VBcomponent **object**, **987**
 - Window **object**, **933**
 - Workbook **object**, **944**
 - Worksheet **object**, **958**
- ActivateMso **method**, **317**
- ActivateNext **method**, Windows **object**, **933**
- ActivatePrevious **method**, Windows **object**, **933**
- Active Office language**, **538**
- active properties**, **64–65**
- Active Server pages (ASP)**, **532**
- ActiveCell **property**
 - Application **object**, **643**
 - Windows **collection**, **930**
- ActiveChart **object**, **186**
- ActiveChart **property**
 - Application **object**, **643**
 - Window **object**, **930**
 - Workbooks **collection**, **937**
- ActiveCodePane **property**, VBE, **989**
- ActiveConnection **property**
 - Command **object**, **457**
 - Recordset **object**, **441–442, 446, 463**
- ActiveMenuBar **property**, CommandBars **collection**, **999**
- ActiveMicrosoftApp **method**, Application **object**, **656**
- ActivePane **property**, Windows **object**, **930**
- ActivePrinter **property**, Application **object**, **643**
- ActiveSheet **property**
 - Application **object**, **644**
 - Window **object**, **930**
 - Workbooks **collection**, **937**
- ActiveSheet.UsedRange**, **107, 684, 726, 759, 925**
- ActiveSheetView **property**, Windows **object**, **930**
- ActiveVbProject **property**, VBE, **989**
- ActiveWindow **property**
 - Application **object**, **644**
 - VBE, **989**
- ActiveWorkbook **property**, **65, 644**
- ActiveX category**, **496**
- ActiveX **controls**
 - CheckBox **control**, **212**
 - dynamic, **216–219**
 - Option Button **controls**, **212–214**

ActiveX controls (continued)

ActiveX controls (continued)

- and running macros, 13–15
- Scrollbar control, 211
- Spin Button control, 211–212

ActiveX Data Objects (ADO)

- Command object
 - collections, 447
 - methods, 446–447
 - properties, 446
- Connection object, 437–441
 - collections, 441–443
 - events, 440–441
 - methods, 439–440
 - properties, 437–438
- Recordset object, 441–445
 - collections, 445
 - events, 445
 - methods, 443–445
 - properties, 441–443
- SELECT Statement, 432–434
- Structured Query Language (SQL) overview, 431–435
 - DELETE statement, 435
 - INSERT statement, 434
 - UPDATE statement, 434–435
- using in Excel applications, 447–448
- using with Access, 448–454
 - connecting to Access, 448–449
 - inserting, updating, and deleting records with plain text SQL, 452–454
 - retrieving data using plain text queries, 449–450
 - retrieving data using stored queries, 451–452
- using with non-standard data sources, 463–468
 - inserting and updating records in workbooks, 466–467
 - querying text files, 467–468
 - querying workbooks, 464–466
- using with SQL Server, 454–463
 - connecting to SQL Server, 455–456
 - disconnected recordsets, 461–463
 - multiple recordsets, 460–461
 - stored procedures, 456–460

ActiveX Data Objects Multidimensional (ADO MD), 522–523

ActiveX settings category, 495–496

- ActiveXControl **property**, SmartTagAction **object**, 894
- AdaptiveMenu **property**, CommandBar **object**, 1001
- AdaptiveMenus **property**, CommandBars **collection**, 999

Add button, 15, 252, 405

- Add Charts **method**, Charts **collection**, 686
- Add fields **method**, 166
- Add **method**
 - AllowEditRanges collection, 641
 - CalculatedMembers collection, 678

- CommandBarControls collection, 1010
- CommandBars collection, 1000
- CustomXMLParts collection, 1020
- CustomXMLSchemaCollection object, 1023
- CustomXMLValidationErrors collection, 1024
- DocumentProperties collection, 1030
- FileDialogFilters collection, 1033
- FileTypes collection, 1035
- LinkedWindows Collection, 982
- NewFile object, 1046
- Permission object, 1050
- QueryTables collection, 846
- Scenarios collection, 871
- SearchFolders collection, 1053
- SeriesCollection object, 873
- ServerViewableItems collection, 878
- SharedWorkspaceFiles collection, 1056
- SharedWorkspaceFolders collection, 1057
- SharedWorkspaceMembers collection, 1059
- SharedWorkspaceTasks collection, 1060
- Sheets collection, 892
- SortFields collection, 897
- TabStops2 collection, 1069
- UserAccessList object, 922
- Validation object, 924
- VBcomponents collection, 988
- VBprojects collection, 992
- Watches collection, 927
- Workbooks collection, 935

- AddCallout **method**, Shapes **collection**, 880
- AddChart **method**, 177, 184, 187, 880
- AddCollectionCollection **method**, CustomXMLSchema **collection**, 1023
- AddComment **method**, Range **object**, 858
- AddConnector **method**, Shapes **collection**, 880
- AddCurve **method**, Shapes **collection**, 880
- AddCustom **method**, VBcomponents **collection**, 988
- AddCustomList **method**, Application **object**, 656
- AddFormControl **method**, Shapes **collection**, 880
- AddFromFile **method**
 - CodeModule object, 976
 - Reference collection, 985
 - Workbook.Connections collection, 953
- AddFromGuid **method**, Reference **collection**, 985
- AddFromString **method**, 597
- AddFromString **method**, CodeModule **object**, 976
- add-in **class**, 388, 396, 401, 407
- Add-In **object**, 639
- AddIn **object**, 640, 973–974
- AddIndent **property**
 - CellFormat object, 682
 - Range object, 852
 - Style object, 901

AddInInstall **event**, 381, 951

Add-ins

- closing, 375–376
- code changes, 376
- creating, 374–375
- hiding code, 374
- installing, 379–381
- interface changes, 377–379
- removing from Add-ins list, 381–382
- saving changes, 377

Add-ins category, 494, 498

AddIns **collection**, 639, 640

Add-ins dialog box, 295–297, 373, 379, 381, 382, 385, 386, 395, 396, 398, 405, 575, 588, 598

AddIns **property**, Application **object**, 644

Add-ins tab, 319, 335

AddInUninstall **event**, 381, 951

AddIn.xlam **file**, 379

AddItem **method**, 150, 216, 218, 1008

AdditionalXml **property**, SignatureSetup **object**, 1066

AddLabel **method**, Shapes **collection**, 880

AddLine **method**, Shapes **collection**, 880

AddMenu **procedure**, 579

AddNamespace **method**, CustomXMLPrefixMapping **collection**, 1022

AddNode **method**, CustomXMLPart **object**, 1021

AddNonVisibleSignature **method**, SignatureSet **collection**, 1062

AddOLEObject **method**, Shapes **collection**, 880

AddPeriods **method**, TextRange2 **object**, 1071

AddPicture **method**, Shapes **collection**, 880

AddPolyline **method**, Shapes **collection**, 881

AddReplacement **method**, AutoCorrect **object**, 666

Address **property**, 111, 128, 760, 761, 852

AddressLocal **property**, Range **object**, 852

AddShape **method**, Shapes **collection**, 881

AddSignatureLine **method**, SignatureSet **collection**, 1062

AddTextbox **method**, Shapes **collection**, 881

AddTextEffect **method**, Shapes **collection**, 881

AddToFavorites **method**, Workbook **object**, 944

AddToSearchFolders **method**, ScopeFolder **object**, 1053

AddToTable **parameter**, 166, 832

AdjustColumnWidth **property**, QueryTable **object**, 847

Adjustments **object**, 640–641

Adjustments **property**

- Shape **object**, 881

- ShapeRange **object**, 887

ADO (ActiveX Data Objects)

Command **object**

- collections, 447
- methods, 446–447
- properties, 446

Connection **object**, 437–441

- collections, 441–443
- events, 440–441
- methods, 439–440
- properties, 437–438

Recordset **object**, 441–445

- collections, 445
- events, 445
- methods, 443–445
- properties, 441–443

SELECT Statement, 432–434

Structured Query Language (SQL) overview, 431–435

- DELETE statement, 435

- INSERT statement, 434

- UPDATE statement, 434–435

using in Excel applications, 447–448

using with Access, 448–454

- connecting to Access, 448–449

- inserting, updating, and deleting records with plain text SQL, 452–454

- retrieving data using plain text queries, 449–450

- retrieving data using stored queries, 451–452

using with non-standard data sources, 463–468

- inserting and updating records in workbooks, 466–467

- querying text files, 467–468

- querying workbooks, 464–466

using with SQL Server, 454–463

- connecting to SQL Server, 455–456

- disconnected recordsets, 461–463

- multiple recordsets, 460–461

- stored procedures, 456–460

ADO MD (ActiveX Data Objects Multidimensional), 522–523

ADO **object library**, 419, 448

ADO **object model**, 436

ADO Recordset **object**, 179

AdParamInput **parameter**, 446

AdParamInputOutput **parameter**, 446

AdParamOutput **parameter**, 446

AdParamReturn **value parameter**, 446

AdStateConnecting **object**, 438

Advanced button, 128, 157, 555

Advanced Filter, 128, 141, 142, 156–160, 559

AdvancedFilter **method**, 158, 559–560, 858

ADVAPI32.DLL **file**, 602

After **parameter**, 686

AfterCalculate **event**, Application **object**, 661

AfterRefresh **event**, 528, 851

AfterXMLExport event, Workbook object

- AfterXMLExport **event**, Workbook **object**, **951**
- AfterXMLImport **event**, Workbook **object**, **951**
- AlertBeforeOverwriting **property**, Application **object**, **644**
- AlertStyle **property**, Validation **object**, **923**
- Align **method**, ShapeRange **object**, **889**
- Alignment **property**
 - ParagraphFormat2 **object**, **1048**
 - TextEffectFormat **object**, **907**
 - TickLabels **object**, **914**
- Allcaps **property**, Font2 **object**, **1035**
- AllowComments **property**, SignatureSetup **object**, **1066**
- AllowEdit **property**
 - Range **object**, **852**
 - UserAccess **collection**, **921**
- AllowEditRange **object**, **641**, **642**, **921**, **922**
- AllowEditRanges **collection**, **641**
- AllowMultiSelect **property**, **237**, **1032**
- AllowPNG **property**, WebOptions **object**, **928**
- AlternativeText **property**
 - Shape **object**, **881**
 - ShapeRange **object**, **887**
- AltStartupPath **property**, Application **object**, **644**
- AlwaysUseClearType **property**, Application **object**, **644**
- Analysis Services**, **508**, **509**, **512**, **514–518**, **520**, **522**, **523**
- AND operator**, **157**
- Angle **property**, CalloutFormat **object**, **680**
- AnswerWizard **property**, Application **object**, **644**
- API, Windows **object**. *See* Windows API
- API **functions**, **595**, **602**, **605–607**, **609**, **611**, **615**, **619**, **620**, **634**
- Appearance **parameter**, **691**, **706**, **708**, **794**, **796**
- AppendChildNodes **method**, CustomXMLNode **object**, **1018**
- AppendChildSubtree **method**, CustomXMLNode **object**, **1018**
- AppendOnImport **property**, XmlMap **object**, **968**
- AppExcel **object**, **643**
- Application add-ins**, **494**
- Application **events**, **trapping**, **363**, **365**
- Application **method**, **63**
- Application **object**
 - active properties, **64–65**
 - Caller **property**, **74–75**
 - display alerts, **65**
 - Evaluate **method**, **66–68**
 - events, **661–663**
 - example, **664**
 - globals, **63–64**
 - InputBox **function**, **68–69**
 - methods, **656–661**
 - OnKey **method**, **72–73**
 - OnTime **method**, **71–72**
 - properties, **63**, **64**, **643–656**
 - screen updating, **66**
 - SendKeys **method**, **70–71**
 - StatusBar **property**, **70**
 - worksheet functions, **73–74**
- Application **property**, **635**, **995**, **996**
- Application window**, **373**
- Application.Caller**, **75**, **133**, **215**, **333**
- Applications Extensibility library**, **571**
- Application.StatusBar**, **70**, **288**, **323**, **324**, **326**, **329**, **339**, **340**
- Application.VBE Excel **property**, **972**
- AppliesTo **property**
 - AboveAverage **object**, **637**
 - Top10 **object**, **915**
 - UniqueValues **object**, **919**
- Apply **method**
 - Shape **object**, **884**
 - ShapeRange **object**, **890**
 - Sort **object**, **143**, **897**
- ApplyChartTemplate **method**, Chart **object**, **690**
- ApplyDataLabels **method**
 - Chart **object**, **690**
 - Series **object**, **875**
- ApplyFilter **method**, AutoFilter **object**, **668**
- ApplyLayout **method**, **184**, **690**
- ApplyNames **method**, Range **object**, **858**
- ApplyOutlineStyles **method**, Range **object**, **858**
- ApplyPictToEnd **property**, Series **object**, **873**
- ApplyPictToSides **property**, Series **object**, **873**
- ApplyPolicy **method**, Permission **object**, **1050**
- ApplyTheme **method**, Workbook **object**, **944**
- Appointment **item object**, **413**
- ArabicModes **property**, SpellingOptions **collection**, **900**
- ARange **object**, **93**
- ArbitraryXMLSupportAvailable **property**, Application **object**, **644**
- Areas**, **8**, **113–115**, **247**, **313**, **501**, **537**, **652**, **664**, **665**, **692**, **754**, **827**, **852**, **1054**
- Areas collection**, **113–114**, **664–665**
- Areas property**, Range **object**, **852**
- Arg1**, **202**, **203**, **366**, **659–661**, **692**, **694**, **695**, **738**, **864**
- Arg2**, **202–204**, **366**, **659–661**, **692**, **694**, **695**, **738**, **864**
- ArRange **method**, Windows **object**, **930**
- Array **function**, **56**, **87**, **109**, **167**, **216**, **279**
- arrays**, **55–58**
 - converting charts to use, **193**, **194**
 - defining chart series with, **190–193**
 - dynamic, **58**, **120**, **279**
 - multi-dimensional arrays, **57**
 - storing, **130–131**
- Asian language**, **143**

- AskToUpdateLinks **property**, Application **object**, 644
- ASP (Active Server pages)**, 532
- AssignedTo **property**
- SharedWorkspaceTask **object**, 1061
 - WorkflowTask **object**, 1077
- Assistance **property**, Application **object**, 644
- Assistant **property**, Application **object**, 644
- attributes, XML**, 242–243
- Attributes **property**, CustomXMLNode **object**, 1017
- Auditing add-in**, 295, 313
- Auditing group**, 295–297, 301
- Auditing tab**, 296, 304
- Auditing.xlam **file**, 296
- Auditing.xlam **workbook**, 303
- Authenticate **method**, EncryptionProvider **object**, 1031
- Auto page **parameter**, 836
- AutoAttach **property**, CalloutFormat **object**, 680
- AutoComplete **feature**, 648
- AutoComplete **method**, Range **object**, 858
- AutoCorrect **features**, 665
- AutoCorrect **object**, 665–667
- AutoCorrect **property**, Application **object**, 644
- AutoExpand **property**, AutoCorrect **object**, 665
- AutoFill **method**, Range **object**, 858
- AutoFillFormulasInLists **property**, AutoCorrect **object**, 665
- AutoFilter dialog box**, 148
- AutoFilter drop-downs**, 338
- AutoFilter **feature**
- adding combo boxes, 149–153
 - date format problems, 151–152
 - getting exact date, 152–153
 - copying visible rows, 153–154
 - Date Custom Filter, 148–149
 - Filter **object**, 148
 - finding visible rows, 154–156
- AutoFilter **method**, 147, 148, 151, 152, 559, 667, 859
- AutoFilter **object**, 143, 147–148, 667–669, 746
- AutoFilter operation**, 338
- AutoFilter **property**, Worksheet **object**, 955
- AutoFilterDataGrouping **property**, Windows **object**, 930
- AutoFilterMode **property**, Worksheet **object**, 955
- AutoFit **method**, Range **object**, 859
- AutoFormatAsYouTypeReplaceHyperlinks **property**, Application **object**, 644
- AutoLength **property**, CalloutFormat **object**, 680
- AutoMargins **property**, TextFrame **object**, 908
- AutomaticLength **method**, CalloutFormat **object**, 681
- automation**, 161, 253, 265, 383–391, 393–399, 401, 403, 405, 407, 409, 411, 412, 415–419, 611, 643, 644, 792
- Automation Add-Ins**. *See also* COM Add-in Designer
- IDExtensibility2 interface, 388–394
 - registering with Excel, 385–386
 - in Registry, 385–386
 - through Excel user interface, 385
 - using VBA, 385
 - using, 386–387
 - in VBA, 387
 - in worksheet, 386–387
- Automation add-ins dialog box**, 385, 395
- Automation button**, 385
- AutomationSecurityAutomationSecurity **property**, Application **object**, 644
- AutoNumber field**, 452
- AutoOutline **method**, Range **object**, 859
- AutoPercentEntry **property**, Application **object**, 644
- AutoRecover **object**, 669–670
- AutoRecover **option**, 645, 670
- AutoRecover **property**, Application **object**, 645
- AutoRecover setting**, 669
- AutoRepublish **property**, PublishObject **object**, 845
- AutorotateNumbers **property**, Font2 **object**, 1035
- AutoScaleFont **property**
- AxisTitle **object**, 674
 - ChartArea **object**, 697
 - TickLabels **object**, 914
- AutoScaling **property**, Chart **object**, 687
- AutoShapeType **property**
- Shape **object**, 881
 - ShapeRange **object**, 887
- AutoSize **property**, TextFrame object2 **object**, 909
- AutoUpdateFrequency **property**, Workbook **object**, 937
- AutoUpdateSaveChanges **property**, Workbook **object**, 937
- Axes **method**, Chart **object**, 690
- Axis **object**, 670–674, 690, 738, 756, 913
- AxisGroup **property**
- Axis **object**, 671
 - Series **object**, 873
- AxisTitle **object**, 674–675
- AxisTitle **property**, Axis **object**, 671
- AZ button**, 142
- ## B
- BackColor **property**, 698, 830
- Background ODBC query, 786
- Background OLEDB query, 789
- background query, 474, 512, 936
- Background query option, 512
- BackgroundChecking **property**, 743
- BackgroundQuery **argument**, 475
- BackgroundQuery **property**, QueryTable **object**, 847

BackgroundStyle property

BackgroundStyle **property**

- Shape object, 881
- ShapeRange object, 887

BackWall **property**, Chart **object**, 687

Backward **parameter**, 917

Backward **property**, Trendline **object**, 918

Backward2 **property**, Trendline **object**, 918

BarShape **property**

- Chart object, 687
- Series object, 873

BaselineAlignment **property**, ParagraphFormat2 **object**, 1048

BaselineOffset **property**, Font2 **object**, 1035

BaseName **property**, CustomXMLNode **object**, 1017

BaseUnit **property**, Axis **object**, 671

BaseUnitIsAuto **property**, Axis **object**, 671

BasicCode **parameter**, 660

Before double click, 202

Before **parameter**, 686, 758

BeforeClose **event**, 16, 206, 207, 338, 351, 377, 951

BeforeDoubleClick **event**, 215, 366, 367, 694, 962

BeforePrint **event**, 207, 363, 951

BeforeRefresh **event**, 528, 851

BeforeRightClick **event**, 200, 217, 343, 695, 962

BeforeSave **event**, 16, 951

BeforeXMLExport **event**, Workbook **object**, 951

BeforeXMLImport **event**, Workbook **object**, 952

BeginGroup **property**

- CommandBarButton object, 1003
- CommandBarComboBox object, 1006
- CommandBarControl object, 1011
- CommandBarPopup object, 1013

BevelBottomDepth **property**, ThreeDFormat **object**, 911

BevelBottomInset **property**, ThreeDFormat **object**, 911

BevelBottomType **property**, ThreeDFormat **object**, 911

BevelTopDepth **property**, ThreeDFormat **object**, 911

BevelTopInset **property**, ThreeDFormat **object**, 911

BevelTopType **property**, ThreeDFormat **object**, 911

BlackWhiteMode **property**

- Shape object, 881
- ShapeRange object, 887

block If **structure**, 48–49

BlockPreview **property**, ServerPolicy **object**, 1050

BlogPictureProviderProperties **method**,
IBlogPictureExtensibility **object**, 1041

BlogProviderProperties **method**,
IBlogExtensibility **object**, 1039

Blur **property**, ShadowFormat **object**, 879

BOF **property**, Recordset **object**, 442

Bold **property**, Font2 **object**, 1035

bookmark, 426, 427

BOOL C **data type**, 604

Border **object**, 676–677

Border **property**

- Axis object, 671
- AxisTitle object, 674
- CalloutFormat object, 680
- SeriesLines object, 877
- Trendline object, 918

BorderAround **method**, Range **object**, 859

Borders **property**

- AboveAverage object, 637
- CellFormat object, 682
- Range object, 853
- Style object, 901
- TableStyleElement object, 906
- Top10 object, 915
- UniqueValues object, 919

BottomRight Cell **property**, Shape **object**, 881

BoundColumn **property**, 279

BoundHeight **property**, TextRange2 **object**, 1070

BoundLeft **property**, TextRange2 **object**, 1070

BoundTop **property**, TextRange2 **object**, 1070

BoundWidth **property**, TextRange2 **object**, 1070

<box ...> contents </box> container **control**, 301

box **element**, 298

boxStyle **attribute**, 301

Break key, 5

BreakLink **method**, Workbook **object**, 944

BreakSideBySide **method**, Windows **object**, 930

Browse button, 379, 406, 492

BubbleSizes **property**, Series **object**, 874

Build Freeform **method**, Shapes **collection**, 881

Build **property**, Application **object**, 645

BuildFileName **property**, VBProject **object**, 990

built-in command bars, 322–325

BuiltIn **property**

- CommandBar object, 1001
- CommandBarButton object, 1003
- CommandBarComboBox object, 1006
- CommandBarControl object, 1011
- CommandBarPopup object, 1013
- CustomXMLPart object, 1021
- Reference object, 984
- Style object, 901
- TableStyle object, 905

built-in shortcut menus, 338

BuiltInDocumentProperties **property**, Workbook **object**, 938

BuiltInFace **property**, CommandBarButton **object**, 1003

Bullet **property**, ParagraphFormat2 **object**, 1048

BulletFormat2 **object**, 996–997

bUseDATE **function**, 542

BUseDATE **function**, 543

<button .../> **control type**, 299

Button **parameter**, 695

<buttonGroup ...> contents </buttonGroup>
 container **control**, 301
 ButtonName **property**, FileDialog **object**, 1032
 bWinToDate **function**, 566–567
 bWinToNum **function**, 565–566
 ByRef **parameter**, 303
 BYTE * C **data type**, 604
 BYTE C **data type**, 604

C

C control **events**, 368
 C controlEvents **class module**, 369
 CalcFor **property**
 AboveAverage **object**, 637
 Top10 **object**, 915
 Calculate **event**
 Chart **object**, 695
 Worksheet **object**, 962
 Calculate **method**
 Application **object**, 656
 Range **object**, 859
 Worksheet **object**, 958
 CalculateBeforeSave **property**, Application **object**, 645
 CalculatedFields **collection**, 170–171, 677, 812
 CalculatedItems **collection**, 176, 678, 822–823
 CalculatedMember **object**, 678–679
 CalculatedMembers **collection**, 678, 679–680
 CalculateFull **method**, Application **object**, 656
 CalculateFullRebuild **method**, Application **object**, 657
 CalculateUnitAsyncQueries Done **method**, Application **object**, 657
 Calculation **property**, 645
 CalculationDone **event**, Application **object**, 661
 CalculationInterruptKey **property**, Application **object**, 645
 CalculationState **property**, Application **object**, 645
 CalculationVersion **property**
 Application **object**, 645
 Workbooks **object**, 938
 Call **statement**, 36, 38
 Caller **property**, 74–75, 134, 210, 645
 Callout **property**
 Shape **object**, 882
 ShapeRange **object**, 887
 CalloutFormat **object**, 680–682
 CanAddSignatureLine **property**, SignatureSet **collection**, 1062
 Cancel **parameter**, 200, 661, 663, 694, 695, 952
 Cancel **property**, 281
 CancelRefresh **method**, QueryTable **object**, 851
 CanCheckIn **method**, Workbook **object**, 944
 CanCheckOut **method**, Workbook **object**, 935
 CanPlaySounds **property**, Application **object**, 645
 CanRecordSounds **property**, Application **object**, 645
 CanSetup **property**, Signature **object**, 1062
 CapitalizeNamesOfDays **property**, AutoCorrect **object**, 666
 CApp **events**, 363–365
 Caps **property**, Font2 **object**, 1035
 Caption **property**
 Action **object**, 638
 Application **object**, 645
 AxisTitle **object**, 674
 and built-in command bars, 324
 Characters **object**, 684
 CommandBarButton **object**, 1003
 CommandBarComboBox **object**, 1006
 CommandBarControl **object**, 1011
 CommandBarPopup **object**, 1013
 and new menus, 332
 and pop-up menus, 341
 and user form creation, 275, 276
 and UserForm controls, 369
 Window **object**, 930, 992
 Catalog **object**, 455–458, 517–520, 522, 523
 CategoryNames **property**, Axis **object**, 671
 CategoryType **property**, Axis **object**, 671
 CBool **function**, 542
 CByte **function**, 541
 CChart **events**, 367
 CCur **function**, 541
 CDate **function**, 541
 CDb1 **function**, 541
 CDec **function**, 541
 Cell **command**, 340–342
 Cell **command bar**, 340–342
 Cell format **object**, 682–684
 Cell shortcut menu, 342, 344
 Cell1 **parameter**, 852
 Cell2 **parameter**, 852
 CellDragAndDrop **property**, Application **object**, 645
 CellFormat **object**, 682–684
 Cells **property**, 51, 97–101, 102, 123, 133, 175, 645, 853, 955
 CEmployee **class module**, 357
 CentimetersToPoints **method**, Application **object**, 657
 CertificateVerificationResults **property**, SignatureInfo **object**, 1063
 CFormChanger **class**, 624–625
 CFormResizer **class**, 627, 628–634
 CFreezeForm **class**, 618, 619
 Chain Pivot item **object**, 823

chain reaction

chain reaction, 201

Change **event**, 200, 201, 206, 209, 211, 237, 284, 286, 287, 576, 962, 1009

ChangeCase **method**, TextRange2 **object**, 1071

ChangeFileAccess **method**, Workbook **object**, 944

ChangeHistoryDuration **property**, Workbook **object**, 938

ChangeLink **method**, Workbook **object**, 944

ChangePassword **method**, 642, 922

ChangeScenario **methods**, Scenario **object**, 872

ChangingCells **property**, Scenario **object**, 871

Char C **data type**, 604

char FAR * C **data type**, 604

char huge * C **data type**, 604

char NEAR * C **data type**, 604

Character **property**, BulletFormat2 **object**, 996

Characters **method**, TextFrame **object**, 909

Characters **object**, 684–685

Characters **property**

AxisTitle **object**, 674

Range **object**, 853

TextRange2 **object**, 1070

chart **events**, 199, 202–204, 355, 365, 694, 695

chart labels, 181, 195–196, 690

Chart **object**

and embedded charts, 185–190

events, 694–695

example, 696

methods, 690–694, 707–708

properties, 687–690, 706–707

Chart **property**

Shape **object**, 882

ShapeRange **object**, 887

chart series with arrays, defining, 190

chart sheet, 85, 90, 95, 181, 184, 186, 196, 199, 422, 423, 692, 704, 710, 903

Chart title, 182, 186, 190, 193, 674, 696, 709, 710

Chart tools, 313

Chart type **property**, 184, 192

ChartArea **object**, 696–697, 838

ChartArea **property**, Chart **object**, 687

ChartColorFormat **object**, 698

ChartData **sub procedure**, 421, 422

ChartFillFormat **object**, 698–700

ChartFormat **object**, 700–701

ChartGroup **object**, 691, 701–704, 740, 758, 824, 839, 877, 920

ChartGroups **collection**, 701, 702, 704

ChartGroups **method**, Chart **object**, 691

Chartobject **collection**, 83, 177, 181, 187, 704, 705, 708

ChartObject **object**, 706–708

ChartObjects **collection**, 196, 704–706, 708

ChartObjects **method**

Chart **object**, 691

Worksheet **object**, 958

charts

chart labels, 195–196

chart sheets

adding using VBA code, 184–185

recorded macro, 184

controls on, 220–221

converting to use arrays, 193

defining chart series with arrays, 190–193

determining ranges used in, 194–195

editing data series in, 181, 187–190

embedded, 185–187

adding using VBA code, 186–187

using macro recorder, 186

Charts **collection**, 83, 181, 184, 196, 685, 686–687, 696, 704

Charts **property**

Application **object**, 645

Workbook **object**, 938

ChartStyle **property**, Chart **object**, 687

ChartTitle **method**, 710

ChartTitle **object**, 184–187, 708–710

ChartTitle **property**, Chart **object**, 687

ChartType **property**

Chart **object**, 687

Series **object**, 874

ChartView **object**, 710

ChartWizard **method**, Chart **object**, 691

ChDrive **statement**, 60

CheckAbort **method**, Application **object**, 657

<checkbox .../> **control type**, 299

CheckBox **control**, 212, 276

CheckBoxState **property**, SmartTagAction **object**, 894

CheckCompatibility **property**, Workbook **object**, 938

CheckIn **method**, Workbook **object**, 944

CheckOut **method**, Workbook **object**, 936

CheckSpelling **method**

Application **object**, 657

Chart **object**, 691

Range **object**, 859

Worksheet **object**, 958

Child **property**

Shape **object**, 882

ShapeRange **object**, 888

ChildNodes **property**, CustomXMLNode **object**, 1017

CInt **function**, 189, 541

CircularReference **property**, Worksheet **object**, 955

Class Module **collection**, 360–363

class modules

collection of userform controls, 368–370

creating collections, 359–363

- creating objects, 356–357
- embedded chart events, 365–367
- encapsulation, 363
- property procedures, 357–359
- referencing classes across projects, 370–371
- trapping Application events, 363–365
- wrapping API calls in, 611–616
- class_Initialize **event**, **576, 577**
- class_Initialize **procedure**, **579, 582**
- class_Terminate **event**, **577**
- classes, 606–609**
- classReferences.xlsm, **370, 371**
- classUserForm **controls.xlsm, 370, 371**
- Clear **method**
 - CellFormat object, 683
 - ChartArea object, 697
 - CommandBarComboBox object, 1009
 - FileDialogFilters collection, 1033
 - Range object, 859
 - SortFields collection, 897
 - TableStyleElement object, 906
 - TabStop2 object, 1069
 - XPath object, 970
- ClearArrows **method**, Worksheet **object, 958**
- ClearCircles **method**, Worksheet **object, 958**
- ClearComments **method**, Range **object, 859**
- ClearContents **method**
 - ChartArea object, 697
 - Range object, 859
- ClearDefaultContext **method**, IAssistance **object, 1038**
- ClearFormats **method**
 - ChartArea object, 697
 - Range object, 859
 - Series object, 876
 - Trendline object, 918
 - Walls object, 926
- ClearNotes **method**, Range **object, 859**
- ClearOutline **method**, Range **object, 859**
- ClearSettings **method**, XmlDataBinding **object, 967**
- ClearToMatchStyle **method**, Chart **object, 691**
- Click **event**, **153–155, 157, 209, 210, 212, 217, 218, 219, 277, 281, 286, 378, 398, 399, 400, 550, 576–578, 594, 597, 619, 980**
- Click **event procedure**, **157, 210, 212, 219**
- ClipboardFormats **property**, Application **object, 646**
- CLng **function**, **541**
- CloneSession **method**, EncryptionProvider **object, 1031**
- Close button, 281–282, 596, 624**
- Close **method**
 - Connection object, 440
 - Recordset object, 444
 - Window object, 933, 993
 - Workbook object, 82, 83, 936, 944
- CloseMode **parameter**, **282**
- CLSID **property**, Add-In, **639**
- CMenuHandler **class**, **577, 580, 589, 594**
- code, hiding, 363**
- code modules, VBE, 9–10**
- Code Window popup menu, 580, 589**
- CodeModule **object**, **574, 974–978**
- CodeModule property**
 - CodePane object, 978
 - VBComponent object, 987
- CodeName **property**
 - Chart object, 687
 - and VBComponent, 573
 - Workbook object, 938
 - Worksheet object, 955
- CodePane **object**, **574, 978–980**
- CodePane **property**, CodeModule **object, 975**
- CodePanes **property**, VBE, **989**
- CodePaneView **property**, CodePane **object, 978**
- collection **methods, 636**
- Collection **object**, **359, 741**
- collection properties, 635**
- collections, 22–23**
- color index, 51, 204, 749**
- Color **object**, **713, 728, 749**
- Color **property**
 - Border object, 677
 - Borders collection, 676
 - GlowFormat object, 1037
 - GradientStop object, 1038
 - Tab object, 903
- ColorFormat **object**, **710–711**
- ColorIndex **property**
 - Border object, 677
 - Borders collection, 676
 - Interior object, 26
 - Tab object, 903
- Colors **method**, ThemeColorsScheme **object, 1073**
- Colors **property**, Workbook **object, 938**
- ColorScale **object**, **711–713, 749**
- ColorScaleCriteria **collection**, **713**
- ColorScaleCriteria **object**, **711, 712**
- ColorStop **object**, **714**
- ColorStops **collection**, **714**
- column field, 164, 818**
- Column **object**, **113**
- Column **property**
 - Range object, 853
 - TextFrame2 object, 909
- column width, 24, 250, 279, 483, 683, 702, 853, 857, 902**
- ColumnCount **property**, **279**

ColumnDifferences method, Range object

- ColumnDifferences **method**, Range **object**, **859**
- ColumnLevels **parameter**, **797**
- columns **attribute**, **301**
- Columns **property**
 - Application object, 646
 - overview, 112–114
 - Range object, 853
 - Worksheet object, 955
- ColumnWidth **property**, **23, 24, 279, 853**
- COM Add-in Designer, 396–408**
 - creating custom task panes, 404–405
 - linking to Excel, 397–401
 - adding CommandBar controls, 398–401
 - overview, 397–398
 - responding to Excel's events, 398
 - linking to multiple Office applications, 407–408
 - showing VBA UserForms as task panes, 405–406
 - using COM Add-In from VBA, 401–403
 - adding Ribbon controls, 402–403
 - overview, 401–402
- COM Add-ins **collection**, **407, 997–999**
- COM Add-ins dialog box, 396, 398, 405**
- COMAddinObject, **997–999**
- COMAddIns **property**, Application **object**, **646**
- ComandBars.ExecuteMso **method**, **316**
- combo boxes, adding, 149–153**
 - date format problems, 151–152
 - getting exact date, 152–153
- `<comboBox ...> contents </comboBox>` **container control**, **300**
- ComboBox **control**, **214, 315**
- ComboBox **object**, **150, 216, 218**
- COMDLG32.DLL **file**, **602**
- command bars**
 - built-in, 322–325
 - controls at all levels, 325–330
 - creating new menus, 330–333
 - creating toolbars, 335–338
 - deleting menus, 334
 - passing parameter values, 333–334
 - popup menus, 338–341
 - showing popup command bars, 342–353
 - toolbars, menu bars, and popups, 320–322
- command button, 13–16, 26, 153, 155, 157, 214, 233, 274, 282, 283, 321, 619**
- Command **object**
 - ActiveConnection property, 457
 - CommandText property, 446, 447, 457
 - methods, 446–447
 - parameters collection, 446, 457, 460
 - properties, 446, 459
- Command type, 446, 458, 473–478, 485, 786, 788, 808**
- Command type **property**, **474**
- CommandBar **controls, 398–401**
- CommandBar extensions, for RibbonX, 316**
- CommandBar **object**, **576, 999–1002**
- CommandBar **property**, CommandBarPopup **object**, **1013**
- CommandBarButton **events, 398, 576**
- CommandBarButton **object**, **1003–1006**
- CommandBarComboBox **object**, **1006–1009**
- CommandBarControl **object**, **1010–1013**
- CommandBarControls **collection**, **1010–1013**
- CommandBarEvents **object**, **980–981**
- CommandBarEvents **property**, Events **object**, **982**
- CommandBarPopup **object**, **1013–1015**
- CommandBars **collection**, **319, 321, 326, 330, 333, 337, 341, 343, 347, 349, 995, 999–1002, 1007, 1014**
- CommandBars **object**, **293, 316, 317, 348, 398**
- CommandBars **property**
 - Application object, 646
 - MsoEnvelope object, 1046
 - VBE, 989
 - Workbook object, 938
- CommandBars.Reset, **349**
- CommandButton, **275, 276, 596**
- CommandButton **control**, **276**
- CommandLineSafe value, 396**
- Commands list, 556**
- CommandText **argument**, **439, 440**
- CommandText operation, 439**
- CommandText **property**, **446, 447, 454, 457, 474, 477, 482, 847**
- CommandText type, 440**
- CommandType **property**
 - QueryTable object, 847
 - Recordset object, 446
- CommandTypeEnum **value**, **440**
- CommandUnderlines Underlines **property**, Application **object**, **646**
- Comment **object**, **714–716**
- Comment **property**
 - Range object, 853
 - Scenario object, 871
- comments, XML, 241**
- Comments box, 381, 588**
- Comments **collection**, **714–716**
- Comments **property**
 - DocumentLibraryVersion object, 1027
 - Worksheet object, 955
- CompareSideBySide **method**, Windows **object**, **930**
- Complex add-in, 390, 394**
- Complex **class**, **401**
- Component tab, 389**
- CONCATENATE **function**, **74**
- Condition **object**, **750, 753**

- Conditions **collection**, 711, 750, 753, 763
- Conditionvalue **object**, 716, 728
- ConflictResolution **property**, Workbook **object**, 938
- Connect **class**, 402
- Connect **optionEnum value**, 439
- Connect **property**, 973, 998
- Connected **property**, SharedWorkspace **object**, 1054
- Connection **events**, 441
- Connection **file**, 470, 484, 490, 785, 788
- Connection **object**
 - collections, 441
 - events, 440–441
 - Execute method, 443, 446, 447
 - methods, 439–440
 - properties, 437–438
 - Recordset **object**, 462
- Connection **parameter**, 836
- Connection **property**, 482, 790, 809, 847
- Connection **string argument**, 439
- Connection **string property**, 439
- Connections button**, 470, 471, 486
- Connections **collection**, 487–489, 490
- Connections dialog box**, 470, 484, 485
- Connections **object**, 716–717
- Connections **property**, Workbook **object**, 938
- ConnectionsDisabled **property**, Workbook **object**, 938
- ConnectionSite **parameter**, 718
- ConnectionSiteCount **property**
 - Shape **object**, 882
 - ShapeRange **object**, 888
- ConnectionString **property**, Connection **object**, 438
- ConnectionTimeout **property**, Connection **object**, 438
- Connector format **object**, 717–719
- Connector **property**
 - Shape **object**, 882
 - ShapeRange **object**, 888
- ConnectorFormat **object**, 717–719
- ConnectorFormat **property**
 - Shape **object**, 882
 - ShapeRange **object**, 888
- Consolidate **method**, Range **object**, 860
- ConsolidationFunction **property**, Worksheet **object**, 955
- ConsolidationOptions **property**, Worksheet **object**, 955
- ConsolidationSources **property**, Worksheet **object**, 955
- Const keyword**, 44
- constants**, 33, 44, 606–609
- ConstrainNumeric **property**, Application **object**, 646
- container **controls**, 298, 300
- Container **property**, Workbook **object**, 938
- Content button**, 489
- Content **property**, Action **object**, 638
- ContentControl **property**, CustomTaskPane **object**, 1016
- ContentTypeProperties **property**, Workbook **object**, 938
- ContentVerificationResults **property**, SignatureInfo **object**, 1063
- Context **property**
 - CommandBar **object**, 1001
 - IRibbonControl **object**, 1042
- ContourColor **property**, ThreeDFormat **object**, 911
- ContourWidth **property**, ThreeDFormat **object**, 911
- <control .../> **control type**, 299
- control **attributes**, 301
- control ID**, 302, 304, 310, 344, 346, 347
- control images**, 305, 316, 324, 354
- control menu**, 282
- control reference**, 304
- control Toolbox**, 12, 496, 579, 580
- control types**, 298, 299, 301, 305, 307, 308, 313, 318, 327
- ControlCharacters **property**, Application **object**, 646
- ControlFormat **object**, 719–721
- ControlFormat **property**, Shape **object**, 882
- ControlFormatType **property**, Shape **object**, 882
- controls**, 209–221
 - ActiveX controls, 210–214
 - CheckBox control, 212
 - dynamic, 216–219
 - Option Button controls, 212–214
 - Scrollbar control, 211
 - Spin Button control, 211–212
 - adding, 209–221, 347, 594, 986
 - on charts, 220–221
 - Forms controls, 214–216
- controls collection**, 321, 322, 330, 332, 337, 341, 369
- controls dialog box**, 12, 13
- controls group**, 12, 209, 495, 496
- Controls **property**
 - CommandBar **object**, 1001
 - CommandBarPopup **object**, 1014
- controlSource **property**, 276
- conversion **functions**, 542
 - Application.Evaluate function, 544–545
 - DateValueUS function, 544–545
 - IsDateUS function, 544
 - overview, 544
- CBool function, 542
- CByte function, 541
- CCur function, 541
- CDate function, 541
- CDbl function, 541
- CDec function, 541
- CInt function, 541

conversion functions (continued)

conversion functions (continued)

- CLng function, 541
- CSng function, 541
- CStr function, 541
- DateValue function, 541
- Format function, 542
- FormatCurrency function, 542
- FormatDateTime function, 542
- FormatNumber function, 542
- FormatPercent function, 542
- IsDate function, 541
- IsNumeric function, 541
- sNumToUS function, 542–543
- Str function, 542
- Val function, 543–544
- ConvertFormula **function**, Application **object**, 560, 657
- ConvertFormulaLocale **function**, 557, 558, 559
- Coordinate **property**, Action **object**, 638
- Copy button**, 297
- Copy command**, 321
- Copy menu**, 298
- Copy method**
 - ChartArea **object**, 697
 - Charts collection, 686
 - CommandBarButton **object**, 1005
 - CommandBarComboBox **object**, 1009
 - CommandBarControl **object**, 1012
 - CommandBarPopup **object**, 1015
 - Range **object**, 25, 860
 - Series **object**, 876
 - Shape **object**, 884
 - Sheets collection, 892
 - TextRange2 **object**, 1071
 - Worksheet **object**, 85–87, 355, 959
 - Worksheets collection, 954
- Copy statement**, 266
- Copy Variant method**, 705, 794
- CopyFace method**, CommandBarButton **object**, 1005
- CopyFromRecordset method**, 420, 445, 450, 517, 860
- CopyObjectsWithCells property**, Application **object**, 646
- CopyPicture method**
 - Chart **object**, 691
 - Range **object**, 860
 - Shape **object**, 884
- CorrectCapsLock property**, AutoCorrect **object**, 666
- CorrectSentenceCap property**, AutoCorrect **object**, 666
- Count method**, ShapeNodes collection, 886
- Count parameter**, 686
- Count property**
 - Addins collection, 635
 - Adjustments **object**, 640
 - AllowEditRanges collection, 641
 - Areas collection, 664
 - CalculatedMembers collection, 678
 - Characters **object**, 684
 - Employees collection, 360
 - overview, 995
 - Pages collection, 797
 - Range **object**, 100, 853
 - Rows **object**, 112
 - SeriesCollection **object**, 221
 - Worksheets collection, 53, 375
- COUNTA function**, 130
- CountLarge property**, 100, 853
- CountOfDeclarationLines property**, CodeModule **object**, 975
- CountOfVisibleLines property**, CodePane **object**, 978
- CountOfLines property**, CodeModule **object**, 975
- CREATE GLOBAL CUBE statement**, 522
- Create item method**, 413, 423
- Create method**, 165, 807
- CreateBackup property**, Workbook **object**, 938
- CreateCTP method**, ICTPFactory **object**, 1041
- CreateCubeFile method**, 521–522
- CreatedBy property**
 - SharedWorkspaceFile **object**, 1056
 - SharedWorkspaceLink **object**, 1058
 - SharedWorkspaceTask **object**, 1061
 - WorkflowTask **object**, 1077
- CreatedDate property**
 - SharedWorkspaceFile **object**, 1056
 - SharedWorkspaceLink **object**, 1058
 - SharedWorkspaceTask **object**, 1061
 - WorkflowTask **object**, 1077
- CreateEventProc method**, CodeModule **object**, 976
- CreateNames method**, Range **object**, 860
- CreateNew method**, SharedWorkspace **object**, 1055
- CreateParameter method**, Recordset **object**, 446–447
- CreatePictureAccount method**, IBlogPicture Extensibility **object**, 1041
- CreatePivotTable method**, 164–166, 170
- CreateSummary method**, Scenario **objects**, 871
- CreateToolbar**, 336
- CreateToolWindow method**, Window collection, 993
- Creator property**, 635, 636, 995, 996
- Criteria range**, 156, 559
- cross tabulation tables**, 161
- Crosses property**, Axis **object**, 671
- CrossesAt property**, Axis **object**, 671
- CSng function**, 541
- CStr function**, 541, 542
- C-style declarations**, interpreting, 603–606
- CSysInfo class**, 619
- CTemp file**, 611
- CTP functionality**, 405

CTP-creation features, 409

CTPFactoryAvailable **method**, ICustom
TaskPaneConsumer **object**, 1042

Ctrl **object**, 577

Cube field **methods**, 724

Cube file **method**, 521

CubeField **object**, 721–724, 917

CubeFields **collection**, 721–724

cubes, 508, 512, 514, 516, 518–521, 523

Currency (sealed integer) data type, 43

Currency **object**, 901

CurrentArray **property**, Range **object**, 853

CurrentRegion **property**, 108–110, 123, 422, 853

Cursor type **property**, 463

CursorLocation **property**, Recordset **object**, 442

CursorMovement **property**, Application **object**, 646

CursorPointer **property**, Application **object**, 646

Custom Filter, 148, 755

Custom menu, 334, 343–345, 351, 352, 575, 577

Custom option, 542

Custom **parameter**, 657

Custom **properties collection**, 724

custom task panes, 383, 403–405, 409, 1016

CustomDocumentProperties **property**, Workbook
object, 938

CustomDrop **method**, CalloutFormat **object**, 681

Customers table, 432–435, 456, 473, 474, 484, 485

CustomersTable.odc **file**, 485

customization, 158, 294, 295, 297, 303, 309, 313, 314,
382, 383, 405, 409, 999, 1002, 1043

Customization button, 158

customized **objects**, 355

CustomLength **method**, CalloutFormat **object**, 681

CustomListCount **property**, Application **object**, 646

CustomOrder **property**, SortFields **object**, 897

CustomProperties **collection**, 724–726

CustomProperties **property**, Worksheet **object**, 956

CustomProperty **object**, 724–726

CustomTaskPane **object**, 1016

customUI, 294–296, 306–313, 316, 403

CustomUI **method**, 317

CustomView **object**, 726–727

CustomViews **collection**, 726–727

CustomViews **property**, Workbook **object**, 938

CustomXMLNode **object**, 1017–1020

CustomXMLNodes **collection**, 1017–1020

CustomXMLPart **object**, 1020–1022

CustomXMLParts **collection**, 317, 1020–1022

CustomXMLParts **property**, Workbook **object**, 938

CustomXMLPrefixMapping **object**, 1022–1023

CustomXMLPrefixMappings **collection**, 1022–1023

CustomXMLSchema **object**, 1023–1024

CustomXMLSchemaCollection **object**, 1023–1024

CustomXMLValidationError **object**, 1024–1025

CustomXMLValidationErrors CollectionObject,
1024–1025

Cut button, 321

Cut **method**

Range **object**, 860

Shape **object**, 884

TextRange2 **object**, 1071

CutCopyMode **property**, Application **object**, 646

D

Data Connection Wizard, 509

Data Connections section, 490

Data field, 169, 170

Data field **object**, 144

Data Form **feature**, 158–159, 160

Data group, 182, 469, 470

Data Labels button, 195

data lists, 141–160

Advanced Filter, 156–158

AutoFilter **feature**, 146–156

adding combo boxes, 149–153

AutoFilter **object**, 147–148

copying visible rows, 153–154

Date Custom Filter, 148–149

Filter **object**, 148

finding visible rows, 154–156

creating tables, 144–145

Data Form, 158–159

sorting ranges, 142–144

sorting tables, 145–146

structuring data, 141–142

Data **object**, 557

data strings, reading, 229

Data tab, 128, 142, 146, 157, 469, 484, 508, 716

Databar **methods**, 729

Databar **object**, 716, 727–729

DataBindingBinding **property**, XmlMap **object**, 968

DataEntryMode **property**, Application **object**, 646

DataRowLabel **object**, 729–734

DataRowLabel **property**, 174, 918

DataRowLabels **collection**, 729–734

DataRowLabels **method**, Series **object**, 876

DataLists, 344, 345, 349, 352

DataRowRange **property**, 174, 175

DataSeries **method**, Range **object**, 860

DataRowTable **object**, 734–735

DataRowTable **property**, Chart **object**, 687

date

format problems, 151

getting exact, 152

date custom filter, 148–149

Date data type

- Date **data type**, 43
- Date Filters**, 148, 818
- DATE function**, 73, 74, 87, 542, 543, 544, 547
- date literals**, 540, 541
- date order**, 538, 542, 551, 552, 555, 556
- Date Order setting**, 538
- Date Picker button**, 403
- Date **property**, **PolicyItem**, 1051
- date separator**, 538, 551, 552
- Date1904 **property**, **Workbook object**, 939
- DateSerial **function**, 73, 87, 152, 153, 413
- DateValue **function**, 87, 541, 544
- DateValueUS **function**, 544, 545
- DDEAppReturnCode **property**, **Application object**, 646
- DDEExecute **method**, **Application object**, 657
- DDEInitiate **method**, **Application object**, 657
- DDEPoke **method**, **Application object**, 657
- DDERequest **method**, **Application object**, 657
- DDETerminate **method**, **Application object**, 658
- Deactivate **event**, 91
 - Chart object, 695
 - Workbook object, 952
 - Worksheet object, 963
- Debug toolbar**, 29, 579
- Decimal **data type**, 43
- DecimalSeparator**, 530, 538, 552, 553, 555, 556, 558, 646, 867
- (Declarations) section**, 39–42, 44, 55–57, 109, 118, 131, 216, 283, 358, 365, 593, 977
- Declare **function**, 584
- Declare **statement**, 602
- DecryptStream **method**, **EncryptionProvider object**, 1031
- Default **property**, **OK button**, 281
- DefaultFilePath **property**, **Application object**, 647
- DefaultPivotTableStyle **property**, **Workbook object**, 939
- DefaultSaveFormat **property**, **Application object**, 647
- DefaultSheetDirection **property**, **Application object**, 647
- DefaultSpacing **property**, **TabStops2 collection**, 1068
- DefaultTableStyle **property**, **Workbook object**, 939
- DefaultWebOptions **object**, 735–737
- DefaultWebOptions **property**, **Application object**, 647
- Definition tab**, 486
- Delete button**, 283
- Delete **method**
 - AboveAverage object, 638
 - AllowEditRange object, 642
 - Axis object, 673
 - AxisTitle object, 675
 - CalculatedMember object, 679
 - Characters object, 685
 - Chart object, 691
 - Charts collection, 686
 - CommandBar object, 1002
 - CommandBarButton object, 1005
 - CommandBarComboBox object, 1009
 - CommandBarControl object, 1012
 - CommandBarPopup object, 1015
 - CustomTaskPane object, 1016
 - CustomXMLNode object, 1018
 - CustomXMLPart object, 1021
 - CustomXMLSchema object, 1024
 - CustomXMLValidationError, 1025
 - deleting menus, 334
 - deleting XML map, 255
 - DocumentLibraryVersion object, 1027
 - DocumentProperty object, 1030
 - FileDialogFilters collection, 1034
 - GradientStops collection, 1038
 - HPageBreak object, 759
 - Hyperlink object, 760
 - PublishObject object, 845
 - PublishObjects collection, 844
 - QueryTable object, 851
 - Range object, 861
 - RecentFile object, 868
 - Series object, 197, 876
 - SeriesLines object, 877
 - ServerViewableItems collection, 878
 - Shape object, 884
 - ShapeNodes Collection, 886
 - ShapeRange object, 890
 - SharedWorkspace object, 1055
 - SharedWorkspaceFile object, 1056
 - SharedWorkspaceFolder, 1057
 - SharedWorkspaceLink object, 1059
 - SharedWorkspaceMember, 1060
 - SharedWorkspaceTask object, 1061
 - Sheets collection, 892
 - Signature object, 1063
 - SmartTag object, 894
 - SortFields collection, 898
 - SoundNote object, 898
 - TableStyle object, 905
 - TextRange2 object, 1071
 - TickLabels object, 914
 - Top10 object, 916
 - Trendline object, 918
 - UniqueValues object, 920
 - UpBars object, 921
 - UserAccess Collection, 922
 - Validation object, 924
 - VPageBreak object, 925
 - Watch object, 927

- Watches Collection, 927
- Worksheet object, 959
- Worksheets collection, 954
- XmlMap object, 968
- DELETE statement, 435, 445, 452, 454**
- DeleteAll method**
 - ServerViewableItems collection, 878
 - UserAccessList object, 922
- DeleteCustomList method, Application object, 658**
- DeleteLines method, CodeModule object, 977**
- DeleteNumberFormat method, Workbook object, 944**
- DeleteReplacement method, AutoCorrect object, 666**
- DeleteText method, ThreeDFormat object, 911**
- deleting**
 - menus, 334
 - records with plain text SQL in Access, 452–454
 - rows, 121–123
- delimiters, 230, 233, 483, 849, 850, 867, 937**
- Delivery property, RoutingSlip object, 870**
- Dependents property, Range object, 853**
- Depth property**
 - ThreeDFormat object, 911
 - TickLabels object, 914
- DepthPercept property, Chart object, 687**
- DESC specifier, 434**
- description attribute, 302**
- Description property**
 - Add-in object, 973
 - COMAddin object, 998
 - Err object, 59
 - FileDialogFilter, 1034
 - IDocumentInspector object, 1026
 - PolicyItem object, 1051
 - Reference object, 984
 - ServerPolicy object, 1050
 - SharedWorkspaceLink object, 1058
 - SharedWorkspaceTask object, 1061
 - VBproject object, 990
 - WorkflowTask object, 1077
 - WorkflowTemplate object, 1078
- Description value, 396**
- DescriptionText property**
 - CommandBarButton object, 1003
 - CommandBarComboBox object, 1006
 - CommandBarControl object, 1011
 - CommandBarPopup object, 1014
- Deselect method, Chart object, 692**
- Design Mode button, 13, 14**
- Design tab, 144, 182, 186, 313**
- Designer class, 397, 407**
- Designer Connect class, 402**
- Designer object, 574–575, 596**
- Designer property, VBcomponent, 987**
- DesignerID property, VBcomponent, 987**
- DesignerWindow property, VBcomponent, 987**
- Destination parameter, 25**
- Destination property, QueryTable object, 847**
- Details property, Signature object, 1062**
- Developer tab, 3, 5–9, 12, 13, 71, 209, 233, 247, 250, 251, 305, 495, 496, 596, 653**
- Diagram property, Shape object, 882**
- DiagramNode property, Shape object, 882**
- Dialog object, 223, 233, 235, 737–738**
- dialog sheets, 12, 74, 209, 549, 608, 686**
- Dialog types, 235**
- DialogBox method, Range object, 861**
- <dialogBoxLauncher ../> control type, 300**
- DialogFilters collection, 235**
- Dialogs collection, 737–738**
- Dialogs property, Application object, 647**
- DialogSelected items collection, 235, 237**
- DialogSelected items object, 235**
- DialogType property, FileDialog object, 1032**
- dictator applications, 312, 313**
- dictator applications, RibbonX in, 312**
- DictLang property, SpellingOptions collection, 900**
- digital certificate, 492, 1062–1064**
- digital signatures, 492, 942, 1061, 1062**
- Dim statement, 38, 39, 42, 43**
- Dim Zip file, 267**
- Dir function, 58, 81, 82**
- direct reference to ranges, 20–21**
- DirectDependents property, Range object, 853**
- Direction parameter, 759**
- Direction property, Speech object, 898**
- DirectPrecedents property, Range object, 853**
- Dirty method, Range object, 861**
- DisableAskAQuestionDropdown property, CommandBars collection, 999**
- DisableCustomize property, CommandBars collection, 999**
- Disconnect method, SharedWorkspace object, 1055**
- disconnected recordsets, 461–463**
- display alerts, 65**
- DisplayAlerts property, 60, 65, 254, 256, 647**
- DisplayAutoCorrectOptions property, AutoCorrect object, 666**
- DisplayBlanksAs property, Chart object, 688**
- DisplayClipboardWindow property, Application object, 647**
- DisplayCommentIndicatorDisplayMode property, Application object, 647**
- DisplayDocumentActionTaskPane property, Application object, 647**

DisplayDocumentInformationPanel property, Application object

- DisplayDocumentInformationPanel **property**, Application **object**, 647
- DisplayDrawingObjects **property**, Workbook **object**, 939
- DisplayEquation **property**, Trendline **object**, 918
- DisplayExcel4 Menus **property**, Application **object**, 647
- DisplayFonts **property**, CommandBars **collection**, 999
- DisplayFormulaAutoComplete **property**, Application **object**, 647
- DisplayFormulaBar **property**, Application **object**, 647
- DisplayFormulas **property**
 - Window object, 930
 - WorksheetView object, 967
- DisplayFullScreen **property**, Application **object**, 647
- DisplayFunctionToolTips **property**, Application **object**, 647
- DisplayGridlines **property**
 - Window object, 930
 - WorksheetView object, 967
- DisplayHeadings **property**
 - Window object, 931
 - WorksheetView object, 967
- DisplayHorizontalScrollBar **property**, Windows **object**, 931
- DisplayInkComments **property**, Workbook **object**, 939
- DisplayInsertOptions **property**, Application **object**, 648
- DisplayKeysInToolTips **property**, CommandBars **collection**, 999
- DisplayNoteIndicator **property**, Application **object**, 648
- DisplayOutline **property**, Worksheet **object**, 967
- DisplayPageBreaks **property**, Worksheet **object**, 956
- DisplayPasteOptions **property**, Application **object**, 648
- DisplayRecentFiles **property**, Application **object**, 648
- DisplayRightToLeft **property**
 - Window object, 931
 - Worksheet object, 956
- DisplayRSquared **property**, Trendline **object**, 918
- DisplayRuler **property**, Windows **object**, 931
- DisplayScrollBars **property**, Application **object**, 648
- DisplaySmartTags **property**, SmartTagOptions **collection**, 895
- DisplayStatusBar **property**, Application **object**, 648
- DisplayToolTips **property**, CommandBars **collection**, 1000
- DisplayUnit **or** DisplayUnitCustom **property**, 672
- DisplayUnit **property**, 671
- DisplayUnitCustom **property**, Axis **object**, 671
- DisplayUnitLabel **object**, 738–739
- DisplayUnitLabel **property**, Axis **object**, 671
- DisplayVerticalScrollBar **property**, Windows **object**, 931
- DisplayWhitespace **property**, Windows **object**, 931
- DisplayWorkbookTabs **property**, Windows **object**, 931
- DisplayXMLSourcePane **method**, Application **object**, 658
- DisplayZeros **property**
 - Window object, 931
 - WorksheetView object, 967
- DISTINCT** keyword, 433
- Distribute **method**, ShapeRange **object**, 890
- DivID **property**, PublishObject **object**, 845
- Do **events**, 289, 531, 536, 593, 619
- Do **statement**, 51, 52
- Do...Loop, 50, 57
- Docked Window, 580
- DockPosition **property**, CustomTaskPane **object**, 1016
- DockPositionRestrict **property**, CustomTaskPane **object**, 1016
- DockPositionStateChange **event**, CustomTaskPane **object**, 1016
- document inspection automation, 503–506
 - DocumentInspectors collection, 505–506
 - RemoveDocumentInformation method, 503–505
- Document Inspector, 501, 503, 505, 939, 1025, 1042
- Document Library Name **property**, Workflow **object**, 1078
- Document LibraryURL **property**, WorkflowTemplate **object**, 1078
- Document **Object Model (DOM)**, 258–262
 - loading XML into DOM document, 259–260
 - traversing and modifying XML files with, 262–265
 - using with ADO to convert Excel data to XML, 260–262
- document security, 491
- document variables, 426–429
- DocumentAuthor **property**, Permission **object**, 1049
- documentControls, 307, 313
- DocumentElement **property**, CustomXMLPart **object**, 1021
- DocumentInspector **object**, 505, 506, 1025–1026
- DocumentInspectors **collection**, 501, 503, 505–506, 1025–1026
- DocumentInspectors **property**, Workbook **object**, 939
- DocumentLibraryVersion **object**, 1027
- DocumentLibraryVersions **collection**, 1027
- DocumentLibraryVersions **property**, Workbook **object**, 939
- DocumentProperties **collection**, 1028–1030
- DocumentProperties **object**, 485, 724
- DocumentProperty **object**, 1028–1030
- Documents.Open filename, 416, 429
- DoEvents **statement**, 289, 593

Do...loop, 50–53

DOM (Document **Object Model**), **258–262**

- loading XML into DOM document, 259–260
- traversing and modifying XML files with, 262–265
- using with ADO to convert Excel data to XML, 260–262

DomainName **property**, SharedWorkspaceMember **object**, **1060**

DOMDocument **object**, **259, 260, 262, 269–271**

DoNotPromptForConvert **property**, Workbook **object**, **939**

DoubleClick **method**, Application **object**, **658**

DoubleStrikeThrough **property**, Font2 **object**, **1035**

Down menus, 309

DownBars **object**, **740**

DownloadComponents **property**, WebOptions **object**, **928**

DownloadURL **property**, SmartTag **object**, **894**

DragOff **method**, VPageBreak **object**, **925**

DragOver **event**, Chart **object**, **695**

DragPlot **event**, Chart **object**, **695**

Drawing **object**, **693, 844**

DrilldownLevel **function**, **516**

Drilled **property**, TreeviewControl **object**, **917**

Drop **parameter**, **681**

Drop **property**, CalloutFormat **object**, **680**

DropDown **control**, **215**

DropDown menu buttons, **146**

DropDown **object**, **214, 216**

DropDownLines **property**, CommandBarComboBox **object**, **1007**

DropDowns **collection**, **214, 216**

DropDownWidth **property**, CommandBarComboBox **object**, **1007**

DropLines **methods**, **741**

DropLines **object**, **740–741**

DropType **property**, CalloutFormat **object**, **680**

DueDate **property**

SharedWorkspaceTask **object**, 1061

WorkflowTask **object**, 1077

DupeUnique **property**, UniqueValues **object**, **919**

Duplicate **method**

Shape **object**, 884

ShapeRange **object**, 890

TableStyle **object**, 905

Duration, 964

DWORD C **data type**, **604**

dynamic ActiveX **controls**, **216–219**

dynamic **arrays**, **58, 120, 279**

dynamic **controls**, RibbonX

comboBox **control**, 315

gallery, 315

dynamicMenu, **300–302, 304, 315, 316**

<dynamicMenu .../> **control type**, **300**

E

early binding, **411, 412, 414–420, 430, 598, 984**

edit box, **209, 1006–1009**

Edit button, **9**

Edit menu, **320, 321**

Edit Query button, **486**

editBox, **300, 302–304, 316**

<editBox .../> **control type**, **300**

EditDirectlyInCell **property**, Application **object**, **648**

Editing options, **552**

EditingType **property**, ShapeNode **object**, **886**

EditionOptions **method**, Range **object**, **861**

EditNow **property**, **760**

Editor tab, **40, 64**

EditWebPage **property**, QueryTable **object**, **847**

ElementID **parameter**, **204, 692**

elements, XML, **241–242**

Elevation **property**, Chart **object**, **688**

Else **statement**, **20**

Email **property**, SharedWorkspaceMember **object**, **1060**

Embeddable **property**, Font2 **object**, **1035**

embedded chart events, **355, 365**

embedded charts, **185–187**

adding using VBA code, 186–187

using macro recorder, 186

Embedded OLE **object**, **792**

Embedded **property**, Font2 **object**, **1036**

EmbedSmartTags **property**, SmartTagOptions **collection**, **896**

Employee **object**, **355, 356, 357, 359, 360, 371**

Employees **collection**, **355, 360, 362**

EmployeeSales.xml **file**, **247, 248, 257, 264**

empty cells, **110, 115, 324, 743, 866**

Enable button, **522**

EnableAnimations **property**, Application **object**, **648**

EnableAutoComplete **property**, Application **object**, **648**

EnableAutoFilter **property**, Worksheet **object**, **956**

EnableAutoRecover **property**, Workbook **object**, **939**

EnableCalculation **property**, Worksheet **object**, **956**

EnableChanges **parameter**, **687, 693**

EnableConnections **method**, Workbook **object**, **945**

Enabled **attribute**, **302**

Enabled **property**

AutoRecover **object**, 669

CommandBar **object**, 1001

CommandBarButton **object**, 1003

CommandBarComboBox **object**, 1007

CommandBarControl **object**, 1011

CommandBarPopup **object**, 1014

Permission **object**, 1049

SmartTagRecognizer **object**, 896

EnableEditing property, QueryTable object

- EnableEditing **property**, QueryTable **object**, 847
- EnableEvents **property**, Application **object**, 648
- EnableFormatConditionsCalculation **property**, Worksheet **object**, 956
- EnableKeyCancelKey **property**, Application **object**, 648
- EnableLargeOperationAlerts **property**, Application **object**, 648
- EnableLivePreview **property**, Application **object**, 648
- EnableOutlining **property**, Worksheet **object**, 956
- EnablePivotTable **property**, Worksheet **object**, 956
- EnableRefresh **property**, QueryTable **object**, 847
- EnableResize **property**, Windows **object**, 931
- EnableSelection **property**, Worksheet **object**, 956
- EnableSound **property**, Application **object**, 648
- EnableTrustedBrowser **property**, Permission **object**, 1049
- encapsulation**, 363, 371
- Encapsulation **class modules**, 363
- Encoding **property**, WebOptions **object**, 928
- Encoding text files**, 265
- EncryptionProvider **object**, 1030–1031
- EncryptionProvider **property**, Workbook **object**, 939
- EncryptStream **method**, EncryptionProvider **object**, 1031
- End **function**, 79
- End FunctionReferencesEvents **object**, 986
- End If **statement**, 48
- End **parameter**, 174
- End **property**, 110–111, 115, 123, 358, 361, 401, 408, 613, 614, 617, 620–622, 629, 630, 853, 974
- End **statement**, 365
- End Sub **statement**, 14
- End With **statement**, 281
- EndReview **method**, Workbook **object**, 945
- EndSession **method**, EncryptionProvider **object**, 1031
- English language formulas**, 546
- EntireColumn **property**, Range **object**, 853
- EntireRow **property**, 52, 107, 854
- EnvelopeHide **event**, MsoEnvelope **object**, 1046
- EnvelopeShow **event**, MsoEnvelope **object**, 1046
- EnvelopeVisible **property**, Workbook **object**, 939
- EOF **function**, 226
- EOF **property**, Recordset **object**, 442
- Equalize **property**, Font2 **object**, 1036
- Err **object**, 59, 60, 62, 134
- Error **object**, 441, 741–742
- Error string **property**, 827
- ErrorBar **method**, Series **object**, 876
- ErrorBars **object**, 742–743
- ErrorBars **property**, Series **object**, 874
- ErrorCheckingOptions **collection**, 743–744
- ErrorCheckingOptions **object**, 743
- ErrorCheckingOptions **property**, Application **object**, 649
- ErrorCode **property**, CustomXMLValidationError **object**, 1024
- error-handling, run-time**, 59–62
- ErrorMessage **property**, Validation **object**, 923
- Errors **collection**, 441, 741–742
- Errors **object**, 741
- Errors **property**
 - CustomXMLPart object, 1021
 - Range object, 854
- ErrorTitle **property**, Validation **object**, 923
- ErrorType **property**, Sync **object**, 1068
- Esc**, 5, 201, 281, 646, 692
- Evaluate **method**
 - Application object, 96, 544–545, 560, 658
 - Chart object, 692
 - overview, 66–68
 - Worksheet object, 959
- event list**, 363
- event procedures**, 199–208
 - chart events, 202–204
 - headers and footers, 207–208
 - and running macros, 16–17
 - Workbook object events, 205–207
 - worksheet events, 199–202
 - enable events, 200–201
 - Worksheet_Calculate event, 201–202
- events**, 26–27
- Events **object**, 981–982
- Events **property**, VBE, 989
- Excel 2007 object model**
 - AboveAverage object, 636–638
 - Action object, 638–639
 - Actions collection, 638–639
 - Add-In object, 639
 - Addins collection, 639
 - Adjustments object, 640–641
 - AllowEditRange object, 642
 - AllowEditRanges collection, 641
 - Application object, 642–664
 - events, 661–663
 - example, 664
 - methods, 656–661
 - properties, 643–656
 - Areas collection, 664–665
 - AutoCorrect object, 665–667
 - AutoFilter object, 667–669
 - AutoRecover object, 669–670
 - Axis object and Axes collection, 670–674
 - AxisTitle object, 674–675
 - Border object and Borders collection, 676–677

- CalculatedFields collection, 677
- CalculatedItems collection, 678
- CalculatedMember object, 678–679
- CalculatedMembers collection, 679–680
- CalloutFormat object, 680–682
- CellFormat object, 682–684
- Characters object, 684–685
- Chart object
 - events, 694–695
 - example, 696
 - methods, 690–694
 - properties, 687–690
- ChartArea object, 696–697
- ChartColorFormat object, 698
- ChartFillFormat object, 698–700
- ChartFormat object, 700–701
- ChartGroup object, 701–704
- ChartObject object, 706–708
- ChartObjects collection, 704–706
- Charts collection, 686–687
- ChartTitle object, 708–710
- ChartView object, 710
 - collection methods, 636
 - collection properties, 635
- ColorFormat object, 710–711
- ColorScale object, 711–713
- ColorScaleCriteria collection, 713
- Comment object and Comments collection, 714–716
- ConditionValue object, 716
- Connections object, 716–717
- ConnectorFormat object, 717–719
- ControlFormat object, 719–721
- CubeField object and CubeFields collection, 721–724
- CustomProperty object and CustomProperties collection, 724–726
- CustomView object and CustomViews collection, 726–727
- Databar object, 727–729
- DataLabel object and DataLabels collection, 729–734
- DataTable object, 734–735
- DefaultWebOptions object, 735–737
- Dialog object and Dialogs collection, 737–738
- DisplayUnitLabel object, 738–739
- DownBars object, 740
- DropLines object, 740–741
- Error object and Errors collection, 741–742
- ErrorBars object, 742–743
- ErrorCheckingOptions collection object, 743–744
- FillFormat object, 744–746
- Filter object and Filters collection, 746–747
- Floor object, 747–748
- Font object, 748–749
- FormatColor object, 749–750
- FormatCondition object and FormatConditions collection, 750–753
- FreeformBuilder object, 753–754
- Graphic object, 754–756
- Gridlines object, 756–757
- GroupShapes collection, 757
- HeaderFooter object, 757–758
- HiLoLines object, 758
- HPageBreak object and HPageBreaks collection, 758–759
- Hyperlink object and Hyperlinks collection, 759–761
- Icon object, 761–762
- IconCriterion and IconCriteria collection, 762
- IconSet and IconSets collection, 762–763
- IconSetCondition object, 763–765
- Interior object, 765–767
- IRtdServer object, 767–768
- IRTDUpdateEvent object, 768
- LeaderLines object, 769
- Legend object, 770–771
- LegendEntry object and LegendEntries collection, 771–773
- LegendKey object, 773–774
- LinearGradient object, 774
- LineFormat object, 775–776
- LinkFormat object, 776–777
- ListColumn and ListColumns collection, 777
- ListColumns Common Properties, 777–778
- ListDataFormat object, 778–779
- ListObject object and ListObjects collection, 779–781
- Mailer object, 782
- MultiThreadedCalculation object, 783
- Name object and Names collection, 783–785
 - object properties, 636
- ODBCConnection object, 785–787
- ODBCError object and ODBCErrors collection, 787–788
- OLEDBConnection object, 788–790
- OLEDBError object and OLEDBErrors collection, 790–791
- OLEFormat object, 791–792
- OLEObject object and OLEObjects collection, 792–796
- Outline object, 796–797
- Page object and Pages collection, 797–798
- PageSetup object, 798–801
- Pane object and Panes collection, 802–803
- Parameter object and Parameters collection, 803–804
- Phonetic object and Phonetics collection, 804–805
- PictureFormat object, 806–807
- PivotAxis object, 807
- PivotCache object and PivotCaches collection, 807–811

Excel 2007 object model (continued)

Excel 2007 object model (continued)

- PivotCell object, 811–812
- PivotField object, PivotFields collection, and CalculatedFields collection, 812–819
- PivotFilter object and PivotFilters collection, 819–821
- PivotFormula object and PivotFormulas collection, 821–822
- PivotItem object, PivotItems collection, and CalculatedItems collection, 822–823
- PivotItemList object, 824
- PivotLayout object, 824–825
- PivotLine object, PivotLines collection, and PivotLinesCells collection, 825
- PivotTable object and PivotTables collection, 825–837
- PlotArea object, 838–839
- Point object and Points collection, 839–842
- Protection object, 842–844
- PublishObject object and PublishObjects collection, 844–846
- QueryTable object and QueryTables collection, 846–852
- Range object and Ranges collection object, 852–868
 - methods, 858–868
 - overview, 852
 - properties, 852–857
- Real-Time Data (RTD) object, 870
- RecentFile object and RecentFiles collection, 868–869
- RectangularGradient object, 869
- RoutingSlip object, 869–870
- Scenario object and Scenarios collection, 871–872
- Series object and SeriesCollection collection, 872–877
- SeriesLines object, 877
- ServerViewableItems collection, 878
- ShadowFormat object, 878–879
- Shape object and Shapes collection, 880–885
- ShapeNode object and ShapeNodes collection, 886–887
- ShapeRange object collection, 887–891
- Sheets collection, 891–893
 - overview, 891
 - Sheets common properties, 891
 - Sheets methods, 892–893
 - Sheets properties, 892
- SheetViews object, 893
- SmartTag object and SmartTags collection object, 893–894
- SmartTagAction object and SmartTagActions collection object, 894–895
- SmartTagOptions collection object, 895
- SmartTagReconizer object and SmartTagRecognizers collection object, 895–896
- Sort object, 896–897
- SortField object and SortFields collection, 897–898
- SoundNote object, 898
- Speech object, 898–899
- SpellingOptions collection object, 899–901
- Style object and Styles collection, 901–903
- Tab object, 903–904
- TableStyle object and TableStyles collection object, 904–906
- TableStyleElement object and TableStyleElements collection object, 906
- TextEffectFormat object, 907–908
- TextFrame object, 908–909
- TextFrame2 object, 909–911
- ThreeDFormat object, 911–913
- TickLabels object, 913–915
- Top10 object, 915–917
- TreeViewControl object, 917
- Trendline object and Trendlines collection, 917–919
- UniqueValues object, 919–920
- UpBars object, 920–921
- UsedObjects collection object, 921–922
- UserAccessList collection object, 922
- Validation object, 923–924
- VPageBreak object and VPageBreaks collection, 924–925
- Walls object, 925–926
- Watch object and Watches collection object, 926–928
- WebOptions object, 928–929
- Window object and Windows collection, 929–935
- Workbook object and Workbooks collection, 935–953
 - events, 951–953
 - methods, 935–937, 944–951
 - overview, 935
 - properties, 935–943
- WorkbookConnection object, 953
- Worksheet object, 953–963
 - events, 962–963
 - methods, 958–962
 - properties, 955–958
- WorksheetFunction object, 963–966
- Worksheets collection, 954–955
- WorksheetView object, 966–967
- XmlDataBinding object, 967
- XmlMap object and XMLMaps collection, 967–969
- XmlNamespace object and XMLNamespaces collection, 969
- XmlSchema object and XmlSchemas collection, 969–970
- XPath object, 970

Excel chart window (prior to Excel 2007) window, 608

- Excel Object **model**, **21–30**
 - getting help, 27–29
 - Immediate window, 29–30
 - objects, 22–27
 - collections, 22–23
 - events, 26–27
 - methods, 25
 - properties, 23–25
 - EXCEL4 **class**, **608**
 - Excel4IntlMacroSheets **property**
 - Application object, 649
 - Workbook object, 939
 - Excel4MacroSheets **property**
 - Application object, 649
 - Workbook object, 939
 - EXCEL7 **class**, **608**
 - Excel8CompatibilityMode **property**, Workbook **object**, **939**
 - EXCELE **class**, **608**
 - ExclusiveAccess **method**, Workbook **object**, **945**
 - Execute **method**
 - Command object, 447
 - CommandBarButton object, 1005
 - CommandBarComboBox object, 1009
 - CommandBarControl object, 1012
 - CommandBarPopup object, 1015
 - Connection object, 439, 439–440, 446
 - FileDialog object, 235, 1033
 - Recordset object, 447
 - SmartTagAction object, 895
 - ExecuteExcel4Macro **function**, **546, 555, 560, 569, 658**
 - ExecuteMso **method**, **316, 317, 1000**
 - ExecuteOptionEnum **value**, **440**
 - Exit Do **statement**, **52**
 - Exit **statement**, **59**
 - Exit Sub **statement**, **35, 91**
 - ExpandHelp **property**, SmartTagAction **object**, **895**
 - ExpirationDate **property**, UserPermission **object**, **1075**
 - Explosion **property**, Series **object**, **874**
 - Export **file**, **363**
 - Export **method**
 - exporting to XML file, 258
 - VBComponent object, 987
 - XmlMap object, 968
 - ExportAsFixedFormat **method**
 - Chart object, 692
 - Range object, 861
 - Workbook object, 945
 - Worksheet object, 959
 - ExportString **method**, Chart **object**, **692**
 - ExportXml **method**, XmlMap **object**, **969**
 - Extend **method**, Series **object** Collection, **873**
 - ExtendList **property**, Application **object**, **649**
 - extensibility**, **295, 402, 403, 409, 571, 572, 598, 600, 971, 981, 990**
 - eXtensible Markup Language (XML), **239–272**
 - attributes, 242–243
 - comments, 241
 - consuming XML data directly, 246–249
 - elements and root element, 241–242
 - namespaces, 243–245
 - processing instructions, 241
 - using VBA to program Open XML files, 265–272
 - programmatically unzipping Excel containers, 266–267
 - programmatically zipping Excel containers, 267–272
 - using VBA to program XML processes, 253–265
 - Document Object Model (DOM), 258–265
 - programming XML maps, 253–258
 - XPath, 262–264
 - viewing and editing XML documents, 245
 - XML Declaration, 240–241
 - XML maps, 249–253
 - creating, 251–253
 - creating XML schema description, 249–251
 - Extensions **property**, FileDialogFilter, **1034**
 - Extent **property**, VPageBreak **object**, **925**
 - External Content category**, **499–500**
 - External Content section**, **489**
 - external data, managing**, **469–490**
 - External Data user interface, 469–472
 - Get External Data group, 470–471
 - Manage Connections group, 471–472
 - QueryTables, 472–487
 - associated with ListObject, 475–476
 - creating and using connection files, 484–489
 - and parameter queries, 476–479
 - from relational database, 472–475
 - from text file, 482–483
 - from web queries, 479–482
 - security settings, 489–490
 - WorkbookConnection object and Connections collection, 487–489
 - external data sources**, **142, 165, 178, 180, 241, 270, 470, 716**
 - External Excel **workbooks**, **499, 500**
 - Extra Auditing tab**, **296**
 - ExtraInfo **property**, **761**
 - ExtrusionColor **property**, ThreeDFormat **object**, **911**
 - ExtrusionColor Type **property**, ThreeDFormat **object**, **911**
- ## F
- FaceId **property**, **322–324, 330, 341, 1003**
 - FarEastLineBreakLevel **property**, ParagraphFormat2 **object**, **1048**

FeatureInstallInstall property, Application object

FeatureInstallInstall **property**, Application **object**, 649

FetchComplete **event**, 445

FetchRowOverflow **property**, QueryTable **object**, 847

field codes, 426, 428

field names, 123, 141, 145, 157, 261, 285, 420, 422, 429, 432, 433, 445, 450, 466, 467, 512, 832, 847

field properties, 816

FieldNames **property**, QueryTable **object**, 847

FieldOfView **property**, ThreeDFormat **object**, 912

Fields **collection**, Recordset **object**, 445

FileConverters **property**, Application **object**, 649

FileDialog **object**

dialog types, 235

Execute method, 235

FileDialogFilters **property**, 235

FileDialogSelectedItems **collection**, 235

MultiSelect **property**, 236–237

overview, 233–237, 1031–1033

FileDialog **property**, Application **object**, 649

FileDialogFilter **object**, 1033–1034

FileDialogFilters **collection**, 234–236, 235, 1033–1034

FileDialogFilters **property**, 235

FileDialogSelectedItems **collection**, 235, 1034

FileFind **property**, Application **object**, 649

FileFormat **property**, Workbook **object**, 939, 940

filename, getting from a path, 78–80

FileName **property**

PublishObject **object**, 845

VBProject **object**, 990

file number, 223

files, 405, 406, 648

files **folder**, 504, 505

Files **property**, SharedWorkspace **object**, 1055

FileTypes **object**, 1034–1035

Fill **property**

ChartFormat **object**, 700

Font2 **object**, 1036

Shape **object**, 882

ShapeRange **object**, 888

FillAcrossSheets **method**

Sheets **collection**, 892

Worksheets **collection**, 954

FillAdjacent Formulas **property**, QueryTable **object**, 847

FillDown **method**, Range **object**, 861

FillFormat **object**, 700, 710, 744–746

FillFormat **property**, Axis **object** Title, 674

FillLeft **method**, Range **object**, 861

FillRight **method**, Range **object**, 861

FillUp **method**, Range **object**, 861

Filter **button**, 146, 827

Filter **menu**, 347

Filter **object**, 148, 668, 746–747, 1034

Filter **property**, 442–443

FilterDates **procedure**, 151

FilterGroupEnum **constants**, 442

FilterIndex **property**, FileDialog **object**, 1032

FilterMode **property**

AutoFilter **object**, 668

Worksheet **object**, 956

Filters **collection**, 746–747

Filters **property**

AutoFilter **object**, 668

FileDialog **object**, 1032

Final **property**, Workbook **object**, 939

Find Control **method**, CommandBar **object**, 1002

Find **method**

CellFormat **object**, 682

CodeModule **object**, 977

Range **object**, 862

TextRange2 **object**, 1071

FindControl **method**, CommandBars **collection**, 1000

FindControls **method**, CommandBars **collection**, 1000

FindFile **method**, Application **object**, 658

FindFormat **property**

Application **object**, 649

CellFormat **object**, 682

settings, 682

FindNext **method**, Range **object**, 862

FindPrevious **method**, Range **object**, 862

FindWindow **function**, 608, 611

FirstChild **property**, CustomXMLNode **object**, 1017

FirstLineIndent **property**, ParagraphFormat2 **object**, 1048

FitToPages **variant**, 799

FitToPagesTall **property**, 799

FitToPagesWide **property**, 799

FitToPagesWide **variant**, 799

Fix **method**, DocumentInspector **object**, 506, 1026

Fix **method**, IDocumentInspector **object**, 1042

Fixed **method**, 964

FixedDecimal **property**, Application **object**, 649

FixedDecimalPlaces **property**, Application **object**, 649

FixedWidthFont **property**, WebPageFont **object**, 1076

FixedWidthFontSize **property**, WebPageFont **object**, 1076

Flip **method**

Shape **object**, 884

ShapeRange **object**, 890

Floor **object**, 747–748, 964

Floor **property**, Chart **object**, 688

Folder **options**, 5

- FolderName **property**, SharedWorkspaceFolder **object**, 1057
- Folders **property**, SharedWorkspace **object**, 1055
- FolderSuffix **property**, WebOptions **object**, 928
- FollowHyperlink **event**, Worksheet **object**, 963
- FollowHyperlink **method**, Workbook **object**, 534, 945
- Font group**, 295
- Font **object**, 748–749
- Font options**, 674, 734, 751, 772, 805
- Font **property**
 - AboveAverage object, 637
 - AxisTitle object, 674
 - BulletFormat2 object, 996
 - CellFormat object, 683
 - Characters object, 685
 - Range object, 854
 - Style object, 901
 - TableStyleElement object, 906
 - TextRange2 object, 1070
 - TickLabels object, 914
 - Top10 object, 915
 - UniqueValues object, 919
- Font2 **object**, 1035–1037
- FontBold **property**, TextEffectFormat **object**, 907
- FontItalic **property**, TextEffectFormat **object**, 907
- FontName **property**, TextEffectFormat **object**, 907
- FontSize **property**, TextEffectFormat **object**, 907
- Footer dialog box**, 754
- footers**, 201–202, 207, 505, 757, 799, 1025
- For Each...Next loop**, 54–55
- For statement**, 53
- For...Next loop**, 53, 79
- Forecast **method**, 964
- ForeColor **property**
 - ChartFillFormat object, 698
 - ShadowFormat object, 879
- Form button**, 158, 214
- Form command**, 158, 556
- Form **controls**, 209–210, 214, 216, 221, 535
- Format **function**, 87, 152, 228, 542, 546–549, 552, 560
- Format **parameter**, 691, 706, 708, 794, 796
- Format **property**
 - Axis object, 671
 - AxisTitle object, 674
 - ChartArea object, 697
 - Series object, 874
 - SeriesLines object, 877
 - TickLabels object, 914
 - Trendline object, 918
 - UpBars object, 921
 - Walls object, 926
- FormatColor **object**, 749–750
- FormatCondition **object**, 750–753
- FormatConditions **collection**, 750–753
- FormatConditions **property**, Range **object**, 854
- FormatCurrency **function**, 542
- FormatDateTime **function**, 542
- FormatNumber **function**, 542
- FormatPercent **function**, 542
- FormatRow **property**
 - AboveAverage object, 637
 - Top10 object, 915
 - UniqueValues object, 919
- FormFun.xlsm **file**, 624
- FormResizer.xlsm **workbook**, 628
- Forms button**, 12
- Forms **controls**, 12–13, 214–216, 950
- Forms toolbar**, 12, 75, 214, 219, 220
- Formula Hidden **property**, Range **object**, 854
- Formula **parameter**, 657, 821
- Formula **property**, 194, 197, 548, 557, 559, 568, 678, 854, 874
- Formula strings**, 548
- Formula1 **property**, Validation **object**, 923
- Formula2 **property**, Validation **object**, 923
- FormulaArray **property**, Range **object**, 559, 854
- FormulaBarHeight **property**, Application **object**, 649
- FormulaHidden **property**
 - CellFormat object, 683
 - Style object, 901
- FormulaLocal **property**
 - Range object, 854
 - Series object, 874
- FormulaR1C1 **property**
 - Range object, 854
 - Series object, 874
- FormulaR1C1Local **property**
 - Range object, 854
 - Series object, 874
- Formulas tab**, 17, 125, 295
- Formulas table**, 649
- For...Next loop**, 53–54
- Forward **parameter**, 917
- Forward2 **property**, Trendline **object**, 918
- ForwardMailer **method**, Workbook **object**, 945
- Frame **control**, 275, 496
- FreeformBuilder **object**, 753–754
- FreezePanes **property**, Windows **object**, 931
- Frequency **method**, 964
- FriendlyName, 396, 1039, 1041
- From **parameters**, 686
- Front **collection**, 705
- FrontPage Server Extensions**, 526, 536
- FTest **method**, 964

FullName property

FullName **property**

Add-In, 639
SmartTagRecognizer object, 896
Workbook object, 940
FullNameURLEncoded **property**, Workbook **object**, 940
FullPath **property**, Reference **object**, 984
Function **property**, 593, 976
function types, declaring, 44
functions, calling, 35–36
FunctionWizard **method**, Range **object**, 862
Fv **method**, 964
FVSchedule **method**, 964

G

<gallery .../> **control type**, 300
GammaDist **method**, 964
GammaInv **method**, 964
GammaLn **method**, 964
Gap **property**, CalloutFormat **object**, 680
GapDepth **property**, Chart **object**, 688
Gcd **method**, 964
GDI32.DLL **file**, 602
GenerateGetPivotData **property**, Application **object**, 649
GenerateSignatureLineImage **method**,
SignatureProvider **object**, 1065
GenerateTableRefs **property**, Application **object**, 649
GeoMean **method**, 964
GermanPostReform **property**, SpellingOptions **collection**, 900
GeStep **method**, 964
Get External Data group, 470–471
GetCategories **method**, IBlogExtensibility **object**, 1039
GetCertificateDetail **method**, SignatureInfo **object**, 1064
GetChartElementLong **method**, Chart **object**, 692
getContent, 304, 305, 316
GetCustomColor **method**, ThemeColorsScheme, 1073
GetCustomListContents **method**, Application **object**, 658
GetCustomListNum **method**, Application **object**, 658
GetCustomUI **function**, 402, 403
GetCustomUI **method**, IRibbonExtensibility **object**, 1043
GetEnabledMso **method**, 316, 1000
GetFileName **function**, 79
GetImagedMso **method**, CommandBars **collection**, 1000
GetImageMso, 316
GetInfo **method**, IDocumentInspector **object**, 1042
GetInput **function**, 36
GetItemByInternalName **property**, MetaProperties **collection**, 1044
getItemCount, 304, 305, 315
getItemID, 304, 305, 315
getItemImage, 304, 305, 315
getItemLabel, 304, 305, 315
getItemScreenTip, 304, 305, 315
getItemSupertip, 304, 305, 315
getLabel **callback**, 298
GetLabelMso **method**, CommandBars **collection**, 1000
GetObject **function**, 416, 417, 430, 643, 656
GetOpen **filename**, 539, 540, 584, 664
GetOpenFileName **function**, 540, 584, 658
GetPhonetic **method**, Application **object**, 658
GetPhonetic **string**, 658
GetPivotData **method**, 811, 824
GETPIVOTDATA **worksheet function**, 824
GetPressedMso **method**, 316, 1000
GetProviderDetail **method**
EncryptionProvider object, 1031
SignatureProvider object, 1065
GetRecentPosts **method**, IBlogExtensibility **object**, 1039
GetSaveAsFilename **method**, Application **object**, 658
GetScreenTipMso **method**, 316, 1000
getSelectedItemID **callback**, 304
getSelectedItemIndex **callback**, 304
GetSelection **method**, 591, 979
GetSignatureDetail **method**, SignatureInfo **object**, 1064
GetSupertipMso **method**, 316, 1001
GetTempPath **function**, 603
getText, 304
GetUpdate **method**, Sync **object**, 1068
GetUserBlogs **method**, IBlogExtensibility **object**, 1040
GetVisibleMso **method**, CommandBars **collection**, 1001
GetWindowLong **function**, 623
GetWindowRect **function**, 607, 609
GetWorkflowTasks **method**, Workbook **object**, 945
GetWorkflowTemplates **method**, Workbook **object**, 945
Given Action **object**, 638, 639
globals, 63–64
<globals>, 63, 74, 95, 97, 115, 376
Glow **property**
ChartFormat object, 700
Font2 object, 1036
Shape object, 882
ShapeRange object, 888
GlowFormat **object**, 1037
Go button, 385
GoalSeek **method**, Range **object**, 862

Goto **method**, Application **object**, 659
 Gradient **property**, 774, 869
 GradientColorType **property**, ChartFillFormat **object**, 698
 GradientDegree **property**, ChartFillFormat **object**, 698
 GradientStop **object**, 1037–1038
 GradientStops **collection**, 1037–1038
 GradientStyle **property**, ChartFillFormat **object**, 698
 GradientVariant **property**, ChartFillFormat **object**, 699
 Graphic **object**, 754–756
 GridlineColor **property**, Windows **object**, 931
 GridlineColorIndex **property**, Windows **object**, 931
 Gridlines **methods**, 757
 Gridlines **object**, 756–757
 Group **method**
 Range **object**, 862
 ShapeRange **object**, 890
Group mode, 90, 91
grouping, Worksheet **objects**, 87–88
Grouping dialog box, 174
 GroupItems **property**
 Shape **object**, 882
 ShapeRange **object**, 888
 GroupName **property**, 213, 281
groups, controlling using RibbonX, 313–314
 GroupShapes **collection**, 757
 Guid **property**
 Add-in **object**, 973
 COMAddin **object**, 998
 Reference **object**, 984

H

HANDLE C data type, 604
handles, 306, 406, 407, 606–609, 640, 986
 HangingPunctuation **property**, ParagraphFormat2 **object**, 1048
 HarMean **method**, 964
Has3DEffect property, Series **object**, 874
 HasArray **property**, Range **object**, 854
HasAuto format, 836
 HasAxis **property**, Chart **object**, 688
 HasChart **property**
 Shape **object**, 882
 ShapeRange **object**, 888
 HasChildNodes **method**, CustomXMLNode **object**, 1018
 HasDataLabel **property**, 204
 HasDataLabels **property**, Series **object**, 874
 HasDataTable **property**, Chart **object**, 688
 HasDisplayUnitLabel **property**, Axis **object**, 672
 HasErrorBars **property**, Series **object**, 874
 HasFormat **property**, TableStyleElement, 906
 HasFormula **property**, Range **object**, 854
 HashStream **method**, SignatureProvider **object**, 1065
 HasLeaderLines **property**, Series **object**, 874
 HasLegend **property**, Chart **object**, 688
 HasMajorGridlines **property**, Axis **object**, 672
 HasMinorGridlines **property**, Axis **object**, 672
 HasOpenDesigner **property**, VBComponent, 987
 HasPassword **property**, Workbook **object**, 940
 HasRoutingSlip **property**, 869, 940
 HasShortcut **key**, 659
 HasText **property**, TextFrame **object**, 910
 HasTitle **property**
 Axis **object**, 672, 674
 Chart **object**, 688
 ChartTitle **object**, 708
 HasUpDownBars **property**, 701, 920
 HasVBProject **property**, Workbook **object**, 940
HBITMAP C data type, 604
HBRUSH C data type, 604
HCURSOR C data type, 604
HDC C data type, 604
 Header **property**, Sort **object**, 896
Header Row, 155, 347, 350, 378, 777, 779, 780
 HeaderFooter **object**, 757–758
headers, 207–208, 505, 757, 799, 1025
 HeadersFooters **collection**, 757
 HeartbeatInterval **property**, 768
 HebrewModes **property**, SpellingOptions **collection**, 900
 Height **parameters**, 705, 793, 802
 Height **property**
 Application **object**, 650
 Axis **object**, 672
 ChartArea **object**, 697
 CommandBar **object**, 1001
 CommandBarButton **object**, 1003
 CommandBarComboBox **object**, 1007
 CommandBarControl **object**, 1011
 CommandBarPopup **object**, 1014
 CustomTaskPane **object**, 1016
 Range **object**, 854
 Shape **object**, 882
 ShapeRange **object**, 888
 values, 187
 Window **object**, 931, 993
 HeightPercent **property**, Chart **object**, 688
help, 27–29
Help button, 32, 34
Help file, 659
Help method, Application **object**, 659
 HelpContextID **parameter**, 659

HelpContextId property

HelpContextId **property**

- CommandBarButton object, 1003
- CommandBarComboBox object, 1007
- CommandBarControl object, 1011
- CommandBarPopup object, 1014

HelpContextID **property**, VBproject **object**, 991

HelpFile **property**

- CommandBarButton object, 1004
- CommandBarComboBox object, 1007
- CommandBarControl object, 1011
- CommandBarPopup object, 1014
- VBproject object, 991

Hex2Bin **method**, 964

Hex2Dec **method**, 964

Hex2Oct **method**, 964

HFONT C **data type**, 604

HICON C **data type**, 604

Hidden fields **object**, 828

Hidden items **property**, 171

hidden member, 214

Hidden **property**

- Range object, 154, 160, 854
- Scenario object, 871
- TreeviewControl object, 917

Hide button, 6

Hide **method**, 274, 277

hiding names, 131–132

Hierarchize **function**, 516

Highlight **property**, Font2 **object**, 1036

HighlightChangesOnScreen **property**, Workbook **object**, 940

HighlightChangesOptions **method**, Workbook **object**, 945

high-resolution timer, 616, 618, 634

HiLoLines **object**, 758

HINSTANCE C **data type**, 604

Hinstance **property**, Application **object**, 650

HLOCAL C **data type**, 604

HLookup **method**, 964

HMENU C **data type**, 604

HMETAFILE C **data type**, 604

HMODULE C **data type**, 604

Home Directory tab, 532

Home tab, 4, 8, 295

HorizontalAlignment **property**

- AxisTitle object, 674
- CellFormat object, 683
- Range object, 854
- Style object, 901
- TextFrame object, 908

HorizontalAnchor **property**, TextFrame **object2**, 910

HorizontalFlip **property**

- Shape object, 882
- ShapeRange object, 888

HoursPerWeek **property**, 357, 358

HPageBreak **object**, 758–759

HPageBreaks **collection**, 758–759

HPageBreaks **property**

- Charts collection, 686
- Sheets collection, 892
- Worksheets collection, 954, 956

HPALETTE C **data type**, 604

HPEN C **data type**, 604

HRGN C **data type**, 604

HTASK C **data type**, 604

HTML **feature**, 533

HTML **file**, 532

HTML **format**, 480, 533

HTML **page**, 404, 735

HtmlType **property**, PublishObject **object**, 845

HWND C **data type**, 605

Hwnd **property**

- Application object, 650
- GetWindowRect function, 607

Hwnd **property**, Window **object**, 993

Hyperlink **object**, 759, 760, 761

Hyperlink **property**, Shape **object**, 882

Hyperlinks **collection**, 759–761

Hyperlinks **property**

- Range object, 854
- Worksheet object, 956

HyperlinkType **property**, CommandBarButton **object**, 1004

HypGeomDist, 964

I

IAssistance **object**, 1038–1039

IBlogExtensibility **object**, 1039–1041

IBlogPictureExtensibility **object**, 1039–1041

Icon **object**, 761–762

IconCriteria **collection**, 762, 763

IconCriterion **collection**, 762

Icons button, 306

IconSet **collection**, 762–763

IconSet **object**, 762

IconSetCondition **object**, 763–765

IconSets **property**, Workbook **object**, 940

ICTPFactory **object**, 1041

ICustomTaskPaneConsumer **interface**, 404

ICustomTaskPaneConsumer **object**, 1041–1042

Id **attribute**, 302

- Id property**
- CommandBarButton object, 1004
 - CommandBarComboBox object, 1007
 - CommandBarControl object, 1011
 - CommandBarPopup object, 1014
 - CustomXMLPart object, 1021
 - IRibbonControl object, 1042
 - MetaProperty object, 1045
 - overview, 322–324
 - PolicyItem object, 1051
 - Range object, 854
 - ServerPolicy object, 1050
 - Shape object, 882
 - ShapeRange object, 888
 - SignatureSetup object, 1066
 - WorkflowTask object, 1077
 - WorkflowTemplate object, 1078
- idMso attribute, 302**
- IDocumentInspector object, 1042**
- idQ attribute, 302**
- IDTExtensibility2 interface, 388–394**
- IF function, 47, 276, 546**
- If statements, 47–48**
- IfError method, 964**
- IgnoreBlank property, Validation object, 923**
- IgnoreCaps property, SpellingOptions collection, 900**
- IgnoreFileNames property, SpellingOptions collection, 900**
- IgnoreMixedDigits property, SpellingOptions collection, 900**
- IgnoreRemoteRequests property, Application object, 650**
- IIf function, 47, 48**
- ImAbs method, 964**
- Image attribute, 302**
- Image control, 233, 235, 237**
- imageMso attribute, 302**
- Imaginary method, 964**
- ImArgument method, 964**
- ImConjugate method, 964**
- ImCos method, 964**
- ImDiv method, 964**
- IMEMode property, Validation object, 923**
- ImExp method, 964**
- ImLn method, 964**
- ImLog10 method, 964**
- ImLog2 method, 964**
- Immediate window, 29–30, 71, 95, 260, 375, 441, 580, 981, 989, 993**
- Immediate Window button, 29**
- Implements keyword, 767**
- implicit conversion, 539, 541, 561**
- Import file, 363**
- Import method**
- importing data into XML map, 257
 - SoundNote object, 898
 - VBcomponents collection, 988
 - XmlMap object, 969
- ImportXml method, XmlMap object, 969**
- ImPower method, 964**
- ImProduct method, 964**
- ImReal method, 964**
- ImSin method, 964**
- ImSqrt method, 964**
- ImSub method, 965**
- ImSum method, 965**
- inactive worksheets, 96, 99**
- InactiveListBorder property, Workbook object, 940**
- Inbox folder, 413**
- InCell Dropdown property, Validation object, 923**
- Inches parameter, 659**
- InchesToPoints method, Application object, 659**
- Include Protection property, Style object, 902**
- IncludeAlignment property, Style object, 901**
- IncludeBorder property, Style object, 902**
- IncludeFont property, Style object, 902**
- IncludeLayout property, Axis object Title, 674**
- IncludeNumber property, Style object, 902**
- IncludePatterns property, Style object, 902**
- IncrementLeft method**
- Shape object, 885
 - ShapeRange object, 890
- IncrementOffsetX method, ShadowFormat object, 879**
- IncrementOffsetY method, ShadowFormat object, 879**
- IncrementRotation method**
- Shape object, 885
 - ShapeRange object, 890
- IncrementRotationHorizontal method, ThreeDFormat object, 912**
- IncrementRotationVertical method, ThreeDFormat object, 912**
- IncrementRotationX method, ThreeDFormat object, 913**
- IncrementRotationY method, ThreeDFormat object, 913**
- IncrementRotationZ method, ThreeDFormat object, 913**
- IncrementTop method**
- Shape object, 885
 - ShapeRange object, 890
- IndentLevel property**
- CellFormat object, 683
 - ParagraphFormat2 object, 1048
 - Range object, 854
 - Style object, 902
- Index method, 965**

Index parameter

Index **parameter**, **636, 640, 664, 666, 721, 771, 801**

Index **property**

- Chart object, 688
- Clear Contents control, 341
- CommandBar object, 1001
- CommandBarButton object, 1004
- CommandBarComboBox object, 1007
- CommandBarControl object, 1011
- CommandBarPopup object, 1014
- DocumentLibraryVersion object, 1027
- RecentFile object, 868
- Scenario object, 871
- Trendline object, 918
- Window object, 931
- Worksheet object, 84, 85, 956

IndexedValue **property**, Property **object**, **982**

InitialFileName **property**, FileDialog **object**, **1032**

Initialization **controls**, **496**

Initialize **event**, **279, 284, 369, 461, 575, 576, 577, 629, 633**

Initialize routine, **617**

InitializeChart **events**, **367**

InitialView **property**, FileDialog **object**, **1032**

input and output, **30–35**

- constants, 33
- InputBox, 34–35
- parameters specified by name, 31–33
- parameters specified by position, 31
- return values, 33–34

Input **statement**, **226, 227**

InputBox **function**, **36, 62, 68–69, 273**

InputBox **method**, **68, 69, 659**

InputMessage **property**, Validation **object**, **923**

InputTitle **property**, Validation **object**, **923**

Insert button, **12, 13, 209**

Insert dialog box, **182**

Insert method

- Characters object, 685
- GradientStops collection, 1038
- Range object, 862
- ShapeNodes Collection, 886

INSERT **statement**, **434, 453, 467**

InsertAfter **method**, TextRange2 **object**, **1071**

InsertBefore **method**, TextRange2 **object**, **1071**

InsertIndent **method**, Range **object**, **862**

InsertLines **method**, CodeModule **object**, **977**

InsertNodesBefore **method**, CustomXMLNode **object**, **1018**

InsertSubtreeBefore **method**, CustomXMLNode **object**, **1018**

InsertSymbol **method**, TextRange2 **object**, **1071**

Inspect button, **501**

Inspect method

- IDocumentInspector object, 505, 1026, 1042

Installed **property**, Add-In, **639**

installing Add-ins, **379–381**

InstallManifest, **969**

Instancing **property**, **383, 384, 389**

InStr **function**, **195**

Int C data type, **605**

int FAR * C **data type**, **605**

IntegralHeight **property**, **634**

Interactive **property**, Application **object**, **650**

Intercept **method**, **965**

Intercept **parameter**, **917**

Intercept **property**, Trendline **object**, **918**

InterceptIsAuto **property**, Trendline **object**, **918**

Interior **object**, **26, 765–767, 774, 869**

Interior property

- AboveAverage object, 637
- AxisTitle object, 674
- CellFormat object, 683
- Range object, 854
- Style object, 902
- TableStyleElement object, 906
- Top10 object, 915
- UniqueValues object, 919

InteriorPattern **property**, **869**

international issues, **537–569**

- exceptions to rules, 554–560
 - = TEXT() worksheet function, 558–560
 - OpenText function, 555–556
 - pasting text, 557
 - PivotTable calculated fields and items, 557–558
 - SaveAs function, 556
 - ShowDataForm sub procedure, 556
 - web queries, 558
- helpful functions, 565–568
 - bWinToDate function, 566–567
 - bWinToNum function, 565–566
 - ReplaceHolders function, 568
 - sFormatDate function, 567
- interacting with Excel, 545–548
 - reading data from Excel, 548
 - rules for working with Excel, 548
 - sending data to Excel, 545–547
- interacting with users, 549–551
 - displaying data, 549
 - interpreting data, 550
 - paper sizes, 549
 - rules for working with users, 551
 - xxxLocal properties, 550–551

- international options, 552–554
- Office 2007 language settings, 560–565
 - creating multilingual application, 562–564
 - identifying Office UI language settings, 561–562
 - rules for developing multilingual application, 565
 - where text comes from, 560–561
 - working in multilingual environment, 564–565
- regional settings and Office 2007 UI language, 537–538
- regional settings and Windows language, 538–545
 - identifying user's regional settings and Windows language, 538–539
 - VBA conversion functions, 539–545
- International options, 558, 566**
- International property, Application object, 650**
- Internet, 525–536**
 - overview, 526
 - using as communication channel, 533–536
 - using as data source, 527–531
 - opening web pages as workbooks, 528
 - parsing web pages for specific information, 530–531
 - using web queries, 528–530
 - using for storing workbooks, 526–527
 - using to publish results, 531–533
 - creating interactive web pages, 533
 - saving worksheets as web pages, 532–533
 - setting up web server, 532
- Internet Transfer control, 525, 534–536, 601**
- Intersect method, Application object, 115, 659**
- IntRate method, 965**
- Introduction property, MsoEnvelope object, 1046**
- invalidate ContentOnDrop attribute, 302**
- Invalidate method, 309, 1043**
- InvalidateControl method, 309, 310, 1043**
- InvertIfNegative property, Series object, 874**
- IPicture object, 306, 317**
- Ipmt method, 965**
- IQY (Web Query) files, 486–487**
- IQY files, 484, 486, 487**
- IRibbon control, 303–305, 310, 311, 316, 403**
- IRibbon parameter, 309**
- IRibbonControl object, 1042**
- IRibbonExtensibility object, 1043**
- IRibbonUI object, 1043**
- Irr method, 965**
- IRtdServer object, 767–768**
- IRtdServer object, 870**
- IRTDUpdate event, 768**
- IRTDUpdateEvent object, 768**
- IsAddin property, 375, 380–382**
- IsAddin property, Workbook object, 940**
- ISBLANK function, 67**
- IsBoolean function, 541**
- IsBroken property, Reference object, 984**
- IsCertificateExpired property, SignatureInfo object, 1063**
- IsCertificateRevoked property, SignatureInfo object, 1063**
- IsCertificateUntrusted property, SignatureInfo object, 1064**
- IsDate function, 541**
- IsDateUS function, 544**
- IsEmptyWorksheet function, 323, 324**
- IsErr method, 965**
- IsError method, 544, 965**
- IsEven method, 965**
- IsInplace property, Workbook object, 940**
- IsLogical method, 965**
- IsMember property, Boolean Read-only, 820**
- IsNA method, 965**
- IsNameIn workbook, 133, 134, 135**
- IsNonText method, 965**
- IsNumeric function, 541, 965**
- IsOdd method, 965**
- Ispmt method, 965**
- IsPriorityDropped property**
 - CommandBarButton object, 1004
 - CommandBarComboBox object, 1007
 - CommandBarControl object, 1011
 - CommandBarPopup object, 1014
- IsReadOnly property, MetaProperty object, 1045**
- IsRequired property, MetaProperty object, 1045**
- IsSignatureLine property, Signature object, 1062**
- IsSigned property, Signature object, 1062**
- IsText method, 965**
- IsValid property**
 - CalculatedMember object, 678
 - SignatureInfo object, 1064
- Italic buttons, 4, 8**
- Italic property, Font2 object, 1036**
- <item .../> control type, 300**
- Item method**
 - Add-ins collection, 974
 - COMAddins collection, 997
 - FileDialogFilters collection, 1034
 - FileDialogSelectedItems collection, 1034
 - overview, 636
 - RulerLevels2 collection, 1052
 - TabStops2 collection, 1069
 - TextRange2 object, 1071
 - ThemeFonts collection, 1073
- Item property, 101**
 - Adjustments object, 640
 - AllowEditRanges collection, 641
 - Areas collection, 664

Item property (continued)

Item **property (continued)**

Borders collection, 676
CalculatedMembers collection, 678
Chart object, 686
CommandBarControls collection, 1010
CommandBars collection, 1000
DocumentProperties collection, 1029
Errors Collection object, 741
FileDialog object, 1032
FileTypes collection, 1035
GradientStops collection, 1037
MetaProperties collection, 1044
MsoEnvelope object, 1046
Pages collection, 797
Permission object, 1049
Range object, 97, 100
ScopeFolder collection, 1052
SearchFolders collection, 1053
SearchScopes collection, 1054
ServerPolicy object, 1050
SharedWorkspaceFiles collection, 1056
SharedWorkspaceFolders collection, 1057
SharedWorkspaceLinks collection, 1058
SharedWorkspaceMembers collection, 1059
SharedWorkspaceTasks collection, 1060
Sheetviews collection, 893
SignatureSet collection, 1062
UserAccessList object, 921, 922
WebPageFonts collection, 1076
Windows Collection, 929
Workbook object, 935
WorkflowTasks collection, 1076
WorkflowTemplates collection, 1077

ItemAdded event
Reference collection, 985
ReferenceEvent object, 986

ItemCountExceeded property
SharedWorkspaceFiles collection, 1056
SharedWorkspaceFolders collection, 1057
SharedWorkspaceLinks collection, 1058
SharedWorkspaceMembers collection, 1059
SharedWorkspaceTasks collection, 1060

ItemHeight attribute, 302

ItemID parameter, 317

ItemIndex parameter, 317

ItemRemoved event
Reference collection, 985
ReferenceEvent object, 986

Items combo box, 721

Items parameter, 390, 953

Items property, 363

ItemSize attribute, 302

ItemWidth attribute, 302

Iteration property, Application object, 650

IXMLDOMNode object, 262, 264

IXMLDOMNodeList object, 262

J

Justify method, Range object, 862

K

KeepChangeHistory property, Workbook object, 940

KernedPairs property, TextEffectFormat object, 907

KERNEL32.DLL file, 602

Kerning property, Font2 object, 1036

Key parameter, 660

Key property, SortFields object, 897

Keys parameter, 660

keytip attribute, 302

Kill statement, 60, 61

KoreanCombineAux property, SpellingOptions collection, 900

KoreanProcessCompound property, SpellingOptions collection, 900

KoreanUseAutoChangeList property, Spelling Options collection, 900

Kurt method, 965

L

Label controls, 276, 289

Label filters, 820

label group attribute, 302

labelControl, 299

<labelControl .../> control type, 299

Labels formatting, 703

Labels group, 186, 195

language version of Windows, 561

LanguageID property, TextRange2 object, 1070

LanguagePreferredForEditing property, Language Settings object, 1044

LanguageSettings object, 1043–1044

LanguageSettings property, Application object, 650

LanguageID property, LanguageSettings object, 1044

LARGE INTEGER C data type, 605

Large method, 965

LargeButtons property, CommandBars collection, 1000

LargeOperationCellThousandCount property, Application object, 650

LargeScroll method, Windows object, 933

Last cell, 8, 105, 106, 110, 123

LastChild property, CustomXMLNode object, 1017

- LastRefreshed property**, SharedWorkspace **object**, 1055
LastSyncTime property, Sync **object**, 1068
late binding, 412–414
Launcher button, 300
Layout option, 837
Layouts group, 182
LBound functions, 57, 109, 190
Lcm method, 965
LeaderLines object, 769, 771, 772
LeaderLines property, Series **object**, 874
Left property
 Application **object**, 650
 Axis **object**, 672
 AxisTitle **object**, 675
 ChartArea **object**, 697
 CommandBar **object**, 1002
 CommandBarButton **object**, 1004
 CommandBarComboBox **object**, 1007
 CommandBarControl **object**, 1011
 CommandBarPopup **object**, 1014
 Range **object**, 855
 Shape **object**, 882
 ShapeRange **object**, 888
 Window **object**, 931, 993
LeftIndent property, ParagraphFormat2 **object**, 1048
Legend object, 770–771
Legend property, Chart **object**, 688
LegendEntries collection, 771–773
LegendEntry object, 771–773
LegendKey object, 773–774
Len function, 54, 79
Length parameter, 681, 684
Length property
 CalloutFormat **object**, 680
 TextRange2 **object**, 1070
Level object, 520
Levels property, Ruler2 **object**, 1051
LibraryPath property, Application **object**, 650
LightAngle property, ThreeDFormat **object**, 912
Line charts, 671, 702
Line Input statement, 226, 227
Line property
 ChartFormat **object**, 700
 Font2 **object**, 1036
 Shape **object**, 882
 ShapeRange **object**, 888
LinearGradient object, 774, 869
LineFormat object, 700, 775–776
LineRuleAfter property, ParagraphFormat2 **object**, 1048
LineRuleBefore property, ParagraphFormat2 **object**, 1048
LineRuleWithin property, ParagraphFormat2 **object**, 1048
Lines property
 CodeModule **object**, 975
 TextRange2 **object**, 1070
LinEst method, 965
LineStyle property
 Border **collection**, 677
 Borders **collection**, 676
LinkedCell property, 211
LinkedWindowFrame property, Window **object**, 993
LinkedWindows collection, 982
LinkedWindows property, Window **object**, 993
LinkFormat object, 776–777
LinkFormat property, Shape **object**, 883
LinkInfo method, Workbook **object**, 946
Links property, SharedWorkspace **object**, 1055
LinkSource property, DocumentProperty **object**, 1030
LinkSources method, Workbook **object**, 946
LinkToContent property, DocumentProperty **object**, 1030
List controls, 326, 327
List field, 157, 827
List files, 55
list management tools, 141
List object, 145, 147, 148, 151–154, 164, 256, 469, 472, 475, 476, 484, 487, 489, 499, 778–781, 804
List property, 150, 216, 279, 285, 338, 1007
ListAll controls, 279, 341
ListAllFaces, 329
ListBox control, 276
ListChangesOnNewSheet property, Workbook **object**, 940
ListColumn collection, 777
ListColumn methods, 778
ListColumn object, 777, 778
ListColumns collection, 777–778
ListColumns object, 777
ListControls function, 326
ListCount property, CommandBarComboBox **object**, 1007
ListDataFormat object, 778–779
ListFirstLevel controls, 322, 323, 327, 338, 340
ListHeaderCount property, CommandBarComboBox **object**, 1007
ListHeaderRows property, Range **object**, 855
ListID property, WorkflowTask **object**, 1077
ListIndex property, 152, 216, 237, 338, 1008
Listing files, 55
ListNames method, Range **object**, 862
ListObject collection
 methods, 781
 properties, 779–780
 QueryTables associated with, 475–476

ListObject object

- ListObject **object**, 143, 145–148, 155, 160, 779–781, 846
 - ListObject **property**
 - QueryTable object, 847
 - Range object, 855
 - ListObjects **collection**, 779–781
 - ListObjects **property**, Worksheet **object**, 956
 - ListPopups, 340
 - ListRows **collection**, 781
 - ListRows **object**, 782
 - Lists items**, 830
 - ListSelection **property**, SmartTagAction **object**, 895
 - Ln **method**, 965
 - Load **method**
 - CustomXMLPart object, 1021
 - ThemeColorsScheme object, 1073
 - ThemeEffectScheme object, 1073
 - ThemeFontScheme object, 1074
 - Load **statement**, 273
 - LoadBehavior value**, 396
 - loadImage callback**, 306
 - LoadPicture **function**, 235, 306
 - LoadPictureGDI **function**, 306
 - LoadSettings **method**, XmlDataBinding **object**, 967
 - LoadXML **method**, CustomXMLPart **object**, 1021
 - Local **parameter**, 555, 556, 560
 - LocalConnection **property**, 790, 809
 - Locals Window**, 580
 - Location **property**
 - CustomXMLSchema object, 1023
 - VPageBreak object, 925
 - LocationInTable **property**, Range **object**, 855
 - LocationOfComponents **property**, WebOptions **object**, 928
 - LocationXLChart **method**, Chart **object**, 692
 - LockAspectRatio **property**
 - Shape object, 883
 - ShapeRange object, 888
 - Locked **property**
 - CellFormat object, 683
 - Range object, 855
 - Scenario object, 871
 - Shape object, 883
 - Style object, 902
 - LockServerFile **method**, Workbook **object**, 946
 - Log **method**, 965
 - Log10 **method**, 965
 - LogBase **property**, Axis **object**, 672
 - LogEst **method**, 965
 - LogInv **method**, 965
 - LogNormDist **method**, 965
 - LONG C **data type**, 605
 - Long **method**, 692
 - Lookup **method**, 965
 - Lookup Namespace **method**, CustomXMLPrefixMapping **collection**, 1022
 - LookupPrefix **method**, CustomXMLPrefixMapping **collection**, 1022
 - Loop **statement**, 51, 52
 - looping, 50–55
 - Do...loop, 50–53
 - For Each...Next loop, 54–55
 - For...Next loop, 53–54
 - LPARAM C **data type**, 605
 - LPCSTR C **data type**, 605
 - LPCTSTR C **data type**, 605
 - lpRect **parameter**, 607
 - LPSTR C **data type**, 605
 - LPTSTR C **data type**, 605
 - LPVOID C **data type**, 605
 - LRESULT C **data type**, 605
 - LtrRun **method**, TextRange2 **object**, 1071
- ## M
- Macro dialog box, 3, 4, 6, 7, 9, 12, 151, 216, 377
 - Macro options, 659
 - Macro parameter, 660
 - macro recorder, 2–17
 - embedded charts using, 186
 - other ways to run macros, 11–17
 - ActiveX controls, 13–15
 - event procedures, 16–17
 - Forms controls, 12–13
 - Quick Access Toolbar, 15–16
 - worksheet buttons, 12
 - recording macros, 2–6
 - macro security, 5
 - Personal Macro Workbook, 5–6
 - running macros, 6–8
 - absolute and relative recording, 7–8
 - shortcut keys, 6–7
 - Visual Basic Editor (VBE), 8–11
 - code modules, 9–10
 - procedures, 10
 - Project Explorer, 10–11
 - Properties window, 11
 - Macro Security button, 5
 - Macro Settings, 5
 - Macro settings category, 497
 - Macro settings dialog, 571
 - macro settings, Trust Center user interface, 497–498
 - Macro-Enabled workbook, 5
 - MacroOptions **method**, Application **object**, 659

- Macros button, 6, 9**
- MailEnvelope **property**
 - Chart object, 688
 - Worksheet object, 956
- Mailer **object, 782**
- Mailer **property, Workbook object, 940**
- MailLogoff **method, Application object, 659**
- MailLogon **method, Application object, 659**
- MailSession **property, Application object, 650**
- MailSystem **property, Application object, 650**
- MaintainConnection **property, 790, 847**
- MainWindow **property, VBE, 989**
- Major **property, Reference object, 984**
- MajorFont **property, ThemeFontScheme object, 1074**
- MajorGridlines **property, Axis object, 672**
- MajorTickMark **property, Axis object, 672**
- MajorUnit **property, Axis object, 672**
- MajorUnitIsAuto **property, Axis object, 672**
- MajorUnitScale **property, Axis object, 672**
- MakeCompiledFile **method, VBProject object, 991**
- Manage Connections group, 471–472**
- Map **property, XPath object, 970**
- MapPaperSize **property, Application object, 651**
- maps, XML. See XML, XML maps**
- MarginBottom **property**
 - TextFrame object, 908
 - TextFrame2 object, 910
- MarginLeft **property**
 - TextFrame object, 908
 - TextFrame2 object, 910
- MarginRight **property**
 - TextFrame object, 908
 - TextFrame2 object, 910
- MarginTop **property**
 - TextFrame object, 908
 - TextFrame2 object, 910
- MarkerBackgroundColor **property, Series object, 874**
- MarkerBackgroundColorIndex **property, Series object, 874**
- MarkerForegroundColor **property, Series object, 874**
- MarkerForegroundColorIndex **property, Series object, 874**
- MarkerSize **property, Series object, 875**
- MarkerStyle **property, Series object, 875**
- Mask **property, CommandBarButton object, 1004**
- MatchCase **property, Sort object, 896**
- MathCoprocessorAvailable **property, Application object, 651**
- Max **property, 285, 287**
- MaxChange **property, Application object, 651**
- Maximize box, 623**
- Maximum **property, 868**
- MaximumScale **property, Axis object, 672**
- MaxIterations **property, Application object, 651**
- maxLength **attribute, 302**
- MDX (Multidimensional Expression)**
 - behind OLAP-based pivot tables, 512–517
 - creating MDX log, 515–517
 - deciphering MDX queries, 515
- MDX **property, Range object, 855**
- MDX query, 512–518, 521–523**
- MDX statement, 513, 515, 516**
- Me keyword, 152**
- MeasurementUnit **property, Application object, 651**
- Members **property, SharedWorkspace object, 1055**
- <menu ...> contents </menu> container
 - control, 301**
- menu bars, 320–322, 579**
- Menu item, Click events, 575**
- MenuAnimationStyle **property, CommandBars collection, 1000**
- MenuKey menu, 654**
- menus**
 - creating, 330–333
 - deleting, 334
 - popup, 338–341
- menuSeparator, 300, 301, 303**
- <menuSeparator .../> **control type, 300**
- Merge **method**
 - Range object, 863
 - Scenarios collection, 871
- MergeArea **property, Range object, 855**
- MergeCells **property**
 - CellFormat object, 683
 - Range object, 855
 - Style object, 902
- MergeWorkbook **method, Workbook object, 946**
- Message Bar, 494, 496–500**
- Message box, 24, 32, 78, 356, 403, 505, 513, 550, 609**
- Message **property, RoutingSlip object, 870**
- MetaProperties **collection, 1044–1045**
- MetaProperty **object, 1044–1045**
- methods, 25**
- Microsoft Access. See Access, and ADO**
- Microsoft Access database, 448, 449**
- Microsoft Internet controls, 530**
- Microsoft Office button, 3, 5, 373, 374, 379, 380, 489, 491**
- Microsoft Outlook. See Outlook**
- Microsoft Word. See Word**
- Mid **function, 54, 195**
- Min **function, 212**
- Mini toolbar, 317**
- Minimize box, 623**
- MinimumScale **property, Axis object, 672**

Minor property, Reference object

- Minor **property**, Reference **object**, 984
- MinorFont **property**, ThemeFontScheme **object**, 1074
- MinorGridlines **property**, Axis **object**, 672
- MinorTickMark **property**, Axis **object**, 672
- MinorUnit **property**, Axis **object**, 672
- MinorUnitIsAuto **property**, Axis **object**, 672
- MinorUnitScale **property**, Axis **object**, 672
- MOD **function**, 73
- Mod operator**, 73, 74, 204
- Mode **property**, VBproject **object**, 991
- Modeless UserForm**, 288–291
- Modified **property**, DocumentLibraryVersion **object**, 1027
- ModifiedBy **property**
 - DocumentLibraryVersion **object**, 1027
 - SharedWorkspaceFile **object**, 1056
 - SharedWorkspaceLink **object**, 1058
 - SharedWorkspaceTask **object**, 1061
- ModifiedDate **property**
 - SharedWorkspaceFile **object**, 1056
 - SharedWorkspaceLink **object**, 1058
 - SharedWorkspaceTask **object**, 1061
- Modify button**, 15, 493
- Modify **method**, Validation **object**, 924
- ModifyAppliesToRange **method**
 - AboveAverage **object**, 638
 - Top10 **object**, 916
 - UniqueValues **object**, 920
- ModifyKey **method**, SortFields **object**, 898
- module-level **variable**, 42, 45, 72, 91, 307, 309, 404, 405, 576
- Modules **collection**, 83
- MouseAvailable **property**, Application **object**, 651
- MouseDown **event**, Chart **object**, 695
- MouseMove **event**, Chart **object**, 695
- MouseUp **event**, Chart **object**, 695
- Move **method**
 - Chart **object**, 686, 692
 - CommandBarButton **object**, 1005
 - CommandBarComboBox **object**, 1009
 - CommandBarControl **object**, 1012
 - CommandBarPopup **object**, 1015
 - Recordset **object**, 444
 - Sheets **collection**, 893
 - Worksheet **object**, 85–87, 959
 - Worksheets **collection**, 954
- MoveAfterReturn **property**, Application **object**, 651
- MoveAfterReturnDirection **property**, Application **object**, 651
- MPR.DLL file**, 602
- MSDN documentation**, 606, 623
- MSDN library**, 634
- MSDN Library menu**, 602
- MSForms **Control**, 579
- MSForms **Control Group**, 579
- MSForms DragDrop**, 580
- MSForms MPC**, 579
- MSForms **object library**, 594
- MSForms Palette**, 579
- MSForms Toolbox**, 580
- MsgBox **function**, 30, 33, 62, 273, 561
- MsgBox **statements**, 360, 363
- msoBarPopup, 343
- msoBarTypeMenuBar **constant**, 321
- msoBarTypeNormal **constant**, 321
- msoBarTypePopup, 321, 338–340
- MsoEnvelope **object**, 1045–1046
- msoFileDialogFilePicker **constant**, msoFileDialog **object**, 234
- msoFileDialogFolderPicker **constant**, msoFileDialog **object**, 234
- msoFileDialogOpen **constant**, msoFileDialog **object**, 234
- msoFileDialogSaveAs **constant**, msoFileDialog **object**, 234
- MsoSync **event type**, 663
- Multi page control**, 496
- multi-column ListBox**, 279
- multi-dimensional arrays**, 57
- Multidimensional Expression (MDX)**
 - behind OLAP-based pivot tables, 512–517
 - creating MDX log, 515–517
 - deciphering MDX queries, 515
- MultiLevel **property**, TickLabels **object**, 914
- multilingual application**, 562–564
- multilingual environment**
 - allowing extra space, 564
 - using Excel's objects, 564
 - using RibbonX, 565
 - using SendKeys, 565
- MultiNomial**, 965
- multiple recordsets**, 460–461
- MultiSelect**, 236–238, 658
- MultiSelect **property**, 236–237
- MultiThreadedCalculation **object**, 651, 783
- MultiThreadedCalculationCalculation **property**, Application **object**, 651
- MultiUserEditing **property**, Workbook **object**, 940
- My Network checkbox**, 493
- MyMap **object**, 257
- MyTable **element**, 241–243
- MyTableroot **element**, 242

N**Name box, 3, 125, 126, 185, 186****Name dialog box, 652****Name Manager dialog box, 125, 126, 129, 132**Name **object, 126, 127, 132, 134, 135, 137, 783–785**Name **parameter, 603, 692, 833, 835, 841, 868, 901, 917**Name **property**

Action object, 639

Add-In, 639

Application object, 651

AxisTitle object, 675

CalculatedMember object, 678

Chart object, 688

ChartArea object, 697

CodeModule object, 976

CommandBar object, 1002

CustomXMLValidationError, 1024

DocumentProperty object, 1030

Employee object, 356, 360

Font2 object, 1036

MetaProperty object, 1045

Name object, 127, 137

NewMonth object, 87

OLEObjects collection, 218

PolicyItem object, 1051

Property object, 983

QueryTable object, 847

Range object, 128, 132–135, 855

RecentFile object, 868

Reference object, 984

Scenario object, 871

ScopeFolder object, 1053

Series object, 875

SeriesLines object, 877

ServerPolicy object, 1050

Shape object, 883

ShapeRange object, 888

SharedWorkspace object, 1055

SharedWorkspaceMember object, 1060

SmartTag object, 894

SmartTagAction object, 895

Style object, 902

TableStyle object, 905

ThemeFont object, 1074

TickLabels object, 914

Trendline object, 918

UpBars object, 921

UserAccess Collection, 921

VBcomponent object, 987

VBproject object, 991

Walls object, 926

Workbook object, 23, 75, 79, 940

WorkflowTask object, 1077

WorkflowTemplate object, 1078

Worksheet object, 956

XmlMap object, 968

XMLSchema object, 970

Name Table, 783NameAscii **property, Font2 object, 1036**NameComplex Script **property, Font2 object, 1036**NameFarEast **property, Font2 object, 1036**NameIsAuto **property, Trendline object, 918**NameLocal **property**

CommandBar object, 1002

Style object, 902

TableStyle object, 905

NameOther **property, Font2 object, 1036****names, 125–139**

hiding names, 131–132

naming ranges, 127–128

searching for, 133–139

special names, 128–129

storing arrays, 130–131

storing values in, 129

storing values in names, 129–130

working with named ranges, 132–133

Names **collection, 67, 126–129, 783–785****Names dialog box, 784****Names procedure, 58**Names **property**

Application object, 651

Workbook object, 940

Worksheet object, 956

Namespace Manager **property, CustomXMLPart object, 1021**NameSpace **object, 413**NameSpace **property, XMLSchema object, 970****namespaces, 243–245, 266, 267, 296, 308, 412, 415, 423, 968–970, 1017, 1018, 1020–1023, 1039****NameSpaces, XML, 243–245**NameSpaceURI **property**

CustomXMLNode object, 1017

CustomXMLPart object, 1021

CustomXMLPrefixMapping collection, 1023

CustomXMLSchema object, 1023

naming conventions, **variables, 44–45**NavigateArrow **method, Range object, 863****NavigKeys, 654**NegBinomDist, **965**Neither **method, 11**NETAPI32.DLL **file, 602****Network Library connection, 455****NetworkDays, 965**NetworkTemplatesPath **property, Application object, 651**

New button

New button, 126

New keyword, 415–417, 430, 643

New operator, 598

NewFile object, 1046

NewSeries method, 190, 192, 197

NewSession method, EncryptionProvider object, 1031

NewSheet event, Workbook object, 952

NewWindow method

Window object, 933

Workbook object, 946

NewWorkbook object event, Application object, 661

NewWorkbook property, Application object, 651

Next property

Chart object, 688

Range object, 855

Worksheet object, 956

Next statement, 53, 69, 87, 106, 134

NextLetter method, Application object, 660

NextRecordset method, 444–445, 461

NextSibling property, CustomXMLNode object, 1017

Node property, CustomXMLValidationError object, 1024

NodeAfterDelete event, CustomXMLPart object, 1022

NodeAfterInsert event, CustomXMLPart object, 1022

NodeAfterReplace event, CustomXMLPart object, 1022

Nodes property

Shape object, 883

ShapeRange object, 888

NodeType property, CustomXMLNode object, 1017

NodeValue property, CustomXMLNode object, 1017

Nominal, 965

NON EMPTY keyword, 516

non-contiguous range, 95, 113, 114, 852

non-standard data sources, using ADO with, 463–468

inserting and updating records in workbooks, 466–467

querying text files, 467–468

querying workbooks, 464–466

NormalizedHeight property, TextEffectFormat object, 907

Norwegian number format character, 558

Norwegian number formats, 556

Norwegian settings, 541, 542, 544

Norwegian-formatted date, 540

NOT operators, 443

Notepad document, 70

Notes property, SharedWorkspaceLink object, 1059

NoteText method, Range object, 863

Notification option, 496, 497

NotifySignatureAdded method, SignatureProvider object, 1065

Now function, 616

Number format, 25, 153, 169, 170, 420, 547, 548, 551, 558, 637, 683, 730, 732, 751, 816

Number format dialog box, 542, 547

Number format groups, 297

Number property

BulletFormat2 object, 996

TextColumn2 object, 1069

NumberFormat Local property, CellFormat object, 683

NumberFormat property, 15, 24, 153, 168, 548, 637, 902, 914, 915, 919

NumberFormatLinked property, TickLabels object, 914

NumberFormatLocal property

Range object, 855

Style object, 902

TickLabels object, 914

numbers, deleting, 107

NumIndices property, Property object, 983

O

Object Browser, 27–29, 62, 63, 186, 208, 214, 345, 412, 430, 539, 562, 580, 595

Object Browser button, 27

Object data type, 43

object model, Excel 2007

AboveAverage object, 636–638

Action object, 638–639

Actions collection, 638–639

Add-In object, 639

Addins collection, 639

Adjustments object, 640–641

AllowEditRange object, 642

AllowEditRanges collection, 641

Application object, 642–664

events, 661–663

example, 664

methods, 656–661

properties, 643–656

Areas collection, 664–665

AutoCorrect object, 665–667

AutoFilter object, 667–669

AutoRecover object, 669–670

Axis object and Axes collection, 670–674

AxisTitle object, 674–675

Border object and Borders collection, 676–677

CalculatedFields collection, 677

CalculatedItems collection, 678

CalculatedMember object, 678–679

CalculatedMembers collection, 679–680

CalloutFormat object, 680–682

CellFormat object, 682–684

Characters object, 684–685

Chart object

events, 694–695

example, 696

- methods, 690–694
- properties, 687–690
- ChartArea object, 696–697
- ChartColorFormat object, 698
- ChartFillFormat object, 698–700
- ChartFormat object, 700–701
- ChartGroup object, 701–704
- ChartObject object, 706–708
- ChartObjects collection, 704–706
- Charts collection, 686–687
- ChartTitle object, 708–710
- ChartView object, 710
- collection methods, 636
- collection properties, 635
- ColorFormat object, 710–711
- ColorScale object, 711–713
- ColorScaleCriteria collection, 713
- Comment object and Comments collection, 714–716
- Comment object and Comments collection, 714–716
- ConditionValue object, 716
- Connections object, 716–717
- ConnectorFormat object, 717–719
- ControlFormat object, 719–721
- CubeField object and CubeFields collection, 721–724
- CustomProperty object and CustomProperties collection, 724–726
- CustomView object and CustomViews collection, 726–727
- Databar object, 727–729
- DataLabel object and DataLabels collection, 729–734
- DataTable object, 734–735
- DefaultWebOptions object, 735–737
- Dialog object and Dialogs collection, 737–738
- DisplayUnitLabel object, 738–739
- DownBars object, 740
- DropLines object, 740–741
- Error object and Errors collection, 741–742
- ErrorBars object, 742–743
- ErrorCheckingOptions collection object, 743–744
- FillFormat object, 744–746
- Filter object and Filters collection, 746–747
- Floor object, 747–748
- Font object, 748–749
- FormatColor object, 749–750
- FormatCondition object and FormatConditions collection, 750–753
- FreeformBuilder object, 753–754
- Graphic object, 754–756
- Gridlines object, 756–757
- GroupShapes collection, 757
- HeaderFooter object, 757–758
- HiLoLines object, 758
- HPageBreak object and HPageBreaks collection, 758–759
- Hyperlink object and Hyperlinks collection, 759–761
- Icon object, 761–762
- IconCriteria and IconCriteria collection, 762
- IconSet and IconSets collection, 762–763
- IconSetCondition object, 763–765
- Interior object, 765–767
- IRtdServer object, 767–768
- IRTDUpdateEvent object, 768
- LeaderLines object, 769
- Legend object, 770–771
- LegendEntry object and LegendEntries collection, 771–773
- LegendKey object, 773–774
- LinearGradient object, 774
- LineFormat object, 775–776
- LinkFormat object, 776–777
- ListColumn and ListColumns collection, 777
- ListColumns Common Properties, 777–778
- ListDataFormat object, 778–779
- ListObject object and ListObjects collection, 779–781
- Mailer object, 782
- MultiThreadedCalculation object, 783
- Name object and Names collection, 783–785
- object properties, 636
- ODBCConnection object, 785–787
- ODBCError object and ODBCErrors collection, 787–788
- OLEDBConnection object, 788–790
- OLEDBError object and OLEDBErrors collection, 790–791
- OLEFormat object, 791–792
- OLEObject object and OLEObjects collection, 792–796
- Outline object, 796–797
- Page object and Pages collection, 797–798
- PageSetup object, 798–801
- Pane object and Panes collection, 802–803
- Parameter object and Parameters collection, 803–804
- Phonetic object and Phonetics collection, 804–805
- PictureFormat object, 806–807
- PivotAxis object, 807
- PivotCache object and PivotCaches collection, 807–811
- PivotCell object, 811–812
- PivotField object, PivotFields collection, and CalculatedFields collection, 812–819
- PivotFilter object and PivotFilters collection, 819–821
- PivotFormula object and PivotFormulas collection, 821–822
- PivotItem object, PivotItems collection, and CalculatedItems collection, 822–823
- PivotItemList object, 824
- PivotLayout object, 824–825

object model, Excel 2007 (continued)

object model, Excel 2007 (continued)

- PivotLine object, PivotLines collection, and PivotLinesCells collection, 825
- PivotTable object and PivotTables collection, 825–837
- PlotArea object, 838–839
- Point object and Points collection, 839–842
- Protection object, 842–844
- PublishObject object and PublishObjects collection, 844–846
- QueryTable object and QueryTables collection, 846–852
- Range object and Ranges collection object, 852–868
 - methods, 858–868
 - overview, 852
 - properties, 852–857
- Real-Time Data (RTD) object, 870
- RecentFile object and RecentFiles collection, 868–869
- RectangularGradient object, 869
- RoutingSlip object, 869–870
- Scenario object and Scenarios collection, 871–872
- Series object and SeriesCollection collection, 872–877
- SeriesLines object, 877
- ServerViewableItems collection, 878
- ShadowFormat object, 878–879
- Shape object and Shapes collection, 880–885
- ShapeNode object and ShapeNodes collection, 886–887
- ShapeRange object collection, 887–891
- Sheets collection, 891–893
 - overview, 891
 - Sheets common properties, 891
 - Sheets methods, 892–893
 - Sheets properties, 892
- SheetViews object, 893
- SmartTag object and SmartTags collection object, 893–894
- SmartTagAction object and SmartTagActions collection object, 894–895
- SmartTagOptions collection object, 895
- SmartTagRecognizer object and SmartTagRecognizers collection object, 895–896
- Sort object, 896–897
- SortField object and SortFields collection, 897–898
- SoundNote object, 898
- Speech object, 898–899
- SpellingOptions collection object, 899–901
- Style object and Styles collection, 901–903
- Tab object, 903–904
- TableStyle object and TableStyles collection object, 904–906
- TableStyleElement object and TableStyleElements collection object, 906
- TextEffectFormat object, 907–908
- TextFrame object, 908–909
- TextFrame2 object, 909–911
- ThreeDFormat object, 911–913
- TickLabels object, 913–915
- Top10 object, 915–917
- TreeviewControl object, 917
- Trendline object and Trendlines collection, 917–919
- UniqueValues object, 919–920
- UpBars object, 920–921
- UsedObjects collection object, 921–922
- UserAccessList collection object, 922
- Validation object, 923–924
- VPageBreak object and VPageBreaks collection, 924–925
- Walls object, 925–926
- Watch object and Watches collection object, 926–928
- WebOptions object, 928–929
- Window object and Windows collection, 929–935
- Workbook object and Workbooks collection, 935–953
 - events, 951–953
 - methods, 935–937, 944–951
 - overview, 935
 - properties, 935–943
- WorkbookConnection object, 953
- Worksheet object, 953–963
 - events, 962–963
 - methods, 958–962
 - properties, 955–958
- WorksheetFunction object, 963–966
- Worksheets collection, 954–955
- WorksheetView object, 966–967
- XmlDataBinding object, 967
- XmlMap object and XMLMaps collection, 967–969
- XmlNameSpace object and XMLNameSpaces collection, 969
- XmlSchema object and XmlSchemas collection, 969–970
- XPath object, 970

object model, Office 2007, 995–1078

- BulletFormat2 object, 996–997
- COMAddinObject and COMAddins collection object, 997–999
- CommandBar object and CommandBars collection object, 999–1002
- CommandBarButton object, 1003–1006
- CommandBarComboBox object, 1006–1009
- CommandBarControl object and CommandBarControls collection object, 1010–1013
- CommandBarPopup object, 1013–1015
- common properties, 995–996
- CustomTaskPane object, 1016

- CustomXMLNode object and CustomXMLNodes collection object, 1017–1020
- CustomXMLPart object and CustomXMLParts collection object, 1020–1022
- CustomXMLPrefixMapping object and CustomXMLPrefixMappings collection object, 1022–1023
- CustomXMLSchema object and CustomXMLSchemaCollection object, 1023–1024
- CustomXMLValidationError object and CustomXMLValidationErrors collection object, 1024–1025
- DocumentInspector object and DocumentInspectors collection object, 1025–1026
- DocumentLibraryVersion object and DocumentLibraryVersions collection object, 1027
- DocumentProperty object and DocumentProperties collection object, 1028–1030
- EncryptionProvider object, 1030–1031
- FileDialog object, 1031–1033
- FileDialogFilter object and FileDialogFilters collection object, 1033–1034
- FileDialogSelectedItems collection object, 1034
- FileTypes object, 1034–1035
- Font2 object, 1035–1037
- GlowFormat object, 1037
- GradientStop object and GradientStops collection object, 1037–1038
- IAssistance object, 1038–1039
- IBlogExtensibility and IBlogPictureExtensibility objects, 1039–1041
- ICTPFFactory object, 1041
- ICustomTaskPaneConsumer object, 1041–1042
- IDocumentInspector object, 1042
- IRibbonControl object, 1042
- IRibbonExtensibility object, 1043
- IRibbonUI object, 1043
- LanguageSettings object, 1043–1044
- MetaProperty object and MetaProperties collection object, 1044–1045
- MsoEnvelope object, 1045–1046
- NewFile object, 1046
- ODSOColumn object and ODSOColumns collection object, 1047
- ODSOFilter object and ODSOFilters collection object, 1047
- OfficeDataSourceObject object, 1047
- OfficeTheme object, 1047
- ParagraphFormat2 object, 1048–1049
- Permission object, 1049–1050
- PolicyItem object and ServerPolicy collection object, 1050–1051
- ReflectionFormat object, 1051
- Ruler2 object, 1051
- RulerLevel2 object and RulerLevels2 collection object, 1052
- ScopeFolder object and ScopeFolders collection object, 1052–1053
- SearchFolders collection object, 1053
- SearchScope object and SearchScopes collection object, 1054
- SharedWorkspace object, 1054–1055
- SharedWorkspaceFile object and SharedWorkspaceFiles collection object, 1055–1056
- SharedWorkspaceFolder object and SharedWorkspaceFolders collection object, 1057
- SharedWorkspaceLink object and SharedWorkspaceLinks collection object, 1058–1059
- SharedWorkspaceMember object and SharedWorkspaceMembers collection object, 1059–1060
- SharedWorkspaceTask object and SharedWorkspaceTasks collection object, 1060–1061
- Signature object and SignatureSet collection object, 1061–1063
- SignatureInfo object, 1063–1064
- SignatureProvider object, 1064–1066
- SignatureSetup object, 1066
- SmartDocument object, 1066–1067
- SoftEdgeFormat object, 1067
- Sync object, 1067–1068
- TabStop2 object and TabStops2 collection object, 1068–1069
- TextColumn2 object and TextColumns2 collection object, 1069
- TextRange2 object, 1070–1072
- ThemeColor object, 1072
- ThemeColorsScheme object, 1072–1073
- ThemeEffectScheme object, 1073
- ThemeFont object and ThemeFonts collection object, 1073–1074
- ThemeFontScheme object, 1074
- UserPermission object, 1074–1075
- WebPageFont object and WebPageFonts collection object, 1075–1076
- WorkflowTask object and WorkflowTasks collection object, 1076–1077
- WorkflowTemplate object and WorkflowTemplates collection object, 1077–1078
- object model, VBE, 971–994**
 - AddIn object and Add-Ins collection, 973–974
 - CodeModule object, 974–978
 - CodePane object and CodePanels collection, 978–980
 - CommandBarEvents object, 980–981
 - common properties and methods, 972–973
 - End FunctionReferencesEvents object, 986
 - Events object, 981–982
 - LinkedWindows collection, 982
 - links between Excel and, 971–972
 - overview, 971

object model, VBE (continued)

object model, VBE (continued)

- Property object and Properties collection, 982–983
- Reference object and References collection, 984–986
- VBComponent object and VBComponents collection, 986–989
- VBE object, 989–990
- VBProject object and VBProjects collection, 990–992
- Window object and Windows collection, 992–994
- object properties, 636**
- Object **property, 218, 401, 408, 437, 973, 983, 998**
- Object **statement, 91**
- Object type, 44, 45, 276, 306, 415, 639, 690**
- Object types, 90, 371, 413, 417, 430**
- object variables, 45–47**
- objectinput argument, 413**
- objects, 22–27**
 - collections, 22–23
 - events, 26–27
 - methods, 25
 - properties, 23–25
- Obscured **property, ShadowFormat object, 879**
- ODBC driver, 476**
- ODBC query, 786, 787**
- ODBCConnection methods, 787**
- ODBCConnection **object, 489, 785–787, 790**
- ODBCError **object, 787–788, 790**
- ODBCErrors **collection, 787–788**
- ODBCErrors **property, Application object, 651**
- ODBCTimeout **property, Application object, 651**
- ODC (Office Data Connect) files, 484–486**
- ODSOColumn **object and ODSOColumns collection, 1047**
- ODSOFilter **object and ODSOFilters collection, 1047**
- Office 2007**
 - Custom UI editor, 294–296, 305, 306
- Office 2007 language settings**
 - creating multilingual application, 562–564
 - identifying, 561–562
 - and regional settings, 537–538
 - rules for developing multilingual application, 565
 - where text comes from, 560–561
 - language version of Windows, 561
 - Office UI language settings, 561
 - Regional Settings location, 560–561
 - working in multilingual environment, 564–565
 - allowing extra space, 564
 - using Excel's objects, 564
 - using RibbonX, 565
 - using SendKeys, 565
- Office 2007 object model, 995–1078**
 - BulletFormat2 object, 996–997
 - COMAddinObject and COMAddins collection object, 997–999
 - CommandBar object and CommandBars collection object, 999–1002
 - CommandBarButton object, 1003–1006
 - CommandBarComboBox object, 1006–1009
 - CommandBarControl object and CommandBarControls collection object, 1010–1013
 - CommandBarPopup object, 1013–1015
 - common properties, 995–996
 - CustomTaskPane object, 1016
 - CustomXMLNode object and CustomXMLNodes collection object, 1017–1020
 - CustomXMLPart object and CustomXMLParts collection object, 1020–1022
 - CustomXMLPrefixMapping object and CustomXMLPrefixMappings collection object, 1022–1023
 - CustomXMLSchema object and CustomXMLSchemaCollection object, 1023–1024
 - CustomXMLValidationError object and CustomXMLValidationErrors CollectionObject, 1024–1025
 - DocumentInspector object and DocumentInspectors collection object, 1025–1026
 - DocumentLibraryVersion object and DocumentLibraryVersions collection object, 1027
 - DocumentProperty object and DocumentProperties collection object, 1028–1030
 - EncryptionProvider object, 1030–1031
 - FileDialog object, 1031–1033
 - FileDialogFilter object and FileDialogFilters collection object, 1033–1034
 - FileDialogSelectedItems collection object, 1034
 - FileTypes object, 1034–1035
 - Font2 object, 1035–1037
 - GlowFormat object, 1037
 - GradientStop object and GradientStops collection object, 1037–1038
 - IAssistance object, 1038–1039
 - IBlogExtensibility and IBlogPictureExtensibility objects, 1039–1041
 - ICTPFactory object, 1041
 - ICustomTaskPaneConsumer object, 1041–1042
 - IDocumentInspector object, 1042
 - IRibbonControl object, 1042
 - IRibbonExtensibility object, 1043
 - IRibbonUI object, 1043
 - LanguageSettings object, 1043–1044
 - MetaProperty object and MetaProperties collection object, 1044–1045
 - MsoEnvelope object, 1045–1046
 - NewFile object, 1046
 - ODSOColumn object and ODSOColumns collection object, 1047

- ODSOFILTER object and ODSOFilters collection object, 1047
- OfficeDataSourceObject object, 1047
- OfficeTheme object, 1047
- ParagraphFormat2 object, 1048–1049
- Permission object, 1049–1050
- PolicyItem object and ServerPolicy collection object, 1050–1051
- ReflectionFormat object, 1051
- Ruler2 object, 1051
- RulerLevel2 object and RulerLevels2 collection object, 1052
- ScopeFolder object and ScopeFolders collection object, 1052–1053
- SearchFolders collection object, 1053
- SearchScope object and SearchScopes collection object, 1054
- SharedWorkspace object, 1054–1055
- SharedWorkspaceFile object and SharedWorkspaceFiles collection object, 1055–1056
- SharedWorkspaceFolder object and SharedWorkspaceFolders collection object, 1057
- SharedWorkspaceLink object and SharedWorkspaceLinks collection object, 1058–1059
- SharedWorkspaceMember object and SharedWorkspaceMembers collection object, 1059–1060
- SharedWorkspaceTask object and SharedWorkspaceTasks collection object, 1060–1061
- Signature object and SignatureSet collection object, 1061–1063
- SignatureInfo object, 1063–1064
- SignatureProvider object, 1064–1066
- SignatureSetup object, 1066
- SmartDocument object, 1066–1067
- SoftEdgeFormat object, 1067
- Sync object, 1067–1068
- TabStop2 object and TabStops2 collection object, 1068–1069
- TextColumn2 object and TextColumns2 collection object, 1069
- TextRange2 object, 1070–1072
- ThemeColor object, 1072
- ThemeColorsScheme object, 1072–1073
- ThemeEffectScheme object, 1073
- ThemeFont object and ThemeFonts collection object, 1073–1074
- ThemeFontScheme object, 1074
- UserPermission object, 1074–1075
- WebPageFont object and WebPageFonts collection object, 1075–1076
- WorkflowTask object and WorkflowTasks collection object, 1076–1077
- WorkflowTemplate object and WorkflowTemplates collection object, 1077–1078
- Office Data Connect (ODC) files, 484–486
- Office language pack, 545**
- Office language version, 542**
- Office library folder, 492**
- Office Menu, 294–296, 312, 527, 552**
- Office menu, customizing, 312**
- Office UI Language, 549, 557, 561–564, 568**
- Office XP setting, 648**
- OfficeDataSourceObject object, 1047
- OfficeTheme object, 1047
- Offline Cube file, 521, 717, 788, 808
- offline cubes, creating, 521–523**
 - manually, 521
 - using CreateCubeFile method, 521–522
- Offset parameters, 102
- Offset property, 102–103, 124, 855, 914
- OffsetX property, ShadowFormat object, 879
- OffsetY property, ShadowFormat object, 879
- OLAP cube, 509–512, 515, 519, 721**
- OLAP data sources, 507–523**
 - analyzing OLAP data via pivot tables, 508–512
 - browsing OLAP data source, 510–512
 - connecting to OLAP data source, 508–509
 - browsing without pivot tables, 517–520
 - creating inventory of dimensions, hierarchies, and levels, 519–520
 - using ADO MD to get cube schema information, 518–519
 - using ADO to return flattened recordsets, 517–518
 - creating offline cubes, 521–523
 - creating offline cube using ADO MD and VBA, 522–523
 - manually, 521
 - using CreateCubeFile method, 521–522
 - MDX behind OLAP-based pivot tables, 512–517
 - creating MDX log, 515–517
 - deciphering MDX queries, 515
- OLAP database, 507, 508, 513**
- OLAP server, 512, 515, 517–519, 789, 790, 808, 816**
- OLAP-based pivot tables, 512, 515, 517, 521, 522, 523**
- OLE DB providers, 436, 438–440, 448, 452, 455, 460, 464, 466, 476, 790, 791**
- OLE object, 880
- OLEDB connection, 651**
- OLEDBConnection object, 489, 788–790
- OLEDBError object, 790–791
- OLEDBErrors collection, 790–791
- OLEDBErrors property, Application object, 651
- OLEFormat object, 791–792
- OLEFormat property, Shape object, 883
- OLEMenuGroup property, CommandBarPopup object, 1014

OLEObject collection

- OLEObject **collection**, 218, 792, 793
- OLEObject **methods**, 796
- OLEObject **object**, 217, 218, 219, 221, 676, 692, 754, 765, 776, 792–796
- OLEObjects **collection**, 792–796
- OLEObjects **method**
 - Chart object, 692
 - Worksheet object, 959
- OLEUsage **property**
 - CommandBarButton object, 1004
 - CommandBarComboBox object, 1008
 - CommandBarControl object, 1011
 - CommandBarPopup object, 1014
- OLTP database**, 507
- On Error Resume Next **statement**, 61–62
- On Error statement**, 59, 60, 62, 107, 170
- OnAction callback**, 304
- OnAction macros**, 332–333
- OnAction **property**, 210, 216, 220, 322, 332, 333, 349, 398, 576, 577, 578, 579, 883, 999, 1004, 1008, 1012, 1014
- OnAddInsUpdate **method**, 395
- OnBeginShutdown **method**, 395
- onChange callback**, 304
- OnConnection **method**, 388, 395, 397, 399
- OnDisconnection **event**, 400
- OnDisconnection **method**, 395, 397, 400
- OneColorGradient **method**, ChartFillFormat **object**, 699
- OnKey **method**, 72–73
- onLoad callback**, 309, 310
- OnRepeat **method**, Application **object**, 660
- OnStartupComplete **method**, 395
- OnTime **method**, 71–72, 660, 767
- OnUndo **method**, Application **object**, 660
- OnUpdate **event**, CommandBars **collection**, 1001
- OnWindow **property**
 - Application object, 652
 - Window object, 931
- Open button**, 235
- Open dialog box**, 233–236, 584, 658, 664, 755
- Open **event**, 16, 150, 206, 338, 346, 351, 365, 577, 584, 952
- Open **method**, 78, 80, 179, 417, 429, 439, 443, 450, 451, 462, 868, 936, 1027, 1040
- Open **statement**, 223
- Open XML files, using VBA to program**, 265–272
- OpenDatabase **method**, Workbook **object**, 936
- opening text files**, 223
- OpenLinks **method**, Workbook **object**, 946
- OpenText **method**, 482, 555–556, 560, 561, 937
- OpenVersion **method**, Sync **object**, 1068
- OpenXML **method**, 253, 937
- OperatingSystem **property**, Application **object**, 652
- Operator **property**, 751, 923
- operator text**, 752
- Optimize memory checkbox**, 512
- option Base setting**, 118, 190
- option Base **statement**, 55, 56, 216
- Option Button controls**, 212–214
- option buttons**, 12, 210, 211, 213, 214, 221, 275, 276, 281, 590
- Option Explicit **statement**, 39–40, 41, 278, 362, 575–577, 581, 583, 591, 599, 611, 616, 618, 620, 628
- OptionButton **control**, 276
- options Base **statement**, 56
- options button**, 489, 491, 499, 500, 648, 666
- OR operator**, 157, 440
- Order **parameter**, 917
- Order **property**
 - SortFields collection, 897
 - Trendline object, 918
- OrganizationName **property**, Application **object**, 652
- OrganizeInFolder **property**, WebOptions **object**, 928
- Orientation **property**
 - AxisTitle object, 675
 - CellFormat object, 683
 - Range object, 855
 - Sort object, 896
 - Style object, 902
 - TextFrame object, 908
 - TextFrame2 object, 910
 - TickLabels object, 914
- OUT **parameters**, 605
- Outline **object**, 796–797
- Outline **property**, Worksheet **object**, 956
- OutlineLevel **property**, Range **object**, 855
- Outlook**, 21, 411–413, 415, 420–423, 659, 971, 997, 1039, 1045, 1054
- Overwrite **parameter**, 715
- overwriting**, Workbook **object**, 81–82
- OwnerDocument **property**, CustomXMLNode **object**, 1017
- OwnerPart **property**, CustomXMLNode **object**, 1018

P

- page Break view, 340, 341
- page fields, 164, 166, 167, 813, 828, 829, 831, 832, 836
- page **object**, 797
- Page **object** and Pages **collection**, 797–798
- Page Setup command**, 754
- PageBreak **property**, Range **object**, 855
- pages **collection**, 797, 800
- PageSetup **object**, 53, 549, 798–801

- PageSetup **property**
 - Chart object, 688
 - Worksheet object, 957
- Pane **object**, 802–803
- Panes **collection**, 802–803
- Panes **property**, Windows **object**, 932
- paper sizes**, 549
- Paragraph Format **property**, TextRange2 **object**, 1070
- ParagraphFormat2 **object**, 1048–1049
- Paragraphs **property**, TextRange2 **object**, 1070
- Parameter **data type**, 603
- Parameter **method**, 447
- Parameter **object**, 446, 447, 477, 478, 803
- Parameter **object and Parameters collection**, 803–804
- Parameter properties**, 332
- Parameter **property**, 332, 333, 345, 349, 399, 400, 1004, 1008, 1012, 1014
- parameter queries**, 476–479, 484
- parameter types, declaring**, 44
- Parameter value**, 333, 337
- ParameterDirectionEnum value**, 446
- parameters**
 - passing parameter values, 333–334
 - specified by name, 31–33
 - specified by position, 31
- Parameters argument**, 447
- Parameters **collection**, 446, 447, 457, 460, 477, 803
- Parameters **property**, QueryTable **object**, 847
- Parent **property**, 635, 636, 995, 996
- ParentGroup **property**
 - Shape object, 883
 - ShapeRange object, 888
- parentheses**, 34, 37, 38
- ParentNode **property**, CustomXMLNode **object**, 1018
- Parse **method**, Range **object**, 863
- PartAfterAdd **event**, CustomXMLPart **objects collection**, 1020
- PartAfterLoad **event**, CustomXMLPart **objects collection**, 1020
- PartBeforeDelete **event**, CustomXMLPart **objects collection**, 1020
- Password **property**, Workbook **object**, 940
- PasswordEncryptionAlgorithm **property**, Workbook **object**, 940
- PasswordEncryptionFileProperties **property**, Workbook **object**, 941
- PasswordEncryptionKeyLength **property**, Workbook **object**, 941
- PasswordEncryptionProvider **property**, Workbook **object**, 941
- Paste **method**
 - Chart object, 693
 - SeriesCollection object, 873, 876
 - TextRange2 object, 1071
 - Walls object, 926
 - Worksheet object, 959
- PasteFace **method**, CommandBarButton **object**, 1005
- PasteSpecial **method**
 - Range object, 863
 - TextRange2 object, 1071
 - Worksheet object, 959
- pasting text**, 557
- Path **property**
 - Add-In, 639
 - Application object, 652
 - AutoRecover object, 669
 - RecentFile object, 868
 - ScopeFolder object, 1053
 - Workbook object, 941
- Pathdoubled **property**, Workbook **object**, 941
- PathFormat **property**, TextFrame **object2**, 910
- paths, getting filename from**, 78–80
- PathSeparator **property**, Application **object**, 652
- Pattern **property**, ChartFillFormat **object**, 699
- Patterned **method**, ChartFillFormat **object**, 699
- Percent **property**, Top10 **object**, 915
- Percentage format**, 644
- Period **parameter**, 917
- Period **property**, Trendline **object**, 918
- Periods **parameter array**, 174
- Permission **object**, 1049–1050
- Permission **property**
 - UserPermission object, 1075
 - Workbook object, 941
- PermissionFromPolicy **property**, Permission **object**, 1049
- Personal Macro Workbook**, 5–6
- PersonalViewListSettings **property**, Workbook **object**, 941
- PersonalViewPrintSettings **property**, Workbook **object**, 941
- Personal.xlsb, 5, 6
- Perspective **property**
 - Chart object, 688
 - ThreeDFormat object, 912
- Phonetic**, 965
- Phonetic **object**, 804–805
- Phonetic **property**, Range **object**, 855
- PhoneticCharacters **property**, 685
- Phonetics **collection**, 804–805
- Phonetics **property**, Range **object**, 856
- PickSolution **method**, SmartDocument **object**, 1067
- PickUp **method**
 - Shape object, 885
 - ShapeRange object, 890
- Picture bulletformat2 **methods**, 997

Picture buttons

Picture buttons, 754

Picture file format, 700, 746

Picture format **object, 700, 806**

Picture **object, 348, 758, 880, 1041**

Picture **property, CommandBarButton object, 1004**

Picture type **property, 774, 841**

PictureFormat **object, 806–807**

PictureFormat **property**

ChartFormat object, 700

Shape object, 883

ShapeRange object, 888

PictureType **property**

Series object, 875

Walls object, 926

PictureUnit **property, Walls object, 926**

PictureUnit2 **property, Series object, 875**

Pivot cache, methods, 810

Pivot cache **object, 164, 165, 487, 807, 809, 810**

Pivot caches **collection, 164, 165, 807**

Pivot field **object, 166, 167, 168, 170, 171, 174, 677, 812, 816, 819, 822**

Pivot field **property, 815**

Pivot fields **collection, 166, 170, 677, 723, 812, 819**

Pivot item **object, 678, 817, 822**

Pivot itemList **object, 824**

Pivot items **collection, 171, 176, 678, 822, 823**

pivot tables

analyzing OLAP data via, 508–512

browsing OLAP data source, 510–512

connecting to OLAP data source, 508–509

browsing without, 517–520

creating inventory of dimensions, hierarchies, and levels, 519–520

using ADO MD to get cube schema information, 518–519

using ADO to return flattened recordsets, 517–518

OLAP-based, MDX behind, 512–517

creating MDX log, 515–517

deciphering MDX queries, 515

PivotAxis **object, 807, 829**

PivotCache **object, 807–811**

PivotCaches **collection, 165, 807–811**

PivotCaches **method, Workbook object, 946**

PivotCell **object, 811–812, 824**

PivotCell **property, Range object, 856**

PivotCells **collection, 825**

PivotCharts, **177–178**

PivotField **object, 166, 812–819**

PivotField **property, Range object, 856**

PivotFields, **166–171**

PivotFields **collection, 677, 812–819**

PivotFilter **methods, 821**

PivotFilter **object, 819–821**

PivotFilter properties, 820

PivotFilters **collection, 818, 819–821, 832**

PivotFormula **methods, 822**

PivotFormula **object, 821–822**

PivotFormulas **collection, 821**

PivotItem **object, 822–823**

PivotItem **property, Range object, 856**

PivotItemList **object, 824**

PivotItems, 171–176

CalculatedItems collection, 176

grouping, 171–175

Visible property, 175–176

PivotItems **collection, 678, 822–823**

PivotLayout **object, 177, 180, 824–825**

PivotLayout **property, Chart object, 689**

PivotLine **object, 825**

PivotLines **collection, 825**

PivotLinesCells **collection, 825**

PivotTable button, 162

PivotTable cache, 808, 823, 825, 826

PivotTable calculated fields and items, 557–558

PivotTable chart, 637, 712, 728, 752, 764

PivotTable data, 177

PivotTable item, 811, 813, 815–817, 819, 822

PivotTable **methods, 832, 833, 835**

PivotTable **object, 166, 177, 512, 516, 721, 807, 811, 812, 821, 825–837**

PivotTable **property, Range object, 856**

PivotTable Query, 808

PivotTable report, 162, 166, 509, 512, 521, 637, 651, 662, 663, 679, 721–723, 807, 809, 810, 812–814, 816, 821, 825–835, 837

creating, 162

PivotTable Wizard, 827

PivotTableCloseConnection **event, Workbook object, 952**

PivotTableOpenConnection **event, Workbook object, 952**

PivotTables, **161–180**

creating reports, 162–166

PivotCaches, 165

PivotTables collection, 165–166

external data sources, 178–180

PivotCharts, 177–178

PivotFields, 166–171

PivotItems, 171–176

CalculatedItems collection, 176

grouping, 171–175

Visible property, 175–176

PivotTables **collection, 165–166, 825, 837**

PivotTables **method, Worksheet object, 960**

PivotTableSelection **property, Application object, 652**

- PivotTableUpdate **event**, Worksheet **object**, 963
- PivotTableWizard **method**, Worksheet **object**, 960
- PixelsPerInch **property**, WebOptions **object**, 928
- Placement **property**, Shape **object**, 883
- plain text queries, retrieving data from Access using, 449–450**
- Platform SDK section of MSDN Library, 602**
- Play Macro button, 9**
- Play **method**, SoundNote, 898
- PlotArea **object**, 696, 838–839
- PlotArea **property**, Chart **object**, 689
- PlotBy **parameter**, 694
- PlotBy **property**, 184, 689
- PlotOrder **property**, Series **object**, 875
- PlotVisibleOnly **property**, Chart **object**, 689
- Ply command bar, 340**
- Point **object**, 196, 197, 839–842
- Points **collection**, 196, 197, 839–842
- Points **method**, Series **object**, 876
- Points **property**, ShapeNode **object**, 886
- PointsToPixelsX **method**, Windows **object**, 934
- PointsToPixelsY **method**, Windows **object**, 934
- PolicyDescription **property**, Permission **object**, 1049
- PolicyItem **object** and ServerPolicy **collection**, 1050–1051
- PolicyName **property**, Permission **object**, 1049
- popup command bars, 342–353**
- popup menus, 319, 338–341, 345, 354, 373, 382, 398**
- popups, 320–322**
- Portable Network Graphics, 306, 736**
- Position **parameter**, 343, 934
- Position **property**, 164
- AxisTitle **object**, 675
 - CommandBar **object**, 1002
 - GradientStop **object**, 1038
 - TabStop2 **object**, 1069
- POST field, 535**
- POST format, 535**
- POST mechanism, 535–536**
- Post **method**, Workbook **object**, 946
- POSTing data, 535**
- PostText **property**, QueryTable **object**, 847
- PowerPoint, 21, 395, 411, 971, 1017, 1039, 1061**
- Precedents **property**, Range **object**, 856
- PrecisionAsDisplayed **property**, Workbook **object**, 941
- Prefix **property**
- CustomXMLPrefixMapping **collection**, 1023
 - XmlNameSpace **object**, 969
- PrefixCharacter **property**, Range **object**, 856
- PresentInPane **property**, SmartTagAction **object**, 895
- Preserve keyword, 58**
- PreserveColumn Info **property**, QueryTable **object**, 848
- PreserveColumnFilter **property**, XmlMap **object**, 968
- PreserveFormatting **property**, QueryTable **object**, 848
- PreserveNumberFormatting **property**, XmlMap **object**, 968
- PresetCamera **property**, ThreeDFormat **object**, 912
- PresetDrop **method**, CalloutFormat **object**, 681
- PresetExtrusionDirection **property**, ThreeDFormat **object**, 912
- PresetGradient **method**, ChartFillFormat **object**, 699
- PresetGradientType **property**, ChartFillFormat **object**, 699
- PresetLighting **property**, ThreeDFormat **object**, 912
- PresetLightingDirection **property**, ThreeDFormat **object**, 912
- PresetLightingSoftness **property**, ThreeDFormat **object**, 912
- PresetMaterial **property**, ThreeDFormat **object**, 912
- PresetShape **property**, TextEffectFormat **object**, 907
- PresetTextEffect **property**, TextEffectFormat **object**, 907
- PresetTexture **method**, ChartFillFormat **object**, 699
- PresetTexture **property**, ChartFillFormat **object**, 699
- PresetThreeDFormat **property**, ThreeDFormat **object**, 912
- Pressing Tab, 93**
- Preview commands, 365**
- Previous **property**
- Chart **object**, 689
 - Range **object**, 856
 - Worksheet **object**, 957
- PreviousSelections **property**, Application **object**, 652
- PreviousSibling **property**, CustomXMLNode **object**, 1018
- Print dialog, 590–593**
- Print **method**, 590
- Print Preview **method**, Sheets, 893
- Print settings, 727**
- Print **statement, writing to text files using, 227–233**
- flexible separators and delimiters, 230–233
 - reading data strings, 229–230
- Print_Area, 8, 129, 759, 783, 925
- Print_Titles, 128, 129
- PrintDataList, 331, 332
- PrintOut **method**
- Chart **object**, 693
 - Charts **collection**, 686
 - Range **object**, 863
 - Sheets **collection**, 893
 - Window **object**, 934
 - Workbook **object**, 947
 - Worksheet **object**, 960
 - Worksheets **collection**, 954

PrintPreview method

PrintPreview method

- Chart object, 693
- Charts collection, 687
- Range object, 864
- Window object, 934
- Workbook object, 947
- Worksheet object, 961
- Worksheets collection, 955

PrintTo file parameters, 686

Priority buttons, 415

Priority property

- AboveAverage object, 637
- CommandBarButton object, 1004
- CommandBarComboBox object, 1008
- CommandBarControl object, 1012
- CommandBarPopup object, 1015
- SharedWorkspaceTask object, 1061
- SortFields collection, 897
- Top10 object, 915
- UniqueValues object, 919

Privacy Options category, 501

privacy options, Trust Center user interface, 501–503

Private function, 632

ProcBodyLine property, CodeModule object, 976

ProcCountLine property, CodeModule object, 976

ProcCountLines method, 219

ProcOfLine Line property, CodeModule object, 976

ProcOfLine method, 593

ProcStartLine method, 219

ProcStartLine property, CodeModule object, 976

Product field, 171

ProductCode property, Application object, 652

ProgId property

- Add-In, 639, 973
- COMAddin object, 998
- SmartTagRecognizer object, 896

programmatic name, 150, 215, 291, 376, 687

progress indicator, 288–291, 445

Progressinput parameter, 290

Project Explorer, Visual Basic Editor (VBE), 10–11

Project Explorer window, 9–11, 18, 150, 363, 374

Project option buttons, 590

Project options, 590

Project References dialog, 406

Project Window, 580, 582, 583

PromptForSummaryInfo property, Application object, 652

properties, 23–25

properties button, 185, 486

Properties collection, 441, 445, 447, 574, 596, 982–983

properties dialog box, 250, 251, 486, 588

properties group, 144

Properties property, SmartTag object, 894

Properties property, VBComponent, 987

Properties window, 9, 11, 150, 275, 284, 345, 375, 376, 384, 397, 407, 574, 575, 580, 982

Property Browser, 580

Property Get items procedure, 361

Property Get procedure, 357, 358, 371

Property Let procedure, 357, 358, 371

Property object, 982–983

property procedures, 357

Property Set procedures, 357

ProportionalFont property, WebPageFont object, 1076

ProportionalFontSize property, WebPageFont object, 1076

Protect method

- Chart object, 693
- Workbook object, 947
- Worksheet object, 961

ProtectContents property

- Chart object, 689
- Worksheet object, 957

ProtectData property, Chart object, 689

ProtectDrawingObjects property

- Chart object, 689
- Worksheet object, 957

ProtectFormatting property, Chart object, 689

ProtectGoalSeek property, Chart object, 689

Protection object, 842–844

Protection options, 842, 843

Protection property

- CommandBar object, 1002
- VBproject object, 991
- Worksheet object, 957

ProtectionMode property

- Chart object, 689
- Worksheet object, 957

ProtectScenarios property, Worksheet object, 957

ProtectSelection property, Chart object, 689

ProtectSharing method, Workbook object, 947

ProtectStructure property, Workbook object, 941

ProtectWindows property, Workbook object, 941

PrTo fileName parameter, 686

PTCondition property

- AboveAverage object, 637
- Top10 object, 916
- UniqueValues object, 920

Public property, 397, 407

public variable, 45, 281, 563

Publish method, 844, 845

PublishObject collection, 844

PublishObject object, 844–846

PublishObjects collection, 844–846

PublishObjects property, Workbook object, 941

PublishPost **method**, IBlogExtensibility
object, 1040

PurgeChangeHistoryNow **method**, Workbook **object**, 948

PutUpdate **method**, Sync **object**, 1068

Q

QAT, 297, 307, 313, 556

qualified IDs, 308

Query add-in, 639

Query operations, 787

Query Refresh operations, 790

QueryClose **event**, 281, 282, 594, 597, 633

querying

text files, 467–468

workbooks, 464–466

QueryTable **object**, 143, 470, 472, 473, 475, 476, 480,
483, 490, 780, 803, 846–852

QueryTable **property**, Range **object**, 856

QueryTables, 472–487

and parameter queries, 476–479

associated with ListObject, 475–476

creating and using connection files, 484–489

Office Data Connect (ODC) files, 484–486

Web Query (IQY) files, 486–487

from relational database, 472–475

from text file, 482–483

from web queries, 479–482

QueryTables **collection**, 476

QueryTables **property**, Worksheet **object**, 957

QueryType **property**, QueryTable **object**, 848

Quick Access Menu, 74, 158

Quick Access Toolbar, 11, 15–16, 158

Quick Layout Button, 182

QuickSort routine, 392

Quit **method**, Application **object**, 660

R

radio buttons, 275

RadioGroupSelection **property**, SmartTagAction
object, 895

Radius **property**, GlowFormat, 1037

Randomize **statement**, 390

RandUnique **function**, 390, 392, 394, 401

RandUnique Wizard, 399

Range **object**, 22, 23, 66, 76, 93, 95, 97, 101, 112, 113,
128, 144, 165, 195, 450, 659, 664, 684, 714, 805,
852–868, 901, 923

Range **property**

AllowEditRange object, 642

Application object, 652

AutoFilter object, 668

Cells property, 97–98, 99–101

cells used in range, 98

GroupShapes collection, 757

ListObject object, 147

overview, 95–99

Range object, 97, 856

ranges of inactive worksheets, 99

ranges on inactive worksheets, 96

Shapes collection, 880

shortcut Range object references, 96

single-parameter Range object reference, 101–102

SmartTag object, 894

Worksheet object, 957

RangeFromPoint **method**, Windows **object**, 934

ranges, 93–124

Activate and Select methods, 93–94

Columns and Rows properties, 112–114

CurrentRegion property, 108–110

direct reference to, 20–21

empty cells, 115–118

End property, 110–111

named, 132–133

naming, 127–128

Offset property, 102–103

Range property, 102–103

Cells property, 97–98, 99–101

cells used in range, 98

of Range object, 97

ranges of inactive worksheets, 99

ranges on inactive worksheets, 96

shortcut Range object references, 96

single-parameter Range object reference, 101–102

Resize property, 103–105

sorting, 142–144

SpecialCells method, 105–107

deleting numbers, 107

last cell, 105–107

summing, 111

transferring values between arrays and ranges, 118–123

Union and Intersect methods, 115

used in charts, determining, 194–195

RangeSelection **property**, Windows **object**, 932

Rank **property**, Top10 **object**, 916

Rate **property**, 355

ReadingOrder **property**

AxisTitle object, 675

Range object, 856

Style object, 902

TextFrame object, 909

TickLabels object, 914

ReadOnly **property**

SignatureInfo object, 1064

SignatureSetup object, 1066

Workbook object, 941

ReadOnlyRecommended property, Workbook object

ReadOnlyRecommended **property**, Workbook **object**, **941**

Ready **property**, Application **object**, **652**

Real-Time Data (RTD) **object**, **870**

RecentFile **object**, **868–869**

RecentFiles **collection**, **868–869**

RecentFiles **property**, Application **object**, **652**

RecheckSmartTags **method**, Workbook **object**, **948**

Recipients **property**, RoutingSlip **object**, **870**

Recognize **property**, SmartTagOptions **collection**, **896**

Record button, **283**

Record **method**, SoundNote, **898**

Record **object**, **436**

recording macros. *See* **macro recorder**

RecordMacro **method**, Application **object**, **660**

RecordRelative **property**, Application **object**, **652**

RecordsAffected **argument**, **439**

RecordsAffectedand **options**, **447**

Recordset filter, **463**

Recordset **object**

- collections, **445**
 - Fields collection, **445**
 - overview, **445**
 - Properties collection, **445**
- Connection object, **462**
- disconnected recordset, **461–463**
- events, **445**
- methods, **443–445**
 - close method, **444**
 - move methods, **444**
 - nextrecordset method, **444–445**
 - open method, **443**
 - overview, **443**
- PivotCache, **809**
- properties, **441–443**
 - ActiveConnection property, **441–442**
 - BOF and EOF properties, **442**
 - CursorLocation property, **442**
 - Filter property, **442–443**
 - overview, **441**
 - State property, **443**

Recordset **property**, QueryTable **object**, **848**

recordsets

- disconnected, **461–463**
- multiple, **460–461**

RectangleBottom **property**, RectangleGradient, **869**

RectangleGradient **property**, RectangleGradient, **869**

RectangleLeft **property**, RectangleGradient, **869**

RectangleRight **property**, RectangleGradient, **869**

RectangleTop **property**, RectangleGradient, **869**

RectangularGradient **object**, **869**

recursion, **200, 201, 630, 632**

recursive **function**, **327**

ReDim **statement**, **58**

Reference **object** and References **collection**, **984–986**

Reference **parameter**, **659**

references, **598–599**

References **collection**, **984–986**

References dialog box, **259, 406, 448, 594, 598**

References **property**, VBProject **object**, **991**

ReferencesEvents **property**, Events **object**, **982**

ReferenceStyleStyle **property**, Application **object**, **652**

RefersTo **property**, **62, 135**

Reflection **property**

- Font2 object, **1036**
- Shape object, **883**
- ShapeRange object, **889**

ReflectionFormat **object**, **1051**

Refresh All button, **472**

Refresh button, **472**

Refresh Data button, **247**

Refresh **method**

- Chart object, **693**
- QueryTable object, **473–475, 851**
- SharedWorkspace object, **1055**
- XmlDataBinding, **967**

Refresh **property**, QueryTable **object**, **848**

RefreshAll **method**, Workbook **object**, **948**

RefreshData **method**, **RDT, 870**

Refreshing **property**, QueryTable **object**, **848**

RefreshOnFileOpen **property**, QueryTable **object**, **848**

RefreshPane **method**, SmartDocument **object**, **1067**

RefreshPeriod **property**, QueryTable **object**, **848**

Regional options, **538**

regional settings

- and Office 2007 UI language, **537–538**
- and Windows language, **538–545**
 - identifying, **538–539**
 - VBA conversion functions, **539–545**

Regional Settings applet, **538, 560**

Regional Settings location, **560–561**

RegionIndex **parameter**, **759**

RegisteredFunctions **property**, Application **object**, **652**

RegisterXLL **method**, Application **object**, **660**

Regroup **method**, ShapeRange **object**, **890**

RejectAllChanges **method**, Workbook **object**, **948**

relational databases, **419, 470, 472, 473, 482, 490**

relative recording, **7–8**

RelativeSize **property**, BulletFormat2 **object**, **996**

ReleaseFocus **method**, CommandBars **collection**, **1001**

Reload **method**, CustomXMLSchema, **1024**

ReloadAs **method**, Workbook **object**, **948**

RelyOnCSS **property**, WebOptions **object**, **928**

RelyOnVML **property**, WebOptions **object**, **928**

Remove All button, **501**

Remove button, 493Remove **method**

- FileTypes collection, 1035
- LinkedWindows Collection, 982
- NewFile object, 1046
- Reference collection, 985
- SearchFolders collection, 1053
- UserPermission object, 1075
- VBcomponents collection, 988
- VBprojects collection, 992

RemoveAll **method**, Permission **object**, 1050RemoveChild **method**, 265, 1618RemoveCustomUI **method**, 317RemoveDocument **method**, SharedWorkspace **object**, 1055RemoveDocument **properties method**, 504RemoveDocumentInformation **method**, 503–505, 506, 948RemoveDuplicates **method**, Range **object**, 864RemoveItem **method**, CommandBarComboBox **object**, 1009**RemoveMenus procedure**, 348, 351RemovePeriods **method**, TextRange2 **object**, 1071RemovePersonalInformation **property**, Workbook **object**, 941RemoveSubtotal **method**, Range **object**, 864RemoveUser **method**, Workbook **object**, 948Repeat **method**, Application **object**, 660Repeating **property**, XPath **object**, 970**Replace format**, 653, 682, 683, 684Replace **method**, 649, 682, 864, 1072Replace **parameter**, 88ReplaceChildNode **method**, CustomXMLNode **object**, 1018ReplaceChildSubtree **method**, CustomXMLNode **object**, 1019ReplaceFormat **property**, Application **object**, 653ReplaceHolders **function**, 564, 568ReplaceLine **method**, 218, 977Replacement **parameter**, 666ReplacementList **property**, AutoCorrect **object**, 666ReplaceText **property**, AutoCorrect **object**, 666Reply **method**, Workbook **object**, 948ReplyAll **method**, Workbook **object**, 948ReplyWithChanges **method**, Workbook **object**, 948RepublishPost **method**, IBlogExtensibility **object**, 1040RequestPermissionURL **property**, Permission **object**, 1049**Requirements section**, 606RerouteConnections **method**

- Shape object, 885

- ShapeRange object, 890

Research **property**, Workbook **object**, 941Reset **method**

- CommandBar object, 1002

- CommandBarButton object, 1006

- CommandBarComboBox object, 1009

- CommandBarControl object, 1013

- CommandBarPopup object, 1015

- RoutingSlip object, 870

ResetAllPageBreaks **method**, Worksheet **object**, 961ResetColors **method**, Workbook **object**, 948ResetPositionsSideBySide **method**, Windows **object**, 930ResetRotation **method**, ThreeDFormat **object**, 913ResetTimer **method**, QueryTable **object**, 851**resizable UserForms**, 625Resize **event**, 625–627, 695Resize **property**, 103–105, 124, 133, 856ResolveConflict **method**, Sync **object**, 1068RestartServers **method**, RTD, 870Restore **method**, DocumentLibraryVersion **object**, 1027ResultRange **property**, QueryTable **object**, 848Resume **statement**, 60**return values**, 33–34ReturnWhenDone **property**, RoutingSlip **object**, 870ReversePlotOrder **property**, Axis **object**, 673RevisionNumber **property**, Workbook **object**, 942RGB **function**, 676, 677, 748, 750, 766, 840, 841RGB **property**

- ChartColorFormat object, 698

- ThemeColor object, 1072

Ribbon buttons, 15, 62, 274**Ribbon controls**, 312, 402–403

RibbonX, 293–318

- adding customizations, 294–295

- CommandBar extensions for, 316

- control attributes, 301–303

- control callbacks, 303–305

- control types, 299–301

- basic controls, 299–300

- container controls, 300–301

- controlling tabs, tab sets, and groups, 313–314

- customizing Office menu, 312

- customizing QAT, 313

- in dictator applications, 312

- dynamic controls, 314–316

- comboBox control, 315

- dropDown control, 315

- dynamicMenu control, 315–316

- gallery, 315

- hooking built-in controls, 311–312

- limitations, 317

- managing control images, 305–307

- overview, 293–294

RibbonX (continued)

RibbonX (continued)

- prerequisites, 294
- sharing controls among multiple workbooks, 308
- updating controls at run time, 309–311
 - and VBA, 298–299
 - XML structure, 295–298

RibbonX document, 296

RibbonX toggle button, 407

Right function, 79

RightAngleAxes property, 688, 689

RightClick event, 200

RightIndent property, ParagraphFormat2 object, 1048

Rng property, Sort object, 896

RobustConnect property, 786, 789, 848

RollZoom property, Application object, 653

root element, XML, 241–242

RootElementName property, XmlMap object, 968

RootElementNamespace property, XmlMap object, 968

RotateBounds method, TextRange2 object, 1072

RotatedChars property, TextEffectFormat object, 907

RotateWithShape property, ShadowFormat object, 879

Rotation property

- Chart object, 689

- Shape object, 883

- ShapeRange object, 889

RotationX property, ThreeDFormat object, 912

RotationY property, ThreeDFormat object, 912

RotationZ property, ThreeDFormat object, 912

Route method, Workbook object, 948

Routed property, Workbook object, 942

RoutingSlip object, 869–870

RoutingSlip property, Workbook object, 942

Row fields, 166, 167, 170, 179, 652, 830, 832

Row object, 112, 113

Row property, Range object, 856

RowCol settings, 727

RowDifferences method, Range object, 864

RowHeight property, 23, 856

RowIndex property, CommandBar object, 1002

RowItems properties, 811, 824

RowLevels parameter, 797

RowNumbers property, QueryTable object, 848

rows

- deleting, 121–123, 661

- visible

 - copying, 153–154

 - finding, 154–156

rows attribute, 302

Rows property

- Application object, 112–114, 653

- Range object, 112–114, 856

- Worksheet object, 112–114, 957

RowSetComplete event, Workbook object, 952

RowSource property, 276

RTD function, 767

RTD property, Application object, 653

RTD (Real-Time Data) object, 870

RTD server, 653, 767, 768

RtlRun method, TextRange2 object, 1072

Ruler2 object, 1051

RulerLevel2 object and RulerLevels2 collection, 1052

Run method

- Application object, 660

- Range object, 864

RunAutoMacros method, Workbook object, 949

Runs property, TextRange2 object, 1070

run-time error-handling, 59–62

S

Sales.xlsx workbook, 464, 467

SatelliteDllName value, 396

Save As dialog box, 5, 233, 235, 238, 295, 527, 625, 658, 663

Save button, 235

Save method

- EncryptionProvider object, 1031

- SharedWorkspaceLink object, 1059

- SharedWorkspaceTask object, 1061

- ThemeColorsScheme object, 1073

- ThemeFontScheme object, 1074

- Workbook object, 949

Save Query button, 486

Save tab, 669

Save Workspace dialog box, 486

SaveAs filename, 46, 47, 59, 61, 65, 77, 81, 82, 693

SaveAs method

- Chart object, 693

- VBproject object, 991

- Workbook object, 556, 949

- Workbooks collection, 77

- Worksheet object, 961

SaveAsODC method, QueryTable object, 851

SaveAsXMLData method, Workbook object, 949

SaveChartTemplate method, Chart object, 694

SaveCopyAs method, Workbook object, 949

Saved property

- VBcomponent object, 987

- VBproject object, 991

- Workbook object, 942

SaveData property, QueryTable object, 848

SaveDataSourceDefinition property, XmlMap object, 968

SaveLinkValues property, Workbook object, 942

SavePassword property, QueryTable object, 848

SaveWorkspace method, Application object, 660

- ScaleHeight **method**
 Shape object, 885
 ShapeRange object, 890
- ScaleType **property**, Axis **object**, 673
- ScaleWidth **method**
 Shape object, 885
 ShapeRange object, 891
- Scenario **object**, 871–872
- Scenarios **collection**, 871–872
- Scenarios **method**, Worksheet **object**, 962
- Schema Collection **property**, CustomXMLPart **object**, 1021
- Schemas **property**, XmlMap **object**, 968
- SchemaXLM **property**, MetaProperties **collection**, 1044
- SchemeColor **property**, ChartColorFormat, 698
- ScopeFolder **object**, 1052–1053
- ScopeFolder **property**
 ScopeFolder object, 1053
 SearchScope, 1054
- ScopeFolders **collection**, 1052–1053
- ScopeType Condition Scope **property**, AboveAverage **object**, 637
- ScopeType **property**, UniqueValues **object**, 920
- screen updating**, 66
- ScreenRefresh **method**, 653
- ScreenSize **property**, WebOptions **object**, 929
- screentip attribute**, 302
- ScreenUpdating **property**, Application **object**, 653
- Script **property**, Shape **object**, 883
- Scroll **event**, 211
- Scroll **parameter**, 659
- ScrollArea **property**, 11, 957
- Scrollbar **control**, 211
- ScrollColumn **property**, Windows **object**, 932
- ScrollIntoView **method**, Windows **object**, 934
- ScrollRow **property**, Windows **object**, 932
- ScrollWorkbookTabs **method**, Windows **object**, 934
- sealed integer (Currency) data type**, 43
- Search Results window**, 27
- SearchFolders **collection**, 1053
- SearchFormat **argument**, 682, 684, 843
- SearchHelp **method**, IAssistance **object**, 1038
- searching for names**, 133–139
- SearchScope **object** and SearchScopes **collection**, 1054
- security**, macro, 5
- Security settings**, 489–491, 493, 494, 499, 500
- SegmentType **property**, ShapeNode **object**, 886
- Select Case**, 49–50
- Select **event**, Chart **object**, 695
- Select Excel add-ins**, 379, 385
- Select **file**, 246
- Select **method**
 Axis object, 673
 AxisTitle object, 675
 Chart object, 694
 ChartArea object, 697
 Charts collection, 687
 Range object, 25, 93–94, 864
 Series object, 876
 SeriesLines object, 877
 Shape object, 885
 ShapeRange object, 891
 Sheets collection, 893
 TextRange2 object, 1072
 TickLabels object, 914
 Trendline object, 918
 UpBars object, 921
 Walls object, 926
 Worksheet object, 88
 Worksheets collection, 87, 955, 962
- SELECT statement**, 432–434, 441, 460
- SelectAll **method**, Shapes **collection**, 881
- SelectByID **method**, CustomXMLPart **objects collection**, 1020
- SelectByNamespace **method**, CustomXMLPart **objects collection**, 1020
- SelectCertificateDetailByThumbprint **method**, SignatureInfo **object**, 1064
- SelectedItems **property**, 235, 1032
- SelectedSheets **property**, Windows **object**, 932
- SelectedVbComponent **property**, VBE, 990
- Selection **property**
 Application object, 653
 Window object, 932
- SelectionChange **event**, 26, 963
- SelectNodes **method**
 CustomXMLNode object, 1019
 CustomXMLPart object, 1021
 DOMDocument, 262, 263
- SelectSignatureCertificate **method**, SignatureInfo **object**, 1064
- SelectSingleNode **method**
 CustomXMLNode object, 1019
 CustomXMLPart object, 1021
- Send menu**, 312
- Send **method**, 423
- SendFaxOverInternet **method**, Workbook **object**, 949
- SendForReview **method**, Workbook **object**, 949
- SendKeys **method**, 70–71, 660
- SendMail **method**, Workbook **object**, 950
- SendMailer **method**, Workbook **object**, 950
- Sentences **property**, TextRange2 **object**, 1070
- <separator .../> **control type**, 300
- Sequence **function**, 385, 394, 401, 407

Sequence Wizard, 399, 401

Series **collection**, 188, 189, 192–194, 196, 203, 204, 220, 221, 366, 422, 694, 695, 703, 734, 742, 769, 839, 842, 876

Series formats, 691

SERIES **function**, 191, 193–195, 197

Series **object**, 187, 197, 694, 703, 729, 769, 840, 872–877, 917

SeriesChange **event**, Chart **object**, 695

SeriesCollection **collection**, 872–877

SeriesCollection **method**

Chart **object**, 694

SeriesCollection **object**, 873

SeriesCollection **object**, 187, 197, 742

SeriesLines **object**, 877

ServerActions **property**, Range **object**, 856

ServerPolicy **property**, Workbook **object**, 942

ServerViewableItems **collection**, 878

ServerViewableItems **property**, Workbook **object**, 942

Set **statement**, 20, 45, 69, 134, 356

SetBackgroundPicture **method**, Worksheet **object**, 962

SetBackgroundPictureString **method**, Chart **object**, 694

SetDefaultChartString **method**, Chart **object**, 694

SetDefaultContext **method**, IAssistance **object**, 1039

SetEditingType **method**, ShapeNode **objects collection**, 886

SetElement **method**, 186, 187, 694

SetExtrusionDirection **method**, ThreeDFormat **object**, 913

SetFirstPriority **method**

AboveAverage **object**, 638

Top10 **object**, 916

UniqueValues **object**, 920

SetFocus **method**

CommandBarButton **object**, 1006

CommandBarComboBox **object**, 1009

CommandBarControl **object**, 1013

CommandBarPopup **object**, 1015

Window **object**, 993

SetIcon **method**, SortFields **object**, 898

SetLastPriority **method**

AboveAverage **object**, 638

Top10 **object**, 916

UniqueValues **object**, 920

SetLinkOnData **method**, Workbook **object**, 950

SetParam **method**, 479

SetPasswordEncryptionOptions **method**, Workbook **object**, 950

SetPhonetic **method**, Range **object**, 864

SetPosition **method**, ShapeNode **objects collection**, 886

SetPresetCamera **method**, ThreeDFormat **object**, 913

SetRange **method**, 143, 146, 897

SetSegmentType **method**, ShapeNode **objects collection**, 886

SetSelection **method**, CodePane **object**, 979

SetShapesDefaultProperties **method**

Shape **object**, 885

ShapeRange **object**, 891

SetSourceData **method**, 177, 184, 187

SetSourceDataRange **method**, Chart **object**, 694

SetThreeDFormat **method**, ThreeDFormat **object**, 913

Setup **buttons**, 687, 693

Setup **property**, Signature **object**, 1062

SetupBlogAccount **method**, IBlogExtensibility **object**, 1040

SetUpMenus **procedure**, 351

SetValue **method**, XPath **object**, 970

SetWindowLong **function**, 623

SFI **controls**, 496

sFormatDate **function**, 567

Shadow **format**, 700, 710

Shadow **property**

AxisTitle **object**, 675

ChartArea **object**, 697

Font2 **object**, 1036

Series **object**, 875

ShapeRange **object**, 889

Shadow **property**, Shape **object**, 883

ShadowFormat **object**, 878–879

Shape **object**, 65, 177, 178, 184, 186, 187, 640, 680, 707, 715, 717, 719, 744, 753, 757, 775, 776, 791, 793, 795, 806, 878, 880–885, 907, 911

ShapeNode **object**, 886–887

ShapeNodes **collection**, 886–887

ShapeRange **object collection**, 887–891

ShapeRange **objects**, 908

Shapes **collection**, 177, 181, 192, 196, 757, 880–885

Shapes **property**

Chart **object**, 689

Worksheet **object**, 957

ShapeStyle **property**

Shape **object**, 883

ShapeRange **object**, 889

sharedStrings **XML file**, 268–269

SharedWorkspace **object**, 1054–1055

SharedWorkspace **property**, Workbook **object**, 942

SharedWorkspaceFile **object**, 1055–1056

SharedWorkspaceFiles **collection**, 1055–1056

SharedWorkspaceFolder **object**, 1057

SharedWorkspaceFolders **collection**, 1057

SharedWorkspaceLink **object**, 1058–1059

SharedWorkspaceLinks **collection**, 1058–1059

SharedWorkspaceMember **object**, 1059–1060

SharedWorkspaceMembers **collection**, 1059–1060

SharedWorkspaceTask **object**, 1060–1061

- SharedWorkspaceTasks **collection**, 1060–1061
- Sheet **object**, 77, 90
- Sheet **property**
 - PublishObject object, 845
 - WorksheetView object, 967
- SheetActivate event**
 - Application object, 661
 - Workbook object, 952
- SheetBeforeDoubleClick **event**
 - Application object, 661
 - Workbook object, 952
- SheetBeforeRightClick **event**
 - Application object, 661
 - Workbook object, 952
- SheetCalculate **event**
 - Application object, 661
 - Workbook object, 952
- SheetChange **event**, 206, 661
- SheetChangeRange **event**, Workbook **object**, 952
- SheetDeactivate **event**
 - Application object, 662
 - Workbook object, 952
- SheetFollowHyperlink **event**
 - Application object, 662
 - Workbook object, 953
- SheetPivotTableUpdate **event**
 - Application object, 662
 - Workbook object, 953
- Sheets **collection**
 - Copy and Move methods, 85–87
 - grouping worksheets, 87–88
 - overview, 891
 - Sheets common properties, 891
 - Sheets methods, 892–893
 - Sheets properties, 892
 - Worksheets collection, 83–85
- Sheets **property**
 - Application object, 653
 - Workbook object, 942
- SheetSelectionChange **event**
 - Application object, 662
 - Workbook object, 953
- SheetsInNewWorkbook **property**, Application **object**, 653
- SheetViews **object**, 893
- SheetViews **property**, Windows **object**, 932
- SHELL32.DLL **file**, 602
- Shift Button **parameter**, 695
- Shift **parameter**, 695
- ShipperID **field**, 458
- shortcut keys, for macros**, 6–7
- Shortcut menus**, 319, 338, 340, 352
- shortcut Range object references**, 96
- ShortcutText **property**, CommandBarButton **object**, 1004
- ShortDate format**, 539, 541, 549
- Show Dependents **method**, Range **object**, 865
- Show **method**
 - CodePane object, 979
 - DialogSelected items object, 235
 - FileDialog object, 1033
 - UserForm, 273
 - WorkflowTask object, 1077
 - WorkflowTemplate object, 1078
- Show pages command**, 512
- Show **parameter**, 690
- ShowAllData **method**
 - AutoFilter object, 668
 - Worksheet object, 962
- ShowAsAvailable **property**, TableStyle **object**, 905
- ShowAsAvailableTableStyle **property**, TableStyle **object**, 905
- ShowAutoFilter **property**, 148
- ShowChartTipNames **property**, Application **object**, 653
- ShowChartTipValues **property**, Application **object**, 653
- ShowConflictHistory **property**, Workbook **object**, 942
- ShowDataForm **method**, 128, 159, 556, 962
- ShowDataLabelsOverMaximum **property**, Chart **object**, 689
- ShowDetail **property**, 828, 856
- ShowDetails **method**, Signature **object**, 1063
- ShowDevTools **property**, Application **object**, 653
- ShowError **property**, Validation **object**, 923
- ShowErrors **method**, Range **object**, 865
- ShowHelp **method**, IAssistance **object**, 1039
- showImage **attribute**, 302
- ShowImportExportValidationErrors **property**, XmlMap **object**, 968
- ShowInput **property**, Validation **object**, 923
- showItemImage **attribute**, 302, 305
- showItemLabel **attribute**, 302
- showLabel **attribute**, 303
- ShowMenuFloaties **property**, Application **object**, 653
- ShowPivotChartActiveFields **property**, Workbook **object**, 942
- ShowPivotTableFieldList **property**, Workbook **object**, 942
- ShowPopup **method**, 342, 1002
- ShowPrecedents **method**, Range **object**, 865
- ShowSelectionFloaties **property**, Application **object**, 653
- ShowSettings **method**, EncryptionProvider **object**, 1031

ShowSignatureAdded method, SignatureProvider object

- ShowSignatureAdded **method**, SignatureProvider **object**, 1065
- ShowSignatureCertificate **method**, SignatureInfo **object**, 1064
- ShowSignatureDetails **method**, SignatureProvider **object**, 1065
- ShowSignatureSetup **method**, SignatureProvider **object**, 1065
- ShowSignaturesPane **property**, SignatureSet **collection**, 1062
- ShowSignDate **property**, SignatureSetup **object**, 1066
- ShowSigningCeremony **method**, SignatureProvider **object**, 1065
- ShowStartupDialog **property**, Application **object**, 653
- ShowToolTips **property**, Application **object**, 653
- ShowWindow **function**, 623
- ShowWindowsInTaskbar **property**, Application **object**, 653
- ShrinkToFit **property**
 - CellFormat object, 683
 - Range object, 857
 - Style object, 902
- Sht As **object**, 89, 90, 324
- Sht **parameter**, 91
- SideWall **property**, Chart **object**, 690
- Sign **method**, Signature **object**, 1063
- Signature **object**, 1061–1063
- SignatureComment **property**, SignatureInfo **object**, 1064
- SignatureImage **property**, SignatureInfo **object**, 1064
- SignatureInfo **object**, 1063–1064
- SignatureLineShape **property**, Signature **object**, 1063
- SignatureProvider **object**, 1064–1066
- SignatureProvider **property**
 - SignatureInfo object, 1064
 - SignatureSetup object, 1066
- Signatures **property**, Workbook **object**, 942
- SignatureSet **collection**, 1061–1063
- SignatureSetup **object**, 1066
- SignatureText **property**, SignatureInfo **object**, 1064
- SigningInstructions **property**, SignatureSetup **object**, 1066
- SignXmlDsig **method**, SignatureProvider **object**, 1065
- Simple **class**, 384, 385, 401, 408
- single-parameter Range **object reference**, 101–102
- size **attribute**, 303
- Size **parameter**, 691, 708
- Size **property**
 - Font2 object, 1036
 - ShadowFormat object, 879
- Sizeable **property**, 625
- sizeString **attribute**, 303
- Smallcaps **property**, Font2 **object**, 1036
- SmallScroll **method**, Windows **object**, 935
- SmartDocument **object**, 1066–1067
- SmartDocument **property**, Workbook **object**, 942
- SmartTag **object**, 893–894
- SmartTagAction **object**, 894–895
- SmartTagActions **collection**, 894–895
- SmartTagActions **property**, SmartTag **object**, 894
- SmartTagOptions **collection**, 895
- SmartTagOptions **property**, Workbook **object**, 942
- SmartTagRecognizersRecognizers **property**, Application **object**, 653
- SmartTagReconizer **object** and SmartTagRecognizers **collection**, 895–896
- SmartTags **collection**, 893–894
- SmartTags **property**
 - Range object, 857
 - Worksheet object, 957
- Smooth **property**, Series **object**, 875
- sNumToUS **function**, 542–543
- SoftEdge Format **property**, Font2 **object**, 1036
- SoftEdge **property**
 - Shape object, 883
 - ShapeRange object, 889
- SoftEdgeFormat **object**, 1067
- Solid **method**, ChartFillFormat **object**, 699
- SolutionID **property**, SmartDocument **object**, 1067
- SolutionURL **property**, SmartDocument **object**, 1067
- SolveOrder **property**, CalculatedMember **object**, 679
- Sort fields **collection**, 143
- Sort **method**, Range **object**, 144, 865
- Sort **object**, 143, 144, 146, 896–897
- Sort **property**
 - AutoFilter object, 668
 - Worksheet object, 957
- SortField **object**, 143, 146, 897–898
- SortFields **collection**, 897–898
- SortFields **property**, Sort **object**, 896
- SortHint **property**, Signature **object**, 1063
- sorting
 - ranges, 142–144
 - tables, 145–146
- SortMethod **property**, Sort **object**, 896
- SortOn **property**, SortFields **object**, 897
- SortOnValue **property**, SortFields **object**, 897
- Sort **property**, QueryTable **object**, 848
- SortSpecial **method**, Range **object**, 866
- SoundNote **object**, 898
- SoundNote **property**, Range **object**, 857
- Source **argument**, 443
- Source **file**, 270, 271

- Source **parameter**, 694
- Source **property**
 - PublishObject object, 845
 - Watch object, 927
- Source type **parameter**, 180
- SourceConnection File **property**, QueryTable **object**, 848
- SourceDataFile **property**, QueryTable **object**, 848
- SourceName **property**, CalculatedMember **object**, 679
- SourceType **property**, PublishObject **object**, 845
- SourceURL **property**, 967, 1055
- SpaceAfter **property**, ParagraphFormat2 **object**, 1048
- SpaceBefore **property**, ParagraphFormat2 **object**, 1048
- SpaceWithin **property**, ParagraphFormat2 **object**, 1048
- Spacing **property**
 - Font2 object, 1036
 - TextColumn2 object, 1069
- Speak **method**
 - Range object, 866
 - Speech object, 899
- SpeakCellOnEnter **property**, Speech **object**, 898
- special names**, 128–129
- SpecialCells **method**, 87, 105–107, 113, 123, 124
- SpecialCells **method**, Range **object**, 866
- Speech **object**, 898–899
- Speech **property**, Application **object**, 654
- SpellingOptions **collection**, 899–901
- SpellingOptions **property**, Application **object**, 654
- Spin Button **control**, 211–212
- SpinDown **event**, 211, 212
- SpinUp **event**, 211, 212
- Split **function**, 230
- Split **property**, Windows **object**, 932
- SplitColumn **property**, Windows **object**, 932
- SplitHorizontal **property**, Windows **object**, 932
- SplitRow **property**, Windows **object**, 932
- SplitVertical **property**, Windows **object**, 932
- SQL (Structured Query Language) overview**
 - DELETE statement, 435
 - INSERT statement, 434
 - UPDATE statement, 434–435
- SQL command**, 440, 808
- SQL property**, 785, 788
- SQL Server, using ADO with**, 454–463
 - connecting to SQL Server, 455–456
 - disconnected recordsets, 461–463
 - multiple recordsets, 460–461
 - stored procedures, 456–460
- SSO database**, 786, 790
- Standard toolbar**, 9, 27, 320, 321, 580
- StandardFont **property**, Application **object**, 654
- StandardFontSize **property**, Application **object**, 654
- StandardHeight **property**, Worksheet **object**, 957
- StandardWidth **property**, Worksheet **object**, 957
- Start **parameter**, 174, 684, 715, 805
- Start **property**, TextRange2 **object**, 1070
- Start Recording button**, 4
- StartupPath **property**, Application **object**, 654
- StartValue **property**, BulletFormat2 **object**, 996
- State **property**
 - CommandBarButton object, 1004
 - Connection object, 438
 - Recordset object, 443
- Statement **property**, ServerPolicy **object**, 1050
- Static **statement**, 41
- Status **property**
 - RoutingSlip object, 870
 - SharedWorkspaceTask object, 1061
 - Sync object, 1068
- StatusBar **property**, 70, 654
- Step option**, 53
- Stop Recording button**, 4
- StopifTrue **property**
 - AboveAverage object, 637
 - Top10 object, 916
 - UniqueValues object, 920
- stored procedures**, 456–460
- StoreLicenses **property**, Permission **object**, 1049
- Str **function**, 542
- Stream **object**, 436
- Strike **property**, Font2 **object**, 1036
- StrikeThrough **property**, Font2 **object**, 1036
- String (fixed-length) **data type**, 43
- String (variable-length) **data type**, 43
- StripeSize **property**, TableStyleElement **object**, 906
- Structured Query Language (SQL) overview**
 - DELETE statement, 435
 - INSERT statement, 434
 - UPDATE statement, 434–435
- structures**, 606–609
- structuring data**, 141–142
- Style **method**, Style **object**, 903
- Style **object**, 676, 901–903
- Style **property**
 - BulletFormat2 object, 997
 - CommandBarButton object, 1005
 - CommandBarComboBox object, 1008
 - Range object, 857
 - ShadowFormat object, 879
- Styles **collection**, 901–903
- Styles **property**, Workbook object **collection**, 942
- sub procedures, calling**, 35–36
- Subject **property**, RoutingSlip **object**, 870
- SubscribeTo **method**, Range **object**, 866

Subscript property, Font2 object

Subscript **property**, Font2 **object**, 1037
Subset **property**, SignatureSet **collection**, 1062
Subtotal **method**, Range **object**, 867
SuggestedSigner **property**, SignatureSetup **object**, 1066
SuggestedSignerEmail **property**, SignatureSetup **object**, 1066
SuggestedSignerLine2 **property**, SignatureSetup **object**, 1066
SuggestMainOnly **property**, SpellingOptions **collection**, 900
SUM **function**, 111
Sum Wizard, 639
Summary **property**, Range **object**, 857
supertip, 303, 1001
supertip **attribute**, 303
Switch Row/Column button, 182
Sync **object**, 1067–1068
Sync **property**, Workbook **object**, 943
SyncEvent **event**, Workbook **object**, 953
synchronizing worksheets, 90–91
SynchScrollingSideBySide **property**, Windows **object**, 929

T

Tab **object**, 690, 903–904
Tab **property**
 Chart **object**, 690
 Worksheet **object**, 957
tab sets, controlling using RibbonX, 313–314
Table button, 144
Table feature, 129
Table **method**, Range **object**, 867
table-driven command bar creation, 344–353
TableName **parameter**, 165
tables
 creating, 144–145, 417
 sorting, 145–146
Tables group, 144, 162
TableStyle **element**, 748, 765
TableStyle **object**, 904–906
TableStyleElement **object**, 906
TableStyleElements **collection**, 906
TableStyleElements **property**, TableStyle **object**, 905
TableStyles **collection**, 904–906
TableStyles **property**, Workbook **object**, 943
TabRatio **property**, Windows **object**, 932
tabs, controlling using RibbonX, 313–314
TabStop2 **object**, 1068–1069

TabStops **property**
 ParagraphFormat2 **object**, 1048
 Ruler2 **object**, 1051
TabStops2 **collection**, 1068–1069
tag **attribute**, 303
Tag **property**
 and Click events, 398, 577
 CommandBarButton **object**, 1005
 CommandBarComboBox **object**, 1008
 CommandBarControl **object**, 1012
 CommandBarPopup **object**, 1015
 and Parameter **property**, 333
Tag **property**, IRibbonControl **object**, 1042
TakeFocusOnClick **property**, 15
TargetBrowser **property**, WebOptions **object**, 929
TargetFile **variable**, 266
task panes, showing UserForms as, 405–406
Tasks **property**, SharedWorkspace **object**, 1055
Tax **function**, 47
template letter, 425, 427, 429
TemplateRemoveExtData **property**, Workbook **object**, 943
TemplatesPath **property**, Application **object**, 654
Temporary **parameter**, 400
Terminate **code**, 614
Terminate **event**, 577, 615, 619
= TEXT() worksheet **function**, 559
 Application.ConvertFormula **function**, 560
 Application.Evaluate **function**, 560
 Application.ExecuteExcel4Macro **function**, 560
 Range.AdvancedFilter **method**, 559–560
 Range.Formula **property**, 559
 Range.FormulaArray **property**, 559
 Range.Value **property**, 559
Text Box **control**, 276
text files
 importing, 223, 849, 850
 opening, 223
 querying, 467–468
 reading, 226–227
 writing to, 224–233, 227
Text for Boolean True setting, 538
Text Import Wizard, 555, 560, 561
Text **object**, 758
Text **parameter**, 658, 715, 720
Text **property**
 AxisTitle **object**, 675
 Characters **object**, 685
 CommandBarComboBox **object**, 1008
 CustomXMLNode **object**, 1018
 CustomXMLValidationError, 1024
 Range **object**, 857

- TextEffectFormat, 907
- TextRange2 object, 1070
- TextBox **control**, 371
- TextBox **object**, 369
- TextboxText **property**, SmartTagAction **object**, 895
- TextCode page**, 693
- TextColumn2 **object and** TextColumns2 **collection**, 1069
- TextDirection **property**
 - ParagraphFormat2 object, 1049
 - TextColumn2 object, 1069
- TextEffect **property**
 - Shape object, 883
 - ShapeRange object, 889
- TextEffectFormat **object**, 907–908
- TextFileColumnDataTypes **property**, QueryTable **object**, 849
- TextFileCommaDelimiter **property**, QueryTable **object**, 849
- TextFileConsecutiveDelimiter **property**, QueryTable **object**, 849
- TextFileDecimalSeparator **property**, QueryTable **object**, 849
- TextFileFixedColumnWidths **property**, QueryTable **object**, 849
- TextFileOtherDelimiter **property**, QueryTable **object**, 849
- TextFileParseType **property**, QueryTable **object**, 849
- TextFilePlatform **property**, QueryTable **object**, 849
- TextFilePromptOnRefresh **property**, QueryTable **object**, 849
- TextFileSemicolonDelimiter **property**, QueryTable **object**, 849
- TextFileSpaceDelimiter **property**, QueryTable **object**, 849
- TextFileStartRow **property**, QueryTable **object**, 849
- TextFileTabDelimiter **property**, QueryTable **object**, 850
- TextFileTextQualifier **property**, QueryTable **object**, 850
- TextFileThousandsSeparator **property**, QueryTable **object**, 850
- TextFileTrailingMinusNumbers **property**, QueryTable **object**, 850
- TextFileVisualLayout **property**, QueryTable **object**, 850
- TextFrame **object**, 908–909
- TextFrame **property**
 - Shape object, 883
 - ShapeRange object, 889
- TextFrame2 **object**, 909–911
- TextFrame2 **property**, ShapeRange **object**, 889
- TextRange **property**, TextRange2 **object**, 910
- TextRange2 **object**, 1070–1072
- TextToColumns **method**, Range **object**, 867
- TextureName **property**, ChartFillFormat **object**, 699
- TextureType **property**, ChartFillFormat **object**, 699
- Theme **property**, Workbook **object**, 943
- ThemeColor **object**, 1072
- ThemeColor **property**, 676, 677, 749, 750, 766, 904
- ThemeColorScheme **property**, OfficeTheme **object**, 1047
- ThemeColorSchemeIndex **property**, ThemeColor, 1072
- ThemeColorsScheme **object**, 1072–1073
- ThemeEffectScheme **object**, 1073
- ThemeEffectScheme **property**, OfficeTheme **object**, 1047
- ThemeFont **object and** ThemeFonts **collection**, 1073–1074
- ThemeFontScheme **object**, 1074
- ThemeFontScheme **property**, OfficeTheme **object**, 1047
- Thickness **property**, Walls **object**, 926
- ThisCell **property**, Application **object**, 654
- ThisWorkbook **property**, Application **object**, 654
- Thousand Separator setting**, 538
- ThousandsSeparator **property**, Application **object**, 654
- ThreeD format **object**, 701, 710
- ThreeD **property**
 - Shape object, 883
 - ShapeRange object, 889
 - TextFrame2 object, 910
- ThreeDFormat **object**, 911–913
- ThrottleInterval **property**, RTD, 870
- ThunderDFrame **class**, 608
- ThunderRT6DFrame **class**, 608
- ThunderXFrame **class**, 608
- TickLabelPosition **property**, Axis **object**, 673
- TickLabels **object**, 913–915
- TickLabels **property**, Axis **object**, 673
- TickLabelSpacing **property**, Axis **object**, 673
- TickLabelSpacingIsAuto **property**, Axis **object**, 673
- TickMarkSpacing **property**, Axis **object**, 673
- Time **parameter**, 661
- Time **property**, AutoRecover **object**, 669
- Timer **function**, 616
- TimeSerial **function**, 71, 413
- TintAndShade **property**
 - Border object, 677
 - Borders collection, 676
- TintAndShade **property**, Tab **object**, 904
- title **attribute**, 303
- Title button**, 186
- Title property**
 - Add-In, 639
 - AllowEditRange object, 642
 - CustomTaskPane object, 1016
 - FileDialog object, 1032
 - SharedWorkspaceTask object, 1061

TODAY function

TODAY function, 73

<toggleButton .../> **control type, 299**

ToggleFormsDesign **method**, Workbook **object, 950**

ToggleVerticalText **method**, TextEffectFormat **object, 907**

toolbars, 320–322, 335–338

toolkit add-in, 571

Tools menu, 5

ToolTipText **property**

CommandBarButton object, 1005

CommandBarComboBox object, 1008

CommandBarControl object, 1012

CommandBarPopup object, 1015

Top **property**

Application object, 654

Axis object, 673

AxisTitle object, 675

ChartArea object, 697

CommandBar object, 1002

CommandBarButton object, 1005

CommandBarComboBox object, 1008

CommandBarControl object, 1012

CommandBarPopup object, 1015

Range object, 857

Shape object, 883

ShapeRange object, 889

Window object, 932, 993

Top10 **object, 915–917**

TopBottom **property**, Top10 **object, 916**

TopLeftCell **property**, Shape **object, 884**

TopLine **property**, CodePane **object, 978**

ToReferenceStyle **parameter, 657**

Tracking **property**, TextEffectFormat **object, 907**

TrackStatus **property**, RoutingSlip **object, 870**

Training **method, 355**

TransitionExpEval **property**, Worksheet **object, 958**

TransitionFormEntry **property**, Worksheet **object, 958**

TransitionMenuKey **property**, Application **object, 654**

TransitionMenuKeyAction **property**, Application **object, 654**

TransitionNavigKey **property**, Application **object, 654**

Transparency **property**

GradientStop object, 1038

ShadowFormat object, 879

TrapApplication **events procedure, 365**

TreeViewControl **object, 917**

Trendline **object, 917–919**

Trendlines **collection, 917–919**

Trendlines **method**, Series **object, 876**

TrimText **method**, TextRange2 **object, 1072**

Trust Center dialog box, 5, 489, 491

Trust Center settings, 489, 491, 571

Trust Center user interface, 491–503

ActiveX settings, 495–496

Add-ins category, 494

External Content category, 499–500

macro settings, 497–498

Message Bar, 498–499

privacy options, 501–503

trusted locations, 492–493

trusted publishers, 492

Trusted Locations category, 492

Trusted Locations settings, 496

TwoColorGradient **method**, ChartFillFormat **object, 699**

TwoInitialCapitals **property**, AutoCorrect **object, 666**

type libraries, 411, 412, 414, 430

Type **parameter, 68, 670, 690, 693, 841, 917**

Type **property**

Action object, 639

Axis object, 673

BulletFormat2 object, 997

CalculatedMember object, 679

CalloutFormat object, 680

ChartColorFormat object, 698

ChartFillFormat object, 699

CommandBar object, 1002

CommandBarButton object, 1005

CommandBarComboBox object, 1008

CommandBarControl object, 1012

CommandBarPopup object, 1015

CustomXMLValidationError, 1025

DocumentProperty object, 1030

MetaProperty object, 1045

Reference object, 984

ReflectionFormat, 1051, 1067

SearchScope, 1054

Series object, 875

ShadowFormat object, 879

Shape object, 884

ShapeRange object, 889

SmartTagAction object, 895

TabStop2 object, 1069

Top10 object, 916

Trendline object, 918

UniqueValues object, 920

Validation object, 923

VBcomponent object, 987

VBproject object, 991

VPageBreak object, 925

Window object, 932, 993

Worksheet object, 958

TypeConditionType **property**, AboveAverage **object, 637**

U

- UBound **function**, **57, 109, 190**
- UDFs (user-defined **functions**), **1, 18–21, 44, 333, 373, 384**
 - creating, 18–21
 - limitations, 21
- UFI **controls**, **496**
- UINT C **data type**, **605**
- UINT FAR * C **data type**, **605**
- UK settings**, **148, 540**
- Underline Color **property**, Font2 **object**, **1037**
- Underline Style **property**, Font2 **object**, **1037**
- Undo **method**, Application **object**, **660**
- Ungroup **method**
 - Range **object**, 868
 - Shape **object**, 885
 - ShapeRange **object**, 891
- Unhide button**, **6**
- Union **method**, **115, 661**
- UniqueValues **object**, **919–920**
- Unload **statement**, **273, 277, 282**
- Unmerge **method**, Range **object**, **868**
- Unprotect **method**
 - AllowEditRange **object**, 642
 - Chart **object**, 694
 - Workbook **object**, 950
 - Worksheet **object**, 962
- UnprotectSharing **method**, Workbook **object**, **950**
- Unsuspend **method**, Sync **object**, **1068**
- Until **statement**, **52**
- unzipping Excel containers**, **266–267**
- UpBars **object**, **920–921**
- Update **method**
 - Add-ins **collection**, 974
 - COMAddins **collection**, 997
- UPDATE **statement**, **434–435, 453**
- UpdateFromFile **method**, Workbook **object**, **950**
- UpdateLink **method**, **71, 950**
- UpdateLinks **property**, Workbook **object**, **943**
- UpdateRemoteReferences **property**, Workbook **object**, **943**
- Uri **property**, XMLNameSpace, **969**
- URL encoding**, **535**
- URL **property**
 - SharedWorkspace **object**, 1055
 - SharedWorkspaceFile **object**, 1056
 - SharedWorkspaceLink **object**, 1059
- U.S. settings**, **148, 546, 549, 829**
- UsableHeight **property**
 - Application **object**, 654
 - Window **object**, 932
- UsableWidth **property**
 - Application **object**, 655
 - Window **object**, 932
- Use Advanced Filter**, **156, 160**
- UseCommandObject procedure**, **459**
- UseDefaultFolderSuffix **method**, WebOptions **object**, **929**
- UsedObjects **collection**, **921–922**
- UsedObjects **property**, Application **object**, **655**
- UsedRange **property**, Worksheet **object**, **958**
- UseLegacyKeyboardShortcuts **property**, Application **object**, **655**
- UseLongFileNames **property**, WebOptions **object**, **929**
- User key**, **396**
- User Table**, **844**
- User_Form **resize event**, **630**
- USER32 .EXE **file**, **602**
- UserAccessList **collection**, **922**
- UserAccessList **object**, **921**
- UserControl **property**, Application **object**, **655**
- User-defined (using Type) **data type**, **43**
- user-defined **functions (UDFs)**, **1, 18–21, 44, 333, 373, 384**
 - creating, 18–21
 - limitations, 21
- User-defined menus**, **319**
- UserDict **property**, SpellingOptions **collection**, **900**
- UserForm **control**, **298, 368**
- UserForm **module**, **289**
- UserForm **object**, **26, 273, 277, 406, 594, 597, 622, 623, 624, 625, 628, 629, 633**
- UserForm styles**, **622**
- UserForm text boxes**, **370**
- UserForm window**, **618**
- UserForm_Initialize **event**, **284, 369, 629, 633**
- UserForm_Resize **event**, **626, 627, 633**
- UserForms
 - creating, 275–277
 - directly accessing controls, 277–281
 - displaying, 273–274
 - freezing, 618
 - maintaining data lists, 282–288
 - modeless, 288–291
 - overview, 594–598
 - resizable, 625–634
 - absolute changes, 626–627
 - CFormResizer class, 628–634
 - relative changes, 627–628
 - showing as task panes, 405–406
 - stopping Close button, 281–282

UserForms (continued)

UserForms (continued)

styles, modifying, 622–625
 CFormChanger class, 624–625
 Window styles, 623–624
variable UserForm name, 291

UserId **property**, UserPermission **object**, 1075

UserLibraryPath **property**, Application **object**, 655

UserName **property**, Application **object**, 655

UserPermission **object**, 1074–1075

UserPicture **method**, ChartFillFormat **object**, 700

Users **property**, AllowEditRange **object**, 642

UserStatus **property**, Workbook **object**, 943

UserTextured **method**, ChartFillFormat **object**, 700

UseStandardFormula **parameters**, 812, 821, 822

UseStandardHeight **property**, Range **object**, 857

UseStandardWidth **property**, Range **object**, 857

UseSystemSeparators **property**, Application **object**, 655

UseTextColor **property**, BulletFormat2 **object**, 997

UseTextFont **property**, BulletFormat2 **object**, 997

V

Val **function**, 543–544

Val(“6 My St.”) **expression**, 544

Validate **method**, CustomXMLSchemaCollection **object**, 1023

Validate **property**

 MetaProperties collection, 1044

 MetaProperty object, 1045

Validation **object**, 923–924

Validation **property**, Range **object**, 857

Val(myDate) **expression**, 544

Val(myDbf) **expression**, 544

Val(“SomeText”) **expression**, 544

Val(True) **expression**, 544

Value **property**

 ActiveCell object, 29

 Application object, 655

 Borders collection, 676

 ComboBox object, 216

 control, 279

 DocumentProperty object, 1030

 Error object, 741

 MetaProperty object, 1045

 Property object, 983

 Range object, 24, 67, 559, 857

 scbNavigator, 284–287

 Style object, 903

 Validation object, 923

 XPath object, 970

Value2 **property**, Range **object**, 857

values

 returning, 33–34

 storing in names, 129–130

Values **property**, 190, 192, 197, 871, 875

variable types, 42–45

 constants, 44

 declaring, 43–44

 declaring function and parameter types, 44

 variable naming conventions, 44–45

variables

 declaring, 38–40

 naming conventions, 44–45

 object variables, 45–47

 scope and lifetime of, 40–42

Variant (with characters) **data type**, 43

Variant (with numbers) **data type**, 43

Vb **method**, 383

VBA Extensibility library, 598

VBA language

 arrays, 55–58

 dynamic arrays, 58

 multi-dimensional arrays, 57

 basic input and output, 30–35

 constants, 33

 InputBox, 34–35

 parameters specified by name, 31–33

 parameters specified by position, 31

 return values, 33–34

 returning values, 33–34

 calling functions and sub procedures, 35–36

 creating offline cube using, 522–523

 looping, 50–55

 Do...loop, 50–53

 For Each...Next loop, 54–55

 For...Next loop, 53–54

 making decisions, 47–50

 block If structure, 48–49

 If statements, 47–48

 Select Case, 49–50

 object variables, 45–47

 With...End With structure, 46–47

 parentheses and argument lists, 37–38

 with Call statement, 38

 without Call statement, 37

 run-time error-handling, 59–62

 scope and lifetime of variables, 40–42

 variable declaration, 38–40

 variable type, 42–45

 constants, 44

 declaring, 43–44

 declaring function and parameter types, 44

 variable naming conventions, 44–45

VBA MsgBox **function**, 561

- vbAbortRetryIgnore **constant**, **32**
- vbApplicationModal **constant**, **32**
- vbAppTaskManager **constant**, **282**
- vbAppWindows **constant**, **282**
- VBASigned **property**, Workbook **object**, **943**
- VBComponent **object**, **573–574**, **596**, **986–989**
- VBComponent.Properties("<Other Properties>")
 - VBE **property**, **972**
- VBComponent.Properties("Name") VBE **property**, **972**
- VBComponents **collection**, **986–989**
- VBComponents **property**, VBProject **object**, **991**
- vbCritical **constant**, **32**
- vbDefaultButton1 **constant**, **32**
- vbDefaultButton2 **constant**, **32**
- vbDefaultButton3 **constant**, **32**
- vbDefaultButton4 **constant**, **32**
- VBE (Visual Basic Editor)**, **8–11**
 - adding menu items to, 576–580
 - code modules, 9–10
 - COM Add-ins, 599–600
 - identifying VBE objects in code, 572–575
 - CodeModule object, 574
 - CodePane object, 574
 - Designer object, 574–575
 - VBComponent object, 573–574
 - VBE object, 572
 - VBProject object, 572–573
 - procedures, 10
 - Project Explorer, 10–11
 - Properties window, 11
 - starting up, 575–576
 - UserForms, 594–598
 - workbooks, 580–589
 - working with code, 589–593
 - working with references, 598–599
- VBE command bars**, **319**, **326**, **350**
- VBE **object model**, **971–994**
 - AddIn object and Add-Ins collection, 973–974
 - CodeModule object, 974–978
 - CodePane object and CodePanels collection, 978–980
 - CommandBarEvents object, 980–981
 - common properties and methods, 972–973
 - End FunctionReferencesEvents object, 986
 - Events object, 981–982
 - LinkedWindows collection, 982
 - links between Excel and, 971–972
 - overview, 971
 - Property object and Properties collection, 982–983
 - Reference object and References collection, 984–986
 - VBComponent object and VBComponents collection, 986–989
 - VBE object, 989–990
 - VBProject object and VBProjects collection, 990–992
 - Window object and Windows collection, 992–994
- VBE Print dialog box**, **591**
- VBE **property**, Application **object**, **655**
- VBE toolbar**, **579**, **581**
- VBE Toolkit add-in**, **575**
- vbExclamation **constant**, **32**
- vbFormCode **constant**, **282**
- vbFormControlMenu **constant**, **282**
- vbInformation **constant**, **32**
- vbMsgBoxHelpButton **constant**, **32**
- vbMsgBoxRight **constant**, **32**
- vbMsgBoxRtlReading **constant**, **32**
- vbMsgBoxSetForeground **constant**, **32**
- vbOKCancel **constant**, **32**
- vbOKOnly **constant**, **32**
- VBProject **object**, **571**, **572–573**, **585**, **589**, **971**, **972**, **990–992**
 - VBProject **property**, Workbook **object**, **943**
 - VBProject.FileName VBE **property**, **972**
 - VBProjects **collection**, **572**, **990–992**
 - VBProjects **property**, VBE, **990**
- vbQuestion **constant**, **32**
- vbRetryCancel **constant**, **32**
- vbSystemModal **constant**, **32**
- vbYesNo **constant**, **32**
- vbYesNoCancel **constant**, **32**
- Vector Markup Language**, **736**
- VerifyXmlDsig **method**, SignatureProvider **object**, **1066**
- Version **property**, Application **object**, **655**
- Version **property**, VBE, **990**
- VerticalAlignment **property**
 - AxisTitle object, 675
 - CellFormat object, 683
 - Range object, 857
 - Style object, 903
 - TextFrame object, 909
- VerticalAnchor **property**, TextFrame2 **object**, **910**
- VerticalFlip **property**
 - Shape object, 884
 - ShapeRange object, 889
- Vertices **property**
 - Shape object, 884
 - ShapeRange object, 889
- View **property**, Windows **object**, **932**
- View tab**, **5**, **6**, **402**, **403**
- ViewName **parameter**, **727**
- visible **attribute**, **303**
- Visible **property**
 - Application object, 655
 - BulletFormat2 object, 997

Visible property (continued)

Visible property (continued)

ChartFillFormat object, 699
Charts collection, 686
and ClearManualFilter method, 724, 818
CommandBar object, 1002
CommandBarButton object, 1005
CommandBarComboBox object, 1008
CommandBarControl object, 1012
CommandBarPopup object, 1015
CustomTaskPane object, 1016
ensuring Excel window is active with, 218
hiding names with, 131, 175–176
ShadowFormat object, 879
Shape object, 884
ShapeRange object, 889
Sheets collection, 892
ThreeDFormat object, 912
and toolbar creation, 337
Window object, 932, 993
Worksheets collection, 954, 958

visible rows
copying, 153–154
finding, 154–156

VisibleRange property, Windows object, 933
VisibleStateChange customtaskpane events, 1016
VisibleVisibility property, Chart object, 690

Visual Basic 6, 384, 402
Visual Basic button, 8
Visual Basic Editor. See VBE (Visual Basic Editor)
Visual Basic Editor (VBE), 8–11
adding menu items to, 576–580
code modules, 9–10
COM Add-ins, 599–600
identifying VBE objects in code, 572–575
CodeModule object, 574
CodePane object, 574
Designer object, 574–575
VbComponent object, 573–574
VBE object, 572
VbProject object, 572–573
procedures, 10
Project Explorer, 10–11
Properties window, 11
starting up, 575–576
UserForms, 594–598
workbooks, 580–589
working with code, 589–593
working with references, 598–599

Visual Basic for Applications Extensibility, 571, 572, 600, 971
Visual Basic language, 1, 73
VK_ control, 583

VLookup function, 19, 563
Volatile method, Application object, 661
Volatile parameter, 661
VPageBreak object, 924–925
VPageBreaks collection, 924–925
VPageBreaks property
Charts collection, 686
Sheets collection, 892
Worksheet object, 958
Worksheets collection, 954

W

Wait method, Application object, 661
Walls object, 687, 690, 765, 925–926
Walls property, Chart object, 690
WarnOnFunctionNameConflict property, Application object, 655
WarpFormat property, TextFrame2 object, 910
Watch object, 926–928
Watch Window, 580
Watches collection, 926–928
Watches object, 655
Watches property, Application object, 655
Web Browser control, 404, 405, 525
Web formatting argument, 487
web pages. See Internet
Web Queries, 470, 472, 479, 481, 484, 525, 528, 530, 536, 554, 558, 569
Web Query (IQY) files, 486–487
WebConsecutiveDelimitersAsOne property, QueryTable object, 850
WebDisableDateRecognition option, 558
WebDisableDateRecognition property, QueryTable object, 850
WebDisableRedirections property, QueryTable object, 850
WebFormatting property, QueryTable object, 850
WebOptions object, 928–929
WebOptions property, Workbook object, 943
WebPageFont object, 1075–1076
WebPageFonts collection, 1075–1076
WebPagePreview method, Workbook object, 951
WebPreFormattedTextToColumns property, QueryTable object, 850
WebSelectionType property, 480, 850
WebSingleBlockTextImport property, QueryTable object, 850
WebTables property, 480, 482, 851
Weekday function, 116
WeeklyPay function, 358
Weight property, Border object, 677

WeightWeight **property**, Borders **collection**, 676

What **parameter**, 666

Where **parameter**, 692

Width **property**

Application object, 656

Axis object, 673

ChartArea object, 697

CommandBar object, 1002

CommandBarButton object, 1005

CommandBarComboBox object, 1008

CommandBarControl object, 1012

CommandBarPopup object, 1015

CustomTaskPane object, 1016

Range object, 857

Shape object, 884

ShapeRange object, 889

Window object, 933, 993

Window list, 314

Window menu, 314

Window **object**, 77, 89–91, 92, 802, 929–935

Window **property**

CodePane object, 978

CustomTaskPane object, 1016

WindowActivate **event**

Application object, 662

Workbook object, 953

WindowDeactivate **event**

Application object, 662

Workbook object, 953

WindowNumber **property**, Windows **object**, 933

WindowResize **event**

Application object, 662

Workbook object, 953

Windows API, 601–634

anatomy of API call, 602–603

constants, structures, handles, and classes, 606–609

example classes, 616–622

CFreezeForm class, 618–619

class module CHighResTimer, 616–618

high-resolution timer class, 616

System Info class, 619–622

if something goes wrong, 609–611

interpreting C-style declarations, 603–606

modifying UserForm styles, 622–625

CFormChanger class, 624–625

Window styles, 623–624

resizable UserForms, 625–634

absolute changes, 626–627

CFormResizer class, 628–634

relative changes, 627–628

wrapping API calls in class modules, 611–616

Windows applications, 591, 608

Windows **collection**, 929–935

Windows **Control Panel**, 159, 538, 655

Windows File Manager, 373

Windows language

and regional settings, 538–545

identifying, 538–539

VBA conversion functions, 539–545

version of, 561

Windows **property**

Application object, 656

VBE, 990

Workbook object, 943

Windows Regional settings, 528, 537–539, 544, 546, 549, 552–556, 558, 559, 561, 565–568, 601

Windows Scripting Runtime, 601

Windows settings, 541, 545

Windows Sharepoint Server, 781

Windows Task Manager, 282

Windows TEMPdirectory, 602, 612

Windows temporary path, 612

Windows XP, 266, 611

WindowsForPens **property**, Application **object**, 656

WindowState **property**

Window object, 933, 993

WindowStateXlWindow **property**, Application **object**, 656

WININET.DLL **file**, 602

WINMM.DLL **file**, 602

WINSPOOL.DRV **file**, 602

With **statement**, 190, 281

With...End With structure, 46–47

WithEvents keyword, 363, 398

WithEvents object, 399, 406

Wizard dialog box, 397

Wizard form, 401

Word

accessing active document, 417

creating new document, 418

opening documents in, 416–417

WORD C **data type**, 605

Word **object**, 411

Word window, 418

WordArt Format **property**, Font2 **object**, 1037

WordArt **objects**, 907

WordArtFormat **property**, TextFrame **object2**, 910

Words **property**, TextRange2 **object**, 1070

WordWrap **property**

ParagraphFormat2 object, 1049

TextFrame2 object, 910

Workbook **object and Workbooks collection**, 935–953

events, 951–953

methods, 935–937, 944–951

overview, 935

properties, 935–943

Workbook object Connections dialog

- Workbook **object Connections dialog**, **471, 486**
- Workbook **object events**, **92, 199, 205–207, 208, 363, 573, 951**
- Workbook **object level**, **126**
- Workbook **object Links**, **500**
- Workbook **object tabs command bar**, **340**
- Workbook_BeforeClose **event**, **206, 338, 351, 377, 576**
- Workbook_Open **event**, **16, 150, 338, 346, 351, 365, 577**
- Workbook_Open procedure**, **577, 581**
- Workbook_Open routine**, **589**
- Workbook_SheetActivate **event**, **91**
- Workbook_SheetDeactivate **event**, **91**
- WorkbookActivate **event**, Application **object**, **662**
- WorkbookAddinInstall **event**, Application **object**, **662**
- WorkbookAddinUninstall **event**, Application **object**, **662**
- WorkbookAfterXMLExport **event**, Application **object**, **662**
- WorkbookAfterXMLImport **event**, Application **object**, **662**
- WorkbookBefore XMLExport **event**, Application **object**, **663**
- WorkbookBefore XMLImport **event**, Application **object**, **663**
- WorkbookBeforeClose **event**, Application **object**, **663**
- WorkbookBeforePrint **event**, **364, 371**
- WorkbookBeforePrint **event**, Application **object**, **663**
- WorkbookBeforeSave **event**, Application **object**, **663**
- Workbook.CodeName Excel **property**, **972**
- WorkbookConnection **object**, **469, 487–489, 490, 717, 953**
- WorkbookConnection **property**, QueryTable **object**, **851**
- WorkbookConnection **property**, XmlMap **object**, **968**
- WorkbookDeactivate **event**, Application **object**, **663**
- WorkbookNewSheet **event**, Application **object**, **663**
- WorkbookOpen **event**, Application **object**, **663**
- WorkbookPivotTableCloseConnection **event**, Application **object**, **663**
- WorkbookPivotTableOpenConnection **event**, Application **object**, **663**
- WorkbookRowsetComplete **event**, Application **object**, **663**
- workbooks and worksheets**
 - inserting and updating records in, **466–467**
 - opening web pages as, **528**
 - querying, **464–466**
 - Sheets collection, **83–88**
 - Copy and Move methods, **85–87**
 - grouping worksheets, **87–88**
 - Worksheets collection, **83–85**
 - synchronizing worksheets, **90–91**
 - using Internet for storing, **526–527**
 - Window object, **89–91**
 - Workbooks collection, **77–83**
 - files in same directory, **81**
 - getting filename from a path, **78–80**
 - overwriting existing workbook, **81–82**
 - saving changes, **82–83**
 - Workbooks **collection**
 - files in same directory, **81**
 - getting filename from a path, **78–80**
 - overwriting workbooks, **81–82**
 - saving changes, **82–83**
 - Workbooks **object**, **46, 380, 589**
 - Workbooks **property**, Application **object**, **656**
 - Workbook.VBProject Excel **property**, **972**
 - WorkflowID **property**, WorkflowTask **object**, **1077**
 - WorkflowTask **object**, **1076–1077**
 - WorkflowTasks **collection**, **1076–1077**
 - WorkflowTemplate **object**, **1077–1078**
 - WorkflowTemplates **collection**, **1077–1078**
 - Worksheet Change **event**, **200**
 - Worksheet DATE **function**, **87**
 - worksheet **events**, **199–202, 962**
 - Worksheet **function**, **19, 20, 56, 57, 74, 76, 96, 103, 121, 150, 192, 211, 212, 304, 324, 358**
 - Worksheet Index **property**, **85**
 - Worksheet Max **function**, **212**
 - Worksheet menu bar**, **320–322, 330, 332, 334, 341, 347, 351, 999**
 - Worksheet **object**
 - events, **962–963**
 - methods, **958–962**
 - properties, **955–958**
 - Worksheet **property**, Range **object**, **857**
 - Worksheet Range **object**, **23**
 - Worksheet Transpose **function**, **121, 150**
 - Worksheet_Activate **event**, **199**
 - Worksheet_BeforeRightClick **event**, **200**
 - Worksheet_Calculate **event**, **200, 201–202, 208, 958**
 - Worksheet_Deactivate **event**, **199, 200**
 - Worksheet_SelectionChange **event**, **26, 115, 199, 200**
 - Worksheet.CodeName Excel **property**, **972**
 - WorksheetFunction **object**, **963–966**
 - WorksheetFunction **property**, Application **object**, **656**
 - WorksheetName **function**, **75**
- worksheets. See workbooks and worksheets**
- Worksheets **collection**, **23, 53, 83–85, 87, 355, 635, 954–955**
- Worksheets **object**, **23, 46**
- Worksheets **property**
 - Application **object**, **656**
 - Workbook **object**, **943**

WorksheetView **object**, 966–967
 WorkspaceLastChangedBy **property**,
 Sync **object**, 1068
WPARAM C data type, 605
 WrapText **property**
 Range object, 857
 Style object, 903
 WrapText **property**, CellFormat **object**, 683
 Write **statement**, 224, 227
 WritePassword **property**, Workbook **object**, 943
 WriteReserved **property**, Workbook **object**, 943
 WriteReservedBy **property**, Workbook **object**, 943
WRS language, 539, 541, 542, 551
WRS number formats, 557

X

X values **property**, 190, 193
 xlBuiltinDialog **constants**, 737
XIChart item, 202, 692, 694, 695
XIClipboard format, 646
XICountry setting, 538, 561
 xlCredentials **method**, 786, 789
 XLDESK **class**, 608
XLL extension, 639
XLM format, 5
 XLMAIN **class**, 608
XIMouse chart, 695
XIMouse mouse button, 695
XIPicture clipboard, 691
 xlPicture **type constants**, 773
 xlPivotTableSource **type constants**, 807
XML (eXtensible Markup Language), 239–272
 attributes, 242–243
 comments, 241
 consuming XML data directly, 246–249
 elements and root element, 241–242
 namespaces, 243–245
 processing instructions, 241
 using VBA to program Open XML files, 265–272
 programmatically unzipping Excel containers, 266–267
 programmatically zipping Excel containers, 267–272
 using VBA to program XML processes, 253–265
 Document Object Model (DOM), 258–265
 programming XML maps, 253–258
 XPath, 262–264
 viewing and editing XML documents, 245
 XML declaration, 240–241

XML maps, 249–253
 creating, 251–253
 creating XML schema description, 249–251

XML Maps button, 251

XML property

CustomXMLNode object, 1018
 CustomXMLPart object, 1021
 SmartTag object, 894
 XMLSchema object, 970

XML Workbook object file, 402

XML-based format, 736

XmlDataBinding object, 967

XmlDataQuery method, Worksheet object, 962

XmlImport method, Workbook object, 951

XmlImportXml method, Workbook object, 951

XmlMap object and XMLMaps collection, 967–969

XmlMapQuery method, Worksheet object, 962

XmlMaps collection, 251, 254, 256, 257

XMLMaps property, Workbook object, 943

XmlNameSpace object and XMLNameSpaces collection, 969

XMLNamespaces property, Workbook object, 943

XMLSample files folder, 246, 260

XmlSchema object and XmlSchemas collection, 969–970

XPath, traversing and modifying XML files with, 262–265

XPath object, 257, 777

XPath property

CustomXMLNode object, 1018
 Range object, 857

XSD files, 247, 249, 251, 255

XValues property, Series object, 875

xxxLocal functions, 554

Z

Z method, ThreeDFormat object, 912

zero-length string, 35, 36, 40, 51, 52, 58, 68, 82, 117, 118, 138, 369, 417, 418, 427

zipping Excel containers, 267–272

 editing sharedStrings XML file to implement mass updates to text, 268–269
 unprotecting worksheet via Open XML manipulation, 269–270

 updating connection strings, 270–272

Zoom property, Windows object, 933

ZOrder method

Shape object, 885
 ShapeRange object, 891

ZOrderPosition property, 884, 889

