

Index

Note: page numbers may include both text and figures, except for those in italics which refer only to figures.

- absolute configuration 32, 48–50
N-acetyl-leucine 58
achiral meso-configuration 125
achiral molecules 14, 15
acyl–cobalt complex 79
acyl–iron complex 75–9
AD-mix 88
4-(4-alkylcyclohexyl)-4'-cyanobiphenyl 194
4-(4-alkylcyclohexyl)benzotrile 194
allenes 91
aminohydroxamic acids 213
anionic reagents 7, 51–2
5-(9-anthracenyl)pyrimidine L 205
asymmetric catalysis 2–3, 80–94
 asymmetric epoxidation and dihydroxylation 88–9
 asymmetric hydrogenation 80–8
 asymmetric nucleophilic catalysis 91–4
 gold complexes 89–91
 supramolecular media 137–9
asymmetric cyclopalladation 58, 59
asymmetric dihydroxylation 88
asymmetric epoxidation 88
asymmetric hydrogenation 80–8
asymmetric induction *see* chiral recognition
asymmetric nucleophilic catalysis 91–4
asymmetric synthesis *see* enantioselective synthesis
axial chirality 23, 39–40
Aza-Cope rearrangement 139, 140
azo doping agent 196–7
4, 4'-azoxydianisole (PAA) 194

Baylis–Hillman reaction 94
BEDT–TTF 184
[BEDT–TTF]₃[MnCr(C₂O₄)₃] 186, 187

(BEDT–TTF)₂{[NMe₃Ph]NaCR(C₂S₂O₃)₃(MeCN)} 187
benchrotrene 19
benzene 17–18
BF⁴ anion 128, 137
1,1'-bi-2-naphthol (BINOL) 113, 211, 212
BINAP 16, 83–4, 89–90
 supramolecular assemblies 163–6
1,1'-binaphthalene-2,2'-dithiol (BNSH) 228
1,1' binaphthalenyl-2,2'-diol (BINOL) 113, 211, 212
1,1' binaphtyl-2,2'-diyl phosphate (BNP) 111–12, 132
binding selectivity 69–70
BINOL 113, 211, 212
BINPHAT 51–2, 57
2,2'-bipyridine (bipy) 102, 146
bipyridine (bpy) 26, 122, 160, 162
2,2'-bipyridyl 193
bis bidentate (benzene-o-dithiolate) 125
bis(binaphthol)-borate (BNB) 113
2,2'-bis(diphenylphosphino)-1,1'-binaphthalene 16, 83–4, 89–90
9,9-bis[(S)-2-methyl-butyl]-2,7-bis(4-pyridylethynyl)fluorene 209
bisphosphine 88, 164
bis(3-pyridyl)iodonium triflate 164
bis [4-(4'-pyridyl)phenyl] iodonium triflate 163
bis-terpyridyl 207
BNB 113
BNP 111–12, 132
BNSH 228
bridging ligands *see* chiral bridging ligands
(+)-3-bromo-camphor-9-sulfonate 7, 8
N*n*Bu₄[MnCr(C₂O₄)₃] N*n*Bu₄ 221, 222

- cadmium complexes
 - metalorganic coordination networks 205, 212, 213
 - supramolecular 141
- Cahn-Ingold-Prelog rules 34–40
- camphosulphonates 57
- catalysts (*see also* asymmetric catalysis)
 - BNP 112
 - diethyl tartrate (DET) 88
 - DMAP 92
 - ferrocenes 87, 92
 - gold complexes 89–91
 - iridium complexes 139
 - manganese complexes 88
 - osmium tetroxide 88
 - rhodium complexes 82, 83, 84
 - ruthenium complexes 73, 74, 84
- catenanes 129–32
- catenates 131–2
- cavities 160, 204, 211, 214
- centred chirality 19, 20–1
- chelating ligands 72–3
- chemical shift reagents 53
- Chiracel OD 54
- CHIRAGEN-type ligands 156–8
- chiral anion strategy 3, 100
- chiral anionic reagents 51–2, 102
- chiral antiprism 143–6
- chiral auxiliaries 51, 56–7
 - chiral metallo-macrocycles assembly 149–53
 - organic synthesis 75–80
 - polynuclear complexes assembly 162–71
- chiral bridging ligands 154–62
 - molecular polygons 158–62
 - pyridine and polypyridine 154–8
- chiral cavities 160, 204, 211, 214
- chiral chelating ligands 72–3
- chiral chemical shift reagents 53
- chiral conformation 164
- chiral corands 99, 100
- chiral counter-anion strategy 112
- chiral Cp equivalents 72
- chiral cuboctahedra 146–7
- chiral derivatizing agents 51
- chiral induction *see* chiral recognition
- chiral information transfer *see* chirality transfer
- chiral liquid crystals 53, 190, 193, 194, 196–7, 199
- chiral octahedra 146
- chiral prism 143–6
- chiral recognition 3, 99–120
 - chiral anion strategy 105–13
 - chiral surfaces 224, 228–9
 - DNA discrimination 114–16
 - octahedral metal complexes 101–5
 - chiral soft balls 99, 100
 - chiral solvation agents 53
 - chiral squares 163–6
 - chiral structures *see* molecular structure
 - chiral surfaces 224–32
 - chiral induction in 3D 228–9
 - electrodeposition in the presence of a chiral ionic medium 229
 - nanometer scale materials 229–32
 - spontaneous resolution of chiral molecules 225–7
 - chiral synthesis *see* enantioselective synthesis
 - chiral triangular hosts 149–53
 - chiral trigonal prismatic assembly 143–6
 - chiral-at-metal complexes 75–80
- chirality
 - definitions 13–14, 180–1
 - stereogenic elements 19–23
- chirality transfer (*see also* chiral recognition)
 - polynuclear complexes 153–71
 - use of resolved metallo-bricks 162–71
 - via a resolved chiral auxiliary coordinated to a metal 162–71
 - via resolved bridging ligands 154–62
- chromatographic techniques 54, 55
 - enantiomeric separation 57–8
- chromium complexes
 - conductive chiral materials 186
 - configuration 38, 41
 - configurational stability 31
 - metallomesogens 197
 - molecular magnets 220
 - nuclear magnetic resonance 52
 - optical rotation 49
- cinchonidinium 48, 52
- circular dichroism (CD) 45–7, 46
 - magneto-chiral dichroism 215–16
 - measurements 49–50, 111
- cobalt complexes
 - acyl-cobalt complex 79
 - metallomesogens 197–8
 - metalorganic coordination networks 206
 - optical rotation 49
 - resolution by entrainment 7–9
 - spontaneous resolution 56
 - supramolecular 133, 134, 137
 - triple-stranded helicates 125

- conductors 181–8
 production 183–8
 resistivity 182–3, 185
configurational stability 30–1
CpMnL¹L²L³ model 66–7
CpReL¹L²L³ model 68–9
conformational chirality 39, 40
conglomerates 25–6, 55–6
coordination polymers 204–15
Cope rearrangement 139, 140
copper complexes
 catenates 128–9
 chiral recognition 109, 111–12, 113
 chiral surfaces 226–7, 228, 229
 circular-stranded helicates 128–9
 cubanes 135
 helical 122–3, 128–9
 metallomesogens 192–3, 200–1
 metalorganic coordination networks 214
 molecular knots 131–2
Cotton effect 44–5, 50
 conductive chiral materials 187
 metallomesogens 196–7, 201, 203
Cp equivalents 72
CpMnL¹L²L³ model 65–7
CpReL¹L²L³ model 68–70, 71
cuboctahedra, supramolecular 146
cyclodextrins 103–5
cyclopentadienyl (Cp) equivalents 72
cymanthrene 19

DAA 164
DAAD 164
derivatizing agents 51
DET (diethyl tartrate) 88
(DHQ)₂PHAL 88, 89
(DHQD)₂PHAL 88, 89
diastereomeric excess (de) 30, 50–1
diastereomeric ion pairs 29, 30, 51–2, 102
diastereomers 27–9, 56–7
diastereoselective radical coupling 58, 59
diastereoselectivity 58
diastereospecific reduction 61
diaz bridging ligands 164
2,6-diazaanthracene (DAA) 164
2,6-diazaanthracene-9,10-dione (DAAD) 164
6,6'-dibromo-1,1'-binaphthyl 207
dicatechol ligands 123
dichroism 45–7
diethyl tartrate (DET) 88
9,9-diethyl-2,7-bis(4-pyridylethynyl)
 fluorene 209
dihydroquinidine 88
dihydroquinine 88
2,2'-dihydroxy-1,1'-binaphthalene-6,6'-
 dicarboxylic acid 207
diimines 105, 106, 167, 222
2,2'-dimethoxy-1,1'-binaphthyl-3,3'-bis-
 (4-vinylpyridine) 207
3,5-dimethylphenyl carbamate 54
DIOP 82
DIPAMP 82, 84, 91
diphosphine ligands 164, 211, 231
DMAP 91–2
DNA discrimination 114–16
doping agents 190–1, 193–4, 196
double conglomerate procedure 55–6
DuPHOS 84, 85

EBBA 194
EDF-TTF-OX 186
eilatin 101, 102
electrical conductivity *see* conductors
electrical magnetochiral anisotropy
 (EMCA) 182
electrodeposition 229
electroluminescence 167
ellipticity 45
enantio-enriched mixture 24
enantioface binding selectivity 69–70
enantiomeric excess (ee) 29–30
 determination 50–4, 55
enantiomeric resolution 55–8 (*see also*
 spontaneous resolution)
 chromatography 57–8
 conglomerates 55–6
 entrainment 7–9, 55–6
 use of chiral auxiliary 56–7
enantiomeric separation *see* enantiomeric
 resolution
enantiomers, definitions 24
enantiomorphism 9–10
enantiopure, definition 24
enantioselective catalysis *see* asymmetric
 catalysis
enantioselective synthesis 2–3, 58–61
 polynuclear complexes 153–71
 stereoselective reactions 58–9
 stereospecific reactions 60–1
enantioselectivity 58
enantiospecific auto-assembly 60
enantiotopic faces 18
encapsulation, supramolecular
 complexes 125, 128, 137

- enzymatic reactions 58–9
N-(4-ethoxy-(benzylidene)-4-*n*-butylaniline)
see EBBA
 ethylenedimethacrylate 211
N-ethylmorpholine 122
 europium complexes 127
- Fc-Fox 87–8
 ferrocenes 19, 21, 22
 asymmetric hydrogenation 85–8
 catalysts 92, 93–4
 configuration 38
 enantioselective synthesis 58, 59
 molecular magnets 223
 stereospecific reactions 61
 ferrocenyl dialkylphosphines 94
 ferrocenyl phosphine-oxazolene 87–8, 89, 90
 ferrocenyl phosphino-oxazoline
 (Fc-Phox) 87–8
 Flack's parameter 49
- gadolinium complexes 212, 213
 gallium complexes
 supramolecular
 tetrahedral 134, 135, 136, 138–9
 trigonal antiprism 145
 triple-stranded helicates 124
 gold complexes
 asymmetric catalysis 3, 89–91
 chiral surfaces 225–6, 228
 quadruple-stranded helicates 127
- half-sandwich complexes 65–74
 CpMnL¹L²L³ Model 65–7
 CpReL¹L²L³ Model 68–70
 CpML¹L²L³ Model (M=Fe,Mo) 71–4
 supramolecular 147–53
 HBNP 112
 helical chirality 19, 21–2, 29
 metallomesogens 193–9
 octahedral metal complexes 101–5
 helical twisting power (htp) 193, 194–6
 helicoidal chirality 40–2, 214
 helicates 121–9
 hemihedrism 9–10
 heterochiral mixture 24
 heterochiral recognition 101–2
 hexacatenar chirals 192
 high performance liquid chromatography
 (HPLC) 54
 homochiral, definition 24
 homochiral recognition 102–3
- hydrogenation 61, 80–8, 232
 hydroxyallenes 91
- induced circular dichroism 45–6
 ion pairs, diastereomeric 29, 30, 51–2, 102
 ionic hydrogenation 61
 iridium complexes
 chiral recognition 111
 chromatography 54, 55
 supramolecular
 chirality transfer 155–6
 metallo-macrocycles 149
 tetrahedral 139, 140
- iron complexes
 acyl-iron complex 75–9
 asymmetric hydrogenation 85–8
 chiral recognition 105, 109
 configuration 38, 39
 conglomerates 26
 CpFeL¹L²L³ model 71–2
 DNA binding 116
 helical 124
 metallomesogens 197–8
 metalorganic coordination networks 207,
 208
 supramolecular
 tetrahedral 134, 143
 triple-stranded helicates 124, 125, 126
- Kagan's method 86
 kinetic diastereoselectivity 69–70
 knots, molecular 111–12, 131–2
- lanthanide complexes 53
 L-DOPA 82–3, 84
 Le Bel's structural principles 12–13
 Lewis acids 53, 68–70, 79–80, 91
 light emitting devices 167
 limonene 99, 100
 liquid chromatography 54
 liquid crystals 53, 190, 193, 194, 196–7,
 199
 lithium complexes
 configuration 41
 metallo-macrocycles 149–50, 153
 L-POST-1 210, 211
- magnesium complexes 133, 135
 magnetic molecular materials 215–23
 chiral induction
 resolved building blocks 218–22
 resolved templates 222–3

- enantioselective synthesis or resolution 216–18
- magneto-chiral anisotropy (MChA) 47
- magneto-chiral dichroism (MChD) 47, 215–16
- manganese complexes 20
 - chromatography 54, 55
 - configuration 35
 - CpMnL¹L²L³ model 65–7
 - enantiomeric resolution 57
 - metallomesogens 197
 - salen-based 88, 89
 - supramolecular 133, 141–2
- Marckwald's principle 57
- MBBA 194–5
- MChA (magneto-chiral anisotropy) 47
- MChD (magneto-chiral dichroism) 47, 215–16
- menthol 57, 66, 85
- mesophases 29, 32, 125, 189–204
- metallacrowns 213–14
- metal–ligand charge transfer (MLCT) 45
- metallocrowns 216–17
- metallo-macrocycles 147–53
 - diastereomeric separation 149–53
 - self-assembly 148, 149
- metallomesogens 189–204
 - based on chiral phthalocyanines 199–204
 - chiral element attached directly to the metal 189–90
 - chiral element(s) in the ligands 190–3
 - helical chirality 193–9
- metallotopomer 125
- metalorganic coordination networks (MOCN) 204–15
- N*-(4-methoxybenzylidene)-4-*n*-butylaniline (MBBA) 194–5
- (*R*)-(a-methoxy-a-(trifluoromethyl)phenylacetic acid) 51
- methyl 1-2 phenyl diacetate chromium carbonyl 59
- methylene chloride 57
- methyl-oxazoline heterocycle 184
- metolachlor 87
- MLCT (metal–ligand charge transfer) 45
- MLNN 217
- MOCN (metalorganic coordination networks) 204–15
- molar ellipticity 45
- molecular knots 111–12, 131–2
- molecular light switches 116
- molecular magnets *see* magnetic molecular materials
- molecular materials 4, 179–237
 - basic concepts 180–1
 - chiral surfaces 224–32
 - magnetic 215–23
 - metallomesogens 189–204
 - metalorganic coordination networks 204–15
 - properties 180
 - types of organization 179, 180
 - molecular polygons 158–62
 - molecular structure 13–17
 - absolute configuration 32, 33–42
 - diastereomers 27–9
 - racemic compounds 24–7
 - relative configuration 32–3
 - stereogenic elements 19–23
 - universal descriptors 33–42
 - molecular twisting power (mtp) 190
 - molybdenum complexes
 - chiral recognition 109
 - CpMoL¹L²L³ model 72
 - metalorganic coordination networks 212, 213
 - Mosher's acid 51
 - m*-phenylene 125
 - mtp (molecular twisting power) 190
- nanometer scale materials 4, 229–32
- nickel complexes
 - chiral surfaces 228–9
 - metallomesogens 191–3, 200–1
 - metalorganic coordination networks 207
 - molecular magnets 217
 - spontaneous resolution 26
 - supramolecular 133
- 1-nitronaphthalene 226
- nuclear magnetic resonance (NMR) 50–3
- OC-6 type complex 36, 37, 40, 41–2
- octaazaphthalocyanine 200
- octahedral metal complexes 20, 21, 101–5
 - chiral recognition 102
 - configuration 34, 36
 - DNA discrimination 114–16
 - polynuclear systems 167–71
 - resolution by entrainment 7
 - supramolecular 146
- oligobipyridine ligands 123
- optical dispersion (OD) 44–5
- optical rotation 9, 43–4
 - absolute configuration 32
 - ee* determination 50
 - measurements 49–50
 - sense of rotation 10, 11

- organic synthesis 75–80
- organosulfur donors 184, 185
- osmium complexes 167
- oxalato(bis)ethylenediamine cobalt bromides 7, 8
- oxazolines 184, 192, 231, 232
- PAA 194
- palladium complexes 23, 128
 - BINAP 16
 - conductive chiral materials 186
 - metallomesogens 190–3
 - nuclear magnetic resonance (NMR) 52
 - quadruple-stranded helicates 128
 - supramolecular
 - chiral squares 163–4, 164–5
 - octahedral 146–7
 - trigonal antiprism 145–6
 - trigonal prism 143–4
- [P(C₆Cl₄O₂)₃]-cinchonidinium 48
- PF₆ anion 66, 128
- Pfeiffer effect 105
- 1,10-phenanthroline-5,6-diamine 168–9
- 1,10-phenanthroline-5,6-dione 168–9
- phen diamine 168–9
- phen dione 168–9
- phenylalanine hydroxamic acid (phHA) 213, 217
- m-phenylene 132
- phosphates 57
- phosphines 74, 80–5, 88, 90, 164
- phosphoramidites 85
- photoluminescence 167
- phthalocyanines 199–204
- pig liver esterase 59
- pinene-phenylpyridine 155
- pinene-thienylpyridine 154, 156
- PipPhos 85
- planar chirality 19, 21, 36–9
- platinum complexes
 - configuration 37, 39
 - metallomesogens 189–90
 - metalorganic coordination networks 211–12
 - supramolecular 163–4, 164–5
- point symmetry group *see* symmetry point groups
- polarization *see* optical rotation
- polynuclear complexes
 - chirality transfer 153–71
 - use of resolved metallo-bricks 162–71
 - via a resolved chiral auxiliary coordinated to a metal 162–71
 - via resolved bridging ligands 154–62
- octahedral 167–71
- self-assembly from achiral building units 121–53
 - chiral anti(prism) 143–6
 - chiral metallo-macrocycles 147–53
 - chiral octahedra and cuboctahedra 146–7
 - helicates 121–9
 - molecular catenanes and knots 129–43
 - squares 163–6
 - tetrahedral 133–43
- polyoxometalate 182
- polypyridine 154–8
- [PPh₄MnFe(C₂O₄)₃] (PPh₄)[MnFe] 221
- PPY ferrocene complex 92
- Prickles reagent 132
- prismatic structures 36, 143–6
- prochiral object, definition 17–19
- pseudoracemic compounds 27
- PVBA 225–6
- pyrazyl-pyridyl 142
- pyridine 23, 114
 - pinene-phenylpyridine 155
 - pinene-thienylpyridine 154, 156
 - polynuclear complexes 154–8
 - 4-(pyrrolidino)-pyridine 92
 - quinquepyridine (qpy) 122
- m-pyridylene 125
- 4-(pyrrolidino)-pyridine 92
- qpy (quinquepyridine) 122
- racemic compounds 24–5
- racemization 30–1
- Raman optical activity (ROA) 47
- relative configuration 32–3
- resistivity 182–3, 185
- rhenium complexes 20
 - chromatography 54
 - configuration 37
 - CpReL¹L²L³ model 68–70, 71
 - Lewis acid 79–80
- rhodium complexes
 - catalysts 82, 83, 84
 - chiral recognition 109
 - molecular light switches for DNA 116
 - spontaneous resolution 25, 26, 55
 - supramolecular 147
 - chirality transfer 154
 - metallo-macrocycles 149–53

- rhodothorulic acid 124
ROA (Raman optical activity) 47
ruthenium complexes
 catalysts 84, 87
 chiral chelating ligands 72–3, 74
 chiral Cp equivalents 72
 chiral recognition 101, 102, 102, 104–5,
 106, 107–8, 110–11
 circular dichroism (CD) 45, 46
 configuration 22, 42
 diastereomers 29, 30
 DNA binding 115–16
 enantiomeric resolution 57
 helical 122
 metallomesogens 193–5
 metalorganic coordination networks 207,
 208, 210, 215
 molecular light switches for DNA 116
 molecular magnets 219, 222–3
 nuclear magnetic resonance 52
 spontaneous resolution 26
 supramolecular
 metallo-macrocycles 149
 octahedral 167–71
 single-stranded helicates 122
 tetrahedral 138–9
 tethered chiral ligands 74, 75
- samarium complexes 214
Schlögl notation 38, 39
Schrock–Osborn catalyst 82
selectivity factor 93
self-assembly 3–4
 chiral polynuclear complexes 121–53
 chiral anti(prism) 143–6
 chiral metallo-macrocycles 148, 149
 chiral octahedra and cuboctahedra 146–7
 helicates 121–9
 molecular catenanes and knots 129–43
separation, enantiomeric *see* enantiomeric
 resolution
sephadex 58
Sharpless epoxidation 88
silver complexes 127–8
 chiral recognition 111–12
 metalorganic coordination networks 207,
 208
skew-line convention 40–2
sodium ammonium tartrate 10–12, 25, 55
solid solutions 27
solvation agents 53
SP-C25 58
 specific rotation 43–4, 50
 spontaneous resolution 25–6, 55–6
 chiral surfaces 225–7
 SPY-5 type complex 36, 37
 square planar complexes 20
 square pyramid complexes 20, 36
 squares, supramolecular 163–6
 steering-wheel system 34–40
 stereogenic elements 19–23
 stereoselective reactions 58–9
 stereoselective synthesis *see* enantioselective
 synthesis
 stereoselectivity 58
 stereospecific ligand substitution 60
 stereospecific reactions 60–1
 stereospecificity 58
 sulfonates 7, 8
 sulfoxides 86, 94
 supramolecular compounds *see* polynuclear
 complexes
 surfaces *see* chiral surfaces
 symmetry point groups 14–17
- Taniaphos 88
tartaric acid 10–12, 32, 45, 46
tartrates 10–12, 57
 sodium ammonium tartrate 10–12, 25, 55
tartratoantimonate 58
TBA 226–7
TBY-5 type complex 36
TCNQ (tetracyanoquinodimethane) 182
terpyridine (tpy) 122
tethered chiral ligands 74, 75
tetracyanoquinodimethane (TCNQ) 182
tetradentate ligands 125
tetrahedral complexes 20, 21
 carbon 12–13, 20
 configuration 33, 35–6
 supramolecular 130, 133–43
 M₄L₄ stoichiometry 141–3
 M₄L₆ stoichiometry 133–40
 M₄L₆ stoichiometry, catalysis 137–9
 M₆L₄ stoichiometry 141
tetrathiofulvalenes 181, 184
Tetrol-ET 185
thermodynamic diastereoselectivity 70
titanium complexes 124, 125, 142
TMET 184, 185
topological isomers 130
topologically chiral object 132
TPR-6 type complex 36, 38
tpy (terpyridine) 122

- TPY-3 type complex 35
4-[trans-2-(pyrid-4-vinyl)] benzoic acid
(PVBA) 225–6
trefoil knots 131, 132
1,3,4-tricarboxylic benzoic acid
(1,3,4-TBA) 226–7
1,3,5-tricarboxylic benzoic acid
(1,3,5-TBA) 226–7
trigonal prism complexes 36, 143–6
trigonal pyramidal complexes 20, 35, 36
triple-stranded helicates 127
tris(chelate) complexes 17
tris(croconate)ferrate(III) anion 182
Trisphat 48, 51–2, 57, 102, 103, 105–11, 149–51
tris(1,3,5-(4'-pyridyl)ethynyl)benzene 164–5
2,4, 6 tris-(4-pyridyl)1-3,5-triazene 166
tris(tetrachlorobenzenediolato)phosphate *see*
Trisphat
tris(tetrachlorobenzenediolato)phosphate
(Trisphat) 48, 51–2, 57, 102, 103,
105–11, 149–51
(TTF-oxa)₂AsF₆ 184, 185
Ugi amine method 86
universal descriptors 33–42
uranium complexes 54
van't Hoff structural principles
12–13
vibrational circular dichroism (VCD)
46–7
Winterstein's acid 77–9
X-ray diffraction studies 48–50
Xyliphos 87
zeolites 204
zinc complexes
metallomesogens 192, 202–3
metalorganic coordination networks
209–10
spontaneous resolution 26
supramolecular 146–7
ZLI-1132 194