

INDEX

where the statue stood
Of Newton, with his prism and silent face,
The marble index of a mind for ever
Voyaging through strange seas of Thought, alone.

—William Wordsworth (1770–1850)
The Prelude, book iii, line 61

- Absolute retention time, 16, 88
Absolute retention volume, 16
Absolute temperature, 4
Absorption
 of alcohol, 756
 of amphetamines, 743–744
 of antiepileptic drugs, 752–753
 of inhalational anesthetics, 746–747
 of prostaglandins, 761
 of steroids, 764
 of tricyclic antidepressants, 750
Accelerants, sample preparation for, 934–945
Accelerated solvent extraction (ASE), 593–594, 804
Accelerated solvent extractor, 805
Accuracy parameter, 978
Acetylene control, in an ethylene plant, 712–713
Acid–base partitioning, 814–815
Acid extractables, 782
Acidic analyte analysis, 107
Acidity/hydrogen bonding technique, 382
Acidity/hydrogen-bonding NICI techniques, 388–391
Acid stripping, 937
Acronyms, definitions for, 995–1001
Activation solvent, 562
“Active surface area,” 617
Activity coefficient calculation, 623
Actuation gas, 500
Adjusted retention time, 3
Adjusted retention volume, 3, 97
Adsorbents, 4, 72
 classifications of, 609
 for gas–solid chromatography, 79–84
 porous polymeric, 80, 81–82
 properties of, 607, 816
 USP designations of, 83
 VOC determination and, 855–858
Adsorption, 424
 categories of, 618
 of gases at solid surface, 607–611
 irreversible, 128
 problems with, 458
Adsorption chromatography, 4, 26
 Adsorption chromatography columns, degradation of, 509. *See also* Adsorption columns
 Adsorption columns, 4
 Adsorption energy distribution function, 621–622
 Adsorption peak, 613
 Aerosols, 854
 Agitation method, SPME, 581–582
 Air. *See also* Ambient air
 semivolatile organic compounds in, 864–866
 volatile organic compounds in, 855–864
 Air compressors, 503–504
 Air generators, 501, 502
 Air peak, 4
 Air pollution analyses, 40, 853–866
 Air pollution standards, 442
 Air samples, 778, 779
 Air tubes, 855
 Alcohols, C1–C5, 84
 Alkali flame ionization detector (AFID), 315–316. *See also* Flame ionization detector (FID)
 Aluminum-clad fused-silica capillary columns, 117–119
 Aluminum tubing, 517
 Alvarez, Juan G., 739
 Ambient air, as a carrier gas, 268, 269
 American Laboratory, 71
 American Petroleum Institute (API), 644
 American Society for Testing and Materials (ASTM), 637, 645–646
 ignitable liquid classification scheme of, 929–930
 publications of, 515
 Amine positive ion chemical ionization reagent systems, 379–380
 Ammonia PICI spectrum, 380
 Amphetamine analysis, 894
 gas-chromatographic, 744–745
 quantification limit and linearity for, 745
 Amphetamines, 741–745, 758
 screening for, 917

- Anabolic steroids, analysis of, 900–903
Analysis temperature, 497
Analysis time, 4, 42, 101–102
 effects of heating rate on, 252–255
Analyte partition coefficient, 567
Analyte partitioning, 565
Analytes, 482, 483
 adsorption of, 561
 multiphoton ionization of, 395
Analyte solubility, 567
Analyte transfer, 599
Analyte transfer extractions, 555
Analyte trapping, 573
Analyzer, 723–725
Anesthetics inhalational, 745–749
 rate of elimination of, 747
Anion proton affinities, 385, 386
Antidepressants, tricyclic, 749–751
Antiepileptic drugs, 751–754
 gas chromatographic analysis of, 753–754
 retention times for, 754
Antiinflammatory drugs, 919–920
Antipsychotic drugs, 919
“Apparent volume,” 607
Applications. *See also*
 Clinical/pharmaceutical applications;
 Environmental applications; Forensic
 science applications; Gas
 chromatography applications
 of gas chromatography, 37–41
 of process chromatographs, 731–732
 of pyrolysis gas chromatography,
 949–956
 of solid-phase extraction, 562–563
 of solid-phase microextraction, 584
Aqueous samples, 778, 779
 contaminated, 796
Archiving, 987
Area measurement, precision of, 430
Area normalization, 4
Area normalization with response factor
 (ANRF), 4
Aroclors, 785–786
Aromatic hydrocarbons, 608, 646, 708,
 718–719
 polynuclear, 831
Aromatic methyl ethers, 345
Aromatic VOCs, 822, 824–825
 determination of, 821–823
Arylene phase, 162
ASTM distillation methods, 675, 678–679
At-column heating, 252
Atomic emission detector (AED),
 330–331
Attenuator, 4
Autoinjection systems, 424
Automated gas chromatographic
 technique, 633
Automated Soxhlet extraction, 802–803
Automation, in sample preparation,
 596–597
Azeotropic distillation, 811

Backflushing technique, 725
Backflush-to-vent method, 725
Background artifacts, in gas
 chromatography/mass spectrometry,
 357–358
Backpressure regulators, 591
Baird, Lisa J., 277
Ball-disk integrator, 427
Ballistic temperature programming,
 183–184
Ballschmitter and Zell (BZ) number, 785
Band, 4
Band area, 4
Band broadening, 131. *See also*
 Bandspreading
 extracolumn, 237–239
 mechanisms of, 58
Band-broadening/-focusing mechanisms,
 479–481
Bandspreading, 50, 610. *See also* Band
 broadening
Barbiturates
 analysis of, 897
 screening for, 917
Barry, Eugene F., 65, 991, 1007
Bartram, Reginald J., 491
Base extractables, 783
Baseline, 4
 variables associated with, 982
Baseline treatment indicators, 981–982
Basic compounds, separation of, 814–815
Bed volume, 4
Benzene, analysis of, 718–719

- Benzene-C₂H₄-S-Au sensors, 270
- Benzodiazepines
analysis of, 897
screening for, 917–918
- Beroza's *p* value, 413–415
- β-cyclodextrin, 166
- β-phenylethylamine, 741–742
- β-ray ionization cross-sectional detector, 305
- Bimolecular rate constant, 368
- Bimolecular reactions, 367
- Biological fluids
determination of ethanol in, 922–923
drug analysis in, 909–921
- Bitumen, 649
- "Blanking the solvents," 445, 452
- Blood alcohol, 754–757
analysis of, 921–922
- Boiling point, separations by, 676
- Boiling range distribution, 637
- Boiling range distribution profiles, 636
- Bond dissociation energy, 359
- Bonded phases, 4, 798
- Bourdon tubes, 505, 526
- Breath collection, 927
- Brettell, Thomas A., 883, 969
- Bridge circuits, 293, 294
- British Institute of Petroleum, international symposiums, 644, 645
- Brunnauer, Emmett, and Teller (BET) adsorption method, 611, 612, 632
- BTEX, 823, 827
- BTU content analyzer, 731
chromatogram from, 727
- Bubble meters, 498
- Butadiene, 715–718
- Butadiene analysis, component identification in, 717
- C1–C5 alcohols, 84
- Cables, detector and integrator, 537
- Cadogan–Purnell (C/P) method, 630
- Caldwell, Gary W., 339
- Calibration
chromatographic, 638–639
criteria for, 434
- Calibration curves, 433–435, 977
- Calibration factor, 867
- Calibration linearity, 977
- Calibration standards, 860–864, 868
levels of, 818–819
- Calmus oil, separation of, 135
- Cannabinoids, analysis of, 897–898
- Capacity factor, 4, 132, 133, 551, 552
- Capillary cages, 126
design of, 186
- Capillary chromatogram, 196, 197
- Capillary-column efficiency, 132–133
- Capillary-column ferrule kit, 174
- Capillary column gas chromatography, 109–181, 347. *See also* Capillary columns
achievements in, 110–111, 112
materials for, 114–121
significance of, 109–110
stationary-phase selection for, 148–180
technology of, 114–130
- Capillary-column GCMS, 346. *See also* Gas chromatography/mass spectrometry (GCMS)
- Capillary-column PGC, 955–956. *See also* Pyrolysis gas chromatography (PGC)
- Capillary columns, 5, 68. *See also* Gas–solid adsorption capillary columns (PLOT columns); Megabore column
care and first aid for, 167–180
carrier gas for, 132–136
chromatographic performance of, 130–148
conditioning of, 175–176
efficiency data for, 201
ferrules for, 167–172
for high-speed gas chromatography, 230
ideal, 127–128
installation of, 172–175
measuring linear velocity with, 499
open geometry of, 114
preparation guidelines for, 170–172
regeneration by solvent rinsing, 180
sample capacity of, 140
static coating of, 126
tandem, 259–267
versus packed columns, 69, 111–114, 196–199
- Capillary-column toolkit, 174
- Capillary injection, problems with, 463–464

- Capillary inlets, types of, 464–465
- Capillary problems, pressure control for, 498
- Capillary restrictors, 243
- Capillary separations, applications of, 180
- Capillary Vu-Union, 177, 179
- Carbon, as an adsorbent, 80–83, 611
- Carbon cycles, 647, 648
- Carbon dioxide
as an extractant, 808
phase diagram for, 588
as a solvent, 590
- Carbon number. *See* Log retention time/carbon number plot
- Carbon-skeleton chromatographic operations, 416
- Carbopacks, 80
- Carborane phase, 164
- Carbowax 20M, 89, 122, 129, 154, 155, 160, 924
column surface deactivation using, 124–125
- Carrier-gas contaminants/impurities, 85, 298
- Carrier-gas dopants, 308
- Carrier gases, 5, 132–136. *See also* Chromatographic carrier gas
choosing, 499–500
comparing, 133
effect on separation, 134
high-purity, 175–176
high-speed GC, 234–237
safety and cost of, 496
switching, 524–525
in thermal conductivity detector, 293
- Carrier-gas flow
column conditioning and, 175
retention time and, 424
- Carrier-gas flowrate, high-speed GC, 232. *See also* Carrier-gas linear velocity
- Carrier-gas linear velocity, 135, 199, 205–208, 224, 225, 255
- Carrier-gas pressure, changing, 260
- Carrier-gas selection, 492–494
using van Deemter plots, 494–496
- Carrier-gas systems
assembly of, 521
purging, 528
- Carrier-gas viscosity, 136
effect of temperature on, 137
- CA Selects*, 70
- Catagenesis, 648–649
- Catalysis, physicochemical measurements and, 635
- Catecholamines, 742
- Cation/molecule reactions, 364, 365, 371, 378
- Cavitation, 804
- Cell design, electron-capture detector, 306–307
- Certificate of analysis (COA), 432
- Chain of custody, 983
- Chain scission, 595
- Changeover regulator system, automatic, 532–533
- Charge exchange reactions, 385–386
- Chart speed, effect of, 991
- Checklists, 972
- Chelates, 627
- Chemical bonding, of stationary-phase film, 160–162
- Chemical composition, knowledge of, 607
- Chemical compounds, discrete bands of, 278–279. *See also* Compounds; Thermochemistry
- Chemical ionization (CI), 340, 348
- Chemical kinetics, 632–634
- Chemically bonded phases, 156
- Chemicals, purity of, 431–432. *See also* Chemical compounds; Compounds
- “Chemical signature” analyses, 905
- Chemical standards, 868
- Chemiluminescence detectors, 328–330, 701. *See also* Photochemistry
- Chiral stationary phases, 165–166
- Chirasil-Val stationary phase, 166
- Chlorinated acid herbicides
determining, 849–850
separation of, 851
- Chlorinated hydrocarbons, determining, 833–834
- Cholesterol, 763
- Chromathermography, 214
- Chromatograms, 5. *See also* Chromatography
column efficiency calculation from, 97
temperature-programmed, 251, 253

- Chromatograms (*Continued*)
 test mix, 127
 types of, 41
 using TOFMS detection, 249–250
- Chromatograph, 5. *See also*
 Chromatography
- Chromatographic carrier gas, as a
 substitute for reagent gas, 374–375.
See also Chromatographic-grade
 gases
- Chromatographic column, 633. *See also*
 Column entries
 isothermal operation of, 182–183
- Chromatographic data, 404–405
- Chromatographic detector, dynamic range
 of 283, 284
- Chromatographic-grade gases, purity
 levels for, 506
- Chromatographic methods, 25–37. *See*
also Chromatography
 classification of, 25–27
 displacement development, 28–30
 elution development, 30
 frontal analysis, 27–28
 isotherms, 30–33
 linear ideal chromatography, 34
 linear nonideal chromatography, 34–35
 nonlinear ideal chromatography, 36
 nonlinear nonideal chromatography,
 36–37
 process types in, 33
 validation of, 976
- “Chromatographic pyramids,” 139
- Chromatographic response, 616
- Chromatographic separations, 136
 optimization of, 194–195
- Chromatographic systems, 33–37
- Chromatographic theory, 43
- Chromatography, 5. *See also*
 Chromatographic methods; Gas
 chromatography (GC); Process
 chromatography
 development of, 2–3
 factors in, 48
 gas chromatography/mass spectrometry
 and, 346
 history of, 1–3
 molecular-weight, 412–413
Chromatography Forum, 72
- Chromosorb Century polymers, 80
- Chromosorb G, 74, 78
- Chromosorb P, 74
- Chromosorb supports, 76
- Chromosorb T, 79
- Chromosorb W, 73, 74, 78
- Cigarette smoking, 758
- Clandestine laboratory analysis, 907–909
- Clingfilm volatiles, analysis of, 956
- Clinical chemistry applications, 40–41.
See also Clinical/pharmaceutical
 applications
- Clinical/pharmaceutical applications,
 739–767
 amphetamines, 741–745
 antiepileptic drugs, 751–754
 blood alcohol, 754–757
 drugs of abuse, 757–760
 inhalational anesthetics, 745–749
 prostaglandins, 760–763
 steroids, 763–766
 tricyclic antidepressants, 749–751
- Closed-cell detectors, 247
- Cluster cations, 371
- Coal liquefaction gases, instrument
 schematic and chromatogram for,
 667–668
- Coal tar
 aliphatic fraction of, 670
 polyaromatic fraction of, 669
- Coating efficiency, 147–148
- Coating methods, 105–106
- Coatings, static, 126
- Cocaine, 757
 analysis of, 895–896
 crack, 895
 metabolites of, 914–917
 separation of, 906
- Coefficient of variation (CV), 980
- Cold trapping, 480
- Colón, Luis A., 277
- Column bleed, 5, 108, 176, 498
- Column capacity, 141
- Column changes, effect on resolution, 104
- Column contamination, 178
- Column-cutting techniques, 468
- Column diameter, 139–140. *See also*
 Column dimensions; Column inner
 diameter

- peak resolution and, 200
 - stationary phase and, 138
- Column dimensions. *See also* Column diameter; Column length; Cross-sectional area of column; Column volume
 - high-speed GC, 234–237
 - selection of, 205
- Column efficiency, 5, 95–97, 133
 - carrier-gas linear velocity and, 206
 - high-speed GC, 233–237
 - maximum 102, 103
 - plots of, 237
 - separation factor and, 100–101
- Column fatigue/regeneration, 178–180
- Column fittings, 107
- Column heating, high-speed, 252
- Column inner diameter, 132, 199–202. *See also* Column diameter; Column dimensions
- Column length, 141–144, 202–204
 - high-speed GC, 232
- Column material, 5
- Column operation, 94–102
- Column oven, 5
 - temperature control for, 180–185
- Column overload, 424–425
- Column packing, 77
- Column packing particles, 78
- Column parameters, manipulation of, 195
- Column performance, test mixtures for monitoring, 126–130
- Column preparation, 105–109
- Column-quality tubing, 516
- Columns, 5. *See also* Capillary columns; Dual-column entries; Gas chromatographic columns; Glass columns; Guard columns; Packed columns; Retaining precolumn; Specialty columns
 - central role of, 67–68
 - conditioning and care of, 108–109
 - cross-reference of, 150–151, 152
 - filling, 107–108
 - microfabricated, 268–270
 - molecular sieve, 689
 - multiple, 409–411
 - packed versus capillary, 111–114
- Column selection, 68–70
- Column temperature
 - decrease in, 105
 - high-speed GC, 232–233
 - influence of, 208–218
 - isothermal separations and, 209–211
 - programming hardware for, 216
- Column variables, influence on separation optimization, 199–204
- Column volume, 5. *See also* Column dimensions
- Column volumetric flowrate, 471
- Combustion, 634
- Complexation constants, 627–630
- Complexes, Purnell classification system for, 628
- Components, 5
 - retention indices of, 98
- Compound classes, determined by gas chromatography, 781–787
- Compounds. *See also* Chemical compounds
 - electron affinity of, 384
 - environmental concerns about, 786–787
 - high-boiling-point, 243
 - vapor pressures of, 626
- Compressed-air plumbing systems, 502
- Compressed-gas cylinders, 500
 - safety of, 504
- Compression fittings, 510
- Compression tube fitting, assembling, 522–523
- Compressors, 503–504
- Computer-based peak size measurement systems, 430
- Computers, 428. *See also* Microprocessors
 - role in separation optimization, 218–226
- Concave isotherm, 32
- Concentration, of semivolatile organic compounds, 811–813
- Concentration distribution ratio, 5
- Concentration-sensitive detectors, 282
- Connections, 521–523. *See also* Connectors
 - purifier, 529
- Connectors, 468, 512–515
- Consumables, maintenance of, 468
- Contaminants, trace, 520

- Contaminated soils, petroleum
fingerprinting of, 836–837
- Continuous extraction, 587
devices and techniques for, 554
- Continuous-flow model, 48
- Continuous-mode pyrolysis, 38
- Control chart, 984–985
- Controlled dangerous substance (CDS)
laws, 889–890
- Controlled-pyrolysis chromatographic
operations, 416
- Controlled Substance Act, 889, 890
- Controller, 725–731
- “Control limits,” 985
- Control standards, 983–985
- Convection ovens. *See also* Forced-air
convection oven
cooling times for, 252
limitations of, 250–252
- Convex isotherm, 32
- Cool on-column inlet, 483–485
- Coplanar PCBs, 846
- Copper tubing, 516–517, 520
- Corrected retention time, 5
- Corrected retention volume, 6
- Countercurrent extraction (CCE), 44
- Crack cocaine, 895. *See also* Cocaine
- Cracking, 672, 708–710
- Craig, Mark E., 643
- Cretaceous gas, 653
- Criminalistics, 887
- Critical micelle concentration, 625
- Critical pair, 208
- Critical parameters, 973
- “Crossbonded” polymer, 162
- Crosslinked phases, 156
- Crosslinked polymer, 156
- Crosslinking, stationary-phase, 156–160
- Crosslinking reagent, binary, 160
- Cross-sectional area of column, 6. *See also* Column dimensions
- Crude oil, synthetic, 663–666
- Cruickshank method, 631
- Cryo-focusing inlet systems, 244
high-speed GC, 242–243
- Cryogenic preconcentration, 859–860, 861
- Cryogenic trapping, VOC determination
using, 858–864
- Cumulative (integral) detection system, 41
- Curie point pyrolysis, 38, 634, 939–940,
950, 955. *See also* Pyrolysis gas
chromatography (PGC)
- Current Contents*, 70
- Current Good Manufacturing Practice
(cGMP), 973
- Cut and weigh technique, 426
- Cyclic ketones, determining, 835
- Cyclic silazanes, 125
- Cyclodextrins, 166
- Cylinder cradles, 536
- Cylinders
changing, 505
compressed-gas, 500
- Darcy’s law, 59
- Data presentation, in gas
chromatography/mass spectrometry,
355–357
- Data systems, high-speed GC, 250
- DDT, 772, 784–785
breakdown of, 830
extraction of, 805
- Dead time, 6
- Dead volume, 6
- Debye induction forces, 86
- Definitions, chromatography-related, 3–19
- Derivatization, 6, 597–598. *See also*
Pyrolysis derivatization technique
amphetamine, 744
of drugs, 904–905
GCMS, 344–345
methods of, 580–581, 817–818
- Derivatizing reagent, 581
- Designer drugs, 888, 890
- Designer stationary phases, 259
- Desorption, SBSE, 584–585
- Desorption conditions, optimization of,
582–583
- Desorption peak, 613
- Detection, 6
types of, 41
- Detection limits
ECD, 313
FID, 303
FPD, 328
TCD, 297
- Detection modes, 332
- Detection systems, sensitivity of, 282. *See also* Detectors

- Detector attenuation change, effect of, 991–993
- Detector cells, types of, 332–333
- Detector errors, 458
- Detector linearity, 6
- Detector minimum detectable level (MDL), 6
- Detector response, 6
 - relative, 411–413
- Detectors, 6, 277–337. *See also* Detection systems; Differential detector; Flame ionization detector (FID); Flame photometric detector (FPD); Nitrogen–phosphorus detector (NPD); Photoionization detector (PID); Thermal conductivity detector (TCD); Thermionic detector (TID); Thermionic specific detector (TSD)
 - alkali flame ionization, 315–316
 - atomic emission, 330–331
 - β -ray ionization cross-sectional, 305
 - chemiluminescence, 328–330, 701
 - chromatographic, 283, 284
 - closed-cell, 247
 - concentration-sensitive, 282
 - differential, 6
 - dynamic range of, 283–284
 - electrolytic conductivity, 331–333, 821–823
 - electrolyzer-powered
 - nitrogen–phosphorus, 319, 320
 - electron-capture, 8, 305–315, 412, 840–845
 - electronic leak, 468, 505, 525
 - flame, 240–247
 - in gas chromatography/mass spectrometry, 352–353
 - gases used with, 493
 - general aspects of, 279–288
 - Hall electrolytic conductivity, 331–333
 - helium ionization, 323–325
 - high-speed GC, 245–250
 - hydrogen atmosphere flame ionization, 304
 - integral, 10
 - ionization, 11
 - mass flow, 282
 - mass-sensitive, 302
 - modulated, 295–297
 - nitrogen chemiluminescence, 329–330
 - noise characteristics of, 279–282
 - open-cell flame, 246–247
 - oxygen-specific flame ionization, 704–707
 - plane parallel electron capture, 306
 - pulsed-flame photometric, 327–328
 - pulse discharge electron-capture, 313–315
 - pulse discharge helium ionization, 324–325
 - selective, 286–288, 411–412
 - sensitivity of, 282
 - sulfur chemiluminescence, 329
 - thermionic, 315–320
 - typical characteristics of, 284
 - ultrasonic, 333–335
 - universal, 286
- Detector selectivity, 6
- Detector sensitivity, 6
- Detector volume, 6
- Device actuation, 494, 500
- Dexsil, 164
- Diabenzazepines, 749
- Diagenesis, 648
- Diaphragms, regulator, 507, 508
- Diatomaceous earth supports, 77
- Diatomite supports, 73–79
- Differential detector, 6
- Diffusion techniques, 440–441, 610
 - types of, 49–50, 103
- Diffusion tube, 442
 - data related to, 441
- Dimethyldichlorosilane (DMDCS), 76
- Dimethylpolysiloxane, 153, 156, 157
- Direct current plasma (DCP), 330
- Direct injection, 7, 923–924
- “Dirty” samples, 288, 484
- Discrete-flow model, 47, 48
- Discrimination, 7, 464, 477
- Disk integrator, 427
- Displacement chromatography, 7
- Displacement development, 27, 28–30
- Distillation
 - azeotropic, 811
 - methods of, 937
 - simulated, 636–638, 675–684
 - simulated versus “true,” 683
- Distillation chromatograms, 680–682

- Distribution coefficient, 7, 136–138, 221, 222, 414
- Distribution constant (K), 7, 30–32, 559
- Documentation, 986–987
archiving, storage, and retrieval of, 987
- Dopamine, 742
- Dopant gas, 313
- Double-dilution technique, 438–439
- Double-standard preparation, 445–446
- Drift, 280–281
- Drill cuttings, 650
- Driving under the influence (DUI) cases, 909–910
- Drug analysis, 888–909. *See also* Drugs of abuse
of abuse
in biological fluids and tissues, 909–921
- Drugs. *See also* Clinical/pharmaceutical applications; Drugs of abuse
analytical assay for, 363–364
antiepileptic, 751–754
clandestinely manufactured, 908
metabolites of, 916
source discrimination and identification of, 905–907
- Drugs of abuse, 757–760
analysis of, 888–889
classification of, 893
qualitative analysis of, 892–903
quantitative analysis of, 903–905
screening for, 911–920
- “Dry” carrier gas, 109
- Dry flashback arrestor, 520–521
- Dry purging, of air tubes, 857
- Dual columns, 870
- Dual-column confirmation, 840
- Dual-column method, 951
- Duplicate analysis, 985–986
- Dybowski, Cecil R., 605
- Dynamic dilution, 438–439
- Dynamic gas standards, 438–445
- Dynamic headspace, 563
- Dynamic headspace extraction methods, 572–573
- Dynamic headspace sampling (DHS), 790–794, 940–941
- Dynamic mixing technique, 438
- Dynamic mode, 591
- Dynamic purge, 528
- Dynamic range
detector, 283–284
FPD, 328
- Dynamic reservoir cell, 332
- Dynamic supercritical-fluid extraction (SFE), 554, 591–593
- Eddy diffusion, 49, 103, 494
- Eddy diffusion term, 51, 55
- Effective carbon number (ECN), 302–303
- Effective theoretical plate number, 7–8, 97–98
- Efficiency of column, 7
- Eight-port valve, 596
- Einstein diffusion equation, 50–51
- Electrical requirements
for 5–20-gas chromatographs, 542
for two- to four-gas chromatographs, 537–539
- Electrically heated metal cold traps, 242–243
- Electrolytic conductivity detector (ELCD), 331–333, 821–823
- Electrolyzer-powered FID (EFID), 304–305
- Electrolyzer-powered nitrogen–phosphorus detector (ENPD), 319, 320
- Electron affinity (EA), 385
of an anion, 384
- Electron capture, 306, 382, 387–388
- Electron-capture coefficient, 313
- Electron-capture coulometry, 307
- Electron-capture detection, separation of PCB congeners using, 845–848
- Electron-capture detector (ECD), 8, 305–315, 412, 840–845
for explosives analysis, 947
operation of, 306–310
performance of, 310–313
- Electron-capturing compound, 314
- Electronic integrators, 427–428. *See also* Integrator entries
- Electronic leak detectors, 468, 505, 525
- Electronic mass flow controller (EMFC), 859
- Electronic pressure control (EPC) devices, 497
- Electronic pressure-controlled injection, 111

- Electronics, gas chromatography, 180–182
- Electron ionization (EI), 348
- Electron ionization mass spectra, 345, 357, 358
- Electron ionization mass spectrometry, 358–360
- Electron/molecule reactions, 384
- Electron multiplier, 352
- Electron paramagnetic resonance (EPR), 746
- Elemental group analysis, 417–418
- Eluant, 8
- Elution, 8, 30, 36. *See also*
 Programmed-temperature elution
 isothermal, 220–223
 temperature change and, 214
 temperature-programmed, 223–226
- Elution chromatography, 8, 27
- Elution development technique, 30
- Elution peaks, 96
- Elution problem, 182–183
- Empore disks, 800
- Enantiomeric separations, 166
- “Endocrine disrupters,” 876
- Enflurane, 745
- Enthalpy change, 618–619
- Enthalpy of adsorption, 621
- Enthalpy of mixing, 624
- Enthalpy of solution, 624
- Environmental analysis. *See also*
 Environmental applications
 future of gas chromatography in,
 875–876
 government regulation in, 774–777
 headspace sampling of VOCs in,
 787–794
 role of gas chromatography in,
 773–774, 866–875
- Environmental applications, 40, 769–881.
See also Environmental analysis
 analysis of airborne pollutants,
 853–866
 derivatization techniques, 817–818
 determination of nonvolatile
 compounds and chlorinated acid
 herbicides, 849–850
 determination of organometallic
 compounds, 850–853
 determination of pesticides and
 polychlorinated biphenyls, 840–849
 gas chromatographic methods for
 SVOC determination, 828–840
 gas-chromatography-determined
 compounds, 781–787
 historical perspective on, 772–773
 sample extract cleanup, 813–817
 semivolatile organic compound
 extraction techniques, 794–800
 SVOC concentration, 811–813
 SVOC extraction techniques, 801–811
 VOC determination, 818–828
- Environmental crises, 771–772
- Environmental protection, role of states in,
 776
- Environmental Protection Agency (EPA),
 772, 776, 975. *See also* EPA methods
- Environmental samples, 777–781
 VOC determination in, 818–828
- EPA methods, 165
 column selection for, 165
- Epinephrine, 742, 743
- Equilibrium chemical equation, 550
- Equilibrium distribution constant, 551
- Equipment. *See also* Instrumentation
 solid-phase extraction, 561–562
 static headspace extraction, 565
- Error. *See also* System errors
 quantitative, 452–458
 in surface area determinations, 617
- Etched silicon channels, 268–269
- Ethanol, 755–756
 analysis of, 921–927
- Ethylene, 711–713
 impurities in, 712
- Ethyl *tert*-butyl ether (ETBE), 702
- Evaporation, 811–812
 commercial equipment for, 812
- Evidence, 886–888
 collection and packaging of, 929
 types of, 890–892
- Exhaust flow system, FID, 301
- Exhaustive extraction, 581–582
- Exit peaks, 47
- Explosives, electron-capture detection of,
 947
- Explosives analysis, 946–949
- Expulsion, 649

- External standard calibration, 570
- External standardization technique (EST), 8, 432–446
- External standards, 727–728
- Extracolumn band broadening, 237–239
 - column efficiency with, 239
- Extractables, 782
- Extraction
 - efficiency of, 551–554
 - gas chromatographic analysis and, 413
 - sensitivity of, 586–587
 - solvents for, 937–938
 - theory of, 549–554
- Extraction fibers, choosing, 577–581
- Extraction kinetics, in SPME, 576
- Extraction mode, choosing, 581–582
- Extraction techniques, for semivolatile organic compounds, 794–800, 801–811
- Extraction vessels, 591
- Extraction volume, optimization of, 583–584

- Faceseal fitting, 511
- Fast capillary columns, sample capacity of, 140
- “Fast noise,” 280
- Federal legislation, 774–776. *See also* Controlled Substance Act; Environmental protection entries; Government regulation; Laws
- Ferrules, 468, 475. *See also* Graphite ferrules
 - inner diameter of, 168–170
 - materials for, 107, 167–172
 - tightening, 522–523
- Fiber coatings, SPME, 578–579
- Fiber evidence, 953–955
- Fiber holder assemblies, SPME, 575
- Fibers, PDMS, 580. *See also* Extraction fibers; Stationary-phase-coated fused-silica fiber
- Filament and ribbon pyrolysis, 950
- Filament element, 8
- Film thickness, 139–140
 - bleeding and, 176
 - effect on separation, 138
- Filter aid, 73, 74
- “Fingerprint” analysis, 421, 656
 - GCFID, 836
- Fingertip residue extraction, 957
- Fire accelerants, 928
- Fire debris
 - analysis of, 939
 - detection of ignitable liquid residues in, 928–946
- Fittings, 468, 475, 520–521
 - ferrule, 167–172
 - overtightening, 106
 - regulator, 515
 - securing, 524
- 5–20-gas chromatographs, 539–542
- Flame detectors, open-cell, 246–247
- Flame ionization detection, 245. *See also* Flame ionization detector (FID); GCFID
- Flame ionization detector (FID), 8, 286, 298–305, 412, 823, 826. *See also* Alkali flame ionization detector (AFID); Electrolyzer-powered FID (EFID); Hydrogen atmosphere flame ionization detector (HAFID); Oxygen-specific flame ionization detector (O-FID)
 - design of, 300–302
 - modifications to, 303–305
 - operation of, 298–300
 - performance of, 302–303
- Flameless sulfur chemiluminescence detector, 329
- Flame photometric detector (FPD), 8, 325–328, 412, 674, 701, 845
 - design of, 326–328
 - operation of, 325–326
 - performance of, 328
- Flames, premixed, 327
- Flash vaporizer, 8
- Florisil, 816–817
 - cleanup with, 845
- Flow, 58–62
 - split-inlet, 476–477
- Flow controller, 8
- Flow devices, 497
- Flow profiles, 60
- Flow programming, 9
- Flowrates, 9, 136
 - electron-capture detector, 307–308
 - of gases, 301

- measurement of, 498
- TID, 318–320
- Flow setting, splitless inlet, 481–482
- Flowthrough techniques, 586–587
- Fluorescent indicator adsorption (FIA)
 - method, 684
- Flux, 522
- Food and Drug Administration (FDA), 975
- Food applications, 41
- Forced-air convection oven, 182
- Forensic science, 885–886
- Forensic science applications, 883–967.
 - See also* Forensic toxicology
 - analysis of drugs of abuse, 892–905
 - clandestine laboratory analysis, 907–909
 - drug analysis, 888–909
 - drug source discrimination and identification, 905–907
 - explosives analysis, 946–949
 - miscellaneous, 956–957
 - physical evidence in, 886–888
 - pyrolysis gas chromatography, 949–956
 - trace evidence analysis, 928–957
- Forensic scientists, functions of, 886
- Forensic toxicology, gas chromatography
 - in, 909–928
- Formation constants, 628
- Forward searching, 362
- Fossil fuels, petroleum-derived, 646–647
- Four-gas chromatographic system
 - configurations, 537–538
- Four-gas chromatographs, installing, 533–539
- Fractionation methods, 658, 672
- Free-energy changes, 624
- Free-radical crosslinking, 156
- Free silanol groups, 116
- Freundlich equation, 32–33
- Frit restrictor, 591
- Frontal analysis, 27–28
- Frontal chromatography, 9
- Fronting, 9
- Fuel gases, purging procedure for, 528
- Fuel value determinations, 674
- Full-mass-range scanning, 354
- Functional group analysis, 417–418
- Fused silica, synthetic, 116
- Fused-silica capillary columns, 69, 111, 112, 114–117, 126
 - aluminum-clad, 117–119
 - extrusion of, 117
 - preparation of, 121–130
- Fused-silica-lined stainless-steel capillary columns, 119–121
- Fused silica preform, 117
- γ -hydroxybutyric acid (GHB), 381, 919
- Gamma radiation, polysiloxane
 - crosslinking and, 160
- Gap inspection gauge, 523
- Gas choices, chromatograph, 499–500
- Gas chromatographic acronyms,
 - definitions for, 995–1001
- Gas chromatographic analyses. *See also* Gas chromatographic methods; Gas chromatography (GC)
 - of amphetamines, 744–745
 - of antiepileptic drugs, 753–754
 - ASTM methods for, 646
 - of drugs of abuse, 759–760
 - of inhalational anesthetics, 747–749
 - of prostaglandins, 761–763
 - of steroids, 765–766
 - of trace evidence, 928–957
 - of tricyclic antidepressants, 750–751
 - of volatile organics, 756–757
- Gas chromatographic columns, 67–68.
 - See also* Column entries;
 - Packed-column gas chromatography
 - ideal, 95
 - literature on, 70–71
- Gas chromatographic data
 - in environmental analysis, 866–875
 - identification from, 405–416, 417–421
- Gas chromatographic distillation (GCD), 637
- Gas chromatographic methods. *See also* Gas chromatographic analyses
 - for determining nonvolatile compounds and chlorinated acid herbicides, 849–850
 - for determining organometallic compounds, 850–853
 - regulatory purposes of, 773
 - for SVOC determination, 828–840
 - validation and quality assurance/quality control of, 969–988

- Gas chromatographic operations, tandem, 415–416
- Gas chromatographic optimization, 202, 223, 225–226
- Gas chromatographic oven design, 181–182
- Gas chromatographic supports/packings, specific surface areas of, 612
- Gas chromatographic symbols, definitions of, 1001–1005
- Gas chromatographic systems
calibration of, 976–977
errors in, 457–458
gas requirements of, 493
monitoring variables of, 1009
validation of, 458–459
- Gas chromatograph/mass spectrometer system, 342
- Gas chromatograph operation, verification after service, 974
- Gas chromatographs, 9. *See also* Gas chromatography (GC); Resolution
gas chromatograph
cooling, 216
installing, 529–542
integration and data-handling capabilities of, 428
maintenance of, 868
performance qualification of, 973–974
procurement of, 970–973
service and maintenance of, 974
validation of, 970
- Gas chromatography (GC), 9. *See also* Capillary column gas chromatography; Environmental applications; Forensic science applications; Gas chromatography/mass spectrometry (GCMS); Gas management systems; High-speed gas chromatography (HSGC); Inlet systems; Packed-column gas chromatography
advantages and limitations of, 41–43
chiral separations by, 166
classes of compounds determined by, 781–787
clinical and pharmaceutical applications of, 739–767
columns used in, 58–59
coupling with instrumental techniques, 418–419
definitions and nomenclature related to, 3–19
detectors in, 277–337
development of, 644
drug analysis by, 888–909
in environmental analysis, 875–876
explosives analysis with, 946–949
in forensic toxicology, 909–928
Internet resources related to, 71–72
MEMS, 271–272
miscellaneous forensic applications of, 956–957
optimization of, 226–227
physicochemical measurements by, 605–641
programmed-temperature, 183–185
qualitative analysis by, 404–421
quantitative analysis by, 422–459
role in environmental analysis, 773–774
sample preparation techniques for, 547–604
theory of, 25–63
useful hints for, 1007–1009
vacuum-outlet, 237
VOC determination using, 855–858
- Gas chromatography applications, 37–41. *See also* Applications to catalysis, 635
in photochemistry, 636
- Gas chromatography/electron ionization mass spectrometry (GC/EIMS), 358–364
qualitative methods in, 360–362
quantitative methods in, 363–364
- Gas chromatography/electron-capture negative-ion chemical ionization mass spectrometry (GC/ECNICIMS), 387–388
- Gas chromatography/mass spectrometry (GCMS), 339–401, 951. *See also* Gas chromatography (GC)
background artifacts in, 357–358
chemical derivatization of, 344–345
chromatography and, 346
data presentation in, 355–357
detectors used in, 352–353

- for explosives analysis, 948–949
- high-speed, 392–394
- history of, 340–341
- interfaces related to, 346–347
- ionization methods for, 394–396
- ion sources for, 348
- mass analyzers used in, 349–352
- sample preparation for, 344
- scanning techniques in, 353–355
- SVOC determination by, 829–831
- temperature problems with, 347
- trends in, 391–396
- VOC analysis by, 818–821
- Gas chromatography/negative-ion
 - chemical ionization mass spectrometry (GC/NICIMS), 381–391
 - applications for, 380–381
 - kinetic and thermodynamic considerations for, 384–386
- Gas chromatography/positive-ion chemical ionization mass spectrometry (GC/PICIMS), 364–381
 - instrumentation in, 371–374
- Gas cylinders
 - for four-gas chromatographs, 536–537
 - locating, 530
 - safety concerns for, 504–505
- Gases
 - adsorption of, 607–611
 - chemisorption of, 617
 - plumbing two together, 524–525
 - purity of, 505–512
- Gas generators, 500–503, 537
- Gas leaks, 288
- Gas lines
 - coding, 525
 - locating, 530
 - purgings, 527–528
- Gas–liquid chromatography (GLC), 9, 37, 341
 - separations in, 86
 - supports for, 72–79
- Gas–liquid–solid chromatography (GLSC), 79
- Gas management systems, 491–543
 - installation and assembly of, 499–515, 524–542
 - mobile-phases selection and, 492–499
 - tubing and plumbing for, 515–523
- Gasoline
 - aromatics in, 685–688
 - conversion of methanol into, 697
- Gasoline additives, 701–707
- Gasoline-range organics (GRO), 782
 - determining, 823–827
- Gasoline samples, comparison of, 945–946
- Gas-phase thermochemistry, 389
- Gas purifiers, 508–512, 540–542
- Gas samples
 - external standardization for, 435
 - injection syringes for, 455
- Gas-sampling glow discharge (GSGD)
 - ionization source, 395–396
- Gas-sampling valve, 9, 456–457
- Gas–solid adsorption capillary columns (PLOT columns), 167
- Gas–solid chromatography (GSC), 9, 36, 606–617
 - adsorbents for, 79–84
 - analysis via, 289
 - rate theory of, 606–607
- Gas–solid virial coefficients, 632
- Gas standards, 431–432
 - dynamic, 438–445
 - static, 435–438
- Gas valve inlet system, high-speed GC, 241
- GC/EI analyses, 363
- GCFID, petroleum fingerprinting using, 836–837. *See also* Flame ionization detection; Flame ionization detector (FID)
- Gel permeation chromatography (GPC), 813–814
- Gel-sol phases, 163
- Geminal silanols, 116
- “General elution problem,” 182–183
- Geochemical studies, 650–663
- Gibbs free energy, 368
- Giddings–Golay equation, peak shape simulations and, 226. *See also* Golay equation
- Glass capillaries, 111
- Glass capillary columns, 114–117
 - coating of, 149

- Glass columns, 816. *See also* Glass capillary columns
fittings attached to, 106
- Glasses
as capillary column materials, 114–117
structures of, 115
- Glass liners, 473–475, 486
- Glass wool plugs, 107
- Golay, Marcel, 109–110
- Golay equation. *See also* Giddings–Golay equation
differentiation of, 233
versus van Deemter expression, 130–132
- Golay plots, 234, 235, 236, 237
- Good Laboratory Practice (GLP), 973, 975
- Government regulation, 975. *See also* Controlled Substance Act; Environmental Protection Agency (EPA); EPA methods; Federal legislation; Food and Drug Administration (FDA); Occupational Health and Safety Administration (OSHA) codes
in environmental analysis, 774–777
- Graphite ferrules, 167–168
- Graphitized carbons, 80–83
- Graphpacs, 80
- Grignard reagent, 852
- Grob, Robert L., 1, 25, 403, 991, 1007
- Grob mixture, 973
- Grob procedure, 128
- Grounded lines, dedicated, 542
- Group A molecules, 608
- Group analysis, elemental and functional, 417–418
- Group B molecules, 608
- Group C molecules, 608
- Group D molecules, 608–609
- Guard column/retention gap, 178
- Guard columns, 176–178
- Guidance for Industry*, 459
- Gunshot residue (GSR), 949
- Hagen–Poussille equation, 201
- Hair, analysis of, 920
- Halide binding energies, 390
- Hall electrolytic conductivity detector, 331–333
- Hallucinogens, analysis of, 898–900
- Haloacetic acids, determining, 850
- Halocarbons, 72–79
- Haloethers, determining, 833–834
- Halogenated solvents, 320
- Halogenated VOCs, 822, 824–825
determination of, 821–823
- Halogen detection mode, 332
- Halothane, 745
- Hammett equation, 623
- Handbook of Chromatography*, 900–901
- HayeSep polymers, 80
- Headspace autosampler (HSAS) vial, 564, 565
- Headspace extraction, 563–573, 584
static, 563–568
- Headspace gas chromatography (HSGC), 563, 625, 788, 789
- Headspace samples, vapor examination of, 939. *See also* Headspace sampling entries
- Headspace sampling
dynamic, 790–794, 940–941
static, 787–790, 938–939
of volatile organic compounds, 787–794
- Headspace sampling and solid-phase microextraction (HSSPME), 574, 584, 828. *See also* Headspace solid-phase microextraction; Solid-phase microextraction (SPME)
- Headspace solid-phase microextraction, 563
- Heartcutting, 9, 725
- Heating, at-column, 252
- Heating current, TID, 318–320
- Heating rate, effects on analysis time and peak capacity, 252–255
- Heavy solvent backflush methods, 654
- Height equivalent to an effective plate, 9
- Height equivalent to a theoretical plate (HETP), 9, 45, 46–47, 57
column efficiency and, 95–97
values of, 494–495
versus linear velocity, 134
- Helium
as a carrier gas, 133, 234–235, 330, 374, 375–378

- radiation of, 325
- reagent gases and, 375–378
- Helium discharge ionization detector (HDID), 323, 324
- Helium ionization detectors (HID), 323–325
- Henry's law, 627, 924
- Heptane index, 654
- Herbicides, triazine, 785
- Heroin, 892–894
- High-concentration samples, 288
- High-level soils, 821
- High-order explosives, 946
- High-Resolution Chromatography*, 232
- High-resolution gas chromatography, 110, 111
- High-speed gas chromatography (HSGC), 229–274
 - capillary columns for, 230
 - column design and operating conditions for, 237
 - detectors for, 245–250
 - inlet systems for, 239–245
 - instrumental requirements for, 237–239
 - literature on, 231–232
 - microelectromechanical components for, 268–272
 - pioneering studies in, 231
 - problems with, 233
 - requirements for, 232–233
 - selectivity enhancement methods for, 255–267
- High-speed gas chromatography/mass spectrometry (HSGC/MS), 392–394
- High-speed gas chromatography systems, portable and miniaturized, 267–272
- High-speed separations, 230–231
- High-speed temperature programming, 231, 232, 250–255
- High-temperature gas chromatographic (HTGC) analyses, 679–683
- Hinshaw, John V., 193
- Holdup time, 10
- Holdup volume, 10
- Hoses, flexible, 519–520
- HP-PONA column, 693. *See also* Parafins–olefins–naphthenes–aromatics (PONA) analysis
- H_{lu}* profile, 103
- Hydride abstraction reactions, 370
- Hydride ion affinities (HIAs), 370
- Hydrocarbon analysis, 644, 646
- Hydrocarbon fractions, 666
- Hydrocarbon positive-ion chemical ionization reagent systems, 378–379
- Hydrocarbons
 - analysis of, 651
 - biodegradation of, 660
 - C4–C7, 654
 - cracking of, 708
 - in gas, 507
 - separation of, 149
- Hydrocarbon type analysis, 684–697
- Hydrogen, HETP values of, 495–496
- Hydrogen atmosphere flame ionization detector (HAFID), 304
- Hydrogen bonding, 117
- Hydrogen-bonding sites, 74
- Hydrogen-bonding techniques, 388–391
- Hydrogen carrier gas, 133, 202, 205–206, 234–236
- Hydrogen flow, in thermionic detectors, 318
- Hydrogen generators, 500–502
- Hydroxy-terminated phases, 161
- Ideal chromatography, 33, 34
- Ideal-gas law, 622
- Ignitable liquid residues
 - chromatographic characterization of, 929–934
 - detection in fire debris, 928–946
 - detectors used for, 941–945
- Ignitable liquids, classification of, 930
- Immiscible liquids, 550
- Inductive heating, 950
- Inductively coupled plasma (ICP), 330
- Inert-fused silica capillary columns, 68
- Infrared spectroscopy (IRS), 40, 419, 951
- Inhalational anesthetics, 745–749
 - gas chromatographic analysis of, 747–749
 - retention times of, 748
- Initial and final temperatures, 10
- Initial demonstration of proficiency (IDPF), 871–872
- Injection
 - considerations for, 466–468
 - large-volume, 484–485

- Injection point, 10
Injection port, 10
Injection port temperature, 347
Injection temperature, 10
Injector volume, 10
Inks, comparing, 956
Inlet liner diameter, 583
Inlet pressure, 467
Inlets, choosing, 466
Inlet septa, 974
Inlet splitting, 463
Inlet systems, 461–489
 cool on-column inlet, 483–485
 high-speed GC, 239–245
 packed-column inlets, 468–470
 programmed-temperature vaporization inlet, 485–488
 split inlets, 470–477
 splitless inlets, 477–483
Inlet temperature, setting, 475–476
Inline purifiers, 508–512
Inorganic adsorbents, 611
Insect larvae, analysis of, 921
Instability constant, 628
Installation qualification (IQ), 972–973
Instantaneous (differential) detection system, 41
Instructions, 986
Instrument qualification, 972–973
Instrumental techniques, coupling with gas chromatography, 418–419
Instrumentation. *See also* Calibration entries; Chemiluminescence detectors; Computers; Detector entries; Disk integrator; Electron-capture detector (ECD); Electronic entries; Equipment; Flame photometric detector (FPD); Flame ionization detector (FID); Integrators; Laboratory entries; Mass spectrometers; Microprocessors; Photoionization detector (PID); Photomultipliers; Quadrupole entries; Resolution gas chromatograph; Scanning electron micrograph (SEM); Sensors
 advances in, 422
 commercial, 20
 cool on-column inlet, 483
 facilities that house, 971–972
 gas chromatography/positive-ion chemical ionization mass spectrometry, 374
 high-speed GC, 237–255
 installation and setup of, 972
 negative-ion chemical ionization mass spectrometry, 386–387
 packed-column inlet, 468–469
 programmed-temperature vaporization inlet, 486–487
 pyrolysis gas chromatography, 597
 split inlet, 470–471
 splitless inlet, 478–479
 static headspace extraction, 565
 supercritical-fluid extraction, 589–591, 810
 technical specifications for, 971
 testing of, 973
Integral detector, 10
Integral restrictor, 591
Integral-type chromatogram, 28, 29
Integrator cables, 537
Integrators, 10
 electronic, 427–428
Internal normalization technique, 446–449
Internal standard, 10
 calibration of, 570–571
Internal standardization technique (IST), 10–11, 449–451
International Conference on Harmonisation (ICP), 975
International Organization for Standardization (ISO), 970
International Union of Pure and Applied Chemistry (IUPAC), 3
Internet resources, 71–72
Interstitial fraction, 11
Interstitial velocity of carrier gas, 11
Interstitial volume, 11
Inverse gas chromatography (IGC)
 applications of, 637
 physicochemical measurements and, 636
Ion collector, 302
Ion exchange, 26
Ion source pressures, 384, 387
Ion sources, in gas chromatography/mass spectrometry (GCMS), 347, 348

- Ion trap analyzer, 350–351
 Ion trap devices, 249
 Ion traps, 355
 Ionization detection systems, 289
 Ionization detectors, 11
 Ionization energy (IE), 359, 370
 Ionization mechanism, FID, 299–300
 Ionization methods, for gas
 chromatography/mass spectrometry,
 394–396
 Isoheptane index, 654
 Isopropanol, 755
 Isosteric enthalpy change, 618
 Isothermal column temperature, 209–214
 Isothermal elution, 220–223
 Isothermal gas chromatogram simulation,
 223, 224
 Isothermal hold, 184
 Isothermal mode, 11
 Isothermal operation, versus temperature
 programming, 182–183
 Isothermal retention times, predicting, 215
 Isothermal separation, high-speed, 263,
 264, 266
 Isotherm equations, 32–33
 Isotherms, 30–33

 Jet tip, 300–301
 Junction point pressure, changing, 261,
 262, 263

 Kaiser, Mary A., 403, 605
 Katharometer, 11
 Keesom orientation forces, 86
 Kerogen, 648, 649, 650
 Kinetics, 632–634
 Kovats retention indices, 87–89, 127, 409
 Kuderna–Danish (K–D) apparatus,
 811–812

 Laboratory, standard operating procedures
 in, 975–986
 Laboratory analysis, clandestine, 907–909
 Laboratory control samples (LCSs),
 872–873
 Laboratory fortified blank (LFB), 873
 Laboratory information management
 system (LIMS), 983
 Laminar flow, 59, 61

 LAMPA, 898–899
 Langmuir equation, 33
 Large-volume injection, 484–485
 Laser-mode pyrolysis, 39
 Laws, controlled dangerous substance,
 889–890. *See also* Federal
 legislation; Government regulation
LC/GC Magazine, 71
 “Leading peaks,” 406
 Leak detectors, electronic, 505, 525
 Leaking underground storage tanks
 (LUSTs), 823
 Leaks, finding and eliminating, 525–527
 Legislation. *See* Federal legislation;
 Government regulation
 Lester, Richard E., 969
 Lewis acids, 76, 115
 Light catalytic cycle oil (LCCO), 699–701
 Light hydrocarbons, 655–656, 658
 Limit of detection (LOD), 282–283, 980
 Limit of quantitation (LOQ), 867,
 874–875, 980
 Linear dynamic range, 313
 Linear flowrate, 12
 Linear gas velocities, 102
 Linear ideal chromatography, 34
 Linear isotherm, 31
 Linearity study, 977
 Linear nonideal chromatography, 34–35
 Linear quadrupole, 349–350
 Linear range, 283, 979
 ECD, 313
 Linear response
 FID, 303
 TCD, 297
 Linear restrictors, 591, 809
 Linear temperature programming, 183,
 184
 Linear velocity, 12, 104
 effect of carrier-gas viscosity on, 136
 measurement of, 133–136
 measuring with capillary columns, 499
 Liquefied petroleum gas (LPG), 673
 Liquid chromatography (LC), 27
 Liquid chromatography/mass spectrometry
 (LCMS), 340
 Liquid–liquid extraction (LLE), 344,
 550–551, 554–558

- Liquid–liquid extraction (LLE)
(*Continued*)
of semivolatile organic compounds,
794–797
versus solid-phase extraction, 559–560
- Liquid phases, 12, 148
choosing, 85
- Liquid residues, ignitable, 928–946
- Liquid samples, efficiency and
quantitation for, 566–568
- Liquid–solid chromatographic cleanups,
815–817
- Liquid–solid chromatography, 36
- Liquid standards, 445–446
- Liquid substrate, 12
- Local nonequilibrium, 49–50
- Logarithm-adjusted retention time, 88.
See also Log retention time/
carbon number plot
- Logbooks, 986–987
- Log retention time/carbon number plot,
408–409
- London dispersion forces, 85–86
- Longitudinal diffusion, 43–44, 54
- Long-term noise, 280
- Lorazepam, 918
- Low-explosive-level meter, 528
- Low-order explosives, 946
- Luer fittings, 455
- Lysergic acid diethylamide (LSD),
898–899
screening for, 919
- Macroscale liquid–liquid extraction, 554
- Magnetic stirring, 582
- Makeup gas, 247
- Makeup-gas systems, purging, 528
- Manual for the Analysis of Ethanol in
Biological Liquids*, 925
- Marijuana, 758
- Marker, 12
- Martin–James gas compressibility
correction, 234
- Martire–Riedl (M/R) method, 629, 630
- Mass, 283
- Mass analyzers, 349–352
- Mass chromatograms, 356
- Mass distribution ratio, 12
- Mass flow controllers, 497–498
- Mass flow convection, heat loss due to,
292
- Mass flow detectors, 282
- Mass flowmeters, 539–540
- Mass resolution, 352
- Mass-sensitive detector, 302
- Mass spectra
computer comparison of, 362
interpreting, 360–361
- Mass spectrometer data systems, 362
- Mass spectrometer ion source, 347, 348
- Mass spectrometers, 148, 341, 419, 942
common features of, 353
time-of-flight, 247–250
- Mass spectrometry (MS), 40, 163. *See
also* Gas chromatography/mass
spectrometry (GCMS)
- Mass transfer contribution, 103–105
- Masucci, John A., 339
- Materials, capillary column, 114–121
- Matrix solvent, choosing, 568
- Matrix spike duplicates (MSDs), 873
- Matrix spike samples (MSs), 873
- Maximum column efficiency, 132
- Maximum effective efficiency, 132
- McReynolds constants, 87, 90, 91–93, 94,
410–411
stationary phase polarity and, 153
- McReynolds retention indices, 89
- McReynolds system, for classifying
stationary phases, 89–94
- Mean interstitial velocity of carrier gas, 12
- Measurements. *See* Area measurement;
Peak size measurements;
Physicochemical measurements
- Megabore capillary columns, 132,
144–147, 186
- Membrane-based extractions, 563,
594–595
- Membrane extraction devices, 595
- Membrane extraction with a sorbent
interface (MESI), 595
- MEMS gas chromatography, 271–272.
See also Microelectromechanical
systems (MEMS) technologies
- Merlin Microseal device, 473
- Mesh range, 76–77
- Metabolic clearance rate (MCR), 764
- Metagenesis, 649

- Metal-clad capillary columns, 121–122
- Metal cold traps, electrically heated, 242–243
- Metal oxides, as adsorbents, 611
- Methamphetamines, screening for, 917
- Methane PICI spectrum, 379
- Methanol, 755, 756
- Method blanks (MBs), 872
- Method detection limits (MDLs), 874–875
- Method
 range of, 979
 robustness of, 980–981
- Methods for the Determination of Organic Compounds in Drinking Water*, 776
- Methoxyfluorane, 745, 747
- Methylated herbicides, 850
- Methylene chloride (MeCl), 794–795
- Methyl *tert*-butyl ether (MTBE), 702–704, 782, 827
- Microanalysis, 417
- Microelectromechanical systems (MEMS)
 technologies, 267. *See also* MEMS
 gas chromatography
- Microextraction, 796–797
- Microfabricated columns, 268–270
- Microfabricated sensors, 247, 270–271
- Microfabricated valves, 240
- Micro-GC, high-performance, 268
- Microporous membrane liquid–liquid extraction (MMLLE), 595
- Microprocessors, advances in, 111. *See also* Computers
- Microscale liquid–liquid extraction, 554, 555–556
- Microwave-assisted extraction (MAE), 594, 810
- Microwave-induced plasma (MIP), 330
- Mild pyrolysis, 38
- Miniaturized high-speed GC systems, 267–272
- Minimum detectable level (MDL), 282, 980
- Mixed-phase cell, 332–333
- Mixed stationary phases, 257–259
- Mixtures
 high-speed analysis of, 250
 multicomponent, 411
 wide-boiling-point-range, 254–255
- Mobile phases, 12, 619–620, 636
 selection of, 492–499
 viscosity of, 496
- Modulated detector, 295–297
- Molecular diffusion, 103
- Molecular ions, losses from, 362
- Molecular sieve adsorbents, 80
- Molecular sieve columns, 689
- Molecular weight chromatography, 412–413
- Molecule transition rate, 52
- Mounting devices, 536
- Moving phase, 13
- “MS columns,” 162
- MS-grade phase, 162
- Multibed preconcentrator, microfabricated
 versions of, 270–271
- Multicolumn techniques, in process gas chromatographs, 725, 726
- Multidimensional (gas chromatography)^m/(mass spectrometry)ⁿ (GC^m/MSⁿ), 391–392
- Multilinear temperature programming, 183, 184–185
- Multiple columns, 409–411
- Multiple extractions, efficiency of, 553–554
- Multiple-headspace extraction (MHE), 572, 789
- Multiple-ion monitoring (MIM), 355
- Multiple-path (multipath) effect, 103
- m/z* ratio, 349, 350
- Nafion dryer, 860
- Naphthenes, 646
- Narcotics, analysis of, 892–894
- National Discharge Elimination System (NPDES), 775
- National Fire Protection Agency (NFPA) codes, 521
- National Institute of Standards and Technology (NIST)
 database of, 821
 mass spectral library of, 362
 reference standards of, 978
- National Institute on Drug Abuse (NIDA) guidelines, 911
- n*-C₈-S-Au sensors, 270

- Nearest-neighbor technique, 94
Negative-electron ionization, 364
Negative-ion chemical ionization (NICI), 364. *See also* NICI entries
Negative-ion chemical ionization mass spectrometry (NICIMS), 381–391
 advantages of, 381–383
 instrumentation for, 386–387
Negative-ion mass spectrometry (NIMS), 948
Negative ions, 359
Net retention volume, 13
N-EVAP, 812
NICI acidity/hydrogen-bonding technique, 382–383
NICI electron-capture technique, 382
NICI spectrum, 383
Nickel tubing, 107
⁶³Ni radiation source, 307
Nitroaromatics, determining, 835
Nitrogen, HETP value for, 494, 495
Nitrogen chemiluminescence detector, 329–330
Nitrogen compounds, 697–701
Nitrogen detection mode, 332
Nitrogen generators, 501, 502–503
Nitrogen–phosphorus detector (NPD), 13, 315, 317, 699–701, 845, 911
 electrolyzer-powered, 319, 320
Nitrogen rule, 361
Nitrosamines, determining, 835
Nitrous oxide, 745–746, 807
N-nitroso-di-*n*-propylamine, PICI spectrum of, 377
Noise
 FID, 303
 FPD, 328
 measurement of, 281
 TCD, 297
Nomenclature, chromatography-related, 3–19
Nonideal chromatography, 33, 34–35
Nonlinear ideal chromatography, 36
Nonlinear nonideal chromatography, 36–37
Nonpolar phases, 149
Nonpolar polysiloxane phases, 149–152
Nonpolar siloxanes, 159
Nonradioactive ECD, 313–315
Nonspecific adsorbents, 609
Nonsymmetric band spreading, 610
Nonvolatile compounds, determining, 850
Norepinephrine, 742, 743
Normal pyrolysis, 38
Nuclear magnetic resonance (NMR), 746
Nylon tubing, 517

Occupational Health and Safety
 Administration (OSHA) codes, 521
Octamethylcyclotetrasiloxane, deactivation of, 124
OH-terminated polysiloxanes, 152
Oils, 656–658
Olefins, 646, 708–717
OMI purifier, 510, 512
On-column band broadening, 238
On-column injections, 13, 111, 346, 347
On-column inlet, 465
One-gas chromatographs, plumbing for, 530–533. *See also* Single-gas chromatograph
Open-cell flame detectors, 246–247
Open tubular columns (OTCs), 13, 98, 109, 230, 231, 233
 versus packed columns, 100
Operational qualification (OQ), 973
Opiates, 914
Opioids, 758
Optimization, successful, 195. *See also* Separation optimization
Optimization engine, 219
Optimization system models, 222
Ordinary diffusion, 49
Organic acids, 817, 818
Organic adsorbents, 611
Organic compounds
 identification of, 417
 volatile and semivolatile, 781–783
Organic contaminants, in soil, 801–802
Organic molecule bond energies, 359
Organitin compounds, 585
Organochlorine pesticides, 840–845
Organometallic compounds, 608, 787
 determining, 850–853
Organophosphorus pesticides, determining, 845
Orthorhombic sulfur, GPC cleanup of, 817
Outlets, dedicated, 499

- Ovens
 column, 5, 180
 convection, 250–252
 forced-air convection, 182
 gas chromatographic, 181–182
- Oven temperature control, subambient, 185
- Oven temperature profiles, for
 programmed- temperature gas chromatography, 183–185
- Oxalic acid, determination of, 956
- Oxygen-specific flame ionization detector (O-FID), 704–707
- Packed-column gas chromatography, 72–109. *See also* Packed-column PGC
- Packed Column in Gas Chromatography, The* (Supina), 79
- Packed-column inlets, 468–470
 advantages and disadvantages of, 469–470
- Packed-column PGC, 955. *See also* Pyrolysis gas chromatography (PGC)
- Packed columns, 13
 ferrule materials for, 108
 flowrate measurement with, 498
 flow through, 60, 61
 mass flow controllers for, 497–498
 versus capillary columns, 69, 111–114, 196–199
 versus open tubular columns, 100
- Packed-column separation, optimization of, 102–105
- Packing density, 77–78, 79
- Packing material, 13
- Paint evidence, 950–953
- “Paper dolls” technique, 426–427
- Paraffins, 646
- Paraffins–olefins–naphthenes–aromatics (PONA) analysis, 684, 693–695, 697. *See also* HP-PONA column
- Parallel-plate tritium source, 311–312
- Particle size, screen openings and, 78
- Partition chromatography, 13, 26
- Partition coefficient, 13
- Passive headspace procedure, 939–940
- PCB Aroclors, 842–843
- PCB congeners, high-resolution separation of, 845–848
- PDMS-coated capillary columns, 579
- Peak area, 13. *See also* Peak height/width/area
 measurement of, 425
- Peak base, 13
- Peak broadening, 131, 614
- Peak capacity, 233
 effects of heating rate on, 252–255
 large losses in, 255
 reduced, 256
- Peak diffuseness, 610
- Peak height, 13, 422–425. *See also* Peak height/width/area
 percentage of, 128
 reproducibility of, 424
- Peak height/width/area, effect of detector attenuation change and chart speed on, 991–993. *See also* Peak area; Peak height; Peak width
- Peak identification, qualitative analysis without, 421
- Peak maximum, 13
- Peak resolution, 13, 207–208
 across a range of column temperatures, 212–213
 effect of column length on, 202–204
- Peak retention times, computing, 223
- Peaks, 13. *See also* Peak height/width/area
 identifying, 39–40
 megabore-column-generated, 146
 retention behavior of, 220–221
 trapping, 419–421
- Peak shape, 429. *See also* Peak height/width/area
 multilayer adsorption and, 614, 615
 simulation of, 226
- Peak size measurements, 422–431. *See also* Peak height/width/area
 comparison of, 428–431
 errors in, 429
 on a sloping baseline, 430
- Peak tailing, 76
- Peak width, 13. *See also* Peak height/width/area
 at half-height, 14
- Pentachlorophenol (PCP), extraction of, 805
- Pentafluorobenzylbromide (PFBBBr), 836
- Pentane, 126

- Performance evaluation standards (PESs), 874
- Performance index (PI), 14
- Performance qualification (PQ), 973–974
- Performance specifications, 971
- Permanent gases, separation of, 149
- Permeation rates, 444
- Permeation tube, 443–445
- Personnel, 975
- Pesticide applications, 41
- Pesticide residue analysis, 414
- Pesticides, 783–786
- alternate methods for determining, 848–849
 - determining, 840–849
 - Florisol cleanup of, 816–817
 - organochlorine, 841
 - organophosphorus, 785
 - relative retention times for, 410
- Pesticide sampling, 866
- Petrochemical analysis, 644
- Petrochemicals, 708–719
- Petrochemical sources, alternative, 663–666
- Petrocol DH column, 707
- Petroleum
- composition of, 647–648
 - conversion of organic matter to, 648–649
 - exploration for and production of, 646–666
 - refining of, 666–707
- Petroleum analysis, 644–645
- standardization of, 645–646
- Petroleum fingerprinting, 836–837
- Petroleum fractions, heavy, 683
- Petroleum geochemistry, GC application to, 659–660
- Petroleum industry
- applications related to, 40
 - terminology of, 646
- PGCMS, 951, 953. *See also* Pyrolysis gas chromatography (PGC)
- PGE prostaglandins, 760, 761
- PGF prostaglandins, 760, 761
- Pharmaceutical applications, 40. *See also* Clinical/pharmaceutical applications
- Pharmaceutical methods, validation of, 975
- Pharmaceuticals, assaying, 569
- Pharmacological effects
- of alcohol, 755
 - of amphetamines, 742
 - of antiepileptic drugs, 751–752
 - of drugs of abuse, 758
 - of inhalational anesthetics, 745–746
 - of prostaglandins, 760–761
 - of tricyclic antidepressants, 749
- Phase-coated thermal modulators, 243–245
- Phase meter, 334
- Phase ratio, 14, 136–139
- Phase rule, 550
- Phases
- chiral stationary, 165–166
 - crosslinked versus chemically bonded, 156
 - MS-grade versus polysilarylene or polysilphenylene, 162
 - phenylpolycarborane-siloxane, 164–165
 - solgel stationary, 163–164
- Phase selectivity, 153
- Phencyclidine (PCP), 898, 899–900
- screening for, 918–919
- Phenethylamines, 894
- Phenobarbital, 752
- Phenols, determining, 836
- Phenylene phase, 162
- Phenylethylmalonamide (PEMA), 753
- Phenylpolycarborane-siloxane phases, 164–165
- Phenytoin, 752
- Phosphorus-containing compounds, 326
- Photochemistry, physicochemical measurements and, 635–636. *See also* Chemiluminescence detectors
- Photoionization, 321–322, 821–823
- Photoionization detector (PID), 14, 320–323, 822–823
- characteristics of, 322–323
 - operation of, 321–322
- Photomultiplier noise, 328
- Photomultipliers, 353
- Photomultiplier tube (PMT), 325–326
- Phthalate esters, determining, 834–835
- Physical evidence, 886–888
- types of, 890–892, 950–956

- Physicochemical measurements, 605–641
 accuracy and precision of, 638–639
 complexation constants and, 627–630
 gas–solid chromatography and, 606–617
 kinetics and, 632–634
 pyrolysis and, 634–635
 solution thermodynamics and, 622–625
 surface thermodynamics and, 617–622
 vapor pressure and Henry's law and, 625–627
 virial coefficients and, 630–632
- PICI sensitivity, 372. *See also* Positive-ion chemical ionization mass spectrometry (PICI)
- PICI spectra, 372–374, 377–378, 379, 380
- Pink diatomite, 73, 74
- Pipe still, 672
- Plane parallel electron capture detector, 306
- Planimeter method, 427
- Plasma excitation sources, 330
- Plate columns, elution peaks for, 96
- Plate height, 207
- Plate number, required, 99–100
- Plate theory, 35, 44–48
- PLOT columns. *See* Porous-layer open tubular (PLOT) columns
- Plugs, glass wool, 107
- Plumbing
 for gas management systems, 515–523
 for one-gas chromatographs, 530–533
 problems associated with, 529
- PNA analysis, 689–692
- Polar analytes, 74–76
- Polar columns, coating efficiency of, 147–148
- Polar interactions, 798
- Polarity, 14, 87
 of the stationary phase, 90
- Polar phases, 148–149
- Pollutants, airborne, 853–866. *See also* Air pollution entries
- Polyacrylate coating, 579
- Polyamides, 117
- Polyarylene–siloxane phases, 152
- Polychlorinated biphenyls (PCBs), 783–786, 840, 842. *See also* PCB entries
 alternative methods for determining, 848–849
 determining, 840–849
 sampling, 866
- Polychlorinated dibenzodioxins (PCDDs), 786
 determining, 837–840
- Polychlorinated dibenzofurans (PCDFs), 786
 determining, 837–840
- Polycyclic aromatic hydrocarbon separation, 556
- Polydimethyldiphenylsiloxane, stationary phases of, 154
- Polydimethylsiloxane (PDMS), 800. *See also* PDMS-coated capillary columns
- Poly(ethylene glycol)s (PEGs)
 crosslinking of, 160
 phases of, 149, 154–156
- Polymer crosslinking, problems with, 159
- Polymer evidence, 955
- Polymeric membrane extraction (PME), 595
- Polymeric synthesis, 160
- Polymethylsilicones, hydroxy-terminated, 160
- Polynuclear aromatic hydrocarbons (PAHs), 783, 864, 865, 866
 determining, 831
- Polysilarylene phase, 162
- Polysiloxanes, 95, 149, 153–154
 deactivating methods using, 123–124
 thermal degradation of, 123
- Polysiloxane-type phases, 94
- Polysilphenylene phase, 162
- Porapaks, 80
- Porous-layer open tubular (PLOT) columns, 14, 167, 498, 610, 685
- Porous polymer adsorbents, 79–80, 81–82
- Portable high-speed GC systems, 267–272
- Position peaks, 47
- Positive-ion chemical ionization mass spectrometry (PICI), 364–381. *See also* PICI entries; Self-PICI reaction

- Positive-ion chemical ionization mass spectrometry (PCI) (*Continued*)
 advantages of, 364–367
 kinetic and thermodynamic considerations for, 367–371
- Potentiometric recorder, 14
- Power requirements, gas management system, 499
- Precision, in physicochemical measurements, 638–639
- Precision data, 978–979
- Precolumn sampling (OTC), 14
- Preconcentrators, microfabricated, 270–271
- Pressure, 14
- Pressure controls, 497
 for capillary problems, 498
- Pressure gauges, 510, 520
- Pressure gradient correction coefficient, 14
- Pressure-relief devices, 520
- Pressure swing adsorption, 503
- Pressure-tunable column ensemble, 261
- Pressure–velocity relationship, 202
- Pressurized fluid extraction, of semivolatiles organic compounds, 804–806
- Pretreated cylinders, 435
- Primary cations, 365
- Primary migration, 649
- Primidone, 752–753
- Probability-based matching (PBM) software, 362
- Probes, liquid-phase-classification, 90
- Process chromatographs, 722–731
 applications of, 731–732
- Process chromatography, 719–732
- Process gas chromatographic analyzer system, 722
- Process temperature programmed gas chromatographs, configurations for, 729
- Product line designations, 152
- Programmable selectivity, with tandem capillary columns, 259–263
- Programmed-temperature elution, 216
 optimization of, 217
- Programmed-temperature gas chromatography, 14. *See also* Process temperature programmed gas chromatographs; Temperature programming entries
 oven temperature profiles for, 183–185
- Programmed Temperature Gas Chromatography*, 184
- Programmed-temperature vaporization (PTV), 462, 463
- Programmed-temperature vaporization inlet, 465, 485–488
 advantages and disadvantages of, 488
 operation modes of, 487
- Programmer, 725–731
- Propylene, 713–715
- Prostaglandins, 760–763
 gas chromatographic analysis of, 761–763
- Proton affinities (PAs), 368–3709
- Protonated molecular cations, 365
- Pseudo-first-order rate, 310
- PUF cartridge, 866
- Pulsed-flame photometric detector (PFPD), 327–328
- Pulse discharge electron-capture detector (PDECD), 313–315
- Pulse discharge helium ionization detector (PDHID), 324–325
- Pulsed variable frequency, 309–310
- Pulsed voltage, 308–309
- Pulse flow modulation, with tandem capillary columns, 263–267
- Pulse-mode pyrolysis, 38
- Purge and trap methods, 572–573, 940
- Purged splitless injection, 15
- Purge OFF time, 481–482
- “Purge on”/“purge off” configurations, 478, 479
- Purge valve, 465
- Purifier connections, 529
- Purifiers, 508–512
 maintenance program for, 541
- Purnell classification system for complexes, 628
- p* value, 413–415
- Pyrograms, 15, 38, 952, 954
 “large molecule” and “small molecule,” 416

- Pyrolysis, 15, 595–596
 closed-system, 651, 652
 controlled, 416
 Curie point, 950
 filament and ribbon, 950
 open-system, 652
 types of, 38
- Pyrolysis derivatization technique, 956
- Pyrolysis gas chromatography (PGC), 15, 38, 634–635, 951–956.
See also PGCMS
 forensic science applications of, 949–956
- Pyrolysis reproducibility parameters, 39
- Pyrolysis systems, 949–950
- Pyrometer, 15
- Pyroprobe, 953–955
- Pyroprobe systems, 950
- QA/QC. *See* Quality assurance/quality control (QA/QC)
- Quadrupole devices, 249, 341
- Quadrupole mass spectrometers, 386
- “Quad studies,” 872
- Qualification, in environmental analysis, 869–871. *See also* Qualitative analysis; Quality assurance entries
- Qualitative analysis, 15, 404–421
 logic of, 421
 without peak identification, 421
- Quality assurance (QA), 638–639, 970.
See also Quality assurance/quality control (QA/QC)
 in environmental analysis, 871–874
- Quality assurance plan (QAP), 871
- Quality assurance/quality control (QA/QC), 969–988
- Quality control charts, 873–874
- Quality control (QC) lab, 195. *See also* Quality assurance/quality control (QA/QC)
- Quantification. *See also* Quantitative analysis
 of amphetamines, 744–745
 of antiepileptic drugs, 754
 of drugs of abuse 759, 760
 in environmental analysis, 867–869
 of inhalational anesthetics, 748–749
 of prostaglandins, 763
 of steroids, 766
 of tricyclic antidepressants, 751
 of volatile organics, 757
- Quantitative analysis, 15, 422–459
 standardization and, 431–452
- Quantitative error, 452–458
- Quick-connect fitting, 174
- Radiation source, electron-capture detector, 307
- Radical anions, 359
- Radical cations, 359, 378–379
- Raffinate, 553
- Ramp rate, 185
- Range of method, 979
- Raoult’s law, 622
- Rate equation, 633
- Rate of reaction, 632
- Rate theory, 35, 48–62
- Reaction energy (RE), 370
- Reaction studies, 633
- Reagent gases
 amine, 379–380
 chromatographic carrier gas substituted as, 374–375
 dissociative attachment anions of, 389
 helium chromatographic carrier gas and, 375–378
 hydrocarbon, 378, 379, 380
- Reagent systems
 amine positive ion chemical ionization, 379–380
 hydrocarbon positive-ion chemical ionization, 378–379
- Receptors, 763
- Recombination energy, 370
- Refinery gas analyses, recent system for, 675
- Refinery gases, 673–675
 separation of, 169
- Refinery gas streams, fuel value of, 674
- Regulators, 507–508, 512–515
 fittings for, 515
 vent holes in, 526–527
- Regulatory agencies, 975. *See also* Government regulation

- Relative detector response, 411–413
Relative percent difference (RPD), 873
Relative response factor (RRF), 867
Relative retention, 15
Relative retention times (RRTs), 870
 for pesticides, 410
Relative standard deviation (RSD), 867
Repeatability, 978
Repeller voltage, 387
Replacement parts, 974
Reports. *See* Documentation
Reproducibility, 979
Required plate number, 15, 99–100
Resistance-to-mass transfer, 43
Resistive heating, 950
Resolution, 15, 98–99
 effect of column changes on, 104
 effect of stationary phase and column temperature on, 105
Resolution gas chromatograph, 42
Resolution window diagram, 213
Resonant size, 804
Response factor equations, 286
Response factors, 284–286
 ECD, 310–312
 FID, 302–303
 TCD, 297
Restrictors, types of, 591
Retaining precolumn, 485
Retention data, 405–408
 comparison of, 406
Retention factors, 99–99, 138, 222
 relation to column temperature, 232
Retention gap, 176–178, 346
Retention indices (RIs), 15, 87–89, 409, 910, 913–914
Retention times. *See also* Log retention time/carbon number plot
 adjusted, 3
 absolute, 16, 88
 for antiepileptic drugs, 754
 carrier-gas flow and, 424
 comparing, 407–408
 corrected, 5
 effect of column length on, 204
 for inhalational anesthetics, 748
 isothermal, 215
 linear velocity and, 205
 peak, 223
 pesticide, 410
 relative, 410, 870
 sample size and, 406–407
 temperature and, 208–218, 423
Retention time windows, 981
Retention volume
 absolute, 16
 adjusted, 3, 97
 corrected, 6
 net, 13
 specific, 17
Reversed-flow GC, 633
Reverse-flow sorption trap, 246
Reverse searching, 362
Reynolds numbers, 61
Robustness of method, 980–981
Rotameters, 539–540
Rotary gas-sampling valve, 457
Ruggedness of method, 980

Sacks, Richard D., 229
Saliva, analysis of, 920–921
“Salting out” effect, 557, 562
Sample blanks, 288
Sample components, separation of, 27
Sample evaporation, 469
Sample extracts, cleanup of, 813–817
Sample injection, 453–457, 462
Sample injector, 16
Sample introduction, error and, 453–457
Sample loops, high-speed GC, 239–242
Sample matrix effects, 572
Sample preparation. *See also* Sample preparation techniques
 automation in, 596–597
 for controlled substances, 890–892
 gas chromatography/mass spectrometry, 344
 static headspace extraction, 565–566
Sample preparation techniques, 547–604.
 See also Extraction theory; Sample preparation
 headspace extraction, 563–573
 liquid–liquid extraction, 554–558
 sample types and, 549
 solid-phase extraction, 558–563
 sorbent-based microextractions, 574–587
Samples, 16
 contaminated, 484, 781

- environmental, 777–781
- pretreatment of, 413
- storing, 530
- unconventional, 920–921
- Sample size, retention time and, 406–407
- Sample system, 722–723
- Sample tracking, 983
- Sampling. *See also* Dynamic headspace sampling (DHS); Gas-sampling glow discharge (GSGD) ionization source; Headspace sampling entries; Rotary gas-sampling valve
 - containers for, 453
 - pesticide, 866
 - precolumn, 14
 - subatmospheric, 859
- Sampling techniques, error in, 452–453
- Saturated hydrocarbons, 608
- Saturate–olefin–aromatic (SOA) content, 684
- Saturates, 646
- Saturation vapor pressure (SVP), 439
- Scanning electron micrograph (SEM), 144, 145
- Scanning mass analyzers, 249
- Scanning modes, 354–355
- Scanning techniques, gas
 - chromatography/mass spectrometry, 353–355
- Scientific Working Group for the Analysis of Seized Drugs (SWGDRG), 892
- SCOT (support-coated open tubular) column, 16, 697
- Secondary cations, 365
- Secondary migration, 649
- Second virial coefficients, 631–632
- Security policy, 971–972
- Selected ion chromatograms, 356
- Selected-ion monitoring (SIM), 354–355, 363, 831, 849, 942
- Selective detector, 286–288, 411–412
- Selective sampling, 16
- Selectivity, 976
 - adjustment of, 256–267
 - in GLC, 86–87
 - liquid phase, 85
 - tunable/programmable, 259–263
- Selectivity enhancement methods, high-speed GC, 67
- Selectivity optimization, for mixed stationary phases, 257–258. *See also* Selectivity enhancement methods
- Self-PICI reaction, 365, 366–367
- Semivolatile organic compounds (SVOCs), 781, 782–783. *See also* Volatile organic compounds (VOCs)
 - in air, 864–866
 - concentration of, 811–813
 - extraction techniques for, 794–800, 801
 - gas chromatographic methods for determining, 828–840
 - isolating from soil, 801
- Sensitivity (S), 980
 - atomic emission detector, 331
 - detection system, 282
 - detector, 282, 283
 - FPD, 328
- Sensitivity gas chromatograph, 42
- Sensor array detection, 268
- Sensors, microfabricated, 270–271
- Separation behavior, 208
- Separation efficiency, 16
- Separation factor, 16, 99, 100–101
- Separation factor optima, 211. *See also* Separation optimization
- Separation number, 16, 101, 253, 254
- Separation optimization, 193–218
 - choices related to, 195–199
 - column variables and, 199–204
 - influence of operational variables on, 205–218
 - reasons for, 194–195
 - role of computers in, 218–226
 - system models for, 220–226
- Separation quality, 262
- Separations, 16
 - high-speed, 230–231, 265–267
- Separation temperature, 16
- Septa
 - alternatives to, 473
 - capillary-inlet, 471–473
- Septum bleed, 16, 472
- Septum problems, 455–456
- Septum purge, 470–471
- Series-coupled column ensemble, 259–260
- Sevoflurane, 745
- Shale oil, 663–665

- Short columns, 233, 236
Short-term noise, 280
Shutoff valves, 534–536
Sidegroup scission, 595
Signal-to-noise ratio (S/N), 281–282
Silanol deactivation, 121–126
Silanol groups, 74, 122
 categories of, 116
Silazanes, 125
Silcosteel, 120
Silicon hydride polysiloxanes,
 dehydrocondensation of, 123
Siloxane group, 74
Silphenylene(arylene) phases, 162
“Siltek” process, 126
SilTite metal ferrules, 168
Silylation, 818
Silylation reagents, 320
Simulated distillation (SIMDIS), 636–638,
 675–684
 analysis, 636–637
Simulation programs, 226
Single-drop microextraction, 556–557
 kinetics of, 557
Single-gas chromatograph, installing,
 529–533. *See also* One-gas
 chromatographs
Single-gas chromatographic system
 configurations, 531–535
Single-stage regulator, 513
Six-port valve, 573
Size exclusion chromatography (SEC), 26
Slack, Gregory C., 547
Small column diameter, 235–236
Smith, Edward F., 643
Smokeless powders, identification of, 956
Smoking, 758
Snow, Nicholas H., 461, 547
Snyder, John L., 769
Soap-bubble meters, 498
Software validation, 981–983
Soils
 high-level, 821
 SVOC extraction from, 801–811
Soil samples, 778, 779, 791
Soil-sampling data, 452
Solgel stationary phases, 163–164
SolGel-WAX column, 163–164
Solid-phase enrichment, 813
Solid-phase extraction (SPE), 344,
 558–563. *See also* Solid-phase
 microextraction (SPME)
 applications of, 562–563
 of drugs, 891
 of drugs of abuse, 910–911
 of semivolatile organic compounds,
 797–800
 versus liquid–liquid extraction,
 559–560
Solid-phase extraction cartridge, 559–560
Solid-phase microextraction (SPME), 344,
 555, 574–577, 875, 891, 927, 940.
 See also Solid-phase extraction
 (SPE)
 applications of, 584
 method development in, 577–584
 of semivolatile organic compounds, 800
Solids, specific surface area of, 611–612
Solid samples, SVOC extraction from,
 801–811
Solid supports, 17, 72–84
 cross-reference of, 76
Solubility
 physicochemical measurements and,
 638
 temperature and, 589, 806, 808
Solubility isotherm, 589
Solute, 17
Solute fraction, 551–552
Solute molecules, groupings of, 608–609
Solution coating, 105–106
Solution thermodynamics, 622–625
Solvent effect (OTC), 17
Solvent effect focusing, 480–481
Solvent efficiency, 17
Solvent evaporation, 105–106
Solvent extraction, 937–938
Solvent flameout, 327
Solvent refined coal (second) (SRCII)
 process, 666
Solvent rinse kit, 180
Solvents, 17
 “blanking,” 445, 452
 nonpolar, 518
Solvent selection, in GCMS, 344
Solvent temperature, increasing, 806
Solvent venting (OTC), 17
Sonication extraction, 803–804

- Sorbates, groupings of, 608–609
- Sorbent-based microextractions, 574–587
- Sorption–desorption kinetics, 610
- Sorption traps, 245
- Soxhlet extraction, 555, 852, 865
of semivolatile organic compounds, 802–803
- Span of the recorder, 17
- Specialty columns, 165–167
- Specific adsorbents
with electron densities on the surface, 609
with positive surface charges, 609
- Specificity, 976
- Specific retention volume, 17
- Specific surface area, 17, 611–612, 613
- Spectral acquisition rates, 248
- Spectral continuity, 248–249
- Spectral deconvolution algorithm, 250
- Spectral libraries, 419
- Speed enhancement factor (SEF), 393
- Spiking, 288
- Split and Splitless Injection in Capillary Gas Chromatography*, 463
- Split injection (OTC), 17, 346, 470, 471
- Split inlets, 463, 464, 470–477
- Splitless injection (OTC), 17, 346, 829
- Splitless inlets, 464–465, 477–483, 582
optimization of, 482–483
- Split ratio, 471, 476–477
- Splitter, 17
- Splitting, discrimination and linearity of, 477
- SPME Applications Guide* (Supelco), 584
- Stability constants, 628
- Stable heavy isotopes, 361
- Stainless-steel columns, 110
- Stainless-steel tubing, 516
- Standard addition technique, 978
calibration for, 571–572
- Standard deviation (SD), 978
- Standard Guide for Validation of Laboratory Information Management Systems*, 983
- Standardization, 431–452. *See also* Standards
errors associated with, 451–452
external, 432–446
internal, 449–451
summary of, 451–452
- Standard mixtures, laboratory preparation of, 436
- Standard operating procedures (SOPs), 975–986
preparation and revision of, 975
- Standards. *See also* Standardization
“certified,” 435
drug analysis, 904
- Standard temperature and pressure (STP), 612
- Statement of Work for Organic Analysis*, 776
- Static gas standards, 435–438
- Static headspace, 563
- Static headspace analysis, 563
- Static headspace extraction (SHE), 563–568
efficiency optimization for, 566–568
- Static headspace gas chromatography, quantitative techniques in, 568–572
- Static headspace procedure, 924–927
- Static headspace sampling (SHS), 787–790, 938–939
- Static mode, 593
- Static purge, 528
- Static SPME, 584
- Static supercritical-fluid extraction, 591–593
- Stationary liquid phases, 320
- Stationary-phase bleed, 323
- Stationary-phase-coated fused-silica fiber, 574
- Stationary-phase concentration, column temperature and, 105
- Stationary-phase film, chemically bonding, 160–162
- Stationary-phase fraction, 18
- Stationary-phase immobilization, chemical bonding approach to, 161
- Stationary-phase polarity, McReynolds constants and, 153
- Stationary phases, 18, 85–105, 619–620, 636
commonly used, 91–93
consolidation of, 94
crosslinking of, 156–160
designer, 259
development of, 256

- Stationary phases (*Continued*)
film thickness of, 140–141
McReynolds classification of, 89–94
mixed, 257–259
recommended, 181
for selected applications, 181
solvent evaporation and, 106
types of, 152
- Stationary-phase selection, 86
for capillary gas chromatography,
148–180
- Stationary-phase selectivity, change in,
198
- Stationary-phase viscosity, 149
- Stationary-phase volume, 18
- Statistical process control, 983–985
- Steam cracker, effluent analysis of, 710
- Steam cracking, 708, 718
- Sterchmal*, 73
- Steroid conjugates, 765
- Steroids, 763–766
anabolic, 900–903
dosage forms of, 902
gas chromatographic analysis of,
765–766
- Stimulants, analysis of, 894–895
- Stirbar sorptive extraction (SBSE), 574,
584–586
- Stock standards, 868
- Styrene–butadiene rubber (SBR), 717
- Subatmospheric sampling, 859
- Subtractive chromatographic analysis, 690
- Subtractive-precolum chromatographic
operations, 415–416
- Sulfur, GPC cleanup of, 817
- Sulfur chemiluminescence detector (SCD),
329
- Sulfur compounds, 326, 697–701
- Sulfur detection mode, 332
- SUMMA canisters, 853
VOC determination using, 858–864
- Supercritical-fluid chromatography (SFC),
589
- Supercritical-fluid extraction (SFE),
588–593, 875
analytical-scale, 808–809
dynamic versus static, 591–593
of semivolatiles organic compounds,
806–810
- Supercritical fluids (SFs), 588–589
physical parameters of, 807
- Superox-4, 154, 156
- Supersonic molecular beam (SMB)
interface, 393
- Supported liquid membrane extraction
(SLME), 594
- Supports. *See also* SCOT (support-coated
open tubular) column; Solid supports
Chromosorb, 76
diatomaceous earth, 77
diatomite, 73–79
Teflon, 79
USP designations of, 83
- Surface acoustic wave (SAW) devices,
247, 248
- Surface area, 18. *See also* Specific surface
area
gas chromatographic determination of,
612–617
- Surface ionization (SI) techniques,
394–395
- Surface stationary-phase compatibility,
123
- Surface thermodynamics, 617–622
- Surrogate standards (SSs), 872
- Sweat, analysis of, 921
- Switchover manifold system, automatic,
536
- Sympathomimetic drugs, 743
- Synthetic crude oil, 663–666
- Syringe injection, 453–456
- Syringe needles, stainless-steel, 483
- Syringe readings, 454
- Syringes, 467
motor-driven, 439
- System errors, gas chromatographic,
457–458
- System models, 219–220
- System performance check compounds
(SPCCs), 867
- Tailing, 18
- Tandem capillary columns
pulse flow modulation with, 263–267s
tunable/programmable selectivity with,
259–263
- Tapered restrictor, 591
- Target compound chromatograms (TCCs),
942

- TCD cell geometry, 291, 293
- Teeth, analysis of, 956
- Teflon supports, 79
- Teflon tapes, 521
- Teflon tubing, 106, 517
- Temperature. *See also* Analysis
 temperature; Isothermal entries;
 Thermal entries
 absolute, 4
 effect on carrier-gas viscosity, 137
 influence on retention time, 423
 solubility and, 808
- Temperature control, in pyrolysis gas chromatography, 39
- Temperature problems, gas chromatography/mass spectrometry, 347
- Temperature-programmed elution, 223–226
- Temperature-programmed separation, high-speed, 266
- Temperature programming, 18, 214–218.
See also Programmed-temperature entries
 bleed profile and, 176
 high-speed, 231, 232, 250–255
 versus isothermal operation, 182–183
 viscosity effects during, 496–497
- Temperature-programming profiles, types of, 183–185
- Temperature programming ramp profiles, 143
- Temperature-programming rates, 251
- Temperature setting, splitless inlet, 481
- Tenax GC, 941
- Tenax trap, 826
- Tenax tubes, 856
- tert*-amyl methyl ether (TAME), 702
- Tertiary butyl alcohol (TBA), 782, 827
- Test Methods for Evaluating Solid Waste, Physical/Chemical Methods*, 775
- Testing, standardized, 645
- Test mixture components, 127
- Tetraethyl lead (TEL), 853
- Tetrahydrocannabinol (THC), 898, 919
- Theoretical plate number, 18, 97–98
- Theoretical plates, 45, 47
- Theoretical plates per unit time, 98
- Theoretical segments (TSs), 47
- Thermal conductivity, 18, 289
 parameters involved in, 290
- Thermal conductivity detection, 245–246
- Thermal conductivity detector (TCD), 18, 286, 289–298. *See also* TCD cell geometry
 design of, 293–297
 electrical requirements for, 295
 heat transfer effects with, 293
 operation of, 289–293
 performance of, 297–298
 practical considerations concerning, 298
- Thermal control, FID, 301–302
- Thermal cracking, 708
- Thermal decomposition, 458
- Thermal degradation, 38
- Thermal desorption, 577, 598–599, 941
- Thermal energy analyzers (TEAs), 835, 947–948
- Thermal modulators, phase-coated, 243–245
- Thermal performance variables, 180
- Thermal radiation, 292
- Thermionic detector (TID), 315–320
 development of, 316
 operation of, 316–320
 performance characteristics of, 320
- Thermionic specific detector (TSD), 699–701, 948
- Thermistor bead element, 18
- Thermistors, 295
- Thermochemistry, 367
- Thermodynamic equilibrium constant, 551
- Thermodynamics
 solution, 622–625
 surface, 617–622
- Thermolysis, 634
- Thermospray liquid-liquid extractor (TSLLE), 810
- Thick-film columns, 140–141
- Thin-film columns, 233
- Thin-layer chromatography (TLC), 953
- Time-of-flight (TOF) analyzers, 351–352
- Time-of-flight mass spectrometers (TOFMSs), 247–250, 392, 876
- Tissues, drug analysis in, 909–921
- TOF mass filter, 352
- Toluene, analysis of, 718–719
- Tools, maintenance of, 468

- TO series methods, 854, 857, 858
Total-ion chromatogram (TIC), 142,
819–820, 830, 832–833, 908, 909
Total-ion current (TIC) chromatograms,
343, 348, 355–356, 375, 376
Total organic carbon (TOC), 778
Total petroleum hydrocarbon (TPH), 836
Total-volume syringe, 455
Toxicity equivalent concentration (TEC),
839–840
Toxicological drug screening, 911
Toxicology Laboratory Guidelines, 927
Toxic organic compounds, determination
of, 854–855
Toxic volatiles, 922
Trace evidence, gas chromatographic
analysis of, 928–957
Trace quantitative analysis, 474–475
Training, of personnel, 975
Trapped compounds, 242
Traps, types of, 420–421
Trennzahl (TZ), 18, 101, 127, 253
Triamcinolone acetonide (TAA),
determination of, 388
Triangulation, 426
Tricyclic antidepressants, 749–751
gas chromatographic analysis of,
750–751
Trifluoropropylmethylpolysiloxane, 157
Trihalomethane detection, 394
Trimethylsilyl (TMS) ethers, 347
Trimethylsilyl group, 345
“Trip blank,” 856
1,2,3-tris(2-cyanoethoxy) propane (TCEP),
415
Tritium, as a radiation source, 307
True adsorbent volume, 19
Tube Fitter’s Manual, 524
Tube furnace, 634
Tubing, 515–523. *See also* Copper tubing
cleaning, 517–518
column, 67–68
cutting, reaming, and bending, 518–520
pretreatment of, 121–126
securing, 524
types of, 515–517
Tubing cutter, 518
Tubing materials, 106–107
Tunable/programmable selectivity, with
tandem capillary columns, 259–263
Turbulent flow, 59
Two-column chromatographic operations,
415
Two-dimensional gas chromatography,
391–392
Two-gas chromatographic system
configurations, 537–538
Two-gas chromatographs, installing,
533–539
Two-stage regulators, 512–513
depressurizing, 514
Tyler screens, 77
Ultrasonic detector, 333–335
Ultrasonic extraction, of semivolatiles
organic compounds, 803–804
Unconventional samples, analysis of,
920–921
United States Environmental Protection
Agency (USEPA). *See*
Environmental Protection Agency
(EPA)
United States Pharmacopoeia (USP), 83,
975
Universal detector, 286
Universal Oil Products (UOP) method,
674–675
Unknown peaks, identifying, 39–40
Unretained peak time, 221
Unsaturated aromatic hydrocarbons, 608
Unzipping, 595
Utilization of theoretical efficiency (UTE),
147–148, 199, 201
UV lamp, 322
Vacuum-coupled replaceable (VCR)
connections, 516
Vacuum distillation technique, 810–811
Vacuum-outlet gas chromatography, 237
Valves
gas management system, 520–521
high-speed GC, 239–242
pressure-relief, 520
van Deemter equation, 19, 53, 55
modifications of, 57–58, 102
versus Golay equation, 130–132
van Deemter plots, 55
carrier gas selection using, 494–496

- van der Waals cohesive forces, 85–86
van't Hoff plots, 232
Vapor, diffusion through a capillary, 440–441
Vapor concentrations, preparing, 436–438
Vaporizer injectors, 119
Vapor pressure, 625–627
Vapor pressure technique, 439
Velocity of mobile phase, 19
Vent-directing devices, 529
Vespel/graphite composite ferrules, 168
Vicinal silanol functionalities, 116
Vigorous pyrolysis, 38
Virial coefficients, 630–632
Viscosity, of supercritical fluids, 807–808
Viscosity effects, during temperature programming, 496–497
Viscous forces, 59
VOC concentrations, reporting, 858
“Void” volume, 608
Volatile analytes, 567
Volatile compounds. *See also* Semivolatile organic compounds (SVOCs); Volatile organic compounds (VOCs)
 alternative methods for determining, 828
 analysis of, 921–928
Volatile organic compounds (VOCs), 121, 781–782, 853–854. *See also* Semivolatile organic compounds (SVOCs); VOC concentrations
 in air, 855–864
 analysis of, 818–821
 determination of, 818–828
 gas chromatographic analysis of, 756–757
 headspace sampling of, 787–794
 traps for, 792–794
Voltage, electron-capture detector, 308–310
Volumetric flowrate, 61
Vu-Union. *See* Capillary Vu-Union
Wall-coated capillary columns, 113
Wall-coated open tubular column (WCOT), 19, 110
Wall effect, 610
Walters, Clifford C., 643
“Warning limits,” 985
Water, contaminated, 836–837
Water–air equilibrium, 415
Water-removing purifiers, 511
Water samples, 778, 779
 purging, 318
“Weathering,” 934
Websites, gas chromatography, 71–72
Weight of stationary liquid phase, 19
Wet flashback arrestors, 521
Wheatstone bridge-type circuit, 293, 294
Wide-bore columns, 939
Wiley mass spectral library, 362
Window diagram plot, 209, 211, 212, 213
World Wide Web (WWW), gas chromatographic resources on, 71–72
WWCOT (whisker-wall-coated open tubular column), 19
WWPLOT (whisker-wall porous-layer open tubular column), 19
WWSCOT (whisker-wall-support-coated open tubular column), 19
Xylene, analysis of, 718–719
Xylene impurities, analysis of, 721
Zeolites, as adsorbents, 611
Zero-air generator, 502
Zero-resolution points, 258–259
Zone, 19
Zone migration, 49–50
Zone spreading, 50, 51
 height equivalent and, 53
Zone thickness, 45