

Index

Note to the Reader: Page numbers in **bold** indicate the principle discussion of a topic or the definition of a term. Page numbers in *italic* indicate illustrations.

Numbers and Symbols

- + (plus sign) in data sources list, 6, 7
- S (sigma symbol) in Summarized Fields, 18, 18
- 3D riser charts, **300**
- 3D surface charts, **300**

A

- Access/Excel (DAO) folder, **266**, 267
- ActiveX control, **411**
- ActiveX Designer Runtime Libraries, **444**, 445, 445, 449, 478
- ActiveX Viewer, *See also* report viewers
 - creating in ASPs, 487–492, 488
 - defined, **445**, **560**
- Add Item dialog, 574–575, 574
- Add New Project dialog, 509–510, 509–510
- Add to Report option, 95, **95**, 139, **139**
- Add to Repository option, 92, **95**, **126**
- ADO (ActiveX Data Objects), **267**, *See also* OLE DB alerts
 - built-in functions for, 205–206, 205, 600
 - coding, 203–204, 203–204
 - defined, **203**
 - running, 204, 204
 - viewing results, 204–205, 205
 - viewing triggered alerts, 204, 205
- algorithms, **119**, *See also* formulas
- aligning fields, 368
- alignment guidelines, horizontal, **38**
- alignment guidelines, vertical, 37, **37–38**
- Alignment option, Horizontal, 58, **59**
- Analyzer tool, 336–339, **336–339**
- analyzing data visually. *See* charts; cross-tabs; maps; OLAP
- AND clause precedence, 184
- APIs (Application Programming Interfaces), 410–411, 429
 - application development, using Crystal Reports in, **407–417**, *See also* ASP; .NET; RDC; XML
 - Crystal development platforms
 - documentation, 587
 - legacy Windows, 409, 410–411, 413
 - skills required, 415–416
 - web applications, 408–409, 409, 411–412
 - Windows .NET, 409–410, 412, 413, 415–416
 - XML web services, 412–413, 413, 416
 - development languages, 413–414
 - examples, 408–409, 408–409
 - licensing issues, 414
 - overview of, 407, 409, 417, 465
 - skills required, 414–417
 - warning, 408
 - web applications
 - ASP, 413, 415
 - defined, **411**
 - in Java, 412, 414, 417
 - in .NET Windows, 411, 416
 - skills required, 416–417
 - in Windows, 408–409, 409, 411
 - XML web services, 412–413, 413, 416
- Application objects in RDC, 450, **451**, 475
- APS (Automated Process Scheduler), **543**
- APS database servers, in scaling Crystal Enterprise, **548–549**, 549
- archived reports, deploying, 381, 382
- area charts, **300**
- arguments, function, **88**, 108–109, **109**
- Arrange Lines option (sections), 209, **223**
- arrays, **89**
- Ascending Order (group sorts), 43, **43**, **149**
- ASP web applications in ePortfolio Lite, **573–575**, 574–575
- ASP web applications using RDC, **485–500**, *See also* application development; .NET; RDC
 - ASP installation files, 486
 - changing database connection strings, 492–493

- changing record selection criteria, 493–494, 494
- changing report viewers, 498, 499
- creating form input elements, 495–498, 497
- creating report viewers, 487–492, 488
- defined, **485**
- development languages, 413
- development skills required, 415
- how it works (code behind), 489–492
- overview of, 485, 486–487, 500
- setting report comments, 494–495
- setting report parameters, 500
- setting SQL server connection information, 493
- suppressing sections, 500

Automated Process Scheduler (APS), **543**

Automation Server (in RDC), **444**, 449–450, 450, 483

B

banded report writers, 22

bands. *See* sections

bar chart maps, 316, 317

bar charts, **300**

Basic Syntax. *See* syntax

BeforeReadingRecords formula, **361–362**, **597**

BI (business intelligence), 3

binary operators, **105**

Blank Reports, 4, 4, 345, 345

BMP (bitmap) images. *See also* pictures

- adding to repository, 134, 134

- .BMP extension, 26

- embedding, 79–80, 80

bookmark options, 99, 101

Boolean data, formatting, 64, 65

borders

- Close Border on Page Break option, 58, 59

- text object, formatting, 60–61, 61

boxes

- drawing, 26, 26

- formatting, 69–70, 70–71

browsing. *See also* Object Browser; web browsers

- for data files, 8, 8

- field data, 13, 13, 99, 100, 233–234, 234

bubble charts, **301**

building reports, **3–29**, *See also* formatting; modifying

- adding repository objects, 139–141, 139

- Blank Reports, 4, 4, 345

choosing wizards, 4–6, 4–5

in Design mode

- creating groups, 15, 16, 148–149, 149

- deleting groups, 154

- drawing boxes, 26, 26

- indenting groups, 25, 25, 152, 152

- inserting lines, 26, 26

- inserting pictures, 26–27, 27

- overview of, 21–22, 21

- rearranging groups, 153–154, 154

- sections in, 24, 24, 208–209, 208–209

displaying group selection formulas in, 158, 158

menus and, 24–25, 25

moving objects, 27, 27

and naming, 28

and navigating, 19

overview of, 3, 18, 28–29, 28

page count estimates and, 19, 19

Preview mode and

- group tree in, 20, 21

- overview of, 19, 19

- purpose of, 20, 20

- sections in, 24, 24

resizing objects, 27, 27

and saving, 4–5, 27, 31

section bands and, 22–24, 23–24

setting up, 4–6, 4–5

using Standard Report Creation Wizard

- adding fields, 12–14, 12–14

- adding tables, 9–12, 10–11

- applying templates, 349, 349

- automatic fields, 21, 22

- connecting to data, 6–9, 6, 8–9

- defined, 5, 5–6

- grouping fields, 14–15, 14–15

- sequencing fields, 14, 14

- sorting groups, 15, 15

- subreports, 168–169, 169

- summarizing data, 16–18, 16–18

toolbars/title bars and, 24–25, 25

warning, 27

built-in functions. *See* formulas

business intelligence (BI), 3

C

- CA Pro (Crystal Analysis Professional), 339
- CAB files, 482
- Cache Server, 543
- cached reports in ASP .NET web pages, 515–516
- Can Grow option, 58, 59
- Cascading Style Sheets (CSS), 58
- charts, 297–311, *See also* graphic objects; maps; pictures
 - changing at runtime, 468, 469
 - creating with Chart Expert
 - Automatically Set Chart Options box, 299, 299
 - Axes tab, 302
 - Data tab, 301–304, 301–304
 - defined, 299, 299
 - Options tab, 304–305, 305
 - Type tab, 299, 300–301
 - customizing using Chart Expert, 305
 - customizing using Chart Options
 - defined, 305–306, 306
 - General, 307, 308
 - Grid, 309, 309
 - Selected Item, 309, 310
 - Series, 311, 311
 - Template, 306–307, 306–307
 - Title, 308, 308
 - Viewing Angle, 310, 310
 - customizing using Format Editor, 311
 - defined, 298, 299
 - overview of, 297, 340
 - processing, 358, 359
- check marks, green, 34, 34
- Choose a Report Document dialog, 503, 503
- classes, 459, 502, 502
- client/server databases, 267, 274, 276–277
- client/server technology in OLAP, 328
- clients
 - in Crystal Enterprise, 536, 537, 540–542, 540–542
 - thick clients, 409
 - thin clients, 411
- Close Border on Page Break option, 58, 59
- code languages. *See* languages; SQL; syntax; VB
- code libraries, 422–423, 422–424, *See also* DLLs
- coding applications. *See* programming
- coding formulas. *See* formulas
- collections, defined, 433–436
 - collections, looping through, 462–463
 - color constants, 127, 127
 - Color options (borders), 61, 61
 - Color options in Section Expert, 220–221, 220–221
 - COM (Component Object Model)
 - Distributed COM, 520
 - overview of, 410
 - standards, RDC and, 443
 - commenting code, options for, 102
 - comments, setting report, 494–495
 - comparison operators, *See also* operators
 - in coding WHERE clauses, 181–182, 181
 - in defining groups, 45–46, 45
 - in highlighting data, 201, 202
 - in Select Expert, 181–182, 181–182, 192, 192
 - compiled libraries. *See* DLLs
 - compiled reports. *See* deploying
 - concatenation, 87, 105
 - configuring design environment, 363–376
 - data source options, 363–365, 364, 367, 367
 - database options, 363–367, 364, 373
 - field alignment, 368
 - field formats, 371–374, 372
 - fields, moving/sizing, 368
 - filtering data, 371
 - fonts, 370, 371, 372, 375
 - Formula Editor options, 375–376, 375
 - grouping data, 371
 - keyboard shortcuts, 368
 - layout options, 367–368, 371, 373
 - overview of, 376
 - reporting options, 371, 373, 376
 - reports, when opening, 369, 369
 - saving reports, 376
 - sections, 370–371, 370
 - sorting data, 371
 - zoom percentage, 368
 - Connection dialog, 7–9, 8–9, *See also* data source connections
 - constants, *See also* formulas
 - built-in constants, 127–128, 127
 - defined, 86–87, 102
 - identifiers of, 87
 - processing, 355
 - context menus, 35, 35, 246, *See also* right-click menus
 - control structures, coding, 88, 112–116, 113, 115

- copying OLE objects, 80–81
- counters, program, creating, 456–457
- Create New Connection folder. *See* data source
 - connections; Database Expert
- cropping pictures, 72, 72
- cross-tabs, 320–326
 - creating
 - Customize Styles options, 322–324, 323–324
 - data options, 321–322
 - group options, 323–324, 323
 - Styles options, 322, 323
 - summarized field options, 323, 324
 - customizing
 - using Format Editor, 326
 - using Format menu, 325, 325
 - formatting grid lines, 324, 324
 - moving column headers, 325, 325
 - pivoting, 325
 - resizing cells, 322
 - using right-click menus, 325
 - data, using in maps, 315, 315
 - defined, 320, 320
 - interactive analysis with, 325, 325
 - using memo fields in, 321
 - overview of, 297, 340
 - processing, 358, 359
 - warning, 320
- CRPE (Crystal Reports Programming Engine), 410, 558
- Crystal Analysis, 535
- Crystal Analysis Professional (CA Pro), 339
- Crystal Decisions web site addresses, 279, 396, 486, 536, 578
- Crystal Dictionary tool, 261, 264–265, 264–265
- Crystal Enterprise, 535–555, *See also* RAS
 - client components
 - Crystal Configuration Manager, 540, 540
 - Crystal Import Wizard, 540, 541
 - Crystal Offline Viewer, 541, 542, 554, 554
 - Crystal Publishing Wizard, 540, 541
 - Crystal Web Wizard, 542
 - overview of, 536, 537, 540
 - components
 - client components, 540–542, 540–542
 - developer components, 544
 - how they work together, 544
 - overview of, 536, 537
 - server components, 542–544
 - web browser components, 536–539, 537, 539
 - defined, 535–536
 - exporting reports from, 554, 554
 - fault tolerance, 550–552, 551–552
 - features, 579
 - flavors, 536
 - importing Crystal Info data, 553–554
 - installing
 - database support and, 545
 - hardware requirements for, 545
 - on multiple computers, 546–552, 547, 549–551, *See also* scaling
 - server support and, 545
 - on single Windows computers, 545–546, 546–547
 - overview of, 411, 555
 - Professional edition, 536
 - Report Application Server edition, 536
 - scaling
 - on dedicated web servers, 547–548, 547
 - duplicating services for redundancy, 550–552, 551–552
 - overview of, 546
 - on separate APS database servers, 548–549, 549
 - separating Enterprise services, 549–550, 550–551
 - warning, 551
 - Seagate Info and, 553
 - server components
 - Automated Process Scheduler, 543
 - Cache Server, 543
 - Event Server, 544
 - File Repository Server, 543
 - Job Server, 544
 - overview of, 536, 537
 - Page Server, 543–544
 - Web Component Server, 543
 - Web Connector, 543
 - Web Server, 542
 - Software Developer Kit, 544
 - Standard edition, 536
 - upgrading from RAS to, 578–579
 - web browser components
 - Crystal Management Console, 539, 539
 - ePortfolio, 537–538, 538–539
 - overview of, 536–537, 537

Crystal programming forest. *See* application development

Crystal Queries data source, 261–263, **261–263**

Crystal Report Viewer. *See also* report viewers
 defined, **445**
 displaying reports, 476–477
 embedding in .NET applications, 501–507, 502–504
 embedding in web pages, 510–512, 511–512
 methods, properties, events, 459, 459
 modifying, 480, 481
 overview of, 449
 viewing reports in, 538, 539

Crystal Reports. *See also* RDC
 Advanced Edition, 443
 as banded report writer, 22
 creating XML from, 271–272, 271
 data access architecture, 247–248, 247
 Developer Edition, 443
 Developers Help, 454, 454
 documentation, 585–588, 587
 editions/features, 583–584
 help, 50–51, 51
 installation directory, 141, 141
 installing for Visual Basic, 442–443, 442–443
 Java and, 589–591
 object model, 439, 439
 queries in, 237
 as third-party tool, 246
 toolbars and menus, 24–25, 25
 web site, 261
 Welcome screen, 4, 4

Crystal Reports Expert
 adding reports with, 446–449, 447–449
 VB code generated by, 451–453

Crystal Reports Select Expert, **445**

Crystal Reports Web Reporting Type Library, **560**

Crystal Repository. *See* repository

Crystal SQL Designer, 261–263, **261–263**, 279,
See also SQL

Crystal Syntax. *See* syntax

CSS Class Name option, 58, **58**

cube data. *See* OLAP

Current Connections folder, 7, 246, 247

cursors. *See* mouse pointers

custom functions. *See* formulas

D

DAO (Data Access Objects), 254, **266**, 267

data analysis types, **327**

data, analyzing visually. *See* charts; cross-tabs; maps; OLAP

Data dialog in Standard Report Wizard, 6, 6, 10–11,
10–12

Data Explorer, 231

data output, refining
 with Highlighting Expert
 creating highlight conditions, 200–202, 200–201
 defined, **200**
 viewing results, 202, 202

overview of, 199–200, 206

with report alerts
 built-in functions, 205–206, 205
 coding, 203–204, 203–204
 defined, **203**
 running, 204, 204
 viewing results, 204–205, 205
 viewing triggered alerts, 204, 205

data retrieval, processing, 355–356

data retrieval, refining, **179–199**, *See also* SELECT
 statements; SQL
 overview of, 179, 206
 using parameter fields
 creating, 187–190, 187–189
 data types and, 190
 defined, **186**
 edit masks, 189–190
 overview of, 186–187, 191
 preventing user input errors, 189–190, 189
 prompting for user data, 187–188, 188,
 191–193, 191–193
 in Select Expert, 191–193, 191–193
 setting default values, 188–189, 189
 user input screen, 193–195, 194
 warning, 194

using Select Expert, *See also* SQL
 AND and OR precedence, 184
 comparison operators, 181–182, 181–182,
 192, 192
 data types and, 183
 Formula Editor and, 183–184
 group selection formulas, 186, 186

- for multiple conditions, 184–185, 184
 - opening, 180, 180
 - overview of, 179–180
 - parameter fields, 191–193, 191–193
 - record selection formulas, 185, 185
 - warning, 182
 - WHERE clauses, 180–185, 181, 184–185, 191
- suppressing data
 - coding formulas for, 195–196, 196
 - defined, 195
 - field objects, 195–197, 196–197
 - sections, 199, 199
 - text objects, 197–198, 198
- data source connections, 245–272, *See also* Database Expert; SQL
 - changing connection strings, 492–493
 - Crystal data architecture and, 247–248, 247
 - to Crystal Dictionary files, 264–265, 264–265
 - to Crystal (SQL) queries, 261–263, 261–263
 - via DAO programming, 266, 267
 - using Database Expert, 246–247, 246
 - displaying information on, 472–473, 473
 - listed, 248
 - native connections, 259–261, 259
 - to OLAP data, 254, 257–258, 257–258
 - OLE DB connections
 - via ADO programming, 266, 267, 267
 - connection information, 255, 256
 - defined, 254, 255
 - versus ODBC, 254, 255, 256, 257
 - to OLAP data, 257–258, 257–258
 - providers, 255, 255
 - Open Database Connectivity
 - advantages, 249
 - configuring ODBC drivers, 250–252, 250–251
 - defined, 248, 254
 - layers, 248–249, 249
 - using ODBC drivers, 252–254, 252–254
 - via RDO programming, 267, 267
 - warning, 249
 - to XML data sources, 267–272, 268–271
 - PC database files, 265–266, 266
 - programmatic access, 266–267, 267
 - using Report Creation Wizard, 6–9, 6, 8–9
- data source names (DSNs), 250, 250–252, 252
- data sources, *See also* databases
 - categories of, 7
 - choosing, 6–7, 6
 - coding NoData event messages, 459–460
 - creating templates without, 345–347, 345–347
 - versus databases, 245
 - global options, 363–365, 364, 367, 367
 - plus sign (+) in list of, 6, 7
 - SQL commands as, 135, 136, 287–288, 287–288
 - SQL queries as, 262, 263
 - stored procedures as, 291–293, 292
 - for subreports, 174–175
 - switching
 - coding in RDC, 474
 - fixing link problems, 386, 386
 - mapping database fields, 386, 387
 - overview of, 294, 294, 385, 385
 - verifying databases, 387, 387
 - views as, 293
 - XML files as, 267–272, 268–271, 367, 367
- Database Expert
 - context menus, 246
 - Create New Connection folder items, *See also* data source connections
 - Access/Excel (DAO), 266, 267
 - Crystal Dictionary, 265
 - Crystal Queries, 262, 263
 - Database Files, 266, 266, 275, 276
 - More Data Sources, 259–261, 259
 - ODBC (RDO), 252–254, 252–254, 257
 - OLAP, 258, 258
 - OLE DB (ADO), 256–257, 256
 - overview of, 7, 246, 247, 248
 - Current Connections folder, 7, 246, 247
 - versus Data Explorer, 231
 - Data tab, 6–7, 6, 10–12, 10–11, 231, 231
 - defined, 246, 246
 - Favorites folder, 7, 246, 247
 - History folder, 246, 246, 247
 - Links tab, 231, 232, 234–236, 238, 386, 386
 - opening, 246, 293, 294
 - Repository folder, 7, 246, 247
 - SQL commands in, 135, 136
- Database menu, 292–293, 293–295
- Database objects in RDC, 451

- databases, **227–244**, *See also* data sources; repository; SQL
 - client/server databases, 267, 274, 276–277
 - components, 9, 10
 - in Crystal Reports, 229–230, 229
 - versus data sources, 245
 - database fields (in records), *See also* fields
 - adding to reports, 32–36, 33–36
 - defined, **33**, **228**, **229**
 - mapping, 386, 387
 - global options, 363–367, 364, 373
 - overview of, 227, 274
 - PC databases
 - accessing, 265–266, 266, 277
 - in Database Expert, 275, 276
 - defined, 274
 - standalone PC databases, 274–275, 275
 - workgroup PC databases, 275, 275
 - records (in tables)
 - defined, **229**
 - distinct, selecting, 293, 295
 - evaluated by running total fields, 168
 - in groups, sorting, 47–48, 48
 - processing, 355–357
 - relational databases, 228, 228
 - SQL-capable databases, 277–278, 278
 - storage layer, 247, 247, 248
 - storing, 229
 - supported by Crystal Enterprise, 545
 - tables in
 - adding to reports, 9–12, 10–11
 - database schemas and, 230–231
 - defined, **228**
 - indexes of, 229
 - normalization and, 230
 - reference tables, 240
 - in repository, 142–143, 142–143
 - tables, linking multiple, 243–244, 243
 - tables, linking two
 - creating links automatically, 236, 236
 - creating links manually, 235–236, 235
 - creating valid links, 233–235, 234
 - via field name matching, 232, 233
 - full outer joins, 243, 243
 - inner joins, 241–242, 242
 - via key matching, 232–233
 - left outer joins, 242, 242
 - Link Options button, 236, 238, 241
 - link types, 237–238, 238
 - linking to indexed fields, 236, 236, 237
 - using Links dialog, 231, 232–238, 232, 234–236, 238
 - option buttons, 232, 233
 - Order Links option, 236, 236
 - overview of, 244
 - queries workaround, 237
 - relationships based on, 238–240
 - right outer joins, 242, 243
 - types of joins, 240–243, 241–243
 - warning, 235
 - translation layer, 247–248, 247
 - verifying, 387, 387
- date data
 - formatting, 64–66, 65
 - grouping on, 153, 153
- Date functions (built-in), **606–609**
- DBMS (database management system), **228**, 229
- DCOM (Distributed Component Object Model), 520
- debugging, **128**
- default value lists, creating, **188–189**, 189
- Define Named Group dialog, 44–46, 45
- Delete Last Line option (sections), 209, **223**
- deleting, *See also* removing
 - column labels, 39
 - fields, 39, 43
 - formulas, 92, 93
 - groups, 47, 47, 154
 - labels, 39
 - repository objects, 134, 138
 - sections, 213
- deploying reports, **379–405**
 - choosing techniques for, 380–382
 - compiled reports
 - compiling reports, 397–398, 398
 - custom VB applications, 481–483, 482
 - defined, **396**
 - distributing to user computers, 398–402, 399–401
 - installing on user computers, 401–402
 - Package & Deployment Wizard for, 481–483, 482
 - pros and cons, 396
 - record selection formulas, 403, 403

- running, 402–403, 402–404
- scheduling, 403
- steps in, 396–397
- testing, 404
- troubleshooting, 405
- utility, installing, 397, 397
- viewing, 403, 404
- warnings, 396, 399, 401
- overview of, 379, 383, 405
- real-time data deployment, *See also* web applications
 - e-mailing RPT files, 382, 383
 - .NET applications, 508–510, 509–510
 - overview of, 380, 382
- scheduling, 381
- size and, 381
- static data deployment
 - archived reports, 381, 382
 - compiled reports, 396–405, 397–404
 - exporting to HTML format, 382, 390, 392–394, 392–393
 - exporting to other formats, 389–391, 391
 - overview of, 380, 382
 - printing or faxing, 380, 382
 - publishing to web servers, 394–396, 395
 - Report Bursting Indexes and, 384, 384
 - with saved data, 383–384, 384
 - to shared network drives, 394, 396
 - warnings, 383, 384
 - without saved data, 383
- switching data sources and
 - fixing link problems, 386, 386
 - mapping database fields, 386, 387
 - overview of, 385, 385
 - verifying databases, 387, 387
- updating repository when, 381, 388, 389
- user requirements and, 380–382
- Descending Order (group sorts), **44, 149**
- design environment. *See* configuring design environment
- Design mode. *See* building reports
- Design Time Control, 411
- desktop applications. *See* .NET
- Details section, *See also* sections
 - conditional formulas, 219–220
 - defined, 23, 23, 208, **208**
 - developer documentation, *See also* help
 - Crystal Reports files, 585
 - Crystal Reports for Visual Studio .NET, 586–587, 587
 - online references, 588
 - Report Application Server files, 586
 - supported platforms, 587
 - Developers Help, 454, 454
 - developing applications. *See* application development; ASP; .NET; programming; RDC
 - development languages, 413–414, *See also* code; Java; .NET; VB
 - DHTML, hyperlinks and, 75, 75
 - direct-access databases. *See* PC databases
 - discrete values, **87**
 - Display String option, 58, **60**
 - Distributed Component Object Model (DCOM), 520
 - Distribution Expert, *See also* deploying reports, compiled
 - defined, **398**
 - Distribution tab, 401, 401
 - Options tab, 399–400, 399, 400
 - starting, 398
 - Third Party DLLs tab, 400–401, 400
 - warning, 399
 - DLLs (dynamic link libraries), *See also* OOP
 - as API interface, 429
 - in compiled reports, 399–400, 400, 405
 - creating, 428–429
 - creating objects in, 429–430
 - defined, **247–248, 424–425, 424–426**
 - fixing link problems, 385–386, 386
 - functions in, 426–429
 - native driver DLLs, 259–261, 259
 - problems, 429
 - stand-alone programs and, 426–428
 - subroutines in, 426–427, 428
 - Do loops, **117–118**
 - docking Field Explorer, 33, 33
 - Document Properties dialog, 54–55, 54, 344, 344
 - Document Properties functions (built-in), **600**
 - documentation. *See* developer documentation; help
 - Don't Suppress option (sections), 209, **209–210**
 - dot density maps, 316, **317**

doughnut charts, **300**
 drawing boxes, 26, 26, *See also* graphic objects
 Drill-Down OK option, 209, **210–211**, 214, **215**
 Drop Shadow option (borders), 61, 61
 DSNs (data source names), *See also* data sources
 defined, **250**
 File DSNs, 251
 setting up, 252, 252
 System DSNs, 250, 250, 251
 DTDs (Document Type Definitions), 271–272, 525
 dynamic link libraries. *See* DLLs

E

e-mailing RPT files, 382, 383
 edit masks, **189–190**
 Edit Parameter Field dialog, 187–189, 188–189
 editing
 in-place editing
 cross-tabs, 325, 325
 defined, 79
 OLAP grids, 335, 335
 OLE object links, 79, 79
 OLE objects, 79, 81
 report template fields, 347, 347
 subreports, 172–173, 173
 editors. *See* Format Editor; Formula Editor
 Effects options (fonts), 62, 62
 Embeddable Crystal Report Designer Control, **444**, 477, **477–480**, 479
 embedding
 OLE objects, 79–80, 80
 reports in ASP .NET web pages, 510–512, 511–512
 reports in .NET applications, 501–507, 502–504
 reports in reports. *See* subreports
 ePortfolio, **537–538**, 538–539
 ePortfolio Lite. *See* RAS
 Evaluation Time functions (built-in), **361–362**, **597–598**
 Event Server, **544**
 events
 Crystal Report, accessing, 455, 455
 defined, **437–438**
 viewing in Crystal Report Viewer, 459, 459
 Excel documents, changing at runtime, 461

.exe (executable) programs, 421
 Expert toolbar, 41, 41
 exporting reports
 from Crystal Enterprise, 554, 554
 to HTML format, 382, 392–394, 392–393
 to other formats
 coding in RDC, 465–467, 466
 in ePortfolio Lite, 570–571, 571
 limitations, 389, 391
 overview of, 389, 391
 pros and cons, 389
 supported destinations, 391
 supported formats, 389–391
 extensions. *See* file extensions

F

fault tolerance in Crystal Enterprise, **550–552**, 551–552
 Favorites folder, 7, 246, 247
 faxing reports, 380, 382
 Field Explorer, *See also* modifying reports
 context menus, 35, 35
 docking, 33, 33
 dragging/dropping fields, 35–36, 36
 using formulas in, 90, 91
 green check marks in, 34, 34
 icon buttons, 35, 35
 Parameter Fields folder, 187, 187
 running total fields, 166–167, 166
 template fields, 347, 347
 toggling on/off, 33, 33
 viewing SQL commands in, 288, 289
 Field Tree, 99, 101, **103**
 fields, *See also* modifying; parameter fields; summarizing
 adding to reports
 automatic fields, 21, 22
 choosing and, 12–13, 12
 database fields, 32–36, 33–36
 finding and, 13, 13
 and placement of, 36–39, 37, 40
 report summary values, 54–55, 55
 sequencing before, 14, 14
 aligning, 368
 browsing, 13, 13, 99, 100

- database fields
 - adding to reports, 32–36, 33–36
 - defined, 33, 228, 229
 - mapping, 386, 387
 - defined, 229
 - deleting, 39, 43
 - formula fields, 33, 96, 115
 - global formats, 371–374, 372
 - group name fields, 34
 - grouping. *See* grouping data
 - moving/sizing, 368
 - number fields
 - formatting, 67–69, 68
 - grouping on, 153
 - suppressing, 196, 197
 - placement of in sections, 36–37
 - result fields, 347
 - running total fields
 - creating, 166–167, 166
 - defined, 34, 97, 164–165
 - processing, 359
 - records evaluated by, 168
 - using, 167, 167
 - when to use, 165
 - special fields, 34, 158, 158
 - SQL expression fields, 34, 97, 128, 128
 - suppressing field objects, 195–197, 196–197
 - types of, 33–34
 - warning, 33
- Fields dialog in Report Wizard, 12–14, 12–14
- file extensions
- .cab, 482
 - .chm, 562
 - .civ, 265
 - .CRF, 398
 - .CSV, 390
 - .CUB, 329
 - .dc5, 265
 - .dll, 424
 - .dsn, 251
 - .DSR, 448
 - .EXE, 398, 421
 - for graphics files, 26
 - .lst, 482
 - .MDB, 9
 - .PDF, 390
 - .qry, 262
 - .RPT, 4–5
 - .RTF, 390
 - .XML, 390
- File Repository Server, 543
- filtering, 371, *See also* parameter fields
- finance function, custom, 594
- Financial functions (built-in), 603–605
- Find dialog, 100, 100
- Find dialog, Advanced, using formulas in, 97–98, 97–98
- finding fields, 13, 13
- Fit Section option, 209, 223
- fonts, *See also* text
 - formatting, 61–63, 62
 - options, 370, 371, 372, 375
 - warning, 63
- footer bands, 23–24, 23–24
- For loops, 117–118
- foreign keys, 232–233
- form input elements, creating, 495–498, 497
- Format Editor, 57–76
 - Boolean tab, 64, 65
 - Border tab, 60–61, 61
 - Box tab, 69–70, 70–71
 - Common tab, 58–60, 58, 195–198, 196, 198
 - Date tab, 64–66, 65–66
 - defined, 57–58
 - Font tab, 61–63, 62
 - using formulas in, 90, 91
 - Hyperlink tab, 64, 73–75, 73, 75–76
 - Line tab, 70–73, 71–72
 - Number tab, 67–69, 68, 196, 197
 - opening, 57
 - Paragraph tab, 63–64, 63
 - Sample area, 58, 58
 - Subreport tab, 173–174, 174
 - Time tab, 66, 67
- formatting
 - cross-tab grids, 324–325, 324–325
 - multiple columns in sections, 212, 214, 216–217, 216–217
 - OLAP grids, 334, 334
- formatting formulas, *See also* sections
 - creating, 92, 93, 94–95, 95
 - defined, 97
- Formatting Formulas folder, 93, 94, 96, 97

- icons, 212, 218
 - syntax, 115, 115
 - formatting report objects, 53–81, *See also* building;
 - modifying
 - adding OLE objects
 - by copying, 80–81
 - defined, 77, 77
 - and editing, 79, 79, 81
 - by embedding, 79–80, 80
 - by linking, 77–79, 78–79
 - warning, 80
 - using Format Editor
 - Can Grow option, 59
 - CCC Class Name option, 58
 - charts, 311
 - closing borders on page breaks, 59
 - cross-tabs, 326
 - defined, 57–58, 58
 - Display String option, 60
 - horizontal alignment, 59
 - keeping together, 59
 - locking size/position, 59
 - maps, 319
 - non-text data types, 64–69, 65–68
 - OLAP grids, 340
 - overview of, 56
 - Read-only option, 59
 - report templates, 346–347, 346
 - subreports, 173–174, 174
 - Suppress options, 59, 60
 - text objects, 58–64, 61–63, 73–76, 73, 75–76
 - visual objects, 69–73, 70–72
 - non-text data types
 - Boolean data, 64, 65
 - dates, 64–66, 65
 - numbers, 67–69, 68
 - overview of, 64
 - times, 66, 67
 - overview of, 53, 81
 - text objects
 - borders, 60–61, 61
 - fonts, 61–63, 62
 - hyperlinks, 73–76, 73, 75–76
 - inserting, 56–57, 57
 - names, 58, 58
 - paragraphs, 63–64, 63
 - rotation, 60
 - suppressing, 197–198, 198
 - tool tips, 60
 - warning, 57
 - visual objects
 - boxes, 69–70, 70–71
 - lines, 70–71, 71
 - overview of, 69
 - pictures, 72–73, 72
- Formatting toolbar, 41, 41
- Formula Editor
 - code editing window, 99, 107
 - configuring options, 375–376, 375
 - defined, 99, 99
 - Field Tree, 99, 101, 103
 - Find dialog, 100, 100
 - Function Tree, *See also* formulas, built-in
 - built-in constants, 127–128, 127
 - built-in functions, 121, 126–127
 - defined, 104
 - expanding/collapsing nodes, 104, 104
 - Keyword Auto Complete, 104–105, 104
 - opening/closing, 99, 101
 - for SQL expressions, 128, 128
 - help, 102
 - keyboard shortcuts, 100–102
 - opening, 90, 91, 94, 95
 - Operator Tree
 - defined, 99, 105
 - opening/closing, 99, 101
 - operators, listed, 105–107
 - for SQL expressions, 128, 128
 - option buttons, 99–102, 99–100, 102
 - Select Expert and, 183–184
 - warnings, 102
- Formula Expert
 - Custom Function area, 108, 108
 - defined, 108
 - Function Arguments area, 108–110, 109–110
 - More Info button, 108, 110–111, 111
 - opening, 90, 91, 102, 108
 - Reset Values button, 108, 110
 - Return Type area, 108, 109
 - Summary area, 108, 108

Formula Workshop

- Add to Report option, *92, 95, 95, 139, 139*
- Add to Repository option, *92, 95, 126*
- call stack feature, *88, 129*
- closing, *92, 92*
- coding alerts, *204, 204*
- defined, **92**
- features, *92–95, 92, 94–95*
- New option, *92, 93–95, 94–95*
- opening, *90, 91, 120–121, 120–121, 195, 196*
- overview of, *89*
- Toggle Properties option, *92, 95, 123–124, 124*
- Workshop Tree
 - defined, *96, 96*
 - expanding/collapsing nodes, *93*
 - Formatting Formulas folder, *93–95, 94–95, 97*
 - Formula Fields folder, *96*
 - formulas not accessed from, *97–98, 97–98*
 - hiding/showing, *93*
 - overview of, *92, 92, 121, 121*
 - Report Custom Functions folder, *96, 96, 110, 110*
 - Repository Custom Functions folder, *95, 95–96, 96, 133, 133*
 - Selection Formulas folder, *97, 185–186, 185–186*
 - SQL Expression Fields folder, *97*

formulas, **85–130**

- built-in function categories
 - Alerts, *205–206, 205, 600*
 - Date and Time, *606–609*
 - Document Properties, *600*
 - Evaluation Time, *361–362, 597–598*
 - Financial, *603–605*
 - Math, *600–601*
 - overview of, *121, 126–127, 205*
 - Print State, *598–599*
 - Strings, *605–606*
 - Summary, *601–602*
 - Type Conversion, *609*
- changing at runtime, *467–468*
- coding
 - alerts, *204, 204*
 - arrays and, *89*
 - using Basic Syntax, *111–119, 113, 115, 117*
 - using built-in constants, *127–128, 127*

- using built-in functions, *121, 126–127*
- and checking syntax, *100*
- for coloring sections, *220–221, 220–221*
- commenting/uncommenting, *102*
- computer memory and, *87*
- control structures, *88, 112–116, 113, 115*
- using Crystal Syntax, *111–119, 113, 115, 117*
- custom functions, *118–126, 120–122, 124–125*
- with Formula Editor, *99–107, 99–100, 102, 104*
- with Formula Expert, *99, 108–111, 108–111*
- with Formula Extractor, *99, 125*
- loops, *116–118, 117*
- for memo fields in cross-tabs, *321*
- overview of, *85–86, 98–99*
- using SQL expressions, *128, 128*
- for suppressing data, *195–196, 196*
- tips for, *129–130*
- and troubleshooting, *128–130, 129*
- components of, *86–87, 102*
- constants in
 - built-in constants, *127–128, 127*
 - defined, **86–87, 102**
 - identifiers of, *87*
 - processing, *355*
- using in Crystal Reports
 - Field Explorer, *90, 91*
 - Format Editor, *90, 91*
 - overview of, *89, 130*
 - Report Explorer, *89–90, 90*
 - Search Expert, *97–98, 97–98*
- Crystal Syntax vs. Basic Syntax
 - changing at runtime, *467–468*
 - choosing between, *99, 101–102, 102, 111*
 - commenting/uncommenting, *102*
 - control structures, *112–118, 113, 115, 117*
 - database processing and, *128*
 - functions, *118–119*
 - iterations, *116–118, 117*
 - operators, *105–107*
 - overview of, *111–112*
 - warning, *112*
- custom functions
 - accessing in repository, *132, 133, 133*
 - adding to reports, *139, 139*
 - adding to repository, *126, 135, 135*
 - calling, *125, 125*

- coding algorithms, 120–123, *120–122*
- creating formulas using, 99, 108–111, *108–111*
- creating from built-in functions, *121*, 126–127
- date functions, 593
- defined, **96**, **119**
- designing algorithms, 119–120
- finance function, 594
- formatting functions, 594
- using Formula Extractor, 125
- geographic functions, 595
- math functions, 595
- naming, 120, *120*
- overview of, 118–119
- prebuilt custom functions, 139–141
- Report Custom Functions folder, 96, 96, *110*, *110*
- Repository Custom Functions folder, 95, *95–96*, 96
- saving, 109–110, *110*
- setting properties, 123–124, *124*
- shipped with Repository, 126
- User Function Libraries and, 126
- viewing properties, 110–111, *111*
- defined, **86**
- deleting, 92, 93
- for forcing report processing, 361–362
- formatting formulas
 - creating, 92, 93, *94–95*, 95
 - defined, **97**
 - icons, *212*, 218
 - syntax, 115, *115*
- formula fields, 33, 96, 115
- functions and
 - arguments to, 88, *108–109*, 109
 - custom functions, 118–126, *120–122*, *124–125*
 - defined, **87–88**
 - in DLLs, 426–429
 - in Function Tree, 99, 104–105, *104*
 - in SQL for column data, 282
 - of SQL expressions, 128, *128*
 - versus subroutines, 426
- group selection formulas
 - changing, 457–459, *457*, *459*
 - coding, 156–157, *157*, 186, *186*
 - defined, **156**
 - displaying in reports, 158, *158*
 - processing, 359
 - grouping on, 151–152, *151–152*
 - naming, 90, *91–92*, 93
 - operators in, *See also* operators
 - assignment operators, 105, 112
 - binary operators, 105
 - defined, **86–87**, **102**
 - listed, 99, 105–107
 - of SQL expressions, 128, *128*
 - unary operators, 105
 - record selection formulas
 - changing in ASPs, 493–494, *494*
 - changing in Windows applications, 457–459, *457*, *459*
 - editing, 185, *185*
 - modifying, 403, *403*
 - recurring formulas, 356–357
 - running total fields
 - creating, 166–167, *166*
 - defined, **34**, **97**, **164–165**
 - processing, 359
 - records evaluated by, 168
 - using, 167, *167*
 - when to use, 165
 - selection formulas, **97**, 115, *See also* group selection; record selection
 - SQL expression fields
 - creating, 286–287, *286*
 - defined, **34**, **97**, **285–286**, *286*
 - functions/operators, 128, *128*
 - using, 287
 - variables in
 - defined, **86–87**, **102**
 - identifiers of, 87
 - local/global/shared scope, 103
 - sharing between reports, 175–177, *176*
 - temporary variables, 103
 - warning, 182
- Free-Form Placement option (sections), *212*, **214**
- Function Tree. *See* Formula Editor
- functions. *See* formulas

G

- gantts charts, 301
- gauge charts, 301
- geographic functions, custom, 595
- global options. *See* Options dialog
- graduated maps, 316, 317
- graphic objects, *See also* maps; pictures
 - drawing boxes, 26, 26
 - file extensions for, 26
 - formatting boxes, 69–70, 70–71
 - lines
 - border, styles, 60, 61
 - formatting, 70–71, 71
 - inserting, 26, 26
- graphs. *See* charts
- grids, *See also* OLAP
 - chart options for, 309, 309
 - cross-tab, formatting lines, 324, 324
 - for field placement, 37, 38
- Group Expert, 41, 41–42, 43, 148–149, 149
- Group Footers, 23, 23–24
- Group Headers, *See also* sections
 - conditional formulas for, 219
 - defined, 23–24
 - repeating on each page, 150, 150, 456
- group name fields, 34, 150, 150
- group sections, 23–24
- group selection formulas, *See also* formulas; selection formulas
 - changing, 457–459, 457, 459
 - coding, 156–157, 157, 186, 186
 - defined, 156
 - displaying in reports, 158, 158
 - processing, 359
- Group Sort Expert, *See also* sorting
 - Include Others option, 162, 164, 164
 - Include ties option, 162–163, 163
 - overview of, 162, 162
 - problem with, 164
- group tree in Preview mode, 20, 21, 49–50, 50
- grouping data, 148–158, *See also* summarizing data
 - in cross-tabs, 323–324, 323
 - data types and, 153, 153
 - defined, 148, 148
 - on fields
 - date fields, 153, 153
 - and indenting, 25, 25
 - number fields, 153
 - overview of, 14–15, 14–15, 150–151, 150–151, 153, 153
 - and sorting, 15, 15
 - and summarizing, 16–18, 16–18, 48, 48
 - text fields, 153
 - time fields, 153
 - on formulas, 151–152, 151–152
 - on hierarchical data, 154–156, 154–156
 - and using in maps, 314, 314
 - options for, 371
 - overview of, 178
 - SQL keywords for, 282, 283
 - and summarizing, 16–18, 16–18, 48, 48
 - warning, 152
- groups, *See also* modifying reports
 - comparison operators and, 45–46, 45
 - creating
 - in Design mode, 15, 16, 148–149, 149
 - using Group Expert, 41–42, 41, 43, 148–149, 149
 - using Insert Group, 41, 42–47, 43–46, 148–149, 149
 - using Report Creation Wizard, 14–15, 14–15
 - deleting, 47, 47, 154
 - group number fields, 158, 158
 - indenting, 25, 25, 42, 42, 152, 152
 - Keep Together option, 150, 150
 - modifying, 153–154, 154
 - moving, 153, 154
 - overview of, 40–41
 - processing, 357
 - rearranging, 42, 42, 153–154, 154
 - sorting
 - order in, 15, 15, 43–47, 44–46, 149–150
 - overview of, 148, 148
 - records in, 47–48, 48
 - summarized groups, 162–164, 162–164
 - in Special Fields folder, 158, 158
- guidelines for field placement, 37, 37–38

H

hardware requirements for Crystal Enterprise, 545
 header bands, 23–24, 23–24
 headers, live, 150
 help, *See also* developer documentation
 in Crystal Reports, 50–51, 51
 in Formula Editor, 102
 in RAS, 562–563
 Hide (Drill-Down OK) option, 209–212, 210–211, 214, 215, *See also* suppressing
 hierarchical data, 154–156, 154–156
 Highlighting Expert, *See also* data output
 creating highlight conditions, 200–202, 200–201
 defined, 200
 viewing results, 202, 202
 History folder, 7, 246, 246, 247
 Hopper, Grace, 128
 horizontal alignment guidelines, 38
 Horizontal Alignment option, 58, 59
 HTML format, exporting reports to, 382, 390, 392–394, 392–393
 HTML report viewer, 498, 499
 HTTP protocol, 394
 hyperlinks, *See also* linking
 formatting, 73–76, 73, 75–76

I

If-Then-Else statements, 114
 images. *See* pictures
 importing Crystal Info data into Crystal Enterprise, 553–554
 indenting
 groups, 25, 25, 42, 42, 152, 152
 paragraphs, 63, 63
 indexed fields, linking to, 236, 236, 237
 indexes, 229
 Infoview. *See* Crystal Dictionary
 Insert Group dialog
 Common tab, 42, 43, 151, 151
 Options tab, 43, 150, 150
 Others tab, 46–47, 46
 sort orders, 43–44
 Specified Order tab, 44, 44

Insert Line option (sections), 209, 223
 Insert Section Below option, 209, 213
 Insert Summary dialog
 overview of, 159, 159
 Show as percentage option, 49, 49
 Summarize across hierarchy option, 156, 156
 Insert toolbar, 41, 41
 Interactive Viewer, 560
 iterations. *See* looping

J

Java
 Crystal Reports and, 589–591
 report viewer, 498, 499
 web applications, *See also* application development
 development skills required, 417
 documentation, 586
 overview of, 412, 414
 Job Server, 544
 joins, *See also* databases, tables, linking
 defined, 240–241, 241
 full outer joins, 243, 243
 inner joins, 241–242, 242
 left outer joins, 242, 242
 right outer joins, 242, 243
 SQL keywords for, 283, 284
 warning, 283
 .JPG file extension, 26

K

Keep Group Together option, 150, 150, 216
 Keep Object Together option, 58, 59
 Keep Together option (sections), 212, 214, 215–216
 keyboard shortcuts
 in context menus, 35, 35
 in Formula Editor, 100–102
 opening files, 31
 overview of, 368
 saving reports, 31
 Keyword Auto Complete feature, 104, 104–105
 keywords in SQL, 279–280, 280, 282–284, 283

L

languages, development,, 413–414, *See also* code;
 Java; .NET;
 programming; VB
 layout areas (in sections), 23, 23, 207–208, 208
 layout options, global, 367–368, 371, 373
 libraries of code, 422–423, **422–424**, *See also* DLLs
 licensing, 414, 584–585
 line charts, **300**
 line spacing in paragraphs, 63, 63
 lines, *See also* graphic objects; grids
 border, styles, 60, 61
 formatting, 70–71, 71
 inserting, 26, 26
 Link Options button, 236, 238, 241
 linked repository objects, updating, 137–138,
 137–138, 141
 linked subreports, **169–170**, 170
 linking, *See also* hyperlinks
 to OLE objects, 77–79, 78–79
 repository to new locations, 144–145, 144–145
 tables. *See* databases, tables, linking
 Links tab in Database Expert, 231, 232, **232–238**,
 234–236, 238, 386, 386
 live headers, **150**
 Lock Position and Size option (objects), 58, 59
 Log On or Off Server option, 293, **294**
 logical operators. *See* comparison operators
 looping, *See also* RDC
 loops, defined, **116–118**, 117
 through collections, 462–463
 through objects in sections, 469–470
 through sections in reports, 471–472

M

McLuhan, Marshall, 81
 many-to-many (table) relationships, 239, **240**
 mapping database fields, 386, 387
 maps, **311–319**, *See also* charts; graphic objects; pictures
 creating with Map Expert
 Advanced layouts, 314, 314
 Cross-Tab layouts, 315, 315
 Data tab options, 313–315, 314–315
 defined, 311
 Group layouts, 314, 314
 OLAP layouts, 315, 315
 overview of, 312–313, 313
 Text tab options, 315
 Type tab options, 316–317, 316
 customizing using Format Editor, 319
 customizing using Map Expert, 317
 customizing using Map menu
 adding map layers, 318, 318
 defined, 317, 318
 resolving mismatches, 318–319, 319
 MapInfo Corp. and, 311, 312
 overview of, 297, 340
 processing, 358, 359
 Math functions (built-in), **600–601**
 math functions, custom, **595**
 .MDB file extension, 9
 memo fields, using in cross-tabs, 321
 memory, formulas and, 87
 menus, context, 35, **35**, 246
 menus, Windows, **24–25**, 25
 merge modules, 509–510, **509–510**
 methods
 defined, **430**
 public/private methods, 432
 viewing, 459, 459
 Microsoft Excel, 76
 Microsoft Excel spreadsheets, linking to, 77–79, **77–79**
 Microsoft Paint, RGB colors and, 222
 Microsoft Windows, *See also* application development;
 .NET; RDC
 application development
 example, 408–409, 408
 in legacy Windows, 409, 410–411, 413
 in .NET Windows, 410, 412, 413
 skills required, 415
 web applications, 408–409, 409, 411, 416
 menus/toolbars/title bars, 24–25, 25
 platforms, RAS support for, 560–561
 Microsoft Word/Excel documents, changing at
 runtime, 461
 middleware, 405
 modifying reports, **31–52**, *See also* building; formatting
 adding summary data, 48–50, 48–50

- by creating groups
 - comparison operators and, 45–46, 45
 - using Group Expert, 41–42, 41, 43
 - and indenting, 42, 42
 - using Insert Group, 41, 42–47, 43–46
 - and modifying, 153–154, 154
 - overview of, 40–41
 - and rearranging, 42, 42, 153–154, 154
 - and sorting, 43–47, 44–46
 - and sorting records in, 47–48, 48
- deleting
 - fields, 39, 43
 - groups, 47, 47
 - labels, 39
- using Field Explorer
 - adding database fields, 32–36, 33–36
 - adding report summary info, 54–55, 55
 - context menus, 35, 35
 - docking/undocking, 33, 33
 - dragging/dropping fields, 35–36, 36
 - green check marks in, 34, 34
 - icon buttons, 35, 35
 - toggling on/off, 33, 33
- field placement
 - Design mode and, 39
 - using grids, 37, 38
 - using guidelines, 37–38, 37
 - overview of, 36, 39–40, 40
 - Preview mode and, 39
 - using rulers, 37, 38–39
 - in sections, 36–37
 - warning, 37
- opening and, 2, 4–5, 4, 31, 32
- overview of, 31, 51–52
- modifying repository objects, 136–138, 137–138
- money conversion function, 594
- More Data Sources folder, 259, 259–261
- mouse pointers, 36
- moving
 - cross-tab column headers, 325, 325
 - fields, 368
 - groups, 153, 154
 - sections, 213

N

- naming
 - custom functions, 120, 120
 - formulas, 90, 91–92, 93
 - reports, 28
 - repository objects, 143
 - subreports, 173
- native connections, 259, 259–261
- navigating reports, 19
- .NET applications, *See also* application development
 - ASP .NET web applications
 - customizing reports at runtime, 513–515
 - embedding reports in, 510–512, 511–512
 - loading reports at runtime, 512–513
 - overview of, 501, 510
 - report viewer interactivity, 516–517
 - viewing cached reports in, 515–516
 - desktop applications
 - deploying, 508–510, 509–510
 - embedding reports, 501–507, 502–504
 - loading reports at runtime, 507–508
 - overview of, 501
 - development skills required, 415–416
 - embedding reports in desktop applications
 - advantage, 501
 - and customizing, 504–506
 - customizing report viewers, 506
 - drawbacks, 507
 - handling events, 506–507
 - steps in, 501–503, 502–504
 - warning, 502
 - overview of, 501, 517
- network drives, shared, deploying reports to, 394, 396
- New Formatting Formula dialog, 93–95, 94
- New Page After option (sections), 93, 94–95, 212, 214, 215
- New Page Before option (sections), 212, 214, 215
- New Project dialog, 573, 574
- newsgroups, 588
- NoData event messages, coding, 459–460
- number fields, *See also* fields
 - formatting, 67–69, 68
 - grouping on, 153
 - suppressing, 196, 197
- numeric axis charts, 301

O

- Object Browser, Visual Basic, 459, 459
- Object Information dialog, 134, 134
- Object Linking and Embedding. *See* OLE
- object models
 - Component Object Model, 410, 443
 - in Crystal Reports, 439, 439
 - in Report Designer Component, 449–451, 450
- objects, *See also* formatting; OLE objects; OOP; repository
 - defined, **420**
 - looping through in sections, 469–470
 - moving, 27, 27
 - resizing, 27, 27
- ODBC Data Source Administrator
 - About tab, 251
 - Add button, 250, 252
 - Connection Pooling tab, 251
 - Drivers tab, 251
 - File DSN tab, 251, 253, 253
 - ODBC Microsoft Access Setup page, 252, 252
 - as report export format, 390
 - System DSN tab, 250, 250, 251
 - Tracing tab, 251
 - User DSN tab, 250, 251
- ODBC (Open Database Connectivity), *See also* data source connections
 - advantages, 249
 - configuring ODBC drivers, 250–252, 250–251
 - defined, **248, 254**
 - layers, 248–249, 249
 - using ODBC drivers, 252–254, 252–254
 - via RDO programming, 252, 267, 267
 - SQL and, 278, 278, 285
 - warning, 249
 - to XML data sources, 267–272, 268–271
- OLAP (Online Analytical Processing), **326–340**
 - adding OLAP servers, 329, 330
 - client/server technology, 328
 - connecting to OLAP data, 257–258, 257–258
 - creating grids using OLAP Expert
 - Customize Style tab, 332, 333, 334
 - defined, **328, 329**
 - formatting grid lines, 334
 - OLAP Data tab, 328–330, 329–330
 - versus OLAP Report Creation Wizard, 328
 - Rows/Columns tab, 331, 331
 - Select Cube button, 329, 329
 - Slice/Page tab, 331, 332
 - Style tab, 332, 333
 - customizing grids
 - adding color, 337, 337
 - using Format Editor, 340
 - using Format menu, 334, 334
 - moving column headings, 335, 335
 - using OLAP Expert, 335
 - pivoting, 335
 - by right-clicking, 335, 336
 - data analysis types, 327
 - data connection options, 329
 - defined, **229, 326**
 - interactive data analysis
 - using Analyzer tool, 336–339, 336–339
 - via in-place editing, 335, 335
 - overview of, 335
 - warning, 339
 - using OLAP data in maps, 315, 315
 - overview of, 340
 - processing grids, 360
 - slices, 339, 339
 - uses, 326–327, 327
- OLE DB connections, *See also* data source connections
 - via ADO programming, 266, 267, 267
 - connection information, 255, 256
 - defined, **254, 255**
 - versus ODBC, 254, 255, 256, 257
 - to OLAP data, 254, 257–258, 257–258
 - providers, 255, 255
- OLE objects, *See also* objects
 - adding to reports
 - by copying, 80–81
 - by embedding, 79–80, 80
 - by linking, 77–79, 78–79
 - warning, 80
 - editing, 79, 81
 - editing links to, 79, 79
 - OLE, defined, **76–77, 77**
 - static OLE objects, 80–81
- on-demand mode, **558**
- one-to-many (table) relationships, 239, **240**

one-to-one (table) relationships, 239, 239

Online Analytical Processing. *See* OLAP

OOP (object-oriented programming), 419–440

DLL libraries

as API interface, 429

creating, 428–429

creating objects in, 429–430

defined, 424–426, 424–425

functions in, 426–429

problems, 429

stand-alone programs and, 426–428

subroutines in, 426–427, 428

evolution of

code libraries, 422–424, 422–423

compiled (DLL) libraries, 424–426, 424–425

overview of, 426

stand-alone programs, 420–422, 421

examples, 431–433

objects

collections of, 433–436

creating in DLLs, 429–430

Crystal Reports object model, 439, 439

defined, 420

events of, 437–438

methods in, 430

OO object model, 438, 438

properties of, 430

public/private methods/properties, 432

terminology, 430

overview of, 419, 440

Open Database Connectivity. *See* ODBC

Open dialog, 8, 8, 138, 138

opening existing reports, 2, 4–5, 4, 31, 32

Operator Tree, *See also* Formula Editor

defined, 99, 105

opening/closing, 99, 101

for SQL expressions, 128, 128

operators, *See also* formulas

assignment operators, 105, 112

binary operators, 105

comparison operators

in coding WHERE clauses, 181–182, 181, 281

in defining groups, 45–46, 45

in highlighting data, 201, 202

in Select Expert, 181–182, 181–182, 192, 192

defined, 86–87, 102

listed, 99, 105–107

of SQL expressions, 128, 128

unary operators, 105

Options dialog, *See also* configuring design environment

Data Source Defaults tab, 363–365, 364, 367, 367

Database tab, 363–367, 364, 373

Editors tab, 375–376, 375

Fields tab, 371–374, 372

Fonts tab, 370, 371, 372, 375

Layout tab, 209, 209, 367–368, 371, 373

Reporting tab, 369, 369, 371, 373, 376

Smart Tag tab, 375

OR clause precedence, 184

Original Order (group sorts), 44, 150

P

Package & Deployment Wizard, 481–482, 482

page count estimates, 19, 19

Page Footers, 23, 23, 208, 208

Page Headers, *See also* sections

conditional formulas for, 218–219

defined, 23, 23, 208, 208

Page Number field, 21, 22

Page Server, 543–544

pages on demand processing, 360

paragraphs, formatting, 63, 63–64

parameter fields, *See also* data retrieval

creating, 187–190, 187–189

data types and, 190

defined, 186

edit masks, 189–190

overview of, 186–187, 191

preventing user input errors, 189–190, 189

prompting for user data, 187–188, 188, 191–193,

191–193

using in Select Expert, 191–193, 191–193

setting default values, 188–189, 189

user input screen, 193–195, 194

warning, 194

parameters, report, coding, 464–467, 500

passwords, prompting for, 473

PC databases, *See also* databases

accessing, 265–266, 265–266, 266, 277

in Database Expert, 275, 276

- defined, **274**
- standalone PC databases, **274–275, 275**
- workgroup PC databases, **275, 275**
- Perform Grouping On Server option, **293, 295**
- Performance Information dialog, **129, 129**
- performance, stored procedures and, **291**
- physical directories, **394**
- pictures, *See also* charts; graphic objects; maps
 - adding to reports, **26–27, 27, 80**
 - bitmap images
 - adding to repository, **134, 134**
 - .BMP extension, **26**
 - embedding in reports, **79–80, 80**
 - changing at runtime, **460**
 - formatting, **72–73, 72**
- pie chart maps, **316, 317**
- pie charts, **300**
- pivoting cross-tabs, **325**
- pivoting OLAP grids, **335**
- placeholders, **55, 55**
- platform support in RAS, **560–561**, *See also* application development
- plus sign (+) in data sources list, **6, 7**
- .PNG file extension, **26**
- pointers, mouse, **36**
- Preview mode. *See* building reports
- primary keys, **232–233**
- Print at Bottom of Page option (sections), **212, 214, 215**
- Print Date field, **21, 22**
- Print State functions (built-in), **598–599**
- Printing Direction options (sections), **212, 214, 216, 217**
- printing in ePortfolio Lite, **571, 572**
- printing, to deploy reports, **380, 382**
- private methods/properties, **432**
- processing. *See* report processing
- program code. *See* code; SQL; syntax
- programmatically access to data sources, **266–267, 267**
- programming applications. *See* application development; ASP; .NET; RDC
- programming ePortfolio Lite, *See also* RAS
 - creating ASP web projects, **573–575, 574–575**
 - modifying default preferences, **576**
 - modifying user interface, **576**
 - overview of, **573**
 - web-reporting viewers, **577–578**

- Project Explorer, **575, 575**
- properties, *See also* variables
 - defined, **430**
 - public/private properties, **432**
 - viewing in Report Viewer, **459, 459**
- property bag type objects, **473**
- Property Inspector, **503, 503**
- public methods/properties, **432**
- publishing reports to web servers, **394–396, 395**

Q

- .QRY file extension, **262**, *See also* SQL queries
- queries, Crystal, workaround, **237**

R

- radar charts, **300**
- ranged maps, **316, 316–317**
- RAS (Report Application Server), **557–579**
 - components
 - architecture, **557–558, 558**
 - RAS SDK, **559, 589, 591**
 - RAS Server, **558, 589–590**
 - web browser, **559**
 - web server, **559**
 - web-reporting viewers, **560**
 - configuring, **563–565, 563, 565**
 - defined, **485, 557**
 - documentation, **586**
 - ePortfolio Lite
 - Advanced Search Wizard, **571, 572**
 - changing report viewers, **567, 568**
 - defined, **566**
 - exporting reports to other formats, **570–571, 571**
 - HTML Interactive Viewer, **568, 568, 570–572, 570–572, 577–578**
 - HTML Page Viewer, **569, 569**
 - opening, **566–567, 566**
 - printing reports, **571, 572**
 - Report Page Viewer, **572, 573**
 - Report Parts Viewer, **569–570, 569–570, 573**
 - setting preferences, **567, 567–568**
 - viewing reports in, **567–570, 568–570**

- installing
 - help files, 562–563
 - menu items, 561–562
 - overview of, 560
 - selecting installation type, 561, 561
 - Windows platform support and, 560–561
- Java and, 589–591
- Launchpad, 564–565, 565
- limitations, 565–566
- overview of, 380, 411–412, 486, 536
- programming ePortfolio Lite
 - creating ASP web projects, 573–575, 574–575
 - modifying default preferences, 576
 - modifying user interface, 576
 - overview of, 573
 - web-reporting viewers, 577–578
- restarting, 564
- server-side caching, 558
- upgrading to Crystal Enterprise, 578–579
- uses, 566
- warning, 589
- white paper on, 578
- RDC (Report Designer Component), 441–483,
 - See also* application development
 - ActiveX Designer Runtime Libraries, 444, 445, 445, 449, 478
 - ActiveX Viewer, 445
 - adding reports, 446–449, 447–449
 - Application objects, 450, 451, 475
 - Automation Server, 444, 449–450, 450, 483
 - building Windows applications
 - accessing subreports as full reports, 471
 - changing graphs at runtime, 468, 469
 - changing pictures at runtime, 460
 - changing record/group selection, 457–459, 457, 459
 - changing report formulas at runtime, 467–468
 - changing sort criteria, 461–463
 - changing Word/Excel documents at runtime, 461
 - choosing reports to open at runtime, 475–476
 - creating program counters, 456–457
 - Crystal Report events in, 455, 455
 - and deploying, 481–483, 482
 - displaying database connection information, 472–473, 473
 - displaying reports with new parameters, 464–465
 - exporting reports, 465–467, 466
 - loading reports manually, 475–477
 - looping through collections, 462–463
 - looping through objects in sections, 469–470
 - looping through sections in reports, 471–472
 - NoData event messages, 459–460
 - overview of, 453–454, 454
 - prompting for user ID/passwords, 473
 - repeating Group Header messages, 456
 - setting report parameters, 464, 466–467
 - suppressing subreports, 470
 - switching data sources, 474
 - COM standards and, 443
 - components, 444–446, 444
 - Crystal Report Viewer
 - defined, 445
 - displaying reports, 476–477
 - methods, properties, events, 459, 459
 - modifying, 480, 481
 - overview of, 449
 - Crystal Reports Expert, 446–449, 447–449, 451–453
 - Crystal Reports Select Expert, 445
 - Database objects, 451
 - Embeddable Crystal Report Designer Control, 444, 477–480, 477, 479
 - installing Crystal Reports for VB, 442–443, 442–443
 - overview of, 410, 441, 483
 - RDC object model, 449–451, 450
 - Report Bean Viewer, 445
 - Report Designer, 444, 448, 475
 - Report objects, 451
 - Sections objects, 451
 - using, 446
 - Visual Basic code and, 451–453
 - warning, 445
- RDC Runtime C Headers, 411
- RDO (Remote Data Objects), 267, *See also* ODBC
- Read-only option (sections), 212, 214, 217
- Read-only option (text objects), 58, 59
- Reading Order options (paragraphs), 63, 63
- real-time data. *See* deploying reports
- rearranging groups, 42, 42, 153–154, 154

- record selection formulas, *See also* selection formulas
 - changing criteria in ASPs, 493–494, 494
 - changing in Windows applications, 457–459, 457, 459
 - editing, 185, 185
 - modifying, 403, 403
- Record Sort Expert, 48, 48
- records, *See also* databases
 - defined, 229
 - distinct, selecting, 293, 295
 - evaluated by running total fields, 168
 - in groups, sorting, 47–48, 48
 - processing, 355–357
- redundancy in Crystal Enterprise, 550–552, 551–552
- relational databases, 228, 228
- Relative Positions option (sections), 212, 214, 217, 218
- Remote Data Objects (RDO), 267, *See also* ODBC
- removing, *See also* deleting
 - templates from reports, 350, 351
- report alerts. *See* alerts
- Report Application Server. *See* RAS
- Report Bean Viewer, 445
- Report Bursting Indexes, 384, 384
- Report Custom Functions folder, 96, 96
- Report Definition format, 390
- report design environment. *See* configuring design environment
- Report Designer Component. *See* RDC
- Report Engine Automation Server, 410
- Report Explorer, using formulas in, 89–90, 90
- Report Footers, 23, 23, 208, 208
- Report Headers, 23, 23, 208, 208
- Report objects (in RDC), 451
- Report Options dialog, 371, 373, 376
- report output. *See* data output
- Report Page Viewer, 560
- Report Part Viewer, 74–75, 75, 560
- report processing, multi-pass
 - defined, 354, 354
 - flowchart, 354
 - formulas for forcing, 361–362
 - overview of, 353, 362
 - Pass 1 processing
 - charts, 358
 - constants, 355
 - cross-tabs, 358
 - data retrieval, 355–356
 - group subtotals, 357
 - group summaries, 357
 - grouping data, 357
 - local record selection, 357
 - maps, 358
 - overview of, 354
 - server-based record selection, 355–356
 - simple recurring formulas, 356–357
 - sorting data, 357
 - storing data, 358
 - Pass 2 processing
 - complex charts, 359
 - complex cross-tabs, 359
 - complex maps, 359
 - complex sorts, 359
 - group selection formulas, 359
 - in-line subreports, 360
 - OLAP grids, 360
 - overview of, 358
 - pages on demand, 360
 - running totals, 359
 - WhilePrintingRecords formulas, 359
 - Pass 3 processing, 360–361, 361
 - specifying execution time, 361–362
- report sections. *See* sections
- report summary information. *See* summary report information
- report viewers, *See also* Crystal Report Viewer
 - ActiveX Viewer, 445, 487–492, 488, 560
 - in ASP .NET pages, 516–517
 - changing in ASPs, 498, 499
 - creating in ASPs, 487–492, 488
 - customizing in .NET applications, 506
 - in Distribution Expert, 403, 404
 - HTML report viewer, 498, 499
 - interactivity with, 516–517
 - Java report viewer, 498, 499
 - in RAS
 - changing, 567, 568
 - HTML Interactive Viewer, 568, 568, 570–572, 570–572, 577–578
 - HTML Page Viewer, 569, 569
 - overview of, 560
 - Report Page Viewer, 572, 573
 - Report Parts Viewer, 569–570, 569–570, 573

reports, deploying. *See* deploying

reports, embedding reports in. *See* subreports

reports, programming. *See* application development; ASP; .NET;

programming; RDC

reports. *See* building; formatting; modifying

reports as web services. *See* XML

repository, 131–145

- adding objects to, 92, 95, 126, 134–135, 134–136
- creating a new, 142–144, 142–143
- custom functions in, 126, 132–133, 133
- customizing, 141
- database tables, 142–143, 142–143
- defined, 131–132, 132, 145
- installation directory, 141, 141
- linking to new locations, 144–145, 144–145
- opening Repository Explorer, 132–133, 133
- replacing, 142–144, 142–143
- repository objects
 - adding to reports, 139–141, 139
 - deleting, 134, 138
 - disconnecting from reports, 141
 - managing in folders, 133, 134
 - modifying, 136–138, 137–138
 - naming, 143
 - overview of, 132, 133
 - updating, 137–138, 137–138, 141, 381, 388, 389
 - warning, 134
- security permissions and, 143

Repository Custom Functions folder

- accessing, 133, 133
- Add to Report option, 95, 95, 139, 139
- defined, 96, 96

Repository folder, 7, 246, 247

Reserve Minimum Page Footer option (sections), 212, 214, 217

Reset Page Number After option (sections), 212, 214, 215

retrieving data. *See* data retrieval

RGB color values, 222, 223

right-click menus. *See also* context menus

- for cross-tabs, 325
- for OLAP grids, 335, 336
- for report templates, 345, 346

rotation, text, 60

.RPT files, defined, 4–5

.RPT files, e-mailing, 382, 383

.RTF files, 390

rulers for field placement, 37, 38–39

running total fields. *See also* formulas; summarizing data

- creating, 166–167, 166
- defined, 34, 97, 164–165
- processing, 359
- records evaluated by, 168
- using, 167, 167
- when to use, 165

S

Save Picture Preview option, 54, 54, 56, 342

saving

- custom functions, 109–110, 110
- formula code, 99, 100
- reports, 4–5, 27, 31, 376
- reports as templates, 347–348
- subreports, 172, 177

scaling pictures, 72, 72

scheduling

- in Automated Process Scheduler, 543
- compiled reports, 403
- report deployment, 381

scope (of variables), 103

SDKs (Software Developer Kits), Crystal Enterprise, 544

SDKs (Software Developer Kits), RAS, 559, 589, 591

Seagate Info, 553

Search Expert, using formulas in, 97–98, 97–98

Section Editor, 199, 199

sections. *See also* formatting formulas

- defined, 207
- in Design mode, 24, 24, 208–209, 208–209
- Details section, 23, 23, 208, 208
- field placement in, 36–37
- Group Footer section, 23–24, 23
- Group Header section
 - conditional formulas, 219
 - defined, 23–24
 - repeating on each page, 150, 150, 456
- layout areas, 23, 23, 207–208, 208
- looping through objects in, 469–470
- looping through in reports, 471–472

- options for, 370–371, 370
- Page Footer section, 23, 23, 208, 208
- Page Header section, 23, 23, 208, 208
- in Preview mode, 24, 24
- Report Footer section, 23, 23, 208, 208
- Report Header section, 23, 23, 208, 208
- Standard Report Wizard and, 208, 208
- suppressing, 199, 199, 500
- sections, customizing, **207–224**
 - controlling spacing, 222–223, 222
 - hiding, 209–211, 209–211
 - using layout options, 209, 209, 211
 - overview of, 207, 224
 - using Section Expert
 - Color tab options, 220–221, 220–221
 - Common tab options, 212, 214–217, 216–218
 - conditional options, 218–221, 220–221
 - defined, 211
 - deleting sections, 213
 - Detail section formulas, 219–220
 - formula formatting icons, 212, 218
 - Group Header formulas, 219
 - inserting sections, 212–213, 212–213
 - moving sections, 213
 - opening, 209, 211, 212
 - overview of, 93, 95
 - Page Header formulas, 218–219
 - resizing sections, 222–223, 222
 - using submenu options
 - Arrange Lines, 209, 223
 - Delete Last Line, 209, 223
 - Don't Suppress, 209–210, 209
 - Fit Section, 209, 223
 - Hide (Drill-Down OK), 209–211, 210–211
 - Insert Line, 209, 223
 - Insert Section Below, 209, 213
 - overview of, 209, 209
 - Select All Section Objects, 209, 223–224, 223–224
 - Show Short Section Names, 209, 210, 211
 - Suppress (No Drill-Down), 210
- Sections objects (in RDC), **451**
- security
 - for Crystal reports as web services, 531
 - for databases, 230
 - permissions, repository and, 143
 - for stored procedures, 291
- Select All Section Objects option, 209, 223–224, **223–224**
- Select Distinct Records option, 293, **295**
- Select Expert, *See also* data retrieval; SQL
 - AND and OR clauses, 184
 - group selection formulas, 186, 186
 - opening, 180, 180
 - overview of, 179–180
 - record selection formulas, 185, 185
 - WHERE clauses
 - comparison operators, 181–182, 181–182, 192, 192, 281
 - data types and, 183
 - Formula Editor and, 183–184
 - for multiple conditions, 184–185, 184
 - overview of, 180
 - parameter fields, 191–193, 191–193
 - viewing results of, 184–185, 185
 - warning, 182
- SELECT statements, *See also* SQL
 - keywords and, 279–280, 280, 282–284, 283
 - overview of, 179–180, 279, 280
 - WHERE clauses and, 281–282, 282
- Select statements in Crystal, 115–116
- selection formulas, *See also* formulas
 - changing criteria, 532
 - defined, **97**
 - group selection formulas
 - changing, 457–459, 457, 459
 - coding, 156–157, 157, 186, 186
 - defined, **156**
 - displaying in reports, 158, 158
 - processing, 359
 - record selection formulas
 - changing in ASPs, 493–494, 494
 - changing in Windows applications, 457–459, 457, 459
 - editing, 185, 185
 - modifying, 403, 403
 - syntax, 115
- sequencing fields, 14, 14
- server-based record selection, **355–356**
- server-side caching, **558**

- servers, *See also* client/server; RAS; web servers
 - adding OLAP servers, 329, 330
 - Automation Server (in RDC), 444, 449–450, 450, 483
 - in Crystal Enterprise, 536, 537, 542–544
 - defined, 276
 - Log On or Off Server option, 293, 294
 - Perform Grouping On Server option, 293, 295
 - Report Engine Automation Server, 410
 - SQL, connection information, 493
 - supported by Crystal Enterprise, 545
- service providers (OLE DB), 255
- Set Datasource Location option, 293–294, 294, 385, 385
- Setup and Deployment Projects, 509–510, 509–510
- shared network drives, deploying reports to, 394, 396
- sharing variables, 175–177, 176
- Show Hidden Sections option, 209, 209
- Show Short Section Names option, 209, 210, 211
- Show SQL Query option, 185, 185, 293, 295
- sigma symbol (Σ) in Summarized Fields, 18, 18
- sizing
 - cross-tab cells, 322
 - fields, 368
 - objects, 27, 27
 - sections, 222–223, 222
- slices, 339, 339, *See also* OLAP
- SOAP (Simple Object Access Protocol), 412, 413, 527, 528
- Software Developer Kits. *See* SDKs
- Solution Explorer, 502, 502, 509–510, 509–510
- sorting grouped data, *See also* groups
 - changing sort criteria, 461–463
 - options for, 371
 - order in, 15, 15, 43–47, 44–46, 149–150
 - overview of, 148, 148
 - in processing reports, 357, 359
 - records in, 47–48, 48
 - summarized groups, 162–164, 162–164
- sorting trees, 99, 101
- source code, 421
- spacing
 - fonts, 62, 62
 - in paragraphs, 63, 63
 - in sections, 222–223, 222
- special fields
 - adding to reports, 54–55, 55
 - defined, 34
 - for grouped data, 158, 158
- Specified Order (groups), 44, 44, 150
- SQL commands
 - adding to repository, 135, 135–136
 - as data sources, 135, 136, 287–288, 287–288
 - defined, 287
 - modifying, 288, 288
 - parameterizing, 289–290, 290
 - using in reports, 141, 288, 289
 - as stored procedures
 - advantages, 290–291
 - as data sources, 291–293, 292
 - defined, 290
 - uses, 290
 - viewing in Field Explorer, 288, 289
- SQL expression fields, *See also* formulas
 - creating, 286–287, 286
 - defined, 34, 97, 285–286, 286
 - functions/operators, 128, 128
 - using, 287
- SQL queries, *See also* data source connections
 - building, 261–262, 261–262
 - as data sources, 262, 263
 - in Database Expert, 263
 - running, 262, 263
 - viewing, 185, 185, 293, 295
- SQL (Structured Query Language), 273–295
 - built-in functions for column data, 282
 - database types and
 - client/server databases, 267, 274, 276–277
 - overview of, 274
 - PC databases, 274–276, 275–276
 - SQL-capable databases, 277–278, 278
 - database utilities, 292–293, 293–295
 - defined, 278–279
 - keywords
 - DISTINCT keyword, 279–281, 280, 284
 - for grouping/sorting, 282, 283, 284
 - for joins, 283, 284
 - listed, 284
 - ODBC and, 278, 278, 285

- overview of, 273
- retrieving data with SELECT statements, *See also*
 - Select Expert
 - keywords and, 282–284, 283
 - overview of, 279, 280
 - WHERE clauses and, 281–282, 282
 - SQL server connection information, 493
 - standards, 277
 - vendor-specific dialects, 277–278, 278
 - views (as data sources), 293
- stacks, function call, **88, 129**
- stand-alone programs, **420–422, 421, 426–428**
- Standard Report Creation Wizard, *See also* building reports
 - creating subreports, 168–169, 169
 - Data dialog, 6–12, 6, 8–11
 - defined, 5, 5–6
 - Fields dialog, 12–14, 12–14
 - Grouping dialog, 14–16, 14–15
 - sections and, 208, 208
 - Summaries dialog, 16–18, 16–18
 - Templates dialog, 349, 349
- Standard toolbar, 41, 41
- static data deployment. *See* deploying
- static linking, 423
- stock charts, **301**
- stored procedures. *See* SQL commands
- storing
 - data, in report processing, 358
 - databases, 229
 - report templates, 343, 343
- Strings functions (built-in), **605–606**
- Styles options (cross-tabs), 322–324, 323–324
- subreports, **168–177**
 - accessing as full reports, 471
 - creating, 168–169, 169
 - data sources, 174–175
 - defined, **168**
 - editing, 172–173, 173
 - formatting, 171–172, 171, 173–174, 174
 - in-place subreports, 170
 - limitations, 177, 177
 - linked subreports, 169–170, 170
 - menu options, 171–172, 171
 - naming, 173
 - on-demand subreports
 - defined, 169, 171
 - tooggling between in-place and, 173, 174
 - warning, 177
 - placement of, 171
 - processing, 360
 - saving, 172, 177
 - sharing variables with main reports, 175–177, 176
 - suppressing, 470
 - unlinked subreports, 169
- subroutines, 426–427, 428
- summarizing data, **159–168**, *See also* charts; cross-tabs;
 - grouping; maps
 - creating summaries
 - grand totals, 162, 164
 - overview of, 159, 159
 - and placing in reports, 49, 49, 161, 162
 - subtotals, 162, 164
 - types of, 159–161, 159
 - and viewing, 49–50, 50
 - and using Group Sort Expert
 - Include Others option, 162, 164, 164
 - Include ties option, 162–163, 163
 - overview of, 162, 162
 - problem with, 164
 - overview of, 147, 178
 - Report Part Viewer and, 74–75, 75
 - with running total fields
 - creating, 166–167, 166
 - defined, **164–165**
 - processing, 359
 - records evaluated by, 168
 - using, 167, 167
 - when to use, 165
 - in Standard Report Wizard, 16–18, 16–18
 - techniques for, 48, 48
- Summary area in Formula Expert, 108, 108
- Summary functions (built-in), **601–602**
- summary report information
 - accessing outside Crystal, 55–56, 56
 - adding to reports, 54–55, 55
 - creating, 54, 54
 - defined, **54**
 - Save Preview Picture option, 54, 54, 56
 - statistics, 55
 - template information, 344, 344

Suppress Blank Section option, 212, 214, 216
 Suppress If Duplicated option, 58, 60, 195, 196
 Suppress If Embedded Field Blank Lines option, 58, 60, 197–198, 198
 Suppress If Zero option, 196, 197
 Suppress (No Drill-Down) option (sections), 210, 212, 214, 215

Suppress option, Don't, (sections), 209, 209–210
 Suppress option (unconditional), 58, 59, 195, 196
 suppressing data, *See also* data retrieval
 coding formulas for, 195–196, 196
 defined, 195
 field objects, 58, 59, 195–197, 196–197
 sections, 199, 199, 210, 212, 214, 215, 500
 subreports, 470
 text objects, 197–198, 198

symbols

colored arrow pentagons, 236, 237
 green check marks, 34, 34
 plus sign (+) in data sources list, 6, 7
 sigma symbol (Σ) in Summarized Fields, 18, 18
 vertical bar connector icon, 133, 133, 135, 136

syntax, *See also* code; formulas; SQL

checking, 100
 choosing, 101–102, 102, 111
 Crystal Syntax vs. Basic Syntax
 changing at runtime, 467–468
 choosing between, 99, 101–102, 102, 111
 commenting/uncommenting, 102
 control structures, 112–118, 113, 115, 117
 database processing and, 128
 functions, 118–119
 iterations, 116–118, 117
 operators, 105–107
 overview of, 111–112
 warning, 112

defined, 93
 for setting RGB color values, 222

T

tables. *See* databases, tables

templates, chart, 306–307, 306–307

templates, report, 341–351

 built-in, modifying, 344
 built-in templates, 341–343, 342, 350

 creating from blank reports, 345–347, 345–347

 creating, overview of, 343–344, 344

 defined, 341

 editing fields, 347, 347

 formatting, 346–347, 346

 overview of, 341, 351

 result fields, 347

 right-click menus, 345, 346

 saving existing reports as, 347–348

 storage location, 343, 343

 Template Expert

 applying templates, 349–350, 349

 defined, 348–349, 349

 reapplying templates, 350, 351

 removing templates, 350, 351

 without data sources, 345–347, 345–347

text, *See also* fonts

 fields, grouping on, 153

 in maps, 315

Text Interpretation options (paragraphs), 63, 64

text objects, *See also* formatting report objects

 adding to repository, 134, 134

 inserting in reports, 56–57, 57

 suppressing, 197–198, 198

thick clients, 409

thin clients, 411

3D riser charts, 300

3D surface charts, 300

.TIF file extension, 26

Tight Horizontal option (borders), 60, 61

time data

 formatting, 66, 67

 grouping on, 153

Time functions (built-in), 606–609

Title bars, Windows, 24, 25

titles

 adding to reports, 55, 55

 for charts, 308, 308

 placeholders, 55, 55

Tool Tip Text option, 58, 60

toolbars, Windows, 24–25, 25

troubleshooting

 compiled reports, 405

 DLL link problems, 385–386, 386

 formula code, 128–130, 129

twips, 451

Type Conversion functions (built-in), 609

U

UFLs (User Function Libraries), 126, 139

unary operators, 105

Underlay Following Sections option, 212, 214, 216

Until loops, 117–118

updating repository, 137–138, 137–138, 141, 388, 389

user ID/passwords, prompting for, 473

user input. *See* parameter fields

V

values, discrete, 87

variables, *See also* formulas; properties

defined, 86–87, 102

identifiers of, 87

local/global/shared scope, 103

sharing between main and subreports, 175–177, 176

temporary variables, 103

VB (Visual Basic)

Crystal Reports Expert and, 451–453

Object Browser, 459, 459

overview of, 414

VBScript. *See* ASP

Visual Basic 6. *See* RDC

Verify Database option, 293, 294

Verify On First Refresh option, 293, 294

vertical alignment guidelines, 37, 37–38

viewers. *See* report viewers

views as data sources, 293

virtual directories, 394

Visual Linking Expert. *See* Links tab

Visual Studio .NET documentation, 586–587, 587,

See also XML

visually analyzing data. *See* charts; cross-tabs; maps; OLAP

W

WCS (Web Component Server), 543

web applications, *See also* application development; ASP;

.NET; XML

defined, 411

in Java, 412, 414, 417

in .NET Windows, 411, 416

in Windows, 408–409, 408, 411

XML web services, 412–413, 413, 416

web browsers

in Crystal Enterprise, 536–539, 537, 539

in Report Application Server, 559

web servers, *See also* servers

in Crystal Enterprise, 542–543, 547–548, 547

defined, 394

publishing static data to, 394–396, 395

in RAS, 559

Web Services Description Language (WSDL), 526,

527, 527

web services. *See* XML web services

web site addresses

Adobe, 390

Crystal Decisions, 279, 396, 486, 536, 578

ePortfolio Lite, 567

online references, 588

RAS Launchpad, 565, 565

rosettanel.org, 525

Sybex, 442

w3c.org, 520, 526

Welcome screen, 4, 4, 32, 32

WHERE clauses, *See also* Select Expert; SQL

comparison operators, 181–182, 181–182, 192,

192, 281

data types and, 183

defined, 281–282, 282

Formula Editor and, 183–184

for multiple conditions, 184–185, 184

parameter fields, 191–193, 191–193

viewing results of, 184–185, 185

warning, 182

While loops, 117–118
 WhilePrintingRecords formula, 359, 362, 598
 WhileReadingRecords formula, 362, 598
 Windows. *See* Microsoft Windows
 .WMF file extension, 26
 Word documents, changing at runtime, 461
 workaround for Crystal queries, 237
 Workshop Tree. *See* Formula Workshop
 WSDL (Web Services Description Language), 526, 527, 527

X

XML documents
 creating from Crystal Reports, 271–272, 271
 as data sources, 267–272, 268–271, 367, 367
 XML web services, 519–532
 building Crystal reports in Visual Studio .NET as
 adding web references, 531
 changing selection criteria, 532
 and displaying, 531, 532
 overview of, 529
 and securing, 531
 steps in, 529, 530
 warning, 529
 building in Visual Studio .NET
 adding web references, 522–523, 523
 architecture, 526, 526

calling on click events, 523–524
 creating client interface, 522, 522
 overview of, 520–522, 521
 SOAP behind, 527, 528
 WSDL behind, 526, 527, 527
 using Crystal Reports in, 412–413, 413
 defined, 519–520
 development skills required, 416
 overview of, 519, 532
 technologies, 520
 XML
 attributes data, 524–525
 defined, 524
 element data/tags, 524
 example, 524
 versus HTML, 525–526
 importance of, 525
 SOAP in, 526
 standards, 525
 WSDL in, 526
 XML Schemas, 525
 XSD (XML Schema Definition), 271–272
 XY scatter charts, 300

Z

Zoom tool, 368